

# TBM Spoil Waste Categorisation Report

<b>TBM Spoil Waste Cat Report No:</b>	A03.0220220504111557_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
---------------------------------------	-------------------------	--

## 1. Motherhub Summary

Source TBM/Bin at Pivot	2	Source Geological Domain	1
Approx. Source Tunnel Chainage From	63	Approx. Source Tunnel Chainage To	90
Approx. Rings From	29	Approx. Rings To	40
Foaming Agent	TamSoil 287AC	Water Source	Potable (City West Water)
For BSF Holding Bay No:	A03.02	Start of Filling From (Time / date)	23/04/2022
Tonnes Put in Holding Bay No:	6753.36	Finish of Filling (Time / Date)	25/04/2022
Classified Volume (LCM)	4000	Spoil Classification Decision	NPIW Containment
Sampling Ratio (samples per LCM)	1:160.00	Approx. Bank Cubic Meters (BCM)	5160.63

## 2. Agon Spoil Classification Decision

Spoil Categorisation Decision (State Yes or No in each Row)	
NPIW Containment - 2020/476 (SO 9042848)	Yes
NPIW Landfill - 2019/404 (SO 9038429)	Yes
PIW-Category C - 2019/405 (SO 9038560)	No
PIW-Category B - 2019/406 (SO 9038561)	No
PIW-Category A	No

## 3. Agon Spoil Classification Assessment

### 3.1 Applicable Samples

Table 3.1 - 1 lists the applicable sample numbers for this spoil. These have been determined from:

- The date / time bay filling was started
- The date / time bay filling was finished
- The ID of the first truck that deposited spoil in the bay and the date / time that it was filled at Pivot
- The ID of the last truck that deposited spoil in the bay and the date / time it was filled at Pivot
- The sample ID that was associated with the first truck – noting that a time window to be associated with each sample is half the time interval between its sampling time and the time of the preceding and the following samples. For example, if samples were collected at 8am, noon and 4 pm, the time window for the noon sample is between 10 am and 2 pm. That is this sample “belongs” to all truck loaded in this time window

# TBM Spoil Waste Categorisation Report

<b>TBM Spoil Waste Cat Report No:</b>	A03.0220220504111557_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
---------------------------------------	-------------------------	--

Table 3.1 - Applicable Sample ID's

*Table 3.1 - 1 Applicable Sample ID's*

Applicable Spoil Sample ID's		
SX_IB_20220423_12_15_SS_Primary_EUF	SX_IB_20220424_19_54_SS_Primary_ALS	SX_IB_20220425_07_57_SS_Triplicate_EUF
SX_IB_20220424_00_09_SS_Primary_EUF	SX_IB_20220424_19_58_SS_Primary_EUF	SX_IB_20220425_08_04_SS_Primary_EUF
SX_IB_20220424_04_08_SS_Primary_ALS	SX_IB_20220424_23_48_SS_Primary_ALS	SX_IB_20220425_11_48_SS_Primary_ALS
SX_IB_20220424_08_14_SS_Primary_EUF	SX_IB_20220424_23_55_SS_Primary_ALS	SX_IB_20220425_11_57_SS_Primary_EUF
SX_IB_20220424_12_03_SS_Primary_ALS	SX_IB_20220425_03_50_SS_Primary_EUF	SX_IB_20220425_15_50_SS_Primary_ALS
SX_IB_20220424_15_58_SS_Primary_EUF	SX_IB_20220425_03_59_SS_Primary_EUF	SX_IB_20220425_15_56_SS_Primary_EUF
SX_IB_20220424_15_59_SS_Duplicate_EUF	SX_IB_20220425_07_56_SS_Primary_ALS	SX_IB_20220425_15_57_SS_Duplicate_EUF
SX_IB_20220424_16_05_SS_Primary_ALS	SX_IB_20220425_07_57_SS_Duplicate_ALS	SX_IB_20220425_15_58_SS_Triplicate_ALS
SX_IB_20220424_16_49_SS_Triplicate_ALS		
Total Sample Numbers	25	Ratio Acceptable
Primary Sample Numbers	19	Yes
Classified Volume (LCM)	4000 m3	
Volume: Sample Number Ratio (Samples per LCM)	1 : 160.00	

# TBM Spoil Waste Categorisation Report

<b>TBM Spoil Waste Cat Report No:</b>	<b>A03.0220220504111557_02</b>	<b>This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u></b>
---------------------------------------	--------------------------------	---

## 3.2 Data Quality Compliance with SAQP

Table 3.2-1 evaluates the compliance of the data quality for this spoil – by reference to the criteria in the SAQP (Yes / No).

*Table 3.2 - 1 Evaluation of Quality of Data for this Spoil*

DQI	Field Consideration	Laboratory Consideration	Overall Data Quality Acceptability
Precision	Yes	Yes	Yes
Accuracy	Yes	Yes	Yes
Representativeness	Yes	Yes	Yes
Completeness	Yes	Yes	Yes
Comparability	Yes	Yes	Yes

# TBM Spoil Waste Categorisation Report

<b>TBM Spoil Waste Cat Report No:</b>	A03.0220220504111557_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
---------------------------------------	-------------------------	--

## 3.3 Selection of the Spoil Sample Testing Regime

Table 3.3 - 1 Selection of the Spoil Sample Testing Regime

	(State Yes or No in each Row)
<p>A. Is testing all spoil samples taken required for spoil in this Holding Bay, because prior to this Holding Bay, less than 10 Holding Bays of spoil have been tested from this Domain</p> <p>If the answer is Yes, go to E. If the answer is No, go to B.</p>	<b>Yes</b>
<p>B. If the answer to A is No (i.e., 10 or more Holding Bays of spoil have been tested from this Domain), do trends in the maximum data values from the previous 10 bays indicate that results are trending at &lt;75% of the containment criteria?</p> <p>If the answer is Yes, go to C. If the answer is No, go to D.</p>	<b>NA</b>
<p>C. If the answer to B is Yes, then was <b>testing</b> of spoil for this Holding Bay reduced to two primary samples per bay plus QC samples (Minimum Testing Regime) as allowed by the SAQP (See SAQP Section 6.2.7)?</p>	<b>NA</b>
<p>D. If the answer to B is No, then was the default testing regime implemented for all samples collected for the spoil in this Holding Bay (as required by the SAQP)?</p>	<b>NA</b>
<p>E. Based on the answers to Questions A to D above, was the default testing regime (as defined in the SAQP) applied to the spoil in this Holding Bay?</p>	<b>Yes</b>
<p>F. Based on the answers to Questions A to D above, was the Minimum testing Regime (as defined in the SAQP) applied to the spoil in this Holding Bay?</p>	<b>No</b>

# TBM Spoil Waste Categorisation Report

<b>TBM Spoil Waste Cat Report No:</b>	A03.0220220504111557_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
---------------------------------------	-------------------------	--

## 3.4 Spoil Compliance with SAQP Criteria for Containment Cell

Table 3.4 - 1 Spoil Compliance with SAQP Criteria for Containment Cell

<b>Need for IWRG 621.1 or 655.1 Testing</b>	
A. Is Spoil in this Holding Bay from a Zone of Exception or Anomalous and required testing for IWRG 621.1?	<b>No</b>
B. Is IWRG 621.1 testing required for spoil in this Holding Bay, because prior to this Holding Bay, less than 10 Holding Bays of spoil have been tested from this Domain?	<b>Yes</b>
C. Is IWRG 621.1 testing required for spoil in this Holding Bay, because the moving 95% UCL values for the previous 10 consecutive Holding Bays of spoil from this Domain are not below TCO?	<b>No</b>
D. Is testing pursuant to IWRG 655.1 required for spoil in this Holding Bay, because the spoil comes from Exception Zone 3 (See SAQP Section 5.4)?	<b>No</b>
E. Has spoil testing for IWRG 621.1 Parameters been triggered by results of spoil water tests for previous Holding Bays of spoil from this geological domain?	<b>No</b>
<b>Outcome from IWRG 621.1 testing (if needed)</b>	
F. If Yes to one or more Questions A, B, C or E, (and not NOC< applicable background concentrations) then do test results for IWRG 621.1 (see Table 3.4-2) prohibit NPIW Containment as a spoil Classification Outcome? If no to all of Questions A, B, C and E, then respond NA to this question.	<b>No</b>
<b>Outcome from IWRG 655.1 testing (if needed)</b>	
G. If Yes to Questions D, then do test results for IWRG 655.1 (see Table 3.4-3) permit NPIW Containment as a spoil Classification Outcome? If no to Question D, respond NA to this question	<b>NA</b>
<b>Outcome from PFAS Testing</b>	
H. Do test results for PFAS (see Table 3.4-4 below) permit NPIW Containment as a spoil Classification Outcome?	<b>Yes</b>
<b><i>If Yes to either or both of Question E or F, then Spoil is Not Suitable for Containment; Go to Section 3.5. Otherwise, it is Suitable for Containment</i></b>	
<b>Notes:</b>	
<ol style="list-style-type: none"> <li>1. Criteria taken from EPA Grandfathered Classifications for TBM Spoil (2020/476 (SO 9042848)), and from the EPA approved EMP for Hi Quality's Containment Cell</li> </ol>	

# TBM Spoil Waste Categorisation Report

<b>TBM Spoil Waste Cat Report No:</b>	<b>A03.0220220504111557_02</b>	<b>This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u></b>
---------------------------------------	--------------------------------	---

Table 3.4 - 2 IWRG 621.1 Parameter Concentration Statistics & Spoil Suitability for Containment

IWRG 621.1 Exceedance Test Results												
Chemical	Unit	LOR	No. of samples	No. of primary samples	Sample: LCM Ratio	No > LOR	Min	Mean	95% UCL on Mean	Max	Limiting Criteria for NPIW Containment	Comment
Arsenic	mg/kg	2	25*	19	1: 160.00	25	22	31.76	34.51	60	20	NPIW-Containment - considered to be naturally occurring chemical, see comment 1 (Section 4)
Nickel	mg/kg	5	25*	19	1: 160.00	25	120	163	169.3	220	60	NPIW-Containment - considered to be naturally occurring chemical, see comment 1 (Section 4)
Fluoride	mg/kg	100	25*	19	1: 160.00	16	<100	269.37	N/A	1500	450	NPIW-Containment - considered to be naturally occurring chemical, see comment 1 (Section 4)

“\*” - Ratio used for categorisation of spoil is total samples to LCM due to spoil not being from a zone of exception. (See Section 4)

# TBM Spoil Waste Categorisation Report

<b>TBM Spoil Waste Cat Report No:</b>	<b>A03.0220220504111557_02</b>	<b>This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u></b>
---	--------------------------------	---

Table 3.4 – 3 IWRG 655.1 (WASS) Parameter Concentration Statistics & Spoil Suitability for Containment

IWRG 655.1 Test Results											
Chemical	Unit	LOR	No. of primary samples	Sample: LCM Ratio	No > LOR	Min	Mean	95% UCL on Mean	Max	Limiting Criteria for NPIW Containment	Comment
pHF	pH									5	
pHFox	pH									5	
Delta pH										2	
%S	%									0.03%	
Mol H+ /tonne	Mol/ tonne									18	

# TBM Spoil Waste Categorisation Report

<b>TBM Spoil Waste Cat Report No:</b>	A03.0220220504111557_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
---------------------------------------	-------------------------	--

Table 3.4 - 4 PFAS Parameter Concentrations & Spoil Suitability for Containment

PFAS Test Results											
Chemical	Unit	LOR	No. of Samples	No. of primary samples	No > LOR	Min	Mean	95% UCL on Mean	Max	Upper Limiting Criteria for NPIW Containment	Spoil Category for PFAS
Total PFAS Concentrations											
Total PFOS	ug/kg	5	25*	19	0	N/A	N/A	N/A	<5	N/A	NPIW-Containment
Total PFOA	ug/kg	5	25*	19	0	N/A	N/A	N/A	<5	N/A	NPIW-Containment
Total PFHxS	ug/kg	5	25*	19	0	N/A	N/A	N/A	<5	N/A	NPIW-Containment
ASLP (pH= 5) PFAS Concentrations											
PFOA	ug/L	0.01	25*	19	0	N/A	N/A	N/A	<0.01	56	NPIW-Containment
PFOS+PFHxS	ug/L	0.01	25*	19	0	N/A	N/A	N/A	<0.01	7	NPIW-Containment
ASLP (pH= 7) PFAS Concentrations											
PFOA	ug/L	0.01	25*	19	0	N/A	N/A	N/A	<0.01	56	NPIW-Containment
PFOS+PFHxS	ug/L	0.01	25*	19	0	N/A	N/A	N/A	<0.01	7	NPIW-Containment

“\*” - Ratio used for categorisation of spoil is total samples to LCM due to spoil not being from a zone of exception. (See Section 4)



# TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	A03.0220220504111557_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

---

## 3.5 Waste Classification for Spoil Not Suitable for Containment Cell

This Section 3.5 and the Tables 3.5-1 to 3.5-3 only apply if the spoil is classified in Section 3.4 as not suitable for the Containment Cell. If the spoil is classified in Section 3.4 as not suitable for the Containment Cell, then Tables 3.5-1 and 3.5-2 contain no data and no assessment.

Table 3.5 - 1 below contains the statistics for IWRG 621.1 Parameter concentrations, and Agon's assessment of their implications for the spoil waste category

Table 3.5 - 2 below contains the statistics for IWRG 655.1 Parameter concentrations, and Agon's assessment of their implications for the spoil waste category

Table 3.5 - 3 below contains the statistics for PFAS concentration, and Agon's assessment of their implications for the spoil waste category

# TBM Spoil Waste Categorisation Report

<b>TBM Spoil Waste Cat Report No:</b>	<b>A03.0220220504111557_02</b>	<b>This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u></b>
---------------------------------------	--------------------------------	---

Table 3.5 - 1 IWRG 621.1 Parameter Concentration Statistics & Waste Classifications

IWRG 621.1 Exceedance Test Results													
Chemical	Unit	LOR	No. of primary samples	Sample: LCM Ratio	No > LOR	Min	Mean	95% UCL on Mean	Max	Limiting Criteria for NPIW	Limiting Criteria for Cat C	Limiting Criteria for Cat B	Comment
Arsenic	mg/kg												
Copper	mg/kg												
Chromium (Hexavalent)	mg/kg												
Nickel	mg/kg												
Fluoride	mg/kg												

# TBM Spoil Waste Categorisation Report

<b>TBM Spoil Waste Cat Report No:</b>	<b>A03.0220220504111557_02</b>	<b>This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u></b>
---------------------------------------	--------------------------------	---

Table 3.5 – 2 IWRG 655.1 (WASS) Parameter Concentration Statistics & Waste Classification

IWRG 655.1 Test Results											
Chemical	Unit	LOR	No. of primary samples	Sample: LCM Ratio	No > LOR	Min	Mean	95% UCL on Mean	Max	Limiting Criteria for NPIW Containment	Comment
pHF	pH									5	
pHFox	pH									5	
Delta pH										2	
%S	%									0.03%	
Mol H+ /tonne	Mol/tonne									18	

# TBM Spoil Waste Categorisation Report

<b>TBM Spoil Waste Cat Report No:</b>	<b>A03.0220220504111557_02</b>	<b>This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u></b>
---------------------------------------	--------------------------------	---

Table 3.5 - 3 PFAS Parameter Concentrations and Waste Classifications

PFAS Test Results													
Chemical	Unit	LOR	No. of primary samples	No > LOR	Min	Mean	95% UCL on Mean	Max	Upper Limiting Criteria for NPIW Containment	Upper Limiting Criteria for NPIW Landfill	Upper Limiting Criteria for PIW Cat C	Upper Limiting Criteria for PIW Cat B	Spoil Category for PFAS
Total PFAS Concentrations													
Total PFOS	ug/kg												
Total PFOA	ug/kg												
Total PFHxS	ug/kg												
ASLP (pH= 5) PFAS Concentrations													
PFOA	ug/L												
PFOS+PFHxS	ug/L												
ASLP (pH= 7) PFAS Concentrations													
PFOA	ug/L												
PFOS+PFHxS	ug/L												

# TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	A03.0220220504111557_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

## 4. Comments and Limitations

Comments and Limitations	
1.	<p>Naturally Occurring Chemicals listed in IWRG 621.1 that are within the Background range despite being reported at concentrations that would otherwise categorise the material as PIW:</p> <ol style="list-style-type: none"> <li>1. Technical discussion around the naturally occurring metal concentrations found in soils beneath the WGTP is detailed in <i>Golder (2017b) – Technical Report B, Appendix E – Environmental characterisation of spoil (natural soil and rock)</i>. The report indicates that elevated metals (including arsenic, nickel, copper, chromium (CrVI), zinc and mercury) were considered to be associated with natural enrichment instead of anthropogenic contamination.               <ol style="list-style-type: none"> <li>a. <b>Arsenic</b> – <i>Golder (2017b) – Technical Report B, Appendix E</i> section 6.2 <i>Arsenic enrichment in the residual soil of the upper Older Volcanics (Tvo1)</i> found that while the soil of the upper Older Volcanics sub-unit contains arsenic, the arsenic is not characteristic of the wider sub unit (i.e the rock) or the lower sub-unit (soil or rock). The concentration of arsenic therefore appears to be related to the chemical and biological weather of the unit over time. This is further supported by:                   <ol style="list-style-type: none"> <li>i. The residual soil of the sub-unit being characterised by iron-oxide staining and containing goethite. Goethite is an iron oxyhydroxide mineral, which can contain elevated concentrations of arsenic.</li> </ol> <p>Golder therefore concluded that based on the broad vertical distribution of arsenic and the presence of arsenic throughout the greater project area, arsenic results in Upper Older Volcanics soil are not likely to be associated with anthropogenic contamination.</p> </li> <li>b. <b>Nickel</b> – <i>Golder (2017b) – Technical Report B, Appendix E</i> section 6.3 <i>Nickel enrichment within the upper Older Volcanics</i> found that                   <ol style="list-style-type: none"> <li>i. Nickel is known to be enriched within olivine and pyroxene basalt minerals, leading to nickel enrichment of soils weathered from basalt (Martini and Chesworth, 2013).</li> <li>ii. The reported mean nickel concentrations within the Older Volcanics (Tvo) were comparable to results reported within soils derived from basalt in Auckland and basalt rock of Finland (ARC, 2001; Koljonen, 1992), Older Volcanics observed in the Melbourne Metro Project (Golder, 1026a) and Newer Volcanics basalt of the Westenra Plains (Birch, 2003).</li> <li>iii. Enriched nickel concentrations corresponded with enriched cobalt (all units) and iron (except tertiary volcanics (Tvo2) soil) indicating that the nickel is likely associated with geochemical enrichment rather than added contamination.</li> </ol> </li> </ol> </li> </ol>

# TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	A03.0220220504111557_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

	<p style="margin-left: 40px;">iv. Enriched nickel concentrations also corresponded with enriched copper (Two soil and rock) and zinc (all units) indicating that the nickel is likely associated with geochemical enrichment rather than added contamination. Golder therefore concluded that the nickel is likely associated with geochemical enrichment rather than added contamination.</p> <p>The Golder study found that based on review of the depth, site history and the geochemical association of elements, the reported elevated concentrations of arsenic and nickel are considered representative of geogenic conditions and are not expected to be associated with contamination.</p> <p>2. Previous reviews of the presence of Fluoride in soil data outlined on the SAQP (Rev 5) were undertaken by AJJV (2019). The AJJV review of the consolidated data set identified:</p> <p style="margin-left: 40px;">Samples which reported elevated fluoride concentrations were found to be within the range the ambient background from the parent or similar material in the Victorian Soil Database:</p> <ul style="list-style-type: none"> <li>i. Newer Volcanics Group – Maximum 820 mg/kg</li> <li>ii. Older Volcanics – Maximum 600 mg/kg</li> <li>iii. Sub-Basaltic Alluvium – Maximum 240 mg/kg</li> </ul> <p style="margin-left: 40px;">In addition, the 95% UCLs calculated for Newer Volcanics Group and Older Volcanics, was 322.7 mg/kg and 225.1 mg/kg respectively, both of these values are below the 450mg/kg upper limit for spoil to be disposed of to the containment cell.</p> <p>A review of the Agon data for spoil reported in this data set shows:</p> <ul style="list-style-type: none"> <li>• A similar ratio of test results &gt; LOR compared to the overall data set;</li> <li>• If a ½ LOR is substituted for results reported as &lt;LOR (of 100mg/kg), then like the AJJV 95% UCL, the calculation is less than the 450mg/kg upper limit for spoil to be disposed of to the containment cell.</li> </ul> <p>The results also show that there are no synthetic compounds reported above the laboratory LOR, another indication that anthropogenic contamination is not present.</p>
2.	Test result outcomes can lead to two classification possibilities; however, the classification decision follows the preference of the waste management hierarchy.
3.	Spoil is not from a “Zone of Exception”. Zone of exception applies a sampling ratio of only Primary Samples to LCM to categorise spoil as per the SAQP revision 5. Sample to categorised volume ratio in zones of exception is to be as per IWRG702 with 1 primary spoil sample categorising a maximum 250 m3 of spoil.
4.	Loose Cubic metres (LCM) to mass (tonnes) conversion ratio used is 1 LCM:1.6 tonnes
5.	This report has been prepared in accordance with industry recognised standards and procedures current at the time of the work. The report presents the results of the assessment based on the quoted scope of works (unless otherwise agreed in writing) for the specific purposes of

# TBM Spoil Waste Categorisation Report

<b>TBM Spoil Waste Cat Report No:</b>	<b>A03.0220220504111557_02</b>	<b>This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u></b>
---	--------------------------------	---

	the engagement by the Client. No warranties expressed or implied, are offered to any third parties and no liability will be accepted for use of this report by third parties.
6.	All information provided by third parties has been assumed to be correct and complete. Agon does not assume any liability for misrepresentation of information by third parties or for matters not visible, accessible or present on the subject site.
7.	Opinions and judgements expressed herein are based on Agon's understanding of current regulatory standards and should not be construed as legal opinions. No responsibility is accepted for use of any part of this report in any other context or for any other purpose or by third parties other than those listed above.
8.	This report should be read in full.

# TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	A03.0220220504111557_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

---

## 5. Attachments

ATTACHMENT A: TABULATED RESULTS

ATTACHMENT B: 95% UCL AVE CALCULATIONS

ATTACHMENT C: LABORATORY CERTIFICATES



# TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	A03.0220220504111557_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

---

ATTACHMENT A: TABULATED RESULTS

										Metals										
										Arsenic	Cadmium	Copper	Chromium (III+VI)	Chromium (hexavalent)	Lead	Mercury	Molybdenum	Nickel	Selenium	
										mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	
EQL										2	0.4	5	5	1	5	0.1	5	5	2	
EPA PFAS Classification - Tunnel Zone - 2019/404 (SO 9038429) Threshold																				
EPA PFAS Classification - Tunnel Zone - 2019/405 (SO 9038560) Threshold																				
EPA PFAS Classification - Tunnel Zone - 2019/406 (SO 9038561) Threshold																				
EPA PFAS Classification - Tunnel Zone - No option for disposal threshold																				
EPA Victoria IWRG621 Category B Leached Upper Limits																				
EPA Victoria IWRG621 Category B Upper Limits										2,000	400	20,000		2,000	6,000	300	4,000	12,000	200	
EPA Victoria IWRG621 Category C Leached Upper Limits																				
EPA Victoria IWRG621 Category C Upper Limits										500	100	5,000		500	1,500	75	1,000	3,000	50	
EPA Victoria IWRG621 Fill Upper Limits										20	3	100		1	300	1	40	60	10	

Location Code	Field ID	Sample Code	Date	Lab Report Number	Lab Name	Sample Type	Parent Sample	Arsenic	Cadmium	Copper	Chromium (III+VI)	Chromium (hexavalent)	Lead	Mercury	Molybdenum	Nickel	Selenium
A03.02	SX_IB_20220423_12_15_SS_Prim	M22-Ap0050630	23/04/2022	882647	MGT	Normal		31	<0.4	70	130	<1	5.2	<0.1	<5	170	<2
A03.02	SX_IB_20220423_12_15_SS_Prim	M22-Ap0050657	23/04/2022	882647	MGT	Normal											
A03.02	SX_IB_20220423_12_15_SS_Prim	M22-Ap0050682	23/04/2022	882647	MGT	Normal											
A03.02	SX_IB_20220424_00_09_SS_Prim	M22-Ap0050636	24/04/2022	882647	MGT	Normal		32	<0.4	68	140	<1	5.0	<0.1	<5	170	2.1
A03.02	SX_IB_20220424_00_09_SS_Prim	M22-Ap0050661	24/04/2022	882647	MGT	Normal											
A03.02	SX_IB_20220424_00_09_SS_Prim	M22-Ap0050686	24/04/2022	882647	MGT	Normal											
A03.02	SX_IB_20220424_04_08_SS_Prim	EM2207398010	24/04/2022	EM2207398	ALSE-Melbourne	Normal		30	<1	59	104	<1.0	<5	<0.1	<5	171	<5
A03.02	SX_IB_20220424_04_08_SS_Prim	EM2207398036	24/04/2022	EM2207398	ALSE-Melbourne	Normal											
A03.02	SX_IB_20220424_08_14_SS_Prim	M22-Ap0050639	24/04/2022	882647	MGT	Normal		41	<0.4	86	180	<1	5.8	<0.1	<5	220	2.4
A03.02	SX_IB_20220424_08_14_SS_Prim	M22-Ap0050664	24/04/2022	882647	MGT	Normal											
A03.02	SX_IB_20220424_08_14_SS_Prim	M22-Ap0050689	24/04/2022	882647	MGT	Normal											
A03.02	SX_IB_20220424_12_03_SS_Prim	EM2207398013	24/04/2022	EM2207398	ALSE-Melbourne	Normal		31	<1	56	105	<1.0	<5	<0.1	<5	159	<5
A03.02	SX_IB_20220424_12_03_SS_Prim	EM2207398039	24/04/2022	EM2207398	ALSE-Melbourne	Normal											
A03.02	SX_IB_20220424_15_58_SS_Prim	M22-Ap0050641	24/04/2022	882647	MGT	Normal		41	<0.4	77	130	<1	5.4	<0.1	<5	180	2.0
A03.02	SX_IB_20220424_15_58_SS_Prim	M22-Ap0050666	24/04/2022	882647	MGT	Normal											
A03.02	SX_IB_20220424_15_58_SS_Prim	M22-Ap0050691	24/04/2022	882647	MGT	Normal											
A03.02	SX_IB_20220424_15_59_SS_Dup	M22-Ap0050642	24/04/2022	882647	MGT	Field_D	M22-Ap0050641	44	<0.4	68	110	<1	<5	<0.1	<5	170	<2
A03.02	SX_IB_20220424_15_59_SS_Dup	M22-Ap0050667	24/04/2022	882647	MGT	Field_D	M22-Ap0050666										
A03.02	SX_IB_20220424_15_59_SS_Dup	M22-Ap0050692	24/04/2022	882647	MGT	Field_D	M22-Ap0050691										
A03.02	SX_IB_20220424_16_05_SS_Prim	EM2207398014	24/04/2022	EM2207398	ALSE-Melbourne	Normal		30	1	60	101	<1.0	<5	<0.1	<5	172	<5
A03.02	SX_IB_20220424_16_05_SS_Prim	EM2207398040	24/04/2022	EM2207398	ALSE-Melbourne	Normal											
A03.02	SX_IB_20220424_16_49_SS_Trip	EM2207398015	24/04/2022	EM2207398	ALSE-Melbourne	Interlab_D	M22-Ap0050641	30	<1	56	94	<1.0	<5	<0.1	<5	170	<5
A03.02	SX_IB_20220424_16_49_SS_Trip	EM2207398041	24/04/2022	EM2207398	ALSE-Melbourne	Interlab_D	M22-Ap0050691										
A03.02	SX_IB_20220424_19_54_SS_Prim	EM2207398016	24/04/2022	EM2207398	ALSE-Melbourne	Normal		30	<1	64	107	<1.0	<5	<0.1	<5	163	<5
A03.02	SX_IB_20220424_19_54_SS_Prim	EM2207398042	24/04/2022	EM2207398	ALSE-Melbourne	Normal											
A03.02	SX_IB_20220424_19_58_SS_Prim	M22-Ap0050643	24/04/2022	882647	MGT	Normal		29	<0.4	71	140	<1	<5	<0.1	<5	170	2.3
A03.02	SX_IB_20220424_19_58_SS_Prim	M22-Ap0050668	24/04/2022	882647	MGT	Normal											
A03.02	SX_IB_20220424_19_58_SS_Prim	M22-Ap0050693	24/04/2022	882647	MGT	Normal											
A03.02	SX_IB_20220424_23_48_SS_Prim	EM2207398017	24/04/2022	EM2207398	ALSE-Melbourne	Normal		24	<1	55	91	<1.0	<5	<0.1	<5	165	<5
A03.02	SX_IB_20220424_23_48_SS_Prim	EM2207398043	24/04/2022	EM2207398	ALSE-Melbourne	Normal											
A03.02	SX_IB_20220424_23_55_SS_Prim	EM2207398018	24/04/2022	EM2207398	ALSE-Melbourne	Normal		22	<1	53	85	<1.0	<5	<0.1	<5	146	<5
A03.02	SX_IB_20220424_23_55_SS_Prim	EM2207398044	24/04/2022	EM2207398	ALSE-Melbourne	Normal											
A03.02	SX_IB_20220425_03_50_SS_Prim	M22-Ap0050644	25/04/2022	882647	MGT	Normal		60	<0.4	76	170	<1	5.9	<0.1	<5	180	2.0
A03.02	SX_IB_20220425_03_50_SS_Prim	M22-Ap0050669	25/04/2022	882647	MGT	Normal											
A03.02	SX_IB_20220425_03_50_SS_Prim	M22-Ap0050694	25/04/2022	882647	MGT	Normal											
A03.02	SX_IB_20220425_03_59_SS_Prim	M22-Ap0050645	25/04/2022	882647	MGT	Normal		32	<0.4	58	130	<1	<5	<0.1	<5	150	<2
A03.02	SX_IB_20220425_03_59_SS_Prim	M22-Ap0050670	25/04/2022	882647	MGT	Normal											
A03.02	SX_IB_20220425_03_59_SS_Prim	M22-Ap0050695	25/04/2022	882647	MGT	Normal											
A03.02	SX_IB_20220425_07_56_SS_Prim	EM2207398021	25/04/2022	EM2207398	ALSE-Melbourne	Normal		26	<1	57	103	<1.0	<5	<0.1	<5	157	<5
A03.02	SX_IB_20220425_07_56_SS_Prim	EM2207398047	25/04/2022	EM2207398	ALSE-Melbourne	Normal											
A03.02	SX_IB_20220425_07_57_SS_Dup	EM2207398022	25/04/2022	EM2207398	ALSE-Melbourne	Field_D	EM2207398021	27	1	60	98	<1.0	6	<0.1	<5	152	<5
A03.02	SX_IB_20220425_07_57_SS_Dup	EM2207398048	25/04/2022	EM2207398	ALSE-Melbourne	Field_D	EM2207398047										
A03.02	SX_IB_20220425_07_57_SS_Trip	M22-Ap0050647	25/04/2022	882647	MGT	Interlab_D	EM2207398021	32	<0.4	64	130	<1	<5	<0.1	<5	160	<2
A03.02	SX_IB_20220425_07_57_SS_Trip	M22-Ap0050672	25/04/2022	882647	MGT	Interlab_D	EM2207398021										
A03.02	SX_IB_20220425_07_57_SS_Trip	M22-Ap0050697	25/04/2022	882647	MGT	Interlab_D	EM2207398047										
A03.02	SX_IB_20220425_08_04_SS_Prim	M22-Ap0050648	25/04/2022	882647	MGT	Normal		30	<0.4	78	130	<1	<5	<0.1	<5	180	<2
A03.02	SX_IB_20220425_08_04_SS_Prim	M22-Ap0050673	25/04/2022	882647	MGT	Normal											
A03.02	SX_IB_20220425_08_04_SS_Prim	M22-Ap0050698	25/04/2022	882647	MGT	Normal											
A03.02	SX_IB_20220425_11_48_SS_Prim	EM2207398023	25/04/2022	EM2207398	ALSE-Melbourne	Normal		28	<1	58	103	<1.0	<5	<0.1	<5	141	<5
A03.02	SX_IB_20220425_11_48_SS_Prim	EM2207398049	25/04/2022	EM2207398	ALSE-Melbourne	Normal											
A03.02	SX_IB_20220425_11_57_SS_Prim	M22-Ap0050649	25/04/2022	882647	MGT	Normal		26	<0.4	62	120	<1	5.3	<0.1	<5	140	2.1
A03.02	SX_IB_20220425_11_57_SS_Prim	M22-Ap0050674	25/04/2022	882647	MGT	Normal											
A03.02	SX_IB_20220425_11_57_SS_Prim	M22-Ap0050699	25/04/2022	882647	MGT	Normal											

							Metals									
							Arsenic	Cadmium	Copper	Chromium (III+VI)	Chromium (hexavalent)	Lead	Mercury	Molybdenum	Nickel	Selenium
							mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
A03.02	SX_IB_20220425_15_50_SS_Prim	EM2207398024	25/04/2022	EM2207398	ALSE-Melbourne	Normal	24	<1	55	96	<1.0	<5	<0.1	<5	159	<5
A03.02	SX_IB_20220425_15_50_SS_Prim	EM2207398050	25/04/2022	EM2207398	ALSE-Melbourne	Normal										
A03.02	SX_IB_20220425_15_56_SS_Prim	M22-Ap0050650	25/04/2022	882647	MGT	Normal	36	<0.4	78	140	<1	<5	<0.1	<5	160	2.1
A03.02	SX_IB_20220425_15_56_SS_Prim	M22-Ap0050675	25/04/2022	882647	MGT	Normal										
A03.02	SX_IB_20220425_15_56_SS_Prim	M22-Ap0050700	25/04/2022	882647	MGT	Normal										
A03.02	SX_IB_20220425_15_57_SS_Dup	M22-Ap0050651	25/04/2022	882647	MGT	Field_D	34	<0.4	75	110	<1	<5	<0.1	<5	150	<2
A03.02	SX_IB_20220425_15_57_SS_Dup	M22-Ap0050676	25/04/2022	882647	MGT	Field_D										
A03.02	SX_IB_20220425_15_57_SS_Dup	M22-Ap0050701	25/04/2022	882647	MGT	Field_D										
A03.02	SX_IB_20220425_15_58_SS_Trip	EM2207398025	25/04/2022	EM2207398	ALSE-Melbourne	Interlab_D	24	<1	47	85	<1.0	<5	<0.1	<5	120	<5
A03.02	SX_IB_20220425_15_58_SS_Trip	EM2207398051	25/04/2022	EM2207398	ALSE-Melbourne	Interlab_D										



		PAH																						
		Silver	Tin	Zinc	PAHs (Vic EPA List)	Benzo(b+j+k)fluoranthene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene TEQ calc (Zero)	Benzo(a)pyrene TEQ (LOR)	Benzo(a)pyrene TEQ calc (Half)	Benzo(a)pyrene	Benzo(b+j)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-c,d)pyrene	Naphthalene	Phenanthrene
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
A03.02	SX_IB_20220425_15_50_SS_Prin	<2	<10	99	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
A03.02	SX_IB_20220425_15_50_SS_Prin																							
A03.02	SX_IB_20220425_15_56_SS_Prin	<2	<10	140			<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
A03.02	SX_IB_20220425_15_56_SS_Prin																							
A03.02	SX_IB_20220425_15_57_SS_Dup	<2	<10	110			<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
A03.02	SX_IB_20220425_15_57_SS_Dup																							
A03.02	SX_IB_20220425_15_57_SS_Dup																							
A03.02	SX_IB_20220425_15_58_SS_Trip	<2	<10	80	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
A03.02	SX_IB_20220425_15_58_SS_Trip																							



		BTEX							TRH							TPH								
		Pyrene	PAHs (Sum of total)	Benzene	Ethylbenzene	Toluene	Xylene (o)	Xylene (m & p)	Xylene Total	C6-C10	C6-C10 (F1 minus BTEX)	C10-C16	C10-C16 (F2 minus Naphthalene)	C16-C34	C34-C40	C10-C40 (Sum of total)	C6-C9	C10-C14	C15-C28	C29-C36	H-C10-C36 (Sum of total)	Aldrin	Dieldrin	Aldrin + Dieldrin
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
A03.02	SX_IB_20220425_15_50_SS_Prin	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50	<100	<100	<50	<0.05	<0.05	<0.30
A03.02	SX_IB_20220425_15_50_SS_Prin																							
A03.02	SX_IB_20220425_15_56_SS_Prin	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20	<50	<50	<50	<0.05	<0.05	<0.05
A03.02	SX_IB_20220425_15_56_SS_Prin																							
A03.02	SX_IB_20220425_15_57_SS_Dup	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20	<50	<50	<50	<0.05	<0.05	<0.05
A03.02	SX_IB_20220425_15_57_SS_Dup																							
A03.02	SX_IB_20220425_15_57_SS_Dup																							
A03.02	SX_IB_20220425_15_58_SS_Trip	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50	<100	<100	<50	<0.05	<0.05	<0.30
A03.02	SX_IB_20220425_15_58_SS_Trip																							





		Organochlorine Pesticides																						
		DDD	DDT	4,4-DDE	DDT+DDE+DDD	Endosulfan I	Endosulfan II	Endrin	Endrin ketone	Endrin aldehyde	Endosulfan sulphate	Chlordane	Chlordane (cis)	Chlordane (trans)	Hexachlorobenzene	Heptachlor	Heptachlor epoxide	α-BHC	β-BHC	γ-BHC	γ-BHC (Lindane)	Methoxychlor	Toxaphene	Organochlorine pesticides EPA Vc
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
A03.02	SX_IB_20220425_15_50_SS_Prin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.10	<0.03	<0.03	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.10
A03.02	SX_IB_20220425_15_50_SS_Prin																							
A03.02	SX_IB_20220425_15_56_SS_Prin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1			<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.5	<0.1
A03.02	SX_IB_20220425_15_56_SS_Prin																							
A03.02	SX_IB_20220425_15_56_SS_Prin																							
A03.02	SX_IB_20220425_15_57_SS_Dup	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1			<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.5	<0.1
A03.02	SX_IB_20220425_15_57_SS_Dup																							
A03.02	SX_IB_20220425_15_57_SS_Dup																							
A03.02	SX_IB_20220425_15_58_SS_Trip	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.10	<0.03	<0.03	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.10
A03.02	SX_IB_20220425_15_58_SS_Trip																							



		Phenols																						
		Other organochlorine pesticides EPAVc	2-Chlorophenol	2,4-Dichlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,6-Dichlorophenol	4-chloro-3-methylphenol	Pentachlorophenol	2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4,6-Dinitro-2-methylphenol	Tetrachlorophenols	2,3,5,6-Tetrachlorophenol	Cresol Total	4,6-Dinitro-o-cyclohexyl phenol	Phenols (halogenated) EPA Vc	Phenols (non-halogenated) EPAVc	2,4-Dimethylphenol	2-Methylphenol	2-Nitrophenol	2,4-Dinitrophenol	3&4-Methylphenol (m&p-cresol)	4-Nitrophenol	Dinoseb
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
A03.02	SX_IB_20220425_15_50_SS_Prin	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5													
A03.02	SX_IB_20220425_15_50_SS_Prin																							
A03.02	SX_IB_20220425_15_56_SS_Prin	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10		<0.5	<20			<0.5	<0.2	<1	<5	<0.4	<5	<20
A03.02	SX_IB_20220425_15_56_SS_Prin																							
A03.02	SX_IB_20220425_15_56_SS_Prin																							
A03.02	SX_IB_20220425_15_57_SS_Dup	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10		<0.5	<20			<0.5	<0.2	<1	<5	<0.4	<5	<20
A03.02	SX_IB_20220425_15_57_SS_Dup																							
A03.02	SX_IB_20220425_15_57_SS_Dup																							
A03.02	SX_IB_20220425_15_58_SS_Trip	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03		<20	<1.00	<20	<1	<1	<1	<5	<1	<5	<20
A03.02	SX_IB_20220425_15_58_SS_Trip																							



		Phenol	Phenols (Total Halogenated)	Phenols (Total Non Halogenated)	10:2 Fluorotelomer sulfonic acid (10:2 FTS)		8:2 Fluorotelomer sulfonic acid (8:2 FTS)		6:2 Fluorotelomer sulfonic acid (6:2 FTS)		4:2 Fluorotelomer sulfonic acid (4:2 FTS)		N-Ethyl perfluorooctane sulfonamide (NEFOSA)		N-ethyl-perfluorooctanesulfonamide doacetic acid (NEFOSAA)		N-ethylperfluorooctanesulfonamideethanol (NEFOSE)		N-Methyl perfluorooctane sulfonamide (NMeFOSA)		N-methylperfluorooctane sulfonamideacetic acid (NMeFOSAA)		N-Methylperfluorooctanesulfonamideethanol (NMeFOSE)			
		mg/kg	mg/kg	mg/kg	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L
A03.02	SX_IB_20220425_15_50_SS_Prin	<1			<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005
A03.02	SX_IB_20220425_15_50_SS_Prin					<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00002		<0.00005		<0.00005		<0.00002		<0.00002		<0.00005
A03.02	SX_IB_20220425_15_56_SS_Prin	<0.5	<1	<20	<0.005		<0.005		<0.01		<0.005		<0.005		<0.01		<0.005		<0.005		<0.01		<0.005		<0.005	
A03.02	SX_IB_20220425_15_56_SS_Prin																									
A03.02	SX_IB_20220425_15_56_SS_Prin																									
A03.02	SX_IB_20220425_15_57_SS_Dup	<0.5	<1	<20	<0.005		<0.005		<0.01		<0.005		<0.005		<0.01		<0.005		<0.005		<0.01		<0.005		<0.005	
A03.02	SX_IB_20220425_15_57_SS_Dup																									
A03.02	SX_IB_20220425_15_57_SS_Dup																									
A03.02	SX_IB_20220425_15_58_SS_Trip	<1			<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005
A03.02	SX_IB_20220425_15_58_SS_Trip					<0.00005		<0.00005		<0.00005		<0.00005		<0.00002		<0.00005		<0.00005		<0.00005		<0.00002		<0.00002		<0.00005



PFOS/PFOA

		Perfluorobutanoic acid (PFBA)		Perfluorobutane sulfonic acid (PFBS)		Perfluorodecanoic acid (PFDA)		Perfluorododecanoic acid (PFDoDA)		Perfluorodecanesulfonic acid (PFDS)		Perfluoroheptanoic acid (PFHpA)		Perfluoroheptane sulfonic acid (PFHpS)		Perfluorohexanoic acid (PFHxA)		Perfluorononanoic acid (PFNA)		Perfluoronanesulfonic acid (PFNS)(trace)	Perfluorooctanoic acid (PFOA)		Perfluorooctane sulfonamide (PFOSA)	
		mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg
A03.02	SX_IB_20220425_15_50_SS_Pr	<0.005	<0.0001	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002		<0.0050	<0.00001	<0.0050	<0.00005
A03.02	SX_IB_20220425_15_50_SS_Pr		<0.0001		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002			<0.00001		<0.00002
A03.02	SX_IB_20220425_15_56_SS_Pr	<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005	<0.005		<0.005	
A03.02	SX_IB_20220425_15_56_SS_Pr																							
A03.02	SX_IB_20220425_15_56_SS_Pr																							
A03.02	SX_IB_20220425_15_57_SS_Dup	<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005	<0.005		<0.005	
A03.02	SX_IB_20220425_15_57_SS_Dup																							
A03.02	SX_IB_20220425_15_57_SS_Dup																							
A03.02	SX_IB_20220425_15_58_SS_Trip	<0.005	<0.0001	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002		<0.0050	<0.00001	<0.0050	<0.00005
A03.02	SX_IB_20220425_15_58_SS_Trip		<0.0001		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002			<0.00001		<0.00002





		Perfluoropentanoic acid (PFPeA)		Perfluoropentane sulfonic acid (PFPeS)		Perfluoropropanesulfonic acid (PFPrS)		Perfluorotetradecanoic acid (PFTeDA)		Perfluorotridecanoic acid (PFTrDA)		Perfluoroundecanoic acid (PFUnDA)		Perfluorooctanesulfonic acid (PFOS)		Perfluorohexane sulfonic acid (PFHxS)		Sum of PFHxS and PFOs		Sum of US EPA PFAS (PFOS + PFOA)*		Sum of enHealth PFAS (PFHxS + PFOs + PFOA)*		Sum of PFAS		1,1-dichloroethane		1,1-dichloroethene		
		mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	
A03.02	SX_IB_20220425_15_50_SS_Prin	<0.0050	<0.00002	<0.0050	<0.00002			<0.0050	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050	<0.00001			<0.0500	<0.00010							<0.50
A03.02	SX_IB_20220425_15_50_SS_Prin		<0.00002		<0.00002				<0.00005		<0.00002		<0.00002		<0.00001		<0.00001		<0.00001											
A03.02	SX_IB_20220425_15_56_SS_Prin	<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005	<0.005	<0.005	<0.05				<0.5		<0.5	
A03.02	SX_IB_20220425_15_56_SS_Prin																													
A03.02	SX_IB_20220425_15_56_SS_Prin																													
A03.02	SX_IB_20220425_15_57_SS_Dup	<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005	<0.005	<0.005	<0.05				<0.5		<0.5	
A03.02	SX_IB_20220425_15_57_SS_Dup																													
A03.02	SX_IB_20220425_15_57_SS_Dup																													
A03.02	SX_IB_20220425_15_58_SS_Trip	<0.0050	<0.00002	<0.0050	<0.00002			<0.0050	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050	<0.00001			<0.0500	<0.00010							<0.50
A03.02	SX_IB_20220425_15_58_SS_Trip		<0.00002		<0.00002				<0.00005		<0.00002		<0.00002		<0.00001		<0.00001		<0.00001											



		Chlorinated Hydrocarbons																						
		1,2,3-trichloropropane	1,2-dichloroethane	1,2-dichloropropane	1,3-dichloropropane	Bromochloromethane	1,1,1,2-tetrachloroethane	Bromodichloromethane	1,1,1-trichloroethane	Chloroform	1,1,2,2-tetrachloroethane	Chloromethane	cis-1,3-dichloropropene	Dibromomethane	Dichloromethane	Hexachlorobutadiene	Other chlorinated hydrocarbons EPAVic	Trichloroethene	Chlorinated hydrocarbons EPAVic	cis-1,2-dichloroethene	1,1,2-trichloroethane	trans-1,3-dichloropropene	Vinyl chloride	Bromoform
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
A03.02	SX_IB_20220425_15_50_SS Prin		<0.50				<0.50		<0.50	<0.50	<0.50				<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
A03.02	SX_IB_20220425_15_50_SS Prin																							
A03.02	SX_IB_20220425_15_56_SS Prin	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
A03.02	SX_IB_20220425_15_56_SS Prin																							
A03.02	SX_IB_20220425_15_56_SS Prin																							
A03.02	SX_IB_20220425_15_57_SS Dup	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
A03.02	SX_IB_20220425_15_57_SS Dup																							
A03.02	SX_IB_20220425_15_57_SS Dup																							
A03.02	SX_IB_20220425_15_58_SS Trip		<0.50				<0.50		<0.50	<0.50	<0.50				<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
A03.02	SX_IB_20220425_15_58_SS Trip																							



							NA			PCBs							Inorganics							
		Carbon tetrachloride	Chlorodibromomethane	Chloroethane	trans-1,2-dichloroethene	Tetrachloroethene	Sum of WA DWER PFAS (n=10)*		Moisture Content	Arochlor 1232	Arochlor 1242	Arochlor 1248	Arochlor 1254	Arochlor 1221	Arochlor 1260	Arochlor 1016	PCBs (Sum of total)	pH (after HCL)	pH (Final)	pH (initial)	pH of Leaching Fluid	pH (aqueous extract)	Fluoride	Moisture Content (dried @ 103°C)
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	UG/KG	µg/L	%	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	-	-	-	-	-	mg/kg	%
A03.02	SX_IB_20220425_15_50_SS_Prin	<0.50			<0.50	<0.50	<10.0	<0.05	32.1								<0.1	1.5	5.1	9.0	5.0		200	
A03.02	SX_IB_20220425_15_50_SS_Prin							<0.01											9.3					
A03.02	SX_IB_20220425_15_56_SS_Prin	<0.5	<0.5	<0.5	<0.5	<0.5	<10			<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1					8.3	<100	31
A03.02	SX_IB_20220425_15_56_SS_Prin																		5.1		4.9			
A03.02	SX_IB_20220425_15_56_SS_Prin																		8.9		5.9			
A03.02	SX_IB_20220425_15_57_SS_Dup	<0.5	<0.5	<0.5	<0.5	<0.5	<10			<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1					8.6	<100	26
A03.02	SX_IB_20220425_15_57_SS_Dup																		5.1		4.9			
A03.02	SX_IB_20220425_15_57_SS_Dup																		9.1		5.9			
A03.02	SX_IB_20220425_15_58_SS_Trip	<0.50			<0.50	<0.50	<10.0	<0.05	18.9								<0.1	1.5	5.0	8.9	5.0		200	
A03.02	SX_IB_20220425_15_58_SS_Trip							<0.01											9.3					



	Cyanide Total	Halogenated Benzenes							Halogenated Hydrocarbons					MAH					Solvents				
		1,2,4-trichlorobenzene	1,2-dichlorobenzene	1,3-dichlorobenzene	1,4-dichlorobenzene	Bromobenzene	4-chlorotoluene	Chlorobenzene	Iodomethane	Bromomethane	1,2-dibromoethane	Dichlorodifluoromethane	Trichlorofluoromethane	Total MAH	Monocyclic aromatic hydrocarbons EPA/Vc	1,3,5-trimethylbenzene	Styrene	Isopropylbenzene	1,2,4-trimethylbenzene	4-Methyl-2-pentanone	Acetone	Allyl chloride	Carbon disulfide
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
A03.02	SX_IB_20220425_15_50_SS_Prin	<5	<0.50	<0.50	<0.50			<0.50							<0.5		<0.5						
A03.02	SX_IB_20220425_15_50_SS_Prin																						
A03.02	SX_IB_20220425_15_56_SS_Prin	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
A03.02	SX_IB_20220425_15_56_SS_Prin																						
A03.02	SX_IB_20220425_15_57_SS_Dup	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
A03.02	SX_IB_20220425_15_57_SS_Dup																						
A03.02	SX_IB_20220425_15_57_SS_Dup																						
A03.02	SX_IB_20220425_15_58_SS_Trip	<5	<0.50	<0.50	<0.50			<0.50							<0.5		<0.5						
A03.02	SX_IB_20220425_15_58_SS_Trip																						

	SPOCAS	
	Methyl Ethyl Ketone	pH (CaCl2)
	mg/kg	-
EQL	0.5	0.1
EPA PFAS Classification - Tunnel Zone - 2019/404 (SO 90		
EPA PFAS Classification - Tunnel Zone - 2019/405 (SO 90		
EPA PFAS Classification - Tunnel Zone - 2019/406 (SO 90		
EPA PFAS Classification - Tunnel Zone - No option for dis		
EPA Victoria IWRG621 Category B Leached Upper Limits		
EPA Victoria IWRG621 Category B Upper Limits		
EPA Victoria IWRG621 Category C Leached Upper Limits		
EPA Victoria IWRG621 Category C Upper Limits		
EPA Victoria IWRG621 Fill Upper Limits		

Location Code	Field ID		
A03.02	SX_IB_20220423_12_15_SS_Prin	<0.5	
A03.02	SX_IB_20220423_12_15_SS_Prin		
A03.02	SX_IB_20220423_12_15_SS_Prin		
A03.02	SX_IB_20220424_00_09_SS_Prin	<0.5	
A03.02	SX_IB_20220424_00_09_SS_Prin		
A03.02	SX_IB_20220424_00_09_SS_Prin		
A03.02	SX_IB_20220424_04_08_SS_Prin		7.8
A03.02	SX_IB_20220424_04_08_SS_Prin		
A03.02	SX_IB_20220424_08_14_SS_Prin	<0.5	
A03.02	SX_IB_20220424_08_14_SS_Prin		
A03.02	SX_IB_20220424_08_14_SS_Prin		
A03.02	SX_IB_20220424_12_03_SS_Prin		7.7
A03.02	SX_IB_20220424_12_03_SS_Prin		
A03.02	SX_IB_20220424_15_58_SS_Prin	<0.5	
A03.02	SX_IB_20220424_15_58_SS_Prin		
A03.02	SX_IB_20220424_15_58_SS_Prin		
A03.02	SX_IB_20220424_15_59_SS_Dup	<0.5	
A03.02	SX_IB_20220424_15_59_SS_Dup		
A03.02	SX_IB_20220424_15_59_SS_Dup		
A03.02	SX_IB_20220424_16_05_SS_Prin		7.8
A03.02	SX_IB_20220424_16_05_SS_Prin		
A03.02	SX_IB_20220424_16_49_SS_Trip		7.8
A03.02	SX_IB_20220424_16_49_SS_Trip		
A03.02	SX_IB_20220424_19_54_SS_Prin		7.7
A03.02	SX_IB_20220424_19_54_SS_Prin		
A03.02	SX_IB_20220424_19_58_SS_Prin	<0.5	
A03.02	SX_IB_20220424_19_58_SS_Prin		
A03.02	SX_IB_20220424_19_58_SS_Prin		
A03.02	SX_IB_20220424_23_48_SS_Prin		7.7
A03.02	SX_IB_20220424_23_48_SS_Prin		
A03.02	SX_IB_20220424_23_55_SS_Prin		7.6
A03.02	SX_IB_20220424_23_55_SS_Prin		
A03.02	SX_IB_20220425_03_50_SS_Prin	<0.5	
A03.02	SX_IB_20220425_03_50_SS_Prin		
A03.02	SX_IB_20220425_03_50_SS_Prin		
A03.02	SX_IB_20220425_03_59_SS_Prin	<0.5	
A03.02	SX_IB_20220425_03_59_SS_Prin		
A03.02	SX_IB_20220425_03_59_SS_Prin		
A03.02	SX_IB_20220425_07_56_SS_Prin		7.7
A03.02	SX_IB_20220425_07_56_SS_Prin		
A03.02	SX_IB_20220425_07_57_SS_Dup		7.8
A03.02	SX_IB_20220425_07_57_SS_Dup		
A03.02	SX_IB_20220425_07_57_SS_Trip	<0.5	
A03.02	SX_IB_20220425_07_57_SS_Trip		
A03.02	SX_IB_20220425_07_57_SS_Trip		
A03.02	SX_IB_20220425_08_04_SS_Prin	<0.5	
A03.02	SX_IB_20220425_08_04_SS_Prin		
A03.02	SX_IB_20220425_08_04_SS_Prin		
A03.02	SX_IB_20220425_11_48_SS_Prin		7.6
A03.02	SX_IB_20220425_11_48_SS_Prin		
A03.02	SX_IB_20220425_11_57_SS_Prin	<0.5	
A03.02	SX_IB_20220425_11_57_SS_Prin		
A03.02	SX_IB_20220425_11_57_SS_Prin		



		SPOCAS	
		Methyl Ethyl Ketone	pH (CaCl2)
		mg/kg	-
A03.02	SX_IB_20220425_15_50_SS Prin		7.7
A03.02	SX_IB_20220425_15_50_SS Prin		
A03.02	SX_IB_20220425_15_56_SS Prin	<0.5	
A03.02	SX_IB_20220425_15_56_SS Prin		
A03.02	SX_IB_20220425_15_56_SS Prin		
A03.02	SX_IB_20220425_15_57_SS Dup	<0.5	
A03.02	SX_IB_20220425_15_57_SS Dup		
A03.02	SX_IB_20220425_15_57_SS Dup		
A03.02	SX_IB_20220425_15_58_SS Trip		7.7
A03.02	SX_IB_20220425_15_58_SS Trip		



							Metals									
							Arsenic	Cadmium	Copper	Chromium (III+VI)	Chromium (hexavalent)	Lead	Mercury	Molybdenum	Nickel	Selenium
							mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
RPD							6	0	2	1	0	0	0	0	1	0
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS	25/04/2022	EM2207398	ALSE-Melbourne	Normal		34	<1	59	106	<1.0	<5	<0.1	<5	169	<5
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF	25/04/2022	882647	MGT	Interlab_D	EM2207398019	45	<0.4	67	140	<1	5.2	<0.1	<5	170	<2
RPD							28	0	13	28	0	4	0	0	1	0
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS	25/04/2022	EM2207398	ALSE-Melbourne	Normal		34	<1	59	106	<1.0	<5	<0.1	<5	169	<5
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF	25/04/2022	882647	MGT	Interlab_D	EM2207398019										
RPD																
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS	25/04/2022	EM2207398	ALSE-Melbourne	Normal											
A04.02	SX_OB_20220425_04_18_SS_Duplicate_ALS	25/04/2022	EM2207398	ALSE-Melbourne	Field_D	EM2207398045										
RPD																
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS	25/04/2022	EM2207398	ALSE-Melbourne	Normal											
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF	25/04/2022	882647	MGT	Interlab_D	EM2207398045										
RPD																
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	25/04/2022	EM2207398	ALSE-Melbourne	Normal		26	<1	57	103	<1.0	<5	<0.1	<5	157	<5
A03.02	SX_IB_20220425_07_57_SS_Duplicate_ALS	25/04/2022	EM2207398	ALSE-Melbourne	Field_D	EM2207398021	27	1	60	98	<1.0	6	<0.1	<5	152	<5
RPD							4	0	5	5	0	18	0	0	3	0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	25/04/2022	EM2207398	ALSE-Melbourne	Normal		26	<1	57	103	<1.0	<5	<0.1	<5	157	<5
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF	25/04/2022	882647	MGT	Interlab_D	EM2207398021	32	<0.4	64	130	<1	<5	<0.1	<5	160	<2
RPD							21	0	12	23	0	0	0	0	2	0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	25/04/2022	EM2207398	ALSE-Melbourne	Normal		26	<1	57	103	<1.0	<5	<0.1	<5	157	<5
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF	25/04/2022	882647	MGT	Interlab_D	EM2207398021										
RPD																
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	25/04/2022	EM2207398	ALSE-Melbourne	Normal											
A03.02	SX_IB_20220425_07_57_SS_Duplicate_ALS	25/04/2022	EM2207398	ALSE-Melbourne	Field_D	EM2207398047										
RPD																
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	25/04/2022	EM2207398	ALSE-Melbourne	Normal											
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF	25/04/2022	882647	MGT	Interlab_D	EM2207398047										
RPD																

\*RPDs have only been considered where a concentration is greater than 1 times the EQL.

\*\*Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multiplier range are: 81 (1 - 10 x EQL); 50 (10 - 30 x EQL); 30 (> 30 x EQL) )

\*\*\*Interlab Duplicates are matched on a per compound basis as methods vary between laboratories. Any methods in the row header relate to those used in the primary laboratory



		PAH																				
		Silver	Tin	Zinc	PAHs (Vic EPA List)	Benzo(b+j)fluoranthene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene TEQ calc (Zero)	Benzo(a)pyrene TEQ (LOR)	Benzo(a)pyrene TEQ calc (Half)	Benzo(a)pyrene	Benzo(b+j)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-c,d)pyrene
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
RPD		0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS	<2	<10	98	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF	<2	<10	140			<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD		0	0	35			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS	<2	<10	98	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF																					
RPD																						
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS																					
A04.02	SX_OB_20220425_04_18_SS_Duplicate_ALS																					
RPD																						
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS																					
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF																					
RPD																						
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	<2	<10	102	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
A03.02	SX_IB_20220425_07_57_SS_Duplicate_ALS	<2	<10	96	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD		0	0	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	<2	<10	102	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF	<2	<10	130			<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD		0	0	24			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	<2	<10	102	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF																					
RPD																						
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS																					
A03.02	SX_IB_20220425_07_57_SS_Duplicate_ALS																					
RPD																						
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS																					
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF																					
RPD																						

\*RPDs have only been considered where a concentration is greater than 1 times the EQL.  
 \*\*Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multiple  
 \*\*\*Interlab Duplicates are matched on a per compound basis as methods vary between laboratories.



		BTEX									TRH							TPH				
		Naphthalene	Phenanthrene	Pyrene	PAHs (Sum of total)	Benzene	Ethylbenzene	Toluene	Xylene (o)	Xylene (m & p)	Xylene Total	C6-C10	C6-C10 (F1 minus BTEX)	C10-C16	C10-C16 (F2 minus Naphthalene)	C16-C34	C34-C40	C10-C40 (Sum of total)	C6-C9	C10-C14	C15-C28	C29-C36
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
RPD		0	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS	<0.5	<0.5	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50	<100	<100	
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20	<50	<50
RPD		0	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS	<0.5	<0.5	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50	<100	<100	
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF																					
RPD																						
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS																					
A04.02	SX_OB_20220425_04_18_SS_Duplicate_ALS																					
RPD																						
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS																					
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF																					
RPD																						
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	<0.5	<0.5	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50	<100	<100	
A03.02	SX_IB_20220425_07_57_SS_Duplicate_ALS	<0.5	<0.5	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50	<100	<100	
RPD		0	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	<0.5	<0.5	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50	<100	<100	
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20	<50	<50
RPD		0	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	<0.5	<0.5	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50	<100	<100	
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF																					
RPD																						
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS																					
A03.02	SX_IB_20220425_07_57_SS_Duplicate_ALS																					
RPD																						
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS																					
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF																					
RPD																						

\*RPDs have only been considered where a concentration is greater than 1 times the EQL.  
 \*\*Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multiple)  
 \*\*\*Interlab Duplicates are matched on a per compound basis as methods vary between laboratories.





		Organochlorine Pesticides																				
		∑C10-C36 (Sum of total)	Aldrin	Dieldrin	Aldrin + Dieldrin	DDD	DDT	4,4-DDE	DDT+DDE+DDD	Endosulfan I	Endosulfan II	Endrin	Endrin ketone	Endrin aldehyde	Endosulfan sulphate	Chlordane	Chlordane (cis)	Chlordane (trans)	Hexachlorobenzene	Heptachlor	Heptachlor epoxide	∑BHC
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
RPD		0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS	<50	<0.05	<0.05	<0.30	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		<0.05	<0.05	<0.10	<0.03	<0.03	<0.05	<0.05	<0.05	<0.05
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF	<50	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1			<0.05	<0.05	<0.05	<0.05
RPD		0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS	<50	<0.05	<0.05	<0.30	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		<0.05	<0.05	<0.10	<0.03	<0.03	<0.05	<0.05	<0.05	<0.05
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF																					
RPD																						
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS																					
A04.02	SX_OB_20220425_04_18_SS_Duplicate_ALS																					
RPD																						
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS																					
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF																					
RPD																						
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	<50	<0.05	<0.05	<0.30	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		<0.05	<0.05	<0.10	<0.03	<0.03	<0.05	<0.05	<0.05	<0.05
A03.02	SX_IB_20220425_07_57_SS_Duplicate_ALS	<50	<0.05	<0.05	<0.30	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		<0.05	<0.05	<0.10	<0.03	<0.03	<0.05	<0.05	<0.05	<0.05
RPD		0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	<50	<0.05	<0.05	<0.30	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		<0.05	<0.05	<0.10	<0.03	<0.03	<0.05	<0.05	<0.05	<0.05
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF	<50	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1			<0.05	<0.05	<0.05	<0.05
RPD		0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	<50	<0.05	<0.05	<0.30	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		<0.05	<0.05	<0.10	<0.03	<0.03	<0.05	<0.05	<0.05	<0.05
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF																					
RPD																						
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS																					
A03.02	SX_IB_20220425_07_57_SS_Duplicate_ALS																					
RPD																						
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS																					
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF																					
RPD																						

\*RPDs have only been considered where a concentration is greater than 1 times the EQL.  
 \*\*Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multiple)  
 \*\*\*Interlab Duplicates are matched on a per compound basis as methods vary between laboratories.



		Phenols																				
		b-BHC	d-BHC	g-BHC (Lindane)	Methoxychlor	Toxaphene	Organochlorine pesticides EPA Vc	Other organochlorine pesticides EPA Vc	2-Chlorophenol	2,4-Dichlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,6-Dichlorophenol	4-chloro-3-methylphenol	Pentachlorophenol	2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4,6-Dinitro-2-methylphenol	Tetrachlorophenols	2,3,5,6-Tetrachlorophenol	Cresol Total	4,6-Dinitro-o-cyclohexyl phenol	Phenols (halogenated) EPA Vc
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS	<0.05	<0.05	<0.05	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03		<20	<1.00
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF	<0.05	<0.05	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10		<0.5	<20	
RPD		0	0	0	0		0	0	0	0	0	0	0	0	0	0	0				0	0
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS	<0.05	<0.05	<0.05	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03		<20	<1.00
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF																					
RPD																						
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS																					
A04.02	SX_OB_20220425_04_18_SS_Duplicate_ALS																					
RPD																						
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS																					
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF																					
RPD																						
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	<0.05	<0.05	<0.05	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03		<20	<1.00
A03.02	SX_IB_20220425_07_57_SS_Duplicate_ALS	<0.05	<0.05	<0.05	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03		<20	<1.00
RPD		0	0	0	0		0	0	0	0	0	0	0	0	0	0	0		0		0	0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	<0.05	<0.05	<0.05	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03		<20	<1.00
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF	<0.05	<0.05	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10		<0.5	<20	
RPD		0	0	0	0		0	0	0	0	0	0	0	0	0	0	0				0	0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	<0.05	<0.05	<0.05	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03		<20	<1.00
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF																					
RPD																						
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS																					
A03.02	SX_IB_20220425_07_57_SS_Duplicate_ALS																					
RPD																						
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS																					
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF																					
RPD																						

\*RPDs have only been considered where a concentration is greater than 1 times the EQL.

\*\*Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multiple

\*\*\*Interlab Duplicates are matched on a per compound basis as methods vary between laboratories.



		Phenols (non-halogenated)	2,4-Dimethylphenol	2-Methylphenol	2-Nitrophenol	2,4-Dinitrophenol	3&4-Methylphenol (m&p-cresol)	4-Nitrophenol	Dinoseb	Phenol	Phenols (Total Halogenated)	Phenols (Total Non Halogenated)	10:2 Fluorotelomer sulfonic acid (10:2 FTS)	8:2 Fluorotelomer sulfonic acid (8:2 FTS)	6:2 Fluorotelomer sulfonic acid (6:2 FTS)	4:2 Fluorotelomer sulfonic acid (4:2 FTS)	N-Ethyl perfluorooctane sulfonamide (NEFOSA)					
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg			
RPD		0	0	0	0	0	0	0	0	0			0	0	0	0	0	0	0			
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF		<0.5	<0.2	<1	<5	<0.4	<5	<20	<0.5	<1	<20		<0.005		<0.005		<0.01		<0.005		<0.005
RPD			0	0	0	0	0	0	0	0			0	0	0	0	0	0	0	0	0	0
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF												<0.00001		<0.00001		<0.00005		<0.00001		<0.00005	
RPD													0	0	0	0	0	0	0	0	0	0
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS												<0.00005		<0.00005		<0.00005		<0.00005		<0.00005	
A04.02	SX_OB_20220425_04_18_SS_Duplicate_ALS												<0.00005		<0.00005		<0.00005		<0.00005		<0.00005	
RPD													0	0	0	0	0	0	0	0	0	0
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS												<0.00005		<0.00005		<0.00005		<0.00005		<0.00005	
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF												<0.00001		<0.00001		<0.00005		<0.00001		<0.00005	
RPD													0	0	0	0	0	0	0	0	0	0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050
A03.02	SX_IB_20220425_07_57_SS_Duplicate_ALS	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050
RPD		0	0	0	0	0	0	0	0	0			0	0	0	0	0	0	0	0	0	0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF		<0.5	<0.2	<1	<5	<0.4	<5	<20	<0.5	<1	<20		<0.005		<0.005		<0.01		<0.005		<0.005
RPD			0	0	0	0	0	0	0	0			0	0	0	0	0	0	0	0	0	0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF												<0.00001		<0.00001		<0.00005		<0.00001		<0.00005	
RPD													0	0	0	0	0	0	0	0	0	0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS												<0.00005		<0.00005		<0.00005		<0.00005		<0.00005	
A03.02	SX_IB_20220425_07_57_SS_Duplicate_ALS												<0.00005		<0.00005		<0.00005		<0.00005		<0.00005	
RPD													0	0	0	0	0	0	0	0	0	0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS												<0.00005		<0.00005		<0.00005		<0.00005		<0.00005	
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF												<0.00001		<0.00001		<0.00005		<0.00001		<0.00005	
RPD													0	0	0	0	0	0	0	0	0	0

\*RPDs have only been considered where a concentration is greater than 1 times the EQL.  
 \*\*Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multiple)  
 \*\*\*Interlab Duplicates are matched on a per compound basis as methods vary between laboratories.

Table with 21 columns representing chemical compounds (e.g., N-ethyl-perfluorooctanesulfonamide, N-methyl-perfluorooctanesulfonamide, Perfluorobutanoic acid) and 21 rows representing measurement locations (e.g., EQL, A04.02, A04.02, RPD, A04.02, A04.02). Each cell contains numerical values in mg/L or mg/kg.

		N-ethyl-perfluorooctanesulfonamide acid (NEFOSAA)		N-ethylperfluorooctanesulfonamideethanol (NEFOSE)		N-Methyl perfluorooctane sulfonamide (NMeFOSA)		N-methylperfluorooctane sulfonamidoacetic acid (NMeFOSAA)		N-Methylperfluorooctanesulfonamidoethanol (N-MeFOSE)		Perfluorobutanoic acid (PFBA)		Perfluorobutane sulfonic acid (PFBS)		Perfluorodecanoic acid (PFDA)		Perfluorododecanoic acid (PFDDA)		Perfluorodecane sulfonic acid (PFDS)		Perfluoroheptanoic acid		
		mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.0001	<0.005	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF		<0.01		<0.005		<0.005		<0.01		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005	
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.0001	<0.005	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS	<0.00002		<0.00005		<0.00005		<0.00002		<0.00005		<0.0001		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002
A04.02	SX_OB_20220425_04_18_SS_Duplicate_ALS	<0.00002		<0.00005		<0.00005		<0.00002		<0.00005		<0.0001		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS	<0.00002		<0.00005		<0.00005		<0.00002		<0.00005		<0.0001		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.0001	<0.005	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002
A03.02	SX_IB_20220425_07_57_SS_Duplicate_ALS	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.0001	<0.005	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.0001	<0.005	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF		<0.01		<0.005		<0.005		<0.01		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005	
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.0001	<0.005	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	<0.00002		<0.00005		<0.00005		<0.00002		<0.00005		<0.0001		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002
A03.02	SX_IB_20220425_07_57_SS_Duplicate_ALS	<0.00002		<0.00005		<0.00005		<0.00002		<0.00005		<0.0001		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	<0.00002		<0.00005		<0.00005		<0.00002		<0.00005		<0.0001		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

\*RPDs have only been considered where a concentration is greater than 1 times the EQL.

\*\*Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multiple)

\*\*\*Interlab Duplicates are matched on a per compound basis as methods vary between laboratories.





		PFOS/PFOA																				
		Perfluoroheptane sulfonic acid (PFHpS)		Perfluorohexanoic acid (PFHxA)		Perfluorononanoic acid (PFNA)		Perfluorononanesulfonic acid (PFNS) (trace)		Perfluorooctanoic acid (PFOA)		Perfluorooctane sulfonamide (PFOSA)		Perfluoropentanoic acid (PFPeA)		Perfluoropentane sulfonic acid (PFPeS)		Perfluoropropanesulfonic acid (PFPrS)		Perfluorotetradecanoic acid (PFTeDA)		
		mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050			<0.00005	<0.0050
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF	<0.005		<0.005		<0.005		<0.005	<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005	<0.005
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050			<0.00005	<0.0050
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF		<0.00001		<0.00001		<0.00001		<0.00001	<0.00001	<0.00001	<0.00001	<0.00005	<0.00001	<0.00001	<0.00001	<0.00001		<0.00001		<0.00001	<0.00001
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS		<0.00002		<0.00002		<0.00002		<0.00002		<0.00001		<0.00002		<0.00002		<0.00002				<0.00005	
A04.02	SX_OB_20220425_04_18_SS_Duplicate_ALS		<0.00002		<0.00002		<0.00002		<0.00002		<0.00001		<0.00002		<0.00002		<0.00002				<0.00005	
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS		<0.00002		<0.00002		<0.00002		<0.00002		<0.00001		<0.00002		<0.00002		<0.00002				<0.00005	
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF		<0.00001		<0.00001		<0.00001		<0.00001	<0.00001	<0.00001	<0.00001	<0.00005	<0.00001	<0.00001	<0.00001		<0.00001		<0.00001	<0.00001	<0.00001
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050			<0.00005	<0.0050
A03.02	SX_IB_20220425_07_57_SS_Duplicate_ALS	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050			<0.00005	<0.0050
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050			<0.00005	<0.0050
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF	<0.005		<0.005		<0.005		<0.005	<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005	<0.005
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050			<0.00005	<0.0050
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF		<0.00001		<0.00001		<0.00001		<0.00001	<0.00001	<0.00001	<0.00001	<0.00005	<0.00001	<0.00001	<0.00001		<0.00001		<0.00001	<0.00001	<0.00001
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS		<0.00002		<0.00002		<0.00002		<0.00002		<0.00001		<0.00002		<0.00002		<0.00002				<0.00005	
A03.02	SX_IB_20220425_07_57_SS_Duplicate_ALS		<0.00002		<0.00002		<0.00002		<0.00002		<0.00001		<0.00002		<0.00002		<0.00002				<0.00005	
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS		<0.00002		<0.00002		<0.00002		<0.00002		<0.00001		<0.00002		<0.00002		<0.00002				<0.00005	
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF		<0.00001		<0.00001		<0.00001		<0.00001	<0.00001	<0.00001	<0.00001	<0.00005	<0.00001	<0.00001	<0.00001		<0.00001		<0.00001	<0.00001	<0.00001
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

\*RPDs have only been considered where a concentration is greater than 1 times the EQL.  
 \*\*Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multiple  
 \*\*\*Interlab Duplicates are matched on a per compound basis as methods vary between laboratories.



		Perfluorodecanoic acid (PFTrDA)		Perfluoroundecanoic acid (PFUnDA)		Perfluorooctanesulfonic acid (PFOS)		Perfluorohexane sulfonic acid (PFHxS)		Sum of PFHxS and PFOS		Sum of US EPA PFAS (PFOS + PFOA)*		Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*		Sum of PFAS		1,1-dichloroethane	1,1-dichloroethene	1,2,3-trichloropropane	1,2-dichloroethane	1,2-dichloropropane	
		mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg						mg/kg
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050				<0.00010	<0.0500			<0.50		<0.50		
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.05		<0.5		<0.5		<0.5
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050				<0.00010	<0.0500			<0.50		<0.50		
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF	<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.0001							<0.50
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS	<0.00002		<0.00002		<0.00001		<0.00001		<0.00001					<0.00001								
A04.02	SX_OB_20220425_04_18_SS_Duplicate_ALS	<0.00002		<0.00002		<0.00001		<0.00001		<0.00001					<0.00001								
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS	<0.00002		<0.00002		<0.00001		<0.00001		<0.00001					<0.00001								
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF	<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.0001							
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050				<0.00010	<0.0500			<0.50		<0.50		
A03.02	SX_IB_20220425_07_57_SS_Duplicate_ALS	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050				<0.00010	<0.0500			<0.50		<0.50		
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050				<0.00010	<0.0500			<0.50		<0.50		
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.05		<0.5		<0.5		<0.5
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050				<0.00010	<0.0500			<0.50		<0.50		
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF	<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.0001							<0.50
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	<0.00002		<0.00002		<0.00001		<0.00001		<0.00001					<0.00001								
A03.02	SX_IB_20220425_07_57_SS_Duplicate_ALS	<0.00002		<0.00002		<0.00001		<0.00001		<0.00001					<0.00001								
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	<0.00002		<0.00002		<0.00001		<0.00001		<0.00001					<0.00001								
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF	<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.0001							
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

\*RPDs have only been considered where a concentration is greater than 1 times the EQL.  
 \*\*Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multiple)  
 \*\*\*Interlab Duplicates are matched on a per compound basis as methods vary between laboratories.



		Chlorinated Hydrocarbons																				
		1,3-dichloropropane	Bromochloromethane	1,1,1,2-tetrachloroethane	Bromodichloromethane	1,1,1-trichloroethane	Chloroform	1,1,2,2-tetrachloroethane	Chloromethane	cis-1,3-dichloropropene	Dibromomethane	Dichloromethane	Hexachlorobutadiene	Other chlorinated hydrocarbons EPA Vic	Trichloroethene	Chlorinated hydrocarbons EPA Vic	cis-1,2-dichloroethene	1,1,2-trichloroethane	trans-1,3-dichloropropene	Vinyl chloride	Bromoform	Carbon tetrachloride
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
RPD				0		0		0				0		0		0		0		0		0
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS			<0.50		<0.50		<0.50				<0.5		<0.50		<0.50		<0.50		<0.50		<0.50
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD				0		0		0				0		0		0		0		0		0
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS			<0.50		<0.50		<0.50				<0.5		<0.50		<0.50		<0.50		<0.50		<0.50
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF																					
RPD																						
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS																					
A04.02	SX_OB_20220425_04_18_SS_Duplicate_ALS																					
RPD																						
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS																					
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF																					
RPD																						
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS			<0.50		<0.50		<0.50				<0.5		<0.50		<0.50		<0.50		<0.50		<0.50
A03.02	SX_IB_20220425_07_57_SS_Duplicate_ALS			<0.50		<0.50		<0.50				<0.5		<0.50		<0.50		<0.50		<0.50		<0.50
RPD				0		0		0				0		0		0		0		0		0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS			<0.50		<0.50		<0.50				<0.5		<0.50		<0.50		<0.50		<0.50		<0.50
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD				0		0		0				0		0		0		0		0		0
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS			<0.50		<0.50		<0.50				<0.5		<0.50		<0.50		<0.50		<0.50		<0.50
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF																					
RPD																						
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS																					
A03.02	SX_IB_20220425_07_57_SS_Duplicate_ALS																					
RPD																						
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS																					
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF																					
RPD																						

\*RPDs have only been considered where a concentration is greater than 1 times the EQL.  
 \*\*Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multiple)  
 \*\*\*Interlab Duplicates are matched on a per compound basis as methods vary between laboratories.



						NA		PCBs								Inorganics						
		Chlorodibromomethane	Chloroethane	trans-1,2-dichloroethene	Tetrachloroethene	Sum of WA DWER PFAS (n=10)*	Moisture Content	Arochlor 1232	Arochlor 1242	Arochlor 1248	Arochlor 1254	Arochlor 1221	Arochlor 1260	Arochlor 1016	PCBs (Sum of total)	pH (after HCL)	pH (Final)	pH (Initial)	pH of Leaching Fluid	pH (aqueous extract)	Fluoride	
		mg/kg	mg/kg	mg/kg	mg/kg	UG/KG	µg/L	%	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	-	-	-	-	-	mg/kg
RPD				0	0	0	0	2								0	7	0	2	0	-	14
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS			<0.50	<0.50	<10.0	<0.05	29.5							<0.1	1.5	5.0	9.3	5.0		150	
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	<10			<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1						8.4	<100
RPD				0	0	0									0							40
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS			<0.50	<0.50	<10.0	<0.05	29.5							<0.1	1.5	5.0	9.3	5.0		150	
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF					<0.05											5.1		4.9			
RPD						0											2		2			
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS					<0.01											9.5					
A04.02	SX_OB_20220425_04_18_SS_Duplicate_ALS					<0.01											9.6					
RPD						0											1					
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS					<0.01											9.5					
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF					<0.05											9.3		5.9			
RPD																	2					
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS			<0.50	<0.50	<10.0	<0.05	31.8							<0.1	1.6	6.2	9.1	5.0		180	
A03.02	SX_IB_20220425_07_57_SS_Duplicate_ALS			<0.50	<0.50	<10.0	<0.05	30.9							<0.1	1.5	5.0	9.0	5.0		170	
RPD				0	0	0	0	3							0	6	21	1	0		6	
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS			<0.50	<0.50	<10.0	<0.05	31.8							<0.1	1.6	6.2	9.1	5.0		180	
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	<10			<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1						8.4	<100
RPD				0	0	0									0							57
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS			<0.50	<0.50	<10.0	<0.05	31.8							<0.1	1.6	6.2	9.1	5.0		180	
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF					<0.05											5.1		4.9			
RPD						0											19		2			
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS					<0.01											9.2					
A03.02	SX_IB_20220425_07_57_SS_Duplicate_ALS					<0.01											9.3					
RPD						0											1					
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS					<0.01											9.2					
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF					<0.05											9.1		5.9			
RPD																	1					

\*RPDs have only been considered where a concentration is greater than 1 times the EQL.  
 \*\*Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multiple)  
 \*\*\*Interlab Duplicates are matched on a per compound basis as methods vary between laboratories.

Moisture Content (dried @ 103°C)	Cyanide Total	Halogenated Benzenes							Halogenated Hydrocarbons					MAH							
		1,2,4-trichlorobenzene	1,2-dichlorobenzene	1,3-dichlorobenzene	1,4-dichlorobenzene	Bromobenzene	4-chlorotoluene	Chlorobenzene	Iodomethane	Bromomethane	1,2-dibromoethane	Dichlorodifluoromethane	Trichlorofluoromethane	Total MAH	Monocyclic aromatic hydrocarbons EPA/Vic	1,3,5-trimethylbenzene	Styrene	Isopropylbenzene	1,2,4-trimethylbenzene	4-Methyl-2-pentanone	
%	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	
EQL	1	5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	
A04.02	SX_OB_20220423_16_00_SS_Primary_EUF	29	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5
A04.02	SX_OB_20220423_16_01_SS_Duplicate_EUF	31	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5
RPD		7	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0
A04.02	SX_OB_20220423_16_00_SS_Primary_EUF	29	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5
A04.02	SX_OB_20220423_16_03_SS_Triplicate_ALS		<5	<0.50	<0.50		<0.50		<0.50								<0.5		<0.5		
RPD			0	0	0		0		0									0			
A04.02	SX_OB_20220423_16_00_SS_Primary_EUF																				
A04.02	SX_OB_20220423_16_01_SS_Duplicate_EUF																				
RPD																					
A04.02	SX_OB_20220423_16_00_SS_Primary_EUF																				
A04.02	SX_OB_20220423_16_01_SS_Duplicate_EUF																				
RPD																					
A04.02	SX_OB_20220423_16_00_SS_Primary_EUF																				
A04.02	SX_OB_20220423_16_03_SS_Triplicate_ALS																				
RPD																					
A03.02	SX_IB_20220424_15_58_SS_Primary_EUF	33	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5
A03.02	SX_IB_20220424_15_59_SS_Duplicate_EUF	32	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5
RPD		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0
A03.02	SX_IB_20220424_15_58_SS_Primary_EUF	33	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5
A03.02	SX_IB_20220424_16_49_SS_Triplicate_ALS		<5	<0.50	<0.50		<0.50		<0.50								<0.5		<0.5		
RPD			0	0	0		0		0									0			
A03.02	SX_IB_20220424_15_58_SS_Primary_EUF																				
A03.02	SX_IB_20220424_15_59_SS_Duplicate_EUF																				
RPD																					
A03.02	SX_IB_20220424_15_58_SS_Primary_EUF																				
A03.02	SX_IB_20220424_15_59_SS_Duplicate_EUF																				
RPD																					
A03.02	SX_IB_20220424_15_58_SS_Primary_EUF																				
A03.02	SX_IB_20220424_16_49_SS_Triplicate_ALS																				
RPD																					
A04.02	SX_OB_20220424_08_05_SS_Primary_ALS		<5	<0.50	<0.50		<0.50		<0.50								<0.5		<0.5		
A04.02	SX_OB_20220424_08_06_SS_Duplicate_ALS		<5	<0.50	<0.50		<0.50		<0.50								<0.5		<0.5		
RPD			0	0	0		0		0								0		0		
A04.02	SX_OB_20220424_08_05_SS_Primary_ALS		<5	<0.50	<0.50		<0.50		<0.50								<0.5		<0.5		
A04.02	SX_OB_20220424_08_07_SS_Triplicate_EUF	31	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5
RPD			0	0	0		0		0									0			
A04.02	SX_OB_20220424_08_05_SS_Primary_ALS		<5	<0.50	<0.50		<0.50		<0.50								<0.5		<0.5		
A04.02	SX_OB_20220424_08_07_SS_Triplicate_EUF																				
RPD																					
A04.02	SX_OB_20220424_08_05_SS_Primary_ALS																				
A04.02	SX_OB_20220424_08_07_SS_Triplicate_EUF																				
RPD																					
A03.02	SX_IB_20220425_15_56_SS_Primary_EUF	31	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5
A03.02	SX_IB_20220425_15_57_SS_Duplicate_EUF	26	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5
RPD		18	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0
A03.02	SX_IB_20220425_15_56_SS_Primary_EUF	31	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5
A03.02	SX_IB_20220425_15_58_SS_Triplicate_ALS		<5	<0.50	<0.50		<0.50		<0.50								<0.5		<0.5		
RPD			0	0	0		0		0									0			
A03.02	SX_IB_20220425_15_56_SS_Primary_EUF																				
A03.02	SX_IB_20220425_15_57_SS_Duplicate_EUF																				
RPD																					
A03.02	SX_IB_20220425_15_56_SS_Primary_EUF																				
A03.02	SX_IB_20220425_15_57_SS_Duplicate_EUF																				
RPD																					
A03.02	SX_IB_20220425_15_56_SS_Primary_EUF																				
A03.02	SX_IB_20220425_15_58_SS_Triplicate_ALS																				
RPD																					
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS		<5	<0.50	<0.50		<0.50		<0.50									<0.5		<0.5	
A04.02	SX_OB_20220425_04_18_SS_Duplicate_ALS		<5	<0.50	<0.50		<0.50		<0.50									<0.5		<0.5	



	Moisture Content (dried @ 103°C)	Cyanide Total	Halogenated Benzenes							Halogenated Hydrocarbons					MAH						
			1,2,4-trichlorobenzene	1,2-dichlorobenzene	1,3-dichlorobenzene	1,4-dichlorobenzene	Bromobenzene	4-chlorotoluene	Chlorobenzene	Iodomethane	Bromomethane	1,2-dibromoethane	Dichlorodifluoromethane	Trichlorofluoromethane	Total MAH	Monocyclic aromatic hydrocarbons EPA/Vic	1,3,5-trimethylbenzene	Styrene	Isopropylbenzene	1,2,4-trimethylbenzene	4-Methyl-2-pentanone
	%	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
RPD		0	0	0	0	0	0	0	0												
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50												
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF	29	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD		0	0	0	0	0	0	0	0												
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50												
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF																				
RPD																					
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS																				
A04.02	SX_OB_20220425_04_18_SS_Duplicate_ALS																				
RPD																					
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS																				
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF																				
RPD																					
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50												
A03.02	SX_IB_20220425_07_57_SS_Duplicate_ALS	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50												
RPD		0	0	0	0	0	0	0	0												
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50												
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF	31	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD		0	0	0	0	0	0	0	0												
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50												
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF																				
RPD																					
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS																				
A03.02	SX_IB_20220425_07_57_SS_Duplicate_ALS																				
RPD																					
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS																				
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF																				
RPD																					

\*RPDs have only been considered where a concentration is greater than 1 times the EQL.  
 \*\*Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multiple)  
 \*\*\*Interlab Duplicates are matched on a per compound basis as methods vary between laboratories.

	Solvents				SPOCAS
	Acetone	Allyl chloride	Carbon disulfide	Methyl Ethyl Ketone	pH (CaCl2)
	mg/kg	mg/kg	mg/kg	mg/kg	-
EQL	0.5	0.5	0.5	0.5	0.1

Location Code	Field ID					
A04.02	SX_OB_20220423_16_00_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	
A04.02	SX_OB_20220423_16_01_SS_Duplicate_EUF	<0.5	<0.5	<0.5	<0.5	
RPD		0	0	0	0	
A04.02	SX_OB_20220423_16_00_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	
A04.02	SX_OB_20220423_16_03_SS_Triplicate_ALS					7.9
RPD						
A04.02	SX_OB_20220423_16_00_SS_Primary_EUF					
A04.02	SX_OB_20220423_16_01_SS_Duplicate_EUF					
RPD						
A04.02	SX_OB_20220423_16_00_SS_Primary_EUF					
A04.02	SX_OB_20220423_16_01_SS_Duplicate_EUF					
RPD						
A04.02	SX_OB_20220423_16_00_SS_Primary_EUF					
A04.02	SX_OB_20220423_16_03_SS_Triplicate_ALS					
RPD						
A03.02	SX_IB_20220424_15_58_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	
A03.02	SX_IB_20220424_15_59_SS_Duplicate_EUF	<0.5	<0.5	<0.5	<0.5	
RPD		0	0	0	0	
A03.02	SX_IB_20220424_15_58_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	
A03.02	SX_IB_20220424_16_49_SS_Triplicate_ALS					7.8
RPD						
A03.02	SX_IB_20220424_15_58_SS_Primary_EUF					
A03.02	SX_IB_20220424_15_59_SS_Duplicate_EUF					
RPD						
A03.02	SX_IB_20220424_15_58_SS_Primary_EUF					
A03.02	SX_IB_20220424_15_59_SS_Duplicate_EUF					
RPD						
A03.02	SX_IB_20220424_15_58_SS_Primary_EUF					
A03.02	SX_IB_20220424_16_49_SS_Triplicate_ALS					
RPD						
A04.02	SX_OB_20220424_08_05_SS_Primary_ALS					8.0
A04.02	SX_OB_20220424_08_06_SS_Duplicate_ALS					8.1
RPD						1
A04.02	SX_OB_20220424_08_05_SS_Primary_ALS					8.0
A04.02	SX_OB_20220424_08_07_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	
RPD						
A04.02	SX_OB_20220424_08_05_SS_Primary_ALS					8.0
A04.02	SX_OB_20220424_08_07_SS_Triplicate_EUF					
RPD						
A04.02	SX_OB_20220424_08_05_SS_Primary_ALS					
A04.02	SX_OB_20220424_08_07_SS_Triplicate_EUF					
RPD						
A03.02	SX_IB_20220425_15_56_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	
A03.02	SX_IB_20220425_15_57_SS_Duplicate_EUF	<0.5	<0.5	<0.5	<0.5	
RPD		0	0	0	0	
A03.02	SX_IB_20220425_15_56_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	
A03.02	SX_IB_20220425_15_58_SS_Triplicate_ALS					7.7
RPD						
A03.02	SX_IB_20220425_15_56_SS_Primary_EUF					
A03.02	SX_IB_20220425_15_57_SS_Duplicate_EUF					
RPD						
A03.02	SX_IB_20220425_15_56_SS_Primary_EUF					
A03.02	SX_IB_20220425_15_57_SS_Duplicate_EUF					
RPD						
A03.02	SX_IB_20220425_15_56_SS_Primary_EUF					
A03.02	SX_IB_20220425_15_58_SS_Triplicate_ALS					
RPD						
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS					8.0
A04.02	SX_OB_20220425_04_18_SS_Duplicate_ALS					8.0

		Solvents				SPOCAS
		Acetone	Allyl chloride	Carbon disulfide	Methyl Ethyl Ketone	pH (CaCl2)
		mg/kg	mg/kg	mg/kg	mg/kg	-
RPD						0
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS					8.0
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	
RPD						
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS					8.0
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF					
RPD						
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS					
A04.02	SX_OB_20220425_04_18_SS_Duplicate_ALS					
RPD						
A04.02	SX_OB_20220425_04_16_SS_Primary_ALS					
A04.02	SX_OB_20220425_04_19_SS_Triplicate_EUF					
RPD						
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS					7.7
A03.02	SX_IB_20220425_07_57_SS_Duplicate_ALS					7.8
RPD						1
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS					7.7
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	
RPD						
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS					7.7
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF					
RPD						
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS					
A03.02	SX_IB_20220425_07_57_SS_Duplicate_ALS					
RPD						
A03.02	SX_IB_20220425_07_56_SS_Primary_ALS					
A03.02	SX_IB_20220425_07_57_SS_Triplicate_EUF					
RPD						

\*RPDs have only been considered where a concentration is greater than 1 times the EQL.

\*\*Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multiple)

\*\*\*Interlab Duplicates are matched on a per compound basis as methods vary between laboratories.

# TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	A03.0220220504111557_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

---

ATTACHMENT B: 95% UCL AVE CALCULATIONS

	A	B	C	D	E	F	G	H	I	J	K	L		
1	<b>UCL Statistics for Data Sets with Non-Detects</b>													
2														
3	User Selected Options													
4	Date/Time of Computation			ProUCL 5.14/05/2022 11:32:50 AM										
5	From File			WorkSheet.xls										
6	Full Precision			OFF										
7	Confidence Coefficient			95%										
8	Number of Bootstrap Operations			2000										
9														
10														
11	<b>Arsenic</b>													
12														
13	<b>General Statistics</b>													
14	Total Number of Observations				25		Number of Distinct Observations				14			
15									Number of Missing Observations				0	
16	Minimum				22		Mean				31.76			
17	Maximum				60		Median				30			
18	SD				8.022		Std. Error of Mean				1.604			
19	Coefficient of Variation				0.253		Skewness				2.026			
20														
21	<b>Normal GOF Test</b>													
22	Shapiro Wilk Test Statistic				0.815		<b>Shapiro Wilk GOF Test</b>							
23	5% Shapiro Wilk Critical Value				0.918		Data Not Normal at 5% Significance Level							
24	Lilliefors Test Statistic				0.248		<b>Lilliefors GOF Test</b>							
25	5% Lilliefors Critical Value				0.173		Data Not Normal at 5% Significance Level							
26	<b>Data Not Normal at 5% Significance Level</b>													
27														
28	<b>Assuming Normal Distribution</b>													
29	<b>95% Normal UCL</b>						<b>95% UCLs (Adjusted for Skewness)</b>							
30	95% Student's-t UCL				34.51		95% Adjusted-CLT UCL (Chen-1995)				35.09			
31							95% Modified-t UCL (Johnson-1978)				34.61			
32														
33	<b>Gamma GOF Test</b>													
34	A-D Test Statistic				0.917		<b>Anderson-Darling Gamma GOF Test</b>							
35	5% A-D Critical Value				0.743		Data Not Gamma Distributed at 5% Significance Level							
36	K-S Test Statistic				0.217		<b>Kolmogorov-Smirnov Gamma GOF Test</b>							
37	5% K-S Critical Value				0.174		Data Not Gamma Distributed at 5% Significance Level							
38	<b>Data Not Gamma Distributed at 5% Significance Level</b>													
39														
40	<b>Gamma Statistics</b>													
41	k hat (MLE)				19.95		k star (bias corrected MLE)				17.58			
42	Theta hat (MLE)				1.592		Theta star (bias corrected MLE)				1.806			
43	nu hat (MLE)				997.6		nu star (bias corrected)				879.2			
44	MLE Mean (bias corrected)				31.76		MLE Sd (bias corrected)				7.574			
45									Approximate Chi Square Value (0.05)				811.4	
46	Adjusted Level of Significance				0.0395						Adjusted Chi Square Value		807	
47														
48	<b>Assuming Gamma Distribution</b>													
49	95% Approximate Gamma UCL (use when n>=50))				34.41		95% Adjusted Gamma UCL (use when n<50)				34.6			
50														
51	<b>Lognormal GOF Test</b>													
52	Shapiro Wilk Test Statistic				0.914		<b>Shapiro Wilk Lognormal GOF Test</b>							
53	5% Shapiro Wilk Critical Value				0.918		Data Not Lognormal at 5% Significance Level							
54	Lilliefors Test Statistic				0.201		<b>Lilliefors Lognormal GOF Test</b>							

	A	B	C	D	E	F	G	H	I	J	K	L
55	5% Lilliefors Critical Value					0.173	Data Not Lognormal at 5% Significance Level					
56	<b>Data Not Lognormal at 5% Significance Level</b>											
57												
58	<b>Lognormal Statistics</b>											
59	Minimum of Logged Data					3.091	Mean of logged Data					3.433
60	Maximum of Logged Data					4.094	SD of logged Data					0.22
61												
62	<b>Assuming Lognormal Distribution</b>											
63	95% H-UCL					34.35	90% Chebyshev (MVUE) UCL					35.92
64	95% Chebyshev (MVUE) UCL					37.83	97.5% Chebyshev (MVUE) UCL					40.49
65	99% Chebyshev (MVUE) UCL					45.7						
66												
67	<b>Nonparametric Distribution Free UCL Statistics</b>											
68	<b>Data do not follow a Discernible Distribution (0.05)</b>											
69												
70	<b>Nonparametric Distribution Free UCLs</b>											
71	95% CLT UCL					34.4	95% Jackknife UCL					34.51
72	95% Standard Bootstrap UCL					34.31	95% Bootstrap-t UCL					35.7
73	95% Hall's Bootstrap UCL					37.61	95% Percentile Bootstrap UCL					34.48
74	95% BCA Bootstrap UCL					35.16						
75	90% Chebyshev(Mean, Sd) UCL					36.57	95% Chebyshev(Mean, Sd) UCL					38.75
76	97.5% Chebyshev(Mean, Sd) UCL					41.78	99% Chebyshev(Mean, Sd) UCL					47.72
77												
78	<b>Suggested UCL to Use</b>											
79	95% Student's-t UCL					34.51	or 95% Modified-t UCL					34.61
80												
81	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
82	Recommendations are based upon data size, data distribution, and skewness.											
83	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
84	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
85												
86												
87	<b>Nickel</b>											
88												
89	<b>General Statistics</b>											
90	Total Number of Observations					25	Number of Distinct Observations					16
91							Number of Missing Observations					0
92	Minimum					120	Mean					163
93	Maximum					220	Median					163
94	SD					18.49	Std. Error of Mean					3.698
95	Coefficient of Variation					0.113	Skewness					0.641
96												
97	<b>Normal GOF Test</b>											
98	Shapiro Wilk Test Statistic					0.922	<b>Shapiro Wilk GOF Test</b>					
99	5% Shapiro Wilk Critical Value					0.918	Data appear Normal at 5% Significance Level					
100	Lilliefors Test Statistic					0.153	<b>Lilliefors GOF Test</b>					
101	5% Lilliefors Critical Value					0.173	Data appear Normal at 5% Significance Level					
102	<b>Data appear Normal at 5% Significance Level</b>											
103												
104	<b>Assuming Normal Distribution</b>											
105	<b>95% Normal UCL</b>						<b>95% UCLs (Adjusted for Skewness)</b>					
106	95% Student's-t UCL					169.3	95% Adjusted-CLT UCL (Chen-1995)					169.6
107							95% Modified-t UCL (Johnson-1978)					169.4
108												

	A	B	C	D	E	F	G	H	I	J	K	L
109	<b>Gamma GOF Test</b>											
110	A-D Test Statistic				0.599		<b>Anderson-Darling Gamma GOF Test</b>					
111	5% A-D Critical Value				0.742		Detected data appear Gamma Distributed at 5% Significance Level					
112	K-S Test Statistic				0.139		<b>Kolmogorov-Smirnov Gamma GOF Test</b>					
113	5% K-S Critical Value				0.174		Detected data appear Gamma Distributed at 5% Significance Level					
114	<b>Detected data appear Gamma Distributed at 5% Significance Level</b>											
115												
116	<b>Gamma Statistics</b>											
117	k hat (MLE)				82.21		k star (bias corrected MLE)				72.37	
118	Theta hat (MLE)				1.983		Theta star (bias corrected MLE)				2.252	
119	nu hat (MLE)				4111		nu star (bias corrected)				3619	
120	MLE Mean (bias corrected)				163		MLE Sd (bias corrected)				19.16	
121							Approximate Chi Square Value (0.05)				3480	
122	Adjusted Level of Significance				0.0395		Adjusted Chi Square Value				3471	
123												
124	<b>Assuming Gamma Distribution</b>											
125	95% Approximate Gamma UCL (use when n>=50))				169.5		95% Adjusted Gamma UCL (use when n<50)				170	
126												
127	<b>Lognormal GOF Test</b>											
128	Shapiro Wilk Test Statistic				0.937		<b>Shapiro Wilk Lognormal GOF Test</b>					
129	5% Shapiro Wilk Critical Value				0.918		Data appear Lognormal at 5% Significance Level					
130	Lilliefors Test Statistic				0.138		<b>Lilliefors Lognormal GOF Test</b>					
131	5% Lilliefors Critical Value				0.173		Data appear Lognormal at 5% Significance Level					
132	<b>Data appear Lognormal at 5% Significance Level</b>											
133												
134	<b>Lognormal Statistics</b>											
135	Minimum of Logged Data				4.787		Mean of logged Data				5.088	
136	Maximum of Logged Data				5.394		SD of logged Data				0.113	
137												
138	<b>Assuming Lognormal Distribution</b>											
139	95% H-UCL		169.6		90% Chebyshev (MVUE) UCL				174			
140	95% Chebyshev (MVUE) UCL		179		97.5% Chebyshev (MVUE) UCL				186			
141	99% Chebyshev (MVUE) UCL		199.6									
142												
143	<b>Nonparametric Distribution Free UCL Statistics</b>											
144	<b>Data appear to follow a Discernible Distribution at 5% Significance Level</b>											
145												
146	<b>Nonparametric Distribution Free UCLs</b>											
147	95% CLT UCL		169.1		95% Jackknife UCL				169.3			
148	95% Standard Bootstrap UCL		169		95% Bootstrap-t UCL				170.3			
149	95% Hall's Bootstrap UCL		170.4		95% Percentile Bootstrap UCL				169			
150	95% BCA Bootstrap UCL		169									
151	90% Chebyshev(Mean, Sd) UCL		174.1		95% Chebyshev(Mean, Sd) UCL				179.1			
152	97.5% Chebyshev(Mean, Sd) UCL		186.1		99% Chebyshev(Mean, Sd) UCL				199.8			
153												
154	<b>Suggested UCL to Use</b>											
155	95% Student's-t UCL		169.3									
156												
157	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
158	Recommendations are based upon data size, data distribution, and skewness.											
159	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
160	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
161												

# TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	A03.0220220504111557_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

---

ATTACHMENT C: LABORATORY CERTIFICATES



Company		Project No		Project Manager		Sampler(s)													
AGON Environmental - Tunnel Spoil Testing		JC0927		Craig Trimbur		Brandon + TB - Agon LR + HK - EP Risk													
Address		Project Name		EDD Format		Handed over by													
Unit H78, 83-85 Turner St, Port Melbourne VIC 3207		WGTTP-Tunnel Ref: 2022042040909-Euroflts-21		Esdat															
Contact Name		Analysis		Email for Invoice		Email for Results													
Craig Trimbur David Lawson		Spill Sample Preparation		finance@agonenviro.com.au LabReports.TST@agonenviro.com.au		agonenvironmental@esdat.com.au motherhublabresults@wgttp.com.au Amrit.Kaur@agle-analytics.com.au													
Phone No		Special Directions		Containers		Required Turnaround Time (TAT)													
+61 400 828 807 (Craig) +61 400 411 004 (David)		Please provide an interim lab report if finalised report has not been provided by 14 days from sample receipt. Please provide eSRN along with other sample receipt documentation.		Change container type & size if necessary		*Surcharge will apply *Turnaround will be 5 days if confirmed													
Purchase Order		Quote ID No		500mL Plastic		<input type="checkbox"/> Overnight (reporting by 9am)*													
		Agon WGTTP TST		125mL Plastic		<input type="checkbox"/> Same day* <input type="checkbox"/> 1 day*													
				200mL Amber Glass		<input type="checkbox"/> 2 days* <input type="checkbox"/> 3 days*													
				40mL VOA vial		<input checked="" type="checkbox"/> 5 days (Standard)													
				600mL PFAS Bottle		<input type="checkbox"/> Other*													
				1L (Glass or HDPE)		Sample Comments / Dangerous Goods Hazard Warning													
				Other (Name/Address/URL/Container)															
No	Client Sample ID	Sampled Date/Time	Matrix	As	Co	Cr	Ni	Pb	PM10	PM2.5	PM10+PM2.5	PM10+PM2.5+PM5	PM10+PM2.5+PM5+PM10	PM10+PM2.5+PM5+PM10+PM100	PM10+PM2.5+PM5+PM10+PM100+PM1000	PM10+PM2.5+PM5+PM10+PM100+PM1000+PM10000	PM10+PM2.5+PM5+PM10+PM100+PM1000+PM10000+PM100000	PM10+PM2.5+PM5+PM10+PM100+PM1000+PM10000+PM100000+PM1000000	
1	SX_OB_20220423_08_14_SS_Triplicate_EUF	23.04.2022 8:14	S	X	X	X	X	X											
2	SX_OB_20220423_08_20_SS_Primary_EUF	23.04.2022 8:20	S	X	X	X	X	X											
3	SX_IB_20220423_12_15_SS_Primary_EUF	23.04.2022 12:15	S	X	X	X	X	X											
4	SX_OB_20220423_16_00_SS_Primary_EUF	23.04.2022 16:00	S	X	X	X	X	X											
5	SX_OB_20220423_16_01_SS_Duplicate_EUF	23.04.2022 16:01	S	X	X	X	X	X											
6	SX_OB_20220423_16_21_SR_Rinsate_EUF	23.04.2022 16:21	W			X													
7	SX_OB_20220423_16_24_SB_Blank_EUF	23.04.2022 16:24	W			X													
8	SX_OB_20220423_20_10_SS_Primary_EUF	23.04.2022 20:10	S	X	X	X	X	X											
9	SX_IB_20220424_00_09_SS_Primary_EUF	24.04.2022 00:09	S	X	X	X	X	X											
10	SX_OB_20220424_04_14_SS_Primary_EUF	24.04.2022 4:14	S	X	X	X	X	X											
11	SX_OB_20220424_08_07_SS_Triplicate_EUF	24.04.2022 8:07	S	X	X	X	X	X											
12	SX_IB_20220424_08_14_SS_Primary_EUF	24.04.2022 8:14	S	X	X	X	X	X											
13	SX_OB_20220424_12_10_SS_Primary_EUF	24.04.2022 12:10	S	X	X	X	X	X											
14	SX_IB_20220424_15_58_SS_Primary_EUF	24.04.2022 15:58	S	X	X	X	X	X											
15	SX_IB_20220424_15_56_SS_Duplicate_EUF	24.04.2022 15:56	S	X	X	X	X	X											
16	SX_IB_20220424_19_58_SS_Primary_EUF	24.04.2022 19:58	S	X	X	X	X	X											
17	SX_IB_20220425_03_50_SS_Primary_EUF	25.04.2022 3:50	S	X	X	X	X	X											
18	SX_IB_20220425_03_59_SS_Primary_EUF	25.04.2022 3:59	S	X	X	X	X	X											
19	SX_OB_20220425_04_19_SS_Triplicate_EUF	25.04.2022 4:19	S	X	X	X	X	X											
20	SX_IB_20220425_07_57_SS_Triplicate_EUF	25.04.22 7:57	S	X	X	X	X	X											
21	SX_IB_20220425_08_04_SS_Primary_EUF	25.04.22 8:04	S	X	X	X	X	X											
22	SX_IB_20220425_11_57_SS_Primary_EUF	25.04.22 11:57	S	X	X	X	X	X											
23	SX_IB_20220425_15_59_SS_Primary_EUF	25.04.22 15:56	S	X	X	X	X	X											
24	SX_IB_20220425_15_57_SS_Duplicate_EUF	25.04.22 15:57	S	X	X	X	X	X											
25	SX_IB_20220425_19_59_SS_Primary_EUF	25.04.22 19:53	S	X	X	X	X	X											
26	SX_IB_20220425_23_57_SS_Primary_EUF	25.04.22 23:57	S	X	X	X	X	X											
27	SX_IB_20220426_03_55_SS_Primary_EUF	26.04.22 03:55	S	X	X	X	X	X											
Total Counts				25	25	27	25	25											



Chilled: 26/4/22 1:30 PM  
 Yes / No  
 Correction: \_\_\_\_\_  
 Final Temp: \_\_\_\_\_  
 Tyrone Couri

Method	Signature	Date	Time	Temperature
<input checked="" type="checkbox"/> Courier (if) <input type="checkbox"/> Hand Delivered <input type="checkbox"/> Postal				
<input type="checkbox"/> Laboratory Use Only	Received By	Signature	Date	Time
	Received By	Signature	Date	Time

882647  
Tyrone



# CHAIN OF CUSTODY RECORD

Eurofins | Environment Testing ABN 50 009 085 521

Sydney Laboratory  
Unit F3 Bldg F 16 Mars Road Lane Cove West NSW 2056  
02 9900 8400 EnviroSampleNSW@eurofins.com

Brisbane Laboratory  
Unit 1 21 Smallwood Place Murarie QLD 4172  
07 3902 4600 EnviroSampleQLD@eurofins.com

Perth Laboratory  
Unit 2 91 Leach Highway Kewdale WA 6105  
08 9251 9600 EnviroSampleWA@eurofins.com

Melbourne Laboratory  
6 Monterey Road Dandenong South VIC 3175  
03 8564 5000 EnviroSampleVic@eurofins.com

Company		Project No		Project Manager		Sampler(s)									
AGON Environmental - Tunnel Spoil Testing		JC0927		Craig Trimbur		Brandon + TB - Agon LR + HK - EP Risk									
Address		Project Name		EDD Format		Handed over by									
Unit H76, 63-65 Turner St, Port Melbourne VIC 3207		WGTP-Tunnel Ref: 20220426040809-Eurofin-21		ESdat, ECUIS etc		Esdat									
Contact Name		Analyses <small>Where possible, use specific codes or 'Trace'</small> <small>NOTE: look for the word 'around' in the SUIE copy</small>		Containers <small>Change container type &amp; size if necessary</small>		Required Turnaround Time (TAT)									
Craig Trimbur David Lawson						Default will be 5 days if not stated									
Phone No		Spoil Sample Preparation SUIE WGTP-RC-TRF PAFY Phos6i OCP PCB3i VOC View Chl6d6i Metals (As, Cd, Cr, Cu, Ni, Pb, Hg, Ag, Sn, Mo, Se, Zn) C6H+ CNV Total Fluoride pH PFAS Extended Suite - 01-5ug/kg ASLP PFI 5 - PFAS 0.01-0.05 ug/l ASLP Reagent - PFAS 0.010-0.05ug/l		Email for Invoice		Email for Results									
+61 400 826 907 (Craig) +61 490 411 004 (David)				finance@agonenviro.com.au LabReports.TST@agonenviro.com.au		LabReports.TST@agonenviro.com.au agonenvironmental@esdat.com.au motherhublabresults1@wgtp.com.au Amrit.Kaur@agile-analytics.com.au									
Special Directions		Purchase Order		Quote ID No		Special Directions									
Please provide an interim lab report if finalised report has not been provided by 14 days from sample receipt. Please provide eSRN along with oter sample receipt documentation.						<input type="checkbox"/> Overnight (reporting by 5am) <input type="checkbox"/> Same day <input type="checkbox"/> 2 days <input type="checkbox"/> 5 days (Standard) <input type="checkbox"/> Other( )									
Quote ID No		Agon WGTP TST													
No	Client Sample ID	Sampled Date/Time	Matrix	Analysis					Other (Asbestos AS264, Wt Guidelines)	Sample Comments / Dangerous Goods Hazard Warning					
				Solid (S)	Water (W)	500mL Plastic	250mL Plastic	125mL Plastic	200mL Amber Glass	40mL VOA Ial	500mL PFAS bottle	Jar (Glass or HDPE)			
1	SX_OB_20220423_08_14_SS_Triplicate_EUF	23.04.2022 8:14	S	X	X	X	X	X							
2	SX_OB_20220423_08_20_SS_Primary_EUF	23.04.2022 8:20	S	X	X	X	X	X							
3	SX_IB_20220423_12_15_SS_Primary_EUF	23.04.2022 12:15	S	X	X	X	X	X							
4	SX_OB_20220423_16_00_SS_Primary_EUF	23.04.2022 16:00	S	X	X	X	X	X							
5	SX_OB_20220423_16_01_SS_Duplicate_EUF	23.04.2022 16:01	S	X	X	X	X	X							
6	SX_OB_20220423_16_21_SR_Rinsate_EUF	23.04.2022 16:21	W			X									
7	SX_OB_20220423_16_24_SB_Blank_EUF	23.04.2022 16:24	W			X									
8	SX_OB_20220423_20_10_SS_Primary_EUF	23.04.2022 20:10	S	X	X	X	X	X							
9	SX_IB_20220424_00_09_SS_Primary_EUF	24.04.2022 00:09	S	X	X	X	X	X							
10	SX_OB_20220424_04_14_SS_Primary_EUF	24.04.2022 4:14	S	X	X	X	X	X							
11	SX_OB_20220424_08_07_SS_Triplicate_EUF	24.04.2022 8:07	S	X	X	X	X	X							
12	SX_IB_20220424_08_14_SS_Primary_EUF	24.04.2022 8:14	S	X	X	X	X	X							
13	SX_OB_20220424_12_10_SS_Primary_EUF	24.04.2022 12:10	S	X	X	X	X	X							
14	SX_IB_20220424_15_58_SS_Primary_EUF	24.04.2022 15:58	S	X	X	X	X	X							
15	SX_IB_20220424_15_59_SS_Duplicate_EUF	24.04.2022 15:59	S	X	X	X	X	X							
16	SX_IB_20220424_19_58_SS_Primary_EUF	24.04.2022 19:58	S	X	X	X	X	X							
17	SX_IB_20220425_03_50_SS_Primary_EUF	25.04.2022 3:50	S	X	X	X	X	X							
18	SX_IB_20220425_03_59_SS_Primary_EUF	25.04.2022 3:59	S	X	X	X	X	X							
19	SX_OB_20220425_04_19_SS_Triplicate_EUF	25.04.2022 4:19	S	X	X	X	X	X							
20	SX_IB_20220425_07_57_SS_Triplicate_EUF	25.04.22 7:57	S	X	X	X	X	X							
21	SX_IB_20220425_08_04_SS_Primary_EUF	25.04.22 8:04	S	X	X	X	X	X							
22	SX_IB_20220425_11_57_SS_Primary_EUF	25.04.22 11:57	S	X	X	X	X	X							
23	SX_IB_20220425_15_56_SS_Primary_EUF	25.04.22 15:56	S	X	X	X	X	X							
24	SX_IB_20220425_15_57_SS_Duplicate_EUF	25.04.22 15:57	S	X	X	X	X	X							
25	SX_IB_20220425_19_53_SS_Primary_EUF	25.04.22 19:53	S	X	X	X	X	X							
26	SX_IB_20220425_23_57_SS_Primary_EUF	25.04.22 23:57	S	X	X	X	X	X							
27	SX_IB_20220426_03_55_SS_Primary_EUF	26.04.22 03:55	S	X	X	X	X	X							
Total Counts				25	25	27	25	25							
Method of Shipment		<input checked="" type="checkbox"/> Courier (# )		<input type="checkbox"/> Hand Delivered		<input type="checkbox"/> Postal		Name		Signature		Date		Time	
Laboratory Use Only		Received By		SYD   BNE   MEL   PER   ADL   NTL   DRW		Signature		Date		Time		Temperature			
		Received By		SYD   BNE   MEL   PER   ADL   NTL   DRW		Signature		Date		Time		Report No			

## Callum McEwan

---

**From:** David Lawson <David.Lawson@agonenviro.com.au>  
**Sent:** Tuesday, 26 April 2022 10:38 AM  
**To:** Callum McEwan  
**Cc:** Harry Bacalis  
**Subject:** RE: COC sample delivery  
**Attachments:** 20220426040809-Eurofin-21-Solid\_00.xlsx; 20220426041617-Eurofin-21-Water\_00.xlsx

**Follow Up Flag:** Follow up  
**Flag Status:** Completed

**CAUTION: EXTERNAL EMAIL** - Sent from an email domain that is not formally trusted by Eurofins.  
Do not click on links or open attachments unless you recognise the sender and are certain that the content is safe.

Hi Callum,

Please find revised COCs attached for the samples being delivered today.

Soil samples are on a 3 day TAT.

Regards,

**David Lawson**  
Environmental Scientist

**Agon Environmental**  
+61 4 9041 1004  
[David.Lawson@agonenviro.com.au](mailto:David.Lawson@agonenviro.com.au)

---

**From:** David Lawson  
**Sent:** Tuesday, 26 April 2022 10:24 AM  
**To:** CallumMcEwan@eurofins.com  
**Subject:** RE: COC sample delivery

Sorry,

Here are the right ones

**David Lawson**  
Environmental Scientist

**Agon Environmental**  
+61 4 9041 1004  
[David.Lawson@agonenviro.com.au](mailto:David.Lawson@agonenviro.com.au)

---

**From:** David Lawson  
**Sent:** Tuesday, 26 April 2022 10:23 AM  
**To:** [CallumMcEwan@eurofins.com](mailto:CallumMcEwan@eurofins.com)  
**Subject:** COC sample delivery

Hi Callum,

As discussed, please find COCs attached.

Regards,



**David Lawson**  
Environmental Scientist

**Agon Environmental**  
**ADELAIDE | CANBERRA | DARWIN | MELBOURNE**  
H76, 63-85 Turner St, Port Melbourne VIC 3207  
+61 3 8566 1567  
+61 4 9041 1004  
[David.Lawson@agonenviro.com.au](mailto:David.Lawson@agonenviro.com.au)  
[agonenviro.com.au](http://agonenviro.com.au)

---

Disclaimer: The information contained in this e-mail and any attached file is confidential. It is intended solely for the addressee, and may not be used, reproduced, disclosed or distributed without Agon's permission. Agon accepts no liability for loss or damage (whether caused by negligence or not) resulting from the use of any attached files. **Please consider the environment before printing this email.**

Agon Environmental Pty Ltd - VIC  
3/224 Glen Osmond Road  
Fullarton  
SA 5063



NATA Accredited  
Accreditation Number 1261  
Site Number 1254

Accredited for compliance with ISO/IEC 17025 – Testing  
NATA is a signatory to the ILAC Mutual Recognition  
Arrangement for the mutual recognition of the  
equivalence of testing, medical testing, calibration,  
inspection, proficiency testing scheme providers and  
reference materials producers reports and certificates.

Attention: **David Lawson**

Report **882647-L**  
Project name **20220426040809-Eurofin-21**  
Project ID **JC0927**  
Received Date **Apr 26, 2022**

Client Sample ID			SX_OB_20220 423_08_14_SS _TriPLICATE_EU F	SX_OB_20220 423_08_20_SS _Primary_EUF	SX_IB_202204 23_12_15_SS _Primary_EUF	SX_OB_20220 423_16_00_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- Ap0050655	M22- Ap0050656	M22- Ap0050657	M22- Ap0050658
Date Sampled			Apr 23, 2022	Apr 23, 2022	Apr 23, 2022	Apr 23, 2022
Test/Reference	LOR	Unit				
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	4.9	4.9	4.9	4.9
pH (off)	0.1	pH Units	5.1	5.1	5.1	5.5
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	89	94	76	93
13C5-PFPeA (surr.)	1	%	92	93	77	104
13C5-PFHxA (surr.)	1	%	88	89	74	90
13C4-PFHpA (surr.)	1	%	90	89	71	90
13C8-PFOA (surr.)	1	%	123	99	103	110
13C5-PFNA (surr.)	1	%	79	87	64	79
13C6-PFDA (surr.)	1	%	97	120	70	88
13C2-PFUnDA (surr.)	1	%	70	77	57	65
13C2-PFDoDA (surr.)	1	%	81	85	66	74
13C2-PFTeDA (surr.)	1	%	52	59	37	44

Client Sample ID			SX_OB_20220 423_08_14_SS _TriPLICATE_EU F	SX_OB_20220 423_08_20_SS _Primary_EUF	SX_IB_202204 23_12_15_SS _Primary_EUF	SX_OB_20220 423_16_00_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- Ap0050655	M22- Ap0050656	M22- Ap0050657	M22- Ap0050658
Date Sampled			Apr 23, 2022	Apr 23, 2022	Apr 23, 2022	Apr 23, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	93	90	72	77
D3-N-MeFOSA (surr.)	1	%	98	126	120	94
D5-N-EtFOSA (surr.)	1	%	99	134	113	85
D7-N-MeFOSE (surr.)	1	%	74	84	46	53
D9-N-EtFOSE (surr.)	1	%	60	65	51	48
D5-N-EtFOSAA (surr.)	1	%	76	97	49	52
D3-N-MeFOSAA (surr.)	1	%	84	67	69	74
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	111	90	86	105
18O2-PFHxS (surr.)	1	%	88	89	69	79
13C8-PFOS (surr.)	1	%	119	112	84	108
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	63	81	63	65
13C2-6:2 FTSA (surr.)	1	%	63	82	58	70
13C2-8:2 FTSA (surr.)	1	%	69	181	59	70
13C2-10:2 FTSA (surr.)	1	%	71	71	72	53
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_20220 423_16_01_SS Duplicate_EU F	SX_OB_20220 423_20_10_SS Primary_EUF	SX_IB_202204 24_00_09_SS Primary_EUF	SX_OB_20220 424_04_14_SS Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- Ap0050659	M22- Ap0050660	M22- Ap0050661	M22- Ap0050662
Date Sampled			Apr 23, 2022	Apr 23, 2022	Apr 24, 2022	Apr 24, 2022
Test/Reference	LOR	Unit				
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	4.9	4.9	4.9	4.9
pH (off)	0.1	pH Units	5.1	5.1	5.1	5.1
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	101	90	99	93
13C5-PFPeA (surr.)	1	%	107	90	109	108
13C5-PFHxA (surr.)	1	%	98	89	95	92
13C4-PFHpA (surr.)	1	%	98	91	98	88
13C8-PFOA (surr.)	1	%	138	111	85	106
13C5-PFNA (surr.)	1	%	87	76	95	82
13C6-PFDA (surr.)	1	%	108	109	140	108
13C2-PFUnDA (surr.)	1	%	81	78	116	68
13C2-PFDoDA (surr.)	1	%	94	88	145	68
13C2-PFTTeDA (surr.)	1	%	51	84	122	54
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	95	85	101	87
D3-N-MeFOSA (surr.)	1	%	90	95	139	82
D5-N-EtFOSA (surr.)	1	%	91	82	134	79
D7-N-MeFOSE (surr.)	1	%	81	77	74	62
D9-N-EtFOSE (surr.)	1	%	58	55	73	51
D5-N-EtFOSAA (surr.)	1	%	79	113	96	54
D3-N-MeFOSAA (surr.)	1	%	76	93	132	87

Client Sample ID			SX_OB_20220 423_16_01_SS Duplicate_EU F	SX_OB_20220 423_20_10_SS Primary_EUF	SX_IB_202204 24_00_09_SS Primary_EUF	SX_OB_20220 424_04_14_SS Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- Ap0050659	M22- Ap0050660	M22- Ap0050661	M22- Ap0050662
Date Sampled			Apr 23, 2022	Apr 23, 2022	Apr 24, 2022	Apr 24, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	119	115	87	110
18O2-PFHxS (surr.)	1	%	103	91	99	85
13C8-PFOS (surr.)	1	%	118	102	134	99
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	77	62	80	65
13C2-6:2 FTSA (surr.)	1	%	67	62	96	62
13C2-8:2 FTSA (surr.)	1	%	76	81	114	69
13C2-10:2 FTSA (surr.)	1	%	48	80	111	59
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_20220 424_08_07_SS TriPLICATE_EU F	SX_IB_202204 24_08_14_SS Primary_EUF	SX_OB_20220 424_12_10_SS Primary_EUF	SX_IB_202204 24_15_58_SS Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- Ap0050663	M22- Ap0050664	M22- Ap0050665	M22- Ap0050666
Date Sampled			Apr 24, 2022	Apr 24, 2022	Apr 24, 2022	Apr 24, 2022
Test/Reference	LOR	Unit				
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	4.9	4.9	4.9	4.9
pH (off)	0.1	pH Units	5.2	5.1	5.1	5.1



Client Sample ID			SX_OB_20220 424_08_07_SS _TriPLICATE_EU F	SX_IB_202204 24_08_14_SS _Primary_EUF	SX_OB_20220 424_12_10_SS _Primary_EUF	SX_IB_202204 24_15_58_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- Ap0050663	M22- Ap0050664	M22- Ap0050665	M22- Ap0050666
Date Sampled			Apr 24, 2022	Apr 24, 2022	Apr 24, 2022	Apr 24, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	91	96	93	84
13C5-PFPeA (surr.)	1	%	98	95	99	99
13C5-PFHxA (surr.)	1	%	88	85	90	75
13C4-PFHpA (surr.)	1	%	85	91	93	78
13C8-PFOA (surr.)	1	%	104	75	117	62
13C5-PFNA (surr.)	1	%	76	79	79	72
13C6-PFDA (surr.)	1	%	86	96	80	104
13C2-PFUnDA (surr.)	1	%	49	76	69	73
13C2-PFDoDA (surr.)	1	%	41	75	75	82
13C2-PFTTeDA (surr.)	1	%	18	52	52	59
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	83	92	77	86
D3-N-MeFOSA (surr.)	1	%	37	80	37	94
D5-N-EtFOSA (surr.)	1	%	29	82	44	103
D7-N-MeFOSE (surr.)	1	%	48	79	44	77
D9-N-EtFOSE (surr.)	1	%	44	60	42	58
D5-N-EtFOSAA (surr.)	1	%	35	52	73	69
D3-N-MeFOSAA (surr.)	1	%	52	76	85	64
<b>Perfluoroalkyl sulfonic acids (PFSAs)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01

Client Sample ID			SX_OB_20220 424_08_07_SS _TriPLICATE_EU F	SX_IB_202204 24_08_14_SS _Primary_EUF	SX_OB_20220 424_12_10_SS _Primary_EUF	SX_IB_202204 24_15_58_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- Ap0050663	M22- Ap0050664	M22- Ap0050665	M22- Ap0050666
Date Sampled			Apr 24, 2022	Apr 24, 2022	Apr 24, 2022	Apr 24, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>						
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	109	82	111	69
18O2-PFHxS (surr.)	1	%	77	85	83	76
13C8-PFOS (surr.)	1	%	88	112	94	103
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	79	82	70	73
13C2-6:2 FTSA (surr.)	1	%	66	87	57	102
13C2-8:2 FTSA (surr.)	1	%	54	173	61	106
13C2-10:2 FTSA (surr.)	1	%	32	59	91	71
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202204 24_15_59_SS _Duplicate_EUF	SX_IB_202204 24_19_58_SS _Primary_EUF	SX_IB_202204 25_03_50_SS _Primary_EUF	SX_IB_202204 25_03_59_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- Ap0050667	M22- Ap0050668	M22- Ap0050669	M22- Ap0050670
Date Sampled			Apr 24, 2022	Apr 24, 2022	Apr 25, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	4.9	4.9	4.9	4.9
pH (off)	0.1	pH Units	5.1	5.1	5.1	5.1
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01

Client Sample ID			SX_IB_202204_24_15_59_SS_Duplicate_EUF	SX_IB_202204_24_19_58_SS_Primary_EUF	SX_IB_202204_25_03_50_SS_Primary_EUF	SX_IB_202204_25_03_59_SS_Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22-Ap0050667	M22-Ap0050668	M22-Ap0050669	M22-Ap0050670
Date Sampled			Apr 24, 2022	Apr 24, 2022	Apr 25, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	94	91	97	97
13C5-PFPeA (surr.)	1	%	91	101	96	100
13C5-PFHxA (surr.)	1	%	82	85	88	87
13C4-PFHpA (surr.)	1	%	91	93	92	93
13C8-PFOA (surr.)	1	%	75	75	70	73
13C5-PFNA (surr.)	1	%	89	93	82	89
13C6-PFDA (surr.)	1	%	116	132	90	106
13C2-PFUnDA (surr.)	1	%	94	107	65	70
13C2-PFDoDA (surr.)	1	%	110	144	62	72
13C2-PFTeDA (surr.)	1	%	133	134	39	61
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	89	93	81	92
D3-N-MeFOSA (surr.)	1	%	106	131	107	108
D5-N-EtFOSA (surr.)	1	%	109	129	116	112
D7-N-MeFOSE (surr.)	1	%	51	79	47	51
D9-N-EtFOSE (surr.)	1	%	63	67	57	63
D5-N-EtFOSAA (surr.)	1	%	70	115	93	72
D3-N-MeFOSAA (surr.)	1	%	71	115	59	74
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	78	82	80	81
18O2-PFHxS (surr.)	1	%	89	92	87	92
13C8-PFOS (surr.)	1	%	115	119	97	106

Client Sample ID			SX_IB_202204_24_15_59_SS_Duplicate_EUF	SX_IB_202204_24_19_58_SS_Primary_EUF	SX_IB_202204_25_03_50_SS_Primary_EUF	SX_IB_202204_25_03_59_SS_Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22-Ap0050667	M22-Ap0050668	M22-Ap0050669	M22-Ap0050670
Date Sampled			Apr 24, 2022	Apr 24, 2022	Apr 25, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	79	77	81	81
13C2-6:2 FTSA (surr.)	1	%	99	107	101	107
13C2-8:2 FTSA (surr.)	1	%	110	128	173	117
13C2-10:2 FTSA (surr.)	1	%	97	138	58	61
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_202204_25_04_19_SS_Triplicate_EUF	SX_IB_202204_25_07_57_SS_Triplicate_EUF	SX_IB_202204_25_08_04_SS_Primary_EUF	SX_IB_202204_25_11_57_SS_Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22-Ap0050671	M22-Ap0050672	M22-Ap0050673	M22-Ap0050674
Date Sampled			Apr 25, 2022	Apr 25, 2022	Apr 25, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	4.9	4.9	4.9	4.9
pH (off)	0.1	pH Units	5.1	5.1	5.1	5.1
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	97	93	94	91
13C5-PFPeA (surr.)	1	%	110	95	98	100
13C5-PFHxA (surr.)	1	%	94	89	87	88

Client Sample ID			SX_OB_20220 425_04_19_SS TriPLICATE_EU F	SX_IB_202204 25_07_57_SS TriPLICATE_EUF	SX_IB_202204 25_08_04_SS Primary_EUF	SX_IB_202204 25_11_57_SS Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- Ap0050671	M22- Ap0050672	M22- Ap0050673	M22- Ap0050674
Date Sampled			Apr 25, 2022	Apr 25, 2022	Apr 25, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
13C4-PFHpA (surr.)	1	%	95	94	96	89
13C8-PFOA (surr.)	1	%	111	80	87	72
13C5-PFNA (surr.)	1	%	76	92	90	80
13C6-PFDA (surr.)	1	%	99	127	125	98
13C2-PFUnDA (surr.)	1	%	69	99	77	78
13C2-PFDoDA (surr.)	1	%	75	116	100	96
13C2-PFTeDA (surr.)	1	%	55	113	68	90
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	89	87	101	80
D3-N-MeFOSA (surr.)	1	%	85	114	130	71
D5-N-EtFOSA (surr.)	1	%	93	100	138	69
D7-N-MeFOSE (surr.)	1	%	58	65	87	66
D9-N-EtFOSE (surr.)	1	%	53	66	71	54
D5-N-EtFOSAA (surr.)	1	%	52	112	74	80
D3-N-MeFOSAA (surr.)	1	%	49	142	74	93
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	113	83	85	86
18O2-PFHxS (surr.)	1	%	86	94	87	85
13C8-PFOS (surr.)	1	%	120	120	125	102
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	74	75	80	72

Client Sample ID			SX_OB_20220 425_04_19_SS TriPLICATE_EU F	SX_IB_202204 25_07_57_SS TriPLICATE_EUF	SX_IB_202204 25_08_04_SS Primary_EUF	SX_IB_202204 25_11_57_SS Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- Ap0050671	M22- Ap0050672	M22- Ap0050673	M22- Ap0050674
Date Sampled			Apr 25, 2022	Apr 25, 2022	Apr 25, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
13C2-6:2 FTSA (surr.)	1	%	65	87	108	79
13C2-8:2 FTSA (surr.)	1	%	69	120	107	118
13C2-10:2 FTSA (surr.)	1	%	73	129	64	108
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202204 25_15_56_SS Primary_EUF	SX_IB_202204 25_15_57_SS Duplicate_EUF	SX_IB_202204 25_19_53_SS Primary_EUF	SX_IB_202204 25_23_57_SS Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- Ap0050675	M22- Ap0050676	M22- Ap0050677	M22- Ap0050678
Date Sampled			Apr 25, 2022	Apr 25, 2022	Apr 25, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	4.9	4.9	4.9	4.9
pH (off)	0.1	pH Units	5.1	5.1	5.1	5.1
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTeDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	92	98	91	92
13C5-PFPeA (surr.)	1	%	84	98	101	89
13C5-PFHxA (surr.)	1	%	86	90	85	81
13C4-PFHpA (surr.)	1	%	88	95	92	87
13C8-PFOA (surr.)	1	%	69	66	73	58
13C5-PFNA (surr.)	1	%	78	90	80	79
13C6-PFDA (surr.)	1	%	83	121	99	107
13C2-PFUnDA (surr.)	1	%	73	101	81	80
13C2-PFDoDA (surr.)	1	%	70	136	83	108
13C2-PFTeDA (surr.)	1	%	66	107	87	122

Client Sample ID			SX_IB_202204 25_15_56_SS Primary_EUF	SX_IB_202204 25_15_57_SS Duplicate_EUF	SX_IB_202204 25_19_53_SS Primary_EUF	SX_IB_202204 25_23_57_SS Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- Ap0050675	M22- Ap0050676	M22- Ap0050677	M22- Ap0050678
Date Sampled			Apr 25, 2022	Apr 25, 2022	Apr 25, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	69	92	83	76
D3-N-MeFOSA (surr.)	1	%	70	140	96	103
D5-N-EtFOSA (surr.)	1	%	68	127	92	100
D7-N-MeFOSE (surr.)	1	%	53	70	48	64
D9-N-EtFOSE (surr.)	1	%	46	68	58	58
D5-N-EtFOSAA (surr.)	1	%	95	105	102	75
D3-N-MeFOSAA (surr.)	1	%	88	126	89	107
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	79	87	81	76
18O2-PFHxS (surr.)	1	%	78	92	85	76
13C8-PFOS (surr.)	1	%	90	114	105	104
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	77	83	76	84
13C2-6:2 FTSA (surr.)	1	%	79	114	87	99
13C2-8:2 FTSA (surr.)	1	%	166	121	102	102
13C2-10:2 FTSA (surr.)	1	%	85	137	83	79
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202204 26_03_55_SS_ Primary_EUF	SX_OB_20220 423_08_14_SS TriPLICATE_EU F	SX_OB_20220 423_08_20_SS Primary_EUF	SX_IB_202204 23_12_15_SS_ Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- Ap0050679	M22- Ap0050680	M22- Ap0050681	M22- Ap0050682
Date Sampled			Apr 26, 2022	Apr 23, 2022	Apr 23, 2022	Apr 23, 2022
Test/Reference	LOR	Unit				
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	1.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	4.9	5.9	5.9	5.9
pH (off)	0.1	pH Units	5.1	8.8	9.2	9.8
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	98	81	86	86
13C5-PFPeA (surr.)	1	%	88	90	84	95
13C5-PFHxA (surr.)	1	%	86	84	84	91
13C4-PFHpA (surr.)	1	%	93	89	86	93
13C8-PFOA (surr.)	1	%	54	113	100	112
13C5-PFNA (surr.)	1	%	90	81	91	86
13C6-PFDA (surr.)	1	%	124	98	117	115
13C2-PFUnDA (surr.)	1	%	88	78	79	88
13C2-PFDoDA (surr.)	1	%	89	79	103	106
13C2-PFTeDA (surr.)	1	%	67	55	107	96
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	97	75	75	88
D3-N-MeFOSA (surr.)	1	%	131	96	94	97
D5-N-EtFOSA (surr.)	1	%	137	79	90	69
D7-N-MeFOSE (surr.)	1	%	93	39	46	62
D9-N-EtFOSE (surr.)	1	%	68	39	50	46
D5-N-EtFOSAA (surr.)	1	%	92	56	125	71
D3-N-MeFOSAA (surr.)	1	%	98	94	92	79



Client Sample ID			SX_IB_202204 26_03_55_SS Primary_EUF	SX_OB_20220 423_08_14_SS TriPLICATE_EU F	SX_OB_20220 423_08_20_SS Primary_EUF	SX_IB_202204 23_12_15_SS Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- Ap0050679	M22- Ap0050680	M22- Ap0050681	M22- Ap0050682
Date Sampled			Apr 26, 2022	Apr 23, 2022	Apr 23, 2022	Apr 23, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	84	107	93	113
18O2-PFHxS (surr.)	1	%	90	84	83	87
13C8-PFOS (surr.)	1	%	112	109	121	101
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	84	58	78	68
13C2-6:2 FTSA (surr.)	1	%	70	53	76	60
13C2-8:2 FTSA (surr.)	1	%	116	64	182	79
13C2-10:2 FTSA (surr.)	1	%	69	64	86	102
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202204 423_16_00_SS Primary_EUF	SX_OB_20220 423_16_01_SS Duplicate_EU F	SX_OB_20220 423_20_10_SS Primary_EUF	SX_IB_202204 24_00_09_SS Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- Ap0050683	M22- Ap0050684	M22- Ap0050685	M22- Ap0050686
Date Sampled			Apr 23, 2022	Apr 23, 2022	Apr 23, 2022	Apr 24, 2022
Test/Reference	LOR	Unit				
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.9	5.9	5.9	5.9
pH (off)	0.1	pH Units	9.2	9.1	9.1	9.2

Client Sample ID			SX_OB_20220 423_16_00_SS _Primary_EUF	SX_OB_20220 423_16_01_SS _Duplicate_EU F	SX_OB_20220 423_20_10_SS _Primary_EUF	SX_IB_202204 24_00_09_SS _Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- Ap0050683	M22- Ap0050684	M22- Ap0050685	M22- Ap0050686
Date Sampled			Apr 23, 2022	Apr 23, 2022	Apr 23, 2022	Apr 24, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	91	77	65	67
13C5-PFPeA (surr.)	1	%	108	84	63	69
13C5-PFHxA (surr.)	1	%	97	81	70	71
13C4-PFHpA (surr.)	1	%	97	82	74	71
13C8-PFOA (surr.)	1	%	125	112	91	71
13C5-PFNA (surr.)	1	%	94	81	67	72
13C6-PFDA (surr.)	1	%	126	113	86	93
13C2-PFUnDA (surr.)	1	%	106	98	70	72
13C2-PFDoDA (surr.)	1	%	127	108	81	96
13C2-PFTeDA (surr.)	1	%	85	108	55	66
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	96	83	72	76
D3-N-MeFOSA (surr.)	1	%	89	89	96	75
D5-N-EtFOSA (surr.)	1	%	82	90	92	79
D7-N-MeFOSE (surr.)	1	%	58	54	39	34
D9-N-EtFOSE (surr.)	1	%	53	61	41	52
D5-N-EtFOSAA (surr.)	1	%	123	90	71	74
D3-N-MeFOSAA (surr.)	1	%	117	114	81	111
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01

<b>Client Sample ID</b>			<b>SX_OB_20220 423_16_00_SS _Primary_EUF</b>	<b>SX_OB_20220 423_16_01_SS _Duplicate_EU F</b>	<b>SX_OB_20220 423_20_10_SS _Primary_EUF</b>	<b>SX_IB_202204 24_00_09_SS _Primary_EUF</b>
<b>Sample Matrix</b>			<b>AUS Leachate - Reagent Water</b>	<b>AUS Leachate - Reagent Water</b>	<b>AUS Leachate - Reagent Water</b>	<b>AUS Leachate - Reagent Water</b>
<b>Eurofins Sample No.</b>			<b>M22- Ap0050683</b>	<b>M22- Ap0050684</b>	<b>M22- Ap0050685</b>	<b>M22- Ap0050686</b>
<b>Date Sampled</b>			<b>Apr 23, 2022</b>	<b>Apr 23, 2022</b>	<b>Apr 23, 2022</b>	<b>Apr 24, 2022</b>
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>						
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecane sulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	119	106	90	67
18O2-PFHxS (surr.)	1	%	98	83	69	78
13C8-PFOS (surr.)	1	%	123	118	101	97
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecane sulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecane sulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	68	57	48	56
13C2-6:2 FTSA (surr.)	1	%	65	54	44	54
13C2-8:2 FTSA (surr.)	1	%	103	71	54	72
13C2-10:2 FTSA (surr.)	1	%	136	86	74	98
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

<b>Client Sample ID</b>			<b>SX_OB_20220 424_04_14_SS _Primary_EUF</b>	<b>SX_OB_20220 424_08_07_SS _Triplicate_EU F</b>	<b>SX_IB_202204 24_08_14_SS _Primary_EUF</b>	<b>SX_OB_20220 424_12_10_SS _Primary_EUF</b>
<b>Sample Matrix</b>			<b>AUS Leachate - Reagent Water</b>	<b>AUS Leachate - Reagent Water</b>	<b>AUS Leachate - Reagent Water</b>	<b>AUS Leachate - Reagent Water</b>
<b>Eurofins Sample No.</b>			<b>M22- Ap0050687</b>	<b>M22- Ap0050688</b>	<b>M22- Ap0050689</b>	<b>M22- Ap0050690</b>
<b>Date Sampled</b>			<b>Apr 24, 2022</b>	<b>Apr 24, 2022</b>	<b>Apr 24, 2022</b>	<b>Apr 24, 2022</b>
Test/Reference	LOR	Unit				
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.9	5.9	5.9	5.9
pH (off)	0.1	pH Units	9.0	9.2	9.0	9.0
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01

Client Sample ID			SX_OB_20220 424_04_14_SS _Primary_EUF	SX_OB_20220 424_08_07_SS _Triplicate_EU F	SX_IB_202204 24_08_14_SS _Primary_EUF	SX_OB_20220 424_12_10_SS _Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- Ap0050687	M22- Ap0050688	M22- Ap0050689	M22- Ap0050690
Date Sampled			Apr 24, 2022	Apr 24, 2022	Apr 24, 2022	Apr 24, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTeDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	68	59	86	91
13C5-PFPeA (surr.)	1	%	65	68	88	89
13C5-PFHxA (surr.)	1	%	74	63	77	96
13C4-PFHpA (surr.)	1	%	72	60	86	97
13C8-PFOA (surr.)	1	%	95	76	57	124
13C5-PFNA (surr.)	1	%	66	53	83	98
13C6-PFDA (surr.)	1	%	84	84	128	129
13C2-PFUnDA (surr.)	1	%	70	62	87	95
13C2-PFDoDA (surr.)	1	%	92	84	132	95
13C2-PFTeDA (surr.)	1	%	49	126	113	64
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	69	69	94	87
D3-N-MeFOSA (surr.)	1	%	129	88	97	67
D5-N-EtFOSA (surr.)	1	%	128	96	83	59
D7-N-MeFOSE (surr.)	1	%	59	61	58	52
D9-N-EtFOSE (surr.)	1	%	46	51	53	45
D5-N-EtFOSAA (surr.)	1	%	73	75	111	102
D3-N-MeFOSAA (surr.)	1	%	77	93	104	123
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	89	81	79	121
18O2-PFHxS (surr.)	1	%	70	61	92	96
13C8-PFOS (surr.)	1	%	99	80	121	131

Client Sample ID			SX_OB_20220 424_04_14_SS _Primary_EUF	SX_OB_20220 424_08_07_SS _TriPLICATE_EU F	SX_IB_202204 24_08_14_SS _Primary_EUF	SX_OB_20220 424_12_10_SS _Primary_EUF
<b>Sample Matrix</b>			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
<b>Eurofins Sample No.</b>			M22- Ap0050687	M22- Ap0050688	M22- Ap0050689	M22- Ap0050690
<b>Date Sampled</b>			Apr 24, 2022	Apr 24, 2022	Apr 24, 2022	Apr 24, 2022
Test/Reference	LOR	Unit				
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	46	41	80	63
13C2-6:2 FTSA (surr.)	1	%	43	72	127	63
13C2-8:2 FTSA (surr.)	1	%	54	47	99	93
13C2-10:2 FTSA (surr.)	1	%	63	81	100	98
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202204 24_15_58_SS _Primary_EUF	SX_IB_202204 24_15_59_SS _Duplicate_EUF	SX_IB_202204 24_19_58_SS _Primary_EUF	SX_IB_202204 25_03_50_SS _Primary_EUF
<b>Sample Matrix</b>			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
<b>Eurofins Sample No.</b>			M22- Ap0050691	M22- Ap0050692	M22- Ap0050693	M22- Ap0050694
<b>Date Sampled</b>			Apr 24, 2022	Apr 24, 2022	Apr 24, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.9	5.9	5.9	5.9
pH (off)	0.1	pH Units	8.9	9.0	9.0	9.1
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	78	81	79	89

Client Sample ID			SX_IB_202204 24_15_58_SS Primary_EUF	SX_IB_202204 24_15_59_SS Duplicate_EUF	SX_IB_202204 24_19_58_SS Primary_EUF	SX_IB_202204 25_03_50_SS Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- Ap0050691	M22- Ap0050692	M22- Ap0050693	M22- Ap0050694
Date Sampled			Apr 24, 2022	Apr 24, 2022	Apr 24, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
13C5-PFPeA (surr.)	1	%	80	82	84	99
13C5-PFHxA (surr.)	1	%	85	77	83	95
13C4-PFHpA (surr.)	1	%	89	86	87	99
13C8-PFOA (surr.)	1	%	67	63	67	81
13C5-PFNA (surr.)	1	%	84	79	94	101
13C6-PFDA (surr.)	1	%	121	99	119	134
13C2-PFUnDA (surr.)	1	%	107	71	94	114
13C2-PFDoDA (surr.)	1	%	175	87	112	139
13C2-PFTeDA (surr.)	1	%	113	52	107	131
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	100	81	95	101
D3-N-MeFOSA (surr.)	1	%	125	127	138	122
D5-N-EtFOSA (surr.)	1	%	82	139	132	122
D7-N-MeFOSE (surr.)	1	%	53	59	63	72
D9-N-EtFOSE (surr.)	1	%	75	48	57	62
D5-N-EtFOSAA (surr.)	1	%	134	86	72	115
D3-N-MeFOSAA (surr.)	1	%	123	97	89	110
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	76	77	85	97
18O2-PFHxS (surr.)	1	%	85	87	91	104
13C8-PFOS (surr.)	1	%	125	102	117	142

<b>Client Sample ID</b>			<a href="#">SX_IB_202204_24_15_58_SS_Primary_EUF</a>	<a href="#">SX_IB_202204_24_15_59_SS_Duplicate_EUF</a>	<a href="#">SX_IB_202204_24_19_58_SS_Primary_EUF</a>	<a href="#">SX_IB_202204_25_03_50_SS_Primary_EUF</a>
<b>Sample Matrix</b>			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
<b>Eurofins Sample No.</b>			M22-Ap0050691	M22-Ap0050692	M22-Ap0050693	M22-Ap0050694
<b>Date Sampled</b>			Apr 24, 2022	Apr 24, 2022	Apr 24, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	71	73	70	79
13C2-6:2 FTSA (surr.)	1	%	67	59	71	105
13C2-8:2 FTSA (surr.)	1	%	86	97	168	125
13C2-10:2 FTSA (surr.)	1	%	131	75	131	145
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

<b>Client Sample ID</b>			<a href="#">SX_IB_202204_25_03_59_SS_Primary_EUF</a>	<a href="#">SX_OB_202204_25_04_19_SS_Triplicate_EUF</a>	<a href="#">SX_IB_202204_25_07_57_SS_Triplicate_EUF</a>	<a href="#">SX_IB_202204_25_08_04_SS_Primary_EUF</a>
<b>Sample Matrix</b>			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
<b>Eurofins Sample No.</b>			M22-Ap0050695	M22-Ap0050696	M22-Ap0050697	M22-Ap0050698
<b>Date Sampled</b>			Apr 25, 2022	Apr 25, 2022	Apr 25, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.9	5.9	5.9	5.9
pH (off)	0.1	pH Units	9.1	9.3	9.1	9.0
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	85	86	84	87

Client Sample ID			SX_IB_202204 25_03_59_SS_ Primary_EUF	SX_OB_20220 425_04_19_SS _TriPLICATE_EU F	SX_IB_202204 25_07_57_SS_ TriPLICATE_EUF	SX_IB_202204 25_08_04_SS_ Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- Ap0050695	M22- Ap0050696	M22- Ap0050697	M22- Ap0050698
Date Sampled			Apr 25, 2022	Apr 25, 2022	Apr 25, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
13C5-PFPeA (surr.)	1	%	102	104	82	79
13C5-PFHxA (surr.)	1	%	84	95	85	83
13C4-PFHpA (surr.)	1	%	94	95	90	91
13C8-PFOA (surr.)	1	%	81	131	90	70
13C5-PFNA (surr.)	1	%	91	85	86	85
13C6-PFDA (surr.)	1	%	131	124	127	120
13C2-PFUnDA (surr.)	1	%	88	96	92	104
13C2-PFDoDA (surr.)	1	%	108	112	100	131
13C2-PFTeDA (surr.)	1	%	93	78	80	112
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	87	83	85	90
D3-N-MeFOSA (surr.)	1	%	83	81	74	77
D5-N-EtFOSA (surr.)	1	%	80	71	68	130
D7-N-MeFOSE (surr.)	1	%	68	60	34	54
D9-N-EtFOSE (surr.)	1	%	54	49	45	62
D5-N-EtFOSAA (surr.)	1	%	105	95	104	132
D3-N-MeFOSAA (surr.)	1	%	122	102	124	102
<b>Perfluoroalkyl sulfonic acids (PFSAAs)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	85	119	86	83
18O2-PFHxS (surr.)	1	%	103	103	84	97
13C8-PFOS (surr.)	1	%	123	126	125	136



Client Sample ID			SX_IB_202204_25_03_59_SS_Primary_EUF	SX_OB_20220425_04_19_SS_Triplicate_EUF	SX_IB_202204_25_07_57_SS_Triplicate_EUF	SX_IB_202204_25_08_04_SS_Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22-Ap0050695	M22-Ap0050696	M22-Ap0050697	M22-Ap0050698
Date Sampled			Apr 25, 2022	Apr 25, 2022	Apr 25, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	71	62	68	81
13C2-6:2 FTSA (surr.)	1	%	89	66	86	104
13C2-8:2 FTSA (surr.)	1	%	125	90	103	108
13C2-10:2 FTSA (surr.)	1	%	101	82	99	160
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202204_25_11_57_SS_Primary_EUF	SX_IB_202204_25_15_56_SS_Primary_EUF	SX_IB_202204_25_15_57_SS_Duplicate_EUF	SX_IB_202204_25_19_53_SS_Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22-Ap0050699	M22-Ap0050700	M22-Ap0050701	M22-Ap0050702
Date Sampled			Apr 25, 2022	Apr 25, 2022	Apr 25, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.9	5.9	5.9	5.9
pH (off)	0.1	pH Units	9.1	8.9	9.1	9.2
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	75	82	85	79

Client Sample ID			SX_IB_202204_25_11_57_SS_Primary_EUF AUS Leachate - Reagent Water M22-Ap0050699 Apr 25, 2022	SX_IB_202204_25_15_56_SS_Primary_EUF AUS Leachate - Reagent Water M22-Ap0050700 Apr 25, 2022	SX_IB_202204_25_15_57_SS_Duplicate_EUF AUS Leachate - Reagent Water M22-Ap0050701 Apr 25, 2022	SX_IB_202204_25_19_53_SS_Primary_EUF AUS Leachate - Reagent Water M22-Ap0050702 Apr 25, 2022
Sample Matrix	LOR	Unit				
Eurofins Sample No.						
Date Sampled						
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
13C5-PFPeA (surr.)	1	%	88	85	97	88
13C5-PFHxA (surr.)	1	%	77	79	87	79
13C4-PFHpA (surr.)	1	%	82	87	90	92
13C8-PFOA (surr.)	1	%	71	63	75	72
13C5-PFNA (surr.)	1	%	85	89	84	86
13C6-PFDA (surr.)	1	%	114	123	126	115
13C2-PFUnDA (surr.)	1	%	83	100	90	87
13C2-PFDoDA (surr.)	1	%	102	108	104	100
13C2-PFTeDA (surr.)	1	%	72	94	91	90
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	73	88	96	80
D3-N-MeFOSA (surr.)	1	%	98	123	129	78
D5-N-EtFOSA (surr.)	1	%	91	117	124	79
D7-N-MeFOSE (surr.)	1	%	57	45	66	71
D9-N-EtFOSE (surr.)	1	%	42	54	52	58
D5-N-EtFOSAA (surr.)	1	%	79	129	97	96
D3-N-MeFOSAA (surr.)	1	%	78	137	128	103
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	77	78	86	80
18O2-PFHxS (surr.)	1	%	83	86	96	94
13C8-PFOS (surr.)	1	%	103	121	135	113

<b>Client Sample ID</b>			<a href="#">SX_IB_202204_25_11_57_SS_Primary_EUF</a>	<a href="#">SX_IB_202204_25_15_56_SS_Primary_EUF</a>	<a href="#">SX_IB_202204_25_15_57_SS_Duplicate_EUF</a>	<a href="#">SX_IB_202204_25_19_53_SS_Primary_EUF</a>
<b>Sample Matrix</b>			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
<b>Eurofins Sample No.</b>			M22-Ap0050699	M22-Ap0050700	M22-Ap0050701	M22-Ap0050702
<b>Date Sampled</b>			Apr 25, 2022	Apr 25, 2022	Apr 25, 2022	Apr 25, 2022
<b>Test/Reference</b>	LOR	Unit				
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	65	78	75	69
13C2-6:2 FTSA (surr.)	1	%	73	95	104	67
13C2-8:2 FTSA (surr.)	1	%	168	102	104	113
13C2-10:2 FTSA (surr.)	1	%	86	103	79	99
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

<b>Client Sample ID</b>			<a href="#">SX_IB_202204_25_23_57_SS_Primary_EUF</a>	<a href="#">SX_IB_202204_26_03_55_SS_Primary_EUF</a>
<b>Sample Matrix</b>			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
<b>Eurofins Sample No.</b>			M22-Ap0050703	M22-Ap0050704
<b>Date Sampled</b>			Apr 25, 2022	Apr 26, 2022
<b>Test/Reference</b>	LOR	Unit		
<b>AUS Leaching Procedure</b>				
Leachate Fluid <sup>C01</sup>		comment	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.9	5.9
pH (off)	0.1	pH Units	9.3	9.3
<b>Perfluoroalkyl carboxylic acids (PFCA)</b>				
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	80	87
13C5-PFPeA (surr.)	1	%	77	82

Client Sample ID			SX_IB_202204 25_23_57_SS Primary_EUF	SX_IB_202204 26_03_55_SS Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- Ap0050703	M22- Ap0050704
Date Sampled			Apr 25, 2022	Apr 26, 2022
Test/Reference	LOR	Unit		
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>				
13C5-PFHxA (surr.)	1	%	74	80
13C4-PFHpA (surr.)	1	%	85	86
13C8-PFOA (surr.)	1	%	52	61
13C5-PFNA (surr.)	1	%	98	89
13C6-PFDA (surr.)	1	%	126	117
13C2-PFUnDA (surr.)	1	%	96	105
13C2-PFDoDA (surr.)	1	%	111	136
13C2-PFTeDA (surr.)	1	%	100	91
<b>Perfluoroalkyl sulfonamido substances</b>				
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	86	86
D3-N-MeFOSA (surr.)	1	%	96	140
D5-N-EtFOSA (surr.)	1	%	92	134
D7-N-MeFOSE (surr.)	1	%	58	80
D9-N-EtFOSE (surr.)	1	%	53	51
D5-N-EtFOSAA (surr.)	1	%	133	100
D3-N-MeFOSAA (surr.)	1	%	120	138
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>				
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	77	82
18O2-PFHxS (surr.)	1	%	79	102
13C8-PFOS (surr.)	1	%	124	108
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>				
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01

<b>Client Sample ID</b>			<b>SX_IB_202204 25_23_57_SS_ Primary_EUF</b>	<b>SX_IB_202204 26_03_55_SS_ Primary_EUF</b>
<b>Sample Matrix</b>			<b>AUS Leachate - Reagent Water</b>	<b>AUS Leachate - Reagent Water</b>
<b>Eurofins Sample No.</b>			<b>M22- Ap0050703</b>	<b>M22- Ap0050704</b>
<b>Date Sampled</b>			<b>Apr 25, 2022</b>	<b>Apr 26, 2022</b>
Test/Reference	LOR	Unit		
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>				
13C2-4:2 FTSA (surr.)	1	%	74	86
13C2-6:2 FTSA (surr.)	1	%	130	120
13C2-8:2 FTSA (surr.)	1	%	101	115
13C2-10:2 FTSA (surr.)	1	%	111	105
<b>PFASs Summations</b>				
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
AUS Leaching Procedure			
pH (initial) - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Melbourne	Apr 27, 2022	0 Days
pH (Leachate fluid) - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Melbourne	Apr 27, 2022	0 Days
pH (off) - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Melbourne	Apr 27, 2022	0 Days
Per- and Polyfluoroalkyl Substances (PFASs)			
Perfluoroalkyl carboxylic acids (PFCAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 27, 2022	28 Days
Perfluoroalkyl sulfonamido substances - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 27, 2022	28 Days
Perfluoroalkyl sulfonic acids (PFSAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 27, 2022	28 Days
n:2 Fluorotelomer sulfonic acids (n:2 FTSAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 27, 2022	28 Days
PFASs Summations - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 26, 2022	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	SX_OB_20220423_08_14_S_S_Triplicate_EUF	Apr 23, 2022	8:14AM	Soil	M22-Ap0050628		X	X	X
2	SX_OB_20220423_08_20_S_S_Primary_EUF	Apr 23, 2022	8:20AM	Soil	M22-Ap0050629		X	X	X
3	SX_IB_20220423_12_15_SS_Primary_EUF	Apr 23, 2022	12:15PM	Soil	M22-Ap0050630		X	X	X
4	SX_OB_20220423_04_00_S_S_Primary_EUF	Apr 23, 2022	4:00PM	Soil	M22-		X	X	X

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	423_16_00_S S_Primary_EU F				Ap0050631				
5	SX_OB_20220 423_16_01_S S_Duplicate_E UF	Apr 23, 2022	4:01PM	Soil	M22- Ap0050632		X	X	X
6	SX_OB_20220 423_16_21_S R_Rinsate_EU F	Apr 23, 2022	4:21PM	Water	M22- Ap0050633			X	
7	SX_OB_20220 423_16_24_S B_Blank_EUF	Apr 23, 2022	4:24PM	Water	M22- Ap0050634			X	



<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
8	SX_OB_20220423_20_10_S_S_Primary_EUF	Apr 23, 2022	8:19PM	Soil	M22-Ap0050635		X	X	X
9	SX_IB_20220424_00_09_SS_Primary_EUF	Apr 24, 2022	12:09AM	Soil	M22-Ap0050636		X	X	X
10	SX_OB_20220424_04_14_S_S_Primary_EUF	Apr 24, 2022	4:14AM	Soil	M22-Ap0050637		X	X	X
11	SX_OB_20220424_08_07_S_S_Triplicate_E	Apr 24, 2022	8:07AM	Soil	M22-Ap0050638		X	X	X

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	UF								
12	SX_IB_20220424_08_14_SS_Primary_EUF	Apr 24, 2022	8:14AM	Soil	M22-Ap0050639		X	X	X
13	SX_OB_20220424_12_10_SS_Primary_EUF	Apr 24, 2022	12:10PM	Soil	M22-Ap0050640		X	X	X
14	SX_IB_20220424_15_58_SS_Primary_EUF	Apr 24, 2022	3:58PM	Soil	M22-Ap0050641		X	X	X
15	SX_IB_20220424_15_59_SS_Duplicate_EU	Apr 24, 2022	3:59PM	Soil	M22-Ap0050642		X	X	X

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	_Duplicate_EU F								
16	SX_IB_202204 24_19_58_SS _Primary_EUF	Apr 24, 2022	7:58PM	Soil	M22- Ap0050643		X	X	X
17	SX_IB_202204 25_03_50_SS _Primary_EUF	Apr 25, 2022	10:30AM	Soil	M22- Ap0050644		X	X	X
18	SX_IB_202204 25_03_59_SS _Primary_EUF	Apr 25, 2022	4:19AM	Soil	M22- Ap0050645		X	X	X
19	SX_OB_20220 425_04_19_S S_Triplicate_E	Apr 25, 2022	4:19AM	Soil	M22- Ap0050646		X	X	X

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	UF								
20	SX_IB_20220425_07_57_SS_Triplicate_EU_F	Apr 25, 2022	7:57AM	Soil	M22-Ap0050647		X	X	X
21	SX_IB_20220425_08_04_SS_Primary_EUF	Apr 25, 2022	8:04AM	Soil	M22-Ap0050648		X	X	X
22	SX_IB_20220425_11_57_SS_Primary_EUF	Apr 25, 2022	11:57AM	Soil	M22-Ap0050649		X	X	X
23	SX_IB_20220425_15_56_SS_Primary_EUF	Apr 25, 2022	3:56PM	Soil	M22-Ap0050650		X	X	X

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
24	SX_IB_20220425_15_57_SS_Duplicate_EUF	Apr 25, 2022	3:57PM	Soil	M22-Ap0050651		X	X	X
25	SX_IB_20220425_19_53_SS_Primary_EUF	Apr 25, 2022	7:53PM	Soil	M22-Ap0050652		X	X	X
26	SX_IB_20220425_23_57_SS_Primary_EUF	Apr 25, 2022	11:57PM	Soil	M22-Ap0050653		X	X	X
27	SX_IB_20220426_03_55_SS_Primary_EUF	Apr 26, 2022	3:55AM	Soil	M22-Ap0050654		X	X	X
28	SX_OB_20220	Apr 23, 2022	8:14AM	AUS Leachate	M22-	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	423_08_14_S S_Triplicate_E UF			- pH 5.0	Ap0050655				
29	SX_OB_20220 423_08_20_S S_Primary_EU F	Apr 23, 2022	8:20AM	AUS Leachate - pH 5.0	M22- Ap0050656	X		X	
30	SX_IB_202204 23_12_15_SS _Primary_EUF	Apr 23, 2022	12:15PM	AUS Leachate - pH 5.0	M22- Ap0050657	X		X	
31	SX_OB_20220 423_16_00_S S_Primary_EU F	Apr 23, 2022	4:00PM	AUS Leachate - pH 5.0	M22- Ap0050658	X		X	

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
**Project Name:** 20220426040809-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882647  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 26, 2022 1:30 PM  
**Due:** Apr 29, 2022  
**Priority:** 3 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
32	SX_OB_20220423_16_01_S_S_Duplicate_EUF	Apr 23, 2022	4:01PM	AUS Leachate - pH 5.0	M22-Ap0050659	X		X	
33	SX_OB_20220423_20_10_S_S_Primary_EUF	Apr 23, 2022	8:19PM	AUS Leachate - pH 5.0	M22-Ap0050660	X		X	
34	SX_IB_20220424_00_09_SS_Primary_EUF	Apr 24, 2022	12:09AM	AUS Leachate - pH 5.0	M22-Ap0050661	X		X	
35	SX_OB_20220424_04_14_S_S_Primary_EUF	Apr 24, 2022	4:14AM	AUS Leachate - pH 5.0	M22-Ap0050662	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	F								
36	SX_OB_20220424_08_07_S_S_Triplicate_EUF	Apr 24, 2022	8:07AM	AUS Leachate - pH 5.0	M22-Ap0050663	X		X	
37	SX_IB_20220424_08_14_SS_Primary_EUF	Apr 24, 2022	8:14AM	AUS Leachate - pH 5.0	M22-Ap0050664	X		X	
38	SX_OB_20220424_12_10_S_S_Primary_EUF	Apr 24, 2022	12:10PM	AUS Leachate - pH 5.0	M22-Ap0050665	X		X	
39	SX_IB_20220424_15_58_SS	Apr 24, 2022	3:58PM	AUS Leachate - pH 5.0	M22-Ap0050666	X		X	



**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220426040809-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882647  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 26, 2022 1:30 PM  
**Due:** Apr 29, 2022  
**Priority:** 3 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	24_15_58_SS _Primary_EUF			- pH 5.0	Ap0050666				
40	SX_IB_202204 24_15_59_SS _Duplicate_EU F	Apr 24, 2022	3:59PM	AUS Leachate - pH 5.0	M22- Ap0050667	X		X	
41	SX_IB_202204 24_19_58_SS _Primary_EUF	Apr 24, 2022	7:58PM	AUS Leachate - pH 5.0	M22- Ap0050668	X		X	
42	SX_IB_202204 25_03_50_SS _Primary_EUF	Apr 25, 2022	10:30AM	AUS Leachate - pH 5.0	M22- Ap0050669	X		X	
43	SX_IB_202204 25_03_59_SS	Apr 25, 2022	4:19AM	AUS Leachate - pH 5.0	M22- Ap0050670	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	_Primary_EUF								
44	SX_OB_20220425_04_19_SS_Triplicate_EUF	Apr 25, 2022	4:19AM	AUS Leachate - pH 5.0	M22-Ap0050671	X		X	
45	SX_IB_20220425_07_57_SS_Triplicate_EUF	Apr 25, 2022	7:57AM	AUS Leachate - pH 5.0	M22-Ap0050672	X		X	
46	SX_IB_20220425_08_04_SS_Primary_EUF	Apr 25, 2022	8:04AM	AUS Leachate - pH 5.0	M22-Ap0050673	X		X	
47	SX_IB_20220425_11_57_SS	Apr 25, 2022	11:57AM	AUS Leachate - pH 5.0	M22-Ap0050674	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	25_11_57_SS _Primary_EUF			- pH 5.0	Ap0050674				
48	SX_IB_202204 25_15_56_SS _Primary_EUF	Apr 25, 2022	3:56PM	AUS Leachate - pH 5.0	M22- Ap0050675	X		X	
49	SX_IB_202204 25_15_57_SS _Duplicate_EU F	Apr 25, 2022	3:57PM	AUS Leachate - pH 5.0	M22- Ap0050676	X		X	
50	SX_IB_202204 25_19_53_SS _Primary_EUF	Apr 25, 2022	7:53PM	AUS Leachate - pH 5.0	M22- Ap0050677	X		X	
51	SX_IB_202204 25_23_57_SS	Apr 25, 2022	11:57PM	AUS Leachate - pH 5.0	M22- Ap0050678	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	_Primary_EUF								
52	SX_IB_20220426_03_55_SS_Primary_EUF	Apr 26, 2022	3:55AM	AUS Leachate - pH 5.0	M22-Ap0050679	X		X	
53	SX_OB_20220423_08_14_S_S_Triplicate_EUF	Apr 23, 2022	8:14AM	AUS Leachate - Reagent Water	M22-Ap0050680	X		X	
54	SX_OB_20220423_08_20_S_Primary_EUF	Apr 23, 2022	8:20AM	AUS Leachate - Reagent Water	M22-Ap0050681	X		X	
55	SX_IB_20220423_12_15_SS	Apr 23, 2022	12:15PM	AUS Leachate - Reagent	M22-Ap0050682	X		X	

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
**Project Name:** 20220426040809-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882647  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 26, 2022 1:30 PM  
**Due:** Apr 29, 2022  
**Priority:** 3 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	23_12_15_SS _Primary_EUF			- Reagent Water	Ap0050682				
56	SX_OB_20220 423_16_00_S S_Primary_EU F	Apr 23, 2022	4:00PM	AUS Leachate - Reagent Water	M22- Ap0050683	X		X	
57	SX_OB_20220 423_16_01_S S_Duplicate_E UF	Apr 23, 2022	4:01PM	AUS Leachate - Reagent Water	M22- Ap0050684	X		X	
58	SX_OB_20220 423_20_10_S S_Primary_EU F	Apr 23, 2022	8:19PM	AUS Leachate - Reagent Water	M22- Ap0050685	X		X	

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220426040809-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882647  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 26, 2022 1:30 PM  
**Due:** Apr 29, 2022  
**Priority:** 3 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
59	SX_IB_20220424_00_09_SS_Primary_EUF	Apr 24, 2022	12:09AM	AUS Leachate - Reagent Water	M22-Ap0050686	X		X	
60	SX_OB_20220424_04_14_S_S_Primary_EUF	Apr 24, 2022	4:14AM	AUS Leachate - Reagent Water	M22-Ap0050687	X		X	
61	SX_OB_20220424_08_07_S_S_Triplicate_EUF	Apr 24, 2022	8:07AM	AUS Leachate - Reagent Water	M22-Ap0050688	X		X	
62	SX_IB_20220424_08_14_SS_Primary_EUF	Apr 24, 2022	8:14AM	AUS Leachate - Reagent Water	M22-Ap0050689	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
63	SX_OB_20220424_12_10_S_S_Primary_EUF	Apr 24, 2022	12:10PM	AUS Leachate - Reagent Water	M22-Ap0050690	X		X	
64	SX_IB_20220424_15_58_SS_Primary_EUF	Apr 24, 2022	3:58PM	AUS Leachate - Reagent Water	M22-Ap0050691	X		X	
65	SX_IB_20220424_15_59_SS_Duplicate_EUF	Apr 24, 2022	3:59PM	AUS Leachate - Reagent Water	M22-Ap0050692	X		X	
66	SX_IB_20220424_19_58_SS_Primary_EUF	Apr 24, 2022	7:58PM	AUS Leachate - Reagent Water	M22-Ap0050693	X		X	

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220426040809-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882647  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 26, 2022 1:30 PM  
**Due:** Apr 29, 2022  
**Priority:** 3 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
67	SX_IB_20220425_03_50_SS_Primary_EUF	Apr 25, 2022	10:30AM	AUS Leachate - Reagent Water	M22-Ap0050694	X		X	
68	SX_IB_20220425_03_59_SS_Primary_EUF	Apr 25, 2022	4:19AM	AUS Leachate - Reagent Water	M22-Ap0050695	X		X	
69	SX_OB_20220425_04_19_S_S_Triplicate_EUF	Apr 25, 2022	4:19AM	AUS Leachate - Reagent Water	M22-Ap0050696	X		X	
70	SX_IB_20220425_07_57_SS_Triplicate_EUF	Apr 25, 2022	7:57AM	AUS Leachate - Reagent Water	M22-Ap0050697	X		X	



<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
71	SX_IB_202204 25_08_04_SS _Primary_EUF	Apr 25, 2022	8:04AM	AUS Leachate - Reagent Water	M22- Ap0050698	X		X	
72	SX_IB_202204 25_11_57_SS _Primary_EUF	Apr 25, 2022	11:57AM	AUS Leachate - Reagent Water	M22- Ap0050699	X		X	
73	SX_IB_202204 25_15_56_SS _Primary_EUF	Apr 25, 2022	3:56PM	AUS Leachate - Reagent Water	M22- Ap0050700	X		X	
74	SX_IB_202204 25_15_57_SS _Duplicate_EU F	Apr 25, 2022	3:57PM	AUS Leachate - Reagent Water	M22- Ap0050701	X		X	
75	SX_IB_202204	Apr 25, 2022	7:53PM	AUS Leachate	M22-	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	25_19_53_SS _Primary_EUF			- Reagent Water	Ap0050702				
76	SX_IB_202204 25_23_57_SS _Primary_EUF	Apr 25, 2022	11:57PM	AUS Leachate - Reagent Water	M22- Ap0050703	X		X	
77	SX_IB_202204 26_03_55_SS _Primary_EUF	Apr 26, 2022	3:55AM	AUS Leachate - Reagent Water	M22- Ap0050704	X		X	
<b>Test Counts</b>						50	25	77	25

## Internal Quality Control Review and Glossary

### General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer that may have an impact on the results.
- This report replaces any interim results previously issued.

### Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

### Units

<b>mg/kg:</b> milligrams per kilogram	<b>mg/L:</b> milligrams per litre	<b>µg/L:</b> micrograms per litre
<b>ppm:</b> parts per million	<b>ppb:</b> parts per billion	<b>%:</b> Percentage
<b>org/100 mL:</b> Organisms per 100 millilitres	<b>NTU:</b> Nephelometric Turbidity Units	<b>MPN/100 mL:</b> Most Probable Number of organisms per 100 millilitres

### Terms

<b>APHA</b>	American Public Health Association
<b>COC</b>	Chain of Custody
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>CRM</b>	Certified Reference Material (ISO17034) - reported as percent recovery.
<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>LOR</b>	Limit of Reporting.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>SRA</b>	Sample Receipt Advice
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>TBTO</b>	Tributyltin oxide ( <i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment however free tributyltin was measured and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits.
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>TEQ</b>	Toxic Equivalency Quotient or Total Equivalence
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.4
<b>US EPA</b>	United States Environmental Protection Agency
<b>WA DWER</b>	Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

### QC - Acceptance Criteria

The acceptance criteria should be used as a guide only and may be different when site specific Sampling Analysis and Quality Plan (SAQP) have been implemented

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR: No Limit

Results between 10-20 times the LOR: RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

NOTE: pH duplicates are reported as a range not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.4 where no positive PFAS results have been reported have been reviewed and no data was affected.

### QC Data General Comments

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery the term "INT" appears against that analyte.
- For Matrix Spikes and LCS results a dash "-" in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
<b>Method Blank</b>						
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA)	ug/L	< 0.05		0.05	Pass	
Perfluoropentanoic acid (PFPeA)	ug/L	< 0.01		0.01	Pass	
Perfluorohexanoic acid (PFHxA)	ug/L	< 0.01		0.01	Pass	
Perfluoroheptanoic acid (PFHpA)	ug/L	< 0.01		0.01	Pass	
Perfluorooctanoic acid (PFOA)	ug/L	< 0.01		0.01	Pass	
Perfluorononanoic acid (PFNA)	ug/L	< 0.01		0.01	Pass	
Perfluorodecanoic acid (PFDA)	ug/L	< 0.01		0.01	Pass	
Perfluoroundecanoic acid (PFUnDA)	ug/L	< 0.01		0.01	Pass	
Perfluorododecanoic acid (PFDoDA)	ug/L	< 0.01		0.01	Pass	
Perfluorotridecanoic acid (PFTTrDA)	ug/L	< 0.01		0.01	Pass	
Perfluorotetradecanoic acid (PFTeDA)	ug/L	< 0.01		0.01	Pass	
<b>Method Blank</b>						
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA)	ug/L	< 0.05		0.05	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	ug/L	< 0.05		0.05	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	ug/L	< 0.05		0.05	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	ug/L	< 0.05		0.05	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	ug/L	< 0.05		0.05	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	ug/L	< 0.05		0.05	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	ug/L	< 0.05		0.05	Pass	
<b>Method Blank</b>						
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>						
Perfluorobutanesulfonic acid (PFBS)	ug/L	< 0.01		0.01	Pass	
Perfluorononanesulfonic acid (PFNS)	ug/L	< 0.01		0.01	Pass	
Perfluoropropanesulfonic acid (PFPrS)	ug/L	< 0.01		0.01	Pass	
Perfluoropentanesulfonic acid (PFPeS)	ug/L	< 0.01		0.01	Pass	
Perfluorohexanesulfonic acid (PFHxS)	ug/L	< 0.01		0.01	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	ug/L	< 0.01		0.01	Pass	
Perfluorooctanesulfonic acid (PFOS)	ug/L	< 0.01		0.01	Pass	
Perfluorodecanesulfonic acid (PFDS)	ug/L	< 0.01		0.01	Pass	
<b>Method Blank</b>						
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	ug/L	< 0.01		0.01	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	ug/L	< 0.05		0.05	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	ug/L	< 0.01		0.01	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	ug/L	< 0.01		0.01	Pass	
<b>LCS - % Recovery</b>						
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA)	%	93		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	111		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	88		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	81		50-150	Pass	
Perfluorooctanoic acid (PFOA)	%	93		50-150	Pass	
Perfluorononanoic acid (PFNA)	%	86		50-150	Pass	
Perfluorodecanoic acid (PFDA)	%	87		50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	%	94		50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	%	85		50-150	Pass	
Perfluorotridecanoic acid (PFTTrDA)	%	109		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	%	101		50-150	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code		
<b>LCS - % Recovery</b>									
<b>Perfluoroalkyl sulfonamido substances</b>									
Perfluorooctane sulfonamide (FOSA)	%	100			50-150	Pass			
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	%	111			50-150	Pass			
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	%	71			50-150	Pass			
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	%	89			50-150	Pass			
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	%	81			50-150	Pass			
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	%	76			50-150	Pass			
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	%	70			50-150	Pass			
<b>LCS - % Recovery</b>									
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>									
Perfluorobutanesulfonic acid (PFBS)	%	84			50-150	Pass			
Perfluorononanesulfonic acid (PFNS)	%	71			50-150	Pass			
Perfluoropropanesulfonic acid (PFPrS)	%	76			50-150	Pass			
Perfluoropentanesulfonic acid (PFPeS)	%	97			50-150	Pass			
Perfluorohexanesulfonic acid (PFHxS)	%	79			50-150	Pass			
Perfluoroheptanesulfonic acid (PFHpS)	%	111			50-150	Pass			
Perfluorooctanesulfonic acid (PFOS)	%	94			50-150	Pass			
Perfluorodecanesulfonic acid (PFDS)	%	54			50-150	Pass			
<b>LCS - % Recovery</b>									
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>									
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	%	103			50-150	Pass			
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	%	129			50-150	Pass			
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	%	96			50-150	Pass			
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	%	64			50-150	Pass			
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Duplicate</b>									
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>									
				Result 1	Result 2	RPD			
Perfluorobutanoic acid (PFBA)	M22-Ap0050658	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
Perfluoropentanoic acid (PFPeA)	M22-Ap0050658	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorohexanoic acid (PFHxA)	M22-Ap0050658	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluoroheptanoic acid (PFHpA)	M22-Ap0050658	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorooctanoic acid (PFOA)	M22-Ap0050658	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorononanoic acid (PFNA)	M22-Ap0050658	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorodecanoic acid (PFDA)	M22-Ap0050658	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluoroundecanoic acid (PFUnDA)	M22-Ap0050658	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorododecanoic acid (PFDoDA)	M22-Ap0050658	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorotridecanoic acid (PFTrDA)	M22-Ap0050658	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorotetradecanoic acid (PFTeDA)	M22-Ap0050658	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
<b>Duplicate</b>									
<b>Perfluoroalkyl sulfonamido substances</b>									
				Result 1	Result 2	RPD			
Perfluorooctane sulfonamide (FOSA)	M22-Ap0050658	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-Ap0050658	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-Ap0050658	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-Ap0050658	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-Ap0050658	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	

<b>Duplicate</b>								
<b>Perfluoroalkyl sulfonamido substances</b>				Result 1	Result 2	RPD		
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-Ap0050658	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-Ap0050658	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
<b>Duplicate</b>								
<b>Perfluoroalkyl sulfonic acids (PFSAs)</b>				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-Ap0050658	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-Ap0050658	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-Ap0050658	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-Ap0050658	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-Ap0050658	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-Ap0050658	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-Ap0050658	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-Ap0050658	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
<b>Duplicate</b>								
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-Ap0050658	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-Ap0050658	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-Ap0050658	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-Ap0050658	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
<b>Duplicate</b>								
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-Ap0050672	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-Ap0050672	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-Ap0050672	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-Ap0050672	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-Ap0050672	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-Ap0050672	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-Ap0050672	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-Ap0050672	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-Ap0050672	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotridecanoic acid (PFTrDA)	M22-Ap0050672	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-Ap0050672	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-Ap0050672	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-Ap0050672	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-Ap0050672	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-Ap0050672	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-Ap0050672	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-Ap0050672	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-Ap0050672	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-Ap0050672	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-Ap0050672	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-Ap0050672	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-Ap0050672	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-Ap0050672	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-Ap0050672	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-Ap0050672	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-Ap0050672	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-Ap0050672	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-Ap0050672	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-Ap0050672	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-Ap0050672	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
Perfluoroalkyl carboxylic acids (PFCA)				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-Ap0050687	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-Ap0050687	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-Ap0050687	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-Ap0050687	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-Ap0050687	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-Ap0050687	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-Ap0050687	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-Ap0050687	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-Ap0050687	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotridecanoic acid (PFTTrDA)	M22-Ap0050687	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-Ap0050687	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-Ap0050687	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-Ap0050687	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-Ap0050687	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-Ap0050687	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-Ap0050687	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-Ap0050687	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-Ap0050687	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-Ap0050687	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-Ap0050687	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-Ap0050687	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-Ap0050687	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-Ap0050687	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-Ap0050687	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-Ap0050687	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-Ap0050687	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-Ap0050687	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-Ap0050687	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-Ap0050687	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-Ap0050687	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
Perfluoroalkyl carboxylic acids (PFCA)				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-Ap0050693	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-Ap0050693	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-Ap0050693	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-Ap0050693	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-Ap0050693	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-Ap0050693	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-Ap0050693	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-Ap0050693	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-Ap0050693	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotridecanoic acid (PFTTrDA)	M22-Ap0050693	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-Ap0050693	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass



Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-Ap0050693	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-Ap0050693	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-Ap0050693	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-Ap0050693	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-Ap0050693	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-Ap0050693	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-Ap0050693	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-Ap0050693	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-Ap0050693	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-Ap0050693	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-Ap0050693	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-Ap0050693	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-Ap0050693	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-Ap0050693	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-Ap0050693	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-Ap0050693	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-Ap0050693	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-Ap0050693	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-Ap0050693	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass

**Comments**
**Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	No
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Qualifier Codes/Comments**

Code	Description
C01	Leachate Fluid Key: 1 - pH 5.0; 2 - pH 2.9; 3 - pH 9.2; 4 - Reagent (DI) water; 5 - Client sample, 6 - other
N11	Isotope dilution is used for calibration of each native compound for which an exact labelled analogue is available (Isotope Dilution Quantitation). The isotopically labelled analogues allow identification and recovery correction of the concentration of the associated native PFAS compounds.
N15	Where the native PFAS compound does not have labelled analogue then the quantification is made using the Extracted Internal Standard Analyte with the closest retention time to the analyte and no recovery correction has been made (Internal Standard Quantitation).

**Authorised by:**

Michael Cassidy	Analytical Services Manager
Mary Makarios	Senior Analyst (NSW)
Richard Corner	Senior Analyst (NSW)



**Glenn Jackson**  
General Manager

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Agon Environmental Pty Ltd - VIC  
3/224 Glen Osmond Road  
Fullarton  
SA 5063



NATA Accredited  
Accreditation Number 1261  
Site Number 1254

Accredited for compliance with ISO/IEC 17025 – Testing  
NATA is a signatory to the ILAC Mutual Recognition  
Arrangement for the mutual recognition of the  
equivalence of testing, medical testing, calibration,  
inspection, proficiency testing scheme providers and  
reference materials producers reports and certificates.

Attention: **David Lawson**

Report **882647-S**  
Project name **20220426040809-Eurofin-21**  
Project ID **JC0927**  
Received Date **Apr 26, 2022**

Client Sample ID			SX_OB_20220 423_08_14_SS _TriPLICATE_EU F	SX_OB_20220 423_08_20_SS _Primary_EUF	SX_IB_202204 23_12_15_SS _Primary_EUF	SX_OB_20220 423_16_00_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0050628	M22- Ap0050629	M22- Ap0050630	M22- Ap0050631
Date Sampled			Apr 23, 2022	Apr 23, 2022	Apr 23, 2022	Apr 23, 2022
Test/Reference	LOR	Unit				
<b>Total Recoverable Hydrocarbons</b>						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
Naphthalene <sup>N02</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) <sup>N04</sup>	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
<b>Volatile Organics</b>						
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
<b>Volatile Organics</b>						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_OB_20220 423_08_14_SS _TriPLICATE_EU F	SX_OB_20220 423_08_20_SS _Primary_EUF	SX_IB_202204 23_12_15_SS _Primary_EUF	SX_OB_20220 423_16_00_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0050628	M22- Ap0050629	M22- Ap0050630	M22- Ap0050631
Date Sampled			Apr 23, 2022	Apr 23, 2022	Apr 23, 2022	Apr 23, 2022
Test/Reference	LOR	Unit				
<b>Volatile Organics</b>						
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1,2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1,3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1,2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1,3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	86	59	59	53
Toluene-d8 (surr.)	1	%	85	63	92	51
<b>Polycyclic Aromatic Hydrocarbons</b>						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_OB_20220 423_08_14_SS _TriPLICATE_EU F	SX_OB_20220 423_08_20_SS _Primary_EUF	SX_IB_202204 23_12_15_SS _Primary_EUF	SX_OB_20220 423_16_00_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0050628	M22- Ap0050629	M22- Ap0050630	M22- Ap0050631
Date Sampled			Apr 23, 2022	Apr 23, 2022	Apr 23, 2022	Apr 23, 2022
Test/Reference	LOR	Unit				
<b>Polycyclic Aromatic Hydrocarbons</b>						
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	111	115	101	74
p-Terphenyl-d14 (surr.)	1	%	107	127	134	56
<b>Organochlorine Pesticides</b>						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchloroendate (surr.)	1	%	99	110	112	70
Tetrachloro-m-xylene (surr.)	1	%	143	142	142	55

Client Sample ID			SX_OB_20220 423_08_14_SS _TriPLICATE_EU F	SX_OB_20220 423_08_20_SS _Primary_EUF	SX_IB_202204 23_12_15_SS _Primary_EUF	SX_OB_20220 423_16_00_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0050628	M22- Ap0050629	M22- Ap0050630	M22- Ap0050631
Date Sampled			Apr 23, 2022	Apr 23, 2022	Apr 23, 2022	Apr 23, 2022
Test/Reference	LOR	Unit				
<b>Polychlorinated Biphenyls</b>						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchloroendate (surr.)	1	%	99	110	112	70
Tetrachloro-m-xylene (surr.)	1	%	143	142	142	55
<b>Phenols (Halogenated)</b>						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1
<b>Phenols (non-Halogenated)</b>						
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	57	52	50	51
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20
<b>Chromium (hexavalent)</b>						
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1	< 1
<b>Cyanide (total)</b>						
Cyanide (total)	5	mg/kg	< 5	< 5	< 5	< 5
<b>Fluoride (Total)</b>						
Fluoride (Total)	100	mg/kg	< 100	< 100	200	1700
<b>pH (1:5 Aqueous extract at 25°C as rec.)</b>						
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	7.8	8.8	10	8.1
<b>% Moisture</b>						
% Moisture	1	%	32	31	38	29
<b>Heavy Metals</b>						
Arsenic	2	mg/kg	54	23	31	57
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	150	130	130	120
Copper	5	mg/kg	79	71	70	73
Lead	5	mg/kg	6.5	< 5	5.2	5.0
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_20220 423_08_14_SS _TriPLICATE_EU F	SX_OB_20220 423_08_20_SS _Primary_EUF	SX_IB_202204 23_12_15_SS _Primary_EUF	SX_OB_20220 423_16_00_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0050628	M22- Ap0050629	M22- Ap0050630	M22- Ap0050631
Date Sampled			Apr 23, 2022	Apr 23, 2022	Apr 23, 2022	Apr 23, 2022
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Molybdenum	5	mg/kg	< 5	< 5	< 5	< 5
Nickel	5	mg/kg	200	170	170	170
Selenium	2	mg/kg	< 2	< 2	< 2	< 2
Silver	2	mg/kg	< 2	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10	< 10
Zinc	5	mg/kg	150	140	140	120
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTrDA) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	85	86	84	78
13C5-PFPeA (surr.)	1	%	79	85	93	84
13C5-PFHxA (surr.)	1	%	69	69	71	75
13C4-PFHpA (surr.)	1	%	68	70	71	70
13C8-PFOA (surr.)	1	%	62	68	69	71
13C5-PFNA (surr.)	1	%	97	116	117	86
13C6-PFDA (surr.)	1	%	73	74	84	75
13C2-PFUnDA (surr.)	1	%	69	62	73	82
13C2-PFDoDA (surr.)	1	%	66	68	65	61
13C2-PFTeDA (surr.)	1	%	63	69	79	71
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	79	86	90	85
D3-N-MeFOSA (surr.)	1	%	101	89	91	84
D5-N-EtFOSA (surr.)	1	%	97	92	99	93
D7-N-MeFOSE (surr.)	1	%	75	78	74	84
D9-N-EtFOSE (surr.)	1	%	84	87	90	84
D5-N-EtFOSAA (surr.)	1	%	85	70	64	85
D3-N-MeFOSAA (surr.)	1	%	85	106	98	134

Client Sample ID			SX_OB_20220 423_08_14_SS _Triuplicate_EU F	SX_OB_20220 423_08_20_SS _Primary_EUF	SX_IB_202204 23_12_15_SS _Primary_EUF	SX_OB_20220 423_16_00_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0050628	M22- Ap0050629	M22- Ap0050630	M22- Ap0050631
Date Sampled			Apr 23, 2022	Apr 23, 2022	Apr 23, 2022	Apr 23, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	68	63	66	70
18O2-PFHxS (surr.)	1	%	59	73	63	55
13C8-PFOS (surr.)	1	%	67	60	66	61
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	83	90	84	86
13C2-6:2 FTSA (surr.)	1	%	92	86	68	82
13C2-8:2 FTSA (surr.)	1	%	145	127	119	111
13C2-10:2 FTSA (surr.)	1	%	75	72	65	84
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50	< 50

Client Sample ID			SX_OB_20220 423_16_01_SS _Duplicate_EU F	SX_OB_20220 423_20_10_SS _Primary_EUF	SX_IB_202204 24_00_09_SS _Primary_EUF	SX_OB_20220 424_04_14_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0050632	M22- Ap0050635	M22- Ap0050636	M22- Ap0050637
Date Sampled			Apr 23, 2022	Apr 23, 2022	Apr 24, 2022	Apr 24, 2022
Test/Reference	LOR	Unit				
<b>Total Recoverable Hydrocarbons</b>						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
Naphthalene <sup>N02</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20



Client Sample ID			SX_OB_20220 423_16_01_SS Duplicate_EU F	SX_OB_20220 423_20_10_SS Primary_EUF	SX_IB_202204 24_00_09_SS Primary_EUF	SX_OB_20220 424_04_14_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0050632	M22- Ap0050635	M22- Ap0050636	M22- Ap0050637
Date Sampled			Apr 23, 2022	Apr 23, 2022	Apr 24, 2022	Apr 24, 2022
Test/Reference	LOR	Unit				
<b>Total Recoverable Hydrocarbons</b>						
TRH C6-C10 less BTEX (F1) <sup>N04</sup>	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
<b>Volatile Organics</b>						
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
<b>Volatile Organics</b>						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_OB_20220 423_16_01_SS Duplicate_EU F	SX_OB_20220 423_20_10_SS Primary_EUF	SX_IB_202204 24_00_09_SS Primary_EUF	SX_OB_20220 424_04_14_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0050632	M22- Ap0050635	M22- Ap0050636	M22- Ap0050637
Date Sampled			Apr 23, 2022	Apr 23, 2022	Apr 24, 2022	Apr 24, 2022
Test/Reference	LOR	Unit				
<b>Volatile Organics</b>						
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	65	79	74	79
Toluene-d8 (surr.)	1	%	59	75	73	84
<b>Polycyclic Aromatic Hydrocarbons</b>						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	85	125	64	97
p-Terphenyl-d14 (surr.)	1	%	117	142	142	146

Client Sample ID			SX_OB_20220 423_16_01_SS Duplicate_EU F	SX_OB_20220 423_20_10_SS Primary_EUF	SX_IB_202204 24_00_09_SS Primary_EUF	SX_OB_20220 424_04_14_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0050632	M22- Ap0050635	M22- Ap0050636	M22- Ap0050637
Date Sampled			Apr 23, 2022	Apr 23, 2022	Apr 24, 2022	Apr 24, 2022
Test/Reference	LOR	Unit				
<b>Organochlorine Pesticides</b>						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	92	113	103	82
Tetrachloro-m-xylene (surr.)	1	%	127	135	123	121
<b>Polychlorinated Biphenyls</b>						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	92	113	103	82
Tetrachloro-m-xylene (surr.)	1	%	127	135	123	121
<b>Phenols (Halogenated)</b>						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1

Client Sample ID			SX_OB_20220 423_16_01_SS Duplicate_EU F	SX_OB_20220 423_20_10_SS Primary_EUF	SX_IB_202204 24_00_09_SS Primary_EUF	SX_OB_20220 424_04_14_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0050632	M22- Ap0050635	M22- Ap0050636	M22- Ap0050637
Date Sampled			Apr 23, 2022	Apr 23, 2022	Apr 24, 2022	Apr 24, 2022
Test/Reference	LOR	Unit				
<b>Phenols (non-Halogenated)</b>						
2-Cyclohexyl-4.6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4.6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2.4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2.4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	42	51	30	42
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20
<b>Chromium (hexavalent)</b>						
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1	< 1
<b>Cyanide (total)</b>						
Cyanide (total)	5	mg/kg	< 5	< 5	< 5	< 5
<b>Fluoride (Total)</b>						
Fluoride (Total)	100	mg/kg	< 100	< 100	< 100	< 100
<b>pH (1:5 Aqueous extract at 25°C as rec.)</b>						
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	7.9	8.2	8.4	7.7
<b>% Moisture</b>						
% Moisture	1	%	31	31	31	32
<b>Heavy Metals</b>						
Arsenic	2	mg/kg	62	39	32	57
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	150	170	140	180
Copper	5	mg/kg	59	68	68	76
Lead	5	mg/kg	5.1	< 5	5.0	6.8
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Molybdenum	5	mg/kg	< 5	< 5	< 5	< 5
Nickel	5	mg/kg	170	200	170	200
Selenium	2	mg/kg	< 2	< 2	2.1	< 2
Silver	2	mg/kg	< 2	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10	< 10
Zinc	5	mg/kg	120	130	140	150
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTTrDA) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	85	85	85	83
13C5-PFPeA (surr.)	1	%	78	87	89	83
13C5-PFHxA (surr.)	1	%	68	69	68	67

Client Sample ID			SX_OB_20220 423_16_01_SS Duplicate_EU F	SX_OB_20220 423_20_10_SS Primary_EUF	SX_IB_202204 24_00_09_SS Primary_EUF	SX_OB_20220 424_04_14_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0050632	M22- Ap0050635	M22- Ap0050636	M22- Ap0050637
Date Sampled			Apr 23, 2022	Apr 23, 2022	Apr 24, 2022	Apr 24, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
13C4-PFHpA (surr.)	1	%	64	72	70	71
13C8-PFOA (surr.)	1	%	70	66	67	62
13C5-PFNA (surr.)	1	%	102	100	128	102
13C6-PFDA (surr.)	1	%	63	83	68	66
13C2-PFUnDA (surr.)	1	%	72	69	56	73
13C2-PFDoDA (surr.)	1	%	65	57	69	67
13C2-PFTeDA (surr.)	1	%	81	66	62	65
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	78	81	82	82
D3-N-MeFOSA (surr.)	1	%	93	80	98	85
D5-N-EtFOSA (surr.)	1	%	92	102	92	87
D7-N-MeFOSE (surr.)	1	%	77	84	73	89
D9-N-EtFOSE (surr.)	1	%	89	85	94	83
D5-N-EtFOSAA (surr.)	1	%	93	94	74	92
D3-N-MeFOSAA (surr.)	1	%	132	96	103	89
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	66	66	58	59
18O2-PFHxS (surr.)	1	%	61	69	76	73
13C8-PFOS (surr.)	1	%	62	79	75	66
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	91	84	84	85
13C2-6:2 FTSA (surr.)	1	%	73	72	78	77

Client Sample ID			SX_OB_20220 423_16_01_SS Duplicate_EU F	SX_OB_20220 423_20_10_SS Primary_EUF	SX_IB_202204 24_00_09_SS Primary_EUF	SX_OB_20220 424_04_14_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0050632	M22- Ap0050635	M22- Ap0050636	M22- Ap0050637
Date Sampled			Apr 23, 2022	Apr 23, 2022	Apr 24, 2022	Apr 24, 2022
Test/Reference	LOR	Unit				
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
13C2-8:2 FTSA (surr.)	1	%	119	140	134	138
13C2-10:2 FTSA (surr.)	1	%	93	99	144	76
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50	< 50

Client Sample ID			SX_OB_20220 424_08_07_SS TriPLICATE_EU F	SX_IB_202204 24_08_14_SS Primary_EUF	SX_OB_20220 424_12_10_SS Primary_EUF	SX_IB_202204 24_15_58_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0050638	M22- Ap0050639	M22- Ap0050640	M22- Ap0050641
Date Sampled			Apr 24, 2022	Apr 24, 2022	Apr 24, 2022	Apr 24, 2022
Test/Reference	LOR	Unit				
<b>Total Recoverable Hydrocarbons</b>						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
Naphthalene <sup>N02</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) <sup>N04</sup>	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
<b>Volatile Organics</b>						
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
<b>Volatile Organics</b>						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_OB_20220 424_08_07_SS TriPLICATE_EU F	SX_IB_202204 24_08_14_SS Primary_EUF	SX_OB_20220 424_12_10_SS Primary_EUF	SX_IB_202204 24_15_58_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0050638	M22- Ap0050639	M22- Ap0050640	M22- Ap0050641
Date Sampled			Apr 24, 2022	Apr 24, 2022	Apr 24, 2022	Apr 24, 2022
Test/Reference	LOR	Unit				
Volatile Organics						
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	74	75	61	65
Toluene-d8 (surr.)	1	%	82	73	64	70

Client Sample ID			SX_OB_20220 424_08_07_SS _TriPLICATE_EU F	SX_IB_202204 24_08_14_SS _Primary_EUF	SX_OB_20220 424_12_10_SS _Primary_EUF	SX_IB_202204 24_15_58_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0050638	M22- Ap0050639	M22- Ap0050640	M22- Ap0050641
Date Sampled			Apr 24, 2022	Apr 24, 2022	Apr 24, 2022	Apr 24, 2022
Test/Reference	LOR	Unit				
<b>Polycyclic Aromatic Hydrocarbons</b>						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	96	95	93	68
p-Terphenyl-d14 (surr.)	1	%	144	101	127	68
<b>Organochlorine Pesticides</b>						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1



Client Sample ID			SX_OB_20220 424_08_07_SS _TriPLICATE_EU F	SX_IB_202204 24_08_14_SS _Primary_EUF	SX_OB_20220 424_12_10_SS _Primary_EUF	SX_IB_202204 24_15_58_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0050638	M22- Ap0050639	M22- Ap0050640	M22- Ap0050641
Date Sampled			Apr 24, 2022	Apr 24, 2022	Apr 24, 2022	Apr 24, 2022
Test/Reference	LOR	Unit				
<b>Organochlorine Pesticides</b>						
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	92	121	91	55
Tetrachloro-m-xylene (surr.)	1	%	128	127	106	55
<b>Polychlorinated Biphenyls</b>						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	92	121	91	55
Tetrachloro-m-xylene (surr.)	1	%	128	127	106	55
<b>Phenols (Halogenated)</b>						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1
<b>Phenols (non-Halogenated)</b>						
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	44	34	37	53
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20
<b>Chromium (hexavalent)</b>						
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1	< 1
<b>Cyanide (total)</b>						
Cyanide (total)	5	mg/kg	< 5	< 5	< 5	< 5
<b>Fluoride (Total)</b>						
Fluoride (Total)	100	mg/kg	130	< 100	< 100	< 100
<b>pH (1:5 Aqueous extract at 25°C as rec.)</b>						
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	8.3	8.5	8.0	8.5
<b>% Moisture</b>						
% Moisture	1	%	31	31	32	33

Client Sample ID			SX_OB_20220 424_08_07_SS _TriPLICATE_EU F	SX_IB_202204 24_08_14_SS _Primary_EUF	SX_OB_20220 424_12_10_SS _Primary_EUF	SX_IB_202204 24_15_58_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0050638	M22- Ap0050639	M22- Ap0050640	M22- Ap0050641
Date Sampled			Apr 24, 2022	Apr 24, 2022	Apr 24, 2022	Apr 24, 2022
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Arsenic	2	mg/kg	53	41	58	41
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	160	180	140	130
Copper	5	mg/kg	130	86	80	77
Lead	5	mg/kg	5.7	5.8	5.2	5.4
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Molybdenum	5	mg/kg	< 5	< 5	< 5	< 5
Nickel	5	mg/kg	210	220	210	180
Selenium	2	mg/kg	< 2	2.4	< 2	2.0
Silver	2	mg/kg	< 2	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10	< 10
Zinc	5	mg/kg	170	170	160	150
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTrDA) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	84	85	86	81
13C5-PFPeA (surr.)	1	%	78	89	83	91
13C5-PFHxA (surr.)	1	%	70	69	72	72
13C4-PFHpA (surr.)	1	%	65	66	71	75
13C8-PFOA (surr.)	1	%	69	66	69	81
13C5-PFNA (surr.)	1	%	98	94	100	122
13C6-PFDA (surr.)	1	%	69	68	69	69
13C2-PFUnDA (surr.)	1	%	80	73	70	77
13C2-PFDoDA (surr.)	1	%	57	65	69	63
13C2-PFTeDA (surr.)	1	%	67	72	71	69
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	87	86	86	91

Client Sample ID			SX_OB_20220 424_08_07_SS _TriPLICATE_EU F	SX_IB_202204 24_08_14_SS _Primary_EUF	SX_OB_20220 424_12_10_SS _Primary_EUF	SX_IB_202204 24_15_58_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0050638	M22- Ap0050639	M22- Ap0050640	M22- Ap0050641
Date Sampled			Apr 24, 2022	Apr 24, 2022	Apr 24, 2022	Apr 24, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl sulfonamido substances</b>						
D3-N-MeFOSA (surr.)	1	%	105	97	87	89
D5-N-EtFOSA (surr.)	1	%	99	95	95	94
D7-N-MeFOSE (surr.)	1	%	74	68	76	78
D9-N-EtFOSE (surr.)	1	%	88	92	84	80
D5-N-EtFOSAA (surr.)	1	%	109	83	97	61
D3-N-MeFOSAA (surr.)	1	%	120	101	97	120
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	67	59	67	63
18O2-PFHxS (surr.)	1	%	74	62	70	80
13C8-PFOS (surr.)	1	%	66	58	61	78
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	83	86	81	87
13C2-6:2 FTSA (surr.)	1	%	74	78	87	85
13C2-8:2 FTSA (surr.)	1	%	119	127	126	94
13C2-10:2 FTSA (surr.)	1	%	63	98	102	84
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50	< 50

Client Sample ID			SX_IB_202204_24_15_59_SS_Duplicate_EUF	SX_IB_202204_24_19_58_SS_Primary_EUF	SX_IB_202204_25_03_50_SS_Primary_EUF	SX_IB_202204_25_03_59_SS_Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22-Ap0050642	M22-Ap0050643	M22-Ap0050644	M22-Ap0050645
Date Sampled			Apr 24, 2022	Apr 24, 2022	Apr 25, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
<b>Total Recoverable Hydrocarbons</b>						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
Naphthalene <sup>N02</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) <sup>N04</sup>	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
<b>Volatile Organics</b>						
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
<b>Volatile Organics</b>						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_IB_202204 24_15_59_SS Duplicate_EUF	SX_IB_202204 24_19_58_SS Primary_EUF	SX_IB_202204 25_03_50_SS Primary_EUF	SX_IB_202204 25_03_59_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0050642	M22- Ap0050643	M22- Ap0050644	M22- Ap0050645
Date Sampled			Apr 24, 2022	Apr 24, 2022	Apr 25, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
<b>Volatile Organics</b>						
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	66	68	82	55
Toluene-d8 (surr.)	1	%	67	67	86	64
<b>Polycyclic Aromatic Hydrocarbons</b>						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_IB_202204_24_15_59_SS_Duplicate_EUF	SX_IB_202204_24_19_58_SS_Primary_EUF	SX_IB_202204_25_03_50_SS_Primary_EUF	SX_IB_202204_25_03_59_SS_Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22-Ap0050642	M22-Ap0050643	M22-Ap0050644	M22-Ap0050645
Date Sampled			Apr 24, 2022	Apr 24, 2022	Apr 25, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
<b>Polycyclic Aromatic Hydrocarbons</b>						
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	50	88	86	93
p-Terphenyl-d14 (surr.)	1	%	52	127	138	120
<b>Organochlorine Pesticides</b>						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	54	116	119	118
Tetrachloro-m-xylene (surr.)	1	%	71	109	128	103
<b>Polychlorinated Biphenyls</b>						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	54	116	119	118
Tetrachloro-m-xylene (surr.)	1	%	71	109	128	103
<b>Phenols (Halogenated)</b>						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1

Client Sample ID			SX_IB_202204 24_15_59_SS Duplicate_EUF	SX_IB_202204 24_19_58_SS Primary_EUF	SX_IB_202204 25_03_50_SS Primary_EUF	SX_IB_202204 25_03_59_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0050642	M22- Ap0050643	M22- Ap0050644	M22- Ap0050645
Date Sampled			Apr 24, 2022	Apr 24, 2022	Apr 25, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
<b>Phenols (Halogenated)</b>						
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1
<b>Phenols (non-Halogenated)</b>						
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	56	38	41	42
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20
<b>Chromium (hexavalent)</b>						
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1	< 1
<b>Cyanide (total)</b>						
Cyanide (total)	5	mg/kg	< 5	< 5	< 5	< 5
<b>Fluoride (Total)</b>						
Fluoride (Total)	100	mg/kg	< 100	< 100	1500	160
<b>pH (1:5 Aqueous extract at 25°C as rec.)</b>						
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	8.2	8.5	8.2	8.4
<b>% Moisture</b>						
% Moisture	1	%	32	32	31	30
<b>Heavy Metals</b>						
Arsenic	2	mg/kg	44	29	60	32
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	110	140	170	130
Copper	5	mg/kg	68	71	76	58
Lead	5	mg/kg	< 5	< 5	5.9	< 5
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Molybdenum	5	mg/kg	< 5	< 5	< 5	< 5
Nickel	5	mg/kg	170	170	180	150
Selenium	2	mg/kg	< 2	2.3	2.0	< 2
Silver	2	mg/kg	< 2	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10	< 10
Zinc	5	mg/kg	140	140	150	110
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5

Client Sample ID			SX_IB_202204 24_15_59_SS Duplicate_EUF	SX_IB_202204 24_19_58_SS Primary_EUF	SX_IB_202204 25_03_50_SS Primary_EUF	SX_IB_202204 25_03_59_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0050642	M22- Ap0050643	M22- Ap0050644	M22- Ap0050645
Date Sampled			Apr 24, 2022	Apr 24, 2022	Apr 25, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTrDA) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	81	87	86	87
13C5-PFPeA (surr.)	1	%	81	82	87	92
13C5-PFHxA (surr.)	1	%	73	68	68	69
13C4-PFHpA (surr.)	1	%	76	71	71	70
13C8-PFOA (surr.)	1	%	69	59	68	71
13C5-PFNA (surr.)	1	%	107	122	115	97
13C6-PFDA (surr.)	1	%	78	88	79	83
13C2-PFUnDA (surr.)	1	%	75	72	75	73
13C2-PFDoDA (surr.)	1	%	63	62	64	63
13C2-PFTeDA (surr.)	1	%	75	69	64	72
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	89	83	85	75
D3-N-MeFOSA (surr.)	1	%	89	93	103	102
D5-N-EtFOSA (surr.)	1	%	95	104	100	95
D7-N-MeFOSE (surr.)	1	%	74	98	69	69
D9-N-EtFOSE (surr.)	1	%	84	87	87	88
D5-N-EtFOSAA (surr.)	1	%	100	97	124	124
D3-N-MeFOSAA (surr.)	1	%	84	126	112	123
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	60	59	59	58
18O2-PFHxS (surr.)	1	%	65	76	79	69
13C8-PFOS (surr.)	1	%	64	63	71	65



Client Sample ID			SX_IB_202204_24_15_59_SS_Duplicate_EUF	SX_IB_202204_24_19_58_SS_Primary_EUF	SX_IB_202204_25_03_50_SS_Primary_EUF	SX_IB_202204_25_03_59_SS_Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22-Ap0050642	M22-Ap0050643	M22-Ap0050644	M22-Ap0050645
Date Sampled			Apr 24, 2022	Apr 24, 2022	Apr 25, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	90	87	81	91
13C2-6:2 FTSA (surr.)	1	%	83	75	90	110
13C2-8:2 FTSA (surr.)	1	%	103	147	148	122
13C2-10:2 FTSA (surr.)	1	%	88	92	90	92
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50	< 50

Client Sample ID			SX_OB_20220425_04_19_SS_Triplicate_EUF	SX_IB_202204_25_07_57_SS_Triplicate_EUF	SX_IB_202204_25_08_04_SS_Primary_EUF	SX_IB_202204_25_11_57_SS_Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22-Ap0050646	M22-Ap0050647	M22-Ap0050648	M22-Ap0050649
Date Sampled			Apr 25, 2022	Apr 25, 2022	Apr 25, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
<b>Total Recoverable Hydrocarbons</b>						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
Naphthalene <sup>N02</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) <sup>N04</sup>	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
<b>Volatile Organics</b>						
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
<b>Volatile Organics</b>						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_OB_20220 425_04_19_SS TriPLICATE_EU F	SX_IB_202204 25_07_57_SS TriPLICATE_EUF	SX_IB_202204 25_08_04_SS Primary_EUF	SX_IB_202204 25_11_57_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0050646	M22- Ap0050647	M22- Ap0050648	M22- Ap0050649
Date Sampled			Apr 25, 2022	Apr 25, 2022	Apr 25, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
Volatile Organics						
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_OB_20220 425_04_19_SS TriPLICATE_EU F	SX_IB_202204 25_07_57_SS TriPLICATE_EUF	SX_IB_202204 25_08_04_SS Primary_EUF	SX_IB_202204 25_11_57_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0050646	M22- Ap0050647	M22- Ap0050648	M22- Ap0050649
Date Sampled			Apr 25, 2022	Apr 25, 2022	Apr 25, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
<b>Volatiles Organics</b>						
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	72	66	71	72
Toluene-d8 (surr.)	1	%	54	64	71	72
<b>Polycyclic Aromatic Hydrocarbons</b>						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	91	103	88	86
p-Terphenyl-d14 (surr.)	1	%	113	131	102	119
<b>Organochlorine Pesticides</b>						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05

Client Sample ID			SX_OB_20220 425_04_19_SS TriPLICATE_EU F	SX_IB_202204 25_07_57_SS TriPLICATE_EUF	SX_IB_202204 25_08_04_SS Primary_EUF	SX_IB_202204 25_11_57_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0050646	M22- Ap0050647	M22- Ap0050648	M22- Ap0050649
Date Sampled			Apr 25, 2022	Apr 25, 2022	Apr 25, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
<b>Organochlorine Pesticides</b>						
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	82	133	106	107
Tetrachloro-m-xylene (surr.)	1	%	128	130	114	118
<b>Polychlorinated Biphenyls</b>						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	82	133	106	107
Tetrachloro-m-xylene (surr.)	1	%	128	130	114	118
<b>Phenols (Halogenated)</b>						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1
<b>Phenols (non-Halogenated)</b>						
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	55	45	31	34
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20

Client Sample ID			SX_OB_20220 425_04_19_SS TriPLICATE_EU F	SX_IB_202204 25_07_57_SS TriPLICATE_EUF	SX_IB_202204 25_08_04_SS Primary_EUF	SX_IB_202204 25_11_57_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0050646	M22- Ap0050647	M22- Ap0050648	M22- Ap0050649
Date Sampled			Apr 25, 2022	Apr 25, 2022	Apr 25, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1	< 1
Cyanide (total)	5	mg/kg	< 5	< 5	< 5	< 5
Fluoride (Total)	100	mg/kg	< 100	< 100	< 100	190
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	8.4	8.4	8.2	8.7
% Moisture	1	%	29	31	31	27
<b>Heavy Metals</b>						
Arsenic	2	mg/kg	45	32	30	26
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	140	130	130	120
Copper	5	mg/kg	67	64	78	62
Lead	5	mg/kg	5.2	< 5	< 5	5.3
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Molybdenum	5	mg/kg	< 5	< 5	< 5	< 5
Nickel	5	mg/kg	170	160	180	140
Selenium	2	mg/kg	< 2	< 2	< 2	2.1
Silver	2	mg/kg	< 2	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10	< 10
Zinc	5	mg/kg	140	130	150	100
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTriDA) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	87	88	84	86
13C5-PFPeA (surr.)	1	%	92	83	82	86
13C5-PFHxA (surr.)	1	%	69	71	66	69
13C4-PFHpA (surr.)	1	%	69	67	65	72
13C8-PFOA (surr.)	1	%	69	69	72	71
13C5-PFNA (surr.)	1	%	108	107	93	113
13C6-PFDA (surr.)	1	%	68	52	62	64
13C2-PFUnDA (surr.)	1	%	61	72	61	68
13C2-PFDoDA (surr.)	1	%	74	63	56	66
13C2-PFTeDA (surr.)	1	%	73	81	66	68
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5

Client Sample ID			SX_OB_20220 425_04_19_SS TriPLICATE_EU F	SX_IB_202204 25_07_57_SS TriPLICATE_EUF	SX_IB_202204 25_08_04_SS Primary_EUF	SX_IB_202204 25_11_57_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0050646	M22- Ap0050647	M22- Ap0050648	M22- Ap0050649
Date Sampled			Apr 25, 2022	Apr 25, 2022	Apr 25, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl sulfonamido substances</b>						
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	82	80	71	79
D3-N-MeFOSA (surr.)	1	%	98	90	91	92
D5-N-EtFOSA (surr.)	1	%	95	109	89	94
D7-N-MeFOSE (surr.)	1	%	66	78	66	83
D9-N-EtFOSE (surr.)	1	%	84	87	81	79
D5-N-EtFOSAA (surr.)	1	%	75	114	63	84
D3-N-MeFOSAA (surr.)	1	%	101	105	121	137
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	66	61	56	59
18O2-PFHxS (surr.)	1	%	75	75	86	68
13C8-PFOS (surr.)	1	%	59	78	71	52
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	87	89	93	90
13C2-6:2 FTSA (surr.)	1	%	86	84	76	81
13C2-8:2 FTSA (surr.)	1	%	123	133	123	134
13C2-10:2 FTSA (surr.)	1	%	73	64	95	105
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50	< 50

Client Sample ID			SX_IB_202204_25_15_56_SS_Primary_EUF	SX_IB_202204_25_15_57_SS_Duplicate_EUF	SX_IB_202204_25_19_53_SS_Primary_EUF	SX_IB_202204_25_23_57_SS_Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22-Ap0050650	M22-Ap0050651	M22-Ap0050652	M22-Ap0050653
Date Sampled			Apr 25, 2022	Apr 25, 2022	Apr 25, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
<b>Total Recoverable Hydrocarbons</b>						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
Naphthalene <sup>N02</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) <sup>N04</sup>	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
<b>Volatile Organics</b>						
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
<b>Volatile Organics</b>						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_IB_202204 25_15_56_SS Primary_EUF	SX_IB_202204 25_15_57_SS Duplicate_EUF	SX_IB_202204 25_19_53_SS Primary_EUF	SX_IB_202204 25_23_57_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0050650	M22- Ap0050651	M22- Ap0050652	M22- Ap0050653
Date Sampled			Apr 25, 2022	Apr 25, 2022	Apr 25, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
<b>Volatile Organics</b>						
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	92	54	62	58
Toluene-d8 (surr.)	1	%	84	56	63	58
<b>Polycyclic Aromatic Hydrocarbons</b>						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5



Client Sample ID			SX_IB_202204_25_15_56_SS_Primary_EUF	SX_IB_202204_25_15_57_SS_Duplicate_EUF	SX_IB_202204_25_19_53_SS_Primary_EUF	SX_IB_202204_25_23_57_SS_Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22-Ap0050650	M22-Ap0050651	M22-Ap0050652	M22-Ap0050653
Date Sampled			Apr 25, 2022	Apr 25, 2022	Apr 25, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
<b>Polycyclic Aromatic Hydrocarbons</b>						
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	86	100	88	96
p-Terphenyl-d14 (surr.)	1	%	121	138	132	117
<b>Organochlorine Pesticides</b>						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorodate (surr.)	1	%	108	120	124	109
Tetrachloro-m-xylene (surr.)	1	%	130	134	120	115
<b>Polychlorinated Biphenyls</b>						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorodate (surr.)	1	%	108	120	124	109
Tetrachloro-m-xylene (surr.)	1	%	130	134	120	115
<b>Phenols (Halogenated)</b>						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1

Client Sample ID			SX_IB_202204_25_15_56_SS_Primary_EUF	SX_IB_202204_25_15_57_SS_Duplicate_EUF	SX_IB_202204_25_19_53_SS_Primary_EUF	SX_IB_202204_25_23_57_SS_Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22-Ap0050650	M22-Ap0050651	M22-Ap0050652	M22-Ap0050653
Date Sampled			Apr 25, 2022	Apr 25, 2022	Apr 25, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
<b>Phenols (Halogenated)</b>						
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1
<b>Phenols (non-Halogenated)</b>						
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	36	57	48	39
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20
<b>Chromium (hexavalent)</b>						
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1	< 1
<b>Cyanide (total)</b>						
Cyanide (total)	5	mg/kg	< 5	< 5	< 5	< 5
<b>Fluoride (Total)</b>						
Fluoride (Total)	100	mg/kg	< 100	< 100	< 100	< 100
<b>pH (1:5 Aqueous extract at 25°C as rec.)</b>						
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	8.3	8.6	8.6	8.4
<b>% Moisture</b>						
% Moisture	1	%	31	26	32	30
<b>Heavy Metals</b>						
Arsenic	2	mg/kg	36	34	24	29
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	140	110	130	140
Copper	5	mg/kg	78	75	65	70
Lead	5	mg/kg	< 5	< 5	< 5	< 5
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Molybdenum	5	mg/kg	< 5	< 5	< 5	< 5
Nickel	5	mg/kg	160	150	140	170
Selenium	2	mg/kg	2.1	< 2	< 2	< 2
Silver	2	mg/kg	< 2	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10	< 10
Zinc	5	mg/kg	140	110	97	130
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5

Client Sample ID			SX_IB_202204_25_15_56_SS_Primary_EUF	SX_IB_202204_25_15_57_SS_Duplicate_EUF	SX_IB_202204_25_19_53_SS_Primary_EUF	SX_IB_202204_25_23_57_SS_Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22-Ap0050650	M22-Ap0050651	M22-Ap0050652	M22-Ap0050653
Date Sampled			Apr 25, 2022	Apr 25, 2022	Apr 25, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTrDA) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	86	86	87	86
13C5-PFPeA (surr.)	1	%	81	91	80	86
13C5-PFHxA (surr.)	1	%	70	68	70	68
13C4-PFHpA (surr.)	1	%	67	67	70	67
13C8-PFOA (surr.)	1	%	68	66	67	65
13C5-PFNA (surr.)	1	%	107	99	110	95
13C6-PFDA (surr.)	1	%	66	72	75	58
13C2-PFUnDA (surr.)	1	%	81	69	69	71
13C2-PFDoDA (surr.)	1	%	59	71	71	64
13C2-PFTeDA (surr.)	1	%	69	80	67	73
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	77	81	81	87
D3-N-MeFOSA (surr.)	1	%	104	108	95	110
D5-N-EtFOSA (surr.)	1	%	97	99	93	99
D7-N-MeFOSE (surr.)	1	%	102	84	75	79
D9-N-EtFOSE (surr.)	1	%	97	90	90	87
D5-N-EtFOSAA (surr.)	1	%	97	102	91	106
D3-N-MeFOSAA (surr.)	1	%	116	130	138	121
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	57	58	57	60
18O2-PFHxS (surr.)	1	%	76	82	55	68
13C8-PFOS (surr.)	1	%	66	48	71	67

Client Sample ID			SX_IB_202204 25_15_56_SS Primary_EUF	SX_IB_202204 25_15_57_SS Duplicate_EUF	SX_IB_202204 25_19_53_SS Primary_EUF	SX_IB_202204 25_23_57_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0050650	M22- Ap0050651	M22- Ap0050652	M22- Ap0050653
Date Sampled			Apr 25, 2022	Apr 25, 2022	Apr 25, 2022	Apr 25, 2022
Test/Reference	LOR	Unit				
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	89	88	90	85
13C2-6:2 FTSA (surr.)	1	%	80	74	83	80
13C2-8:2 FTSA (surr.)	1	%	137	140	116	122
13C2-10:2 FTSA (surr.)	1	%	99	106	61	104
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50	< 50

Client Sample ID			SX_IB_202204 26_03_55_SS Primary_EUF
Sample Matrix			Soil
Eurofins Sample No.			M22- Ap0050654
Date Sampled			Apr 26, 2022
Test/Reference	LOR	Unit	
<b>Total Recoverable Hydrocarbons</b>			
TRH C6-C9	20	mg/kg	< 20
TRH C10-C14	20	mg/kg	< 20
TRH C15-C28	50	mg/kg	< 50
TRH C29-C36	50	mg/kg	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50
Naphthalene <sup>N02</sup>	0.5	mg/kg	< 0.5
TRH C6-C10	20	mg/kg	< 20
TRH C6-C10 less BTEX (F1) <sup>N04</sup>	20	mg/kg	< 20
TRH >C10-C16	50	mg/kg	< 50
TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>	50	mg/kg	< 50
TRH >C16-C34	100	mg/kg	< 100
TRH >C34-C40	100	mg/kg	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100
<b>Volatile Organics</b>			
Hexachlorobutadiene	0.5	mg/kg	< 0.5
<b>Volatile Organics</b>			
1.1-Dichloroethane	0.5	mg/kg	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5

<b>Client Sample ID</b>			<b>SX_IB_202204</b>
<b>Sample Matrix</b>			<b>26_03_55_SS</b>
<b>Eurofins Sample No.</b>			<b>Primary_EUF</b>
<b>Date Sampled</b>			<b>Soil</b>
<b>Test/Reference</b>	LOR	Unit	<b>M22-</b>
			<b>Ap0050654</b>
			<b>Apr 26, 2022</b>
<b>Volatile Organics</b>			
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5
Benzene	0.1	mg/kg	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5
Bromoform	0.5	mg/kg	< 0.5
Bromomethane	0.5	mg/kg	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5
Chloroethane	0.5	mg/kg	< 0.5
Chloroform	0.5	mg/kg	< 0.5
Chloromethane	0.5	mg/kg	< 0.5
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1
Iodomethane	0.5	mg/kg	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5
o-Xylene	0.1	mg/kg	< 0.1
Styrene	0.5	mg/kg	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5
Toluene	0.1	mg/kg	< 0.1
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5

<b>Client Sample ID</b>			<b>SX_IB_202204</b>
<b>Sample Matrix</b>			<b>26_03_55_SS</b>
<b>Eurofins Sample No.</b>			<b>Primary_EUF</b>
<b>Date Sampled</b>			<b>Soil</b>
<b>Test/Reference</b>	LOR	Unit	<b>M22- Ap0050654</b>
			<b>Apr 26, 2022</b>
<b>Volatile Organics</b>			
Xylenes - Total*	0.3	mg/kg	< 0.3
Total MAH*	0.5	mg/kg	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5
4-Bromofluorobenzene (surr.)	1	%	53
Toluene-d8 (surr.)	1	%	53
<b>Polycyclic Aromatic Hydrocarbons</b>			
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2
Acenaphthene	0.5	mg/kg	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5
Anthracene	0.5	mg/kg	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5
Chrysene	0.5	mg/kg	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5
Fluorene	0.5	mg/kg	< 0.5
Indeno(1,2,3-cd)pyrene	0.5	mg/kg	< 0.5
Naphthalene	0.5	mg/kg	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5
Pyrene	0.5	mg/kg	< 0.5
Total PAH*	0.5	mg/kg	< 0.5
2-Fluorobiphenyl (surr.)	1	%	89
p-Terphenyl-d14 (surr.)	1	%	116
<b>Organochlorine Pesticides</b>			
Chlordanes - Total	0.1	mg/kg	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05
a-HCH	0.05	mg/kg	< 0.05
Aldrin	0.05	mg/kg	< 0.05
b-HCH	0.05	mg/kg	< 0.05
d-HCH	0.05	mg/kg	< 0.05
Dieldrin	0.05	mg/kg	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05
Endrin	0.05	mg/kg	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05
Heptachlor	0.05	mg/kg	< 0.05

<b>Client Sample ID</b>			<b>SX_IB_202204</b>
<b>Sample Matrix</b>			<b>26_03_55_SS</b>
<b>Eurofins Sample No.</b>			<b>Primary_EUF</b>
<b>Date Sampled</b>			<b>Soil</b>
<b>Test/Reference</b>	LOR	Unit	<b>M22- Ap0050654</b>
			<b>Apr 26, 2022</b>
<b>Organochlorine Pesticides</b>			
Heptachlor epoxide	0.05	mg/kg	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05
Toxaphene	0.5	mg/kg	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1
Dibutylchlorendate (surr.)	1	%	109
Tetrachloro-m-xylene (surr.)	1	%	124
<b>Polychlorinated Biphenyls</b>			
Aroclor-1016	0.1	mg/kg	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1
Total PCB*	0.1	mg/kg	< 0.1
Dibutylchlorendate (surr.)	1	%	109
Tetrachloro-m-xylene (surr.)	1	%	124
<b>Phenols (Halogenated)</b>			
2-Chlorophenol	0.5	mg/kg	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1
Pentachlorophenol	1	mg/kg	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10
Total Halogenated Phenol*	1	mg/kg	< 1
<b>Phenols (non-Halogenated)</b>			
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5
2-Nitrophenol	1.0	mg/kg	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4
Total cresols*	0.5	mg/kg	< 0.5
4-Nitrophenol	5	mg/kg	< 5
Dinoseb	20	mg/kg	< 20
Phenol	0.5	mg/kg	< 0.5
Phenol-d6 (surr.)	1	%	48
Total Non-Halogenated Phenol*	20	mg/kg	< 20

<b>Client Sample ID</b>			<b>SX_IB_202204</b>
<b>Sample Matrix</b>			<b>26_03_55_SS</b>
<b>Eurofins Sample No.</b>			<b>Primary_EUF</b>
<b>Date Sampled</b>			<b>Soil</b>
<b>Test/Reference</b>	LOR	Unit	<b>M22- Ap0050654</b>
			<b>Apr 26, 2022</b>
Chromium (hexavalent)	1	mg/kg	< 1
Cyanide (total)	5	mg/kg	< 5
Fluoride (Total)	100	mg/kg	130
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	8.3
% Moisture	1	%	30
<b>Heavy Metals</b>			
Arsenic	2	mg/kg	41
Cadmium	0.4	mg/kg	< 0.4
Chromium	5	mg/kg	120
Copper	5	mg/kg	75
Lead	5	mg/kg	< 5
Mercury	0.1	mg/kg	< 0.1
Molybdenum	5	mg/kg	< 5
Nickel	5	mg/kg	170
Selenium	2	mg/kg	< 2
Silver	2	mg/kg	< 2
Tin	10	mg/kg	< 10
Zinc	5	mg/kg	170
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>			
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	5	ug/kg	< 5
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	5	ug/kg	< 5
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	5	ug/kg	< 5
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	5	ug/kg	< 5
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	5	ug/kg	< 5
Perfluorononanoic acid (PFNA) <sup>N11</sup>	5	ug/kg	< 5
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	5	ug/kg	< 5
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	5	ug/kg	< 5
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	5	ug/kg	< 5
Perfluorotridecanoic acid (PFTeDA) <sup>N15</sup>	5	ug/kg	< 5
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	5	ug/kg	< 5
13C4-PFBA (surr.)	1	%	85
13C5-PFPeA (surr.)	1	%	87
13C5-PFHxA (surr.)	1	%	66
13C4-PFHpA (surr.)	1	%	67
13C8-PFOA (surr.)	1	%	60
13C5-PFNA (surr.)	1	%	108
13C6-PFDA (surr.)	1	%	60
13C2-PFUnDA (surr.)	1	%	67
13C2-PFDoDA (surr.)	1	%	66
13C2-PFTeDA (surr.)	1	%	67
<b>Perfluoroalkyl sulfonamido substances</b>			
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	5	ug/kg	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	5	ug/kg	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	5	ug/kg	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	5	ug/kg	< 5



<b>Client Sample ID</b>			<b>SX_IB_202204</b>
<b>Sample Matrix</b>			<b>26_03_55_SS</b>
<b>Eurofins Sample No.</b>			<b>Primary_EUF</b>
<b>Date Sampled</b>			<b>Soil</b>
<b>Test/Reference</b>	LOR	Unit	<b>M22- Ap0050654</b>
			<b>Apr 26, 2022</b>
<b>Perfluoroalkyl sulfonamido substances</b>			
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	5	ug/kg	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	10	ug/kg	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	10	ug/kg	< 10
13C8-FOSA (surr.)	1	%	84
D3-N-MeFOSA (surr.)	1	%	103
D5-N-EtFOSA (surr.)	1	%	92
D7-N-MeFOSE (surr.)	1	%	76
D9-N-EtFOSE (surr.)	1	%	88
D5-N-EtFOSAA (surr.)	1	%	75
D3-N-MeFOSAA (surr.)	1	%	105
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>			
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	5	ug/kg	< 5
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	5	ug/kg	< 5
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	5	ug/kg	< 5
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	5	ug/kg	< 5
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	5	ug/kg	< 5
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	5	ug/kg	< 5
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	5	ug/kg	< 5
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	5	ug/kg	< 5
13C3-PFBS (surr.)	1	%	58
18O2-PFHxS (surr.)	1	%	69
13C8-PFOS (surr.)	1	%	61
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>			
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	10	ug/kg	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5
13C2-4:2 FTSA (surr.)	1	%	88
13C2-6:2 FTSA (surr.)	1	%	74
13C2-8:2 FTSA (surr.)	1	%	131
13C2-10:2 FTSA (surr.)	1	%	75
<b>PFASs Summations</b>			
Sum (PFHxS + PFOS)*	5	ug/kg	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
IWRG 621 WGTP Suite			
Total Recoverable Hydrocarbons - 1999 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40	Melbourne	Apr 27, 2022	14 Days
Total Recoverable Hydrocarbons - 2013 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40	Melbourne	Apr 27, 2022	14 Days
Total Recoverable Hydrocarbons - 2013 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40	Melbourne	Apr 27, 2022	14 Days
Volatile Organics - Method: USEPA 8260 - MGT 350A Volatile Organics by GCMS	Melbourne	Apr 27, 2022	7 Days
Volatile Organics - Method: LTM-ORG-2150 VOCs in Soils Liquid and other Aqueous Matrices (USEPA 8260)	Melbourne	Apr 27, 2022	7 Days
Polycyclic Aromatic Hydrocarbons - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Melbourne	Apr 27, 2022	14 Days
Organochlorine Pesticides - Method: LTM-ORG-2220 OCP & PCB in Soil and Water (USEPA 8270)	Melbourne	Apr 27, 2022	14 Days
Polychlorinated Biphenyls - Method: LTM-ORG-2220 OCP & PCB in Soil and Water (USEPA 8082)	Melbourne	Apr 27, 2022	28 Days
Phenols (Halogenated) - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Melbourne	Apr 27, 2022	14 Days
Phenols (non-Halogenated) - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Melbourne	Apr 27, 2022	14 Days
Chromium (hexavalent) - Method: LTM-INO-4230 Hexavalent Chromium by UV-Vis - Method: LTM-INO-4100 Hexavalent Chromium by Spectrometric detection	Melbourne	Apr 27, 2022	28 Days
Cyanide (total) - Method: LTM-INO-4020 Total Free WAD Cyanide by CFA	Melbourne	Apr 28, 2022	14 Days
Fluoride (Total) - Method: LTM-INO-4150 Determination of Total Fluoride PART A – CIC	Melbourne	Apr 28, 2022	28 Days
pH (1:5 Aqueous extract at 25°C as rec.) - Method: LTM-GEN-7090 pH in soil by ISE	Melbourne	Apr 27, 2022	7 Days
Metals IWRG 621 : Metals M12 - Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS	Melbourne	Apr 27, 2022	28 Days
% Moisture - Method: LTM-GEN-7080 Moisture	Melbourne	Apr 26, 2022	14 Days
Per- and Polyfluoroalkyl Substances (PFASs)			
Perfluoroalkyl carboxylic acids (PFCAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 27, 2022	28 Days
Perfluoroalkyl sulfonamido substances - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 27, 2022	28 Days
Perfluoroalkyl sulfonic acids (PFASs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 27, 2022	28 Days
n:2 Fluorotelomer sulfonic acids (n:2 FTSAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 27, 2022	28 Days
PFASs Summations - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 26, 2022	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	SX_OB_20220423_08_14_S_S_Triplicate_EUF	Apr 23, 2022	8:14AM	Soil	M22-Ap0050628		X	X	X
2	SX_OB_20220423_08_20_S_S_Primary_EUF	Apr 23, 2022	8:20AM	Soil	M22-Ap0050629		X	X	X
3	SX_IB_20220423_12_15_SS_Primary_EUF	Apr 23, 2022	12:15PM	Soil	M22-Ap0050630		X	X	X
4	SX_OB_20220423_04_00_S_S_Primary_EUF	Apr 23, 2022	4:00PM	Soil	M22-		X	X	X

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	423_16_00_S S_Primary_EU F				Ap0050631				
5	SX_OB_20220 423_16_01_S S_Duplicate_E UF	Apr 23, 2022	4:01PM	Soil	M22- Ap0050632		X	X	X
6	SX_OB_20220 423_16_21_S R_Rinsate_EU F	Apr 23, 2022	4:21PM	Water	M22- Ap0050633			X	
7	SX_OB_20220 423_16_24_S B_Blank_EUF	Apr 23, 2022	4:24PM	Water	M22- Ap0050634			X	

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
**Project Name:** 20220426040809-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882647  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 26, 2022 1:30 PM  
**Due:** Apr 29, 2022  
**Priority:** 3 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
8	SX_OB_20220423_20_10_S_S_Primary_EUF	Apr 23, 2022	8:19PM	Soil	M22-Ap0050635		X	X	X
9	SX_IB_20220424_00_09_SS_Primary_EUF	Apr 24, 2022	12:09AM	Soil	M22-Ap0050636		X	X	X
10	SX_OB_20220424_04_14_S_S_Primary_EUF	Apr 24, 2022	4:14AM	Soil	M22-Ap0050637		X	X	X
11	SX_OB_20220424_08_07_S_S_Triplicate_E	Apr 24, 2022	8:07AM	Soil	M22-Ap0050638		X	X	X

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
**Project Name:** 20220426040809-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882647  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 26, 2022 1:30 PM  
**Due:** Apr 29, 2022  
**Priority:** 3 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	UF								
12	SX_IB_20220424_08_14_SS_Primary_EUF	Apr 24, 2022	8:14AM	Soil	M22-Ap0050639		X	X	X
13	SX_OB_20220424_12_10_SS_Primary_EUF	Apr 24, 2022	12:10PM	Soil	M22-Ap0050640		X	X	X
14	SX_IB_20220424_15_58_SS_Primary_EUF	Apr 24, 2022	3:58PM	Soil	M22-Ap0050641		X	X	X
15	SX_IB_20220424_15_59_SS_Duplicate_EU	Apr 24, 2022	3:59PM	Soil	M22-Ap0050642		X	X	X

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	_Duplicate_EU F								
16	SX_IB_202204 24_19_58_SS _Primary_EUF	Apr 24, 2022	7:58PM	Soil	M22- Ap0050643		X	X	X
17	SX_IB_202204 25_03_50_SS _Primary_EUF	Apr 25, 2022	10:30AM	Soil	M22- Ap0050644		X	X	X
18	SX_IB_202204 25_03_59_SS _Primary_EUF	Apr 25, 2022	4:19AM	Soil	M22- Ap0050645		X	X	X
19	SX_OB_20220 425_04_19_S S_Triplicate_E	Apr 25, 2022	4:19AM	Soil	M22- Ap0050646		X	X	X

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	UF								
20	SX_IB_20220425_07_57_SS_Triplicate_EU_F	Apr 25, 2022	7:57AM	Soil	M22-Ap0050647		X	X	X
21	SX_IB_20220425_08_04_SS_Primary_EUF	Apr 25, 2022	8:04AM	Soil	M22-Ap0050648		X	X	X
22	SX_IB_20220425_11_57_SS_Primary_EUF	Apr 25, 2022	11:57AM	Soil	M22-Ap0050649		X	X	X
23	SX_IB_20220425_15_56_SS_Primary_EUF	Apr 25, 2022	3:56PM	Soil	M22-Ap0050650		X	X	X



<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
24	SX_IB_20220425_15_57_SS_Duplicate_EUF	Apr 25, 2022	3:57PM	Soil	M22-Ap0050651		X	X	X
25	SX_IB_20220425_19_53_SS_Primary_EUF	Apr 25, 2022	7:53PM	Soil	M22-Ap0050652		X	X	X
26	SX_IB_20220425_23_57_SS_Primary_EUF	Apr 25, 2022	11:57PM	Soil	M22-Ap0050653		X	X	X
27	SX_IB_20220426_03_55_SS_Primary_EUF	Apr 26, 2022	3:55AM	Soil	M22-Ap0050654		X	X	X
28	SX_OB_20220	Apr 23, 2022	8:14AM	AUS Leachate	M22-	X		X	

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220426040809-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882647  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 26, 2022 1:30 PM  
**Due:** Apr 29, 2022  
**Priority:** 3 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	423_08_14_S S_Triplicate_E UF			- pH 5.0	Ap0050655				
29	SX_OB_20220 423_08_20_S S_Primary_EU F	Apr 23, 2022	8:20AM	AUS Leachate - pH 5.0	M22- Ap0050656	X		X	
30	SX_IB_202204 23_12_15_SS _Primary_EUF	Apr 23, 2022	12:15PM	AUS Leachate - pH 5.0	M22- Ap0050657	X		X	
31	SX_OB_20220 423_16_00_S S_Primary_EU F	Apr 23, 2022	4:00PM	AUS Leachate - pH 5.0	M22- Ap0050658	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFAS)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
32	SX_OB_20220423_16_01_S_S_Duplicate_EUF	Apr 23, 2022	4:01PM	AUS Leachate - pH 5.0	M22-Ap0050659	X		X	
33	SX_OB_20220423_20_10_S_S_Primary_EUF	Apr 23, 2022	8:19PM	AUS Leachate - pH 5.0	M22-Ap0050660	X		X	
34	SX_IB_20220424_00_09_SS_Primary_EUF	Apr 24, 2022	12:09AM	AUS Leachate - pH 5.0	M22-Ap0050661	X		X	
35	SX_OB_20220424_04_14_S_S_Primary_EUF	Apr 24, 2022	4:14AM	AUS Leachate - pH 5.0	M22-Ap0050662	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	F								
36	SX_OB_20220424_08_07_S_S_Triplicate_EUF	Apr 24, 2022	8:07AM	AUS Leachate - pH 5.0	M22-Ap0050663	X		X	
37	SX_IB_20220424_08_14_SS_Primary_EUF	Apr 24, 2022	8:14AM	AUS Leachate - pH 5.0	M22-Ap0050664	X		X	
38	SX_OB_20220424_12_10_S_S_Primary_EUF	Apr 24, 2022	12:10PM	AUS Leachate - pH 5.0	M22-Ap0050665	X		X	
39	SX_IB_20220424_15_58_SS	Apr 24, 2022	3:58PM	AUS Leachate - pH 5.0	M22-Ap0050666	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	24_15_58_SS _Primary_EUF			- pH 5.0	Ap0050666				
40	SX_IB_202204 24_15_59_SS _Duplicate_EU F	Apr 24, 2022	3:59PM	AUS Leachate - pH 5.0	M22- Ap0050667	X		X	
41	SX_IB_202204 24_19_58_SS _Primary_EUF	Apr 24, 2022	7:58PM	AUS Leachate - pH 5.0	M22- Ap0050668	X		X	
42	SX_IB_202204 25_03_50_SS _Primary_EUF	Apr 25, 2022	10:30AM	AUS Leachate - pH 5.0	M22- Ap0050669	X		X	
43	SX_IB_202204 25_03_59_SS	Apr 25, 2022	4:19AM	AUS Leachate - pH 5.0	M22- Ap0050670	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	_Primary_EUF								
44	SX_OB_20220425_04_19_SS_Triplicate_EUF	Apr 25, 2022	4:19AM	AUS Leachate - pH 5.0	M22-Ap0050671	X		X	
45	SX_IB_20220425_07_57_SS_Triplicate_EUF	Apr 25, 2022	7:57AM	AUS Leachate - pH 5.0	M22-Ap0050672	X		X	
46	SX_IB_20220425_08_04_SS_Primary_EUF	Apr 25, 2022	8:04AM	AUS Leachate - pH 5.0	M22-Ap0050673	X		X	
47	SX_IB_20220425_11_57_SS	Apr 25, 2022	11:57AM	AUS Leachate - pH 5.0	M22-Ap0050674	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	25_11_57_SS _Primary_EUF			- pH 5.0	Ap0050674				
48	SX_IB_202204 25_15_56_SS _Primary_EUF	Apr 25, 2022	3:56PM	AUS Leachate - pH 5.0	M22- Ap0050675	X		X	
49	SX_IB_202204 25_15_57_SS _Duplicate_EU F	Apr 25, 2022	3:57PM	AUS Leachate - pH 5.0	M22- Ap0050676	X		X	
50	SX_IB_202204 25_19_53_SS _Primary_EUF	Apr 25, 2022	7:53PM	AUS Leachate - pH 5.0	M22- Ap0050677	X		X	
51	SX_IB_202204 25_23_57_SS	Apr 25, 2022	11:57PM	AUS Leachate - pH 5.0	M22- Ap0050678	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	_Primary_EUF								
52	SX_IB_20220426_03_55_SS_Primary_EUF	Apr 26, 2022	3:55AM	AUS Leachate - pH 5.0	M22-Ap0050679	X		X	
53	SX_OB_20220423_08_14_S_S_Triplicate_EUF	Apr 23, 2022	8:14AM	AUS Leachate - Reagent Water	M22-Ap0050680	X		X	
54	SX_OB_20220423_08_20_S_Primary_EUF	Apr 23, 2022	8:20AM	AUS Leachate - Reagent Water	M22-Ap0050681	X		X	
55	SX_IB_20220423_12_15_SS	Apr 23, 2022	12:15PM	AUS Leachate - Reagent	M22-Ap0050682	X		X	



**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220426040809-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882647  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 26, 2022 1:30 PM  
**Due:** Apr 29, 2022  
**Priority:** 3 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	23_12_15_SS _Primary_EUF			- Reagent Water	Ap0050682				
56	SX_OB_20220 423_16_00_S S_Primary_EU F	Apr 23, 2022	4:00PM	AUS Leachate - Reagent Water	M22- Ap0050683	X		X	
57	SX_OB_20220 423_16_01_S S_Duplicate_E UF	Apr 23, 2022	4:01PM	AUS Leachate - Reagent Water	M22- Ap0050684	X		X	
58	SX_OB_20220 423_20_10_S S_Primary_EU F	Apr 23, 2022	8:19PM	AUS Leachate - Reagent Water	M22- Ap0050685	X		X	

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220426040809-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882647  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 26, 2022 1:30 PM  
**Due:** Apr 29, 2022  
**Priority:** 3 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
59	SX_IB_20220424_00_09_SS_Primary_EUF	Apr 24, 2022	12:09AM	AUS Leachate - Reagent Water	M22-Ap0050686	X		X	
60	SX_OB_20220424_04_14_S_S_Primary_EUF	Apr 24, 2022	4:14AM	AUS Leachate - Reagent Water	M22-Ap0050687	X		X	
61	SX_OB_20220424_08_07_S_S_Triplicate_EUF	Apr 24, 2022	8:07AM	AUS Leachate - Reagent Water	M22-Ap0050688	X		X	
62	SX_IB_20220424_08_14_SS_Primary_EUF	Apr 24, 2022	8:14AM	AUS Leachate - Reagent Water	M22-Ap0050689	X		X	

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
**Project Name:** 20220426040809-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882647  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 26, 2022 1:30 PM  
**Due:** Apr 29, 2022  
**Priority:** 3 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
63	SX_OB_20220424_12_10_S_S_Primary_EUF	Apr 24, 2022	12:10PM	AUS Leachate - Reagent Water	M22-Ap0050690	X		X	
64	SX_IB_20220424_15_58_SS_Primary_EUF	Apr 24, 2022	3:58PM	AUS Leachate - Reagent Water	M22-Ap0050691	X		X	
65	SX_IB_20220424_15_59_SS_Duplicate_EUF	Apr 24, 2022	3:59PM	AUS Leachate - Reagent Water	M22-Ap0050692	X		X	
66	SX_IB_20220424_19_58_SS_Primary_EUF	Apr 24, 2022	7:58PM	AUS Leachate - Reagent Water	M22-Ap0050693	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
67	SX_IB_20220425_03_50_SS_Primary_EUF	Apr 25, 2022	10:30AM	AUS Leachate - Reagent Water	M22-Ap0050694	X		X	
68	SX_IB_20220425_03_59_SS_Primary_EUF	Apr 25, 2022	4:19AM	AUS Leachate - Reagent Water	M22-Ap0050695	X		X	
69	SX_OB_20220425_04_19_S_S_Triplicate_EUF	Apr 25, 2022	4:19AM	AUS Leachate - Reagent Water	M22-Ap0050696	X		X	
70	SX_IB_20220425_07_57_SS_Triplicate_EUF	Apr 25, 2022	7:57AM	AUS Leachate - Reagent Water	M22-Ap0050697	X		X	

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220426040809-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882647  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 26, 2022 1:30 PM  
**Due:** Apr 29, 2022  
**Priority:** 3 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
71	SX_IB_202204 25_08_04_SS _Primary_EUF	Apr 25, 2022	8:04AM	AUS Leachate - Reagent Water	M22- Ap0050698	X		X	
72	SX_IB_202204 25_11_57_SS _Primary_EUF	Apr 25, 2022	11:57AM	AUS Leachate - Reagent Water	M22- Ap0050699	X		X	
73	SX_IB_202204 25_15_56_SS _Primary_EUF	Apr 25, 2022	3:56PM	AUS Leachate - Reagent Water	M22- Ap0050700	X		X	
74	SX_IB_202204 25_15_57_SS _Duplicate_EU F	Apr 25, 2022	3:57PM	AUS Leachate - Reagent Water	M22- Ap0050701	X		X	
75	SX_IB_202204	Apr 25, 2022	7:53PM	AUS Leachate	M22-	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	25_19_53_SS _Primary_EUF			- Reagent Water	Ap0050702				
76	SX_IB_202204 25_23_57_SS _Primary_EUF	Apr 25, 2022	11:57PM	AUS Leachate - Reagent Water	M22- Ap0050703	X		X	
77	SX_IB_202204 26_03_55_SS _Primary_EUF	Apr 26, 2022	3:55AM	AUS Leachate - Reagent Water	M22- Ap0050704	X		X	
<b>Test Counts</b>						50	25	77	25

## Internal Quality Control Review and Glossary

### General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer that may have an impact on the results.
- This report replaces any interim results previously issued.

### Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

### Units

<b>mg/kg:</b> milligrams per kilogram	<b>mg/L:</b> milligrams per litre	<b>µg/L:</b> micrograms per litre
<b>ppm:</b> parts per million	<b>ppb:</b> parts per billion	<b>%:</b> Percentage
<b>org/100 mL:</b> Organisms per 100 millilitres	<b>NTU:</b> Nephelometric Turbidity Units	<b>MPN/100 mL:</b> Most Probable Number of organisms per 100 millilitres

### Terms

<b>APHA</b>	American Public Health Association
<b>COC</b>	Chain of Custody
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>CRM</b>	Certified Reference Material (ISO17034) - reported as percent recovery.
<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>LOR</b>	Limit of Reporting.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>SRA</b>	Sample Receipt Advice
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>TBTO</b>	Tributyltin oxide ( <i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment however free tributyltin was measured and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits.
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>TEQ</b>	Toxic Equivalency Quotient or Total Equivalence
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.4
<b>US EPA</b>	United States Environmental Protection Agency
<b>WA DWER</b>	Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

### QC - Acceptance Criteria

The acceptance criteria should be used as a guide only and may be different when site specific Sampling Analysis and Quality Plan (SAQP) have been implemented

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR: No Limit

Results between 10-20 times the LOR: RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

NOTE: pH duplicates are reported as a range not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.4 where no positive PFAS results have been reported have been reviewed and no data was affected.

### QC Data General Comments

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery the term "INT" appears against that analyte.
- For Matrix Spikes and LCS results a dash "-" in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Method Blank</b>							
<b>Total Recoverable Hydrocarbons</b>							
TRH C6-C9	mg/kg	< 20			20	Pass	
TRH C10-C14	mg/kg	< 20			20	Pass	
TRH C15-C28	mg/kg	< 50			50	Pass	
TRH C29-C36	mg/kg	< 50			50	Pass	
Naphthalene	mg/kg	< 0.5			0.5	Pass	
TRH C6-C10	mg/kg	< 20			20	Pass	
TRH >C10-C16	mg/kg	< 50			50	Pass	
TRH >C16-C34	mg/kg	< 100			100	Pass	
TRH >C34-C40	mg/kg	< 100			100	Pass	
<b>Method Blank</b>							
<b>Volatile Organics</b>							
Hexachlorobutadiene	mg/kg	< 0.5			0.5	Pass	
<b>Method Blank</b>							
<b>Volatile Organics</b>							
1.1-Dichloroethane	mg/kg	< 0.5			0.5	Pass	
1.2.4-Trichlorobenzene	mg/kg	< 0.5			0.5	Pass	
1.1-Dichloroethene	mg/kg	< 0.5			0.5	Pass	
1.1.1-Trichloroethane	mg/kg	< 0.5			0.5	Pass	
1.1.1.2-Tetrachloroethane	mg/kg	< 0.5			0.5	Pass	
1.1.2-Trichloroethane	mg/kg	< 0.5			0.5	Pass	
1.1.2.2-Tetrachloroethane	mg/kg	< 0.5			0.5	Pass	
1.2-Dibromoethane	mg/kg	< 0.5			0.5	Pass	
1.2-Dichlorobenzene	mg/kg	< 0.5			0.5	Pass	
1.2-Dichloroethane	mg/kg	< 0.5			0.5	Pass	
1.2-Dichloropropane	mg/kg	< 0.5			0.5	Pass	
1.2.3-Trichloropropane	mg/kg	< 0.5			0.5	Pass	
1.2.4-Trimethylbenzene	mg/kg	< 0.5			0.5	Pass	
1.3-Dichlorobenzene	mg/kg	< 0.5			0.5	Pass	
1.3-Dichloropropane	mg/kg	< 0.5			0.5	Pass	
1.3.5-Trimethylbenzene	mg/kg	< 0.5			0.5	Pass	
1.4-Dichlorobenzene	mg/kg	< 0.5			0.5	Pass	
2-Butanone (MEK)	mg/kg	< 0.5			0.5	Pass	
2-Propanone (Acetone)	mg/kg	< 0.5			0.5	Pass	
4-Chlorotoluene	mg/kg	< 0.5			0.5	Pass	
4-Methyl-2-pentanone (MIBK)	mg/kg	< 0.5			0.5	Pass	
Allyl chloride	mg/kg	< 0.5			0.5	Pass	
Benzene	mg/kg	< 0.1			0.1	Pass	
Bromobenzene	mg/kg	< 0.5			0.5	Pass	
Bromochloromethane	mg/kg	< 0.5			0.5	Pass	
Bromodichloromethane	mg/kg	< 0.5			0.5	Pass	
Bromoform	mg/kg	< 0.5			0.5	Pass	
Bromomethane	mg/kg	< 0.5			0.5	Pass	
Carbon disulfide	mg/kg	< 0.5			0.5	Pass	
Carbon Tetrachloride	mg/kg	< 0.5			0.5	Pass	
Chlorobenzene	mg/kg	< 0.5			0.5	Pass	
Chloroethane	mg/kg	< 0.5			0.5	Pass	
Chloroform	mg/kg	< 0.5			0.5	Pass	
Chloromethane	mg/kg	< 0.5			0.5	Pass	
cis-1.2-Dichloroethene	mg/kg	< 0.5			0.5	Pass	
cis-1.3-Dichloropropene	mg/kg	< 0.5			0.5	Pass	



Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Dibromochloromethane	mg/kg	< 0.5			0.5	Pass	
Dibromomethane	mg/kg	< 0.5			0.5	Pass	
Dichlorodifluoromethane	mg/kg	< 0.5			0.5	Pass	
Ethylbenzene	mg/kg	< 0.1			0.1	Pass	
Iodomethane	mg/kg	< 0.5			0.5	Pass	
Isopropyl benzene (Cumene)	mg/kg	< 0.5			0.5	Pass	
m&p-Xylenes	mg/kg	< 0.2			0.2	Pass	
Methylene Chloride	mg/kg	< 0.5			0.5	Pass	
o-Xylene	mg/kg	< 0.1			0.1	Pass	
Styrene	mg/kg	< 0.5			0.5	Pass	
Tetrachloroethene	mg/kg	< 0.5			0.5	Pass	
Toluene	mg/kg	< 0.1			0.1	Pass	
trans-1.2-Dichloroethene	mg/kg	< 0.5			0.5	Pass	
trans-1.3-Dichloropropene	mg/kg	< 0.5			0.5	Pass	
Trichloroethene	mg/kg	< 0.5			0.5	Pass	
Trichlorofluoromethane	mg/kg	< 0.5			0.5	Pass	
Vinyl chloride	mg/kg	< 0.5			0.5	Pass	
Xylenes - Total*	mg/kg	< 0.3			0.3	Pass	
<b>Method Blank</b>							
<b>Polycyclic Aromatic Hydrocarbons</b>							
Acenaphthene	mg/kg	< 0.5			0.5	Pass	
Acenaphthylene	mg/kg	< 0.5			0.5	Pass	
Anthracene	mg/kg	< 0.5			0.5	Pass	
Benz(a)anthracene	mg/kg	< 0.5			0.5	Pass	
Benzo(a)pyrene	mg/kg	< 0.5			0.5	Pass	
Benzo(b&j)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Benzo(g,h,i)perylene	mg/kg	< 0.5			0.5	Pass	
Benzo(k)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Chrysene	mg/kg	< 0.5			0.5	Pass	
Dibenz(a,h)anthracene	mg/kg	< 0.5			0.5	Pass	
Fluoranthene	mg/kg	< 0.5			0.5	Pass	
Fluorene	mg/kg	< 0.5			0.5	Pass	
Indeno(1.2.3-cd)pyrene	mg/kg	< 0.5			0.5	Pass	
Naphthalene	mg/kg	< 0.5			0.5	Pass	
Phenanthrene	mg/kg	< 0.5			0.5	Pass	
Pyrene	mg/kg	< 0.5			0.5	Pass	
<b>Method Blank</b>							
<b>Organochlorine Pesticides</b>							
Chlordanes - Total	mg/kg	< 0.1			0.1	Pass	
4.4'-DDD	mg/kg	< 0.05			0.05	Pass	
4.4'-DDE	mg/kg	< 0.05			0.05	Pass	
4.4'-DDT	mg/kg	< 0.05			0.05	Pass	
a-HCH	mg/kg	< 0.05			0.05	Pass	
Aldrin	mg/kg	< 0.05			0.05	Pass	
b-HCH	mg/kg	< 0.05			0.05	Pass	
d-HCH	mg/kg	< 0.05			0.05	Pass	
Dieldrin	mg/kg	< 0.05			0.05	Pass	
Endosulfan I	mg/kg	< 0.05			0.05	Pass	
Endosulfan II	mg/kg	< 0.05			0.05	Pass	
Endosulfan sulphate	mg/kg	< 0.05			0.05	Pass	
Endrin	mg/kg	< 0.05			0.05	Pass	
Endrin aldehyde	mg/kg	< 0.05			0.05	Pass	
Endrin ketone	mg/kg	< 0.05			0.05	Pass	
g-HCH (Lindane)	mg/kg	< 0.05			0.05	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Heptachlor	mg/kg	< 0.05			0.05	Pass	
Heptachlor epoxide	mg/kg	< 0.05			0.05	Pass	
Hexachlorobenzene	mg/kg	< 0.05			0.05	Pass	
Methoxychlor	mg/kg	< 0.05			0.05	Pass	
Toxaphene	mg/kg	< 0.5			0.5	Pass	
<b>Method Blank</b>							
<b>Polychlorinated Biphenyls</b>							
Aroclor-1016	mg/kg	< 0.1			0.1	Pass	
Aroclor-1221	mg/kg	< 0.1			0.1	Pass	
Aroclor-1232	mg/kg	< 0.1			0.1	Pass	
Aroclor-1242	mg/kg	< 0.1			0.1	Pass	
Aroclor-1248	mg/kg	< 0.1			0.1	Pass	
Aroclor-1254	mg/kg	< 0.1			0.1	Pass	
Aroclor-1260	mg/kg	< 0.1			0.1	Pass	
Total PCB*	mg/kg	< 0.1			0.1	Pass	
<b>Method Blank</b>							
<b>Phenols (Halogenated)</b>							
2-Chlorophenol	mg/kg	< 0.5			0.5	Pass	
2,4-Dichlorophenol	mg/kg	< 0.5			0.5	Pass	
2,4,5-Trichlorophenol	mg/kg	< 1			1	Pass	
2,4,6-Trichlorophenol	mg/kg	< 1			1	Pass	
2,6-Dichlorophenol	mg/kg	< 0.5			0.5	Pass	
4-Chloro-3-methylphenol	mg/kg	< 1			1	Pass	
Pentachlorophenol	mg/kg	< 1			1	Pass	
Tetrachlorophenols - Total	mg/kg	< 10			10	Pass	
<b>Method Blank</b>							
<b>Phenols (non-Halogenated)</b>							
2-Cyclohexyl-4,6-dinitrophenol	mg/kg	< 20			20	Pass	
2-Methyl-4,6-dinitrophenol	mg/kg	< 5			5	Pass	
2-Nitrophenol	mg/kg	< 1			1.0	Pass	
2,4-Dimethylphenol	mg/kg	< 0.5			0.5	Pass	
2,4-Dinitrophenol	mg/kg	< 5			5	Pass	
2-Methylphenol (o-Cresol)	mg/kg	< 0.2			0.2	Pass	
3&4-Methylphenol (m&p-Cresol)	mg/kg	< 0.4			0.4	Pass	
4-Nitrophenol	mg/kg	< 5			5	Pass	
Dinoseb	mg/kg	< 20			20	Pass	
Phenol	mg/kg	< 0.5			0.5	Pass	
<b>Method Blank</b>							
Chromium (hexavalent)	mg/kg	< 1			1	Pass	
Cyanide (total)	mg/kg	< 5			5	Pass	
Fluoride (Total)	mg/kg	< 100			100	Pass	
<b>Method Blank</b>							
<b>Heavy Metals</b>							
Arsenic	mg/kg	< 2			2	Pass	
Cadmium	mg/kg	< 0.4			0.4	Pass	
Chromium	mg/kg	< 5			5	Pass	
Copper	mg/kg	< 5			5	Pass	
Lead	mg/kg	< 5			5	Pass	
Mercury	mg/kg	< 0.1			0.1	Pass	
Molybdenum	mg/kg	< 5			5	Pass	
Nickel	mg/kg	< 5			5	Pass	
Selenium	mg/kg	< 2			2	Pass	
Silver	mg/kg	< 2			2	Pass	
Tin	mg/kg	< 10			10	Pass	

Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Zinc	mg/kg	< 5		5	Pass	
<b>Method Blank</b>						
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA)	ug/kg	< 5		5	Pass	
Perfluoropentanoic acid (PFPeA)	ug/kg	< 5		5	Pass	
Perfluorohexanoic acid (PFHxA)	ug/kg	< 5		5	Pass	
Perfluoroheptanoic acid (PFHpA)	ug/kg	< 5		5	Pass	
Perfluorooctanoic acid (PFOA)	ug/kg	< 5		5	Pass	
Perfluorononanoic acid (PFNA)	ug/kg	< 5		5	Pass	
Perfluorodecanoic acid (PFDA)	ug/kg	< 5		5	Pass	
Perfluoroundecanoic acid (PFUnDA)	ug/kg	< 5		5	Pass	
Perfluorododecanoic acid (PFDoDA)	ug/kg	< 5		5	Pass	
Perfluorotridecanoic acid (PFTTrDA)	ug/kg	< 5		5	Pass	
Perfluorotetradecanoic acid (PFTTeDA)	ug/kg	< 5		5	Pass	
<b>Method Blank</b>						
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA)	ug/kg	< 5		5	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	ug/kg	< 5		5	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	ug/kg	< 5		5	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	ug/kg	< 5		5	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	ug/kg	< 5		5	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	ug/kg	< 10		10	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	ug/kg	< 10		10	Pass	
<b>Method Blank</b>						
<b>Perfluoroalkyl sulfonic acids (PFSAs)</b>						
Perfluorobutanesulfonic acid (PFBS)	ug/kg	< 5		5	Pass	
Perfluorononanesulfonic acid (PFNS)	ug/kg	< 5		5	Pass	
Perfluoropropanesulfonic acid (PFPrS)	ug/kg	< 5		5	Pass	
Perfluoropentanesulfonic acid (PFPeS)	ug/kg	< 5		5	Pass	
Perfluorohexanesulfonic acid (PFHxS)	ug/kg	< 5		5	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	ug/kg	< 5		5	Pass	
Perfluorooctanesulfonic acid (PFOS)	ug/kg	< 5		5	Pass	
Perfluorodecanesulfonic acid (PFDS)	ug/kg	< 5		5	Pass	
<b>Method Blank</b>						
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	ug/kg	< 5		5	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	ug/kg	< 10		10	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	ug/kg	< 5		5	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	ug/kg	< 5		5	Pass	
<b>LCS - % Recovery</b>						
<b>Total Recoverable Hydrocarbons</b>						
TRH C6-C9	%	114		70-130	Pass	
TRH C10-C14	%	101		70-130	Pass	
Naphthalene	%	92		70-130	Pass	
TRH C6-C10	%	115		70-130	Pass	
TRH >C10-C16	%	106		70-130	Pass	
<b>LCS - % Recovery</b>						
<b>Volatile Organics</b>						
1.1-Dichloroethene	%	97		70-130	Pass	
1.1.1-Trichloroethane	%	91		70-130	Pass	
1.2-Dichlorobenzene	%	88		70-130	Pass	
1.2-Dichloroethane	%	112		70-130	Pass	
Benzene	%	103		70-130	Pass	
Ethylbenzene	%	108		70-130	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
m&p-Xylenes	%	103			70-130	Pass	
Toluene	%	94			70-130	Pass	
Trichloroethene	%	99			70-130	Pass	
Xylenes - Total*	%	105			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Polycyclic Aromatic Hydrocarbons</b>							
Acenaphthene	%	80			70-130	Pass	
Acenaphthylene	%	92			70-130	Pass	
Anthracene	%	75			70-130	Pass	
Benz(a)anthracene	%	100			70-130	Pass	
Benzo(a)pyrene	%	72			70-130	Pass	
Benzo(b&i)fluoranthene	%	74			70-130	Pass	
Benzo(g,h,i)perylene	%	77			70-130	Pass	
Benzo(k)fluoranthene	%	97			70-130	Pass	
Chrysene	%	85			70-130	Pass	
Dibenz(a,h)anthracene	%	73			70-130	Pass	
Fluoranthene	%	72			70-130	Pass	
Fluorene	%	80			70-130	Pass	
Indeno(1,2,3-cd)pyrene	%	80			70-130	Pass	
Naphthalene	%	81			70-130	Pass	
Phenanthrene	%	100			70-130	Pass	
Pyrene	%	74			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Organochlorine Pesticides</b>							
Chlordanes - Total	%	100			70-130	Pass	
4,4'-DDD	%	123			70-130	Pass	
4,4'-DDE	%	72			70-130	Pass	
4,4'-DDT	%	90			70-130	Pass	
a-HCH	%	97			70-130	Pass	
Aldrin	%	97			70-130	Pass	
b-HCH	%	89			70-130	Pass	
d-HCH	%	98			70-130	Pass	
Dieldrin	%	97			70-130	Pass	
Endosulfan I	%	102			70-130	Pass	
Endosulfan II	%	87			70-130	Pass	
Endosulfan sulphate	%	93			70-130	Pass	
Endrin	%	73			70-130	Pass	
Endrin aldehyde	%	83			70-130	Pass	
Endrin ketone	%	85			70-130	Pass	
g-HCH (Lindane)	%	88			70-130	Pass	
Heptachlor	%	104			70-130	Pass	
Heptachlor epoxide	%	95			70-130	Pass	
Hexachlorobenzene	%	101			70-130	Pass	
Methoxychlor	%	83			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Polychlorinated Biphenyls</b>							
Aroclor-1260	%	110			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Phenols (Halogenated)</b>							
2-Chlorophenol	%	73			25-140	Pass	
2,4-Dichlorophenol	%	84			25-140	Pass	
2,4,5-Trichlorophenol	%	64			25-140	Pass	
2,4,6-Trichlorophenol	%	84			25-140	Pass	
2,6-Dichlorophenol	%	52			25-140	Pass	

Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
4-Chloro-3-methylphenol	%	70		25-140	Pass	
Pentachlorophenol	%	57		25-140	Pass	
Tetrachlorophenols - Total	%	32		25-140	Pass	
<b>LCS - % Recovery</b>						
<b>Phenols (non-Halogenated)</b>						
2-Cyclohexyl-4,6-dinitrophenol	%	52		25-140	Pass	
2-Methyl-4,6-dinitrophenol	%	53		25-140	Pass	
2-Nitrophenol	%	84		25-140	Pass	
2,4-Dimethylphenol	%	58		25-140	Pass	
2,4-Dinitrophenol	%	53		25-140	Pass	
2-Methylphenol (o-Cresol)	%	54		25-140	Pass	
3&4-Methylphenol (m&p-Cresol)	%	87		25-140	Pass	
4-Nitrophenol	%	50		25-140	Pass	
Dinoseb	%	63		25-140	Pass	
Phenol	%	67		25-140	Pass	
<b>LCS - % Recovery</b>						
Chromium (hexavalent)	%	86		70-130	Pass	
Cyanide (total)	%	99		70-130	Pass	
Fluoride (Total)	%	93		70-130	Pass	
<b>LCS - % Recovery</b>						
<b>Heavy Metals</b>						
Arsenic	%	106		80-120	Pass	
Cadmium	%	112		80-120	Pass	
Chromium	%	111		80-120	Pass	
Copper	%	110		80-120	Pass	
Lead	%	114		80-120	Pass	
Mercury	%	106		80-120	Pass	
Molybdenum	%	110		80-120	Pass	
Nickel	%	110		80-120	Pass	
Selenium	%	106		80-120	Pass	
Silver	%	112		80-120	Pass	
Tin	%	106		80-120	Pass	
Zinc	%	109		80-120	Pass	
<b>LCS - % Recovery</b>						
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA)	%	98		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	103		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	110		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	114		50-150	Pass	
Perfluorooctanoic acid (PFOA)	%	116		50-150	Pass	
Perfluorononanoic acid (PFNA)	%	111		50-150	Pass	
Perfluorodecanoic acid (PFDA)	%	126		50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	%	118		50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	%	127		50-150	Pass	
Perfluorotridecanoic acid (PFTrDA)	%	149		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	%	137		50-150	Pass	
<b>LCS - % Recovery</b>						
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA)	%	110		50-150	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	%	115		50-150	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	%	94		50-150	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	%	103		50-150	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	%	102		50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	%	108		50-150	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	%	94			50-150	Pass		
<b>LCS - % Recovery</b>								
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>								
Perfluorobutanesulfonic acid (PFBS)	%	118			50-150	Pass		
Perfluorononanesulfonic acid (PFNS)	%	119			50-150	Pass		
Perfluoropropanesulfonic acid (PFPrS)	%	107			50-150	Pass		
Perfluoropentanesulfonic acid (PFPeS)	%	110			50-150	Pass		
Perfluorohexanesulfonic acid (PFHxS)	%	105			50-150	Pass		
Perfluoroheptanesulfonic acid (PFHpS)	%	67			50-150	Pass		
Perfluorooctanesulfonic acid (PFOS)	%	112			50-150	Pass		
Perfluorodecanesulfonic acid (PFDS)	%	132			50-150	Pass		
<b>LCS - % Recovery</b>								
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>								
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	%	108			50-150	Pass		
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	%	109			50-150	Pass		
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	%	111			50-150	Pass		
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	%	106			50-150	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
<b>Spike - % Recovery</b>								
<b>Polycyclic Aromatic Hydrocarbons</b>				Result 1				
Acenaphthene	M22-Ap0047241	NCP	%	111		70-130	Pass	
Acenaphthylene	M22-Ap0047241	NCP	%	117		70-130	Pass	
Anthracene	M22-Ap0047241	NCP	%	94		70-130	Pass	
Benz(a)anthracene	M22-Ap0047241	NCP	%	85		70-130	Pass	
Benzo(a)pyrene	M22-Ap0047241	NCP	%	95		70-130	Pass	
Benzo(b&i)fluoranthene	M22-Ap0047241	NCP	%	82		70-130	Pass	
Benzo(g,h,i)perylene	M22-Ap0047241	NCP	%	96		70-130	Pass	
Benzo(k)fluoranthene	M22-Ap0047241	NCP	%	82		70-130	Pass	
Chrysene	M22-Ap0047241	NCP	%	86		70-130	Pass	
Dibenz(a,h)anthracene	M22-Ap0047241	NCP	%	95		70-130	Pass	
Fluoranthene	M22-Ap0047241	NCP	%	90		70-130	Pass	
Fluorene	M22-Ap0047241	NCP	%	103		70-130	Pass	
Indeno(1,2,3-cd)pyrene	M22-Ap0047241	NCP	%	108		70-130	Pass	
Naphthalene	M22-Ap0047241	NCP	%	110		70-130	Pass	
Phenanthrene	M22-Ap0047241	NCP	%	77		70-130	Pass	
Pyrene	M22-Ap0047241	NCP	%	89		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Phenols (Halogenated)</b>				Result 1				
2-Chlorophenol	M22-Ap0047241	NCP	%	82		30-130	Pass	
2,4-Dichlorophenol	M22-Ap0047241	NCP	%	111		30-130	Pass	
2,4,5-Trichlorophenol	M22-Ap0047241	NCP	%	51		30-130	Pass	
2,4,6-Trichlorophenol	M22-Ap0047241	NCP	%	53		30-130	Pass	
2,6-Dichlorophenol	M22-Ap0047241	NCP	%	63		30-130	Pass	
4-Chloro-3-methylphenol	M22-Ap0047241	NCP	%	95		30-130	Pass	
Pentachlorophenol	M22-Ap0047241	NCP	%	103		30-130	Pass	
Tetrachlorophenols - Total	M22-Ap0047241	NCP	%	40		30-130	Pass	
<b>Spike - % Recovery</b>								
<b>Phenols (non-Halogenated)</b>				Result 1				
2-Cyclohexyl-4,6-dinitrophenol	M22-Ap0047241	NCP	%	42		30-130	Pass	
2-Methyl-4,6-dinitrophenol	M22-Ap0047241	NCP	%	100		30-130	Pass	
2-Nitrophenol	M22-Ap0047241	NCP	%	99		30-130	Pass	
2,4-Dimethylphenol	M22-Ap0047241	NCP	%	87		30-130	Pass	
2-Methylphenol (o-Cresol)	M22-Ap0047241	NCP	%	83		30-130	Pass	
3&4-Methylphenol (m&p-Cresol)	M22-Ap0047241	NCP	%	107		30-130	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
4-Nitrophenol	M22-Ap0047241	NCP	%	50		30-130	Pass	
Dinoseb	M22-Ap0047241	NCP	%	47		30-130	Pass	
Phenol	M22-Ap0047241	NCP	%	89		30-130	Pass	
<b>Spike - % Recovery</b>								
				Result 1				
Chromium (hexavalent)	M22-Ap0050628	CP	%	82		70-130	Pass	
Fluoride (Total)	M22-Ap0040378	NCP	%	84		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>				Result 1				
Perfluorobutanoic acid (PFBA)	M22-Ap0050758	NCP	%	99		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	M22-Ap0050758	NCP	%	103		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	M22-Ap0050758	NCP	%	97		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	M22-Ap0050758	NCP	%	107		50-150	Pass	
Perfluorooctanoic acid (PFOA)	M22-Ap0050758	NCP	%	111		50-150	Pass	
Perfluorononanoic acid (PFNA)	M22-Ap0050758	NCP	%	108		50-150	Pass	
Perfluorodecanoic acid (PFDA)	M22-Ap0050758	NCP	%	128		50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	M22-Ap0050758	NCP	%	123		50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	M22-Ap0050758	NCP	%	125		50-150	Pass	
Perfluorotridecanoic acid (PFTrDA)	M22-Ap0050758	NCP	%	118		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	M22-Ap0050758	NCP	%	118		50-150	Pass	
<b>Spike - % Recovery</b>								
<b>Perfluoroalkyl sulfonamido substances</b>				Result 1				
Perfluorooctane sulfonamide (FOSA)	M22-Ap0050758	NCP	%	108		50-150	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-Ap0050758	NCP	%	115		50-150	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-Ap0050758	NCP	%	101		50-150	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-Ap0050758	NCP	%	111		50-150	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-Ap0050758	NCP	%	109		50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-Ap0050758	NCP	%	90		50-150	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-Ap0050758	NCP	%	82		50-150	Pass	
<b>Spike - % Recovery</b>								
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>				Result 1				
Perfluorobutanesulfonic acid (PFBS)	M22-Ap0050758	NCP	%	97		50-150	Pass	
Perfluorononanesulfonic acid (PFNS)	M22-Ap0050758	NCP	%	117		50-150	Pass	
Perfluoropropanesulfonic acid (PFPrS)	M22-Ap0050758	NCP	%	129		50-150	Pass	
Perfluoropentanesulfonic acid (PFPeS)	M22-Ap0050758	NCP	%	138		50-150	Pass	
Perfluorohexanesulfonic acid (PFHxS)	M22-Ap0050758	NCP	%	142		50-150	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	M22-Ap0050758	NCP	%	79		50-150	Pass	
Perfluorooctanesulfonic acid (PFOS)	M22-Ap0050758	NCP	%	142		50-150	Pass	
Perfluorodecanesulfonic acid (PFDS)	M22-Ap0050758	NCP	%	99		50-150	Pass	
<b>Spike - % Recovery</b>								

Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>				Result 1				
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-Ap0050758	NCP	%	101		50-150	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-Ap0050758	NCP	%	124		50-150	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-Ap0050758	NCP	%	116		50-150	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-Ap0050758	NCP	%	84		50-150	Pass	
<b>Spike - % Recovery</b>								
<b>Polychlorinated Biphenyls</b>				Result 1				
Aroclor-1016	M22-Ap0040342	NCP	%	71		70-130	Pass	
Aroclor-1260	M22-Ap0040342	NCP	%	80		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Total Recoverable Hydrocarbons</b>				Result 1				
TRH C6-C9	M22-Ap0050641	CP	%	79		70-130	Pass	
TRH C10-C14	M22-Ap0050641	CP	%	108		70-130	Pass	
Naphthalene	M22-Ap0050641	CP	%	93		70-130	Pass	
TRH C6-C10	M22-Ap0050641	CP	%	77		70-130	Pass	
TRH >C10-C16	M22-Ap0050641	CP	%	110		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Volatile Organics</b>				Result 1				
1,1-Dichloroethene	M22-Ap0050641	CP	%	95		70-130	Pass	
1,1,1-Trichloroethane	M22-Ap0050641	CP	%	89		70-130	Pass	
1,2-Dichlorobenzene	M22-Ap0050641	CP	%	92		70-130	Pass	
1,2-Dichloroethane	M22-Ap0050641	CP	%	113		70-130	Pass	
Benzene	M22-Ap0050641	CP	%	96		70-130	Pass	
Ethylbenzene	M22-Ap0050641	CP	%	94		70-130	Pass	
m&p-Xylenes	M22-Ap0050641	CP	%	92		70-130	Pass	
o-Xylene	M22-Ap0050641	CP	%	93		70-130	Pass	
Toluene	M22-Ap0050641	CP	%	98		70-130	Pass	
Trichloroethene	M22-Ap0050641	CP	%	101		70-130	Pass	
Xylenes - Total*	M22-Ap0050641	CP	%	93		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Organochlorine Pesticides</b>				Result 1				
Chlordanes - Total	M22-Ap0050641	CP	%	99		70-130	Pass	
4,4'-DDD	M22-Ap0050641	CP	%	91		70-130	Pass	
4,4'-DDE	M22-Ap0050641	CP	%	76		70-130	Pass	
4,4'-DDT	M22-Ap0050641	CP	%	123		70-130	Pass	
a-HCH	M22-Ap0050641	CP	%	85		70-130	Pass	
Aldrin	M22-Ap0050641	CP	%	72		70-130	Pass	
b-HCH	M22-Ap0050641	CP	%	74		70-130	Pass	
d-HCH	M22-Ap0050641	CP	%	100		70-130	Pass	
Dieldrin	M22-Ap0050641	CP	%	95		70-130	Pass	
Endosulfan I	M22-Ap0050641	CP	%	71		70-130	Pass	
Endosulfan II	M22-Ap0050641	CP	%	96		70-130	Pass	
Endosulfan sulphate	M22-Ap0050641	CP	%	87		70-130	Pass	
Endrin	M22-Ap0050641	CP	%	72		70-130	Pass	
Endrin aldehyde	M22-Ap0050641	CP	%	103		70-130	Pass	
Endrin ketone	M22-Ap0050641	CP	%	85		70-130	Pass	
g-HCH (Lindane)	M22-Ap0050641	CP	%	106		70-130	Pass	
Heptachlor	M22-Ap0050641	CP	%	123		70-130	Pass	
Heptachlor epoxide	M22-Ap0050641	CP	%	96		70-130	Pass	



Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Hexachlorobenzene	M22-Ap0050641	CP	%	81		70-130	Pass	
Methoxychlor	M22-Ap0050641	CP	%	123		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Heavy Metals</b>				Result 1				
Arsenic	M22-Ap0050641	CP	%	92		75-125	Pass	
Cadmium	M22-Ap0050641	CP	%	110		75-125	Pass	
Chromium	M22-Ap0050641	CP	%	79		75-125	Pass	
Copper	M22-Ap0050641	CP	%	95		75-125	Pass	
Lead	M22-Ap0050641	CP	%	105		75-125	Pass	
Mercury	M22-Ap0050641	CP	%	104		75-125	Pass	
Molybdenum	M22-Ap0050641	CP	%	115		75-125	Pass	
Nickel	M22-Ap0050641	CP	%	89		75-125	Pass	
Selenium	M22-Ap0050641	CP	%	94		75-125	Pass	
Silver	M22-Ap0050641	CP	%	111		75-125	Pass	
Tin	M22-Ap0050641	CP	%	108		75-125	Pass	
Zinc	M22-Ap0050641	CP	%	74		75-125	Fail	Q08
<b>Spike - % Recovery</b>								
				Result 1				
Chromium (hexavalent)	M22-Ap0050646	CP	%	85		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Total Recoverable Hydrocarbons</b>				Result 1				
TRH C6-C9	M22-Ap0050650	CP	%	99		70-130	Pass	
Naphthalene	M22-Ap0050650	CP	%	130		70-130	Pass	
TRH C6-C10	M22-Ap0050650	CP	%	99		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Volatile Organics</b>				Result 1				
1.1.1-Trichloroethane	M22-Ap0050650	CP	%	82		70-130	Pass	
1.2-Dichlorobenzene	M22-Ap0050650	CP	%	120		70-130	Pass	
1.2-Dichloroethane	M22-Ap0050650	CP	%	113		70-130	Pass	
Benzene	M22-Ap0050650	CP	%	99		70-130	Pass	
Ethylbenzene	M22-Ap0050650	CP	%	108		70-130	Pass	
m&p-Xylenes	M22-Ap0050650	CP	%	105		70-130	Pass	
o-Xylene	M22-Ap0050650	CP	%	106		70-130	Pass	
Toluene	M22-Ap0050650	CP	%	127		70-130	Pass	
Trichloroethene	M22-Ap0050650	CP	%	104		70-130	Pass	
Xylenes - Total*	M22-Ap0050650	CP	%	105		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Organochlorine Pesticides</b>				Result 1				
Chlordanes - Total	M22-Ap0050651	CP	%	117		70-130	Pass	
4.4'-DDD	M22-Ap0050651	CP	%	123		70-130	Pass	
4.4'-DDE	M22-Ap0050651	CP	%	123		70-130	Pass	
4.4'-DDT	M22-Ap0050651	CP	%	85		70-130	Pass	
a-HCH	M22-Ap0050651	CP	%	123		70-130	Pass	
Aldrin	M22-Ap0050651	CP	%	121		70-130	Pass	
b-HCH	M22-Ap0050651	CP	%	85		70-130	Pass	
d-HCH	M22-Ap0050651	CP	%	97		70-130	Pass	
Dieldrin	M22-Ap0050651	CP	%	115		70-130	Pass	
Endosulfan I	M22-Ap0050651	CP	%	126		70-130	Pass	
Endosulfan II	M22-Ap0050651	CP	%	119		70-130	Pass	
Endosulfan sulphate	M22-Ap0050651	CP	%	93		70-130	Pass	
Endrin	M22-Ap0050651	CP	%	102		70-130	Pass	
Endrin aldehyde	M22-Ap0050651	CP	%	89		70-130	Pass	
Endrin ketone	M22-Ap0050651	CP	%	113		70-130	Pass	
g-HCH (Lindane)	M22-Ap0050651	CP	%	123		70-130	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Heptachlor	M22-Ap0050651	CP	%	97			70-130	Pass	
Heptachlor epoxide	M22-Ap0050651	CP	%	122			70-130	Pass	
Hexachlorobenzene	M22-Ap0050651	CP	%	83			70-130	Pass	
Methoxychlor	M22-Ap0050651	CP	%	85			70-130	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Duplicate</b>									
<b>Total Recoverable Hydrocarbons</b>				Result 1	Result 2	RPD			
TRH C6-C9	M22-Ap0050628	CP	mg/kg	< 20	< 20	<1	30%	Pass	
Naphthalene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
TRH C6-C10	M22-Ap0050628	CP	mg/kg	< 20	< 20	<1	30%	Pass	
<b>Duplicate</b>									
<b>Volatile Organics</b>				Result 1	Result 2	RPD			
Hexachlorobutadiene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
<b>Duplicate</b>									
<b>Volatile Organics</b>				Result 1	Result 2	RPD			
1.1-Dichloroethane	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2.4-Trichlorobenzene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1-Dichloroethene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1.1-Trichloroethane	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1.1.2-Tetrachloroethane	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1.2-Trichloroethane	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1.2.2-Tetrachloroethane	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2-Dibromoethane	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2-Dichlorobenzene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2-Dichloroethane	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2-Dichloropropane	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2.3-Trichloropropane	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2.4-Trimethylbenzene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.3-Dichlorobenzene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.3-Dichloropropane	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.3.5-Trimethylbenzene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.4-Dichlorobenzene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
2-Butanone (MEK)	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
2-Propanone (Acetone)	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
4-Chlorotoluene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
4-Methyl-2-pentanone (MIBK)	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Allyl chloride	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benzene	M22-Ap0050628	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass	
Bromobenzene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Bromochloromethane	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Bromodichloromethane	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Bromoform	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Bromomethane	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Carbon disulfide	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Carbon Tetrachloride	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Chlorobenzene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Chloroethane	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Chloroform	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Chloromethane	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
cis-1.2-Dichloroethene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
cis-1.3-Dichloropropene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Dibromochloromethane	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Dibromomethane	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Dichlorodifluoromethane	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	

Duplicate								
Volatile Organics				Result 1	Result 2	RPD		
Ethylbenzene	M22-Ap0050628	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Iodomethane	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Isopropyl benzene (Cumene)	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
m&p-Xylenes	M22-Ap0050628	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Methylene Chloride	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
o-Xylene	M22-Ap0050628	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Styrene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Tetrachloroethene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Toluene	M22-Ap0050628	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
trans-1,2-Dichloroethene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
trans-1,3-Dichloropropene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Trichloroethene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Trichlorofluoromethane	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Vinyl chloride	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Xylenes - Total*	M22-Ap0050628	CP	mg/kg	< 0.3	< 0.3	<1	30%	Pass
Duplicate								
Polycyclic Aromatic Hydrocarbons				Result 1	Result 2	RPD		
Acenaphthene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Acenaphthylene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Anthracene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benz(a)anthracene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(a)pyrene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(b&j)fluoranthene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(g,h,i)perylene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(k)fluoranthene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chrysene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibenz(a,h)anthracene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Fluoranthene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Fluorene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Indeno(1,2,3-cd)pyrene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Naphthalene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Phenanthrene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Pyrene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
Organochlorine Pesticides				Result 1	Result 2	RPD		
Chlordanes - Total	M22-Ap0050628	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
4,4'-DDD	M22-Ap0050628	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
4,4'-DDE	M22-Ap0050628	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
4,4'-DDT	M22-Ap0050628	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
a-HCH	M22-Ap0050628	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Aldrin	M22-Ap0050628	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
b-HCH	M22-Ap0050628	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
d-HCH	M22-Ap0050628	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Dieldrin	M22-Ap0050628	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan I	M22-Ap0050628	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan II	M22-Ap0050628	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan sulphate	M22-Ap0050628	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin	M22-Ap0050628	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin aldehyde	M22-Ap0050628	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin ketone	M22-Ap0050628	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
g-HCH (Lindane)	M22-Ap0050628	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Heptachlor	M22-Ap0050628	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Heptachlor epoxide	M22-Ap0050628	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Hexachlorobenzene	M22-Ap0050628	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass

Duplicate								
<b>Organochlorine Pesticides</b>				Result 1	Result 2	RPD		
Methoxychlor	M22-Ap0050628	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Toxaphene	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
<b>Polychlorinated Biphenyls</b>				Result 1	Result 2	RPD		
Aroclor-1016	M22-Ap0050628	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1221	M22-Ap0050628	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1232	M22-Ap0050628	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1242	M22-Ap0050628	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1248	M22-Ap0050628	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1254	M22-Ap0050628	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1260	M22-Ap0050628	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Total PCB*	M22-Ap0050628	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Duplicate								
<b>Phenols (Halogenated)</b>				Result 1	Result 2	RPD		
2-Chlorophenol	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2,4-Dichlorophenol	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2,4,5-Trichlorophenol	M22-Ap0050628	CP	mg/kg	< 1	< 1	<1	30%	Pass
2,4,6-Trichlorophenol	M22-Ap0050628	CP	mg/kg	< 1	< 1	<1	30%	Pass
2,6-Dichlorophenol	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Chloro-3-methylphenol	M22-Ap0050628	CP	mg/kg	< 1	< 1	<1	30%	Pass
Pentachlorophenol	M22-Ap0050628	CP	mg/kg	< 1	< 1	<1	30%	Pass
Tetrachlorophenols - Total	M22-Ap0050628	CP	mg/kg	< 10	< 10	<1	30%	Pass
Duplicate								
<b>Phenols (non-Halogenated)</b>				Result 1	Result 2	RPD		
2-Cyclohexyl-4,6-dinitrophenol	M22-Ap0050628	CP	mg/kg	< 20	< 20	<1	30%	Pass
2-Methyl-4,6-dinitrophenol	M22-Ap0050628	CP	mg/kg	< 5	< 5	<1	30%	Pass
2-Nitrophenol	M22-Ap0050628	CP	mg/kg	< 1	< 1	<1	30%	Pass
2,4-Dimethylphenol	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2,4-Dinitrophenol	M22-Ap0050628	CP	mg/kg	< 5	< 5	<1	30%	Pass
2-Methylphenol (o-Cresol)	M22-Ap0050628	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
3&4-Methylphenol (m&p-Cresol)	M22-Ap0050628	CP	mg/kg	< 0.4	< 0.4	<1	30%	Pass
4-Nitrophenol	M22-Ap0050628	CP	mg/kg	< 5	< 5	<1	30%	Pass
Dinoseb	M22-Ap0050628	CP	mg/kg	< 20	< 20	<1	30%	Pass
Phenol	M22-Ap0050628	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
				Result 1	Result 2	RPD		
Fluoride (Total)	M22-Ap0050628	CP	mg/kg	< 100	< 100	<1	30%	Pass
% Moisture	M22-Ap0050628	CP	%	32	32	2.0	30%	Pass
Duplicate								
<b>Heavy Metals</b>				Result 1	Result 2	RPD		
Arsenic	M22-Ap0050628	CP	mg/kg	54	54	<1	30%	Pass
Cadmium	M22-Ap0050628	CP	mg/kg	< 0.4	< 0.4	<1	30%	Pass
Chromium	M22-Ap0050628	CP	mg/kg	150	150	1.0	30%	Pass
Copper	M22-Ap0050628	CP	mg/kg	79	80	1.0	30%	Pass
Lead	M22-Ap0050628	CP	mg/kg	6.5	6.7	3.0	30%	Pass
Mercury	M22-Ap0050628	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Molybdenum	M22-Ap0050628	CP	mg/kg	< 5	< 5	<1	30%	Pass
Nickel	M22-Ap0050628	CP	mg/kg	200	200	<1	30%	Pass
Selenium	M22-Ap0050628	CP	mg/kg	< 2	< 2	<1	30%	Pass
Silver	M22-Ap0050628	CP	mg/kg	< 2	< 2	<1	30%	Pass
Tin	M22-Ap0050628	CP	mg/kg	< 10	< 10	<1	30%	Pass
Zinc	M22-Ap0050628	CP	mg/kg	150	150	2.0	30%	Pass

Duplicate								
Perfluoroalkyl carboxylic acids (PFCAs)				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-Ap0050631	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-Ap0050631	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-Ap0050631	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-Ap0050631	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-Ap0050631	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-Ap0050631	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-Ap0050631	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-Ap0050631	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-Ap0050631	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorotridecanoic acid (PFTrDA)	M22-Ap0050631	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-Ap0050631	CP	ug/kg	< 5	< 5	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-Ap0050631	CP	ug/kg	< 5	< 5	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-Ap0050631	CP	ug/kg	< 5	< 5	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-Ap0050631	CP	ug/kg	< 5	< 5	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-Ap0050631	CP	ug/kg	< 5	< 5	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-Ap0050631	CP	ug/kg	< 5	< 5	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-Ap0050631	CP	ug/kg	< 10	< 10	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-Ap0050631	CP	ug/kg	< 10	< 10	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSAs)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-Ap0050631	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-Ap0050631	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-Ap0050631	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-Ap0050631	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-Ap0050631	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-Ap0050631	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-Ap0050631	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-Ap0050631	CP	ug/kg	< 5	< 5	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-Ap0050631	CP	ug/kg	< 5	< 5	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-Ap0050631	CP	ug/kg	< 10	< 10	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-Ap0050631	CP	ug/kg	< 5	< 5	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-Ap0050631	CP	ug/kg	< 5	< 5	<1	30%	Pass

Duplicate								
				Result 1	Result 2	RPD		
Chromium (hexavalent)	M22-Ap0050636	CP	mg/kg	< 1	< 1	<1	30%	Pass
Duplicate								
Total Recoverable Hydrocarbons				Result 1	Result 2	RPD		
TRH C6-C9	M22-Ap0050640	CP	mg/kg	< 20	< 20	<1	30%	Pass
TRH C10-C14	M22-Ap0050640	CP	mg/kg	< 20	< 20	<1	30%	Pass
TRH C15-C28	M22-Ap0050640	CP	mg/kg	< 50	< 50	<1	30%	Pass
TRH C29-C36	M22-Ap0050640	CP	mg/kg	< 50	< 50	<1	30%	Pass
Naphthalene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
TRH C6-C10	M22-Ap0050640	CP	mg/kg	< 20	< 20	<1	30%	Pass
TRH >C10-C16	M22-Ap0050640	CP	mg/kg	< 50	< 50	<1	30%	Pass
TRH >C16-C34	M22-Ap0050640	CP	mg/kg	< 100	< 100	<1	30%	Pass
TRH >C34-C40	M22-Ap0050640	CP	mg/kg	< 100	< 100	<1	30%	Pass
Duplicate								
Volatile Organics				Result 1	Result 2	RPD		
Hexachlorobutadiene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
Volatile Organics				Result 1	Result 2	RPD		
1.1-Dichloroethane	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2.4-Trichlorobenzene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.1-Dichloroethene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.1.1-Trichloroethane	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.1.1.2-Tetrachloroethane	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.1.2-Trichloroethane	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.1.2.2-Tetrachloroethane	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2-Dibromoethane	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2-Dichlorobenzene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2-Dichloroethane	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2-Dichloropropane	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2.3-Trichloropropane	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2.4-Trimethylbenzene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.3-Dichlorobenzene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.3-Dichloropropane	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.3.5-Trimethylbenzene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.4-Dichlorobenzene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2-Butanone (MEK)	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2-Propanone (Acetone)	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Chlorotoluene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Methyl-2-pentanone (MIBK)	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Allyl chloride	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzene	M22-Ap0050640	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Bromobenzene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromochloromethane	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromodichloromethane	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromoform	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromomethane	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Carbon disulfide	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Carbon Tetrachloride	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chlorobenzene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloroethane	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloroform	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloromethane	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
cis-1.2-Dichloroethene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
cis-1.3-Dichloropropene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibromochloromethane	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass

Duplicate								
Volatile Organics				Result 1	Result 2	RPD		
Dibromomethane	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dichlorodifluoromethane	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Ethylbenzene	M22-Ap0050640	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Iodomethane	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Isopropyl benzene (Cumene)	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
m&p-Xylenes	M22-Ap0050640	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Methylene Chloride	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
o-Xylene	M22-Ap0050640	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Styrene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Tetrachloroethene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Toluene	M22-Ap0050640	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
trans-1,2-Dichloroethene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
trans-1,3-Dichloropropene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Trichloroethene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Trichlorofluoromethane	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Vinyl chloride	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Xylenes - Total*	M22-Ap0050640	CP	mg/kg	< 0.3	< 0.3	<1	30%	Pass
Duplicate								
Polycyclic Aromatic Hydrocarbons				Result 1	Result 2	RPD		
Acenaphthene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Acenaphthylene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Anthracene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benz(a)anthracene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(a)pyrene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(b&j)fluoranthene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(g,h,i)perylene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(k)fluoranthene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chrysene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibenz(a,h)anthracene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Fluoranthene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Fluorene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Indeno(1,2,3-cd)pyrene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Naphthalene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Phenanthrene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Pyrene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
Organochlorine Pesticides				Result 1	Result 2	RPD		
Chlordanes - Total	M22-Ap0050640	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
4,4'-DDD	M22-Ap0050640	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
4,4'-DDE	M22-Ap0050640	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
4,4'-DDT	M22-Ap0050640	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
a-HCH	M22-Ap0050640	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Aldrin	M22-Ap0050640	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
b-HCH	M22-Ap0050640	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
d-HCH	M22-Ap0050640	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Dieldrin	M22-Ap0050640	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan I	M22-Ap0050640	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan II	M22-Ap0050640	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan sulphate	M22-Ap0050640	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin	M22-Ap0050640	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin aldehyde	M22-Ap0050640	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin ketone	M22-Ap0050640	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
g-HCH (Lindane)	M22-Ap0050640	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Heptachlor	M22-Ap0050640	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass

Duplicate								
<b>Organochlorine Pesticides</b>				Result 1	Result 2	RPD		
Heptachlor epoxide	M22-Ap0050640	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Hexachlorobenzene	M22-Ap0050640	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Methoxychlor	M22-Ap0050640	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Toxaphene	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
<b>Polychlorinated Biphenyls</b>				Result 1	Result 2	RPD		
Aroclor-1016	M22-Ap0050640	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1221	M22-Ap0050640	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1232	M22-Ap0050640	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1242	M22-Ap0050640	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1248	M22-Ap0050640	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1254	M22-Ap0050640	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1260	M22-Ap0050640	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Total PCB*	M22-Ap0050640	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Duplicate								
<b>Phenols (Halogenated)</b>				Result 1	Result 2	RPD		
2-Chlorophenol	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2,4-Dichlorophenol	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2,4,5-Trichlorophenol	M22-Ap0050640	CP	mg/kg	< 1	< 1	<1	30%	Pass
2,4,6-Trichlorophenol	M22-Ap0050640	CP	mg/kg	< 1	< 1	<1	30%	Pass
2,6-Dichlorophenol	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Chloro-3-methylphenol	M22-Ap0050640	CP	mg/kg	< 1	< 1	<1	30%	Pass
Pentachlorophenol	M22-Ap0050640	CP	mg/kg	< 1	< 1	<1	30%	Pass
Tetrachlorophenols - Total	M22-Ap0050640	CP	mg/kg	< 10	< 10	<1	30%	Pass
Duplicate								
<b>Phenols (non-Halogenated)</b>				Result 1	Result 2	RPD		
2-Cyclohexyl-4,6-dinitrophenol	M22-Ap0050640	CP	mg/kg	< 20	< 20	<1	30%	Pass
2-Methyl-4,6-dinitrophenol	M22-Ap0050640	CP	mg/kg	< 5	< 5	<1	30%	Pass
2-Nitrophenol	M22-Ap0050640	CP	mg/kg	< 1	< 1	<1	30%	Pass
2,4-Dimethylphenol	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2,4-Dinitrophenol	M22-Ap0050640	CP	mg/kg	< 5	< 5	<1	30%	Pass
2-Methylphenol (o-Cresol)	M22-Ap0050640	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
3&4-Methylphenol (m&p-Cresol)	M22-Ap0050640	CP	mg/kg	< 0.4	< 0.4	<1	30%	Pass
4-Nitrophenol	M22-Ap0050640	CP	mg/kg	< 5	< 5	<1	30%	Pass
Dinoseb	M22-Ap0050640	CP	mg/kg	< 20	< 20	<1	30%	Pass
Phenol	M22-Ap0050640	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
				Result 1	Result 2	RPD		
pH (1:5 Aqueous extract at 25°C as rec.)	M22-Ap0050640	CP	pH Units	8.0	8.1	pass	30%	Pass
% Moisture	M22-Ap0050640	CP	%	32	27	16	30%	Pass
Duplicate								
				Result 1	Result 2	RPD		
Fluoride (Total)	M22-Ap0050641	CP	mg/kg	< 100	< 100	<1	30%	Pass
Duplicate								
<b>Heavy Metals</b>				Result 1	Result 2	RPD		
Arsenic	M22-Ap0050641	CP	mg/kg	41	42	2.0	30%	Pass
Cadmium	M22-Ap0050641	CP	mg/kg	< 0.4	< 0.4	<1	30%	Pass
Chromium	M22-Ap0050641	CP	mg/kg	130	130	2.0	30%	Pass
Copper	M22-Ap0050641	CP	mg/kg	77	79	3.0	30%	Pass
Lead	M22-Ap0050641	CP	mg/kg	5.4	5.5	1.0	30%	Pass
Mercury	M22-Ap0050641	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Molybdenum	M22-Ap0050641	CP	mg/kg	< 5	< 5	<1	30%	Pass
Nickel	M22-Ap0050641	CP	mg/kg	180	190	1.0	30%	Pass



<b>Duplicate</b>								
<b>Heavy Metals</b>				Result 1	Result 2	RPD		
Selenium	M22-Ap0050641	CP	mg/kg	2.0	< 2	2.0	30%	Pass
Silver	M22-Ap0050641	CP	mg/kg	< 2	< 2	<1	30%	Pass
Tin	M22-Ap0050641	CP	mg/kg	< 10	< 10	<1	30%	Pass
Zinc	M22-Ap0050641	CP	mg/kg	150	160	4.0	30%	Pass
<b>Duplicate</b>								
				Result 1	Result 2	RPD		
Chromium (hexavalent)	M22-Ap0050642	CP	mg/kg	< 1	< 1	<1	30%	Pass
<b>Duplicate</b>								
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-Ap0050646	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-Ap0050646	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-Ap0050646	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-Ap0050646	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-Ap0050646	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-Ap0050646	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-Ap0050646	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-Ap0050646	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-Ap0050646	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorotridecanoic acid (PFTrDA)	M22-Ap0050646	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-Ap0050646	CP	ug/kg	< 5	< 5	<1	30%	Pass
<b>Duplicate</b>								
<b>Perfluoroalkyl sulfonamido substances</b>				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-Ap0050646	CP	ug/kg	< 5	< 5	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-Ap0050646	CP	ug/kg	< 5	< 5	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-Ap0050646	CP	ug/kg	< 5	< 5	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-Ap0050646	CP	ug/kg	< 5	< 5	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-Ap0050646	CP	ug/kg	< 5	< 5	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-Ap0050646	CP	ug/kg	< 10	< 10	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-Ap0050646	CP	ug/kg	< 10	< 10	<1	30%	Pass
<b>Duplicate</b>								
<b>Perfluoroalkyl sulfonic acids (PFSAs)</b>				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-Ap0050646	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-Ap0050646	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-Ap0050646	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-Ap0050646	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-Ap0050646	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-Ap0050646	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-Ap0050646	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-Ap0050646	CP	ug/kg	< 5	< 5	<1	30%	Pass

<b>Duplicate</b>								
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-Ap0050646	CP	ug/kg	< 5	< 5	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-Ap0050646	CP	ug/kg	< 10	< 10	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-Ap0050646	CP	ug/kg	< 5	< 5	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-Ap0050646	CP	ug/kg	< 5	< 5	<1	30%	Pass
<b>Duplicate</b>								
				Result 1	Result 2	RPD		
% Moisture	M22-Ap0050650	CP	%	31	33	7.0	30%	Pass
<b>Duplicate</b>								
				Result 1	Result 2	RPD		
Chromium (hexavalent)	M22-Ap0050651	CP	mg/kg	< 1	< 1	<1	30%	Pass
<b>Duplicate</b>								
				Result 1	Result 2	RPD		
Fluoride (Total)	M22-Ap0050652	CP	mg/kg	< 100	< 100	<1	30%	Pass

**Comments**
**Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	No
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Qualifier Codes/Comments**

Code	Description
N01	F2 is determined by arithmetically subtracting the "naphthalene" value from the ">C10-C16" value. The naphthalene value used in this calculation is obtained from volatiles (Purge & Trap analysis).
N02	Where we have reported both volatile (P&T GCMS) and semivolatile (GCMS) naphthalene data, results may not be identical. Provided correct sample handling protocols have been followed, any observed differences in results are likely to be due to procedural differences within each methodology. Results determined by both techniques have passed all QAQC acceptance criteria, and are entirely technically valid.
N04	F1 is determined by arithmetically subtracting the "Total BTEX" value from the "C6-C10" value. The "Total BTEX" value is obtained by summing the concentrations of BTEX analytes. The "C6-C10" value is obtained by quantitating against a standard of mixed aromatic/aliphatic analytes.
N07	Please note:- These two PAH isomers closely co-elute using the most contemporary analytical methods and both the reported concentration (and the TEQ) apply specifically to the total of the two co-eluting PAHs
N11	Isotope dilution is used for calibration of each native compound for which an exact labelled analogue is available (Isotope Dilution Quantitation). The isotopically labelled analogues allow identification and recovery correction of the concentration of the associated native PFAS compounds.
N15	Where the native PFAS compound does not have labelled analogue then the quantification is made using the Extracted Internal Standard Analyte with the closest retention time to the analyte and no recovery correction has been made (Internal Standard Quantitation).
Q08	The matrix spike recovery is outside of the recommended acceptance criteria. An acceptable recovery was obtained for the laboratory control sample indicating a sample matrix interference.

**Authorised by:**

Michael Cassidy	Analytical Services Manager
Linda Chourman	Senior Analyst (NSW)
Mary Makarios	Senior Analyst (NSW)
Joseph Edouard	Senior Analyst (VIC)
Scott Beddoes	Senior Analyst (NSW)
Vivian Wang	Senior Analyst (VIC)



**Glenn Jackson**  
General Manager

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Agon Environmental Pty Ltd - VIC  
3/224 Glen Osmond Road  
Fullarton  
SA 5063



NATA Accredited  
Accreditation Number 1261  
Site Number 1254

Accredited for compliance with ISO/IEC 17025 – Testing  
NATA is a signatory to the ILAC Mutual Recognition  
Arrangement for the mutual recognition of the  
equivalence of testing, medical testing, calibration,  
inspection, proficiency testing scheme providers and  
reference materials producers reports and certificates.

Attention: **David Lawson**

Report **882647-W**  
Project name **20220426040809-Eurofin-21**  
Project ID **JC0927**  
Received Date **Apr 26, 2022**

Client Sample ID			SX_OB_20220 423_16_21_SR _Rinsate_EUF	SX_OB_20220 423_16_24_SB _Blank_EUF
Sample Matrix			Water	Water
Eurofins Sample No.			M22- Ap0050633	M22- Ap0050634
Date Sampled			Apr 23, 2022	Apr 23, 2022
Test/Reference	LOR	Unit		
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>				
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	72	64
13C5-PFPeA (surr.)	1	%	92	84
13C5-PFHxA (surr.)	1	%	89	77
13C4-PFHpA (surr.)	1	%	80	70
13C8-PFOA (surr.)	1	%	90	75
13C5-PFNA (surr.)	1	%	72	63
13C6-PFDA (surr.)	1	%	70	55
13C2-PFUnDA (surr.)	1	%	51	41
13C2-PFDoDA (surr.)	1	%	51	39
13C2-PFTeDA (surr.)	1	%	39	24
<b>Perfluoroalkyl sulfonamido substances</b>				
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	65	57

Client Sample ID			SX_OB_20220 423_16_21_SR _Rinsate_EUF	SX_OB_20220 423_16_24_SB _Blank_EUF
Sample Matrix			Water	Water
Eurofins Sample No.			M22- Ap0050633	M22- Ap0050634
Date Sampled			Apr 23, 2022	Apr 23, 2022
Test/Reference	LOR	Unit		
<b>Perfluoroalkyl sulfonamido substances</b>				
D3-N-MeFOSA (surr.)	1	%	35	35
D5-N-EtFOSA (surr.)	1	%	41	38
D7-N-MeFOSE (surr.)	1	%	40	56
D9-N-EtFOSE (surr.)	1	%	55	58
D5-N-EtFOSAA (surr.)	1	%	33	29
D3-N-MeFOSAA (surr.)	1	%	54	49
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>				
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	84	73
18O2-PFHxS (surr.)	1	%	93	80
13C8-PFOS (surr.)	1	%	87	72
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>				
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	51	44
13C2-6:2 FTSA (surr.)	1	%	75	60
13C2-8:2 FTSA (surr.)	1	%	86	66
13C2-10:2 FTSA (surr.)	1	%	74	42
<b>PFASs Summations</b>				
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
Per- and Polyfluoroalkyl Substances (PFASs)			
Perfluoroalkyl carboxylic acids (PFCAs)	Melbourne	Apr 26, 2022	28 Days
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			
Perfluoroalkyl sulfonamido substances	Melbourne	Apr 26, 2022	28 Days
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			
Perfluoroalkyl sulfonic acids (PFSAs)	Melbourne	Apr 26, 2022	28 Days
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			
n:2 Fluorotelomer sulfonic acids (n:2 FTSAs)	Melbourne	Apr 26, 2022	28 Days
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			
PFASs Summations	Melbourne	Apr 26, 2022	
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	SX_OB_20220423_08_14_S_S_Triplicate_EUF	Apr 23, 2022	8:14AM	Soil	M22-Ap0050628		X	X	X
2	SX_OB_20220423_08_20_S_S_Primary_EUF	Apr 23, 2022	8:20AM	Soil	M22-Ap0050629		X	X	X
3	SX_IB_20220423_12_15_SS_Primary_EUF	Apr 23, 2022	12:15PM	Soil	M22-Ap0050630		X	X	X
4	SX_OB_20220423_04_00_S_S_Primary_EUF	Apr 23, 2022	4:00PM	Soil	M22-		X	X	X

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
**Project Name:** 20220426040809-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882647  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 26, 2022 1:30 PM  
**Due:** Apr 29, 2022  
**Priority:** 3 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	423_16_00_S S_Primary_EU F				Ap0050631				
5	SX_OB_20220 423_16_01_S S_Duplicate_E UF	Apr 23, 2022	4:01PM	Soil	M22- Ap0050632		X	X	X
6	SX_OB_20220 423_16_21_S R_Rinsate_EU F	Apr 23, 2022	4:21PM	Water	M22- Ap0050633			X	
7	SX_OB_20220 423_16_24_S B_Blank_EUF	Apr 23, 2022	4:24PM	Water	M22- Ap0050634			X	



**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
**Project Name:** 20220426040809-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882647  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 26, 2022 1:30 PM  
**Due:** Apr 29, 2022  
**Priority:** 3 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
8	SX_OB_20220423_20_10_S_S_Primary_EUF	Apr 23, 2022	8:19PM	Soil	M22-Ap0050635		X	X	X
9	SX_IB_20220424_00_09_SS_Primary_EUF	Apr 24, 2022	12:09AM	Soil	M22-Ap0050636		X	X	X
10	SX_OB_20220424_04_14_S_S_Primary_EUF	Apr 24, 2022	4:14AM	Soil	M22-Ap0050637		X	X	X
11	SX_OB_20220424_08_07_S_S_Triplicate_E	Apr 24, 2022	8:07AM	Soil	M22-Ap0050638		X	X	X

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	UF								
12	SX_IB_20220424_08_14_SS_Primary_EUF	Apr 24, 2022	8:14AM	Soil	M22-Ap0050639		X	X	X
13	SX_OB_20220424_12_10_SS_Primary_EUF	Apr 24, 2022	12:10PM	Soil	M22-Ap0050640		X	X	X
14	SX_IB_20220424_15_58_SS_Primary_EUF	Apr 24, 2022	3:58PM	Soil	M22-Ap0050641		X	X	X
15	SX_IB_20220424_15_59_SS_Duplicate_EU	Apr 24, 2022	3:59PM	Soil	M22-Ap0050642		X	X	X

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	_Duplicate_EU F								
16	SX_IB_202204 24_19_58_SS _Primary_EUF	Apr 24, 2022	7:58PM	Soil	M22- Ap0050643		X	X	X
17	SX_IB_202204 25_03_50_SS _Primary_EUF	Apr 25, 2022	10:30AM	Soil	M22- Ap0050644		X	X	X
18	SX_IB_202204 25_03_59_SS _Primary_EUF	Apr 25, 2022	4:19AM	Soil	M22- Ap0050645		X	X	X
19	SX_OB_20220 425_04_19_S S_Triplicate_E	Apr 25, 2022	4:19AM	Soil	M22- Ap0050646		X	X	X

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	UF								
20	SX_IB_20220425_07_57_SS_Triplicate_EU_F	Apr 25, 2022	7:57AM	Soil	M22-Ap0050647		X	X	X
21	SX_IB_20220425_08_04_SS_Primary_EUF	Apr 25, 2022	8:04AM	Soil	M22-Ap0050648		X	X	X
22	SX_IB_20220425_11_57_SS_Primary_EUF	Apr 25, 2022	11:57AM	Soil	M22-Ap0050649		X	X	X
23	SX_IB_20220425_15_56_SS_Primary_EUF	Apr 25, 2022	3:56PM	Soil	M22-Ap0050650		X	X	X

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
24	SX_IB_20220425_15_57_SS_Duplicate_EUF	Apr 25, 2022	3:57PM	Soil	M22-Ap0050651		X	X	X
25	SX_IB_20220425_19_53_SS_Primary_EUF	Apr 25, 2022	7:53PM	Soil	M22-Ap0050652		X	X	X
26	SX_IB_20220425_23_57_SS_Primary_EUF	Apr 25, 2022	11:57PM	Soil	M22-Ap0050653		X	X	X
27	SX_IB_20220426_03_55_SS_Primary_EUF	Apr 26, 2022	3:55AM	Soil	M22-Ap0050654		X	X	X
28	SX_OB_20220	Apr 23, 2022	8:14AM	AUS Leachate	M22-	X		X	

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220426040809-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882647  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 26, 2022 1:30 PM  
**Due:** Apr 29, 2022  
**Priority:** 3 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	423_08_14_S S_Triplicate_E UF			- pH 5.0	Ap0050655				
29	SX_OB_20220 423_08_20_S S_Primary_EU F	Apr 23, 2022	8:20AM	AUS Leachate - pH 5.0	M22- Ap0050656	X		X	
30	SX_IB_202204 23_12_15_SS _Primary_EUF	Apr 23, 2022	12:15PM	AUS Leachate - pH 5.0	M22- Ap0050657	X		X	
31	SX_OB_20220 423_16_00_S S_Primary_EU F	Apr 23, 2022	4:00PM	AUS Leachate - pH 5.0	M22- Ap0050658	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
32	SX_OB_20220423_16_01_S_S_Duplicate_EUF	Apr 23, 2022	4:01PM	AUS Leachate - pH 5.0	M22-Ap0050659	X		X	
33	SX_OB_20220423_20_10_S_S_Primary_EUF	Apr 23, 2022	8:19PM	AUS Leachate - pH 5.0	M22-Ap0050660	X		X	
34	SX_IB_20220424_00_09_SS_Primary_EUF	Apr 24, 2022	12:09AM	AUS Leachate - pH 5.0	M22-Ap0050661	X		X	
35	SX_OB_20220424_04_14_S_S_Primary_EUF	Apr 24, 2022	4:14AM	AUS Leachate - pH 5.0	M22-Ap0050662	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	F								
36	SX_OB_20220424_08_07_S_S_Triplicate_EUF	Apr 24, 2022	8:07AM	AUS Leachate - pH 5.0	M22-Ap0050663	X		X	
37	SX_IB_20220424_08_14_SS_Primary_EUF	Apr 24, 2022	8:14AM	AUS Leachate - pH 5.0	M22-Ap0050664	X		X	
38	SX_OB_20220424_12_10_S_S_Primary_EUF	Apr 24, 2022	12:10PM	AUS Leachate - pH 5.0	M22-Ap0050665	X		X	
39	SX_IB_20220424_15_58_SS	Apr 24, 2022	3:58PM	AUS Leachate - pH 5.0	M22-Ap0050666	X		X	



**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063

**Order No.:**  
**Report #:** 882647  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 26, 2022 1:30 PM  
**Due:** Apr 29, 2022  
**Priority:** 3 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Project Name:** 20220426040809-Eurofin-21  
**Project ID:** JC0927

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	24_15_58_SS _Primary_EUF			- pH 5.0	Ap0050666				
40	SX_IB_202204 24_15_59_SS _Duplicate_EU F	Apr 24, 2022	3:59PM	AUS Leachate - pH 5.0	M22- Ap0050667	X		X	
41	SX_IB_202204 24_19_58_SS _Primary_EUF	Apr 24, 2022	7:58PM	AUS Leachate - pH 5.0	M22- Ap0050668	X		X	
42	SX_IB_202204 25_03_50_SS _Primary_EUF	Apr 25, 2022	10:30AM	AUS Leachate - pH 5.0	M22- Ap0050669	X		X	
43	SX_IB_202204 25_03_59_SS	Apr 25, 2022	4:19AM	AUS Leachate - pH 5.0	M22- Ap0050670	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	_Primary_EUF								
44	SX_OB_20220425_04_19_SS_Triplicate_EUF	Apr 25, 2022	4:19AM	AUS Leachate - pH 5.0	M22-Ap0050671	X		X	
45	SX_IB_20220425_07_57_SS_Triplicate_EUF	Apr 25, 2022	7:57AM	AUS Leachate - pH 5.0	M22-Ap0050672	X		X	
46	SX_IB_20220425_08_04_SS_Primary_EUF	Apr 25, 2022	8:04AM	AUS Leachate - pH 5.0	M22-Ap0050673	X		X	
47	SX_IB_20220425_11_57_SS	Apr 25, 2022	11:57AM	AUS Leachate - pH 5.0	M22-Ap0050674	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	25_11_57_SS _Primary_EUF			- pH 5.0	Ap0050674				
48	SX_IB_202204 25_15_56_SS _Primary_EUF	Apr 25, 2022	3:56PM	AUS Leachate - pH 5.0	M22- Ap0050675	X		X	
49	SX_IB_202204 25_15_57_SS _Duplicate_EU F	Apr 25, 2022	3:57PM	AUS Leachate - pH 5.0	M22- Ap0050676	X		X	
50	SX_IB_202204 25_19_53_SS _Primary_EUF	Apr 25, 2022	7:53PM	AUS Leachate - pH 5.0	M22- Ap0050677	X		X	
51	SX_IB_202204 25_23_57_SS	Apr 25, 2022	11:57PM	AUS Leachate - pH 5.0	M22- Ap0050678	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	_Primary_EUF								
52	SX_IB_20220426_03_55_SS_Primary_EUF	Apr 26, 2022	3:55AM	AUS Leachate - pH 5.0	M22-Ap0050679	X		X	
53	SX_OB_20220423_08_14_S_S_Triplicate_EUF	Apr 23, 2022	8:14AM	AUS Leachate - Reagent Water	M22-Ap0050680	X		X	
54	SX_OB_20220423_08_20_S_Primary_EUF	Apr 23, 2022	8:20AM	AUS Leachate - Reagent Water	M22-Ap0050681	X		X	
55	SX_IB_20220423_12_15_SS	Apr 23, 2022	12:15PM	AUS Leachate - Reagent	M22-Ap0050682	X		X	

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220426040809-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882647  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 26, 2022 1:30 PM  
**Due:** Apr 29, 2022  
**Priority:** 3 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	23_12_15_SS _Primary_EUF			- Reagent Water	Ap0050682				
56	SX_OB_20220 423_16_00_S S_Primary_EU F	Apr 23, 2022	4:00PM	AUS Leachate - Reagent Water	M22- Ap0050683	X		X	
57	SX_OB_20220 423_16_01_S S_Duplicate_E UF	Apr 23, 2022	4:01PM	AUS Leachate - Reagent Water	M22- Ap0050684	X		X	
58	SX_OB_20220 423_20_10_S S_Primary_EU F	Apr 23, 2022	8:19PM	AUS Leachate - Reagent Water	M22- Ap0050685	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
59	SX_IB_20220424_00_09_SS_Primary_EUF	Apr 24, 2022	12:09AM	AUS Leachate - Reagent Water	M22-Ap0050686	X		X	
60	SX_OB_20220424_04_14_S_S_Primary_EUF	Apr 24, 2022	4:14AM	AUS Leachate - Reagent Water	M22-Ap0050687	X		X	
61	SX_OB_20220424_08_07_S_S_Triplicate_EUF	Apr 24, 2022	8:07AM	AUS Leachate - Reagent Water	M22-Ap0050688	X		X	
62	SX_IB_20220424_08_14_SS_Primary_EUF	Apr 24, 2022	8:14AM	AUS Leachate - Reagent Water	M22-Ap0050689	X		X	

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
**Project Name:** 20220426040809-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882647  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 26, 2022 1:30 PM  
**Due:** Apr 29, 2022  
**Priority:** 3 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
63	SX_OB_20220424_12_10_S_S_Primary_EUF	Apr 24, 2022	12:10PM	AUS Leachate - Reagent Water	M22-Ap0050690	X		X	
64	SX_IB_20220424_15_58_SS_Primary_EUF	Apr 24, 2022	3:58PM	AUS Leachate - Reagent Water	M22-Ap0050691	X		X	
65	SX_IB_20220424_15_59_SS_Duplicate_EUF	Apr 24, 2022	3:59PM	AUS Leachate - Reagent Water	M22-Ap0050692	X		X	
66	SX_IB_20220424_19_58_SS_Primary_EUF	Apr 24, 2022	7:58PM	AUS Leachate - Reagent Water	M22-Ap0050693	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
67	SX_IB_20220425_03_50_SS_Primary_EUF	Apr 25, 2022	10:30AM	AUS Leachate - Reagent Water	M22-Ap0050694	X		X	
68	SX_IB_20220425_03_59_SS_Primary_EUF	Apr 25, 2022	4:19AM	AUS Leachate - Reagent Water	M22-Ap0050695	X		X	
69	SX_OB_20220425_04_19_S_S_Triplicate_EUF	Apr 25, 2022	4:19AM	AUS Leachate - Reagent Water	M22-Ap0050696	X		X	
70	SX_IB_20220425_07_57_SS_Triplicate_EUF	Apr 25, 2022	7:57AM	AUS Leachate - Reagent Water	M22-Ap0050697	X		X	



<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 26, 2022 1:30 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882647	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220426040809-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	3 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
71	SX_IB_20220425_08_04_SS_Primary_EUF	Apr 25, 2022	8:04AM	AUS Leachate - Reagent Water	M22-Ap0050698	X		X	
72	SX_IB_20220425_11_57_SS_Primary_EUF	Apr 25, 2022	11:57AM	AUS Leachate - Reagent Water	M22-Ap0050699	X		X	
73	SX_IB_20220425_15_56_SS_Primary_EUF	Apr 25, 2022	3:56PM	AUS Leachate - Reagent Water	M22-Ap0050700	X		X	
74	SX_IB_20220425_15_57_SS_Duplicate_EUF	Apr 25, 2022	3:57PM	AUS Leachate - Reagent Water	M22-Ap0050701	X		X	
75	SX_IB_202204	Apr 25, 2022	7:53PM	AUS Leachate	M22-	X		X	

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
**Project Name:** 20220426040809-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882647  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 26, 2022 1:30 PM  
**Due:** Apr 29, 2022  
**Priority:** 3 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	25_19_53_SS _Primary_EUF			- Reagent Water	Ap0050702				
76	SX_IB_202204 25_23_57_SS _Primary_EUF	Apr 25, 2022	11:57PM	AUS Leachate - Reagent Water	M22- Ap0050703	X		X	
77	SX_IB_202204 26_03_55_SS _Primary_EUF	Apr 26, 2022	3:55AM	AUS Leachate - Reagent Water	M22- Ap0050704	X		X	
<b>Test Counts</b>						50	25	77	25

## Internal Quality Control Review and Glossary

### General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer that may have an impact on the results.
- This report replaces any interim results previously issued.

### Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

### Units

<b>mg/kg:</b> milligrams per kilogram	<b>mg/L:</b> milligrams per litre	<b>µg/L:</b> micrograms per litre
<b>ppm:</b> parts per million	<b>ppb:</b> parts per billion	<b>%:</b> Percentage
<b>org/100 mL:</b> Organisms per 100 millilitres	<b>NTU:</b> Nephelometric Turbidity Units	<b>MPN/100 mL:</b> Most Probable Number of organisms per 100 millilitres

### Terms

<b>APHA</b>	American Public Health Association
<b>COC</b>	Chain of Custody
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>CRM</b>	Certified Reference Material (ISO17034) - reported as percent recovery.
<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>LOR</b>	Limit of Reporting.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>SRA</b>	Sample Receipt Advice
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>TBTO</b>	Tributyltin oxide ( <i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment however free tributyltin was measured and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits.
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>TEQ</b>	Toxic Equivalency Quotient or Total Equivalence
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.4
<b>US EPA</b>	United States Environmental Protection Agency
<b>WA DWER</b>	Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

### QC - Acceptance Criteria

The acceptance criteria should be used as a guide only and may be different when site specific Sampling Analysis and Quality Plan (SAQP) have been implemented

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR: No Limit

Results between 10-20 times the LOR: RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

NOTE: pH duplicates are reported as a range not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.4 where no positive PFAS results have been reported have been reviewed and no data was affected.

### QC Data General Comments

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery the term "INT" appears against that analyte.
- For Matrix Spikes and LCS results a dash "-" in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
<b>Method Blank</b>						
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA)	ug/L	< 0.05		0.05	Pass	
Perfluoropentanoic acid (PFPeA)	ug/L	< 0.01		0.01	Pass	
Perfluorohexanoic acid (PFHxA)	ug/L	< 0.01		0.01	Pass	
Perfluoroheptanoic acid (PFHpA)	ug/L	< 0.01		0.01	Pass	
Perfluorooctanoic acid (PFOA)	ug/L	< 0.01		0.01	Pass	
Perfluorononanoic acid (PFNA)	ug/L	< 0.01		0.01	Pass	
Perfluorodecanoic acid (PFDA)	ug/L	< 0.01		0.01	Pass	
Perfluoroundecanoic acid (PFUnDA)	ug/L	< 0.01		0.01	Pass	
Perfluorododecanoic acid (PFDoDA)	ug/L	< 0.01		0.01	Pass	
Perfluorotridecanoic acid (PFTTrDA)	ug/L	< 0.01		0.01	Pass	
Perfluorotetradecanoic acid (PFTeDA)	ug/L	< 0.01		0.01	Pass	
<b>Method Blank</b>						
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA)	ug/L	< 0.05		0.05	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	ug/L	< 0.05		0.05	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	ug/L	< 0.05		0.05	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	ug/L	< 0.05		0.05	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	ug/L	< 0.05		0.05	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	ug/L	< 0.05		0.05	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	ug/L	< 0.05		0.05	Pass	
<b>Method Blank</b>						
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>						
Perfluorobutanesulfonic acid (PFBS)	ug/L	< 0.01		0.01	Pass	
Perfluorononanesulfonic acid (PFNS)	ug/L	< 0.01		0.01	Pass	
Perfluoropropanesulfonic acid (PFPrS)	ug/L	< 0.01		0.01	Pass	
Perfluoropentanesulfonic acid (PFPeS)	ug/L	< 0.01		0.01	Pass	
Perfluorohexanesulfonic acid (PFHxS)	ug/L	< 0.01		0.01	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	ug/L	< 0.01		0.01	Pass	
Perfluorooctanesulfonic acid (PFOS)	ug/L	< 0.01		0.01	Pass	
Perfluorodecanesulfonic acid (PFDS)	ug/L	< 0.01		0.01	Pass	
<b>Method Blank</b>						
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	ug/L	< 0.01		0.01	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	ug/L	< 0.05		0.05	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	ug/L	< 0.01		0.01	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	ug/L	< 0.01		0.01	Pass	
<b>LCS - % Recovery</b>						
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA)	%	82		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	109		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	94		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	80		50-150	Pass	
Perfluorooctanoic acid (PFOA)	%	89		50-150	Pass	
Perfluorononanoic acid (PFNA)	%	87		50-150	Pass	
Perfluorodecanoic acid (PFDA)	%	104		50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	%	92		50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	%	91		50-150	Pass	
Perfluorotridecanoic acid (PFTTrDA)	%	109		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	%	111		50-150	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code	
<b>LCS - % Recovery</b>								
<b>Perfluoroalkyl sulfonamido substances</b>								
Perfluorooctane sulfonamide (FOSA)	%	117			50-150	Pass		
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	%	134			50-150	Pass		
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	%	94			50-150	Pass		
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	%	144			50-150	Pass		
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	%	96			50-150	Pass		
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	%	97			50-150	Pass		
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	%	110			50-150	Pass		
<b>LCS - % Recovery</b>								
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>								
Perfluorobutanesulfonic acid (PFBS)	%	86			50-150	Pass		
Perfluorononanesulfonic acid (PFNS)	%	66			50-150	Pass		
Perfluoropropanesulfonic acid (PFPrS)	%	86			50-150	Pass		
Perfluoropentanesulfonic acid (PFPeS)	%	92			50-150	Pass		
Perfluorohexanesulfonic acid (PFHxS)	%	77			50-150	Pass		
Perfluoroheptanesulfonic acid (PFHpS)	%	101			50-150	Pass		
Perfluorooctanesulfonic acid (PFOS)	%	92			50-150	Pass		
Perfluorodecanesulfonic acid (PFDS)	%	54			50-150	Pass		
<b>LCS - % Recovery</b>								
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>								
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	%	105			50-150	Pass		
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	%	128			50-150	Pass		
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	%	101			50-150	Pass		
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	%	68			50-150	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
<b>Spike - % Recovery</b>								
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>								
Perfluorobutanoic acid (PFBA)	M22-Ap0047186	NCP	%	132		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	M22-Ap0047186	NCP	%	132		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	M22-Ap0047186	NCP	%	111		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	M22-Ap0047186	NCP	%	103		50-150	Pass	
Perfluorooctanoic acid (PFOA)	M22-Ap0047186	NCP	%	109		50-150	Pass	
Perfluorononanoic acid (PFNA)	M22-Ap0047186	NCP	%	143		50-150	Pass	
Perfluorodecanoic acid (PFDA)	M22-Ap0047186	NCP	%	101		50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	M22-Ap0047186	NCP	%	117		50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	M22-Ap0047186	NCP	%	106		50-150	Pass	
Perfluorotridecanoic acid (PFTrDA)	M22-Ap0047186	NCP	%	149		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	M22-Ap0047186	NCP	%	107		50-150	Pass	
<b>Spike - % Recovery</b>								
<b>Perfluoroalkyl sulfonamido substances</b>								
Perfluorooctane sulfonamide (FOSA)	M22-Ap0047186	NCP	%	137		50-150	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-Ap0047186	NCP	%	139		50-150	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-Ap0047186	NCP	%	137		50-150	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-Ap0047186	NCP	%	135		50-150	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-Ap0047186	NCP	%	119		50-150	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-Ap0047186	NCP	%	64			50-150	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-Ap0047186	NCP	%	63			50-150	Pass	
<b>Spike - % Recovery</b>									
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>				Result 1					
Perfluorobutanesulfonic acid (PFBS)	M22-Ap0047186	NCP	%	134			50-150	Pass	
Perfluorononanesulfonic acid (PFNS)	M22-Ap0047186	NCP	%	115			50-150	Pass	
Perfluoropropanesulfonic acid (PFPrS)	M22-Ap0047186	NCP	%	138			50-150	Pass	
Perfluoropentanesulfonic acid (PFPeS)	M22-Ap0047186	NCP	%	139			50-150	Pass	
Perfluorohexanesulfonic acid (PFHxS)	M22-Ap0047186	NCP	%	144			50-150	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	M22-Ap0047186	NCP	%	135			50-150	Pass	
Perfluorooctanesulfonic acid (PFOS)	M22-Ap0047186	NCP	%	115			50-150	Pass	
Perfluorodecanesulfonic acid (PFDS)	M22-Ap0047186	NCP	%	108			50-150	Pass	
<b>Spike - % Recovery</b>									
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>				Result 1					
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-Ap0047186	NCP	%	138			50-150	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-Ap0047186	NCP	%	138			50-150	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-Ap0047186	NCP	%	131			50-150	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-Ap0047186	NCP	%	92			50-150	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Duplicate</b>									
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>				Result 1	Result 2	RPD			
Perfluorobutanoic acid (PFBA)	M22-Ap0046547	NCP	ug/L	3.4	3.4	2.0	30%	Pass	
Perfluoropentanoic acid (PFPeA)	M22-Ap0046547	NCP	ug/L	4.9	4.9	<1	30%	Pass	
Perfluorohexanoic acid (PFHxA)	M22-Ap0046547	NCP	ug/L	19	21	10	30%	Pass	
Perfluoroheptanoic acid (PFHpA)	M22-Ap0046547	NCP	ug/L	3.1	3.2	4.0	30%	Pass	
Perfluorooctanoic acid (PFOA)	M22-Ap0046547	NCP	ug/L	7.8	8.9	13	30%	Pass	
Perfluorononanoic acid (PFNA)	M22-Ap0046547	NCP	ug/L	0.03	0.03	10	30%	Pass	
Perfluorodecanoic acid (PFDA)	M22-Ap0046547	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluoroundecanoic acid (PFUnDA)	M22-Ap0046547	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorododecanoic acid (PFDoDA)	M22-Ap0046547	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorotridecanoic acid (PFTTrDA)	M22-Ap0046547	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorotetradecanoic acid (PFTEDA)	M22-Ap0046547	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	

<b>Duplicate</b>								
<b>Perfluoroalkyl sulfonamido substances</b>				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-Ap0046547	NCP	ug/L	< 0.05	0.05	13	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-Ap0046547	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-Ap0046547	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-Ap0046547	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-Ap0046547	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-Ap0046547	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-Ap0046547	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
<b>Duplicate</b>								
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-Ap0046547	NCP	ug/L	11	13	17	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-Ap0046547	NCP	ug/L	< 0.1	< 0.1	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-Ap0046547	NCP	ug/L	3.5	3.6	3.0	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-Ap0046547	NCP	ug/L	11	12	3.0	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-Ap0046547	NCP	ug/L	68	75	11	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-Ap0046547	NCP	ug/L	5.1	6.2	19	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-Ap0046547	NCP	ug/L	170	190	11	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-Ap0046547	NCP	ug/L	< 0.1	< 0.1	<1	30%	Pass
<b>Duplicate</b>								
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-Ap0046547	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-Ap0046547	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-Ap0046547	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-Ap0046547	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass

**Comments**
**Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	No
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Qualifier Codes/Comments**

Code	Description
N11	Isotope dilution is used for calibration of each native compound for which an exact labelled analogue is available (Isotope Dilution Quantitation). The isotopically labelled analogues allow identification and recovery correction of the concentration of the associated native PFAS compounds.
N15	Where the native PFAS compound does not have labelled analogue then the quantification is made using the Extracted Internal Standard Analyte with the closest retention time to the analyte and no recovery correction has been made (Internal Standard Quantitation).

**Authorised by:**

Michael Cassidy	Analytical Services Manager
Joseph Edouard	Senior Analyst (VIC)



**Glenn Jackson**  
**General Manager**

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.



**CHAIN OF CUSTODY DOCUMENTATION**

CLIENT: Agon Environmental	SAMPLER: Brandon + TB - Agon
ADDRESS/OFFICE: Melbourne	LR + HK - EP Risk
PROJECT MANAGER (PM): Craig Timbur	MOBILE #: +61 400 826 907 (Craig Timbur)
PROJECT ID: J02927	EMAIL REPORT TO: +61 450 471 004 (David Lawson)
SITE: 2022042001208-ALS-S-1	LAB REPORTS: TST@agonenviro.com.au, agonenviro@essd.com.au, inoenthusiast@essd.com.au
RESULTS REQUIRED (Date): 3 days	EMAIL INVOICE TO: (if different to report)
P.O. NO.:	LAB REPORTS: TST@agonenviro.com.au, agonenviro@essd.com.au
QUOTE NO.: WE-150-18 WGP1	ANALYSIS REQUIRED including SUITES (note - suite codes must be listed to attract suite price)

ALS ID	SAMPLE ID	MATRIX	DATE	Time	Type / Code	Total bottles	CONTAINER INFORMATION												
							Spoil Sample Prep	P16 plus Cr	PFAS 28 Extended suite	ASLP PFAS - Extended Suite (Lab to determine pH)									
24	1	SX_OB_20220423_08_10_SS_Primary_ALS	S	23/04/2022	08:10	Bucket	1	X	X	X	X								
24	2	SX_OB_20220423_08_12_SS_Duplicate_ALS	S	23/04/2022	08:12	Bucket	1	X	X	X	X								
31	3	SX_OB_20220423_08_38_SS_Primary_ALS	W	23/04/2022	08:38	Bottle	1												
31	4	SX_OB_20220423_08_38_SS_Primary_ALS	W	23/04/2022	08:38	Bottle	1												
31	5	SX_OB_20220423_12_11_SS_Primary_ALS	S	23/04/2022	12:11	Bucket	1	X	X	X	X								
31	6	SX_OB_20220423_16_03_SS_Duplicate_ALS	S	23/04/2022	16:03	Bucket	1	X	X	X	X								
31	7	SX_OB_20220423_16_04_SS_Primary_ALS	S	23/04/2022	16:04	Bucket	1	X	X	X	X								
31	8	SX_OB_20220423_20_07_SS_Primary_ALS	S	23/04/2022	20:07	Bucket	1	X	X	X	X								
31	9	SX_OB_20220424_00_14_SS_Primary_ALS	S	24/04/2022	00:14	Bucket	1	X	X	X	X								
31	10	SX_OB_20220424_04_08_SS_Primary_ALS	S	24/04/2022	04:08	Bucket	1	X	X	X	X								
31	11	SX_OB_20220424_08_05_SS_Primary_ALS	S	24/04/2022	08:05	Bucket	1	X	X	X	X								
31	12	SX_OB_20220424_08_06_SS_Duplicate_ALS	S	24/04/2022	08:07	Bucket	1	X	X	X	X								
31	13	SX_OB_20220424_12_03_SS_Primary_ALS	S	24/04/2022	12:04	Bucket	1	X	X	X	X								
31	14	SX_OB_20220424_16_06_SS_Primary_ALS	S	24/04/2022	16:06	Bucket	1	X	X	X	X								
31	15	SX_OB_20220424_16_48_SS_Triplicate_ALS	S	24/04/2022	16:50	Bucket	1	X	X	X	X								
31	16	SX_OB_20220424_19_54_SS_Primary_ALS	S	24/04/2022	19:54	Bucket	1	X	X	X	X								
31	17	SX_OB_20220424_23_48_SS_Primary_ALS	S	24/04/2022	23:48	Bucket	1	X	X	X	X								
31	18	SX_OB_20220424_23_55_SS_Primary_ALS	S	24/04/2022	23:55	Bucket	1	X	X	X	X								
31	19	SX_OB_20220424_04_16_SS_Primary_ALS	S	25/04/2022	4:16	Bucket	1	X	X	X	X								
31	20	SX_OB_20220424_04_18_SS_Duplicate_ALS	S	25/04/2022	4:18	Bucket	1	X	X	X	X								
31	21	SX_OB_20220425_07_58_SS_Primary_ALS	S	25/04/2022	7:58	Bucket	1	X	X	X	X								
31	22	SX_OB_20220425_07_57_SS_Duplicate_ALS	S	25/04/2022	7:57	Bucket	1	X	X	X	X								
31	23	SX_OB_20220425_11_48_SS_Primary_ALS	S	25/04/2022	11:48	Bucket	1	X	X	X	X								
31	24	SX_OB_20220425_15_50_SS_Primary_ALS	S	25/04/2022	15:50	Bucket	1	X	X	X	X								
31	25	SX_OB_20220425_15_56_SS_Triplicate_ALS	S	25/04/2022	15:58	Bucket	1	X	X	X	X								
31	26	SX_OB_20220425_19_49_SS_Primary_ALS	S	26/04/2022	19:49	Bucket	1	X	X	X	X								
31	27	SX_OB_20220426_00_02_SS_Primary_ALS	S	26/04/2022	0:02	Bucket	1	X	X	X	X								
31	28	SX_OB_20220426_03_47_SS_Primary_ALS	S	26/04/2022	3:47	Bucket	1	X	X	X	X								

REINQUISHED BY:	NAME: <b>Shane Rismberg</b>	DATE: <b>26/4/22</b>	METHOD OR SHIPMENT:
OR:	NAME: <b>ALS</b>	DATE: <b>12/3/22</b>	CONTAINER NO.:
OR:	NAME:	DATE:	TRANSPORT CO.:

Water Container Codes: P = Unpreserved Plastic; N = Nitric Preserved Plastic; ORC = Nitric Preserved ORC; SH = Sodium Hydroxide Preserved Plastic; AG = Amber Glass Unpreserved; V = VOA/VIA/HCI Preserved; VS = VOA/VIA Substrate Preserved; SS = Sulphuric Preserved Amber Glass; H = HCl Preserved Plastic; HS = HCl Preserved Speciation bottle; SP = Sulphuric Preserved Plastic; F = Formaldehyde Preserved Glass; E = EDTA Preserved Baffles; ST = Stable Bottle; ASS = Plastic Bag for Acid Substrate Solids; B = Unpreserved Bag

**AUSTRALIAN LABORATORY SERVICES PIL**

COC Page 1 of 1



**URGENT**

Received: 26/4/22 12:35 Carrier: Courier

C/note: Temp: 16.7 °C Seal: Y/N  
 Lec / Tech: NA



Environmental Division  
 Melbourne  
 Work Order Reference  
**EM2207398**



Telephone: +61 3 8549 9600

**From:** Josh Alexander  
**Sent:** Tuesday, 26 April 2022 10:46 AM  
**To:** COC Melbourne  
**Subject:** AGONENV - JC0927 (WGTP) - revised COC (3-DAY TAT)  
 20220426041206-ALS-21 Solid\_00.xlsx

**Attachments:**

**Importance:** High

**Follow Up Flag:** Follow up  
 Flagged

**Flag Status:**

**Categories:** Agon - WGTP

Hi again Ranil,

See revised COC for today's WGTP tunnel spoil. **3-DAY TAT.**

Regards,



right solutions.  
right partner.

Joshua Alexander  
Project Manager - Environmental  
Springvale, Victoria

D: +61 3 8549 9610

M: 0436 924 166

[josh.alexander@alsglobal.com](mailto:josh.alexander@alsglobal.com)

2-4 Westall Road, Springvale VIC 3171

[alsglobal.com](http://alsglobal.com)



**From:** David Lawson <[David.Lawson@agonenviro.com.au](mailto:David.Lawson@agonenviro.com.au)>  
**Sent:** Tuesday, 26 April 2022 10:36 AM  
**To:** Josh Alexander <[josh.alexander@alsglobal.com](mailto:josh.alexander@alsglobal.com)>  
**Subject:** RE: [EXTERNAL] - COCS 26/04/2022

Please find a revised COC.

3-Day TAT

David Lawson  
Environmental Scientist

Agon Environmental

+61 4 9041 1004

[David.Lawson@agonenviro.com.au](mailto:David.Lawson@agonenviro.com.au)

**From:** David Lawson  
**Sent:** Tuesday, 26 April 2022 10:35 AM  
**To:** Josh Alexander <josh.alexander@ALSGlobal.com>  
**Subject:** RE: [EXTERNAL] - COCS 26/04/2022

Thanks for picking that up.  
I will send a revised COC.  
This batch will be 3 days.

Thanks,

**David Lawson**  
Environmental Scientist  
**Agon Environmental**  
+61 4 9041 1004  
David.Lawson@agonenviro.com.au

**From:** Josh Alexander <josh.alexander@ALSGlobal.com>  
**Sent:** Tuesday, 26 April 2022 10:30 AM  
**To:** David Lawson <David.Lawson@agonenviro.com.au>  
**Subject:** RE: [EXTERNAL] - COCS 26/04/2022

Thanks Dave. Just wanted to confirm, last week we were discussing this batch being potentially 3-dat TAT. Standard 5-day as indicated on COC is all good?

Cheers,



right solutions.  
right partner.

Joshua Alexander  
Project Manager - Environmental  
Springvale, Victoria  
D: +61 3 8549 9610  
M: 0436 924 166  
josh.alexander@alsglobal.com

2-4 Westall Road, Springvale VIC 3171  
alsglobal.com



**From:** David Lawson <David.Lawson@agonenviro.com.au>  
**Sent:** Tuesday, 26 April 2022 10:27 AM  
**To:** Josh Alexander <josh.alexander@ALSGlobal.com>  
**CC:** Bronwyn Sheen <bronwyn.sheen@alsglobal.com>; ALS WGRP <ALS.WGRP@ALSGlobal.com>  
**Subject:** [EXTERNAL] - COCS 26/04/2022

**CAUTION:** This email originated from outside of ALS. Do not click links or open attachments unless you recognize the sender and are sure content is relevant to you.

Hi Josh,

Please find COCs attached for samples being delivered to the labs today.

Regards,



**David Lawson**  
Environmental Scientist

**Agon Environmental**  
**ADELAIDE | CANBERRA | DARWIN | MELBOURNE**  
H76, 63-85 Turner St, Port Melbourne VIC 3207  
+61 3 8566 1567  
+61 4 9041 1004  
David.Lawson@agonenviro.com.au  
[agonenviro.com.au](mailto:agonenviro.com.au)

Disclaimer: The information contained in this e-mail and any attached file is confidential. It is intended solely for the addressee, and may not be used, reproduced, disclosed or distributed without Agon's permission. Agon accepts no liability for loss or damage (whether caused by negligence or not) resulting from the use of any attached files. Please consider the environment before printing this email.

## CERTIFICATE OF ANALYSIS

**Work Order** : **EM2207398**  
**Client** : **AGON ENVIRONMENTAL PTY LTD**  
**Contact** : CRAIG TRIMBUR  
**Address** : D1.1 63-85 TURNER STREET  
 PORT MELBOURNE 3207  
  
**Telephone** : ----  
**Project** : JC0927  
**Order number** : ----  
**C-O-C number** : 20220426041206-ALS-21  
**Sampler** : Brandon + TB - Agon, LR + HK - EP Risk  
**Site** : 20220426041206-ALS-21  
**Quote number** : EN/150/19 -WGTP -Bulk Sample Quote  
**No. of samples received** : 54  
**No. of samples analysed** : 54

**Page** : 1 of 76  
**Laboratory** : Environmental Division Melbourne  
**Contact** : Josh Alexander  
**Address** : 4 Westall Rd Springvale VIC Australia 3171  
  
**Telephone** : +61-3-8549 9600  
**Date Samples Received** : 26-Apr-2022 12:35  
**Date Analysis Commenced** : 26-Apr-2022  
**Issue Date** : 29-Apr-2022 16:17



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

**Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.**

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Dilani Fernando	Laboratory Coordinator	Melbourne Inorganics, Springvale, VIC
Nikki Stepniewski	Senior Inorganic Instrument Chemist	Melbourne Inorganics, Springvale, VIC
Xing Lin	Senior Organic Chemist	Melbourne Organics, Springvale, VIC



## General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting  
ø = ALS is not NATA accredited for these tests.  
~ = Indicates an estimated value.

- EP231X: Poor matrix spike recovery for sample EM2207398-049 due to sample matrix interference.
- EG048G: EM2207398 #6 result for hexavalent chromium has been confirmed by re-preparation and re-analysis.
- Benzo(a)pyrene Toxicity Equivalent Quotient (TEQ) per the NEPM (2013) is the sum total of the concentration of the eight carcinogenic PAHs multiplied by their Toxicity Equivalence Factor (TEF) relative to Benzo(a)pyrene. TEF values are provided in brackets as follows: Benz(a)anthracene (0.1), Chrysene (0.01), Benzo(b+j) & Benzo(k)fluoranthene (0.1), Benzo(a)pyrene (1.0), Indeno(1.2.3.cd)pyrene (0.1), Dibenz(a,h)anthracene (1.0), Benzo(g,h,i)perylene (0.01). Less than LOR results for 'TEQ Zero' are treated as zero, for 'TEQ 1/2LOR' are treated as half the reported LOR, and for 'TEQ LOR' are treated as being equal to the reported LOR. Note: TEQ 1/2LOR and TEQ LOR will calculate as 0.6mg/Kg and 1.2mg/Kg respectively for samples with non-detects for all of the eight TEQ PAHs.
- EP231X - Per- and Polyfluoroalkyl Substances (PFAS): Samples received in 20ml or 125ml bottles have been tested in accordance with the QSM5.3 compliant, NATA accredited method. 60mL or 250mL bottles have been tested to the legacy QSM 5.1 aligned, NATA accredited method.
- EP074-UT: Where reported, Total Xylenes is the sum of the reported concentrations of m&p-Xylene and o-Xylene at or above the LOR.
- EP074-WF: Where reported, Sum of trichlorobenzenes is the sum of the reported concentrations of 1,2,3-Trichlorobenzene and 1,2,4-Trichlorobenzene, and 1,3,5-Trichlorobenzene at or above the LOR.
- EP231: Stable isotope enriched internal standards are added to samples prior to extraction. Target compounds have a direct analogous internal standard with the exception of PFPeS, PFHpA, PFDS, PFTrDA and 10:2 FTS. These compounds use an internal standard that is chemically related and has a retention time close to that of the target compound. The DQO for internal standard response is 50-150% of that established at initial calibration. PFOS is quantified using a certified, traceable standard consisting of linear and branched PFOS isomers. These practices are in line with recommendations in the National Environmental Management Plan for PFAS (Australian HEPA) and also conform to QSM 5.3 (US DoD) requirements.
- EN60: Where leachable PFAS analysis is requested, centrifugation rather than pressure filtration is used as the default approach for removal of particulates, in line with AS 4439.3.
- EN60-DI: Where leachable PFAS analysis is requested, centrifugation rather than pressure filtration is used as the default approach for removal of particulates, in line with AS 4439.3.
- EP231X-INJ: The direct injection LCMSMS method may be used where the sample matrix is not suitable for Solid Phase Extraction (e.g. significant particulate load) or where only a single sample container is received.



## Analytical Results

Sub-Matrix: ASLP LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_OB_20220423_08_10_SS_Primary_ALS	SX_OB_20220423_08_12_SS_Duplicate_ALS	SX_OB_20220423_12_11_SB_Primary_ALS	SX_OB_20220423_16_03_SS_Triplicate_ALS	SX_OB_20220423_16_04_SS_Primary_ALS
Sampling date / time				23-Apr-2022 08:10	23-Apr-2022 08:12	23-Apr-2022 12:11	23-Apr-2022 16:03	23-Apr-2022 16:04
Compound	CAS Number	LOR	Unit	EM2207398-001	EM2207398-002	EM2207398-005	EM2207398-006	EM2207398-007
				Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



## Analytical Results

Sub-Matrix: ASLP LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_OB_20220423_08_10_SS_Primary_ALS	SX_OB_20220423_08_12_SS_Duplicate_ALS	SX_OB_20220423_12_11_SB_Primary_ALS	SX_OB_20220423_16_03_SS_Triplicate_ALS	SX_OB_20220423_16_04_SS_Primary_ALS
Sampling date / time				23-Apr-2022 08:10	23-Apr-2022 08:12	23-Apr-2022 12:11	23-Apr-2022 16:03	23-Apr-2022 16:04
Compound	CAS Number	LOR	Unit	EM2207398-001	EM2207398-002	EM2207398-005	EM2207398-006	EM2207398-007
				Result	Result	Result	Result	Result
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>								
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.02	%	97.6	93.6	95.1	101	94.5
13C8-PFOA	----	0.02	%	95.9	96.5	97.0	97.1	96.2





## Analytical Results

Sub-Matrix: ASLP LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_OB_20220423_20_07_SS_Primary_ALS	SX_OB_20220424_00_14_SS_Primary_ALS	SX_IB_20220424_04_08_SS_Primary_ALS	SX_OB_20220424_08_05_SS_Primary_ALS	SX_OB_20220424_08_06_SS_Duplicate_ALS
Sampling date / time				23-Apr-2022 20:07	24-Apr-2022 00:14	24-Apr-2022 04:08	24-Apr-2022 08:06	24-Apr-2022 08:07
Compound	CAS Number	LOR	Unit	EM2207398-008	EM2207398-009	EM2207398-010	EM2207398-011	EM2207398-012
				Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



## Analytical Results

Sub-Matrix: ASLP LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_OB_20220423_20_07_SS_Primary_ALS	SX_OB_20220424_00_14_SS_Primary_ALS	SX_IB_20220424_04_08_SS_Primary_ALS	SX_OB_20220424_08_05_SS_Primary_ALS	SX_OB_20220424_08_06_SS_Duplicate_ALS
Sampling date / time				23-Apr-2022 20:07	24-Apr-2022 00:14	24-Apr-2022 04:08	24-Apr-2022 08:06	24-Apr-2022 08:07
Compound	CAS Number	LOR	Unit	EM2207398-008	EM2207398-009	EM2207398-010	EM2207398-011	EM2207398-012
				Result	Result	Result	Result	Result
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>								
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.02	%	92.1	96.5	93.9	90.9	92.1
13C8-PFOA	----	0.02	%	94.7	94.4	93.8	98.2	94.9



## Analytical Results

Sub-Matrix: ASLP LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_IB_20220424_12_03_SS_Primary_ALS	SX_IB_20220424_16_05_SS_Primary_ALS	SX_IB_20220424_16_49_SS_Triplicate_ALS	SX_IB_20220424_19_54_SS_Primary_ALS	SX_IB_20220424_23_48_SS_Primary_ALS
Sampling date / time				24-Apr-2022 12:04	24-Apr-2022 16:06	24-Apr-2022 16:50	24-Apr-2022 19:54	24-Apr-2022 23:48
Compound	CAS Number	LOR	Unit	EM2207398-013	EM2207398-014	EM2207398-015	EM2207398-016	EM2207398-017
				Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



## Analytical Results

Sub-Matrix: ASLP LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_IB_20220424_12_03_SS_Primary_ALS	SX_IB_20220424_16_05_SS_Primary_ALS	SX_IB_20220424_16_49_SS_Triplicate_ALS	SX_IB_20220424_19_54_SS_Primary_ALS	SX_IB_20220424_23_48_SS_Primary_ALS
Sampling date / time				24-Apr-2022 12:04	24-Apr-2022 16:06	24-Apr-2022 16:50	24-Apr-2022 19:54	24-Apr-2022 23:48
Compound	CAS Number	LOR	Unit	EM2207398-013	EM2207398-014	EM2207398-015	EM2207398-016	EM2207398-017
				Result	Result	Result	Result	Result
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>								
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.02	%	88.7	93.1	87.7	97.0	91.6
13C8-PFOA	----	0.02	%	97.6	95.0	96.5	94.6	95.3



## Analytical Results

Sub-Matrix: ASLP LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_IB_20220424_23_55_SS_Primary_ALS	SX_OB_20220425_04_16_SS_Primary_ALS	SX_OB_20220425_04_18_SS_Duplicate_ALS	SX_IB_20220425_07_56_SS_Primary_ALS	SX_IB_20220425_07_57_SS_Duplicate_ALS
Sampling date / time				24-Apr-2022 23:55	25-Apr-2022 04:16	25-Apr-2022 04:18	25-Apr-2022 07:56	25-Apr-2022 07:57
Compound	CAS Number	LOR	Unit	EM2207398-018	EM2207398-019	EM2207398-020	EM2207398-021	EM2207398-022
				Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



## Analytical Results

Sub-Matrix: ASLP LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_IB_20220424_23_55_SS_Primary_ALS	SX_OB_20220425_04_16_SS_Primary_ALS	SX_OB_20220425_04_18_SS_Duplicate_ALS	SX_IB_20220425_07_56_SS_Primary_ALS	SX_IB_20220425_07_57_SS_Duplicate_ALS
Sampling date / time				24-Apr-2022 23:55	25-Apr-2022 04:16	25-Apr-2022 04:18	25-Apr-2022 07:56	25-Apr-2022 07:57
Compound	CAS Number	LOR	Unit	EM2207398-018	EM2207398-019	EM2207398-020	EM2207398-021	EM2207398-022
				Result	Result	Result	Result	Result
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>								
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.02	%	98.5	95.7	99.7	88.6	133
13C8-PFOA	----	0.02	%	95.3	98.7	94.6	95.2	98.8



## Analytical Results

Sub-Matrix: ASLP LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_IB_20220425_11_48_SS_Primary_ALS	SX_IB_20220425_15_50_SS_Primary_ALS	SX_IB_20220425_15_58_SS_Triplicate_ALS	SX_IB_20220425_19_49_SS_Primary_ALS	SX_IB_20220426_00_02_SS_Primary_ALS
Sampling date / time				25-Apr-2022 11:48	25-Apr-2022 15:50	25-Apr-2022 15:58	25-Apr-2022 19:49	26-Apr-2022 00:02
Compound	CAS Number	LOR	Unit	EM2207398-023	EM2207398-024	EM2207398-025	EM2207398-026	EM2207398-027
				Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



## Analytical Results

Sub-Matrix: ASLP LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_IB_20220425_11_48_SS_Primary_ALS	SX_IB_20220425_15_50_SS_Primary_ALS	SX_IB_20220425_15_58_SS_Triplicate_ALS	SX_IB_20220425_19_49_SS_Primary_ALS	SX_IB_20220426_00_02_SS_Primary_ALS
Sampling date / time				25-Apr-2022 11:48	25-Apr-2022 15:50	25-Apr-2022 15:58	25-Apr-2022 19:49	26-Apr-2022 00:02
Compound	CAS Number	LOR	Unit	EM2207398-023	EM2207398-024	EM2207398-025	EM2207398-026	EM2207398-027
				Result	Result	Result	Result	Result
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>								
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.02	%	135	135	138	135	140
13C8-PFOA	----	0.02	%	90.0	91.8	92.1	90.8	92.9





## Analytical Results

Sub-Matrix: ASLP LEACHATE  
 (Matrix: WATER)

Sample ID

SX\_IB\_20220426\_03\_  
 47\_SS\_Primary\_ALS

Sampling date / time			26-Apr-2022 03:47					
Compound	CAS Number	LOR	Unit	EM2207398-028	-----	-----	-----	-----
				Result	---	---	---	---
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	---	---	---	---
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	---	---	---	---
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	---	---	---	---
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	---	---	---	---
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	---	---	---	---
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	---	---	---	---
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	---	---	---	---
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	---	---	---	---
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	---	---	---	---
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	---	---	---	---
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	---	---	---	---
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	---	---	---	---
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	---	---	---	---
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	---	---	---	---
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	---	---	---	---
Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.02	µg/L	<0.02	---	---	---	---
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	---	---	---	---
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	---	---	---	---
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	---	---	---	---
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	---	---	---	---



## Analytical Results

Sub-Matrix: ASLP LEACHATE  
 (Matrix: WATER)

Sample ID

SX\_IB\_20220426\_03\_  
 47\_SS\_Primary\_ALS

				Sampling date / time	26-Apr-2022 03:47	----	----	----	----
Compound	CAS Number	LOR	Unit	EM2207398-028	-----	-----	-----	-----	-----
				Result	----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>									
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	----	----	----	----	----
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	----	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	----	----	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.10	µg/L	<0.10	----	----	----	----	----
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	----	----	----	----	----
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.02	%	<b>94.0</b>	----	----	----	----	----
13C8-PFOA	----	0.02	%	<b>93.2</b>	----	----	----	----	----



## Analytical Results

Sub-Matrix: DI WATER LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_OB_20220423_08_10_SS_Primary_ALS	SX_OB_20220423_08_12_SS_Duplicate_ALS	SX_OB_20220423_12_11_SB_Primary_ALS	SX_OB_20220423_16_03_SS_Triplicate_ALS	SX_OB_20220423_16_04_SS_Primary_ALS
Sampling date / time				23-Apr-2022 08:10	23-Apr-2022 08:12	23-Apr-2022 12:11	23-Apr-2022 16:03	23-Apr-2022 16:04
Compound	CAS Number	LOR	Unit	EM2207398-029	EM2207398-030	EM2207398-031	EM2207398-032	EM2207398-033
				Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



## Analytical Results

Sub-Matrix: DI WATER LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_OB_20220423_08_10_SS_Primary_ALS	SX_OB_20220423_08_12_SS_Duplicate_ALS	SX_OB_20220423_12_11_SB_Primary_ALS	SX_OB_20220423_16_03_SS_Triplicate_ALS	SX_OB_20220423_16_04_SS_Primary_ALS
Sampling date / time				23-Apr-2022 08:10	23-Apr-2022 08:12	23-Apr-2022 12:11	23-Apr-2022 16:03	23-Apr-2022 16:04
Compound	CAS Number	LOR	Unit	EM2207398-029	EM2207398-030	EM2207398-031	EM2207398-032	EM2207398-033
				Result	Result	Result	Result	Result
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>								
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.02	%	91.1	95.6	92.7	90.8	94.9
13C8-PFOA	----	0.02	%	92.5	94.6	93.3	93.5	90.2



## Analytical Results

Sub-Matrix: DI WATER LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_OB_20220423_20_07_SS_Primary_ALS	SX_OB_20220424_00_14_SS_Primary_ALS	SX_IB_20220424_04_08_SS_Primary_ALS	SX_OB_20220424_08_05_SS_Primary_ALS	SX_OB_20220424_08_06_SS_Duplicate_ALS
Sampling date / time				23-Apr-2022 20:07	24-Apr-2022 00:14	24-Apr-2022 04:08	24-Apr-2022 08:06	24-Apr-2022 08:07
Compound	CAS Number	LOR	Unit	EM2207398-034	EM2207398-035	EM2207398-036	EM2207398-037	EM2207398-038
				Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



## Analytical Results

Sub-Matrix: DI WATER LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_OB_20220423_20_07_SS_Primary_ALS	SX_OB_20220424_00_14_SS_Primary_ALS	SX_IB_20220424_04_08_SS_Primary_ALS	SX_OB_20220424_08_05_SS_Primary_ALS	SX_OB_20220424_08_06_SS_Duplicate_ALS
Sampling date / time				23-Apr-2022 20:07	24-Apr-2022 00:14	24-Apr-2022 04:08	24-Apr-2022 08:06	24-Apr-2022 08:07
Compound	CAS Number	LOR	Unit	EM2207398-034	EM2207398-035	EM2207398-036	EM2207398-037	EM2207398-038
				Result	Result	Result	Result	Result
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>								
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.02	%	85.8	89.9	90.5	94.0	90.8
13C8-PFOA	----	0.02	%	91.3	94.5	89.8	93.1	92.0



## Analytical Results

Sub-Matrix: DI WATER LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_IB_20220424_12_03_SS_Primary_ALS	SX_IB_20220424_16_05_SS_Primary_ALS	SX_IB_20220424_16_49_SS_Triplicate_ALS	SX_IB_20220424_19_54_SS_Primary_ALS	SX_IB_20220424_23_48_SS_Primary_ALS
Sampling date / time				24-Apr-2022 12:04	24-Apr-2022 16:06	24-Apr-2022 16:50	24-Apr-2022 19:54	24-Apr-2022 23:48
Compound	CAS Number	LOR	Unit	EM2207398-039	EM2207398-040	EM2207398-041	EM2207398-042	EM2207398-043
				Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



## Analytical Results

Sub-Matrix: DI WATER LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_IB_20220424_12_03_SS_Primary_ALS	SX_IB_20220424_16_05_SS_Primary_ALS	SX_IB_20220424_16_49_SS_Triplicate_ALS	SX_IB_20220424_19_54_SS_Primary_ALS	SX_IB_20220424_23_48_SS_Primary_ALS
Sampling date / time				24-Apr-2022 12:04	24-Apr-2022 16:06	24-Apr-2022 16:50	24-Apr-2022 19:54	24-Apr-2022 23:48
Compound	CAS Number	LOR	Unit	EM2207398-039	EM2207398-040	EM2207398-041	EM2207398-042	EM2207398-043
				Result	Result	Result	Result	Result
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>								
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.02	%	85.7	92.3	95.1	92.0	91.3
13C8-PFOA	----	0.02	%	92.6	89.2	88.5	90.2	96.1





## Analytical Results

Sub-Matrix: DI WATER LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_IB_20220424_23_55_SS_Primary_ALS	SX_OB_20220425_04_16_SS_Primary_ALS	SX_OB_20220425_04_18_SS_Duplicate_ALS	SX_IB_20220425_07_56_SS_Primary_ALS	SX_IB_20220425_07_57_SS_Duplicate_ALS
Sampling date / time				24-Apr-2022 23:55	25-Apr-2022 04:16	25-Apr-2022 04:18	25-Apr-2022 07:56	25-Apr-2022 07:57
Compound	CAS Number	LOR	Unit	EM2207398-044	EM2207398-045	EM2207398-046	EM2207398-047	EM2207398-048
				Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



## Analytical Results

Sub-Matrix: DI WATER LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_IB_20220424_23_55_SS_Primary_ALS	SX_OB_20220425_04_16_SS_Primary_ALS	SX_OB_20220425_04_18_SS_Duplicate_ALS	SX_IB_20220425_07_56_SS_Primary_ALS	SX_IB_20220425_07_57_SS_Duplicate_ALS
Sampling date / time				24-Apr-2022 23:55	25-Apr-2022 04:16	25-Apr-2022 04:18	25-Apr-2022 07:56	25-Apr-2022 07:57
Compound	CAS Number	LOR	Unit	EM2207398-044	EM2207398-045	EM2207398-046	EM2207398-047	EM2207398-048
				Result	Result	Result	Result	Result
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>								
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.02	%	86.1	86.3	94.3	92.0	79.5
13C8-PFOA	----	0.02	%	89.8	91.2	97.0	90.5	88.1



## Analytical Results

Sub-Matrix: DI WATER LEACHATE  
 (Matrix: WATER)

Sample ID

		Sampling date / time		SX_IB_20220425_11_48_SS_Primary_ALS	SX_IB_20220425_15_50_SS_Primary_ALS	SX_IB_20220425_15_58_SS_Triplicate_ALS	SX_IB_20220425_19_49_SS_Primary_ALS	SX_IB_20220426_00_02_SS_Primary_ALS
Compound	CAS Number	LOR	Unit	EM2207398-049	EM2207398-050	EM2207398-051	EM2207398-052	EM2207398-053
				Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



## Analytical Results

Sub-Matrix: DI WATER LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_IB_20220425_11_48_SS_Primary_ALS	SX_IB_20220425_15_50_SS_Primary_ALS	SX_IB_20220425_15_58_SS_Triplicate_ALS	SX_IB_20220425_19_49_SS_Primary_ALS	SX_IB_20220426_00_02_SS_Primary_ALS
Sampling date / time				25-Apr-2022 11:48	25-Apr-2022 15:50	25-Apr-2022 15:58	25-Apr-2022 19:49	26-Apr-2022 00:02
Compound	CAS Number	LOR	Unit	EM2207398-049	EM2207398-050	EM2207398-051	EM2207398-052	EM2207398-053
				Result	Result	Result	Result	Result
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>								
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.02	%	83.2	86.9	86.0	133	85.4
13C8-PFOA	----	0.02	%	92.3	92.8	91.8	95.5	89.7



## Analytical Results

Sub-Matrix: DI WATER LEACHATE  
 (Matrix: WATER)

Sample ID

SX\_IB\_20220426\_03\_  
 47\_SS\_Primary\_ALS

Sampling date / time

26-Apr-2022 03:47

Compound	CAS Number	LOR	Unit	Result	---	---	---	---
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	---	---	---	---
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	---	---	---	---
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	---	---	---	---
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	---	---	---	---
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	---	---	---	---
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	---	---	---	---
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	---	---	---	---
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	---	---	---	---
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	---	---	---	---
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	---	---	---	---
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	---	---	---	---
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	---	---	---	---
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	---	---	---	---
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	---	---	---	---
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	---	---	---	---
Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.02	µg/L	<0.02	---	---	---	---
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	---	---	---	---
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	---	---	---	---
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	---	---	---	---
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	---	---	---	---



## Analytical Results

Sub-Matrix: DI WATER LEACHATE  
 (Matrix: WATER)

Sample ID

SX\_IB\_20220426\_03\_  
 47\_SS\_Primary\_ALS

				Sampling date / time	26-Apr-2022 03:47	----	----	----	----
Compound	CAS Number	LOR	Unit	EM2207398-054	-----	-----	-----	-----	-----
				Result	----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>									
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	----	----	----	----	----
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	----	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	----	----	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----	----
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	----	----	----	----	----
Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.02	%	85.0	----	----	----	----	----
13C8-PFOA	----	0.02	%	87.8	----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220423_08_10_SS_Primary_ALS	SX_OB_20220423_08_12_SS_Duplicate_ALS	SX_OB_20220423_12_11_SB_Primary_ALS	SX_OB_20220423_16_03_SS_Triplicate_ALS	SX_OB_20220423_16_04_SS_Primary_ALS
Sampling date / time				23-Apr-2022 08:10	23-Apr-2022 08:12	23-Apr-2022 12:11	23-Apr-2022 16:03	23-Apr-2022 16:04
Compound	CAS Number	LOR	Unit	EM2207398-001	EM2207398-002	EM2207398-005	EM2207398-006	EM2207398-007
				Result	Result	Result	Result	Result
<b>EA001: pH in soil using 0.01M CaCl extract</b>								
pH (CaCl <sub>2</sub> )	----	0.1	pH Unit	7.8	7.8	7.8	7.9	7.9
<b>EA055: Moisture Content (Dried @ 105-110°C)</b>								
Moisture Content	----	1.0	%	28.4	30.4	30.6	31.4	30.0
<b>EG005(ED093)T: Total Metals by ICP-AES</b>								
Arsenic	7440-38-2	5	mg/kg	34	27	41	42	39
Cadmium	7440-43-9	1	mg/kg	<1	<1	1	<1	<1
Chromium	7440-47-3	5	mg/kg	87	83	103	121	98
Copper	7440-50-8	5	mg/kg	49	95	57	59	54
Lead	7439-92-1	5	mg/kg	<5	<5	<5	<5	<5
Molybdenum	7439-98-7	5	mg/kg	<5	<5	<5	<5	<5
Nickel	7440-02-0	5	mg/kg	142	177	161	179	160
Selenium	7782-49-2	5	mg/kg	<5	<5	<5	<5	<5
Silver	7440-22-4	2	mg/kg	<2	<2	<2	<2	<2
Tin	7440-31-5	10	mg/kg	<10	<10	<10	<10	<10
Zinc	7440-66-6	5	mg/kg	83	105	88	111	96
<b>EG035T: Total Recoverable Mercury by FIMS</b>								
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>								
Hexavalent Chromium	18540-29-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
<b>EK026SF: Total CN by Segmented Flow Analyser</b>								
Total Cyanide	57-12-5	5	mg/kg	<5	<5	<5	<5	<5
<b>EK040T: Fluoride Total</b>								
Fluoride	16984-48-8	100	mg/kg	200	110	140	140	130
<b>EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>								
Initial pH	----	0.1	pH Unit	8.5	8.9	8.9	9.1	9.3
After HCl pH	----	0.1	pH Unit	1.6	1.4	1.4	1.4	1.5
Extraction Fluid pH	----	0.1	pH Unit	5.0	5.0	5.0	5.0	5.0
Final pH	----	0.1	pH Unit	5.2	5.2	5.2	5.2	5.2
<b>EP066: Polychlorinated Biphenyls (PCB)</b>								
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>								
Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	<0.2	<0.2	<0.2



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220423_08_10_SS_Primary_ALS	SX_OB_20220423_08_12_SS_Duplicate_ALS	SX_OB_20220423_12_11_SB_Primary_ALS	SX_OB_20220423_16_03_SS_Triplicate_ALS	SX_OB_20220423_16_04_SS_Primary_ALS
Sampling date / time				23-Apr-2022 08:10	23-Apr-2022 08:12	23-Apr-2022 12:11	23-Apr-2022 16:03	23-Apr-2022 16:04
Compound	CAS Number	LOR	Unit	EM2207398-001	EM2207398-002	EM2207398-005	EM2207398-006	EM2207398-007
				Result	Result	Result	Result	Result
<b>EP074A: Monocyclic Aromatic Hydrocarbons - Continued</b>								
Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of monocyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Total Xylenes	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
<b>EP074H: Naphthalene</b>								
Naphthalene	91-20-3	1	mg/kg	<1	<1	<1	<1	<1
<b>EP074I: Volatile Halogenated Compounds</b>								
Vinyl chloride	75-01-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethene	75-35-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Methylene chloride	75-09-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
trans-1,2-Dichloroethene	156-60-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	156-59-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroform	67-66-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1-Trichloroethane	71-55-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Carbon Tetrachloride	56-23-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloroethane	107-06-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Trichloroethene	79-01-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2-Trichloroethane	79-00-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene	127-18-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1,2-Tetrachloroethane	630-20-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2,2-Tetrachloroethane	79-34-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Hexachlorobutadiene	87-68-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chlorobenzene	108-90-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dichlorobenzene	106-46-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichlorobenzene	95-50-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2,4-Trichlorobenzene	120-82-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of volatile chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of other chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
<b>EP075A: Phenolic Compounds (Halogenated)</b>								





## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220423_08_10_SS_Primary_ALS	SX_OB_20220423_08_12_SS_Duplicate_ALS	SX_OB_20220423_12_11_SB_Primary_ALS	SX_OB_20220423_16_03_SS_Triplicate_ALS	SX_OB_20220423_16_04_SS_Primary_ALS
Sampling date / time				23-Apr-2022 08:10	23-Apr-2022 08:12	23-Apr-2022 12:11	23-Apr-2022 16:03	23-Apr-2022 16:04
Compound	CAS Number	LOR	Unit	EM2207398-001	EM2207398-002	EM2207398-005	EM2207398-006	EM2207398-007
				Result	Result	Result	Result	Result
<b>EP075A: Phenolic Compounds (Halogenated) - Continued</b>								
2-Chlorophenol	95-57-8	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,4-Dichlorophenol	120-83-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,6-Dichlorophenol	87-65-0	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
4-Chloro-3-methylphenol	59-50-7	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,5-Trichlorophenol	95-95-4	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,6-Trichlorophenol	88-06-2	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-90-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Pentachlorophenol	87-86-5	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
^ Sum of Phenols (halogenated)	----	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>								
Phenol	108-95-2	1	mg/kg	<1	<1	<1	<1	<1
2-Methylphenol	95-48-7	1	mg/kg	<1	<1	<1	<1	<1
3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	<1	<1	<1
2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	<5	<5	<5
4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	<5	<5	<5
2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	<5	<5	<5
Dinoseb	88-85-7	20	mg/kg	<20	<20	<20	<20	<20
2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	20	mg/kg	<20	<20	<20	<20	<20
^ Sum of Phenols (non-halogenated)	----	20	mg/kg	<20	<20	<20	<20	<20
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220423_08_10_SS_Primary_ALS	SX_OB_20220423_08_12_SS_Duplicate_ALS	SX_OB_20220423_12_11_SB_Primary_ALS	SX_OB_20220423_16_03_SS_Triplicate_ALS	SX_OB_20220423_16_04_SS_Primary_ALS
Sampling date / time				23-Apr-2022 08:10	23-Apr-2022 08:12	23-Apr-2022 12:11	23-Apr-2022 16:03	23-Apr-2022 16:04
Compound	CAS Number	LOR	Unit	EM2207398-001	EM2207398-002	EM2207398-005	EM2207398-006	EM2207398-007
				Result	Result	Result	Result	Result
<b>EP075B: Polynuclear Aromatic Hydrocarbons - Continued</b>								
Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>
<b>EP075I: Organochlorine Pesticides</b>								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
Endosulfan 1	959-98-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan 2	33213-65-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Methoxychlor	72-43-5	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Sum of organochlorine pesticides	----	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220423_08_10_SS_Primary_ALS	SX_OB_20220423_08_12_SS_Duplicate_ALS	SX_OB_20220423_12_11_SB_Primary_ALS	SX_OB_20220423_16_03_SS_Triplicate_ALS	SX_OB_20220423_16_04_SS_Primary_ALS
Sampling date / time				23-Apr-2022 08:10	23-Apr-2022 08:12	23-Apr-2022 12:11	23-Apr-2022 16:03	23-Apr-2022 16:04
Compound	CAS Number	LOR	Unit	EM2207398-001	EM2207398-002	EM2207398-005	EM2207398-006	EM2207398-007
				Result	Result	Result	Result	Result
<b>EP075I: Organochlorine Pesticides - Continued</b>								
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.30	mg/kg	<0.30	<0.30	<0.30	<0.30	<0.30
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Chlordane	57-74-9	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10
^ Sum of other organochlorine pesticides	----	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
<b>EP080/071: Total Petroleum Hydrocarbons</b>								
C6 - C9 Fraction	----	20	mg/kg	<20	<20	<20	<20	<20
C10 - C14 Fraction	----	50	mg/kg	<50	<50	<50	<50	<50
C6 - C10 Fraction	C6_C10	20	mg/kg	<20	<20	<20	<20	<20
C15 - C28 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
C29 - C36 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
^ C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	<50	<50	<50
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>								
>C10 - C16 Fraction	----	50	mg/kg	<50	<50	<50	<50	<50
>C16 - C34 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
>C34 - C40 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	<50	<50	<50
>C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	<50	<50	<50	<50	<50
C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	20	mg/kg	<20	<20	<20	<20	<20
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorodecane sulfonic acid (PFDS)	335-77-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220423_08_10_SS_Primary_ALS	SX_OB_20220423_08_12_SS_Duplicate_ALS	SX_OB_20220423_12_11_SB_Primary_ALS	SX_OB_20220423_16_03_SS_Triplicate_ALS	SX_OB_20220423_16_04_SS_Primary_ALS
Sampling date / time				23-Apr-2022 08:10	23-Apr-2022 08:12	23-Apr-2022 12:11	23-Apr-2022 16:03	23-Apr-2022 16:04
Compound	CAS Number	LOR	Unit	EM2207398-001	EM2207398-002	EM2207398-005	EM2207398-006	EM2207398-007
				Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	5	µg/kg	<5	<5	<5	<5	<5
Perfluoropentanoic acid (PFPeA)	2706-90-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorohexanoic acid (PFHxA)	307-24-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroheptanoic acid (PFHpA)	375-85-9	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorooctanoic acid (PFOA)	335-67-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorononanoic acid (PFNA)	375-95-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorodecanoic acid (PFDA)	335-76-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorododecanoic acid (PFDoDA)	307-55-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220423_08_10_SS_Primary_ALS	SX_OB_20220423_08_12_SS_Duplicate_ALS	SX_OB_20220423_12_11_SB_Primary_ALS	SX_OB_20220423_16_03_SS_Triplicate_ALS	SX_OB_20220423_16_04_SS_Primary_ALS
Sampling date / time				23-Apr-2022 08:10	23-Apr-2022 08:12	23-Apr-2022 12:11	23-Apr-2022 16:03	23-Apr-2022 16:04
Compound	CAS Number	LOR	Unit	EM2207398-001	EM2207398-002	EM2207398-005	EM2207398-006	EM2207398-007
				Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	50.0	µg/kg	<50.0	<50.0	<50.0	<50.0	<50.0
Sum of PFHxS and PFOS	355-46-4/1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Sum of PFAS (WA DER List)	----	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
<b>EP066S: PCB Surrogate</b>								
Decachlorobiphenyl	2051-24-3	0.1	%	103	106	98.3	110	105
<b>EP074S: VOC Surrogates (Ultra-Trace)</b>								
1,2-Dichloroethane-D4	17060-07-0	0.1	%	79.2	94.6	95.7	82.7	93.6
Toluene-D8	2037-26-5	0.1	%	76.1	91.4	92.2	81.2	91.3
4-Bromofluorobenzene	460-00-4	0.1	%	87.8	102	101	92.2	102
<b>EP075S: Acid Extractable Surrogates (Waste Classification)</b>								
Phenol-d6	13127-88-3	0.025	%	84.3	90.3	83.6	92.2	82.2
2-Chlorophenol-D4	93951-73-6	0.025	%	80.9	86.8	78.1	87.5	77.1
2,4,6-Tribromophenol	118-79-6	0.025	%	78.1	79.7	73.7	81.8	75.0
<b>EP075T: Base/Neutral Extractable Surrogates (Waste Classification)</b>								
Nitrobenzene-D5	4165-60-0	0.025	%	82.2	88.8	80.7	90.1	79.0
1,2-Dichlorobenzene-D4	2199-69-1	0.025	%	73.2	81.4	72.2	81.7	70.9
2-Fluorobiphenyl	321-60-8	0.025	%	98.7	105	96.2	107	95.6
Anthracene-d10	1719-06-8	0.025	%	85.5	89.6	84.2	92.5	87.4
4-Terphenyl-d14	1718-51-0	0.025	%	93.0	97.0	91.4	101	95.3
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.0002	%	106	89.4	100	95.8	110
13C8-PFOA	----	0.0002	%	107	99.2	98.0	100	97.0



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220423_20_07_SS_Primary_ALS	SX_OB_20220424_00_14_SS_Primary_ALS	SX_IB_20220424_04_08_SS_Primary_ALS	SX_OB_20220424_08_05_SS_Primary_ALS	SX_OB_20220424_08_06_SS_Duplicate_ALS
Sampling date / time				23-Apr-2022 20:07	24-Apr-2022 00:14	24-Apr-2022 04:08	24-Apr-2022 08:06	24-Apr-2022 08:07
Compound	CAS Number	LOR	Unit	EM2207398-008	EM2207398-009	EM2207398-010	EM2207398-011	EM2207398-012
				Result	Result	Result	Result	Result
<b>EA001: pH in soil using 0.01M CaCl extract</b>								
pH (CaCl2)	----	0.1	pH Unit	8.0	7.9	7.8	8.0	8.1
<b>EA055: Moisture Content (Dried @ 105-110°C)</b>								
Moisture Content	----	1.0	%	28.3	31.7	32.2	29.7	30.5
<b>EG005(ED093)T: Total Metals by ICP-AES</b>								
Arsenic	7440-38-2	5	mg/kg	32	38	30	29	41
Cadmium	7440-43-9	1	mg/kg	<1	<1	<1	<1	<1
Chromium	7440-47-3	5	mg/kg	102	107	104	91	107
Copper	7440-50-8	5	mg/kg	54	54	59	47	58
Lead	7439-92-1	5	mg/kg	<5	<5	<5	<5	<5
Molybdenum	7439-98-7	5	mg/kg	<5	<5	<5	<5	<5
Nickel	7440-02-0	5	mg/kg	164	154	171	145	159
Selenium	7782-49-2	5	mg/kg	<5	<5	<5	<5	<5
Silver	7440-22-4	2	mg/kg	<2	<2	<2	<2	<2
Tin	7440-31-5	10	mg/kg	<10	<10	<10	<10	<10
Zinc	7440-66-6	5	mg/kg	100	94	106	77	103
<b>EG035T: Total Recoverable Mercury by FIMS</b>								
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>								
Hexavalent Chromium	18540-29-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
<b>EK026SF: Total CN by Segmented Flow Analyser</b>								
Total Cyanide	57-12-5	5	mg/kg	<5	<5	<5	<5	<5
<b>EK040T: Fluoride Total</b>								
Fluoride	16984-48-8	100	mg/kg	140	120	170	130	140
<b>EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>								
Initial pH	----	0.1	pH Unit	9.2	8.9	9.3	9.4	9.4
After HCl pH	----	0.1	pH Unit	1.5	1.5	1.5	1.5	1.4
Extraction Fluid pH	----	0.1	pH Unit	5.0	5.0	5.0	5.0	5.0
Final pH	----	0.1	pH Unit	5.2	5.2	5.1	5.1	5.1
<b>EP066: Polychlorinated Biphenyls (PCB)</b>								
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>								
Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	<0.2	<0.2	<0.2



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220423_20_07_SS_Primary_ALS	SX_OB_20220424_00_14_SS_Primary_ALS	SX_IB_20220424_04_08_SS_Primary_ALS	SX_OB_20220424_08_05_SS_Primary_ALS	SX_OB_20220424_08_06_SS_Duplicate_ALS
Sampling date / time				23-Apr-2022 20:07	24-Apr-2022 00:14	24-Apr-2022 04:08	24-Apr-2022 08:06	24-Apr-2022 08:07
Compound	CAS Number	LOR	Unit	EM2207398-008	EM2207398-009	EM2207398-010	EM2207398-011	EM2207398-012
				Result	Result	Result	Result	Result
<b>EP074A: Monocyclic Aromatic Hydrocarbons - Continued</b>								
Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of monocyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Total Xylenes	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
<b>EP074H: Naphthalene</b>								
Naphthalene	91-20-3	1	mg/kg	<1	<1	<1	<1	<1
<b>EP074I: Volatile Halogenated Compounds</b>								
Vinyl chloride	75-01-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethene	75-35-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Methylene chloride	75-09-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
trans-1,2-Dichloroethene	156-60-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	156-59-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroform	67-66-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1-Trichloroethane	71-55-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Carbon Tetrachloride	56-23-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloroethane	107-06-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Trichloroethene	79-01-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2-Trichloroethane	79-00-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene	127-18-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1,2-Tetrachloroethane	630-20-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2,2-Tetrachloroethane	79-34-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Hexachlorobutadiene	87-68-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chlorobenzene	108-90-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dichlorobenzene	106-46-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichlorobenzene	95-50-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2,4-Trichlorobenzene	120-82-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of volatile chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of other chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
<b>EP075A: Phenolic Compounds (Halogenated)</b>								



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220423_20_07_SS_Primary_ALS	SX_OB_20220424_00_14_SS_Primary_ALS	SX_IB_20220424_04_08_SS_Primary_ALS	SX_OB_20220424_08_05_SS_Primary_ALS	SX_OB_20220424_08_06_SS_Duplicate_ALS
Sampling date / time				23-Apr-2022 20:07	24-Apr-2022 00:14	24-Apr-2022 04:08	24-Apr-2022 08:06	24-Apr-2022 08:07
Compound	CAS Number	LOR	Unit	EM2207398-008	EM2207398-009	EM2207398-010	EM2207398-011	EM2207398-012
				Result	Result	Result	Result	Result
<b>EP075A: Phenolic Compounds (Halogenated) - Continued</b>								
2-Chlorophenol	95-57-8	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,4-Dichlorophenol	120-83-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,6-Dichlorophenol	87-65-0	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
4-Chloro-3-methylphenol	59-50-7	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,5-Trichlorophenol	95-95-4	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,6-Trichlorophenol	88-06-2	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-90-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Pentachlorophenol	87-86-5	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
^ Sum of Phenols (halogenated)	----	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>								
Phenol	108-95-2	1	mg/kg	<1	<1	<1	<1	<1
2-Methylphenol	95-48-7	1	mg/kg	<1	<1	<1	<1	<1
3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	<1	<1	<1
2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	<5	<5	<5
4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	<5	<5	<5
2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	<5	<5	<5
Dinoseb	88-85-7	20	mg/kg	<20	<20	<20	<20	<20
2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	20	mg/kg	<20	<20	<20	<20	<20
^ Sum of Phenols (non-halogenated)	----	20	mg/kg	<20	<20	<20	<20	<20
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5





## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220423_20_07_SS_Primary_ALS	SX_OB_20220424_00_14_SS_Primary_ALS	SX_IB_20220424_04_08_SS_Primary_ALS	SX_OB_20220424_08_05_SS_Primary_ALS	SX_OB_20220424_08_06_SS_Duplicate_ALS
				23-Apr-2022 20:07	24-Apr-2022 00:14	24-Apr-2022 04:08	24-Apr-2022 08:06	24-Apr-2022 08:07
Compound	CAS Number	LOR	Unit	EM2207398-008	EM2207398-009	EM2207398-010	EM2207398-011	EM2207398-012
				Result	Result	Result	Result	Result
<b>EP075B: Polynuclear Aromatic Hydrocarbons - Continued</b>								
Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>
<b>EP075I: Organochlorine Pesticides</b>								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
Endosulfan 1	959-98-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan 2	33213-65-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Methoxychlor	72-43-5	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Sum of organochlorine pesticides	----	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220423_20_07_SS_Primary_ALS	SX_OB_20220424_00_14_SS_Primary_ALS	SX_IB_20220424_04_08_SS_Primary_ALS	SX_OB_20220424_08_05_SS_Primary_ALS	SX_OB_20220424_08_06_SS_Duplicate_ALS
Sampling date / time				23-Apr-2022 20:07	24-Apr-2022 00:14	24-Apr-2022 04:08	24-Apr-2022 08:06	24-Apr-2022 08:07
Compound	CAS Number	LOR	Unit	EM2207398-008	EM2207398-009	EM2207398-010	EM2207398-011	EM2207398-012
				Result	Result	Result	Result	Result
<b>EP075I: Organochlorine Pesticides - Continued</b>								
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.30	mg/kg	<0.30	<0.30	<0.30	<0.30	<0.30
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Chlordane	57-74-9	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10
^ Sum of other organochlorine pesticides	----	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
<b>EP080/071: Total Petroleum Hydrocarbons</b>								
C6 - C9 Fraction	----	20	mg/kg	<20	<20	<20	<20	<20
C10 - C14 Fraction	----	50	mg/kg	<50	<50	<50	<50	<50
C6 - C10 Fraction	C6_C10	20	mg/kg	<20	<20	<20	<20	<20
C15 - C28 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
C29 - C36 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
^ C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	<50	<50	<50
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>								
>C10 - C16 Fraction	----	50	mg/kg	<50	<50	<50	<50	<50
>C16 - C34 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
>C34 - C40 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	<50	<50	<50
>C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	<50	<50	<50	<50	<50
C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	20	mg/kg	<20	<20	<20	<20	<20
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorodecane sulfonic acid (PFDS)	335-77-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220423_20_07_SS_Primary_ALS	SX_OB_20220424_00_14_SS_Primary_ALS	SX_IB_20220424_04_08_SS_Primary_ALS	SX_OB_20220424_08_05_SS_Primary_ALS	SX_OB_20220424_08_06_SS_Duplicate_ALS
Sampling date / time				23-Apr-2022 20:07	24-Apr-2022 00:14	24-Apr-2022 04:08	24-Apr-2022 08:06	24-Apr-2022 08:07
Compound	CAS Number	LOR	Unit	EM2207398-008	EM2207398-009	EM2207398-010	EM2207398-011	EM2207398-012
				Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	5	µg/kg	<5	<5	<5	<5	<5
Perfluoropentanoic acid (PFPeA)	2706-90-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorohexanoic acid (PFHxA)	307-24-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroheptanoic acid (PFHpA)	375-85-9	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorooctanoic acid (PFOA)	335-67-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorononanoic acid (PFNA)	375-95-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorodecanoic acid (PFDA)	335-76-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorododecanoic acid (PFDoDA)	307-55-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220423_20_07_SS_Primary_ALS	SX_OB_20220424_00_14_SS_Primary_ALS	SX_IB_20220424_04_08_SS_Primary_ALS	SX_OB_20220424_08_05_SS_Primary_ALS	SX_OB_20220424_08_06_SS_Duplicate_ALS
Sampling date / time				23-Apr-2022 20:07	24-Apr-2022 00:14	24-Apr-2022 04:08	24-Apr-2022 08:06	24-Apr-2022 08:07
Compound	CAS Number	LOR	Unit	EM2207398-008	EM2207398-009	EM2207398-010	EM2207398-011	EM2207398-012
				Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	50.0	µg/kg	<50.0	<50.0	<50.0	<50.0	<50.0
Sum of PFHxS and PFOS	355-46-4/1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Sum of PFAS (WA DER List)	----	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
<b>EP066S: PCB Surrogate</b>								
Decachlorobiphenyl	2051-24-3	0.1	%	107	113	100	107	105
<b>EP074S: VOC Surrogates (Ultra-Trace)</b>								
1,2-Dichloroethane-D4	17060-07-0	0.1	%	97.4	91.8	63.4	92.8	86.4
Toluene-D8	2037-26-5	0.1	%	95.6	88.5	58.0	87.0	82.4
4-Bromofluorobenzene	460-00-4	0.1	%	105	99.9	75.9	97.9	96.9
<b>EP075S: Acid Extractable Surrogates (Waste Classification)</b>								
Phenol-d6	13127-88-3	0.025	%	89.9	93.5	82.8	89.2	89.5
2-Chlorophenol-D4	93951-73-6	0.025	%	86.2	88.0	79.1	85.0	85.4
2,4,6-Tribromophenol	118-79-6	0.025	%	78.7	83.7	75.3	81.2	81.5
<b>EP075T: Base/Neutral Extractable Surrogates (Waste Classification)</b>								
Nitrobenzene-D5	4165-60-0	0.025	%	87.9	95.7	86.9	92.7	92.3
1,2-Dichlorobenzene-D4	2199-69-1	0.025	%	81.1	79.8	76.8	77.8	78.6
2-Fluorobiphenyl	321-60-8	0.025	%	105	108	99.0	104	104
Anthracene-d10	1719-06-8	0.025	%	89.0	94.0	86.2	88.7	89.6
4-Terphenyl-d14	1718-51-0	0.025	%	97.0	102	93.3	96.3	97.1
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.0002	%	92.2	101	99.2	99.8	91.6
13C8-PFOA	----	0.0002	%	98.9	95.7	104	104	92.6



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220424_12_03_SS_Primary_ALS	SX_IB_20220424_16_05_SS_Primary_ALS	SX_IB_20220424_16_49_SS_Triplicate_ALS	SX_IB_20220424_19_54_SS_Primary_ALS	SX_IB_20220424_23_48_SS_Primary_ALS
Sampling date / time				24-Apr-2022 12:04	24-Apr-2022 16:06	24-Apr-2022 16:50	24-Apr-2022 19:54	24-Apr-2022 23:48	
Compound	CAS Number	LOR	Unit	EM2207398-013	EM2207398-014	EM2207398-015	EM2207398-016	EM2207398-017	
				Result	Result	Result	Result	Result	
<b>EA001: pH in soil using 0.01M CaCl extract</b>									
pH (CaCl2)	----	0.1	pH Unit	7.7	7.8	7.8	7.7	7.7	
<b>EA055: Moisture Content (Dried @ 105-110°C)</b>									
Moisture Content	----	1.0	%	30.4	29.4	31.3	32.1	33.3	
<b>EG005(ED093)T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	31	30	30	30	24	
Cadmium	7440-43-9	1	mg/kg	<1	1	<1	<1	<1	
Chromium	7440-47-3	5	mg/kg	105	101	94	107	91	
Copper	7440-50-8	5	mg/kg	56	60	56	64	55	
Lead	7439-92-1	5	mg/kg	<5	<5	<5	<5	<5	
Molybdenum	7439-98-7	5	mg/kg	<5	<5	<5	<5	<5	
Nickel	7440-02-0	5	mg/kg	159	172	170	163	165	
Selenium	7782-49-2	5	mg/kg	<5	<5	<5	<5	<5	
Silver	7440-22-4	2	mg/kg	<2	<2	<2	<2	<2	
Tin	7440-31-5	10	mg/kg	<10	<10	<10	<10	<10	
Zinc	7440-66-6	5	mg/kg	97	104	108	110	110	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>									
Hexavalent Chromium	18540-29-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0	
<b>EK026SF: Total CN by Segmented Flow Analyser</b>									
Total Cyanide	57-12-5	5	mg/kg	<5	<5	<5	<5	<5	
<b>EK040T: Fluoride Total</b>									
Fluoride	16984-48-8	100	mg/kg	180	200	210	170	200	
<b>EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>									
Initial pH	----	0.1	pH Unit	9.4	9.4	----	9.1	9.2	
After HCl pH	----	0.1	pH Unit	1.4	1.5	----	1.4	1.5	
Extraction Fluid pH	----	0.1	pH Unit	5.0	5.0	5.0	5.0	5.0	
Final pH	----	0.1	pH Unit	5.1	5.1	5.1	5.1	5.0	
<b>EP066: Polychlorinated Biphenyls (PCB)</b>									
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>									
Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	<0.2	<0.2	<0.2	
Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5	



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220424_12_03_SS_Primary_ALS	SX_IB_20220424_16_05_SS_Primary_ALS	SX_IB_20220424_16_49_SS_Triplicate_ALS	SX_IB_20220424_19_54_SS_Primary_ALS	SX_IB_20220424_23_48_SS_Primary_ALS
Sampling date / time				24-Apr-2022 12:04	24-Apr-2022 16:06	24-Apr-2022 16:50	24-Apr-2022 19:54	24-Apr-2022 23:48
Compound	CAS Number	LOR	Unit	EM2207398-013	EM2207398-014	EM2207398-015	EM2207398-016	EM2207398-017
				Result	Result	Result	Result	Result
<b>EP074A: Monocyclic Aromatic Hydrocarbons - Continued</b>								
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
meta- & para-Xylene	108-38-3	106-42-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5
Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of monocyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Total Xylenes	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
<b>EP074H: Naphthalene</b>								
Naphthalene	91-20-3	1	mg/kg	<1	<1	<1	<1	<1
<b>EP074I: Volatile Halogenated Compounds</b>								
Vinyl chloride	75-01-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethene	75-35-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Methylene chloride	75-09-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
trans-1,2-Dichloroethene	156-60-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	156-59-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroform	67-66-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1-Trichloroethane	71-55-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Carbon Tetrachloride	56-23-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloroethane	107-06-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Trichloroethene	79-01-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2-Trichloroethane	79-00-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene	127-18-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1,2-Tetrachloroethane	630-20-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2,2-Tetrachloroethane	79-34-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Hexachlorobutadiene	87-68-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chlorobenzene	108-90-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dichlorobenzene	106-46-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichlorobenzene	95-50-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2,4-Trichlorobenzene	120-82-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of volatile chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of other chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
<b>EP075A: Phenolic Compounds (Halogenated)</b>								
2-Chlorophenol	95-57-8	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,4-Dichlorophenol	120-83-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220424_12_03_SS_Primary_ALS	SX_IB_20220424_16_05_SS_Primary_ALS	SX_IB_20220424_16_49_SS_Triplicate_ALS	SX_IB_20220424_19_54_SS_Primary_ALS	SX_IB_20220424_23_48_SS_Primary_ALS
Sampling date / time				24-Apr-2022 12:04	24-Apr-2022 16:06	24-Apr-2022 16:50	24-Apr-2022 19:54	24-Apr-2022 23:48
Compound	CAS Number	LOR	Unit	EM2207398-013	EM2207398-014	EM2207398-015	EM2207398-016	EM2207398-017
				Result	Result	Result	Result	Result
<b>EP075A: Phenolic Compounds (Halogenated) - Continued</b>								
2,6-Dichlorophenol	87-65-0	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
4-Chloro-3-methylphenol	59-50-7	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,5-Trichlorophenol	95-95-4	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,6-Trichlorophenol	88-06-2	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-90-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Pentachlorophenol	87-86-5	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
^ Sum of Phenols (halogenated)	----	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>								
Phenol	108-95-2	1	mg/kg	<1	<1	<1	<1	<1
2-Methylphenol	95-48-7	1	mg/kg	<1	<1	<1	<1	<1
3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	<1	<1	<1
2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	<5	<5	<5
4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	<5	<5	<5
2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	<5	<5	<5
Dinoseb	88-85-7	20	mg/kg	<20	<20	<20	<20	<20
2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	20	mg/kg	<20	<20	<20	<20	<20
^ Sum of Phenols (non-halogenated)	----	20	mg/kg	<20	<20	<20	<20	<20
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220424_12_03_SS_Primary_ALS	SX_IB_20220424_16_05_SS_Primary_ALS	SX_IB_20220424_16_49_SS_Triplicate_ALS	SX_IB_20220424_19_54_SS_Primary_ALS	SX_IB_20220424_23_48_SS_Primary_ALS
Sampling date / time				24-Apr-2022 12:04	24-Apr-2022 16:06	24-Apr-2022 16:50	24-Apr-2022 19:54	24-Apr-2022 23:48
Compound	CAS Number	LOR	Unit	EM2207398-013	EM2207398-014	EM2207398-015	EM2207398-016	EM2207398-017
				Result	Result	Result	Result	Result
<b>EP075B: Polynuclear Aromatic Hydrocarbons - Continued</b>								
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>
<b>EP075I: Organochlorine Pesticides</b>								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
Endosulfan 1	959-98-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan 2	33213-65-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4,4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Methoxychlor	72-43-5	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Sum of organochlorine pesticides	----	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.30	mg/kg	<0.30	<0.30	<0.30	<0.30	<0.30
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Chlordane	57-74-9	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220424_12_03_SS_Primary_ALS	SX_IB_20220424_16_05_SS_Primary_ALS	SX_IB_20220424_16_49_SS_Triplicate_ALS	SX_IB_20220424_19_54_SS_Primary_ALS	SX_IB_20220424_23_48_SS_Primary_ALS
Sampling date / time				24-Apr-2022 12:04	24-Apr-2022 16:06	24-Apr-2022 16:50	24-Apr-2022 19:54	24-Apr-2022 23:48	
Compound	CAS Number	LOR	Unit	EM2207398-013	EM2207398-014	EM2207398-015	EM2207398-016	EM2207398-017	
				Result	Result	Result	Result	Result	
<b>EP075I: Organochlorine Pesticides - Continued</b>									
^ Sum of other organochlorine pesticides				----	0.03	mg/kg	<0.03	<0.03	<0.03
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction				----	20	mg/kg	<20	<20	<20
C10 - C14 Fraction				----	50	mg/kg	<50	<50	<50
C6 - C10 Fraction				C6_C10	20	mg/kg	<20	<20	<20
C15 - C28 Fraction				----	100	mg/kg	<100	<100	<100
C29 - C36 Fraction				----	100	mg/kg	<100	<100	<100
^ C10 - C36 Fraction (sum)				----	50	mg/kg	<50	<50	<50
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
>C10 - C16 Fraction				----	50	mg/kg	<50	<50	<50
>C16 - C34 Fraction				----	100	mg/kg	<100	<100	<100
>C34 - C40 Fraction				----	100	mg/kg	<100	<100	<100
^ >C10 - C40 Fraction (sum)				----	50	mg/kg	<50	<50	<50
>C10 - C16 Fraction minus Naphthalene (F2)				----	50	mg/kg	<50	<50	<50
C6 - C10 Fraction minus BTEX (F1)				C6_C10-BTEX	20	mg/kg	<20	<20	<20
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)				375-73-5	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluoropentane sulfonic acid (PFPeS)				2706-91-4	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorohexane sulfonic acid (PFHxS)				355-46-4	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluoroheptane sulfonic acid (PFHpS)				375-92-8	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorooctane sulfonic acid (PFOS)				1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorodecane sulfonic acid (PFDS)				335-77-3	5.0	µg/kg	<5.0	<5.0	<5.0
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)				375-22-4	5	µg/kg	<5	<5	<5
Perfluoropentanoic acid (PFPeA)				2706-90-3	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorohexanoic acid (PFHxA)				307-24-4	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluoroheptanoic acid (PFHpA)				375-85-9	5.0	µg/kg	<5.0	<5.0	<5.0



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220424_12_03_SS_Primary_ALS	SX_IB_20220424_16_05_SS_Primary_ALS	SX_IB_20220424_16_49_SS_Triplicate_ALS	SX_IB_20220424_19_54_SS_Primary_ALS	SX_IB_20220424_23_48_SS_Primary_ALS
Sampling date / time				24-Apr-2022 12:04	24-Apr-2022 16:06	24-Apr-2022 16:50	24-Apr-2022 19:54	24-Apr-2022 23:48	
Compound	CAS Number	LOR	Unit	EM2207398-013	EM2207398-014	EM2207398-015	EM2207398-016	EM2207398-017	
				Result	Result	Result	Result	Result	
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluorooctanoic acid (PFOA)	335-67-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorononanoic acid (PFNA)	375-95-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorodecanoic acid (PFDA)	335-76-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorododecanoic acid (PFDoDA)	307-55-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220424_12_03_SS_Primary_ALS	SX_IB_20220424_16_05_SS_Primary_ALS	SX_IB_20220424_16_49_SS_Triplicate_ALS	SX_IB_20220424_19_54_SS_Primary_ALS	SX_IB_20220424_23_48_SS_Primary_ALS
Sampling date / time				24-Apr-2022 12:04	24-Apr-2022 16:06	24-Apr-2022 16:50	24-Apr-2022 19:54	24-Apr-2022 23:48	
Compound	CAS Number	LOR	Unit	EM2207398-013	EM2207398-014	EM2207398-015	EM2207398-016	EM2207398-017	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	50.0	µg/kg	<50.0	<50.0	<50.0	<50.0	<50.0	
Sum of PFHxS and PFOS	355-46-4/1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Sum of PFAS (WA DER List)	----	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
<b>EP066S: PCB Surrogate</b>									
Decachlorobiphenyl	2051-24-3	0.1	%	105	107	98.5	102	104	
<b>EP074S: VOC Surrogates (Ultra-Trace)</b>									
1,2-Dichloroethane-D4	17060-07-0	0.1	%	89.8	79.3	86.9	65.5	79.1	
Toluene-D8	2037-26-5	0.1	%	88.9	76.6	82.4	66.6	81.5	
4-Bromofluorobenzene	460-00-4	0.1	%	103	91.0	93.4	78.0	90.6	
<b>EP075S: Acid Extractable Surrogates (Waste Classification)</b>									
Phenol-d6	13127-88-3	0.025	%	88.4	82.6	75.9	80.5	85.5	
2-Chlorophenol-D4	93951-73-6	0.025	%	83.9	76.6	72.9	77.1	80.8	
2,4,6-Tribromophenol	118-79-6	0.025	%	78.9	76.6	71.6	74.5	77.0	
<b>EP075T: Base/Neutral Extractable Surrogates (Waste Classification)</b>									
Nitrobenzene-D5	4165-60-0	0.025	%	91.9	83.0	80.0	85.8	87.8	
1,2-Dichlorobenzene-D4	2199-69-1	0.025	%	79.4	69.1	67.2	71.6	74.4	
2-Fluorobiphenyl	321-60-8	0.025	%	105	97.0	91.8	98.2	100	
Anthracene-d10	1719-06-8	0.025	%	89.6	86.6	81.5	85.0	85.9	
4-Terphenyl-d14	1718-51-0	0.025	%	97.2	96.0	88.2	91.4	92.6	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	91.8	96.8	93.7	90.0	96.8	
13C8-PFOA	----	0.0002	%	99.0	93.8	96.0	99.4	96.8	



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220424_23_55_SS_Primary_ALS	SX_OB_20220425_04_16_SS_Primary_ALS	SX_OB_20220425_04_18_SS_Duplicate_ALS	SX_IB_20220425_07_56_SS_Primary_ALS	SX_IB_20220425_07_57_SS_Duplicate_ALS
Sampling date / time				24-Apr-2022 23:55	25-Apr-2022 04:16	25-Apr-2022 04:18	25-Apr-2022 07:56	25-Apr-2022 07:57
Compound	CAS Number	LOR	Unit	EM2207398-018	EM2207398-019	EM2207398-020	EM2207398-021	EM2207398-022
				Result	Result	Result	Result	Result
<b>EA001: pH in soil using 0.01M CaCl extract</b>								
pH (CaCl2)	----	0.1	pH Unit	7.6	8.0	8.0	7.7	7.8
<b>EA055: Moisture Content (Dried @ 105-110°C)</b>								
Moisture Content	----	1.0	%	28.9	29.5	30.1	31.8	30.9
<b>EG005(ED093)T: Total Metals by ICP-AES</b>								
Arsenic	7440-38-2	5	mg/kg	22	34	36	26	27
Cadmium	7440-43-9	1	mg/kg	<1	<1	<1	<1	1
Chromium	7440-47-3	5	mg/kg	85	106	107	103	98
Copper	7440-50-8	5	mg/kg	53	59	60	57	60
Lead	7439-92-1	5	mg/kg	<5	<5	<5	<5	6
Molybdenum	7439-98-7	5	mg/kg	<5	<5	<5	<5	<5
Nickel	7440-02-0	5	mg/kg	146	169	167	157	152
Selenium	7782-49-2	5	mg/kg	<5	<5	<5	<5	<5
Silver	7440-22-4	2	mg/kg	<2	<2	<2	<2	<2
Tin	7440-31-5	10	mg/kg	<10	<10	<10	<10	<10
Zinc	7440-66-6	5	mg/kg	98	98	96	102	96
<b>EG035T: Total Recoverable Mercury by FIMS</b>								
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>								
Hexavalent Chromium	18540-29-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
<b>EK026SF: Total CN by Segmented Flow Analyser</b>								
Total Cyanide	57-12-5	5	mg/kg	<5	<5	<5	<5	<5
<b>EK040T: Fluoride Total</b>								
Fluoride	16984-48-8	100	mg/kg	200	150	130	180	170
<b>EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>								
Initial pH	----	0.1	pH Unit	9.3	9.3	9.1	9.1	9.0
After HCl pH	----	0.1	pH Unit	1.5	1.5	1.4	1.6	1.5
Extraction Fluid pH	----	0.1	pH Unit	5.0	5.0	5.0	5.0	5.0
Final pH	----	0.1	pH Unit	5.0	5.0	5.0	6.2	5.0
<b>EP066: Polychlorinated Biphenyls (PCB)</b>								
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>								
Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	<0.2	<0.2	<0.2



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220424_23_55_SS_Primary_ALS	SX_OB_20220425_04_16_SS_Primary_ALS	SX_OB_20220425_04_18_SS_Duplicate_ALS	SX_IB_20220425_07_56_SS_Primary_ALS	SX_IB_20220425_07_57_SS_Duplicate_ALS
Sampling date / time				24-Apr-2022 23:55	25-Apr-2022 04:16	25-Apr-2022 04:18	25-Apr-2022 07:56	25-Apr-2022 07:57
Compound	CAS Number	LOR	Unit	EM2207398-018	EM2207398-019	EM2207398-020	EM2207398-021	EM2207398-022
				Result	Result	Result	Result	Result
<b>EP074A: Monocyclic Aromatic Hydrocarbons - Continued</b>								
Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of monocyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Total Xylenes	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
<b>EP074H: Naphthalene</b>								
Naphthalene	91-20-3	1	mg/kg	<1	<1	<1	<1	<1
<b>EP074I: Volatile Halogenated Compounds</b>								
Vinyl chloride	75-01-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethene	75-35-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Methylene chloride	75-09-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
trans-1,2-Dichloroethene	156-60-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	156-59-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroform	67-66-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1-Trichloroethane	71-55-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Carbon Tetrachloride	56-23-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloroethane	107-06-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Trichloroethene	79-01-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2-Trichloroethane	79-00-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene	127-18-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1,2-Tetrachloroethane	630-20-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2,2-Tetrachloroethane	79-34-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Hexachlorobutadiene	87-68-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chlorobenzene	108-90-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dichlorobenzene	106-46-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichlorobenzene	95-50-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2,4-Trichlorobenzene	120-82-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of volatile chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of other chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
<b>EP075A: Phenolic Compounds (Halogenated)</b>								



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220424_23_55_SS_Primary_ALS	SX_OB_20220425_04_16_SS_Primary_ALS	SX_OB_20220425_04_18_SS_Duplicate_ALS	SX_IB_20220425_07_56_SS_Primary_ALS	SX_IB_20220425_07_57_SS_Duplicate_ALS
Sampling date / time				24-Apr-2022 23:55	25-Apr-2022 04:16	25-Apr-2022 04:18	25-Apr-2022 07:56	25-Apr-2022 07:57
Compound	CAS Number	LOR	Unit	EM2207398-018	EM2207398-019	EM2207398-020	EM2207398-021	EM2207398-022
				Result	Result	Result	Result	Result
<b>EP075A: Phenolic Compounds (Halogenated) - Continued</b>								
2-Chlorophenol	95-57-8	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,4-Dichlorophenol	120-83-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,6-Dichlorophenol	87-65-0	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
4-Chloro-3-methylphenol	59-50-7	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,5-Trichlorophenol	95-95-4	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,6-Trichlorophenol	88-06-2	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-90-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Pentachlorophenol	87-86-5	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
^ Sum of Phenols (halogenated)	----	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>								
Phenol	108-95-2	1	mg/kg	<1	<1	<1	<1	<1
2-Methylphenol	95-48-7	1	mg/kg	<1	<1	<1	<1	<1
3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	<1	<1	<1
2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	<5	<5	<5
4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	<5	<5	<5
2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	<5	<5	<5
Dinoseb	88-85-7	20	mg/kg	<20	<20	<20	<20	<20
2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	20	mg/kg	<20	<20	<20	<20	<20
^ Sum of Phenols (non-halogenated)	----	20	mg/kg	<20	<20	<20	<20	<20
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220424_23_55_SS_Primary_ALS	SX_OB_20220425_04_16_SS_Primary_ALS	SX_OB_20220425_04_18_SS_Duplicate_ALS	SX_IB_20220425_07_56_SS_Primary_ALS	SX_IB_20220425_07_57_SS_Duplicate_ALS
Sampling date / time				24-Apr-2022 23:55	25-Apr-2022 04:16	25-Apr-2022 04:18	25-Apr-2022 07:56	25-Apr-2022 07:57
Compound	CAS Number	LOR	Unit	EM2207398-018	EM2207398-019	EM2207398-020	EM2207398-021	EM2207398-022
				Result	Result	Result	Result	Result
<b>EP075B: Polynuclear Aromatic Hydrocarbons - Continued</b>								
Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>
<b>EP075I: Organochlorine Pesticides</b>								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
Endosulfan 1	959-98-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan 2	33213-65-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Methoxychlor	72-43-5	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Sum of organochlorine pesticides	----	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220424_23_55_SS_Primary_ALS	SX_OB_20220425_04_16_SS_Primary_ALS	SX_OB_20220425_04_18_SS_Duplicate_ALS	SX_IB_20220425_07_56_SS_Primary_ALS	SX_IB_20220425_07_57_SS_Duplicate_ALS
Sampling date / time				24-Apr-2022 23:55	25-Apr-2022 04:16	25-Apr-2022 04:18	25-Apr-2022 07:56	25-Apr-2022 07:57
Compound	CAS Number	LOR	Unit	EM2207398-018	EM2207398-019	EM2207398-020	EM2207398-021	EM2207398-022
				Result	Result	Result	Result	Result
<b>EP075I: Organochlorine Pesticides - Continued</b>								
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.30	mg/kg	<0.30	<0.30	<0.30	<0.30	<0.30
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Chlordane	57-74-9	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10
^ Sum of other organochlorine pesticides	----	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
<b>EP080/071: Total Petroleum Hydrocarbons</b>								
C6 - C9 Fraction	----	20	mg/kg	<20	<20	<20	<20	<20
C10 - C14 Fraction	----	50	mg/kg	<50	<50	<50	<50	<50
C6 - C10 Fraction	C6_C10	20	mg/kg	<20	<20	<20	<20	<20
C15 - C28 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
C29 - C36 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
^ C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	<50	<50	<50
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>								
>C10 - C16 Fraction	----	50	mg/kg	<50	<50	<50	<50	<50
>C16 - C34 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
>C34 - C40 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	<50	<50	<50
>C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	<50	<50	<50	<50	<50
C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	20	mg/kg	<20	<20	<20	<20	<20
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorodecane sulfonic acid (PFDS)	335-77-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0





## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220424_23_55_SS_Primary_ALS	SX_OB_20220425_04_16_SS_Primary_ALS	SX_OB_20220425_04_18_SS_Duplicate_ALS	SX_IB_20220425_07_56_SS_Primary_ALS	SX_IB_20220425_07_57_SS_Duplicate_ALS
Sampling date / time				24-Apr-2022 23:55	25-Apr-2022 04:16	25-Apr-2022 04:18	25-Apr-2022 07:56	25-Apr-2022 07:57
Compound	CAS Number	LOR	Unit	EM2207398-018	EM2207398-019	EM2207398-020	EM2207398-021	EM2207398-022
				Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	5	µg/kg	<5	<5	<5	<5	<5
Perfluoropentanoic acid (PFPeA)	2706-90-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorohexanoic acid (PFHxA)	307-24-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroheptanoic acid (PFHpA)	375-85-9	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorooctanoic acid (PFOA)	335-67-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorononanoic acid (PFNA)	375-95-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorodecanoic acid (PFDA)	335-76-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorododecanoic acid (PFDoDA)	307-55-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220424_23_55_SS_Primary_ALS	SX_OB_20220425_04_16_SS_Primary_ALS	SX_OB_20220425_04_18_SS_Duplicate_ALS	SX_IB_20220425_07_56_SS_Primary_ALS	SX_IB_20220425_07_57_SS_Duplicate_ALS
Sampling date / time				24-Apr-2022 23:55	25-Apr-2022 04:16	25-Apr-2022 04:18	25-Apr-2022 07:56	25-Apr-2022 07:57
Compound	CAS Number	LOR	Unit	EM2207398-018	EM2207398-019	EM2207398-020	EM2207398-021	EM2207398-022
				Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	50.0	µg/kg	<50.0	<50.0	<50.0	<50.0	<50.0
Sum of PFHxS and PFOS	355-46-4/1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Sum of PFAS (WA DER List)	----	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
<b>EP066S: PCB Surrogate</b>								
Decachlorobiphenyl	2051-24-3	0.1	%	104	99.9	101	113	99.5
<b>EP074S: VOC Surrogates (Ultra-Trace)</b>								
1,2-Dichloroethane-D4	17060-07-0	0.1	%	60.6	79.1	91.2	83.0	79.8
Toluene-D8	2037-26-5	0.1	%	64.7	80.2	90.7	86.8	78.9
4-Bromofluorobenzene	460-00-4	0.1	%	66.9	88.7	98.6	90.9	87.9
<b>EP075S: Acid Extractable Surrogates (Waste Classification)</b>								
Phenol-d6	13127-88-3	0.025	%	86.2	84.2	82.8	91.2	80.9
2-Chlorophenol-D4	93951-73-6	0.025	%	81.4	79.7	78.8	85.2	75.1
2,4,6-Tribromophenol	118-79-6	0.025	%	77.0	76.7	75.1	83.5	73.1
<b>EP075T: Base/Neutral Extractable Surrogates (Waste Classification)</b>								
Nitrobenzene-D5	4165-60-0	0.025	%	88.4	86.4	86.2	92.1	81.2
1,2-Dichlorobenzene-D4	2199-69-1	0.025	%	74.3	71.2	72.4	76.3	65.8
2-Fluorobiphenyl	321-60-8	0.025	%	99.7	97.0	96.7	107	94.5
Anthracene-d10	1719-06-8	0.025	%	86.4	83.8	82.8	93.7	82.2
4-Terphenyl-d14	1718-51-0	0.025	%	94.4	90.5	90.9	102	89.0
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.0002	%	90.8	99.1	90.4	94.8	106
13C8-PFOA	----	0.0002	%	98.6	99.6	91.5	99.0	101



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220425_11_48_SS_Primary_ALS	SX_IB_20220425_15_50_SS_Primary_ALS	SX_IB_20220425_15_58_SS_Triplicate_ALS	SX_IB_20220425_19_49_SS_Primary_ALS	SX_IB_20220426_00_02_SS_Primary_ALS
Sampling date / time				25-Apr-2022 11:48	25-Apr-2022 15:50	25-Apr-2022 15:58	25-Apr-2022 19:49	26-Apr-2022 00:02
Compound	CAS Number	LOR	Unit	EM2207398-023	EM2207398-024	EM2207398-025	EM2207398-026	EM2207398-027
				Result	Result	Result	Result	Result
<b>EA001: pH in soil using 0.01M CaCl extract</b>								
pH (CaCl <sub>2</sub> )	----	0.1	pH Unit	7.6	7.7	7.7	7.6	8.0
<b>EA055: Moisture Content (Dried @ 105-110°C)</b>								
Moisture Content	----	1.0	%	26.0	32.1	18.9	31.7	32.2
<b>EG005(ED093)T: Total Metals by ICP-AES</b>								
Arsenic	7440-38-2	5	mg/kg	28	24	24	29	18
Cadmium	7440-43-9	1	mg/kg	<1	<1	<1	<1	<1
Chromium	7440-47-3	5	mg/kg	103	96	85	110	92
Copper	7440-50-8	5	mg/kg	58	55	47	62	53
Lead	7439-92-1	5	mg/kg	<5	<5	<5	<5	<5
Molybdenum	7439-98-7	5	mg/kg	<5	<5	<5	<5	<5
Nickel	7440-02-0	5	mg/kg	141	159	120	145	137
Selenium	7782-49-2	5	mg/kg	<5	<5	<5	<5	<5
Silver	7440-22-4	2	mg/kg	<2	<2	<2	<2	<2
Tin	7440-31-5	10	mg/kg	<10	<10	<10	<10	<10
Zinc	7440-66-6	5	mg/kg	106	99	80	95	88
<b>EG035T: Total Recoverable Mercury by FIMS</b>								
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>								
Hexavalent Chromium	18540-29-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
<b>EK026SF: Total CN by Segmented Flow Analyser</b>								
Total Cyanide	57-12-5	5	mg/kg	<5	<5	<5	<5	<5
<b>EK040T: Fluoride Total</b>								
Fluoride	16984-48-8	100	mg/kg	180	200	200	160	230
<b>EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>								
Initial pH	----	0.1	pH Unit	9.0	9.0	8.9	8.9	9.3
After HCl pH	----	0.1	pH Unit	1.5	1.5	1.5	1.5	1.5
Extraction Fluid pH	----	0.1	pH Unit	5.0	5.0	5.0	5.0	5.0
Final pH	----	0.1	pH Unit	5.0	5.1	5.0	5.1	5.1
<b>EP066: Polychlorinated Biphenyls (PCB)</b>								
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>								
Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	<0.2	<0.2	<0.2
Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220425_11_48_SS_Primary_ALS	SX_IB_20220425_15_50_SS_Primary_ALS	SX_IB_20220425_15_58_SS_Triplicate_ALS	SX_IB_20220425_19_49_SS_Primary_ALS	SX_IB_20220426_00_02_SS_Primary_ALS
Sampling date / time				25-Apr-2022 11:48	25-Apr-2022 15:50	25-Apr-2022 15:58	25-Apr-2022 19:49	26-Apr-2022 00:02
Compound	CAS Number	LOR	Unit	EM2207398-023	EM2207398-024	EM2207398-025	EM2207398-026	EM2207398-027
				Result	Result	Result	Result	Result
<b>EP074A: Monocyclic Aromatic Hydrocarbons - Continued</b>								
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
meta- & para-Xylene	108-38-3	106-42-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5
Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
<sup>^</sup> Sum of monocyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
<sup>^</sup> Total Xylenes	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
<b>EP074H: Naphthalene</b>								
Naphthalene	91-20-3	1	mg/kg	<1	<1	<1	<1	<1
<b>EP074I: Volatile Halogenated Compounds</b>								
Vinyl chloride	75-01-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethene	75-35-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Methylene chloride	75-09-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
trans-1,2-Dichloroethene	156-60-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	156-59-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroform	67-66-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1-Trichloroethane	71-55-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Carbon Tetrachloride	56-23-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloroethane	107-06-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Trichloroethene	79-01-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2-Trichloroethane	79-00-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene	127-18-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1,2-Tetrachloroethane	630-20-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2,2-Tetrachloroethane	79-34-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Hexachlorobutadiene	87-68-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chlorobenzene	108-90-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dichlorobenzene	106-46-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichlorobenzene	95-50-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2,4-Trichlorobenzene	120-82-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
<sup>^</sup> Sum of volatile chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
<sup>^</sup> Sum of other chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
<b>EP075A: Phenolic Compounds (Halogenated)</b>								
2-Chlorophenol	95-57-8	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,4-Dichlorophenol	120-83-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220425_11_48_SS_Primary_ALS	SX_IB_20220425_15_50_SS_Primary_ALS	SX_IB_20220425_15_58_SS_Triplicate_ALS	SX_IB_20220425_19_49_SS_Primary_ALS	SX_IB_20220426_00_02_SS_Primary_ALS
Sampling date / time				25-Apr-2022 11:48	25-Apr-2022 15:50	25-Apr-2022 15:58	25-Apr-2022 19:49	26-Apr-2022 00:02
Compound	CAS Number	LOR	Unit	EM2207398-023	EM2207398-024	EM2207398-025	EM2207398-026	EM2207398-027
				Result	Result	Result	Result	Result
<b>EP075A: Phenolic Compounds (Halogenated) - Continued</b>								
2,6-Dichlorophenol	87-65-0	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
4-Chloro-3-methylphenol	59-50-7	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,5-Trichlorophenol	95-95-4	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,6-Trichlorophenol	88-06-2	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-90-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Pentachlorophenol	87-86-5	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
^ Sum of Phenols (halogenated)	----	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>								
Phenol	108-95-2	1	mg/kg	<1	<1	<1	<1	<1
2-Methylphenol	95-48-7	1	mg/kg	<1	<1	<1	<1	<1
3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	<1	<1	<1
2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	<5	<5	<5
4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	<5	<5	<5
2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	<5	<5	<5
Dinoseb	88-85-7	20	mg/kg	<20	<20	<20	<20	<20
2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	20	mg/kg	<20	<20	<20	<20	<20
^ Sum of Phenols (non-halogenated)	----	20	mg/kg	<20	<20	<20	<20	<20
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220425_11_48_SS_Primary_ALS	SX_IB_20220425_15_50_SS_Primary_ALS	SX_IB_20220425_15_58_SS_Triplicate_ALS	SX_IB_20220425_19_49_SS_Primary_ALS	SX_IB_20220426_00_02_SS_Primary_ALS
Sampling date / time				25-Apr-2022 11:48	25-Apr-2022 15:50	25-Apr-2022 15:58	25-Apr-2022 19:49	26-Apr-2022 00:02
Compound	CAS Number	LOR	Unit	EM2207398-023	EM2207398-024	EM2207398-025	EM2207398-026	EM2207398-027
				Result	Result	Result	Result	Result
<b>EP075B: Polynuclear Aromatic Hydrocarbons - Continued</b>								
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>
<b>EP075I: Organochlorine Pesticides</b>								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
Endosulfan 1	959-98-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan 2	33213-65-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4,4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Methoxychlor	72-43-5	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Sum of organochlorine pesticides	----	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.30	mg/kg	<0.30	<0.30	<0.30	<0.30	<0.30
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Chlordane	57-74-9	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220425_11_48_SS_Primary_ALS	SX_IB_20220425_15_50_SS_Primary_ALS	SX_IB_20220425_15_58_SS_Triplicate_ALS	SX_IB_20220425_19_49_SS_Primary_ALS	SX_IB_20220426_00_02_SS_Primary_ALS
Sampling date / time				25-Apr-2022 11:48	25-Apr-2022 15:50	25-Apr-2022 15:58	25-Apr-2022 19:49	26-Apr-2022 00:02	
Compound	CAS Number	LOR	Unit	EM2207398-023	EM2207398-024	EM2207398-025	EM2207398-026	EM2207398-027	
				Result	Result	Result	Result	Result	
<b>EP075I: Organochlorine Pesticides - Continued</b>									
^ Sum of other organochlorine pesticides				----	0.03	mg/kg	<0.03	<0.03	<0.03
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction				----	20	mg/kg	<20	<20	<20
C10 - C14 Fraction				----	50	mg/kg	<50	<50	<50
C6 - C10 Fraction				C6_C10	20	mg/kg	<20	<20	<20
C15 - C28 Fraction				----	100	mg/kg	<100	<100	<100
C29 - C36 Fraction				----	100	mg/kg	<100	<100	<100
^ C10 - C36 Fraction (sum)				----	50	mg/kg	<50	<50	<50
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
>C10 - C16 Fraction				----	50	mg/kg	<50	<50	<50
>C16 - C34 Fraction				----	100	mg/kg	<100	<100	<100
>C34 - C40 Fraction				----	100	mg/kg	<100	<100	<100
^ >C10 - C40 Fraction (sum)				----	50	mg/kg	<50	<50	<50
>C10 - C16 Fraction minus Naphthalene (F2)				----	50	mg/kg	<50	<50	<50
C6 - C10 Fraction minus BTEX (F1)				C6_C10-BTEX	20	mg/kg	<20	<20	<20
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)				375-73-5	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluoropentane sulfonic acid (PFPeS)				2706-91-4	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorohexane sulfonic acid (PFHxS)				355-46-4	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluoroheptane sulfonic acid (PFHpS)				375-92-8	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorooctane sulfonic acid (PFOS)				1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorodecane sulfonic acid (PFDS)				335-77-3	5.0	µg/kg	<5.0	<5.0	<5.0
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)				375-22-4	5	µg/kg	<5	<5	<5
Perfluoropentanoic acid (PFPeA)				2706-90-3	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorohexanoic acid (PFHxA)				307-24-4	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluoroheptanoic acid (PFHpA)				375-85-9	5.0	µg/kg	<5.0	<5.0	<5.0



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220425_11_48_SS_Primary_ALS	SX_IB_20220425_15_50_SS_Primary_ALS	SX_IB_20220425_15_58_SS_Triplicate_ALS	SX_IB_20220425_19_49_SS_Primary_ALS	SX_IB_20220426_00_02_SS_Primary_ALS
Sampling date / time				25-Apr-2022 11:48	25-Apr-2022 15:50	25-Apr-2022 15:58	25-Apr-2022 19:49	26-Apr-2022 00:02	
Compound	CAS Number	LOR	Unit	EM2207398-023	EM2207398-024	EM2207398-025	EM2207398-026	EM2207398-027	
				Result	Result	Result	Result	Result	
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluorooctanoic acid (PFOA)	335-67-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorononanoic acid (PFNA)	375-95-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorodecanoic acid (PFDA)	335-76-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorododecanoic acid (PFDoDA)	307-55-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220425_11_48_SS_Primary_ALS	SX_IB_20220425_15_50_SS_Primary_ALS	SX_IB_20220425_15_58_SS_Triplicate_ALS	SX_IB_20220425_19_49_SS_Primary_ALS	SX_IB_20220426_00_02_SS_Primary_ALS
Sampling date / time				25-Apr-2022 11:48	25-Apr-2022 15:50	25-Apr-2022 15:58	25-Apr-2022 19:49	26-Apr-2022 00:02	
Compound	CAS Number	LOR	Unit	EM2207398-023	EM2207398-024	EM2207398-025	EM2207398-026	EM2207398-027	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	50.0	µg/kg	<50.0	<50.0	<50.0	<50.0	<50.0	
Sum of PFHxS and PFOS	355-46-4/1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Sum of PFAS (WA DER List)	----	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
<b>EP066S: PCB Surrogate</b>									
Decachlorobiphenyl	2051-24-3	0.1	%	104	112	102	95.4	103	
<b>EP074S: VOC Surrogates (Ultra-Trace)</b>									
1,2-Dichloroethane-D4	17060-07-0	0.1	%	72.7	74.2	91.9	82.7	85.7	
Toluene-D8	2037-26-5	0.1	%	74.2	73.2	90.9	84.1	86.7	
4-Bromofluorobenzene	460-00-4	0.1	%	83.1	82.3	98.4	88.9	91.9	
<b>EP075S: Acid Extractable Surrogates (Waste Classification)</b>									
Phenol-d6	13127-88-3	0.025	%	78.9	80.5	85.2	80.7	74.3	
2-Chlorophenol-D4	93951-73-6	0.025	%	83.5	87.3	85.3	78.9	84.0	
2,4,6-Tribromophenol	118-79-6	0.025	%	80.9	87.3	80.6	81.4	84.0	
<b>EP075T: Base/Neutral Extractable Surrogates (Waste Classification)</b>									
Nitrobenzene-D5	4165-60-0	0.025	%	93.3	98.6	95.2	86.5	92.7	
1,2-Dichlorobenzene-D4	2199-69-1	0.025	%	82.9	86.2	83.9	76.6	81.7	
2-Fluorobiphenyl	321-60-8	0.025	%	108	109	104	97.9	104	
Anthracene-d10	1719-06-8	0.025	%	96.3	101	98.1	91.2	95.8	
4-Terphenyl-d14	1718-51-0	0.025	%	92.7	99.2	94.9	89.0	95.6	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	89.8	85.2	81.0	94.4	85.0	
13C8-PFOA	----	0.0002	%	99.1	98.0	99.4	96.4	103	



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220426_03_47_SS_Primary_ALS	SX_OB_20220423_08_10_SS_Primary_ALS	SX_OB_20220423_08_12_SS_Duplicate_ALS	SX_OB_20220423_12_11_SB_Primary_ALS	SX_OB_20220423_16_03_SS_Triplicate_ALS
Sampling date / time				26-Apr-2022 03:47	23-Apr-2022 08:10	23-Apr-2022 08:12	23-Apr-2022 12:11	23-Apr-2022 16:03
Compound	CAS Number	LOR	Unit	EM2207398-028	EM2207398-029	EM2207398-030	EM2207398-031	EM2207398-032
				Result	Result	Result	Result	Result
<b>EA001: pH in soil using 0.01M CaCl extract</b>								
pH (CaCl2)	----	0.1	pH Unit	8.2	----	----	----	----
<b>EA055: Moisture Content (Dried @ 105-110°C)</b>								
Moisture Content	----	1.0	%	30.3	----	----	----	----
<b>EG005(ED093)T: Total Metals by ICP-AES</b>								
Arsenic	7440-38-2	5	mg/kg	23	----	----	----	----
Cadmium	7440-43-9	1	mg/kg	<1	----	----	----	----
Chromium	7440-47-3	5	mg/kg	94	----	----	----	----
Copper	7440-50-8	5	mg/kg	62	----	----	----	----
Lead	7439-92-1	5	mg/kg	<5	----	----	----	----
Molybdenum	7439-98-7	5	mg/kg	<5	----	----	----	----
Nickel	7440-02-0	5	mg/kg	163	----	----	----	----
Selenium	7782-49-2	5	mg/kg	<5	----	----	----	----
Silver	7440-22-4	2	mg/kg	<2	----	----	----	----
Tin	7440-31-5	10	mg/kg	<10	----	----	----	----
Zinc	7440-66-6	5	mg/kg	107	----	----	----	----
<b>EG035T: Total Recoverable Mercury by FIMS</b>								
Mercury	7439-97-6	0.1	mg/kg	<0.1	----	----	----	----
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>								
Hexavalent Chromium	18540-29-9	1.0	mg/kg	<1.0	----	----	----	----
<b>EK026SF: Total CN by Segmented Flow Analyser</b>								
Total Cyanide	57-12-5	5	mg/kg	<5	----	----	----	----
<b>EK040T: Fluoride Total</b>								
Fluoride	16984-48-8	100	mg/kg	230	----	----	----	----
<b>EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>								
Extraction Fluid pH	----	0.1	pH Unit	5.0	----	----	----	----
Final pH	----	0.1	pH Unit	5.2	----	----	----	----
<b>EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>								
Final pH	----	0.1	pH Unit	----	9.1	9.1	9.1	9.3
<b>EP066: Polychlorinated Biphenyls (PCB)</b>								
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	----	----	----	----
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>								
Benzene	71-43-2	0.2	mg/kg	<0.2	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220426_03_47_SS_Primary_ALS	SX_OB_20220423_08_10_SS_Primary_ALS	SX_OB_20220423_08_12_SS_Duplicate_ALS	SX_OB_20220423_12_11_SB_Primary_ALS	SX_OB_20220423_16_03_SS_Triplicate_ALS
Sampling date / time				26-Apr-2022 03:47	23-Apr-2022 08:10	23-Apr-2022 08:12	23-Apr-2022 12:11	23-Apr-2022 16:03
Compound	CAS Number	LOR	Unit	EM2207398-028	EM2207398-029	EM2207398-030	EM2207398-031	EM2207398-032
				Result	Result	Result	Result	Result
<b>EP074A: Monocyclic Aromatic Hydrocarbons - Continued</b>								
Toluene	108-88-3	0.5	mg/kg	<0.5	----	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	----	----	----	----
Styrene	100-42-5	0.5	mg/kg	<0.5	----	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	----	----	----	----
^ Sum of monocyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	----	----	----	----
^ Total Xylenes	----	0.5	mg/kg	<0.5	----	----	----	----
<b>EP074H: Naphthalene</b>								
Naphthalene	91-20-3	1	mg/kg	<1	----	----	----	----
<b>EP074I: Volatile Halogenated Compounds</b>								
Vinyl chloride	75-01-4	0.50	mg/kg	<0.50	----	----	----	----
1,1-Dichloroethene	75-35-4	0.50	mg/kg	<0.50	----	----	----	----
Methylene chloride	75-09-2	0.5	mg/kg	<0.5	----	----	----	----
trans-1,2-Dichloroethene	156-60-5	0.50	mg/kg	<0.50	----	----	----	----
cis-1,2-Dichloroethene	156-59-2	0.50	mg/kg	<0.50	----	----	----	----
Chloroform	67-66-3	0.50	mg/kg	<0.50	----	----	----	----
1,1,1-Trichloroethane	71-55-6	0.50	mg/kg	<0.50	----	----	----	----
Carbon Tetrachloride	56-23-5	0.50	mg/kg	<0.50	----	----	----	----
1,2-Dichloroethane	107-06-2	0.50	mg/kg	<0.50	----	----	----	----
Trichloroethene	79-01-6	0.50	mg/kg	<0.50	----	----	----	----
1,1,2-Trichloroethane	79-00-5	0.50	mg/kg	<0.50	----	----	----	----
Tetrachloroethene	127-18-4	0.50	mg/kg	<0.50	----	----	----	----
1,1,1,2-Tetrachloroethane	630-20-6	0.50	mg/kg	<0.50	----	----	----	----
1,1,2,2-Tetrachloroethane	79-34-5	0.50	mg/kg	<0.50	----	----	----	----
Hexachlorobutadiene	87-68-3	0.50	mg/kg	<0.50	----	----	----	----
Chlorobenzene	108-90-7	0.50	mg/kg	<0.50	----	----	----	----
1,4-Dichlorobenzene	106-46-7	0.50	mg/kg	<0.50	----	----	----	----
1,2-Dichlorobenzene	95-50-1	0.50	mg/kg	<0.50	----	----	----	----
1,2,4-Trichlorobenzene	120-82-1	0.50	mg/kg	<0.50	----	----	----	----
^ Sum of volatile chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	----	----	----	----
^ Sum of other chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	----	----	----	----
<b>EP075A: Phenolic Compounds (Halogenated)</b>								



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220426_03_47_SS_Primary_ALS	SX_OB_20220423_08_10_SS_Primary_ALS	SX_OB_20220423_08_12_SS_Duplicate_ALS	SX_OB_20220423_12_11_SB_Primary_ALS	SX_OB_20220423_16_03_SS_Triplicate_ALS
Sampling date / time				26-Apr-2022 03:47	23-Apr-2022 08:10	23-Apr-2022 08:12	23-Apr-2022 12:11	23-Apr-2022 16:03
Compound	CAS Number	LOR	Unit	EM2207398-028	EM2207398-029	EM2207398-030	EM2207398-031	EM2207398-032
				Result	Result	Result	Result	Result
<b>EP075A: Phenolic Compounds (Halogenated) - Continued</b>								
2-Chlorophenol	95-57-8	0.50	mg/kg	<0.50	----	----	----	----
2,4-Dichlorophenol	120-83-2	0.50	mg/kg	<0.50	----	----	----	----
2,6-Dichlorophenol	87-65-0	0.50	mg/kg	<0.50	----	----	----	----
4-Chloro-3-methylphenol	59-50-7	1.00	mg/kg	<1.00	----	----	----	----
2,4,5-Trichlorophenol	95-95-4	1.00	mg/kg	<1.00	----	----	----	----
2,4,6-Trichlorophenol	88-06-2	1.00	mg/kg	<1.00	----	----	----	----
2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	----	----	----	----
2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-90-2	0.05	mg/kg	<0.05	----	----	----	----
Pentachlorophenol	87-86-5	1.0	mg/kg	<1.0	----	----	----	----
^ Sum of Phenols (halogenated)	----	1.00	mg/kg	<1.00	----	----	----	----
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>								
Phenol	108-95-2	1	mg/kg	<1	----	----	----	----
2-Methylphenol	95-48-7	1	mg/kg	<1	----	----	----	----
3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	----	----	----	----
2-Nitrophenol	88-75-5	1	mg/kg	<1	----	----	----	----
2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	----	----	----	----
2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	----	----	----	----
4-Nitrophenol	100-02-7	5	mg/kg	<5	----	----	----	----
2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	----	----	----	----
Dinoseb	88-85-7	20	mg/kg	<20	----	----	----	----
2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	20	mg/kg	<20	----	----	----	----
^ Sum of Phenols (non-halogenated)	----	20	mg/kg	<20	----	----	----	----
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	----	----	----	----
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	----	----	----	----
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	----	----	----	----
Fluorene	86-73-7	0.5	mg/kg	<0.5	----	----	----	----
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	----	----	----	----
Anthracene	120-12-7	0.5	mg/kg	<0.5	----	----	----	----
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	----	----	----	----
Pyrene	129-00-0	0.5	mg/kg	<0.5	----	----	----	----
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220426_03_47_SS_Primary_ALS	SX_OB_20220423_08_10_SS_Primary_ALS	SX_OB_20220423_08_12_SS_Duplicate_ALS	SX_OB_20220423_12_11_SB_Primary_ALS	SX_OB_20220423_16_03_SS_Triplicate_ALS
Sampling date / time				26-Apr-2022 03:47	23-Apr-2022 08:10	23-Apr-2022 08:12	23-Apr-2022 12:11	23-Apr-2022 16:03
Compound	CAS Number	LOR	Unit	EM2207398-028	EM2207398-029	EM2207398-030	EM2207398-031	EM2207398-032
				Result	Result	Result	Result	Result
<b>EP075B: Polynuclear Aromatic Hydrocarbons - Continued</b>								
Chrysene	218-01-9	0.5	mg/kg	<0.5	----	----	----	----
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1.0	mg/kg	<1.0	----	----	----	----
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	----	----	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	----	----	----	----
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	----	----	----	----
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	----	----	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	----	----	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	----	----	----	----
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	<b>0.6</b>	----	----	----	----
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	<b>1.2</b>	----	----	----	----
<b>EP075I: Organochlorine Pesticides</b>								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	----	----	----	----
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	----	----	----	----
beta-BHC	319-85-7	0.05	mg/kg	<0.05	----	----	----	----
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	----	----	----	----
delta-BHC	319-86-8	0.05	mg/kg	<0.05	----	----	----	----
Heptachlor	76-44-8	0.05	mg/kg	<0.05	----	----	----	----
Aldrin	309-00-2	0.05	mg/kg	<0.05	----	----	----	----
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	----	----	----	----
cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	----	----	----	----
trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	----	----	----	----
Endosulfan 1	959-98-8	0.05	mg/kg	<0.05	----	----	----	----
4.4`-DDE	72-55-9	0.05	mg/kg	<0.05	----	----	----	----
Dieldrin	60-57-1	0.05	mg/kg	<0.05	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	----	----	----	----
Endrin	72-20-8	0.05	mg/kg	<0.05	----	----	----	----
Endosulfan 2	33213-65-9	0.05	mg/kg	<0.05	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg	<0.05	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	----	----	----	----
4.4`-DDT	50-29-3	0.05	mg/kg	<0.05	----	----	----	----
Methoxychlor	72-43-5	0.05	mg/kg	<0.05	----	----	----	----
^ Sum of organochlorine pesticides	----	0.10	mg/kg	<0.10	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220426_03_47_SS_Primary_ALS	SX_OB_20220423_08_10_SS_Primary_ALS	SX_OB_20220423_08_12_SS_Duplicate_ALS	SX_OB_20220423_12_11_SB_Primary_ALS	SX_OB_20220423_16_03_SS_Triplicate_ALS
Sampling date / time				26-Apr-2022 03:47	23-Apr-2022 08:10	23-Apr-2022 08:12	23-Apr-2022 12:11	23-Apr-2022 16:03
Compound	CAS Number	LOR	Unit	EM2207398-028	EM2207398-029	EM2207398-030	EM2207398-031	EM2207398-032
				Result	Result	Result	Result	Result
<b>EP075I: Organochlorine Pesticides - Continued</b>								
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.30	mg/kg	<0.30	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg	<0.05	----	----	----	----
^ Chlordane	57-74-9	0.10	mg/kg	<0.10	----	----	----	----
^ Sum of other organochlorine pesticides	----	0.03	mg/kg	<0.03	----	----	----	----
<b>EP080/071: Total Petroleum Hydrocarbons</b>								
C6 - C9 Fraction	----	20	mg/kg	<20	----	----	----	----
C10 - C14 Fraction	----	50	mg/kg	<50	----	----	----	----
C6 - C10 Fraction	C6_C10	20	mg/kg	<20	----	----	----	----
C15 - C28 Fraction	----	100	mg/kg	<100	----	----	----	----
C29 - C36 Fraction	----	100	mg/kg	<100	----	----	----	----
^ C10 - C36 Fraction (sum)	----	50	mg/kg	<50	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>								
>C10 - C16 Fraction	----	50	mg/kg	<50	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg	<100	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg	<100	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	----	----	----	----
>C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	<50	----	----	----	----
C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	20	mg/kg	<20	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	5.0	µg/kg	<5.0	----	----	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	5.0	µg/kg	<5.0	----	----	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	5.0	µg/kg	<5.0	----	----	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	5.0	µg/kg	<5.0	----	----	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	5.0	µg/kg	<5.0	----	----	----	----
Perfluorodecane sulfonic acid (PFDS)	335-77-3	5.0	µg/kg	<5.0	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220426_03_47_SS_Primary_ALS	SX_OB_20220423_08_10_SS_Primary_ALS	SX_OB_20220423_08_12_SS_Duplicate_ALS	SX_OB_20220423_12_11_SB_Primary_ALS	SX_OB_20220423_16_03_SS_Triplicate_ALS
Sampling date / time				26-Apr-2022 03:47	23-Apr-2022 08:10	23-Apr-2022 08:12	23-Apr-2022 12:11	23-Apr-2022 16:03
Compound	CAS Number	LOR	Unit	EM2207398-028	EM2207398-029	EM2207398-030	EM2207398-031	EM2207398-032
				Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	5	µg/kg	<5	----	----	----	----
Perfluoropentanoic acid (PFPeA)	2706-90-3	5.0	µg/kg	<5.0	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	5.0	µg/kg	<5.0	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	5.0	µg/kg	<5.0	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	5.0	µg/kg	<5.0	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	5.0	µg/kg	<5.0	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	5.0	µg/kg	<5.0	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	5.0	µg/kg	<5.0	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	5.0	µg/kg	<5.0	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	5.0	µg/kg	<5.0	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	5.0	µg/kg	<5.0	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	5.0	µg/kg	<5.0	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	5.0	µg/kg	<5.0	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	5.0	µg/kg	<5.0	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	5.0	µg/kg	<5.0	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	5.0	µg/kg	<5.0	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	10.0	µg/kg	<10.0	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	10.0	µg/kg	<10.0	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220426_03_47_SS_Primary_ALS	SX_OB_20220423_08_10_SS_Primary_ALS	SX_OB_20220423_08_12_SS_Duplicate_ALS	SX_OB_20220423_12_11_SB_Primary_ALS	SX_OB_20220423_16_03_SS_Triplicate_ALS
Sampling date / time				26-Apr-2022 03:47	23-Apr-2022 08:10	23-Apr-2022 08:12	23-Apr-2022 12:11	23-Apr-2022 16:03
Compound	CAS Number	LOR	Unit	EM2207398-028	EM2207398-029	EM2207398-030	EM2207398-031	EM2207398-032
				Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	5.0	µg/kg	<5.0	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	10.0	µg/kg	<10.0	----	----	----	----
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	5.0	µg/kg	<5.0	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	5.0	µg/kg	<5.0	----	----	----	----
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	50.0	µg/kg	<50.0	----	----	----	----
Sum of PFHxS and PFOS	355-46-4/1763-23-1	5.0	µg/kg	<5.0	----	----	----	----
Sum of PFAS (WA DER List)	----	10.0	µg/kg	<10.0	----	----	----	----
<b>EP066S: PCB Surrogate</b>								
Decachlorobiphenyl	2051-24-3	0.1	%	104	----	----	----	----
<b>EP074S: VOC Surrogates (Ultra-Trace)</b>								
1,2-Dichloroethane-D4	17060-07-0	0.1	%	93.9	----	----	----	----
Toluene-D8	2037-26-5	0.1	%	93.1	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.1	%	101	----	----	----	----
<b>EP075S: Acid Extractable Surrogates (Waste Classification)</b>								
Phenol-d6	13127-88-3	0.025	%	77.5	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.025	%	85.0	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.025	%	84.9	----	----	----	----
<b>EP075T: Base/Neutral Extractable Surrogates (Waste Classification)</b>								
Nitrobenzene-D5	4165-60-0	0.025	%	95.5	----	----	----	----
1,2-Dichlorobenzene-D4	2199-69-1	0.025	%	83.8	----	----	----	----
2-Fluorobiphenyl	321-60-8	0.025	%	105	----	----	----	----
Anthracene-d10	1719-06-8	0.025	%	97.8	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.025	%	96.6	----	----	----	----
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.0002	%	94.4	----	----	----	----
13C8-PFOA	----	0.0002	%	101	----	----	----	----





**Analytical Results**

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220423_16_04_SS_Primary_ALS	SX_OB_20220423_20_07_SS_Primary_ALS	SX_OB_20220424_00_14_SS_Primary_ALS	SX_IB_20220424_04_08_SS_Primary_ALS	SX_OB_20220424_08_05_SS_Primary_ALS
Sampling date / time				23-Apr-2022 16:04	23-Apr-2022 20:07	24-Apr-2022 00:14	24-Apr-2022 04:08	24-Apr-2022 08:06
Compound	CAS Number	LOR	Unit	EM2207398-033	EM2207398-034	EM2207398-035	EM2207398-036	EM2207398-037
				Result	Result	Result	Result	Result
<b>EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>								
Final pH	----	0.1	pH Unit	9.3	9.4	9.2	9.2	9.4



**Analytical Results**

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220424_08_06_SS_Duplicate_ALS	SX_IB_20220424_12_03_SS_Primary_ALS	SX_IB_20220424_16_05_SS_Primary_ALS	SX_IB_20220424_16_49_SS_Triplicate_ALS	SX_IB_20220424_19_54_SS_Primary_ALS
Sampling date / time				24-Apr-2022 08:07	24-Apr-2022 12:04	24-Apr-2022 16:06	24-Apr-2022 16:50	24-Apr-2022 19:54
Compound	CAS Number	LOR	Unit	EM2207398-038	EM2207398-039	EM2207398-040	EM2207398-041	EM2207398-042
				Result	Result	Result	Result	Result
<b>EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>								
Final pH	----	0.1	pH Unit	9.5	9.2	9.2	9.2	9.2



**Analytical Results**

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220424_23_48_SS_Primary_ALS	SX_IB_20220424_23_55_SS_Primary_ALS	SX_OB_20220425_04_16_SS_Primary_ALS	SX_OB_20220425_04_18_SS_Duplicate_ALS	SX_IB_20220425_07_56_SS_Primary_ALS
Sampling date / time				24-Apr-2022 23:48	24-Apr-2022 23:55	25-Apr-2022 04:16	25-Apr-2022 04:18	25-Apr-2022 07:56
Compound	CAS Number	LOR	Unit	EM2207398-043	EM2207398-044	EM2207398-045	EM2207398-046	EM2207398-047
				Result	Result	Result	Result	Result
<b>EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>								
Final pH	----	0.1	pH Unit	9.2	9.2	9.5	9.6	9.2



**Analytical Results**

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220425_07_57_SS_Duplicate_ALS	SX_IB_20220425_11_48_SS_Primary_ALS	SX_IB_20220425_15_50_SS_Primary_ALS	SX_IB_20220425_15_58_SS_Triplicate_ALS	SX_IB_20220425_19_49_SS_Primary_ALS
Sampling date / time				25-Apr-2022 07:57	25-Apr-2022 11:48	25-Apr-2022 15:50	25-Apr-2022 15:58	25-Apr-2022 19:49
Compound	CAS Number	LOR	Unit	EM2207398-048	EM2207398-049	EM2207398-050	EM2207398-051	EM2207398-052
				Result	Result	Result	Result	Result
<b>EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>								
Final pH	----	0.1	pH Unit	9.3	9.2	9.3	9.3	9.2



**Analytical Results**

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220426_00_02_SS_Primary_ALS	SX_IB_20220426_03_47_SS_Primary_ALS	----	----	----
Sampling date / time				26-Apr-2022 00:02	26-Apr-2022 03:47	----	----	----	
Compound	CAS Number	LOR	Unit	EM2207398-053	EM2207398-054	-----	-----	-----	
				Result	Result	---	---	---	
<b>EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>									
Final pH	----	0.1	pH Unit	9.5	9.9	----	----	----	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)			Sample ID		SX_OB_20220423_08 _38_SS_Blank_ALS	SX_OB_20220423_08 _36_SR_Rinsate_ALS	----	----	----
Sampling date / time			23-Apr-2022 08:38		23-Apr-2022 08:36		----	----	----
Compound	CAS Number	LOR	Unit	EM2207398-003	EM2207398-004	-----	-----	-----	
				Result	Result	---	---	---	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.10	µg/L	<0.10	<0.10	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	----	----	----	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	SX_OB_20220423_08 _38_SS_Blank_ALS	SX_OB_20220423_08 _36_SR_Rinsate_ALS	----	----	----
Sampling date / time				23-Apr-2022 08:38	23-Apr-2022 08:36	----	----	----	
Compound	CAS Number	LOR	Unit	EM2207398-003	EM2207398-004	-----	-----	-----	
				Result	Result	---	---	---	
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>									
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.01	µg/L	<0.01	<0.01	----	----	----	
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	----	----	----	
Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	<0.01	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.02	%	<b>96.9</b>	<b>104</b>	----	----	----	
13C8-PFOA	----	0.02	%	<b>103</b>	<b>103</b>	----	----	----	



## Surrogate Control Limits

Sub-Matrix: ASLP LEACHATE		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP231S: PFAS Surrogate</b>			
13C4-PFOS	----	65	140
13C8-PFOA	----	71	133

Sub-Matrix: DI WATER LEACHATE		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP231S: PFAS Surrogate</b>			
13C4-PFOS	----	65	140
13C8-PFOA	----	71	133

Sub-Matrix: SOIL		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP066S: PCB Surrogate</b>			
Decachlorobiphenyl	2051-24-3	41	122
<b>EP074S: VOC Surrogates (Ultra-Trace)</b>			
1,2-Dichloroethane-D4	17060-07-0	59	119
Toluene-D8	2037-26-5	55	117
4-Bromofluorobenzene	460-00-4	59	123
<b>EP075S: Acid Extractable Surrogates (Waste Classification)</b>			
Phenol-d6	13127-88-3	63	134
2-Chlorophenol-D4	93951-73-6	60	125
2,4,6-Tribromophenol	118-79-6	54	129
<b>EP075T: Base/Neutral Extractable Surrogates (Waste Classification)</b>			
Nitrobenzene-D5	4165-60-0	63	131
1,2-Dichlorobenzene-D4	2199-69-1	61	124
2-Fluorobiphenyl	321-60-8	69	131
Anthracene-d10	1719-06-8	70	133
4-Terphenyl-d14	1718-51-0	59	141
<b>EP231S: PFAS Surrogate</b>			
13C4-PFOS	----	68	136
13C8-PFOA	----	69	133

Sub-Matrix: WATER		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP231S: PFAS Surrogate</b>			
13C4-PFOS	----	65	140
13C8-PFOA	----	71	133



## Automated Guideline Comparison Report

### EPA Victoria Publication IWRG 621 (2009) - Table 2: Soil Hazard Categorisation

<b>Work Order</b>	: <b>EM2207398</b>	Page	: 1 of 70
Client	: <b>AGON ENVIRONMENTAL PTY LTD</b>	Laboratory	: Environmental Division Melbourne
Contact	: CRAIG TRIMBUR		
Address	: D1.1 63-85 TURNER STREET PORT MELBOURNE 3207	Address	: 4 Westall Rd Springvale VIC Australia 3171
E-mail	: ----	E-mail	: Josh.Alexander@alsglobal.com
Telephone	: ----	Telephone	: +61-3-8549 9600
Facsimile	: ----	Facsimile	: +61-3-8549 9626
Project	: JC0927	Date Received	: 26-Apr-2022 12:35
Order number	: ----	Date Analysed	: 26-Apr-2022
C-O-C number	: 20220426041206-ALS-21	Date Issued	: 29-Apr-2022 16:10
No. of samples received	: 54		
No. of samples analysed	: 54	Quote number	: EN/150/19 -WGTP -Bulk Sample Quote

#### General Comments

This guideline comparison report **only** provides comparison of total concentration data against upper limit thresholds for the 'Fill Material', 'C', 'B' Categories in Table 2 of EPA Publication IWRG621.

This guideline comparison report is **NOT** a soil classification report. Classification of soils as Fill Material, Category C, Category B or Category A requires consideration of a number of other factors including preliminary site investigation, sampling density and statistical calculations, as set out in EPA Publication IWRG 702 and measurement uncertainty.

This guideline comparison report only provides comparison data for parameters, specifically listed within the IWRG621 (2009) guideline, that are analysed by ALS.

Only results in the 'Analytical Results' section have been compared to the guideline.

**Additional information pertinent to this report will be found in the following separate attachments: Certificate of Analysis, Quality Control Report, QA/QC Compliance Assessment to Assist with Quality Review and Sample Receipt Notification.**



## Summary of Thresholds Reached or Exceeded

EPA Victoria Publication IWRG 621 (2009)

Table 2: Soil Hazard Categorisation Thresholds : Fill Material

Client Sample ID	ALS Sample ID	Compound	Method	LOR	Limits	Result
SX_OB_20220423_08_10_SS_Primary_ALS	EM2207398-001	Arsenic	EG005T	5	< 20 mg/kg	34 mg/kg
SX_OB_20220423_08_10_SS_Primary_ALS	EM2207398-001	Nickel	EG005T	5	< 60 mg/kg	142 mg/kg
SX_OB_20220423_08_12_SS_Duplicate_ALS	EM2207398-002	Arsenic	EG005T	5	< 20 mg/kg	27 mg/kg
SX_OB_20220423_08_12_SS_Duplicate_ALS	EM2207398-002	Nickel	EG005T	5	< 60 mg/kg	177 mg/kg
SX_OB_20220423_12_11_SB_Primary_ALS	EM2207398-005	Arsenic	EG005T	5	< 20 mg/kg	41 mg/kg
SX_OB_20220423_12_11_SB_Primary_ALS	EM2207398-005	Nickel	EG005T	5	< 60 mg/kg	161 mg/kg
SX_OB_20220423_16_03_SS_Triplicate_ALS	EM2207398-006	Arsenic	EG005T	5	< 20 mg/kg	42 mg/kg
SX_OB_20220423_16_03_SS_Triplicate_ALS	EM2207398-006	Nickel	EG005T	5	< 60 mg/kg	179 mg/kg
SX_OB_20220423_16_04_SS_Primary_ALS	EM2207398-007	Arsenic	EG005T	5	< 20 mg/kg	39 mg/kg
SX_OB_20220423_16_04_SS_Primary_ALS	EM2207398-007	Nickel	EG005T	5	< 60 mg/kg	160 mg/kg
SX_OB_20220423_20_07_SS_Primary_ALS	EM2207398-008	Arsenic	EG005T	5	< 20 mg/kg	32 mg/kg
SX_OB_20220423_20_07_SS_Primary_ALS	EM2207398-008	Nickel	EG005T	5	< 60 mg/kg	164 mg/kg
SX_OB_20220424_00_14_SS_Primary_ALS	EM2207398-009	Arsenic	EG005T	5	< 20 mg/kg	38 mg/kg
SX_OB_20220424_00_14_SS_Primary_ALS	EM2207398-009	Nickel	EG005T	5	< 60 mg/kg	154 mg/kg
SX_IB_20220424_04_08_S_S_Primary_ALS	EM2207398-010	Arsenic	EG005T	5	< 20 mg/kg	30 mg/kg
SX_IB_20220424_04_08_S_S_Primary_ALS	EM2207398-010	Nickel	EG005T	5	< 60 mg/kg	171 mg/kg
SX_OB_20220424_08_05_SS_Primary_ALS	EM2207398-011	Arsenic	EG005T	5	< 20 mg/kg	29 mg/kg
SX_OB_20220424_08_05_SS_Primary_ALS	EM2207398-011	Nickel	EG005T	5	< 60 mg/kg	145 mg/kg
SX_OB_20220424_08_06_SS_Duplicate_ALS	EM2207398-012	Arsenic	EG005T	5	< 20 mg/kg	41 mg/kg



**EPA Victoria Publication IWRG 621 (2009)**

**Table 2: Soil Hazard Categorisation Thresholds : Fill Material**

Client Sample ID	ALS Sample ID	Compound	Method	LOR	Limits	Result
SX_OB_20220424_08_06_S SS_Duplicate_ALS	EM2207398-012	Nickel	EG005T	5	< 60 mg/kg	159 mg/kg
SX_IB_20220424_12_03_S S_Primary_ALS	EM2207398-013	Arsenic	EG005T	5	< 20 mg/kg	31 mg/kg
SX_IB_20220424_12_03_S S_Primary_ALS	EM2207398-013	Nickel	EG005T	5	< 60 mg/kg	159 mg/kg
SX_IB_20220424_16_05_S S_Primary_ALS	EM2207398-014	Arsenic	EG005T	5	< 20 mg/kg	30 mg/kg
SX_IB_20220424_16_05_S S_Primary_ALS	EM2207398-014	Nickel	EG005T	5	< 60 mg/kg	172 mg/kg
SX_IB_20220424_16_49_S S_Triplicate_ALS	EM2207398-015	Arsenic	EG005T	5	< 20 mg/kg	30 mg/kg
SX_IB_20220424_16_49_S S_Triplicate_ALS	EM2207398-015	Nickel	EG005T	5	< 60 mg/kg	170 mg/kg
SX_IB_20220424_19_54_S S_Primary_ALS	EM2207398-016	Arsenic	EG005T	5	< 20 mg/kg	30 mg/kg
SX_IB_20220424_19_54_S S_Primary_ALS	EM2207398-016	Nickel	EG005T	5	< 60 mg/kg	163 mg/kg
SX_IB_20220424_23_48_S S_Primary_ALS	EM2207398-017	Arsenic	EG005T	5	< 20 mg/kg	24 mg/kg
SX_IB_20220424_23_48_S S_Primary_ALS	EM2207398-017	Nickel	EG005T	5	< 60 mg/kg	165 mg/kg
SX_IB_20220424_23_55_S S_Primary_ALS	EM2207398-018	Arsenic	EG005T	5	< 20 mg/kg	22 mg/kg
SX_IB_20220424_23_55_S S_Primary_ALS	EM2207398-018	Nickel	EG005T	5	< 60 mg/kg	146 mg/kg
SX_OB_20220425_04_16_S SS_Primary_ALS	EM2207398-019	Arsenic	EG005T	5	< 20 mg/kg	34 mg/kg
SX_OB_20220425_04_16_S SS_Primary_ALS	EM2207398-019	Nickel	EG005T	5	< 60 mg/kg	169 mg/kg
SX_OB_20220425_04_18_S SS_Duplicate_ALS	EM2207398-020	Arsenic	EG005T	5	< 20 mg/kg	36 mg/kg
SX_OB_20220425_04_18_S SS_Duplicate_ALS	EM2207398-020	Nickel	EG005T	5	< 60 mg/kg	167 mg/kg
SX_IB_20220425_07_56_S S_Primary_ALS	EM2207398-021	Arsenic	EG005T	5	< 20 mg/kg	26 mg/kg
SX_IB_20220425_07_56_S S_Primary_ALS	EM2207398-021	Nickel	EG005T	5	< 60 mg/kg	157 mg/kg
SX_IB_20220425_07_57_S S_Duplicate_ALS	EM2207398-022	Arsenic	EG005T	5	< 20 mg/kg	27 mg/kg



**EPA Victoria Publication IWRG 621 (2009)**

**Table 2: Soil Hazard Categorisation Thresholds : Fill Material**

Client Sample ID	ALS Sample ID	Compound	Method	LOR	Limits	Result
SX_IB_20220425_07_57_S S_Duplicate_ALS	EM2207398-022	Nickel	EG005T	5	< 60 mg/kg	152 mg/kg
SX_IB_20220425_11_48_S S_Primary_ALS	EM2207398-023	Arsenic	EG005T	5	< 20 mg/kg	28 mg/kg
SX_IB_20220425_11_48_S S_Primary_ALS	EM2207398-023	Nickel	EG005T	5	< 60 mg/kg	141 mg/kg
SX_IB_20220425_15_50_S S_Primary_ALS	EM2207398-024	Arsenic	EG005T	5	< 20 mg/kg	24 mg/kg
SX_IB_20220425_15_50_S S_Primary_ALS	EM2207398-024	Nickel	EG005T	5	< 60 mg/kg	159 mg/kg
SX_IB_20220425_15_58_S S_Triplicate_ALS	EM2207398-025	Arsenic	EG005T	5	< 20 mg/kg	24 mg/kg
SX_IB_20220425_15_58_S S_Triplicate_ALS	EM2207398-025	Nickel	EG005T	5	< 60 mg/kg	120 mg/kg
SX_IB_20220425_19_49_S S_Primary_ALS	EM2207398-026	Arsenic	EG005T	5	< 20 mg/kg	29 mg/kg
SX_IB_20220425_19_49_S S_Primary_ALS	EM2207398-026	Nickel	EG005T	5	< 60 mg/kg	145 mg/kg
SX_IB_20220426_00_02_S S_Primary_ALS	EM2207398-027	Nickel	EG005T	5	< 60 mg/kg	137 mg/kg
SX_IB_20220426_03_47_S S_Primary_ALS	EM2207398-028	Arsenic	EG005T	5	< 20 mg/kg	23 mg/kg
SX_IB_20220426_03_47_S S_Primary_ALS	EM2207398-028	Nickel	EG005T	5	< 60 mg/kg	163 mg/kg



## Analytical Results

### Soil Hazard Categorisation and Management

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		Guideline	Guideline	SX_OB_20220	SX_OB_20220	SX_OB_20220	SX_OB_20220	SX_OB_20220
				423_08_10_S	423_08_12_S			423_12_11_S	423_16_03_S	423_16_04_S		
				S_Primary_AL	S_Duplicate_			B_Primary_AL	S_Triplicate_	S_Primary_AL		
				Sampling date/time	Lower Limit	Upper Limit	23-Apr-2022 08:10	23-Apr-2022 08:12	23-Apr-2022 12:11	23-Apr-2022 16:03	23-Apr-2022 16:04	
							EM2207398-001 MU	EM2207398-002 MU	EM2207398-005 MU	EM2207398-006 MU	EM2207398-007 MU	
<b>EA001: pH in soil using 0.01M CaCl extract</b>												
pH (CaCl2)	EA001	0.1	pH Unit		2	12.5	7.8 ±0.1	7.8 ±0.1	7.8 ±0.1	7.9 ±0.1	7.9 ±0.1	
<b>EG005(ED093)T: Total Metals by ICP-AES</b>												
Arsenic	EG005T	5	mg/kg	----	2000		34 ±5	27 ±4	41 ±5	42 ±6	39 ±5	
Cadmium	EG005T	1	mg/kg	----	400		<1 --	<1 --	1 ±0.2	<1 --	<1 --	
Copper	EG005T	5	mg/kg	----	20000		49 ±6	95 ±12	57 ±7	59 ±7	54 ±7	
Lead	EG005T	5	mg/kg	----	6000		<5 --	<5 --	<5 --	<5 --	<5 --	
Molybdenum	EG005T	5	mg/kg	----	4000		<5 --	<5 --	<5 --	<5 --	<5 --	
Nickel	EG005T	5	mg/kg	----	12000		142 ±14	177 ±17	161 ±16	179 ±18	160 ±16	
Selenium	EG005T	5	mg/kg	----	200		<5 --	<5 --	<5 --	<5 --	<5 --	
Silver	EG005T	2	mg/kg	----	720		<2 --	<2 --	<2 --	<2 --	<2 --	
Zinc	EG005T	5	mg/kg	----	140000		83 ±9	105 ±12	88 ±10	111 ±12	96 ±11	
<b>EG035T: Total Recoverable Mercury by FIMS</b>												
Mercury	EG035T	0.1	mg/kg	----	300		<0.1 --	<0.1 --	<0.1 --	<0.1 --	<0.1 --	
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>												
Hexavalent Chromium	EG048G	1.0	mg/kg	----	2000		<1.0 --	<1.0 --	<1.0 --	<1.0 --	<1.0 --	
<b>EK026SF: Total CN by Segmented Flow Analyser</b>												
Total Cyanide	EK026SF	5	mg/kg	----	10000		<5 --	<5 --	<5 --	<5 --	<5 --	
<b>EK040T: Fluoride Total</b>												
Fluoride	EK040T	100	mg/kg	----	40000		200 ±40	110 ±30	140 ±30	140 ±30	130 ±30	
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>												
Benzene	EP074-UT	0.2	mg/kg	----	16		<0.2 --	<0.2 --	<0.2 --	<0.2 --	<0.2 --	
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	240		<0.5 --	<0.5 --	<0.5 --	<0.5 --	<0.5 --	
<b>EP074I: Volatile Halogenated Compounds</b>												
Vinyl chloride	EP074-UT	0.50	mg/kg	----	4.8		<0.50 --	<0.50 --	<0.50 --	<0.50 --	<0.50 --	
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	11		<0.50 --	<0.50 --	<0.50 --	<0.50 --	<0.50 --	
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	50		<0.50 --	<0.50 --	<0.50 --	<0.50 --	<0.50 --	
<b>EP075A: Phenolic Compounds (Halogenated)</b>												
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	320		<1.00 --	<1.00 --	<1.00 --	<1.00 --	<1.00 --	



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220	SX_OB_20220	SX_OB_20220	SX_OB_20220	SX_OB_20220
				Guideline	Guideline	423_08_10_S	423_08_12_S	423_12_11_S	423_16_03_S	423_16_04_S
						S_Primary_ALS	S_Duplicate_ALS	B_Primary_ALS	S_Triplicate_ALS	S_Primary_ALS
				Lower Limit	Upper Limit	23-Apr-2022 08:10	23-Apr-2022 08:12	23-Apr-2022 12:11	23-Apr-2022 16:03	23-Apr-2022 16:04
						EM2207398-001 MU	EM2207398-002 MU	EM2207398-005 MU	EM2207398-006 MU	EM2207398-007 MU
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	2200	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	20	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	400	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP075I: Organochlorine Pesticides</b>										
Heptachlor	EP075-EM	0.05	mg/kg	----	4.8	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Sum of Aldrin + Dieldrin	EP075-EM-SUM	0.30	mg/kg	----	4.8	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..
Sum of DDD + DDE + DDT	EP075-EM-SUM	0.05	mg/kg	----	50	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Chlordane	EP075-EM-SUM	0.10	mg/kg	----	16	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..
Sum of other organochlorine pesticides	EP075-EM-SUM	0.03	mg/kg	----	50	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..
<b>EP080/071: Total Petroleum Hydrocarbons</b>										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	2600	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	40000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category C: Table 2: Soil Hazard Categorisation Thresholds : Category C**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220 423_08_10_S S_Primary_AL S	SX_OB_20220 423_08_12_S S_Duplicate_ ALS	SX_OB_20220 423_12_11_S B_Primary_AL S	SX_OB_20220 423_16_03_S S_Triplicate_ ALS	SX_OB_20220 423_16_04_S S_Primary_AL S
				Guideline	Guideline	23-Apr-2022 08:10	23-Apr-2022 08:12	23-Apr-2022 12:11	23-Apr-2022 16:03	23-Apr-2022 16:04
				Lower Limit	Upper Limit	EM2207398-001 MU	EM2207398-002 MU	EM2207398-005 MU	EM2207398-006 MU	EM2207398-007 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	4	9	7.8 ± 0.1	7.8 ± 0.1	7.8 ± 0.1	7.9 ± 0.1	7.9 ± 0.1
<b>EG005(ED093)T: Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	500	34 ± 5	27 ± 4	41 ± 5	42 ± 6	39 ± 5
Cadmium	EG005T	1	mg/kg	----	100	<1 ..	<1 ..	1 ± 0.2	<1 ..	<1 ..
Copper	EG005T	5	mg/kg	----	5000	49 ± 6	95 ± 12	57 ± 7	59 ± 7	54 ± 7
Lead	EG005T	5	mg/kg	----	1500	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Molybdenum	EG005T	5	mg/kg	----	1000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Nickel	EG005T	5	mg/kg	----	3000	142 ± 14	177 ± 17	161 ± 16	179 ± 18	160 ± 16
Selenium	EG005T	5	mg/kg	----	50	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Silver	EG005T	2	mg/kg	----	180	<2 ..	<2 ..	<2 ..	<2 ..	<2 ..
Tin	EG005T	10	mg/kg	----	500	<10 ..	<10 ..	<10 ..	<10 ..	<10 ..
Zinc	EG005T	5	mg/kg	----	35000	83 ± 9	105 ± 12	88 ± 10	111 ± 12	96 ± 11
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	75	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	500	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	2500	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	10000	200 ± 40	110 ± 30	140 ± 30	140 ± 30	130 ± 30
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	4	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	70	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP074I: Volatile Halogenated Compounds</b>										
Vinyl chloride	EP074-UT	0.50	mg/kg	----	1.2	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	2.8	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	10	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	10	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category C: Table 2: Soil Hazard Categorisation Thresholds : Category C**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220	SX_OB_20220	SX_OB_20220	SX_OB_20220	SX_OB_20220
				Guideline	Guideline	423_08_10_S	423_08_12_S	423_12_11_S	423_16_03_S	423_16_04_S
						S_Primary_ALS	S_Duplicate_ALS	B_Primary_ALS	S_Triplicate_ALS	S_Primary_ALS
				Lower Limit	Upper Limit	23-Apr-2022 08:10	23-Apr-2022 08:12	23-Apr-2022 12:11	23-Apr-2022 16:03	23-Apr-2022 16:04
						EM2207398-001 MU	EM2207398-002 MU	EM2207398-005 MU	EM2207398-006 MU	EM2207398-007 MU
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	560	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	5	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	100	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP075I: Organochlorine Pesticides</b>										
Heptachlor	EP075-EM	0.05	mg/kg	----	1.2	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Sum of Aldrin + Dieldrin	EP075-EM-SUM	0.30	mg/kg	----	1.2	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..
Sum of DDD + DDE + DDT	EP075-EM-SUM	0.05	mg/kg	----	50	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Chlordane	EP075-EM-SUM	0.10	mg/kg	----	4	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..
Sum of other organochlorine pesticides	EP075-EM-SUM	0.03	mg/kg	----	10	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..
<b>EP080/071: Total Petroleum Hydrocarbons</b>										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	650	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	10000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..





**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Fill Material: Table 2: Soil Hazard Categorisation Thresholds : Fill Material**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220	SX_OB_20220	SX_OB_20220	SX_OB_20220	SX_OB_20220
				Guideline	Guideline	423_08_10_S	423_08_12_S	423_12_11_S	423_16_03_S	423_16_04_S
						S_Primary_ALS	S_Duplicate_ALS	B_Primary_ALS	S_Triplicate_ALS	S_Primary_ALS
				Lower Limit	Upper Limit	23-Apr-2022 08:10	23-Apr-2022 08:12	23-Apr-2022 12:11	23-Apr-2022 16:03	23-Apr-2022 16:04
						EM2207398-001 MU	EM2207398-002 MU	EM2207398-005 MU	EM2207398-006 MU	EM2207398-007 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	4	9	7.8 ± 0.1	7.8 ± 0.1	7.8 ± 0.1	7.9 ± 0.1	7.9 ± 0.1
<b>EG005(ED093)T: Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	20	34 ± 5	27 ± 4	41 ± 5	42 ± 6	39 ± 5
Cadmium	EG005T	1	mg/kg	----	3	<1 ..	<1 ..	1 ± 0.2	<1 ..	<1 ..
Copper	EG005T	5	mg/kg	----	100	49 ± 6	95 ± 12	57 ± 7	59 ± 7	54 ± 7
Lead	EG005T	5	mg/kg	----	300	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Molybdenum	EG005T	5	mg/kg	----	40	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Nickel	EG005T	5	mg/kg	----	60	142 ± 14	177 ± 17	161 ± 16	179 ± 18	160 ± 16
Selenium	EG005T	5	mg/kg	----	10	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Silver	EG005T	2	mg/kg	----	10	<2 ..	<2 ..	<2 ..	<2 ..	<2 ..
Tin	EG005T	10	mg/kg	----	50	<10 ..	<10 ..	<10 ..	<10 ..	<10 ..
Zinc	EG005T	5	mg/kg	----	200	83 ± 9	105 ± 12	88 ± 10	111 ± 12	96 ± 11
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	1	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	1	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	50	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	450	200 ± 40	110 ± 30	140 ± 30	140 ± 30	130 ± 30
<b>EP066: Polychlorinated Biphenyls (PCB)</b>										
Total Polychlorinated biphenyls	EP066-EM	0.1	mg/kg	----	2	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	1	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	7	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP074I: Volatile Halogenated Compounds</b>										
Sum of volatile chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	1	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	1	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Fill Material: Table 2: Soil Hazard Categorisation Thresholds : Fill Material**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220	SX_OB_20220	SX_OB_20220	SX_OB_20220	SX_OB_20220
				Guideline	Guideline	423_08_10_S	423_08_12_S	423_12_11_S	423_16_03_S	423_16_04_S
						S_Primary_ALS	S_Duplicate_ALS	B_Primary_ALS	S_Triplicate_ALS	S_Primary_ALS
				Lower Limit	Upper Limit	23-Apr-2022 08:10	23-Apr-2022 08:12	23-Apr-2022 12:11	23-Apr-2022 16:03	23-Apr-2022 16:04
						EM2207398-001 MU	EM2207398-002 MU	EM2207398-005 MU	EM2207398-006 MU	EM2207398-007 MU
<b>EP075A: Phenolic Compounds (Non-halogenated) - Continued</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	60	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	1	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	20	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP075I: Organochlorine Pesticides</b>										
Sum of organochlorine pesticides	EP075-EM-SUM	0.10	mg/kg	----	1	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..
<b>EP080/071: Total Petroleum Hydrocarbons</b>										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	100	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	1000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220	SX_OB_20220	SX_IB_20220	SX_OB_20220	SX_OB_20220
				Guideline	Guideline	423_20_07_S	424_00_14_S	424_04_08_S	424_08_05_S	424_08_06_S
						S_Primary_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS	S_Duplicate_ALS
				Lower Limit	Upper Limit	23-Apr-2022 20:07	24-Apr-2022 00:14	24-Apr-2022 04:08	24-Apr-2022 08:06	24-Apr-2022 08:07
						EM2207398-008 MU	EM2207398-009 MU	EM2207398-010 MU	EM2207398-011 MU	EM2207398-012 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	2	12.5	8.0 ± 0.1	7.9 ± 0.1	7.8 ± 0.1	8.0 ± 0.1	8.1 ± 0.1
<b>EG005(ED093)T: Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	2000	32 ± 4	38 ± 5	30 ± 4	29 ± 4	41 ± 5
Cadmium	EG005T	1	mg/kg	----	400	<1 ..	<1 ..	<1 ..	<1 ..	<1 ..
Copper	EG005T	5	mg/kg	----	20000	54 ± 6	54 ± 6	59 ± 7	47 ± 6	58 ± 7
Lead	EG005T	5	mg/kg	----	6000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Molybdenum	EG005T	5	mg/kg	----	4000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Nickel	EG005T	5	mg/kg	----	12000	164 ± 16	154 ± 15	171 ± 17	145 ± 14	159 ± 16
Selenium	EG005T	5	mg/kg	----	200	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Silver	EG005T	2	mg/kg	----	720	<2 ..	<2 ..	<2 ..	<2 ..	<2 ..
Zinc	EG005T	5	mg/kg	----	140000	100 ± 11	94 ± 10	106 ± 12	77 ± 9	103 ± 11
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	300	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	2000	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	10000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	40000	140 ± 30	120 ± 30	170 ± 40	130 ± 30	140 ± 30
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	16	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	240	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP074I: Volatile Halogenated Compounds</b>										
Vinyl chloride	EP074-UT	0.50	mg/kg	----	4.8	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	11	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	50	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	320	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220	SX_OB_20220	SX_IB_20220	SX_OB_20220	SX_OB_20220
				Guideline	Guideline	423_20_07_S	424_00_14_S	424_04_08_S	424_08_05_S	424_08_06_S
						S_Primary_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS	S_Duplicate_ALS
				Lower Limit	Upper Limit	23-Apr-2022 20:07	24-Apr-2022 00:14	24-Apr-2022 04:08	24-Apr-2022 08:06	24-Apr-2022 08:07
						EM2207398-008 MU	EM2207398-009 MU	EM2207398-010 MU	EM2207398-011 MU	EM2207398-012 MU
<b>EP075A: Phenolic Compounds (Non-halogenated) - Continued</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	2200	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	20	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	400	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP075I: Organochlorine Pesticides</b>										
Heptachlor	EP075-EM	0.05	mg/kg	----	4.8	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Sum of Aldrin + Dieldrin	EP075-EM-SUM	0.30	mg/kg	----	4.8	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..
Sum of DDD + DDE + DDT	EP075-EM-SUM	0.05	mg/kg	----	50	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Chlordane	EP075-EM-SUM	0.10	mg/kg	----	16	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..
Sum of other organochlorine pesticides	EP075-EM-SUM	0.03	mg/kg	----	50	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..
<b>EP080/071: Total Petroleum Hydrocarbons</b>										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	2600	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	40000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category C: Table 2: Soil Hazard Categorisation Thresholds : Category C**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220 423_20_07_S S_Primary_AL S	SX_OB_20220 424_00_14_S S_Primary_AL S	SX_IB_20220 424_04_08_S S_Primary_AL S	SX_OB_20220 424_08_05_S S_Primary_AL S	SX_OB_20220 424_08_06_S S_Duplicate_ ALS
				Lower Limit	Upper Limit	23-Apr-2022 20:07	24-Apr-2022 00:14	24-Apr-2022 04:08	24-Apr-2022 08:06	24-Apr-2022 08:07
						EM2207398-008 MU	EM2207398-009 MU	EM2207398-010 MU	EM2207398-011 MU	EM2207398-012 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	4	9	8.0 ±0.1	7.9 ±0.1	7.8 ±0.1	8.0 ±0.1	8.1 ±0.1
<b>EG005(ED093)T: Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	500	32 ±4	38 ±5	30 ±4	29 ±4	41 ±5
Cadmium	EG005T	1	mg/kg	----	100	<1 ..	<1 ..	<1 ..	<1 ..	<1 ..
Copper	EG005T	5	mg/kg	----	5000	54 ±6	54 ±6	59 ±7	47 ±6	58 ±7
Lead	EG005T	5	mg/kg	----	1500	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Molybdenum	EG005T	5	mg/kg	----	1000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Nickel	EG005T	5	mg/kg	----	3000	164 ±16	154 ±15	171 ±17	145 ±14	159 ±16
Selenium	EG005T	5	mg/kg	----	50	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Silver	EG005T	2	mg/kg	----	180	<2 ..	<2 ..	<2 ..	<2 ..	<2 ..
Tin	EG005T	10	mg/kg	----	500	<10 ..	<10 ..	<10 ..	<10 ..	<10 ..
Zinc	EG005T	5	mg/kg	----	35000	100 ±11	94 ±10	106 ±12	77 ±9	103 ±11
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	75	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	500	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	2500	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	10000	140 ±30	120 ±30	170 ±40	130 ±30	140 ±30
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	4	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	70	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP074I: Volatile Halogenated Compounds</b>										
Vinyl chloride	EP074-UT	0.50	mg/kg	----	1.2	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	2.8	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	10	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	10	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category C: Table 2: Soil Hazard Categorisation Thresholds : Category C**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220	SX_OB_20220	SX_IB_20220	SX_OB_20220	SX_OB_20220
				Guideline	Guideline	423_20_07_S	424_00_14_S	424_04_08_S	424_08_05_S	424_08_06_S
						S_Primary_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS	S_Duplicate_ALS
				Lower Limit	Upper Limit	23-Apr-2022 20:07	24-Apr-2022 00:14	24-Apr-2022 04:08	24-Apr-2022 08:06	24-Apr-2022 08:07
						EM2207398-008 MU	EM2207398-009 MU	EM2207398-010 MU	EM2207398-011 MU	EM2207398-012 MU
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	560	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	5	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	100	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP075I: Organochlorine Pesticides</b>										
Heptachlor	EP075-EM	0.05	mg/kg	----	1.2	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Sum of Aldrin + Dieldrin	EP075-EM-SUM	0.30	mg/kg	----	1.2	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..
Sum of DDD + DDE + DDT	EP075-EM-SUM	0.05	mg/kg	----	50	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Chlordane	EP075-EM-SUM	0.10	mg/kg	----	4	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..
Sum of other organochlorine pesticides	EP075-EM-SUM	0.03	mg/kg	----	10	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..
<b>EP080/071: Total Petroleum Hydrocarbons</b>										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	650	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	10000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Fill Material: Table 2: Soil Hazard Categorisation Thresholds : Fill Material**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220 423_20_07_S S_Primary_AL S	SX_OB_20220 424_00_14_S S_Primary_AL S	SX_IB_20220 424_04_08_S S_Primary_AL S	SX_OB_20220 424_08_05_S S_Primary_AL S	SX_OB_20220 424_08_06_S S_Duplicate_ ALS
				Guideline	Guideline	23-Apr-2022 20:07	24-Apr-2022 00:14	24-Apr-2022 04:08	24-Apr-2022 08:06	24-Apr-2022 08:07
				Lower Limit	Upper Limit	EM2207398-008 MU	EM2207398-009 MU	EM2207398-010 MU	EM2207398-011 MU	EM2207398-012 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	4	9	8.0 ± 0.1	7.9 ± 0.1	7.8 ± 0.1	8.0 ± 0.1	8.1 ± 0.1
<b>EG005(ED093)T: Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	20	32 ± 4	38 ± 5	30 ± 4	29 ± 4	41 ± 5
Cadmium	EG005T	1	mg/kg	----	3	<1 ..	<1 ..	<1 ..	<1 ..	<1 ..
Copper	EG005T	5	mg/kg	----	100	54 ± 6	54 ± 6	59 ± 7	47 ± 6	58 ± 7
Lead	EG005T	5	mg/kg	----	300	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Molybdenum	EG005T	5	mg/kg	----	40	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Nickel	EG005T	5	mg/kg	----	60	164 ± 16	154 ± 15	171 ± 17	145 ± 14	159 ± 16
Selenium	EG005T	5	mg/kg	----	10	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Silver	EG005T	2	mg/kg	----	10	<2 ..	<2 ..	<2 ..	<2 ..	<2 ..
Tin	EG005T	10	mg/kg	----	50	<10 ..	<10 ..	<10 ..	<10 ..	<10 ..
Zinc	EG005T	5	mg/kg	----	200	100 ± 11	94 ± 10	106 ± 12	77 ± 9	103 ± 11
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	1	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	1	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	50	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	450	140 ± 30	120 ± 30	170 ± 40	130 ± 30	140 ± 30
<b>EP066: Polychlorinated Biphenyls (PCB)</b>										
Total Polychlorinated biphenyls	EP066-EM	0.1	mg/kg	----	2	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	1	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	7	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP074I: Volatile Halogenated Compounds</b>										
Sum of volatile chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	1	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	1	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Fill Material: Table 2: Soil Hazard Categorisation Thresholds : Fill Material**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220	SX_OB_20220	SX_IB_20220	SX_OB_20220	SX_OB_20220
				Guideline	Guideline	423_20_07_S	424_00_14_S	424_04_08_S	424_08_05_S	424_08_06_S
						S_Primary_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS	S_Duplicate_ALS
				Lower Limit	Upper Limit	23-Apr-2022 20:07	24-Apr-2022 00:14	24-Apr-2022 04:08	24-Apr-2022 08:06	24-Apr-2022 08:07
						EM2207398-008 MU	EM2207398-009 MU	EM2207398-010 MU	EM2207398-011 MU	EM2207398-012 MU
<b>EP075A: Phenolic Compounds (Non-halogenated) - Continued</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	60	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	1	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	20	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP075I: Organochlorine Pesticides</b>										
Sum of organochlorine pesticides	EP075-EM-SUM	0.10	mg/kg	----	1	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..
<b>EP080/071: Total Petroleum Hydrocarbons</b>										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	100	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	1000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..





**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220 424_12_03_S S_Primary_AL S	SX_IB_20220 424_16_05_S S_Primary_AL S	SX_IB_20220 424_16_49_S S_Triplicate_ ALS	SX_IB_20220 424_19_54_S S_Primary_AL S	SX_IB_20220 424_23_48_S S_Primary_AL S
				Guideline	Guideline	24-Apr-2022 12:04	24-Apr-2022 16:06	24-Apr-2022 16:50	24-Apr-2022 19:54	24-Apr-2022 23:48
				Lower Limit	Upper Limit	EM2207398-013 MU	EM2207398-014 MU	EM2207398-015 MU	EM2207398-016 MU	EM2207398-017 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	2	12.5	7.7 ± 0.1	7.8 ± 0.1	7.8 ± 0.1	7.7 ± 0.1	7.7 ± 0.1
<b>EG005(ED093)T: Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	2000	31 ± 4	30 ± 4	30 ± 4	30 ± 4	24 ± 4
Cadmium	EG005T	1	mg/kg	----	400	<1 ..	1 ± 0.2	<1 ..	<1 ..	<1 ..
Copper	EG005T	5	mg/kg	----	20000	56 ± 7	60 ± 7	56 ± 7	64 ± 8	55 ± 7
Lead	EG005T	5	mg/kg	----	6000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Molybdenum	EG005T	5	mg/kg	----	4000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Nickel	EG005T	5	mg/kg	----	12000	159 ± 16	172 ± 17	170 ± 17	163 ± 16	165 ± 16
Selenium	EG005T	5	mg/kg	----	200	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Silver	EG005T	2	mg/kg	----	720	<2 ..	<2 ..	<2 ..	<2 ..	<2 ..
Zinc	EG005T	5	mg/kg	----	140000	97 ± 11	104 ± 12	108 ± 12	110 ± 12	110 ± 12
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	300	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	2000	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	10000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	40000	180 ± 40	200 ± 40	210 ± 40	170 ± 40	200 ± 40
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	16	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	240	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP074I: Volatile Halogenated Compounds</b>										
Vinyl chloride	EP074-UT	0.50	mg/kg	----	4.8	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	11	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	50	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	320	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_IB_20220	SX_IB_20220	SX_IB_20220	SX_IB_20220
				Guideline	Guideline	424_12_03_S	424_16_05_S	424_16_49_S	424_19_54_S	424_23_48_S
						S_Primary_ALS	S_Primary_ALS	S_Triplicate_ALS	S_Primary_ALS	S_Primary_ALS
				Lower Limit	Upper Limit	24-Apr-2022 12:04	24-Apr-2022 16:06	24-Apr-2022 16:50	24-Apr-2022 19:54	24-Apr-2022 23:48
						EM2207398-013 MU	EM2207398-014 MU	EM2207398-015 MU	EM2207398-016 MU	EM2207398-017 MU
<b>EP075A: Phenolic Compounds (Non-halogenated) - Continued</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	2200	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	20	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	400	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP075I: Organochlorine Pesticides</b>										
Heptachlor	EP075-EM	0.05	mg/kg	----	4.8	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Sum of Aldrin + Dieldrin	EP075-EM-SUM	0.30	mg/kg	----	4.8	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..
Sum of DDD + DDE + DDT	EP075-EM-SUM	0.05	mg/kg	----	50	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Chlordane	EP075-EM-SUM	0.10	mg/kg	----	16	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..
Sum of other organochlorine pesticides	EP075-EM-SUM	0.03	mg/kg	----	50	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..
<b>EP080/071: Total Petroleum Hydrocarbons</b>										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	2600	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	40000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category C: Table 2: Soil Hazard Categorisation Thresholds : Category C**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220 424_12_03_S S_Primary_AL S	SX_IB_20220 424_16_05_S S_Primary_AL S	SX_IB_20220 424_16_49_S S_Triplicate_ ALS	SX_IB_20220 424_19_54_S S_Primary_AL S	SX_IB_20220 424_23_48_S S_Primary_AL S
				Guideline	Guideline	24-Apr-2022 12:04	24-Apr-2022 16:06	24-Apr-2022 16:50	24-Apr-2022 19:54	24-Apr-2022 23:48
				Lower Limit	Upper Limit	EM2207398-013 MU	EM2207398-014 MU	EM2207398-015 MU	EM2207398-016 MU	EM2207398-017 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	4	9	7.7 ±0.1	7.8 ±0.1	7.8 ±0.1	7.7 ±0.1	7.7 ±0.1
<b>EG005(ED093)T: Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	500	31 ±4	30 ±4	30 ±4	30 ±4	24 ±4
Cadmium	EG005T	1	mg/kg	----	100	<1 ..	1 ±0.2	<1 ..	<1 ..	<1 ..
Copper	EG005T	5	mg/kg	----	5000	56 ±7	60 ±7	56 ±7	64 ±8	55 ±7
Lead	EG005T	5	mg/kg	----	1500	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Molybdenum	EG005T	5	mg/kg	----	1000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Nickel	EG005T	5	mg/kg	----	3000	159 ±16	172 ±17	170 ±17	163 ±16	165 ±16
Selenium	EG005T	5	mg/kg	----	50	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Silver	EG005T	2	mg/kg	----	180	<2 ..	<2 ..	<2 ..	<2 ..	<2 ..
Tin	EG005T	10	mg/kg	----	500	<10 ..	<10 ..	<10 ..	<10 ..	<10 ..
Zinc	EG005T	5	mg/kg	----	35000	97 ±11	104 ±12	108 ±12	110 ±12	110 ±12
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	75	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	500	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	2500	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	10000	180 ±40	200 ±40	210 ±40	170 ±40	200 ±40
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	4	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	70	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP074I: Volatile Halogenated Compounds</b>										
Vinyl chloride	EP074-UT	0.50	mg/kg	----	1.2	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	2.8	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	10	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	10	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category C: Table 2: Soil Hazard Categorisation Thresholds : Category C**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_IB_20220	SX_IB_20220	SX_IB_20220	SX_IB_20220
				Guideline	Guideline	424_12_03_S	424_16_05_S	424_16_49_S	424_19_54_S	424_23_48_S
						S_Primary_ALS	S_Primary_ALS	S_Triplicate_ALS	S_Primary_ALS	S_Primary_ALS
				Lower Limit	Upper Limit	24-Apr-2022 12:04	24-Apr-2022 16:06	24-Apr-2022 16:50	24-Apr-2022 19:54	24-Apr-2022 23:48
						EM2207398-013 MU	EM2207398-014 MU	EM2207398-015 MU	EM2207398-016 MU	EM2207398-017 MU
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	560	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	5	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	100	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP075I: Organochlorine Pesticides</b>										
Heptachlor	EP075-EM	0.05	mg/kg	----	1.2	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Sum of Aldrin + Dieldrin	EP075-EM-SUM	0.30	mg/kg	----	1.2	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..
Sum of DDD + DDE + DDT	EP075-EM-SUM	0.05	mg/kg	----	50	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Chlordane	EP075-EM-SUM	0.10	mg/kg	----	4	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..
Sum of other organochlorine pesticides	EP075-EM-SUM	0.03	mg/kg	----	10	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..
<b>EP080/071: Total Petroleum Hydrocarbons</b>										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	650	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	10000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Fill Material: Table 2: Soil Hazard Categorisation Thresholds : Fill Material**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220 424_12_03_S S_Primary_AL S	SX_IB_20220 424_16_05_S S_Primary_AL S	SX_IB_20220 424_16_49_S S_Triplicate_ ALS	SX_IB_20220 424_19_54_S S_Primary_AL S	SX_IB_20220 424_23_48_S S_Primary_AL S
				Guideline	Guideline	24-Apr-2022 12:04	24-Apr-2022 16:06	24-Apr-2022 16:50	24-Apr-2022 19:54	24-Apr-2022 23:48
				Lower Limit	Upper Limit	EM2207398-013 MU	EM2207398-014 MU	EM2207398-015 MU	EM2207398-016 MU	EM2207398-017 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	4	9	7.7 ±0.1	7.8 ±0.1	7.8 ±0.1	7.7 ±0.1	7.7 ±0.1
<b>EG005(ED093)T: Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	20	31 ±4	30 ±4	30 ±4	30 ±4	24 ±4
Cadmium	EG005T	1	mg/kg	----	3	<1 ..	1 ±0.2	<1 ..	<1 ..	<1 ..
Copper	EG005T	5	mg/kg	----	100	56 ±7	60 ±7	56 ±7	64 ±8	55 ±7
Lead	EG005T	5	mg/kg	----	300	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Molybdenum	EG005T	5	mg/kg	----	40	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Nickel	EG005T	5	mg/kg	----	60	159 ±16	172 ±17	170 ±17	163 ±16	165 ±16
Selenium	EG005T	5	mg/kg	----	10	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Silver	EG005T	2	mg/kg	----	10	<2 ..	<2 ..	<2 ..	<2 ..	<2 ..
Tin	EG005T	10	mg/kg	----	50	<10 ..	<10 ..	<10 ..	<10 ..	<10 ..
Zinc	EG005T	5	mg/kg	----	200	97 ±11	104 ±12	108 ±12	110 ±12	110 ±12
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	1	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	1	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	50	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	450	180 ±40	200 ±40	210 ±40	170 ±40	200 ±40
<b>EP066: Polychlorinated Biphenyls (PCB)</b>										
Total Polychlorinated biphenyls	EP066-EM	0.1	mg/kg	----	2	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	1	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	7	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP074I: Volatile Halogenated Compounds</b>										
Sum of volatile chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	1	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	1	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Fill Material: Table 2: Soil Hazard Categorisation Thresholds : Fill Material**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220 424_12_03_S S_Primary_AL S	SX_IB_20220 424_16_05_S S_Primary_AL S	SX_IB_20220 424_16_49_S S_Triplicate_ ALS	SX_IB_20220 424_19_54_S S_Primary_AL S	SX_IB_20220 424_23_48_S S_Primary_AL S
				Guideline	Guideline					
				Lower Limit	Upper Limit					
						24-Apr-2022 12:04	24-Apr-2022 16:06	24-Apr-2022 16:50	24-Apr-2022 19:54	24-Apr-2022 23:48
						EM2207398-013 MU	EM2207398-014 MU	EM2207398-015 MU	EM2207398-016 MU	EM2207398-017 MU
<b>EP075A: Phenolic Compounds (Non-halogenated) - Continued</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	60	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	1	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	20	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP075I: Organochlorine Pesticides</b>										
Sum of organochlorine pesticides	EP075-EM-SUM	0.10	mg/kg	----	1	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..
<b>EP080/071: Total Petroleum Hydrocarbons</b>										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	100	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	1000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_OB_20220	SX_OB_20220	SX_IB_20220	SX_IB_20220
				Sampling date/time		424_23_55_S	425_04_16_S	425_04_18_S	425_07_56_S	425_07_57_S
				Lower Limit	Upper Limit	S_Primary_ALS	S_Primary_ALS	S_Duplicate_ALS	S_Primary_ALS	S_Duplicate_ALS
						24-Apr-2022 23:55	25-Apr-2022 04:16	25-Apr-2022 04:18	25-Apr-2022 07:56	25-Apr-2022 07:57
						EM2207398-018 MU	EM2207398-019 MU	EM2207398-020 MU	EM2207398-021 MU	EM2207398-022 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	2	12.5	7.6 ± 0.1	8.0 ± 0.1	8.0 ± 0.1	7.7 ± 0.1	7.8 ± 0.1
<b>EG005(ED093)T: Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	2000	22 ± 3	34 ± 5	36 ± 5	26 ± 4	27 ± 4
Cadmium	EG005T	1	mg/kg	----	400	<1 ..	<1 ..	<1 ..	<1 ..	1 ± 0.2
Copper	EG005T	5	mg/kg	----	20000	53 ± 6	59 ± 7	60 ± 7	57 ± 7	60 ± 7
Lead	EG005T	5	mg/kg	----	6000	<5 ..	<5 ..	<5 ..	<5 ..	6 ± 1.0
Molybdenum	EG005T	5	mg/kg	----	4000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Nickel	EG005T	5	mg/kg	----	12000	146 ± 14	169 ± 16	167 ± 16	157 ± 15	152 ± 15
Selenium	EG005T	5	mg/kg	----	200	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Silver	EG005T	2	mg/kg	----	720	<2 ..	<2 ..	<2 ..	<2 ..	<2 ..
Zinc	EG005T	5	mg/kg	----	140000	98 ± 11	98 ± 11	96 ± 11	102 ± 11	96 ± 11
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	300	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	2000	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	10000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	40000	200 ± 40	150 ± 40	130 ± 30	180 ± 40	170 ± 40
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	16	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	240	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP074I: Volatile Halogenated Compounds</b>										
Vinyl chloride	EP074-UT	0.50	mg/kg	----	4.8	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	11	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	50	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	320	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_OB_20220	SX_OB_20220	SX_IB_20220	SX_IB_20220
				Guideline	Guideline	424_23_55_S	425_04_16_S	425_04_18_S	425_07_56_S	425_07_57_S
						S_Primary_ALS	S_Primary_ALS	S_Duplicate_ALS	S_Primary_ALS	S_Duplicate_ALS
				Lower Limit	Upper Limit	24-Apr-2022 23:55	25-Apr-2022 04:16	25-Apr-2022 04:18	25-Apr-2022 07:56	25-Apr-2022 07:57
						EM2207398-018 MU	EM2207398-019 MU	EM2207398-020 MU	EM2207398-021 MU	EM2207398-022 MU
<b>EP075A: Phenolic Compounds (Non-halogenated) - Continued</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	2200	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	20	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	400	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP075I: Organochlorine Pesticides</b>										
Heptachlor	EP075-EM	0.05	mg/kg	----	4.8	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Sum of Aldrin + Dieldrin	EP075-EM-SUM	0.30	mg/kg	----	4.8	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..
Sum of DDD + DDE + DDT	EP075-EM-SUM	0.05	mg/kg	----	50	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Chlordane	EP075-EM-SUM	0.10	mg/kg	----	16	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..
Sum of other organochlorine pesticides	EP075-EM-SUM	0.03	mg/kg	----	50	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..
<b>EP080/071: Total Petroleum Hydrocarbons</b>										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	2600	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	40000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..





**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category C: Table 2: Soil Hazard Categorisation Thresholds : Category C**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_OB_20220	SX_OB_20220	SX_IB_20220	SX_IB_20220
				Sampling date/time		424_23_55_S	425_04_16_S	425_04_18_S	425_07_56_S	425_07_57_S
				Lower Limit	Upper Limit	S_Primary_ALS	S_Primary_ALS	S_Duplicate_ALS	S_Primary_ALS	S_Duplicate_ALS
						24-Apr-2022 23:55	25-Apr-2022 04:16	25-Apr-2022 04:18	25-Apr-2022 07:56	25-Apr-2022 07:57
						EM2207398-018 MU	EM2207398-019 MU	EM2207398-020 MU	EM2207398-021 MU	EM2207398-022 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	4	9	7.6 ± 0.1	8.0 ± 0.1	8.0 ± 0.1	7.7 ± 0.1	7.8 ± 0.1
<b>EG005(ED093)T: Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	500	22 ± 3	34 ± 5	36 ± 5	26 ± 4	27 ± 4
Cadmium	EG005T	1	mg/kg	----	100	<1 ..	<1 ..	<1 ..	<1 ..	1 ± 0.2
Copper	EG005T	5	mg/kg	----	5000	53 ± 6	59 ± 7	60 ± 7	57 ± 7	60 ± 7
Lead	EG005T	5	mg/kg	----	1500	<5 ..	<5 ..	<5 ..	<5 ..	6 ± 1.0
Molybdenum	EG005T	5	mg/kg	----	1000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Nickel	EG005T	5	mg/kg	----	3000	146 ± 14	169 ± 16	167 ± 16	157 ± 15	152 ± 15
Selenium	EG005T	5	mg/kg	----	50	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Silver	EG005T	2	mg/kg	----	180	<2 ..	<2 ..	<2 ..	<2 ..	<2 ..
Tin	EG005T	10	mg/kg	----	500	<10 ..	<10 ..	<10 ..	<10 ..	<10 ..
Zinc	EG005T	5	mg/kg	----	35000	98 ± 11	98 ± 11	96 ± 11	102 ± 11	96 ± 11
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	75	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	500	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	2500	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	10000	200 ± 40	150 ± 40	130 ± 30	180 ± 40	170 ± 40
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	4	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	70	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP074I: Volatile Halogenated Compounds</b>										
Vinyl chloride	EP074-UT	0.50	mg/kg	----	1.2	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	2.8	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	10	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	10	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category C: Table 2: Soil Hazard Categorisation Thresholds : Category C**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_OB_20220	SX_OB_20220	SX_IB_20220	SX_IB_20220
				Guideline	Guideline	424_23_55_S	425_04_16_S	425_04_18_S	425_07_56_S	425_07_57_S
						S_Primary_ALS	S_Primary_ALS	S_Duplicate_ALS	S_Primary_ALS	S_Duplicate_ALS
				Lower Limit	Upper Limit	24-Apr-2022 23:55	25-Apr-2022 04:16	25-Apr-2022 04:18	25-Apr-2022 07:56	25-Apr-2022 07:57
						EM2207398-018 MU	EM2207398-019 MU	EM2207398-020 MU	EM2207398-021 MU	EM2207398-022 MU
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	560	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	5	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	100	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP075I: Organochlorine Pesticides</b>										
Heptachlor	EP075-EM	0.05	mg/kg	----	1.2	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Sum of Aldrin + Dieldrin	EP075-EM-SUM	0.30	mg/kg	----	1.2	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..
Sum of DDD + DDE + DDT	EP075-EM-SUM	0.05	mg/kg	----	50	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Chlordane	EP075-EM-SUM	0.10	mg/kg	----	4	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..
Sum of other organochlorine pesticides	EP075-EM-SUM	0.03	mg/kg	----	10	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..
<b>EP080/071: Total Petroleum Hydrocarbons</b>										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	650	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	10000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Fill Material: Table 2: Soil Hazard Categorisation Thresholds : Fill Material**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_OB_20220	SX_OB_20220	SX_IB_20220	SX_IB_20220
				Lower Limit	Upper Limit	424_23_55_S	425_04_16_S	425_04_18_S	425_07_56_S	425_07_57_S
						S_Primary_ALS	S_Primary_ALS	S_Duplicate_ALS	S_Primary_ALS	S_Duplicate_ALS
				Guideline	Guideline	24-Apr-2022 23:55	25-Apr-2022 04:16	25-Apr-2022 04:18	25-Apr-2022 07:56	25-Apr-2022 07:57
						EM2207398-018 MU	EM2207398-019 MU	EM2207398-020 MU	EM2207398-021 MU	EM2207398-022 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	4	9	7.6 ± 0.1	8.0 ± 0.1	8.0 ± 0.1	7.7 ± 0.1	7.8 ± 0.1
<b>EG005(ED093)T: Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	20	22 ± 3	34 ± 5	36 ± 5	26 ± 4	27 ± 4
Cadmium	EG005T	1	mg/kg	----	3	<1 ..	<1 ..	<1 ..	<1 ..	1 ± 0.2
Copper	EG005T	5	mg/kg	----	100	53 ± 6	59 ± 7	60 ± 7	57 ± 7	60 ± 7
Lead	EG005T	5	mg/kg	----	300	<5 ..	<5 ..	<5 ..	<5 ..	6 ± 1.0
Molybdenum	EG005T	5	mg/kg	----	40	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Nickel	EG005T	5	mg/kg	----	60	146 ± 14	169 ± 16	167 ± 16	157 ± 15	152 ± 15
Selenium	EG005T	5	mg/kg	----	10	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Silver	EG005T	2	mg/kg	----	10	<2 ..	<2 ..	<2 ..	<2 ..	<2 ..
Tin	EG005T	10	mg/kg	----	50	<10 ..	<10 ..	<10 ..	<10 ..	<10 ..
Zinc	EG005T	5	mg/kg	----	200	98 ± 11	98 ± 11	96 ± 11	102 ± 11	96 ± 11
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	1	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	1	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	50	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	450	200 ± 40	150 ± 40	130 ± 30	180 ± 40	170 ± 40
<b>EP066: Polychlorinated Biphenyls (PCB)</b>										
Total Polychlorinated biphenyls	EP066-EM	0.1	mg/kg	----	2	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	1	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	7	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP074I: Volatile Halogenated Compounds</b>										
Sum of volatile chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	1	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	1	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Fill Material: Table 2: Soil Hazard Categorisation Thresholds : Fill Material**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_OB_20220	SX_OB_20220	SX_IB_20220	SX_IB_20220
				Guideline	Guideline	424_23_55_S	425_04_16_S	425_04_18_S	425_07_56_S	425_07_57_S
						S_Primary_ALS	S_Primary_ALS	S_Duplicate_ALS	S_Primary_ALS	S_Duplicate_ALS
				Lower Limit	Upper Limit	24-Apr-2022 23:55	25-Apr-2022 04:16	25-Apr-2022 04:18	25-Apr-2022 07:56	25-Apr-2022 07:57
						EM2207398-018 MU	EM2207398-019 MU	EM2207398-020 MU	EM2207398-021 MU	EM2207398-022 MU
<b>EP075A: Phenolic Compounds (Non-halogenated) - Continued</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	60	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	1	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	20	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP075I: Organochlorine Pesticides</b>										
Sum of organochlorine pesticides	EP075-EM-SUM	0.10	mg/kg	----	1	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..
<b>EP080/071: Total Petroleum Hydrocarbons</b>										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	100	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	1000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220 425_11_48_S S_Primary_AL S	SX_IB_20220 425_15_50_S S_Primary_AL S	SX_IB_20220 425_15_58_S S_Triplicate_ ALS	SX_IB_20220 425_19_49_S S_Primary_AL S	SX_IB_20220 426_00_02_S S_Primary_AL S
				Guideline	Guideline	25-Apr-2022 11:48	25-Apr-2022 15:50	25-Apr-2022 15:58	25-Apr-2022 19:49	26-Apr-2022 00:02
				Lower Limit	Upper Limit	EM2207398-023 MU	EM2207398-024 MU	EM2207398-025 MU	EM2207398-026 MU	EM2207398-027 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	2	12.5	7.6 ± 0.1	7.7 ± 0.1	7.7 ± 0.1	7.6 ± 0.1	8.0 ± 0.1
<b>EG005(ED093)T: Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	2000	28 ± 4	24 ± 4	24 ± 4	29 ± 4	18 ± 3
Cadmium	EG005T	1	mg/kg	----	400	<1 ..	<1 ..	<1 ..	<1 ..	<1 ..
Copper	EG005T	5	mg/kg	----	20000	58 ± 7	55 ± 7	47 ± 6	62 ± 8	53 ± 6
Lead	EG005T	5	mg/kg	----	6000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Molybdenum	EG005T	5	mg/kg	----	4000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Nickel	EG005T	5	mg/kg	----	12000	141 ± 14	159 ± 16	120 ± 12	145 ± 14	137 ± 14
Selenium	EG005T	5	mg/kg	----	200	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Silver	EG005T	2	mg/kg	----	720	<2 ..	<2 ..	<2 ..	<2 ..	<2 ..
Zinc	EG005T	5	mg/kg	----	140000	106 ± 12	99 ± 11	80 ± 9	95 ± 10	88 ± 10
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	300	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	2000	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	10000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	40000	180 ± 40	200 ± 40	200 ± 40	160 ± 40	230 ± 40
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	16	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	240	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP074I: Volatile Halogenated Compounds</b>										
Vinyl chloride	EP074-UT	0.50	mg/kg	----	4.8	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	11	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	50	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	320	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220 425_11_48_S S_Primary_AL S	SX_IB_20220 425_15_50_S S_Primary_AL S	SX_IB_20220 425_15_58_S S_Triplicate_ ALS	SX_IB_20220 425_19_49_S S_Primary_AL S	SX_IB_20220 426_00_02_S S_Primary_AL S
				Guideline	Guideline	25-Apr-2022 11:48	25-Apr-2022 15:50	25-Apr-2022 15:58	25-Apr-2022 19:49	26-Apr-2022 00:02
				Lower Limit	Upper Limit	EM2207398-023 MU	EM2207398-024 MU	EM2207398-025 MU	EM2207398-026 MU	EM2207398-027 MU
<b>EP075A: Phenolic Compounds (Non-halogenated) - Continued</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	2200	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	20	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	400	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP075I: Organochlorine Pesticides</b>										
Heptachlor	EP075-EM	0.05	mg/kg	----	4.8	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Sum of Aldrin + Dieldrin	EP075-EM-SUM	0.30	mg/kg	----	4.8	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..
Sum of DDD + DDE + DDT	EP075-EM-SUM	0.05	mg/kg	----	50	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Chlordane	EP075-EM-SUM	0.10	mg/kg	----	16	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..
Sum of other organochlorine pesticides	EP075-EM-SUM	0.03	mg/kg	----	50	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..
<b>EP080/071: Total Petroleum Hydrocarbons</b>										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	2600	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	40000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category C: Table 2: Soil Hazard Categorisation Thresholds : Category C**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220 425_11_48_S S_Primary_AL S	SX_IB_20220 425_15_50_S S_Primary_AL S	SX_IB_20220 425_15_58_S S_Triplicate_ ALS	SX_IB_20220 425_19_49_S S_Primary_AL S	SX_IB_20220 426_00_02_S S_Primary_AL S
				Guideline	Guideline	25-Apr-2022 11:48	25-Apr-2022 15:50	25-Apr-2022 15:58	25-Apr-2022 19:49	26-Apr-2022 00:02
				Lower Limit	Upper Limit	EM2207398-023 MU	EM2207398-024 MU	EM2207398-025 MU	EM2207398-026 MU	EM2207398-027 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	4	9	7.6 ±0.1	7.7 ±0.1	7.7 ±0.1	7.6 ±0.1	8.0 ±0.1
<b>EG005(ED093)T: Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	500	28 ±4	24 ±4	24 ±4	29 ±4	18 ±3
Cadmium	EG005T	1	mg/kg	----	100	<1 ..	<1 ..	<1 ..	<1 ..	<1 ..
Copper	EG005T	5	mg/kg	----	5000	58 ±7	55 ±7	47 ±6	62 ±8	53 ±6
Lead	EG005T	5	mg/kg	----	1500	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Molybdenum	EG005T	5	mg/kg	----	1000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Nickel	EG005T	5	mg/kg	----	3000	141 ±14	159 ±16	120 ±12	145 ±14	137 ±14
Selenium	EG005T	5	mg/kg	----	50	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Silver	EG005T	2	mg/kg	----	180	<2 ..	<2 ..	<2 ..	<2 ..	<2 ..
Tin	EG005T	10	mg/kg	----	500	<10 ..	<10 ..	<10 ..	<10 ..	<10 ..
Zinc	EG005T	5	mg/kg	----	35000	106 ±12	99 ±11	80 ±9	95 ±10	88 ±10
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	75	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	500	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	2500	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	10000	180 ±40	200 ±40	200 ±40	160 ±40	230 ±40
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	4	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	70	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP074I: Volatile Halogenated Compounds</b>										
Vinyl chloride	EP074-UT	0.50	mg/kg	----	1.2	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	2.8	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	10	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	10	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category C: Table 2: Soil Hazard Categorisation Thresholds : Category C**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_IB_20220	SX_IB_20220	SX_IB_20220	SX_IB_20220
				Guideline	Guideline	425_11_48_S	425_15_50_S	425_15_58_S	425_19_49_S	426_00_02_S
						S_Primary_ALS	S_Primary_ALS	S_Triplicate_ALS	S_Primary_ALS	S_Primary_ALS
				Lower Limit	Upper Limit	25-Apr-2022 11:48	25-Apr-2022 15:50	25-Apr-2022 15:58	25-Apr-2022 19:49	26-Apr-2022 00:02
						EM2207398-023 MU	EM2207398-024 MU	EM2207398-025 MU	EM2207398-026 MU	EM2207398-027 MU
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	560	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	5	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	100	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP075I: Organochlorine Pesticides</b>										
Heptachlor	EP075-EM	0.05	mg/kg	----	1.2	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Sum of Aldrin + Dieldrin	EP075-EM-SUM	0.30	mg/kg	----	1.2	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..
Sum of DDD + DDE + DDT	EP075-EM-SUM	0.05	mg/kg	----	50	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Chlordane	EP075-EM-SUM	0.10	mg/kg	----	4	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..
Sum of other organochlorine pesticides	EP075-EM-SUM	0.03	mg/kg	----	10	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..
<b>EP080/071: Total Petroleum Hydrocarbons</b>										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	650	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	10000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..





**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Fill Material: Table 2: Soil Hazard Categorisation Thresholds : Fill Material**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220 425_11_48_S S_Primary_AL S	SX_IB_20220 425_15_50_S S_Primary_AL S	SX_IB_20220 425_15_58_S S_Triplicate_ ALS	SX_IB_20220 425_19_49_S S_Primary_AL S	SX_IB_20220 426_00_02_S S_Primary_AL S
				Lower Limit	Upper Limit	25-Apr-2022 11:48	25-Apr-2022 15:50	25-Apr-2022 15:58	25-Apr-2022 19:49	26-Apr-2022 00:02
				EM2207398-023 MU	EM2207398-024 MU	EM2207398-025 MU	EM2207398-026 MU	EM2207398-027 MU		
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	4	9	7.6 ±0.1	7.7 ±0.1	7.7 ±0.1	7.6 ±0.1	8.0 ±0.1
<b>EG005(ED093)T: Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	20	28 ±4	24 ±4	24 ±4	29 ±4	18 ±3
Cadmium	EG005T	1	mg/kg	----	3	<1 ..	<1 ..	<1 ..	<1 ..	<1 ..
Copper	EG005T	5	mg/kg	----	100	58 ±7	55 ±7	47 ±6	62 ±8	53 ±6
Lead	EG005T	5	mg/kg	----	300	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Molybdenum	EG005T	5	mg/kg	----	40	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Nickel	EG005T	5	mg/kg	----	60	141 ±14	159 ±16	120 ±12	145 ±14	137 ±14
Selenium	EG005T	5	mg/kg	----	10	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Silver	EG005T	2	mg/kg	----	10	<2 ..	<2 ..	<2 ..	<2 ..	<2 ..
Tin	EG005T	10	mg/kg	----	50	<10 ..	<10 ..	<10 ..	<10 ..	<10 ..
Zinc	EG005T	5	mg/kg	----	200	106 ±12	99 ±11	80 ±9	95 ±10	88 ±10
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	1	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	1	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	50	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	450	180 ±40	200 ±40	200 ±40	160 ±40	230 ±40
<b>EP066: Polychlorinated Biphenyls (PCB)</b>										
Total Polychlorinated biphenyls	EP066-EM	0.1	mg/kg	----	2	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	1	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	7	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP074I: Volatile Halogenated Compounds</b>										
Sum of volatile chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	1	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	1	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Fill Material: Table 2: Soil Hazard Categorisation Thresholds : Fill Material**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_IB_20220	SX_IB_20220	SX_IB_20220	SX_IB_20220
				Guideline	Guideline	425_11_48_S	425_15_50_S	425_15_58_S	425_19_49_S	426_00_02_S
						S_Primary_ALS	S_Primary_ALS	S_Triplicate_ALS	S_Primary_ALS	S_Primary_ALS
				Lower Limit	Upper Limit	25-Apr-2022 11:48	25-Apr-2022 15:50	25-Apr-2022 15:58	25-Apr-2022 19:49	26-Apr-2022 00:02
						EM2207398-023 MU	EM2207398-024 MU	EM2207398-025 MU	EM2207398-026 MU	EM2207398-027 MU
<b>EP075A: Phenolic Compounds (Non-halogenated) - Continued</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	60	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	1	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	20	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP075I: Organochlorine Pesticides</b>										
Sum of organochlorine pesticides	EP075-EM-SUM	0.10	mg/kg	----	1	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..
<b>EP080/071: Total Petroleum Hydrocarbons</b>										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	100	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	1000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220 426_03_47_S S_Primary_AL S	SX_OB_20220 423_08_10_S S_Primary_AL S	SX_OB_20220 423_08_12_S S_Duplicate_ ALS	SX_OB_20220 423_12_11_S B_Primary_AL S	SX_OB_20220 423_16_03_S S_Triplicate_ ALS
				Guideline	Guideline					
				Lower Limit	Upper Limit					
						26-Apr-2022 03:47	23-Apr-2022 08:10	23-Apr-2022 08:12	23-Apr-2022 12:11	23-Apr-2022 16:03
						EM2207398-028 MU	EM2207398-029 MU	EM2207398-030 MU	EM2207398-031 MU	EM2207398-032 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	2	12.5	8.2 ± 0.1	----	----	----	----
<b>EG005(ED093T): Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	2000	23 ± 3	----	----	----	----
Cadmium	EG005T	1	mg/kg	----	400	<1 --	----	----	----	----
Copper	EG005T	5	mg/kg	----	20000	62 ± 8	----	----	----	----
Lead	EG005T	5	mg/kg	----	6000	<5 --	----	----	----	----
Molybdenum	EG005T	5	mg/kg	----	4000	<5 --	----	----	----	----
Nickel	EG005T	5	mg/kg	----	12000	163 ± 16	----	----	----	----
Selenium	EG005T	5	mg/kg	----	200	<5 --	----	----	----	----
Silver	EG005T	2	mg/kg	----	720	<2 --	----	----	----	----
Zinc	EG005T	5	mg/kg	----	140000	107 ± 12	----	----	----	----
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	300	<0.1 --	----	----	----	----
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	2000	<1.0 --	----	----	----	----
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	10000	<5 --	----	----	----	----
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	40000	230 ± 40	----	----	----	----
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	16	<0.2 --	----	----	----	----
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	240	<0.5 --	----	----	----	----
<b>EP074I: Volatile Halogenated Compounds</b>										
Vinyl chloride	EP074-UT	0.50	mg/kg	----	4.8	<0.50 --	----	----	----	----
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	11	<0.50 --	----	----	----	----
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	50	<0.50 --	----	----	----	----
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	320	<1.00 --	----	----	----	----
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	2200	<20 --	----	----	----	----
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_OB_20220	SX_OB_20220	SX_OB_20220	SX_OB_20220	
				Sampling date/time	Guideline	Guideline	426_03_47_S	423_08_10_S	423_08_12_S	423_12_11_S	423_16_03_S
							S_Primary_ALS	S_Primary_ALS	S_Duplicate_ALS	B_Primary_ALS	S_Triplicate_ALS
				Lower Limit	Upper Limit	26-Apr-2022 03:47	23-Apr-2022 08:10	23-Apr-2022 08:12	23-Apr-2022 12:11	23-Apr-2022 16:03	
						EM2207398-028 MU	EM2207398-029 MU	EM2207398-030 MU	EM2207398-031 MU	EM2207398-032 MU	
<b>EP075B: Polynuclear Aromatic Hydrocarbons - Continued</b>											
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	20	<0.5	--	----	----	----	
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	400	<0.5	--	----	----	----	
<b>EP075I: Organochlorine Pesticides</b>											
Heptachlor	EP075-EM	0.05	mg/kg	----	4.8	<0.05	--	----	----	----	
Sum of Aldrin + Dieldrin	EP075-EM-SUM	0.30	mg/kg	----	4.8	<0.30	--	----	----	----	
Sum of DDD + DDE + DDT	EP075-EM-SUM	0.05	mg/kg	----	50	<0.05	--	----	----	----	
Chlordane	EP075-EM-SUM	0.10	mg/kg	----	16	<0.10	--	----	----	----	
Sum of other organochlorine pesticides	EP075-EM-SUM	0.03	mg/kg	----	50	<0.03	--	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>											
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	2600	<20	--	----	----	----	
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	40000	<50	--	----	----	----	



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category C: Table 2: Soil Hazard Categorisation Thresholds : Category C**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_OB_20220	SX_OB_20220	SX_OB_20220	SX_OB_20220
				Guideline	Guideline	426_03_47_S	423_08_10_S	423_08_12_S	423_12_11_S	423_16_03_S
						S_Primary_ALS	S_Primary_ALS	S_Duplicate_ALS	B_Primary_ALS	S_Triplicate_ALS
				Lower Limit	Upper Limit	26-Apr-2022 03:47	23-Apr-2022 08:10	23-Apr-2022 08:12	23-Apr-2022 12:11	23-Apr-2022 16:03
						EM2207398-028 MU	EM2207398-029 MU	EM2207398-030 MU	EM2207398-031 MU	EM2207398-032 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	4	9	8.2 ± 0.1	----	----	----	----
<b>EG005(ED093T): Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	500	23 ± 3	----	----	----	----
Cadmium	EG005T	1	mg/kg	----	100	<1 --	----	----	----	----
Copper	EG005T	5	mg/kg	----	5000	62 ± 8	----	----	----	----
Lead	EG005T	5	mg/kg	----	1500	<5 --	----	----	----	----
Molybdenum	EG005T	5	mg/kg	----	1000	<5 --	----	----	----	----
Nickel	EG005T	5	mg/kg	----	3000	163 ± 16	----	----	----	----
Selenium	EG005T	5	mg/kg	----	50	<5 --	----	----	----	----
Silver	EG005T	2	mg/kg	----	180	<2 --	----	----	----	----
Tin	EG005T	10	mg/kg	----	500	<10 --	----	----	----	----
Zinc	EG005T	5	mg/kg	----	35000	107 ± 12	----	----	----	----
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	75	<0.1 --	----	----	----	----
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	500	<1.0 --	----	----	----	----
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	2500	<5 --	----	----	----	----
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	10000	230 ± 40	----	----	----	----
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	4	<0.2 --	----	----	----	----
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	70	<0.5 --	----	----	----	----
<b>EP074I: Volatile Halogenated Compounds</b>										
Vinyl chloride	EP074-UT	0.50	mg/kg	----	1.2	<0.50 --	----	----	----	----
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	2.8	<0.50 --	----	----	----	----
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	10	<0.50 --	----	----	----	----
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	10	<1.00 --	----	----	----	----
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	560	<20 --	----	----	----	----



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category C: Table 2: Soil Hazard Categorisation Thresholds : Category C**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_OB_20220	SX_OB_20220	SX_OB_20220	SX_OB_20220	
				Sampling date/time	Guideline	Guideline	426_03_47_S	423_08_10_S	423_08_12_S	423_12_11_S	423_16_03_S
							S_Primary_ALS	S_Primary_ALS	S_Duplicate_ALS	B_Primary_ALS	S_Triplicate_ALS
				Lower Limit	Upper Limit	26-Apr-2022 03:47	23-Apr-2022 08:10	23-Apr-2022 08:12	23-Apr-2022 12:11	23-Apr-2022 16:03	
						EM2207398-028 MU	EM2207398-029 MU	EM2207398-030 MU	EM2207398-031 MU	EM2207398-032 MU	
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>											
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	5	<0.5	--	----	----	----	
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	100	<0.5	--	----	----	----	
<b>EP075I: Organochlorine Pesticides</b>											
Heptachlor	EP075-EM	0.05	mg/kg	----	1.2	<0.05	--	----	----	----	
Sum of Aldrin + Dieldrin	EP075-EM-SUM	0.30	mg/kg	----	1.2	<0.30	--	----	----	----	
Sum of DDD + DDE + DDT	EP075-EM-SUM	0.05	mg/kg	----	50	<0.05	--	----	----	----	
Chlordane	EP075-EM-SUM	0.10	mg/kg	----	4	<0.10	--	----	----	----	
Sum of other organochlorine pesticides	EP075-EM-SUM	0.03	mg/kg	----	10	<0.03	--	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>											
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	650	<20	--	----	----	----	
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	10000	<50	--	----	----	----	



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Fill Material: Table 2: Soil Hazard Categorisation Thresholds : Fill Material**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_OB_20220	SX_OB_20220	SX_OB_20220	SX_OB_20220
				Guideline	Guideline	426_03_47_S	423_08_10_S	423_08_12_S	423_12_11_S	423_16_03_S
						S_Primary_ALS	S_Primary_ALS	S_Duplicate_ALS	B_Primary_ALS	S_Triplicate_ALS
				Lower Limit	Upper Limit	26-Apr-2022 03:47	23-Apr-2022 08:10	23-Apr-2022 08:12	23-Apr-2022 12:11	23-Apr-2022 16:03
						EM2207398-028 MU	EM2207398-029 MU	EM2207398-030 MU	EM2207398-031 MU	EM2207398-032 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	4	9	8.2 ± 0.1	----	----	----	----
<b>EG005(ED093T): Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	20	23 ± 3	----	----	----	----
Cadmium	EG005T	1	mg/kg	----	3	<1 --	----	----	----	----
Copper	EG005T	5	mg/kg	----	100	62 ± 8	----	----	----	----
Lead	EG005T	5	mg/kg	----	300	<5 --	----	----	----	----
Molybdenum	EG005T	5	mg/kg	----	40	<5 --	----	----	----	----
Nickel	EG005T	5	mg/kg	----	60	163 ± 16	----	----	----	----
Selenium	EG005T	5	mg/kg	----	10	<5 --	----	----	----	----
Silver	EG005T	2	mg/kg	----	10	<2 --	----	----	----	----
Tin	EG005T	10	mg/kg	----	50	<10 --	----	----	----	----
Zinc	EG005T	5	mg/kg	----	200	107 ± 12	----	----	----	----
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	1	<0.1 --	----	----	----	----
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	1	<1.0 --	----	----	----	----
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	50	<5 --	----	----	----	----
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	450	230 ± 40	----	----	----	----
<b>EP066: Polychlorinated Biphenyls (PCB)</b>										
Total Polychlorinated biphenyls	EP066-EM	0.1	mg/kg	----	2	<0.1 --	----	----	----	----
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	1	<0.2 --	----	----	----	----
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	7	<0.5 --	----	----	----	----
<b>EP074I: Volatile Halogenated Compounds</b>										
Sum of volatile chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	1	<0.50 --	----	----	----	----
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	1	<1.00 --	----	----	----	----
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	60	<20 --	----	----	----	----



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Fill Material: Table 2: Soil Hazard Categorisation Thresholds : Fill Material**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_OB_20220	SX_OB_20220	SX_OB_20220	SX_OB_20220
				Guideline	Guideline	426_03_47_S	423_08_10_S	423_08_12_S	423_12_11_S	423_16_03_S
						S_Primary_ALS	S_Primary_ALS	S_Duplicate_ALS	B_Primary_ALS	S_Triplicate_ALS
				Lower Limit	Upper Limit	26-Apr-2022 03:47	23-Apr-2022 08:10	23-Apr-2022 08:12	23-Apr-2022 12:11	23-Apr-2022 16:03
						EM2207398-028 MU	EM2207398-029 MU	EM2207398-030 MU	EM2207398-031 MU	EM2207398-032 MU
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	1	<0.5	--	----	----	----
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	20	<0.5	--	----	----	----
<b>EP075I: Organochlorine Pesticides</b>										
Sum of organochlorine pesticides	EP075-EM-SUM	0.10	mg/kg	----	1	<0.10	--	----	----	----
<b>EP080/071: Total Petroleum Hydrocarbons</b>										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	100	<20	--	----	----	----
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	1000	<50	--	----	----	----





**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220	SX_OB_20220	SX_OB_20220	SX_IB_20220	SX_OB_20220
				Guideline	Guideline	423_16_04_S	423_20_07_S	424_00_14_S	424_04_08_S	424_08_05_S
						S_Primary_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS
				Lower Limit	Upper Limit	23-Apr-2022 16:04	23-Apr-2022 20:07	24-Apr-2022 00:14	24-Apr-2022 04:08	24-Apr-2022 08:06
						EM2207398-033 MU	EM2207398-034 MU	EM2207398-035 MU	EM2207398-036 MU	EM2207398-037 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	----	----	----	----	----	----	----
<b>EG005(ED093T): Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	----	----	----	----	----	----
Cadmium	EG005T	1	mg/kg	----	----	----	----	----	----	----
Copper	EG005T	5	mg/kg	----	----	----	----	----	----	----
Lead	EG005T	5	mg/kg	----	----	----	----	----	----	----
Molybdenum	EG005T	5	mg/kg	----	----	----	----	----	----	----
Nickel	EG005T	5	mg/kg	----	----	----	----	----	----	----
Selenium	EG005T	5	mg/kg	----	----	----	----	----	----	----
Silver	EG005T	2	mg/kg	----	----	----	----	----	----	----
Zinc	EG005T	5	mg/kg	----	----	----	----	----	----	----
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	----	----	----	----	----	----
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	----	----	----	----	----	----
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	----	----	----	----	----	----
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	----	----	----	----	----	----
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	----	----	----	----	----	----
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	----	----	----	----	----	----
<b>EP074I: Volatile Halogenated Compounds</b>										
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	----	----	----	----	----	----
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	----	----	----	----	----	----
Vinyl chloride	EP074-UT	0.50	mg/kg	----	----	----	----	----	----	----
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	----	----	----	----	----	----
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	----	----	----	----	----	----
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										













**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220 424_08_06_S S_Duplicate_ ALS	SX_IB_20220 424_12_03_S S_Primary_AL S	SX_IB_20220 424_16_05_S S_Primary_AL S	SX_IB_20220 424_16_49_S S_Triplicate_ ALS	SX_IB_20220 424_19_54_S S_Primary_AL S
				Guideline	Guideline					
				Lower Limit	Upper Limit					
						24-Apr-2022 08:07	24-Apr-2022 12:04	24-Apr-2022 16:06	24-Apr-2022 16:50	24-Apr-2022 19:54
						EM2207398-038 MU	EM2207398-039 MU	EM2207398-040 MU	EM2207398-041 MU	EM2207398-042 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	----	----	----	----	----	----	----
<b>EG005(ED093T): Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	----	----	----	----	----	----
Cadmium	EG005T	1	mg/kg	----	----	----	----	----	----	----
Copper	EG005T	5	mg/kg	----	----	----	----	----	----	----
Lead	EG005T	5	mg/kg	----	----	----	----	----	----	----
Molybdenum	EG005T	5	mg/kg	----	----	----	----	----	----	----
Nickel	EG005T	5	mg/kg	----	----	----	----	----	----	----
Selenium	EG005T	5	mg/kg	----	----	----	----	----	----	----
Silver	EG005T	2	mg/kg	----	----	----	----	----	----	----
Zinc	EG005T	5	mg/kg	----	----	----	----	----	----	----
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	----	----	----	----	----	----
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	----	----	----	----	----	----
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	----	----	----	----	----	----
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	----	----	----	----	----	----
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	----	----	----	----	----	----
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	----	----	----	----	----	----
<b>EP074I: Volatile Halogenated Compounds</b>										
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	----	----	----	----	----	----
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	----	----	----	----	----	----
Vinyl chloride	EP074-UT	0.50	mg/kg	----	----	----	----	----	----	----
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	----	----	----	----	----	----
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	----	----	----	----	----	----
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										















**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220 424_23_48_S S_Primary_AL S	SX_IB_20220 424_23_55_S S_Primary_AL S	SX_OB_20220 425_04_16_S S_Primary_AL S	SX_OB_20220 425_04_18_S S_Duplicate_ ALS	SX_IB_20220 425_07_56_S S_Primary_AL S
				Guideline	Guideline					
				Lower Limit	Upper Limit					
						24-Apr-2022 23:48	24-Apr-2022 23:55	25-Apr-2022 04:16	25-Apr-2022 04:18	25-Apr-2022 07:56
						EM2207398-043 MU	EM2207398-044 MU	EM2207398-045 MU	EM2207398-046 MU	EM2207398-047 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	----	----	----	----	----	----	----
<b>EG005(ED093T): Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	----	----	----	----	----	----
Cadmium	EG005T	1	mg/kg	----	----	----	----	----	----	----
Copper	EG005T	5	mg/kg	----	----	----	----	----	----	----
Lead	EG005T	5	mg/kg	----	----	----	----	----	----	----
Molybdenum	EG005T	5	mg/kg	----	----	----	----	----	----	----
Nickel	EG005T	5	mg/kg	----	----	----	----	----	----	----
Selenium	EG005T	5	mg/kg	----	----	----	----	----	----	----
Silver	EG005T	2	mg/kg	----	----	----	----	----	----	----
Zinc	EG005T	5	mg/kg	----	----	----	----	----	----	----
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	----	----	----	----	----	----
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	----	----	----	----	----	----
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	----	----	----	----	----	----
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	----	----	----	----	----	----
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	----	----	----	----	----	----
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	----	----	----	----	----	----
<b>EP074I: Volatile Halogenated Compounds</b>										
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	----	----	----	----	----	----
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	----	----	----	----	----	----
Vinyl chloride	EP074-UT	0.50	mg/kg	----	----	----	----	----	----	----
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	----	----	----	----	----	----
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	----	----	----	----	----	----
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										















**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220 425_07_57_S S_Duplicate_ ALS	SX_IB_20220 425_11_48_S S_Primary_AL S	SX_IB_20220 425_15_50_S S_Primary_AL S	SX_IB_20220 425_15_58_S S_Triplicate_ ALS	SX_IB_20220 425_19_49_S S_Primary_AL S
				Guideline	Guideline					
				Lower Limit	Upper Limit					
						25-Apr-2022 07:57	25-Apr-2022 11:48	25-Apr-2022 15:50	25-Apr-2022 15:58	25-Apr-2022 19:49
						EM2207398-048 MU	EM2207398-049 MU	EM2207398-050 MU	EM2207398-051 MU	EM2207398-052 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	----	----	----	----	----	----	----
<b>EG005(ED093T): Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	----	----	----	----	----	----
Cadmium	EG005T	1	mg/kg	----	----	----	----	----	----	----
Copper	EG005T	5	mg/kg	----	----	----	----	----	----	----
Lead	EG005T	5	mg/kg	----	----	----	----	----	----	----
Molybdenum	EG005T	5	mg/kg	----	----	----	----	----	----	----
Nickel	EG005T	5	mg/kg	----	----	----	----	----	----	----
Selenium	EG005T	5	mg/kg	----	----	----	----	----	----	----
Silver	EG005T	2	mg/kg	----	----	----	----	----	----	----
Zinc	EG005T	5	mg/kg	----	----	----	----	----	----	----
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	----	----	----	----	----	----
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	----	----	----	----	----	----
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	----	----	----	----	----	----
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	----	----	----	----	----	----
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	----	----	----	----	----	----
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	----	----	----	----	----	----
<b>EP074I: Volatile Halogenated Compounds</b>										
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	----	----	----	----	----	----
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	----	----	----	----	----	----
Vinyl chloride	EP074-UT	0.50	mg/kg	----	----	----	----	----	----	----
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	----	----	----	----	----	----
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	----	----	----	----	----	----
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										















**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		Guideline Lower Limit	Guideline Upper Limit	SX_IB_20220 426_00_02_S S_Primary_AL S	SX_IB_20220 426_03_47_S S_Primary_AL S	----	----	----
				Sampling date/time	26-Apr-2022 00:02			26-Apr-2022 03:47	----	----	----	
<b>EA001: pH in soil using 0.01M CaCl extract</b>												
pH (CaCl2)	EA001	0.1	pH Unit	----	----	----	----	----	----	----	----	----
<b>EG005(ED093T): Total Metals by ICP-AES</b>												
Arsenic	EG005T	5	mg/kg	----	----	----	----	----	----	----	----	----
Cadmium	EG005T	1	mg/kg	----	----	----	----	----	----	----	----	----
Copper	EG005T	5	mg/kg	----	----	----	----	----	----	----	----	----
Lead	EG005T	5	mg/kg	----	----	----	----	----	----	----	----	----
Molybdenum	EG005T	5	mg/kg	----	----	----	----	----	----	----	----	----
Nickel	EG005T	5	mg/kg	----	----	----	----	----	----	----	----	----
Selenium	EG005T	5	mg/kg	----	----	----	----	----	----	----	----	----
Silver	EG005T	2	mg/kg	----	----	----	----	----	----	----	----	----
Zinc	EG005T	5	mg/kg	----	----	----	----	----	----	----	----	----
<b>EG035T: Total Recoverable Mercury by FIMS</b>												
Mercury	EG035T	0.1	mg/kg	----	----	----	----	----	----	----	----	----
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>												
Hexavalent Chromium	EG048G	1.0	mg/kg	----	----	----	----	----	----	----	----	----
<b>EK026SF: Total CN by Segmented Flow Analyser</b>												
Total Cyanide	EK026SF	5	mg/kg	----	----	----	----	----	----	----	----	----
<b>EK040T: Fluoride Total</b>												
Fluoride	EK040T	100	mg/kg	----	----	----	----	----	----	----	----	----
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>												
Benzene	EP074-UT	0.2	mg/kg	----	----	----	----	----	----	----	----	----
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	----	----	----	----	----	----	----	----
<b>EP074I: Volatile Halogenated Compounds</b>												
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	----	----	----	----	----	----	----	----
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	----	----	----	----	----	----	----	----
Vinyl chloride	EP074-UT	0.50	mg/kg	----	----	----	----	----	----	----	----	----
<b>EP075A: Phenolic Compounds (Halogenated)</b>												
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	----	----	----	----	----	----	----	----
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>												
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	----	----	----	----	----	----	----	----
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>												



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		Guideline	Guideline	SX_IB_20220 426_00_02_S S_Primary_AL S	SX_IB_20220 426_03_47_S S_Primary_AL S	----	----	----
				Sampling date/time	Lower Limit							
								26-Apr-2022 00:02	26-Apr-2022 03:47			
								EM2207398-053 MU	EM2207398-054 MU			
<b>EP075B: Polynuclear Aromatic Hydrocarbons - Continued</b>												
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	----							
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	----							
<b>EP075I: Organochlorine Pesticides</b>												
Chlordane	EP075-EM-SUM	0.10	mg/kg	----	----							
Heptachlor	EP075-EM	0.05	mg/kg	----	----							
Sum of Aldrin + Dieldrin	EP075-EM-SUM	0.30	mg/kg	----	----							
Sum of DDD + DDE + DDT	EP075-EM-SUM	0.05	mg/kg	----	----							
Sum of other organochlorine pesticides	EP075-EM-SUM	0.03	mg/kg	----	----							
<b>EP080/071: Total Petroleum Hydrocarbons</b>												
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	----							
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	----							









## QUALITY CONTROL REPORT

<b>Work Order</b>	<b>: EM2207398</b>	<b>Page</b>	: 1 of 62
<b>Client</b>	<b>: AGON ENVIRONMENTAL PTY LTD</b>	<b>Laboratory</b>	: Environmental Division Melbourne
<b>Contact</b>	: CRAIG TRIMBUR	<b>Contact</b>	: Josh Alexander
<b>Address</b>	: D1.1 63-85 TURNER STREET PORT MELBOURNE 3207	<b>Address</b>	: 4 Westall Rd Springvale VIC Australia 3171
<b>Telephone</b>	: ----	<b>Telephone</b>	: +61-3-8549 9600
<b>Project</b>	: JC0927	<b>Date Samples Received</b>	: 26-Apr-2022
<b>Order number</b>	: ----	<b>Date Analysis Commenced</b>	: 26-Apr-2022
<b>C-O-C number</b>	: 20220426041206-ALS-21	<b>Issue Date</b>	: 29-Apr-2022
<b>Sampler</b>	: Brandon + TB - Agon, LR + HK - EP Risk		
<b>Site</b>	: 20220426041206-ALS-21		
<b>Quote number</b>	: EN/150/19 -WGTP -Bulk Sample Quote		
<b>No. of samples received</b>	: 54		
<b>No. of samples analysed</b>	: 54		



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Dilani Fernando	Laboratory Coordinator	Melbourne Inorganics, Springvale, VIC
Nikki Stepniewski	Senior Inorganic Instrument Chemist	Melbourne Inorganics, Springvale, VIC
Xing Lin	Senior Organic Chemist	Melbourne Organics, Springvale, VIC



## General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Key :  
 Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
 CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
 LOR = Limit of reporting  
 RPD = Relative Percentage Difference  
 # = Indicates failed QC

## Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EG005(ED093)T: Total Metals by ICP-AES (QC Lot: 4305487)</b>									
EM2207398-001	SX_OB_20220423_08_10_ SS_Primary_ALS	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.0	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	87	91	4.4	0% - 50%
		EG005T: Molybdenum	7439-98-7	2	mg/kg	<5	<5	0.0	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	142	149	4.6	0% - 20%
		EG005T: Silver	7440-22-4	2	mg/kg	<2	<2	0.0	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	34	34	0.0	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	49	51	3.2	0% - 50%
		EG005T: Lead	7439-92-1	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Selenium	7782-49-2	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Tin	7440-31-5	5	mg/kg	<10	<10	0.0	No Limit
EG005T: Zinc	7440-66-6	5	mg/kg	83	92	10.9	0% - 50%		
EM2207398-012	SX_OB_20220424_08_06_ SS_Duplicate_ALS	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.0	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	107	103	4.1	0% - 20%
		EG005T: Molybdenum	7439-98-7	2	mg/kg	<5	<5	0.0	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	159	152	4.7	0% - 20%
		EG005T: Silver	7440-22-4	2	mg/kg	<2	<2	0.0	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	41	31	26.5	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	58	51	12.9	0% - 50%
		EG005T: Lead	7439-92-1	5	mg/kg	<5	11	71.9	No Limit
		EG005T: Selenium	7782-49-2	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Tin	7440-31-5	5	mg/kg	<10	<10	0.0	No Limit
EG005T: Zinc	7440-66-6	5	mg/kg	103	86	16.9	0% - 20%		





Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EG005(ED093)T: Total Metals by ICP-AES (QC Lot: 4305489)</b>									
EM2207398-023	SX_IB_20220425_11_48_S S_Primary_ALS	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.0	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	103	93	10.2	0% - 20%
		EG005T: Molybdenum	7439-98-7	2	mg/kg	<5	<5	0.0	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	141	131	7.2	0% - 20%
		EG005T: Silver	7440-22-4	2	mg/kg	<2	<2	0.0	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	28	27	4.1	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	58	51	12.9	0% - 50%
		EG005T: Lead	7439-92-1	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Selenium	7782-49-2	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Tin	7440-31-5	5	mg/kg	<10	<10	0.0	No Limit
EG005T: Zinc	7440-66-6	5	mg/kg	106	88	18.8	0% - 20%		
<b>EA001: pH in soil using 0.01M CaCl extract (QC Lot: 4308102)</b>									
EM2207398-001	SX_OB_20220423_08_10_ SS_Primary_ALS	EA001: pH (CaCl2)	----	0.1	pH Unit	7.8	7.8	0.0	0% - 20%
EM2207398-012	SX_OB_20220424_08_06_ SS_Duplicate_ALS	EA001: pH (CaCl2)	----	0.1	pH Unit	8.1	8.2	0.0	0% - 20%
<b>EA001: pH in soil using 0.01M CaCl extract (QC Lot: 4308103)</b>									
EM2207398-023	SX_IB_20220425_11_48_S S_Primary_ALS	EA001: pH (CaCl2)	----	0.1	pH Unit	7.6	7.6	0.0	0% - 20%
<b>EA055: Moisture Content (Dried @ 105-110°C) (QC Lot: 4306097)</b>									
EM2207302-013	Anonymous	EA055: Moisture Content	----	0.1	%	32.3	32.4	0.4	0% - 20%
EM2207398-011	SX_OB_20220424_08_05_ SS_Primary_ALS	EA055: Moisture Content	----	0.1	%	29.7	31.2	4.9	0% - 20%
<b>EA055: Moisture Content (Dried @ 105-110°C) (QC Lot: 4306098)</b>									
EM2207398-021	SX_IB_20220425_07_56_S S_Primary_ALS	EA055: Moisture Content	----	0.1	%	31.8	31.8	0.0	0% - 20%
<b>EG035T: Total Recoverable Mercury by FIMS (QC Lot: 4305486)</b>									
EM2207398-001	SX_OB_20220423_08_10_ SS_Primary_ALS	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EM2207398-012	SX_OB_20220424_08_06_ SS_Duplicate_ALS	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
<b>EG035T: Total Recoverable Mercury by FIMS (QC Lot: 4305488)</b>									
EM2207398-023	SX_IB_20220425_11_48_S S_Primary_ALS	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
<b>EG048: Hexavalent Chromium (Alkaline Digest) (QC Lot: 4306054)</b>									
EM2207302-013	Anonymous	EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<1.0	<1.0	0.0	No Limit
EM2207398-010	SX_IB_20220424_04_08_S S_Primary_ALS	EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<1.0	<1.0	0.0	No Limit

Page : 4 of 62  
 Work Order : EM2207398  
 Client : AGON ENVIRONMENTAL PTY LTD  
 Project : JC0927



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EG048: Hexavalent Chromium (Alkaline Digest) (QC Lot: 4306057)</b>									
EM2207398-021	SX_IB_20220425_07_56_S S_Primary_ALS	EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<1.0	<1.0	0.0	No Limit
<b>EK026SF: Total CN by Segmented Flow Analyser (QC Lot: 4306037)</b>									
EM2207302-013	Anonymous	EK026SF: Total Cyanide	57-12-5	1	mg/kg	<5	<5	0.0	No Limit
EM2207398-010	SX_IB_20220424_04_08_S S_Primary_ALS	EK026SF: Total Cyanide	57-12-5	1	mg/kg	<5	<5	0.0	No Limit
<b>EK026SF: Total CN by Segmented Flow Analyser (QC Lot: 4306038)</b>									
EM2207398-021	SX_IB_20220425_07_56_S S_Primary_ALS	EK026SF: Total Cyanide	57-12-5	1	mg/kg	<5	<5	0.0	No Limit
<b>EK040T: Fluoride Total (QC Lot: 4305859)</b>									
EM2207398-001	SX_OB_20220423_08_10_ SS_Primary_ALS	EK040T: Fluoride	16984-48-8	40	mg/kg	200	140	37.6	No Limit
EM2207398-012	SX_OB_20220424_08_06_ SS_Duplicate_ALS	EK040T: Fluoride	16984-48-8	40	mg/kg	140	130	0.0	No Limit
<b>EK040T: Fluoride Total (QC Lot: 4305860)</b>									
EM2207398-023	SX_IB_20220425_11_48_S S_Primary_ALS	EK040T: Fluoride	16984-48-8	40	mg/kg	180	170	0.0	No Limit
<b>EP066: Polychlorinated Biphenyls (PCB) (QC Lot: 4305546)</b>									
EM2207398-001	SX_OB_20220423_08_10_ SS_Primary_ALS	EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EM2207398-013	SX_IB_20220424_12_03_S S_Primary_ALS	EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
<b>EP066: Polychlorinated Biphenyls (PCB) (QC Lot: 4305550)</b>									
EM2207302-001	Anonymous	EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EM2207302-013	Anonymous	EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
<b>EP074A: Monocyclic Aromatic Hydrocarbons (QC Lot: 4304299)</b>									
EM2207398-001	SX_OB_20220423_08_10_ SS_Primary_ALS	EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.0	No Limit
		EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
EM2207398-013	SX_IB_20220424_12_03_S S_Primary_ALS	EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.0	No Limit
		EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP074A: Monocyclic Aromatic Hydrocarbons (QC Lot: 4304299) - continued</b>									
EM2207398-013	SX_IB_20220424_12_03_S S_Primary_ALS	EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
<b>EP074A: Monocyclic Aromatic Hydrocarbons (QC Lot: 4304300)</b>									
EM2207398-016	SX_IB_20220424_19_54_S S_Primary_ALS	EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.0	No Limit
		EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
EM2207398-026	SX_IB_20220425_19_49_S S_Primary_ALS	EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.0	No Limit
		EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
<b>EP074H: Naphthalene (QC Lot: 4304299)</b>									
EM2207398-001	SX_OB_20220423_08_10_ SS_Primary_ALS	EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.0	No Limit
EM2207398-013	SX_IB_20220424_12_03_S S_Primary_ALS	EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.0	No Limit
<b>EP074H: Naphthalene (QC Lot: 4304300)</b>									
EM2207398-016	SX_IB_20220424_19_54_S S_Primary_ALS	EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.0	No Limit
EM2207398-026	SX_IB_20220425_19_49_S S_Primary_ALS	EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.0	No Limit
<b>EP074I: Volatile Halogenated Compounds (QC Lot: 4304299)</b>									
EM2207398-001	SX_OB_20220423_08_10_ SS_Primary_ALS	EP074-UT: 1,1-Dichloroethene	75-35-4	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: cis-1,2-Dichloroethene	156-59-2	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,1,1-Trichloroethane	71-55-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Carbon Tetrachloride	56-23-5	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,1,1,2-Tetrachloroethane	630-20-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,2,4-Trichlorobenzene	120-82-1	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Vinyl chloride	75-01-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: trans-1,2-Dichloroethene	156-60-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP074I: Volatile Halogenated Compounds (QC Lot: 4304299) - continued</b>									
EM2207398-001	SX_OB_20220423_08_10_S SS_Primary_ALS	EP074-UT: Chloroform	67-66-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,2-Dichloroethane	107-06-2	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Trichloroethene	79-01-6	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Tetrachloroethene	127-18-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,1,2,2-Tetrachloroethane	79-34-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Hexachlorobutadiene	87-68-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chlorobenzene	108-90-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,4-Dichlorobenzene	106-46-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,2-Dichlorobenzene	95-50-1	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,1,2-Trichloroethane	79-00-5	0.04	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.5	<0.5	0.0	No Limit		
EM2207398-013	SX_IB_20220424_12_03_S S_Primary_ALS	EP074-UT: 1,1-Dichloroethene	75-35-4	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: cis-1,2-Dichloroethene	156-59-2	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,1,1-Trichloroethane	71-55-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Carbon Tetrachloride	56-23-5	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,1,1,2-Tetrachloroethane	630-20-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,2,4-Trichlorobenzene	120-82-1	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Vinyl chloride	75-01-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: trans-1,2-Dichloroethene	156-60-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chloroform	67-66-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,2-Dichloroethane	107-06-2	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Trichloroethene	79-01-6	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Tetrachloroethene	127-18-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,1,2,2-Tetrachloroethane	79-34-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Hexachlorobutadiene	87-68-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chlorobenzene	108-90-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,4-Dichlorobenzene	106-46-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,2-Dichlorobenzene	95-50-1	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,1,2-Trichloroethane	79-00-5	0.04	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.5	<0.5	0.0	No Limit		
<b>EP074I: Volatile Halogenated Compounds (QC Lot: 4304300)</b>									
EM2207398-016	SX_IB_20220424_19_54_S S_Primary_ALS	EP074-UT: 1,1-Dichloroethene	75-35-4	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: cis-1,2-Dichloroethene	156-59-2	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,1,1-Trichloroethane	71-55-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Carbon Tetrachloride	56-23-5	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,1,1,2-Tetrachloroethane	630-20-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: 1,2,4-Trichlorobenzene	120-82-1	0.01	mg/kg	<0.50	<0.50	0.0	No Limit		



Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP074I: Volatile Halogenated Compounds (QC Lot: 4304300) - continued</b>									
EM2207398-016	SX_IB_20220424_19_54_S S_Primary_ALS	EP074-UT: Vinyl chloride	75-01-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: trans-1.2-Dichloroethene	156-60-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chloroform	67-66-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.2-Dichloroethane	107-06-2	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Trichloroethene	79-01-6	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Tetrachloroethene	127-18-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.2.2-Tetrachloroethane	79-34-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Hexachlorobutadiene	87-68-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chlorobenzene	108-90-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.4-Dichlorobenzene	106-46-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.2-Dichlorobenzene	95-50-1	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.2-Trichloroethane	79-00-5	0.04	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.5	<0.5	0.0	No Limit
		EM2207398-026	SX_IB_20220425_19_49_S S_Primary_ALS	EP074-UT: 1.1-Dichloroethene	75-35-4	0.01	mg/kg	<0.50	<0.50
EP074-UT: cis-1.2-Dichloroethene	156-59-2			0.01	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: 1.1.1-Trichloroethane	71-55-6			0.01	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: Carbon Tetrachloride	56-23-5			0.01	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: 1.1.1.2-Tetrachloroethane	630-20-6			0.01	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: 1.2.4-Trichlorobenzene	120-82-1			0.01	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: Vinyl chloride	75-01-4			0.02	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: trans-1.2-Dichloroethene	156-60-5			0.02	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: Chloroform	67-66-3			0.02	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: 1.2-Dichloroethane	107-06-2			0.02	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: Trichloroethene	79-01-6			0.02	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: Tetrachloroethene	127-18-4			0.02	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: 1.1.2.2-Tetrachloroethane	79-34-5			0.02	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: Hexachlorobutadiene	87-68-3			0.02	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: Chlorobenzene	108-90-7			0.02	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: 1.4-Dichlorobenzene	106-46-7			0.02	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: 1.2-Dichlorobenzene	95-50-1			0.02	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: 1.1.2-Trichloroethane	79-00-5			0.04	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.5	<0.5	0.0	No Limit		
<b>EP075A: Phenolic Compounds (Halogenated) (QC Lot: 4305545)</b>									
EM2207398-001	SX_OB_20220423_08_10_ SS_Primary_ALS	EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<1.00	<1.00	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP075A: Phenolic Compounds (Halogenated) (QC Lot: 4305545) - continued</b>									
EM2207398-001	SX_OB_20220423_08_10_SS_Primary_ALS	EP075-EM: 2.3.5.6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: 2.4.5-Trichlorophenol	95-95-4	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.4.6-Trichlorophenol	88-06-2	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.4.5 & 2.3.4.6-Tetrachlorophenol	4901-51-3/58-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		0-2							
EM2207398-013	SX_IB_20220424_12_03_SS_Primary_ALS	EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.5.6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: 2.4.5-Trichlorophenol	95-95-4	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.4.6-Trichlorophenol	88-06-2	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.4.5 & 2.3.4.6-Tetrachlorophenol	4901-51-3/58-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		0-2							
EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<1.0	<1.0	0.0	No Limit		
<b>EP075A: Phenolic Compounds (Halogenated) (QC Lot: 4305552)</b>									
EM2207302-001	Anonymous	EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.5.6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: 2.4.5-Trichlorophenol	95-95-4	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.4.6-Trichlorophenol	88-06-2	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.4.5 & 2.3.4.6-Tetrachlorophenol	4901-51-3/58-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		0-2							
EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<1.0	<1.0	0.0	No Limit		
EM2207302-013	Anonymous	EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.5.6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: 2.4.5-Trichlorophenol	95-95-4	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.4.6-Trichlorophenol	88-06-2	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.4.5 & 2.3.4.6-Tetrachlorophenol	4901-51-3/58-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		0-2							
EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<1.0	<1.0	0.0	No Limit		
<b>EP075A: Phenolic Compounds (Non-halogenated) (QC Lot: 4305545)</b>									



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP075A: Phenolic Compounds (Non-halogenated) (QC Lot: 4305545) - continued</b>									
EM2207398-001	SX_OB_20220423_08_10_ SS_Primary_ALS	EP075-EM: Phenol	108-95-2	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: Dinoseb	88-85-7	5	mg/kg	<20	<20	0.0	No Limit
EP075-EM: 2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	5	mg/kg	<20	<20	0.0	No Limit		
EM2207398-013	SX_IB_20220424_12_03_S S_Primary_ALS	EP075-EM: Phenol	108-95-2	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: Dinoseb	88-85-7	5	mg/kg	<20	<20	0.0	No Limit
EP075-EM: 2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	5	mg/kg	<20	<20	0.0	No Limit		
<b>EP075A: Phenolic Compounds (Non-halogenated) (QC Lot: 4305552)</b>									
EM2207302-001	Anonymous	EP075-EM: Phenol	108-95-2	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: Dinoseb	88-85-7	5	mg/kg	<20	<20	0.0	No Limit
EP075-EM: 2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	5	mg/kg	<20	<20	0.0	No Limit		
EM2207302-013	Anonymous	EP075-EM: Phenol	108-95-2	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	0.0	No Limit
EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	0.0	No Limit		



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP075A: Phenolic Compounds (Non-halogenated) (QC Lot: 4305552) - continued</b>									
EM2207302-013	Anonymous	EP075-EM: 2-Methyl-4.6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: Dinoseb	88-85-7	5	mg/kg	<20	<20	0.0	No Limit
		EP075-EM: 2-Cyclohexyl-4.6-Dinitrophenol	131-89-5	5	mg/kg	<20	<20	0.0	No Limit
<b>EP075B: Polynuclear Aromatic Hydrocarbons (QC Lot: 4305545)</b>									
EM2207398-001	SX_OB_20220423_08_10_ SS_Primary_ALS	EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Dibenzo(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	<1.0	0.0	No Limit		
EM2207398-013	SX_IB_20220424_12_03_S S_Primary_ALS	EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Dibenzo(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	<1.0	0.0	No Limit		
<b>EP075B: Polynuclear Aromatic Hydrocarbons (QC Lot: 4305552)</b>									
EM2207302-001	Anonymous	EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit





Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP075B: Polynuclear Aromatic Hydrocarbons (QC Lot: 4305552) - continued</b>									
EM2207302-001	Anonymous	EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	<1.0	0.0	No Limit
EM2207302-013	Anonymous	EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	<1.0	0.0	No Limit		
<b>EP075I: Organochlorine Pesticides (QC Lot: 4305545)</b>									
EM2207398-001	SX_OB_20220423_08_10_ SS_Primary_ALS	EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.05	<0.05	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP075I: Organochlorine Pesticides (QC Lot: 4305545) - continued</b>									
EM2207398-001	SX_OB_20220423_08_10_SS_Primary_ALS	EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4,4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
EM2207398-013	SX_IB_20220424_12_03_S_S_Primary_ALS	EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
EP075-EM: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit		
EP075-EM: 4,4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	0.0	No Limit		
<b>EP075I: Organochlorine Pesticides (QC Lot: 4305552)</b>									
EM2207302-001	Anonymous	EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP075I: Organochlorine Pesticides (QC Lot: 4305552) - continued</b>									
EM2207302-001	Anonymous	EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
EP075-EM: 4,4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	0.0	No Limit		
EM2207302-013	Anonymous	EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit		
EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.05	<0.05	0.0	No Limit		
EP075-EM: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit		
EP075-EM: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit		
EP075-EM: 4,4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	0.0	No Limit		
<b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 4304299)</b>									
EM2207398-001	SX_OB_20220423_08_10_ SS_Primary_ALS	EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<20	<20	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 4304299) - continued</b>									
EM2207398-013	SX_IB_20220424_12_03_S S_Primary_ALS	EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<20	<20	0.0	No Limit
<b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 4304300)</b>									
EM2207398-016	SX_IB_20220424_19_54_S S_Primary_ALS	EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<20	<20	0.0	No Limit
EM2207398-026	SX_IB_20220425_19_49_S S_Primary_ALS	EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<20	<20	0.0	No Limit
<b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 4305547)</b>									
EM2207398-001	SX_OB_20220423_08_10_ SS_Primary_ALS	EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EM2207398-013	SX_IB_20220424_12_03_S S_Primary_ALS	EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
<b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 4305551)</b>									
EM2207302-001	Anonymous	EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EM2207302-013	Anonymous	EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 4304299)</b>									
EM2207398-001	SX_OB_20220423_08_10_ SS_Primary_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<20	<20	0.0	No Limit
		EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<20	<20	0.0	No Limit
EM2207398-013	SX_IB_20220424_12_03_S S_Primary_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<20	<20	0.0	No Limit
		EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<20	<20	0.0	No Limit
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 4304300)</b>									
EM2207398-016	SX_IB_20220424_19_54_S S_Primary_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<20	<20	0.0	No Limit
		EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<20	<20	0.0	No Limit
EM2207398-026	SX_IB_20220425_19_49_S S_Primary_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<20	<20	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 4304300) - continued</b>									
EM2207398-026	SX_IB_20220425_19_49_S S_Primary_ALS	EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<20	<20	0.0	No Limit
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 4305547)</b>									
EM2207398-001	SX_OB_20220423_08_10_ SS_Primary_ALS	EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EM2207398-013	SX_IB_20220424_12_03_S S_Primary_ALS	EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 4305551)</b>									
EM2207302-001	Anonymous	EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EM2207302-013	Anonymous	EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4305014)</b>									
EM2207398-001	SX_OB_20220423_08_10_ SS_Primary_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EM2207398-013	SX_IB_20220424_12_03_S S_Primary_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4305037)</b>									
EM2207227-001	Anonymous	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit



Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4305037) - continued</b>									
EM2207227-001	Anonymous	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EM2207227-009	Anonymous	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4307774)</b>									
EM2207398-016	SX_IB_20220424_19_54_S S_Primary_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4305014)</b>									
EM2207398-001	SX_OB_20220423_08_10_10 SS_Primary_ALS	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<5 µg/kg	<0.005	0.0	No Limit
EM2207398-013	SX_IB_20220424_12_03_S S_Primary_ALS	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4305014) - continued</b>									
EM2207398-013	SX_IB_20220424_12_03_S S_Primary_ALS	EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<5 µg/kg	<0.005	0.0	No Limit
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4305037)</b>									
EM2207227-001	Anonymous	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<5 µg/kg	<0.005	0.0	No Limit		
EM2207227-009	Anonymous	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<5 µg/kg	<0.005	0.0	No Limit		
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4307774)</b>									
EM2207398-016	SX_IB_20220424_19_54_S S_Primary_ALS	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<5 µg/kg	<0.005	0.0	No Limit		



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4305014)</b>									
EM2207398-001	SX_OB_20220423_08_10_SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EM2207398-013	SX_IB_20220424_12_03_SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4305037)</b>									
EM2207227-001	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit





Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4305037) - continued</b>									
EM2207227-001	Anonymous	EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EM2207227-009	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4307774)</b>									
EM2207398-016	SX_IB_20220424_19_54_S S_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4305014)</b>									
EM2207398-001	SX_OB_20220423_08_10_ SS_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EM2207398-013	SX_IB_20220424_12_03_S S_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4305014) - continued</b>									
EM2207398-013	SX_IB_20220424_12_03_S S_Primary_ALS	EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4305037)</b>									
EM2207227-001	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EM2207227-009	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4307774)</b>									
EM2207398-016	SX_IB_20220424_19_54_S S_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
<b>EP231P: PFAS Sums (QC Lot: 4305014)</b>									
EM2207398-001	SX_OB_20220423_08_10_ SS_Primary_ALS	EP231X: Sum of PFAS	----	0.0002	mg/kg	<50.0 µg/kg	<0.0500	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
EM2207398-013	SX_IB_20220424_12_03_S S_Primary_ALS	EP231X: Sum of PFAS	----	0.0002	mg/kg	<50.0 µg/kg	<0.0500	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231P: PFAS Sums (QC Lot: 4305014) - continued</b>									
EM2207398-013	SX_IB_20220424_12_03_S S_Primary_ALS	EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
<b>EP231P: PFAS Sums (QC Lot: 4305037)</b>									
EM2207227-001	Anonymous	EP231X: Sum of PFAS	----	0.0002	mg/kg	<50.0 µg/kg	<0.0500	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
EM2207227-009	Anonymous	EP231X: Sum of PFAS	----	0.0002	mg/kg	<50.0 µg/kg	<0.0500	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
<b>EP231P: PFAS Sums (QC Lot: 4307774)</b>									
EM2207398-016	SX_IB_20220424_19_54_S S_Primary_ALS	EP231X: Sum of PFAS	----	0.0002	mg/kg	<50.0 µg/kg	<0.0500	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit

Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4306840)</b>									
EM2206991-015	Anonymous	EP231X-INJ: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X-INJ: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X-INJ: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4307919)</b>									
EM2207398-001	SX_OB_20220423_08_10_SS_Primary_ALS	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4307919) - continued</b>									
EM2207398-001	SX_OB_20220423_08_10_SS_Primary_ALS	EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EM2207398-013	SX_IB_20220424_12_03_S_S_Primary_ALS	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4307929)</b>									
EM2207398-022	SX_IB_20220425_07_57_S_S_Duplicate_ALS	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4308957)</b>									
EM2207398-029	SX_OB_20220423_08_10_SS_Primary_ALS	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EM2207398-035	SX_OB_20220424_00_14_SS_Primary_ALS	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4308976)</b>									
EM2207398-048	SX_IB_20220425_07_57_S_S_Duplicate_ALS	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4311146)</b>									
EM2207398-052	SX_IB_20220425_19_49_S S_Primary_ALS	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4311172)</b>									
EM2207477-001	Anonymous	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4306840)</b>									
EM2206991-015	Anonymous	EP231X-INJ: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X-INJ: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.10	<0.10	0.0	No Limit
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4307919)</b>									
EM2207398-001	SX_OB_20220423_08_10_ SS_Primary_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4307919) - continued</b>									
EM2207398-013	SX_IB_20220424_12_03_S S_Primary_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit		
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4307929)</b>									
EM2207398-022	SX_IB_20220425_07_57_S S_Duplicate_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit		
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4308957)</b>									
EM2207398-029	SX_OB_20220423_08_10_ SS_Primary_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit		
EM2207398-035	SX_OB_20220424_00_14_ SS_Primary_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit



Sub-Matrix: WATER

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4308957) - continued</b>									
EM2207398-035	SX_OB_20220424_00_14_SS_Primary_ALS	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit		
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4308976)</b>									
EM2207398-048	SX_IB_20220425_07_57_S_S_Duplicate_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4311146)</b>									
EM2207398-052	SX_IB_20220425_19_49_S_S_Primary_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4311172)</b>									
EM2207477-001	Anonymous	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 431172) - continued</b>									
EM2207477-001	Anonymous	EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4306840)</b>									
EM2206991-015	Anonymous	EP231X-INJ: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4307919)</b>									
EM2207398-001	SX_OB_20220423_08_10_SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2207398-013	SX_IB_20220424_12_03_S_S_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit





Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4307919) - continued</b>									
EM2207398-013	SX_IB_20220424_12_03_S S_Primary_ALS	EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4307929)</b>									
EM2207398-022	SX_IB_20220425_07_57_S S_Duplicate_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4308957)</b>									
EM2207398-029	SX_OB_20220423_08_10_ SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4308957) - continued</b>									
EM2207398-029	SX_OB_20220423_08_10_SS_Primary_ALS	EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2207398-035	SX_OB_20220424_00_14_SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4308976)</b>									
EM2207398-048	SX_IB_20220425_07_57_S_S_Duplicate_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4311146)</b>									
EM2207398-052	SX_IB_20220425_19_49_S_S_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4311146) - continued</b>									
EM2207398-052	SX_IB_20220425_19_49_S S_Primary_ALS	EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4311172)</b>									
EM2207477-001	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4306840)</b>									
EM2206991-015	Anonymous	EP231X-INJ: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4307919)</b>									
EM2207398-001	SX_OB_20220423_08_10_ SS_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2207398-013	SX_IB_20220424_12_03_S S_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4307919) - continued</b>									
EM2207398-013	SX_IB_20220424_12_03_S S_Primary_ALS	EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4307929)</b>									
EM2207398-022	SX_IB_20220425_07_57_S S_Duplicate_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4308957)</b>									
EM2207398-029	SX_OB_20220423_08_10_ SS_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2207398-035	SX_OB_20220424_00_14_ SS_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4308976)</b>									
EM2207398-048	SX_IB_20220425_07_57_S S_Duplicate_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4311146)</b>									
EM2207398-052	SX_IB_20220425_19_49_S S_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4311172)</b>									
EM2207477-001	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231P: PFAS Sums (QC Lot: 4306840)</b>									
EM2206991-015	Anonymous	EP231X-INJ: Sum of PFAS	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X-INJ: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X-INJ: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit
<b>EP231P: PFAS Sums (QC Lot: 4307919)</b>									
EM2207398-001	SX_OB_20220423_08_10_ SS_Primary_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.10	<0.10	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.05	<0.05	0.0	No Limit
EM2207398-013	SX_IB_20220424_12_03_S S_Primary_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.10	<0.10	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231P: PFAS Sums (QC Lot: 4307929)</b>									
EM2207398-022	SX_IB_20220425_07_57_S S_Duplicate_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.10	<0.10	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231P: PFAS Sums (QC Lot: 4308957)</b>									



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231P: PFAS Sums (QC Lot: 4308957) - continued</b>									
EM2207398-029	SX_OB_20220423_08_10_SS_Primary_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit
EM2207398-035	SX_OB_20220424_00_14_SS_Primary_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit
<b>EP231P: PFAS Sums (QC Lot: 4308976)</b>									
EM2207398-048	SX_IB_20220425_07_57_S_S_Duplicate_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit
<b>EP231P: PFAS Sums (QC Lot: 4311146)</b>									
EM2207398-052	SX_IB_20220425_19_49_S_S_Primary_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit
<b>EP231P: PFAS Sums (QC Lot: 4311172)</b>									
EM2207477-001	Anonymous	EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit



### Method Blank (MB) and Laboratory Control Sample (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Sample (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
<b>EG005(ED093)T: Total Metals by ICP-AES (QCLot: 4305487)</b>									
EG005T: Arsenic	7440-38-2	5	mg/kg	<5	123 mg/kg	93.5	70.0	130	
EG005T: Cadmium	7440-43-9	1	mg/kg	<1	1.23 mg/kg	71.8	50.0	130	
EG005T: Chromium	7440-47-3	2	mg/kg	<2	20.2 mg/kg	100	70.0	130	
EG005T: Copper	7440-50-8	5	mg/kg	<5	55.9 mg/kg	90.2	70.0	130	
EG005T: Lead	7439-92-1	5	mg/kg	<5	62.4 mg/kg	89.1	70.0	130	
EG005T: Molybdenum	7439-98-7	2	mg/kg	<2	2.19 mg/kg	77.9	70.0	130	
EG005T: Nickel	7440-02-0	2	mg/kg	<2	15.4 mg/kg	99.2	70.0	130	
EG005T: Selenium	7782-49-2	5	mg/kg	<5	----	----	----	----	
EG005T: Silver	7440-22-4	2	mg/kg	<2	2.9 mg/kg	81.1	70.0	130	
EG005T: Tin	7440-31-5	5	mg/kg	<5	5.33 mg/kg	83.1	70.0	130	
EG005T: Zinc	7440-66-6	5	mg/kg	<5	162 mg/kg	72.5	70.0	130	
<b>EG005(ED093)T: Total Metals by ICP-AES (QCLot: 4305489)</b>									
EG005T: Arsenic	7440-38-2	5	mg/kg	<5	123 mg/kg	94.8	70.0	130	
EG005T: Cadmium	7440-43-9	1	mg/kg	<1	1.23 mg/kg	74.4	50.0	130	
EG005T: Chromium	7440-47-3	2	mg/kg	<2	20.2 mg/kg	102	70.0	130	
EG005T: Copper	7440-50-8	5	mg/kg	<5	55.9 mg/kg	91.7	70.0	130	
EG005T: Lead	7439-92-1	5	mg/kg	<5	62.4 mg/kg	89.5	70.0	130	
EG005T: Molybdenum	7439-98-7	2	mg/kg	<2	2.19 mg/kg	79.4	70.0	130	
EG005T: Nickel	7440-02-0	2	mg/kg	<2	15.4 mg/kg	101	70.0	130	
EG005T: Selenium	7782-49-2	5	mg/kg	<5	----	----	----	----	
EG005T: Silver	7440-22-4	2	mg/kg	<2	2.9 mg/kg	83.3	70.0	130	
EG005T: Tin	7440-31-5	5	mg/kg	<5	5.33 mg/kg	87.0	70.0	130	
EG005T: Zinc	7440-66-6	5	mg/kg	<5	162 mg/kg	73.1	70.0	130	
<b>EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel) (QCLot: 4306585)</b>									
EN60-DIa-P: Final pH	----	0.1	pH Unit	7.1	----	----	----	----	
<b>EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel) (QCLot: 4306586)</b>									
EN60-DIa-P: Final pH	----	0.1	pH Unit	7.1	----	----	----	----	
<b>EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel) (QCLot: 4308235)</b>									
EN60-DIa-P: Final pH	----	0.1	pH Unit	7.1	----	----	----	----	
<b>EA001: pH in soil using 0.01M CaCl extract (QCLot: 4308102)</b>									
EA001: pH (CaCl2)	----	----	pH Unit	----	4 pH Unit	100	98.8	101	
				----	7 pH Unit	100	99.3	101	
<b>EA001: pH in soil using 0.01M CaCl extract (QCLot: 4308103)</b>									



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report				
					Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	High
<b>EA001: pH in soil using 0.01M CaCl extract (QCLot: 4308103) - continued</b>									
EA001: pH (CaCl2)	----	----	pH Unit	----	4 pH Unit	100	98.8	101	
				----	7 pH Unit	100	99.3	101	
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 4305486)</b>									
EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	0.64 mg/kg	89.1	70.0	130	
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 4305488)</b>									
EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	0.64 mg/kg	85.9	70.0	130	
<b>EG048: Hexavalent Chromium (Alkaline Digest) (QCLot: 4306054)</b>									
EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<0.5	20 mg/kg	76.9	70.0	130	
<b>EG048: Hexavalent Chromium (Alkaline Digest) (QCLot: 4306057)</b>									
EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<0.5	20 mg/kg	81.2	70.0	130	
<b>EK026SF: Total CN by Segmented Flow Analyser (QCLot: 4306037)</b>									
EK026SF: Total Cyanide	57-12-5	1	mg/kg	<1	20 mg/kg	91.6	70.0	130	
<b>EK026SF: Total CN by Segmented Flow Analyser (QCLot: 4306038)</b>									
EK026SF: Total Cyanide	57-12-5	1	mg/kg	<1	20 mg/kg	108	70.0	130	
<b>EK040T: Fluoride Total (QCLot: 4305859)</b>									
EK040T: Fluoride	16984-48-8	40	mg/kg	<40	400 mg/kg	88.6	75.2	110	
<b>EK040T: Fluoride Total (QCLot: 4305860)</b>									
EK040T: Fluoride	16984-48-8	40	mg/kg	<40	400 mg/kg	84.9	75.2	110	
<b>EP066: Polychlorinated Biphenyls (PCB) (QCLot: 4305546)</b>									
EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	1 mg/kg	103	67.4	136	
<b>EP066: Polychlorinated Biphenyls (PCB) (QCLot: 4305550)</b>									
EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	1 mg/kg	91.8	67.4	136	
<b>EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 4304299)</b>									
EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	2.1 mg/kg	100	69.2	116	
EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	2.1 mg/kg	92.8	67.7	116	
EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	2.1 mg/kg	91.4	66.6	115	
EP074-UT: meta- & para-Xylene	108-38-3	0.5	mg/kg	<0.5	4.2 mg/kg	88.6	65.2	112	
	106-42-3								
EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	2.1 mg/kg	90.4	69.4	111	
EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	2.1 mg/kg	88.9	68.4	110	
<b>EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 4304300)</b>									
EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	2.1 mg/kg	103	69.2	116	
EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	2.1 mg/kg	96.1	67.7	116	
EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	2.1 mg/kg	94.4	66.6	115	
EP074-UT: meta- & para-Xylene	108-38-3	0.5	mg/kg	<0.5	4.2 mg/kg	91.5	65.2	112	
	106-42-3								
EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	2.1 mg/kg	93.2	69.4	111	





Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
<b>EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 4304300) - continued</b>									
EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	2.1 mg/kg	91.5	68.4	110	
<b>EP074H: Naphthalene (QCLot: 4304299)</b>									
EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	0.6 mg/kg	97.3	72.3	114	
<b>EP074H: Naphthalene (QCLot: 4304300)</b>									
EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	0.6 mg/kg	91.3	72.3	114	
<b>EP074I: Volatile Halogenated Compounds (QCLot: 4304299)</b>									
EP074-UT: Vinyl chloride	75-01-4	0.02	mg/kg	<0.02	0.1 mg/kg	123	47.0	138	
EP074-UT: 1,1-Dichloroethene	75-35-4	0.01	mg/kg	<0.01	0.1 mg/kg	110	57.6	125	
EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.4	2.1 mg/kg	101	72.3	115	
EP074-UT: trans-1,2-Dichloroethene	156-60-5	0.02	mg/kg	<0.02	0.1 mg/kg	107	60.5	122	
EP074-UT: cis-1,2-Dichloroethene	156-59-2	0.01	mg/kg	<0.01	0.1 mg/kg	99.8	70.3	112	
EP074-UT: Chloroform	67-66-3	0.02	mg/kg	<0.02	0.1 mg/kg	98.4	66.6	115	
EP074-UT: 1,1,1-Trichloroethane	71-55-6	0.01	mg/kg	<0.01	0.1 mg/kg	103	64.4	122	
EP074-UT: Carbon Tetrachloride	56-23-5	0.01	mg/kg	<0.01	0.1 mg/kg	102	58.4	127	
EP074-UT: 1,2-Dichloroethane	107-06-2	0.02	mg/kg	<0.02	0.1 mg/kg	110	72.9	114	
EP074-UT: Trichloroethene	79-01-6	0.02	mg/kg	<0.02	0.1 mg/kg	98.1	64.7	115	
EP074-UT: 1,1,2-Trichloroethane	79-00-5	0.04	mg/kg	<0.04	0.1 mg/kg	97.6	72.6	116	
EP074-UT: Tetrachloroethene	127-18-4	0.02	mg/kg	<0.02	0.1 mg/kg	92.4	60.0	119	
EP074-UT: 1,1,1,2-Tetrachloroethane	630-20-6	0.01	mg/kg	<0.01	0.1 mg/kg	93.6	71.8	116	
EP074-UT: 1,1,1,2,2-Tetrachloroethane	79-34-5	0.02	mg/kg	<0.02	0.1 mg/kg	95.5	66.1	116	
EP074-UT: Hexachlorobutadiene	87-68-3	0.02	mg/kg	<0.02	0.1 mg/kg	72.8	39.8	128	
EP074-UT: Chlorobenzene	108-90-7	0.02	mg/kg	<0.02	0.1 mg/kg	94.4	70.3	113	
EP074-UT: 1,4-Dichlorobenzene	106-46-7	0.02	mg/kg	<0.02	0.1 mg/kg	96.3	62.6	113	
EP074-UT: 1,2-Dichlorobenzene	95-50-1	0.02	mg/kg	<0.02	0.1 mg/kg	95.6	70.8	110	
EP074-UT: 1,2,4-Trichlorobenzene	120-82-1	0.01	mg/kg	<0.01	0.1 mg/kg	88.0	48.4	120	
<b>EP074I: Volatile Halogenated Compounds (QCLot: 4304300)</b>									
EP074-UT: Vinyl chloride	75-01-4	0.02	mg/kg	<0.02	0.1 mg/kg	126	47.0	138	
EP074-UT: 1,1-Dichloroethene	75-35-4	0.01	mg/kg	<0.01	0.1 mg/kg	110	57.6	125	
EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.4	2.1 mg/kg	104	72.3	115	
EP074-UT: trans-1,2-Dichloroethene	156-60-5	0.02	mg/kg	<0.02	0.1 mg/kg	109	60.5	122	
EP074-UT: cis-1,2-Dichloroethene	156-59-2	0.01	mg/kg	<0.01	0.1 mg/kg	102	70.3	112	
EP074-UT: Chloroform	67-66-3	0.02	mg/kg	<0.02	0.1 mg/kg	102	66.6	115	
EP074-UT: 1,1,1-Trichloroethane	71-55-6	0.01	mg/kg	<0.01	0.1 mg/kg	104	64.4	122	
EP074-UT: Carbon Tetrachloride	56-23-5	0.01	mg/kg	<0.01	0.1 mg/kg	103	58.4	127	
EP074-UT: 1,2-Dichloroethane	107-06-2	0.02	mg/kg	<0.02	0.1 mg/kg	112	72.9	114	
EP074-UT: Trichloroethene	79-01-6	0.02	mg/kg	<0.02	0.1 mg/kg	99.2	64.7	115	
EP074-UT: 1,1,2-Trichloroethane	79-00-5	0.04	mg/kg	<0.04	0.1 mg/kg	100	72.6	116	
EP074-UT: Tetrachloroethene	127-18-4	0.02	mg/kg	<0.02	0.1 mg/kg	97.4	60.0	119	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
<b>EP074I: Volatile Halogenated Compounds (QCLot: 4304300) - continued</b>									
EP074-UT: 1.1.1.2-Tetrachloroethane	630-20-6	0.01	mg/kg	<0.01	0.1 mg/kg	100	71.8	116	
EP074-UT: 1.1.2.2-Tetrachloroethane	79-34-5	0.02	mg/kg	<0.02	0.1 mg/kg	98.2	66.1	116	
EP074-UT: Hexachlorobutadiene	87-68-3	0.02	mg/kg	<0.02	0.1 mg/kg	81.6	39.8	128	
EP074-UT: Chlorobenzene	108-90-7	0.02	mg/kg	<0.02	0.1 mg/kg	99.2	70.3	113	
EP074-UT: 1.4-Dichlorobenzene	106-46-7	0.02	mg/kg	<0.02	0.1 mg/kg	98.8	62.6	113	
EP074-UT: 1.2-Dichlorobenzene	95-50-1	0.02	mg/kg	<0.02	0.1 mg/kg	99.2	70.8	110	
EP074-UT: 1.2.4-Trichlorobenzene	120-82-1	0.01	mg/kg	<0.01	0.1 mg/kg	89.0	48.4	120	
<b>EP075A: Phenolic Compounds (Halogenated) (QCLot: 4305545)</b>									
EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.03	2 mg/kg	102	74.5	126	
EP075-EM: 2.4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.03	2 mg/kg	97.6	72.7	126	
EP075-EM: 2.6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.03	2 mg/kg	98.2	73.5	132	
EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<0.03	2 mg/kg	104	72.8	128	
EP075-EM: 2.4.5-Trichlorophenol	95-95-4	0.05	mg/kg	<0.05	2 mg/kg	114	73.3	134	
EP075-EM: 2.4.6-Trichlorophenol	88-06-2	0.05	mg/kg	<0.05	2 mg/kg	110	72.4	128	
EP075-EM: 2.3.5.6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	2 mg/kg	114	69.4	126	
EP075-EM: 2.3.4.5 & 2.3.4.6-Tetrachlorophenol	4901-51-3/5 8-90-2	0.05	mg/kg	<0.05	4 mg/kg	114	71.9	128	
EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<0.2	4 mg/kg	103	54.4	135	
<b>EP075A: Phenolic Compounds (Halogenated) (QCLot: 4305552)</b>									
EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.03	2 mg/kg	85.1	74.5	126	
EP075-EM: 2.4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.03	2 mg/kg	90.3	72.7	126	
EP075-EM: 2.6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.03	2 mg/kg	91.4	73.5	132	
EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<0.03	2 mg/kg	78.9	72.8	128	
EP075-EM: 2.4.5-Trichlorophenol	95-95-4	0.05	mg/kg	<0.05	2 mg/kg	101	73.3	134	
EP075-EM: 2.4.6-Trichlorophenol	88-06-2	0.05	mg/kg	<0.05	2 mg/kg	97.2	72.4	128	
EP075-EM: 2.3.5.6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	2 mg/kg	98.5	69.4	126	
EP075-EM: 2.3.4.5 & 2.3.4.6-Tetrachlorophenol	4901-51-3/5 8-90-2	0.05	mg/kg	<0.05	4 mg/kg	104	71.9	128	
EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<0.2	4 mg/kg	89.1	54.4	135	
<b>EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4305545)</b>									
EP075-EM: Phenol	108-95-2	1	mg/kg	<1	2 mg/kg	104	71.5	130	
EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	2 mg/kg	104	73.4	129	
EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	4 mg/kg	102	74.3	129	
EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	2 mg/kg	97.9	70.9	133	
EP075-EM: 2.4-Dimethylphenol	105-67-9	1	mg/kg	<1	2 mg/kg	96.8	71.8	132	
EP075-EM: 2.4-Dinitrophenol	51-28-5	5	mg/kg	<5	10 mg/kg	145	41.0	156	
EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	10 mg/kg	125	65.3	134	
EP075-EM: 2-Methyl-4.6-dinitrophenol	8071-51-0	5	mg/kg	<5	10 mg/kg	# 147	43.6	128	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report				
					Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
<b>EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4305545) - continued</b>									
EP075-EM: Dinoseb	88-85-7	5	mg/kg	<5	10 mg/kg	110	62.0	128	
EP075-EM: 2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	5	mg/kg	<5	10 mg/kg	126	34.5	137	
<b>EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4305552)</b>									
EP075-EM: Phenol	108-95-2	1	mg/kg	<1	2 mg/kg	82.1	71.5	130	
EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	2 mg/kg	91.3	73.4	129	
EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	4 mg/kg	86.7	74.3	129	
EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	2 mg/kg	87.9	70.9	133	
EP075-EM: 2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	2 mg/kg	85.1	71.8	132	
EP075-EM: 2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	10 mg/kg	87.0	41.0	156	
EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	10 mg/kg	107	65.3	134	
EP075-EM: 2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	10 mg/kg	118	43.6	128	
EP075-EM: Dinoseb	88-85-7	5	mg/kg	<5	10 mg/kg	95.1	62.0	128	
EP075-EM: 2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	5	mg/kg	<5	10 mg/kg	91.2	34.5	137	
<b>EP075B: Polynuclear Aromatic Hydrocarbons (QCLot: 4305545)</b>									
EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	2 mg/kg	99.1	73.0	131	
EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	2 mg/kg	114	76.3	130	
EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	2 mg/kg	113	72.0	135	
EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	2 mg/kg	116	74.4	131	
EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	2 mg/kg	104	73.3	130	
EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	2 mg/kg	104	78.4	127	
EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	2 mg/kg	108	75.3	132	
EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	2 mg/kg	109	75.4	130	
EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	2 mg/kg	107	69.6	133	
EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	2 mg/kg	107	75.0	133	
EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	4 mg/kg	107	75.8	133	
EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	2 mg/kg	107	65.1	130	
EP075-EM: Indeno(1,2,3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	2 mg/kg	110	72.1	134	
EP075-EM: Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	2 mg/kg	109	72.9	135	
EP075-EM: Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	2 mg/kg	110	71.3	134	
<b>EP075B: Polynuclear Aromatic Hydrocarbons (QCLot: 4305552)</b>									
EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	2 mg/kg	88.9	73.0	131	
EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	2 mg/kg	106	76.3	130	
EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	2 mg/kg	102	72.0	135	
EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	2 mg/kg	107	74.4	131	
EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	2 mg/kg	96.4	73.3	130	
EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	2 mg/kg	98.1	78.4	127	
EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	2 mg/kg	91.7	75.3	132	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
<b>EP075B: Polynuclear Aromatic Hydrocarbons (QCLot: 4305552) - continued</b>									
EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	2 mg/kg	94.0	75.4	130	
EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	2 mg/kg	96.7	69.6	133	
EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	2 mg/kg	98.4	75.0	133	
EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	4 mg/kg	95.7	75.8	133	
EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	2 mg/kg	95.4	65.1	130	
EP075-EM: Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	2 mg/kg	96.0	72.1	134	
EP075-EM: Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	2 mg/kg	97.4	72.9	135	
EP075-EM: Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	2 mg/kg	97.0	71.3	134	
<b>EP075I: Organochlorine Pesticides (QCLot: 4305545)</b>									
EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.03	2 mg/kg	103	71.0	129	
EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.03	2 mg/kg	104	74.8	126	
EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.03	2 mg/kg	107	75.7	130	
EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.03	2 mg/kg	105	70.8	130	
EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.03	2 mg/kg	108	76.5	134	
EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.03	2 mg/kg	105	75.5	131	
EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.03	2 mg/kg	105	76.8	130	
EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.03	2 mg/kg	108	73.6	130	
EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	2 mg/kg	108	75.0	133	
EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	2 mg/kg	108	75.3	131	
EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.03	2 mg/kg	110	69.4	134	
EP075-EM: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	2 mg/kg	108	71.0	132	
EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.03	2 mg/kg	102	78.0	133	
EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.03	2 mg/kg	121	69.0	143	
EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.03	2 mg/kg	105	55.7	145	
EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.03	2 mg/kg	105	71.4	135	
EP075-EM: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	2 mg/kg	106	74.8	134	
EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.03	2 mg/kg	108	70.2	135	
EP075-EM: 4,4'-DDT	50-29-3	0.05	mg/kg	<0.05	2 mg/kg	106	77.7	133	
EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.03	2 mg/kg	109	63.6	135	
<b>EP075I: Organochlorine Pesticides (QCLot: 4305552)</b>									
EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.03	2 mg/kg	99.6	71.0	129	
EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.03	2 mg/kg	93.6	74.8	126	
EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.03	2 mg/kg	96.8	75.7	130	
EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.03	2 mg/kg	102	70.8	130	
EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.03	2 mg/kg	108	76.5	134	
EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.03	2 mg/kg	94.3	75.5	131	
EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.03	2 mg/kg	97.9	76.8	130	
EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.03	2 mg/kg	94.5	73.6	130	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
<b>EP075I: Organochlorine Pesticides (QCLot: 4305552) - continued</b>									
EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	2 mg/kg	94.5	75.0	133	
EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	2 mg/kg	95.6	75.3	131	
EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.03	2 mg/kg	101	69.4	134	
EP075-EM: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	2 mg/kg	103	71.0	132	
EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.03	2 mg/kg	101	78.0	133	
EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.03	2 mg/kg	84.6	69.0	143	
EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.03	2 mg/kg	137	55.7	145	
EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.03	2 mg/kg	103	71.4	135	
EP075-EM: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	2 mg/kg	101	74.8	134	
EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.03	2 mg/kg	100	70.2	135	
EP075-EM: 4,4'-DDT	50-29-3	0.05	mg/kg	<0.05	2 mg/kg	99.6	77.7	133	
EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.03	2 mg/kg	99.4	63.6	135	
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 4304299)</b>									
EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<10	39.6 mg/kg	97.5	61.1	119	
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 4304300)</b>									
EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<10	39.6 mg/kg	97.7	61.1	119	
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 4305547)</b>									
EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	680 mg/kg	87.6	74.4	129	
EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	2830 mg/kg	98.9	81.0	123	
EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	1340 mg/kg	100	81.8	121	
EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	4850 mg/kg	97.7	70.0	130	
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 4305551)</b>									
EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	680 mg/kg	82.6	74.4	129	
EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	2830 mg/kg	92.8	81.0	123	
EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	1340 mg/kg	96.6	81.8	121	
EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	4850 mg/kg	92.4	70.0	130	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4304299)</b>									
EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	48.9 mg/kg	95.5	59.9	119	
EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<10	----	----	----	----	
	X								
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4304300)</b>									
EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	48.9 mg/kg	95.9	59.9	119	
EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<10	----	----	----	----	
	X								
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4305547)</b>									
EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	980 mg/kg	96.1	75.4	132	
EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	3210 mg/kg	117	80.8	120	
EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	270 mg/kg	80.1	73.3	136	



Sub-Matrix: SOIL

Method Blank (MB) Report				Laboratory Control Spike (LCS) Report				
				Spike Concentration	Spike Recovery (%)	Acceptable Limits (%)		
Method: Compound	CAS Number	LOR	Unit	Result		LCS	Low	High
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4305547) - continued</b>								
EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	4460 mg/kg	110	70.0	130
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4305551)</b>								
EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	980 mg/kg	89.8	75.4	132
EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	3210 mg/kg	116	80.8	120
EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	270 mg/kg	80.6	73.3	136
EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	4460 mg/kg	108	70.0	130
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4305014)</b>								
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	0.00111 mg/kg	88.2	72.0	128
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	0.00118 mg/kg	93.2	73.0	123
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	0.0014 mg/kg	75.7	67.0	130
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	0.00119 mg/kg	104	70.0	132
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	0.00116 mg/kg	84.4	68.0	136
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<0.0002	0.00121 mg/kg	86.6	59.0	134
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4305037)</b>								
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	0.00111 mg/kg	95.8	72.0	128
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	0.00118 mg/kg	104	73.0	123
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	0.0014 mg/kg	74.1	67.0	130
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	0.00119 mg/kg	106	70.0	132
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	0.00116 mg/kg	83.4	68.0	136
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<0.0002	0.00121 mg/kg	102	59.0	134
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4307774)</b>								
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	0.00111 mg/kg	99.8	72.0	128
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	0.00118 mg/kg	109	73.0	123
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	0.0014 mg/kg	81.5	67.0	130
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	0.00119 mg/kg	110	70.0	132
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	0.00116 mg/kg	99.1	68.0	136
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<0.0002	0.00121 mg/kg	95.7	59.0	134
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4305014)</b>								
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	0.00625 mg/kg	90.7	71.0	135
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	0.00125 mg/kg	96.8	69.0	132
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	89.0	70.0	132
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	87.2	71.0	131
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	91.0	69.0	133
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	93.6	72.0	129
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	0.00125 mg/kg	90.2	69.0	133
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	90.2	64.0	136
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	94.4	69.0	135
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	87.8	66.0	139



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4305014) - continued</b>									
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	92.4	69.0	133	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4305037)</b>									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	0.00625 mg/kg	87.3	71.0	135	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	0.00125 mg/kg	81.4	69.0	132	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	93.6	70.0	132	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	92.4	71.0	131	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	91.2	69.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	96.9	72.0	129	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	0.00125 mg/kg	116	69.0	133	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	116	64.0	136	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	94.0	69.0	135	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	88.9	66.0	139	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	110	69.0	133	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4307774)</b>									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	0.00625 mg/kg	91.3	71.0	135	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	0.00125 mg/kg	96.6	69.0	132	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	101	70.0	132	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	101	71.0	131	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	107	69.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	98.8	72.0	129	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	0.00125 mg/kg	93.8	69.0	133	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	98.9	64.0	136	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	94.6	69.0	135	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	91.2	66.0	139	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	99.2	69.0	133	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4305014)</b>									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	92.0	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	0.00312 mg/kg	93.7	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	90.4	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	90.4	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	92.9	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	97.1	63.0	144	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	93.7	61.0	139	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4305037)</b>									



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4305037) - continued</b>									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	92.8	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	0.00312 mg/kg	87.0	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	96.7	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	97.2	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	82.0	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	116	63.0	144	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	107	61.0	139	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4307774)</b>									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	94.4	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	0.00312 mg/kg	110	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	105	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	104	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	104	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	108	63.0	144	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	96.8	61.0	139	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4305014)</b>									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	0.00117 mg/kg	92.1	62.0	145	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	0.00119 mg/kg	91.4	64.0	140	
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	0.0012 mg/kg	100	65.0	137	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	0.00121 mg/kg	99.4	70.0	130	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4305037)</b>									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	0.00117 mg/kg	87.7	62.0	145	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	0.00119 mg/kg	97.0	64.0	140	
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	0.0012 mg/kg	110	65.0	137	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	0.00121 mg/kg	120	70.0	130	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4307774)</b>									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	0.00117 mg/kg	104	62.0	145	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	0.00119 mg/kg	103	64.0	140	
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	0.0012 mg/kg	104	65.0	137	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	0.00121 mg/kg	117	70.0	130	
<b>EP231P: PFAS Sums (QCLot: 4305014)</b>									





Sub-Matrix: **SOIL**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report				
					Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	High
<b>EP231P: PFAS Sums (QCLot: 4305014) - continued</b>									
EP231X: Sum of PFAS	----	0.0002	mg/kg	<0.0002	----	----	----	----	
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	
EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	----	----	----	----	
<b>EP231P: PFAS Sums (QCLot: 4305037)</b>									
EP231X: Sum of PFAS	----	0.0002	mg/kg	<0.0002	----	----	----	----	
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	
EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	----	----	----	----	
<b>EP231P: PFAS Sums (QCLot: 4307774)</b>									
EP231X: Sum of PFAS	----	0.0002	mg/kg	<0.0002	----	----	----	----	
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	
EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	----	----	----	----	

Sub-Matrix: **WATER**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report				
					Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	High
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4306840)</b>									
EP231X-INJ: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.444 µg/L	90.4	72.0	130	
EP231X-INJ: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.47 µg/L	97.6	71.0	127	
EP231X-INJ: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.457 µg/L	94.4	68.0	131	
EP231X-INJ: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.477 µg/L	104	69.0	134	
EP231X-INJ: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.465 µg/L	87.8	65.0	140	
EP231X-INJ: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.482 µg/L	87.7	53.0	142	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4307919)</b>									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.222 µg/L	104	72.0	130	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.235 µg/L	104	71.0	127	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.228 µg/L	101	68.0	131	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.25 µg/L	98.5	69.0	134	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.232 µg/L	92.7	65.0	140	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.241 µg/L	94.5	53.0	142	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4307929)</b>									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.222 µg/L	86.3	72.0	130	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.235 µg/L	107	71.0	127	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.228 µg/L	109	68.0	131	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.25 µg/L	112	69.0	134	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.232 µg/L	119	65.0	140	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.241 µg/L	119	53.0	142	



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4308957)</b>									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.222 µg/L	99.2	72.0	130	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.235 µg/L	104	71.0	127	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.228 µg/L	97.8	68.0	131	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.25 µg/L	96.4	69.0	134	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.232 µg/L	96.9	65.0	140	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.241 µg/L	94.5	53.0	142	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4308976)</b>									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.222 µg/L	108	72.0	130	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.235 µg/L	99.9	71.0	127	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.228 µg/L	97.1	68.0	131	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.25 µg/L	106	69.0	134	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.232 µg/L	92.7	65.0	140	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.241 µg/L	102	53.0	142	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4311146)</b>									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.222 µg/L	91.4	72.0	130	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.235 µg/L	110	71.0	127	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.228 µg/L	108	68.0	131	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.25 µg/L	132	69.0	134	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.232 µg/L	132	65.0	140	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.241 µg/L	130	53.0	142	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4311172)</b>									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.222 µg/L	109	72.0	130	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.235 µg/L	111	71.0	127	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.228 µg/L	100	68.0	131	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.25 µg/L	107	69.0	134	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.232 µg/L	93.9	65.0	140	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.241 µg/L	102	53.0	142	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4306840)</b>									
EP231X-INJ: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.10	2.5 µg/L	95.5	73.0	129	
EP231X-INJ: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.5 µg/L	98.5	72.0	129	
EP231X-INJ: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.5 µg/L	92.3	72.0	129	
EP231X-INJ: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.5 µg/L	93.0	72.0	130	
EP231X-INJ: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.5 µg/L	94.5	71.0	133	
EP231X-INJ: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.5 µg/L	101	69.0	130	
EP231X-INJ: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.5 µg/L	93.6	71.0	129	
EP231X-INJ: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.5 µg/L	98.2	69.0	133	
EP231X-INJ: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.5 µg/L	95.2	72.0	134	
EP231X-INJ: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.5 µg/L	90.1	65.0	144	



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4306840) - continued</b>									
EP231X-INJ: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	1.25 µg/L	104	71.0	132	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4307919)</b>									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	1.25 µg/L	93.5	73.0	129	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.25 µg/L	92.4	72.0	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.25 µg/L	100	72.0	129	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.25 µg/L	103	72.0	130	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.25 µg/L	98.0	71.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.25 µg/L	100	69.0	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.25 µg/L	103	71.0	129	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.25 µg/L	105	69.0	133	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.25 µg/L	99.5	72.0	134	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.25 µg/L	97.6	65.0	144	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	0.625 µg/L	101	71.0	132	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4307929)</b>									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	1.25 µg/L	91.8	73.0	129	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.25 µg/L	104	72.0	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.25 µg/L	82.6	72.0	129	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.25 µg/L	102	72.0	130	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.25 µg/L	101	71.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.25 µg/L	93.0	69.0	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.25 µg/L	86.5	71.0	129	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.25 µg/L	101	69.0	133	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.25 µg/L	101	72.0	134	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.25 µg/L	89.4	65.0	144	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	0.625 µg/L	109	71.0	132	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4308957)</b>									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	1.25 µg/L	94.9	73.0	129	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.25 µg/L	103	72.0	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.25 µg/L	100	72.0	129	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.25 µg/L	104	72.0	130	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.25 µg/L	98.4	71.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.25 µg/L	103	69.0	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.25 µg/L	101	71.0	129	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.25 µg/L	101	69.0	133	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.25 µg/L	102	72.0	134	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.25 µg/L	97.1	65.0	144	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	0.625 µg/L	103	71.0	132	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4308976)</b>									



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4308976) - continued</b>									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	1.25 µg/L	93.2	73.0	129	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.25 µg/L	95.3	72.0	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.25 µg/L	104	72.0	129	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.25 µg/L	100	72.0	130	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.25 µg/L	100	71.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.25 µg/L	102	69.0	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.25 µg/L	109	71.0	129	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.25 µg/L	101	69.0	133	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.25 µg/L	104	72.0	134	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.25 µg/L	102	65.0	144	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	0.625 µg/L	118	71.0	132	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4311146)</b>									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	1.25 µg/L	87.7	73.0	129	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.25 µg/L	109	72.0	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.25 µg/L	81.9	72.0	129	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.25 µg/L	104	72.0	130	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.25 µg/L	105	71.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.25 µg/L	94.7	69.0	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.25 µg/L	84.5	71.0	129	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.25 µg/L	102	69.0	133	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.25 µg/L	102	72.0	134	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.25 µg/L	90.8	65.0	144	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	0.625 µg/L	105	71.0	132	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4311172)</b>									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	1.25 µg/L	92.5	73.0	129	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.25 µg/L	91.3	72.0	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.25 µg/L	96.9	72.0	129	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.25 µg/L	97.7	72.0	130	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.25 µg/L	93.4	71.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.25 µg/L	94.7	69.0	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.25 µg/L	119	71.0	129	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.25 µg/L	113	69.0	133	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.25 µg/L	104	72.0	134	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.25 µg/L	96.1	65.0	144	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	0.625 µg/L	113	71.0	132	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4306840)</b>									
EP231X-INJ: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.5 µg/L	93.7	67.0	137	



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4306840) - continued</b>									
EP231X-INJ: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	1.25 µg/L	105	68.0	141	
EP231X-INJ: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	1.25 µg/L	101	70.0	130	
EP231X-INJ: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	1.25 µg/L	91.1	70.0	130	
EP231X-INJ: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	1.25 µg/L	95.1	70.0	130	
EP231X-INJ: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.5 µg/L	110	65.0	136	
EP231X-INJ: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.5 µg/L	92.7	61.0	135	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4307919)</b>									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.25 µg/L	102	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	0.625 µg/L	110	68.0	141	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	0.625 µg/L	112	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	0.625 µg/L	104	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	0.625 µg/L	96.0	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.25 µg/L	111	65.0	136	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.25 µg/L	101	61.0	135	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4307929)</b>									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.25 µg/L	97.3	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	0.625 µg/L	100	68.0	141	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	0.625 µg/L	108	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	0.625 µg/L	103	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	0.625 µg/L	89.8	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.25 µg/L	104	65.0	136	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.25 µg/L	94.0	61.0	135	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4308957)</b>									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.25 µg/L	97.5	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	0.625 µg/L	116	68.0	141	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	0.625 µg/L	103	70.0	130	



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4308957) - continued</b>									
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	0.625 µg/L	102	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	0.625 µg/L	104	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.25 µg/L	105	65.0	136	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.25 µg/L	98.5	61.0	135	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4308976)</b>									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.25 µg/L	106	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	0.625 µg/L	107	68.0	141	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	0.625 µg/L	96.8	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	0.625 µg/L	92.6	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	0.625 µg/L	94.1	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.25 µg/L	119	65.0	136	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.25 µg/L	111	61.0	135	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4311146)</b>									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.25 µg/L	97.1	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	0.625 µg/L	105	68.0	141	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	0.625 µg/L	124	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	0.625 µg/L	109	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	0.625 µg/L	99.2	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.25 µg/L	124	65.0	136	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.25 µg/L	101	61.0	135	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4311172)</b>									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.25 µg/L	100.0	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	0.625 µg/L	111	68.0	141	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	0.625 µg/L	102	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	0.625 µg/L	96.2	70.0	130	



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4311172) - continued</b>									
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	0.625 µg/L	95.9	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.25 µg/L	108	65.0	136	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.25 µg/L	116	61.0	135	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4306840)</b>									
EP231X-INJ: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.469 µg/L	97.0	63.0	143	
EP231X-INJ: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.476 µg/L	110	64.0	140	
EP231X-INJ: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.48 µg/L	107	67.0	138	
EP231X-INJ: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.483 µg/L	95.5	70.0	130	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4307919)</b>									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.234 µg/L	104	63.0	143	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.238 µg/L	105	64.0	140	
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.24 µg/L	106	67.0	138	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.242 µg/L	100	70.0	130	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4307929)</b>									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.234 µg/L	97.1	63.0	143	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.238 µg/L	102	64.0	140	
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.24 µg/L	116	67.0	138	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.242 µg/L	85.1	70.0	130	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4308957)</b>									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.234 µg/L	104	63.0	143	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.238 µg/L	109	64.0	140	
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.24 µg/L	116	67.0	138	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.242 µg/L	98.5	70.0	130	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4308976)</b>									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.234 µg/L	102	63.0	143	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.238 µg/L	118	64.0	140	
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.24 µg/L	112	67.0	138	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.242 µg/L	85.2	70.0	130	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4311146)</b>									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.234 µg/L	99.7	63.0	143	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.238 µg/L	115	64.0	140	
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.24 µg/L	108	67.0	138	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.242 µg/L	90.6	70.0	130	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4311172)</b>									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.234 µg/L	104	63.0	143	



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
				Result	Spike Concentration	Spike Recovery (%)	Acceptable Limits (%)	
					LCS	Low	High	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4311172) - continued</b>								
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.238 µg/L	103	64.0	140
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.24 µg/L	111	67.0	138
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.242 µg/L	95.7	70.0	130
<b>EP231P: PFAS Sums (QCLot: 4306840)</b>								
EP231X-INJ: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----
EP231X-INJ: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----
EP231X-INJ: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----
<b>EP231P: PFAS Sums (QCLot: 4307919)</b>								
EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----
<b>EP231P: PFAS Sums (QCLot: 4307929)</b>								
EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----
<b>EP231P: PFAS Sums (QCLot: 4308957)</b>								
EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----
<b>EP231P: PFAS Sums (QCLot: 4308976)</b>								
EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----
<b>EP231P: PFAS Sums (QCLot: 4311146)</b>								
EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----
<b>EP231P: PFAS Sums (QCLot: 4311172)</b>								
EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----





## Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: **SOIL**

				Matrix Spike (MS) Report			
				Spike	Spike Recovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EG005(ED093)T: Total Metals by ICP-AES (QCLot: 4305487)</b>							
EM2207398-002	SX_OB_20220423_08_12_SS_Duplicate_ALS	EG005T: Arsenic	7440-38-2	50 mg/kg	99.0	78.0	124
		EG005T: Cadmium	7440-43-9	50 mg/kg	92.6	79.7	116
		EG005T: Chromium	7440-47-3	50 mg/kg	104	79.0	121
		EG005T: Copper	7440-50-8	250 mg/kg	83.6	80.0	120
		EG005T: Lead	7439-92-1	250 mg/kg	90.5	80.0	120
		EG005T: Nickel	7440-02-0	50 mg/kg	93.4	78.0	120
		EG005T: Zinc	7440-66-6	250 mg/kg	84.8	80.0	120
<b>EG005(ED093)T: Total Metals by ICP-AES (QCLot: 4305489)</b>							
EM2207398-024	SX_IB_20220425_15_50_SS_Primary_ALS	EG005T: Arsenic	7440-38-2	50 mg/kg	88.2	78.0	124
		EG005T: Cadmium	7440-43-9	50 mg/kg	95.5	79.7	116
		EG005T: Chromium	7440-47-3	50 mg/kg	98.5	79.0	121
		EG005T: Copper	7440-50-8	250 mg/kg	101	80.0	120
		EG005T: Lead	7439-92-1	250 mg/kg	93.6	80.0	120
		EG005T: Nickel	7440-02-0	50 mg/kg	90.1	78.0	120
		EG005T: Zinc	7440-66-6	250 mg/kg	91.5	80.0	120
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 4305486)</b>							
EM2207398-002	SX_OB_20220423_08_12_SS_Duplicate_ALS	EG035T: Mercury	7439-97-6	0.5 mg/kg	100	76.0	116
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 4305488)</b>							
EM2207398-024	SX_IB_20220425_15_50_SS_Primary_ALS	EG035T: Mercury	7439-97-6	0.5 mg/kg	97.0	76.0	116
<b>EG048: Hexavalent Chromium (Alkaline Digest) (QCLot: 4306054)</b>							
EM2207302-025	Anonymous	EG048G: Hexavalent Chromium	18540-29-9	20 mg/kg	82.9	58.0	114
EM2207302-025	Anonymous	EG048G: Hexavalent Chromium	18540-29-9	20 mg/kg	95.6	58.0	114
<b>EG048: Hexavalent Chromium (Alkaline Digest) (QCLot: 4306057)</b>							
EM2207398-022	SX_IB_20220425_07_57_SS_Duplicate_ALS	EG048G: Hexavalent Chromium	18540-29-9	20 mg/kg	82.2	58.0	114
EM2207398-022	SX_IB_20220425_07_57_SS_Duplicate_ALS	EG048G: Hexavalent Chromium	18540-29-9	20 mg/kg	96.4	58.0	114
<b>EK026SF: Total CN by Segmented Flow Analyser (QCLot: 4306037)</b>							
EM2207302-025	Anonymous	EK026SF: Total Cyanide	57-12-5	20 mg/kg	99.5	70.0	130
<b>EK026SF: Total CN by Segmented Flow Analyser (QCLot: 4306038)</b>							
EM2207398-022	SX_IB_20220425_07_57_SS_Duplicate_ALS	EK026SF: Total Cyanide	57-12-5	20 mg/kg	92.2	70.0	130
<b>EK040T: Fluoride Total (QCLot: 4305859)</b>							
EM2207398-002	SX_OB_20220423_08_12_SS_Duplicate_ALS	EK040T: Fluoride	16984-48-8	400 mg/kg	72.0	70.0	130



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EK040T: Fluoride Total (QCLot: 4305860)</b>							
EM2207398-024	SX_IB_20220425_15_50_SS_Primary_ALS	EK040T: Fluoride	16984-48-8	400 mg/kg	70.9	70.0	130
<b>EP066: Polychlorinated Biphenyls (PCB) (QCLot: 4305546)</b>							
EM2207398-005	SX_OB_20220423_12_11_SB_Primary_ALS	EP066-EM: Total Polychlorinated biphenyls	----	1 mg/kg	101	59.6	152
<b>EP066: Polychlorinated Biphenyls (PCB) (QCLot: 4305550)</b>							
EM2207302-003	Anonymous	EP066-EM: Total Polychlorinated biphenyls	----	1 mg/kg	113	59.6	152
<b>EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 4304299)</b>							
EM2207398-002	SX_OB_20220423_08_12_SS_Duplicate_ALS	EP074-UT: Benzene	71-43-2	2 mg/kg	63.0	53.7	130
		EP074-UT: Toluene	108-88-3	2 mg/kg	65.7	55.1	124
<b>EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 4304300)</b>							
EM2207398-017	SX_IB_20220424_23_48_SS_Primary_ALS	EP074-UT: Benzene	71-43-2	2 mg/kg	89.9	53.7	130
		EP074-UT: Toluene	108-88-3	2 mg/kg	87.1	55.1	124
<b>EP074I: Volatile Halogenated Compounds (QCLot: 4304299)</b>							
EM2207398-002	SX_OB_20220423_08_12_SS_Duplicate_ALS	EP074-UT: 1,1-Dichloroethene	75-35-4	2 mg/kg	56.4	38.4	145
		EP074-UT: Trichloroethene	79-01-6	2 mg/kg	56.6	48.1	128
		EP074-UT: Chlorobenzene	108-90-7	2 mg/kg	66.3	55.5	122
<b>EP074I: Volatile Halogenated Compounds (QCLot: 4304300)</b>							
EM2207398-017	SX_IB_20220424_23_48_SS_Primary_ALS	EP074-UT: 1,1-Dichloroethene	75-35-4	2 mg/kg	87.8	38.4	145
		EP074-UT: Trichloroethene	79-01-6	2 mg/kg	79.9	48.1	128
		EP074-UT: Chlorobenzene	108-90-7	2 mg/kg	82.2	55.5	122
<b>EP075A: Phenolic Compounds (Halogenated) (QCLot: 4305545)</b>							
EM2207398-002	SX_OB_20220423_08_12_SS_Duplicate_ALS	EP075-EM: 2-Chlorophenol	95-57-8	3 mg/kg	90.3	44.0	143
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	3 mg/kg	90.2	41.5	139
		EP075-EM: Pentachlorophenol	87-86-5	3 mg/kg	65.9	10.0	144
<b>EP075A: Phenolic Compounds (Halogenated) (QCLot: 4305552)</b>							
EM2207302-002	Anonymous	EP075-EM: 2-Chlorophenol	95-57-8	3 mg/kg	107	44.0	143
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	3 mg/kg	93.2	41.5	139
		EP075-EM: Pentachlorophenol	87-86-5	3 mg/kg	62.8	10.0	144
<b>EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4305545)</b>							
EM2207398-002	SX_OB_20220423_08_12_SS_Duplicate_ALS	EP075-EM: Phenol	108-95-2	3 mg/kg	89.6	44.2	134
		EP075-EM: 2-Nitrophenol	88-75-5	3 mg/kg	77.4	34.2	129
<b>EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4305552)</b>							
EM2207302-002	Anonymous	EP075-EM: Phenol	108-95-2	3 mg/kg	104	44.2	134
		EP075-EM: 2-Nitrophenol	88-75-5	3 mg/kg	79.6	34.2	129
<b>EP075B: Polynuclear Aromatic Hydrocarbons (QCLot: 4305545)</b>							
EM2207398-002	SX_OB_20220423_08_12_SS_Duplicate_ALS	EP075-EM: Acenaphthene	83-32-9	3 mg/kg	92.6	42.6	138



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike Concentration	SpikeRecovery(%) MS	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP075B: Polynuclear Aromatic Hydrocarbons (QCLot: 4305545) - continued</b>							
EM2207398-002	SX_OB_20220423_08_12_SS_Duplicate_ALS	EP075-EM: Pyrene	129-00-0	3 mg/kg	86.3	37.8	152
<b>EP075B: Polynuclear Aromatic Hydrocarbons (QCLot: 4305552)</b>							
EM2207302-002	Anonymous	EP075-EM: Acenaphthene	83-32-9	3 mg/kg	88.5	42.6	138
		EP075-EM: Pyrene	129-00-0	3 mg/kg	91.0	37.8	152
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 4304299)</b>							
EM2207398-002	SX_OB_20220423_08_12_SS_Duplicate_ALS	EP074-UT: C6 - C9 Fraction	----	28 mg/kg	68.8	42.3	111
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 4304300)</b>							
EM2207398-017	SX_IB_20220424_23_48_SS_Primary_ALS	EP074-UT: C6 - C9 Fraction	----	28 mg/kg	82.4	42.3	111
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 4305547)</b>							
EM2207398-006	SX_OB_20220423_16_03_SS_Triplicate_ALS	EP071-EM: C10 - C14 Fraction	----	680 mg/kg	89.3	71.3	126
		EP071-EM: C15 - C28 Fraction	----	2830 mg/kg	99.8	75.1	123
		EP071-EM: C29 - C36 Fraction	----	1340 mg/kg	101	78.1	120
		EP071-EM: C10 - C36 Fraction (sum)	----	4850 mg/kg	98.6	70.0	130
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 4305551)</b>							
EM2207302-006	Anonymous	EP071-EM: C10 - C14 Fraction	----	700 mg/kg	84.2	71.3	126
		EP071-EM: C15 - C28 Fraction	----	2930 mg/kg	93.8	75.1	123
		EP071-EM: C29 - C36 Fraction	----	1380 mg/kg	98.2	78.1	120
		EP071-EM: C10 - C36 Fraction (sum)	----	5010 mg/kg	93.6	70.0	130
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4304299)</b>							
EM2207398-002	SX_OB_20220423_08_12_SS_Duplicate_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	33 mg/kg	66.3	39.9	109
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4304300)</b>							
EM2207398-017	SX_IB_20220424_23_48_SS_Primary_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	33 mg/kg	79.8	39.9	109
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4305547)</b>							
EM2207398-006	SX_OB_20220423_16_03_SS_Triplicate_ALS	EP071-EM: >C10 - C16 Fraction	----	980 mg/kg	97.4	71.5	130
		EP071-EM: >C16 - C34 Fraction	----	3210 mg/kg	118	76.9	119
		EP071-EM: >C34 - C40 Fraction	----	270 mg/kg	80.8	65.3	139
		EP071-EM: >C10 - C40 Fraction (sum)	----	4460 mg/kg	112	70.0	130
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4305551)</b>							
EM2207302-006	Anonymous	EP071-EM: >C10 - C16 Fraction	----	1030 mg/kg	89.3	71.5	130
		EP071-EM: >C16 - C34 Fraction	----	3680 mg/kg	106	76.9	119
		EP071-EM: >C34 - C40 Fraction	----	270 mg/kg	84.4	65.3	139
		EP071-EM: >C10 - C40 Fraction (sum)	----	4980 mg/kg	102	70.0	130
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4305014)</b>							
EM2207398-002	SX_OB_20220423_08_12_SS_Duplicate_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.00111 mg/kg	86.9	72.0	128
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.00118 mg/kg	73.2	73.0	123



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4305014) - continued</b>							
EM2207398-002	SX_OB_20220423_08_12_SS_Duplicate_ALS	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.00114 mg/kg	99.0	67.0	130
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.00119 mg/kg	113	70.0	132
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.00116 mg/kg	88.1	68.0	136
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.00121 mg/kg	94.7	59.0	134
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4305037)</b>							
EM2207227-002	Anonymous	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.00111 mg/kg	99.5	72.0	128
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.00118 mg/kg	80.3	73.0	123
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.00114 mg/kg	80.6	67.0	130
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.00119 mg/kg	122	70.0	132
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.00116 mg/kg	85.2	68.0	136
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.00121 mg/kg	106	59.0	134
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4307774)</b>							
EM2207398-017	SX_IB_20220424_23_48_SS_Primary_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.00111 mg/kg	99.4	72.0	128
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.00118 mg/kg	78.1	73.0	123
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.00114 mg/kg	104	67.0	130
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.00119 mg/kg	99.8	70.0	132
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.00116 mg/kg	104	68.0	136
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.00121 mg/kg	126	59.0	134
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4305014)</b>							
EM2207398-002	SX_OB_20220423_08_12_SS_Duplicate_ALS	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.00625 mg/kg	92.7	71.0	135
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.00125 mg/kg	95.4	69.0	132
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.00125 mg/kg	88.4	70.0	132
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.00125 mg/kg	93.4	71.0	131
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.00125 mg/kg	87.1	69.0	133
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.00125 mg/kg	104	72.0	129
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.00125 mg/kg	92.4	69.0	133
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.00125 mg/kg	90.8	64.0	136
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.00125 mg/kg	93.6	69.0	135
		EP231X: Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.00125 mg/kg	97.1	66.0	139
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.00312 mg/kg	97.8	69.0	133
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4305037)</b>							
EM2207227-002	Anonymous	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.00625 mg/kg	89.9	71.0	135
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.00125 mg/kg	78.5	69.0	132
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.00125 mg/kg	90.2	70.0	132
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.00125 mg/kg	96.7	71.0	131
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.00125 mg/kg	91.1	69.0	133
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.00125 mg/kg	87.8	72.0	129
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.00125 mg/kg	105	69.0	133



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
Laboratory sample ID		Sample ID	Method: Compound	CAS Number	Spike Concentration	SpikeRecovery(%) MS	Acceptable Limits (%) Low High
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4305037) - continued</b>							
EM2207227-002	Anonymous	EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.00125 mg/kg	106	64.0	136
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.00125 mg/kg	94.8	69.0	135
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.00125 mg/kg	90.6	66.0	139
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.00312 mg/kg	112	69.0	133
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4307774)</b>							
EM2207398-017	SX_IB_20220424_23_48_SS_Primary_ALS	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.00625 mg/kg	93.2	71.0	135
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.00125 mg/kg	104	69.0	132
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.00125 mg/kg	98.0	70.0	132
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.00125 mg/kg	97.0	71.0	131
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.00125 mg/kg	97.7	69.0	133
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.00125 mg/kg	90.6	72.0	129
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.00125 mg/kg	102	69.0	133
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.00125 mg/kg	102	64.0	136
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.00125 mg/kg	98.7	69.0	135
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.00125 mg/kg	91.9	66.0	139
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.00312 mg/kg	101	69.0	133
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4305014)</b>							
EM2207398-002	SX_OB_20220423_08_12_SS_Duplicate_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.00125 mg/kg	94.0	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.00312 mg/kg	115	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.00312 mg/kg	96.0	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.00312 mg/kg	90.7	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.00312 mg/kg	97.8	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.00125 mg/kg	109	63.0	144
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.00125 mg/kg	81.4	61.0	139
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4305037)</b>							
EM2207227-002	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.00125 mg/kg	91.5	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.00312 mg/kg	84.6	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.00312 mg/kg	95.2	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.00312 mg/kg	92.2	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.00312 mg/kg	85.4	70.0	130



Sub-Matrix: **SOIL**

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4305037) - continued</b>							
EM2207227-002	Anonymous	EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.00125 mg/kg	109	63.0	144
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.00125 mg/kg	118	61.0	139
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4307774)</b>							
EM2207398-017	SX_IB_20220424_23_48_SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.00125 mg/kg	101	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.00312 mg/kg	112	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.00312 mg/kg	107	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.00312 mg/kg	99.1	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.00312 mg/kg	110	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.00125 mg/kg	82.2	63.0	144
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.00125 mg/kg	90.1	61.0	139
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4305014)</b>							
EM2207398-002	SX_OB_20220423_08_12_SS_Duplicate_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.00117 mg/kg	95.0	62.0	145
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.00119 mg/kg	106	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0012 mg/kg	95.0	65.0	137
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.00121 mg/kg	125	70.0	130
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4305037)</b>							
EM2207227-002	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.00117 mg/kg	101	62.0	145
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.00119 mg/kg	109	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0012 mg/kg	103	65.0	137
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.00121 mg/kg	90.2	70.0	130
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4307774)</b>							
EM2207398-017	SX_IB_20220424_23_48_SS_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.00117 mg/kg	102	62.0	145
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.00119 mg/kg	95.0	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0012 mg/kg	99.2	65.0	137
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.00121 mg/kg	99.6	70.0	130

Sub-Matrix: **WATER**

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4306840)</b>							
EM2207302-004	Anonymous	EP231X-INJ: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.444 µg/L	93.1	72.0	130



Sub-Matrix: WATER

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4306840) - continued</b>							
EM2207302-004	Anonymous	EP231X-INJ: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.47 µg/L	98.7	71.0	127
		EP231X-INJ: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.457 µg/L	94.8	68.0	131
		EP231X-INJ: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.477 µg/L	108	69.0	134
		EP231X-INJ: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.465 µg/L	89.9	65.0	140
		EP231X-INJ: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.482 µg/L	88.9	53.0	142
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4307919)</b>							
EM2207398-002	SX_OB_20220423_08_12_SS_Duplicate_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.222 µg/L	100	72.0	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.235 µg/L	99.8	71.0	127
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.228 µg/L	105	68.0	131
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.238 µg/L	102	69.0	134
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.232 µg/L	96.8	65.0	140
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.241 µg/L	98.0	53.0	142
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4307929)</b>							
EM2207398-023	SX_IB_20220425_11_48_SS_Primary_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.222 µg/L	96.6	72.0	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.235 µg/L	99.5	71.0	127
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.228 µg/L	102	68.0	131
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.238 µg/L	131	69.0	134
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.232 µg/L	129	65.0	140
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.241 µg/L	141	53.0	142
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4308957)</b>							
EM2207398-032	SX_OB_20220423_16_03_SS_Triplicate_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.222 µg/L	107	72.0	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.235 µg/L	97.5	71.0	127
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.228 µg/L	96.5	68.0	131
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.238 µg/L	96.6	69.0	134
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.232 µg/L	99.8	65.0	140
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.241 µg/L	91.0	53.0	142
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4308976)</b>							
EM2207398-049	SX_IB_20220425_11_48_SS_Primary_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.222 µg/L	119	72.0	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.235 µg/L	95.4	71.0	127
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.228 µg/L	95.0	68.0	131
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.238 µg/L	105	69.0	134
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.232 µg/L	86.7	65.0	140
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.241 µg/L	84.4	53.0	142
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4311172)</b>							
EM2207477-003	Anonymous	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.222 µg/L	106	72.0	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.235 µg/L	106	71.0	127
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.228 µg/L	99.2	68.0	131
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.238 µg/L	110	69.0	134



Sub-Matrix: WATER

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4311172) - continued</b>							
EM2207477-003	Anonymous	EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.232 µg/L	98.6	65.0	140
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.241 µg/L	102	53.0	142
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4306840)</b>							
EM2207302-004	Anonymous	EP231X-INJ: Perfluorobutanoic acid (PFBA)	375-22-4	2.5 µg/L	100	73.0	129
		EP231X-INJ: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.5 µg/L	104	72.0	129
		EP231X-INJ: Perfluorohexanoic acid (PFHxA)	307-24-4	0.5 µg/L	93.9	72.0	129
		EP231X-INJ: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.5 µg/L	91.2	72.0	130
		EP231X-INJ: Perfluorooctanoic acid (PFOA)	335-67-1	0.5 µg/L	93.0	71.0	133
		EP231X-INJ: Perfluorononanoic acid (PFNA)	375-95-1	0.5 µg/L	104	69.0	130
		EP231X-INJ: Perfluorodecanoic acid (PFDA)	335-76-2	0.5 µg/L	93.1	71.0	129
		EP231X-INJ: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.5 µg/L	100	69.0	133
		EP231X-INJ: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.5 µg/L	100.0	72.0	134
		EP231X-INJ: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.5 µg/L	93.9	65.0	144
		EP231X-INJ: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	1.25 µg/L	106	71.0	132
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4307919)</b>							
EM2207398-002	SX_OB_20220423_08_12_SS_Duplicate_ALS	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	1.25 µg/L	90.8	73.0	129
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.25 µg/L	95.4	72.0	129
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.25 µg/L	97.5	72.0	129
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.25 µg/L	104	72.0	130
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.25 µg/L	98.5	71.0	133
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.25 µg/L	98.4	69.0	130
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.25 µg/L	101	71.0	129
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.25 µg/L	104	69.0	133
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.25 µg/L	100.0	72.0	134
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.25 µg/L	101	65.0	144
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.625 µg/L	99.1	71.0	132
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4307929)</b>							
EM2207398-023	SX_IB_20220425_11_48_SS_Primary_ALS	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	1.25 µg/L	94.9	73.0	129
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.25 µg/L	109	72.0	129
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.25 µg/L	78.2	72.0	129
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.25 µg/L	104	72.0	130
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.25 µg/L	98.4	71.0	133
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.25 µg/L	102	69.0	130
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.25 µg/L	82.2	71.0	129
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.25 µg/L	98.6	69.0	133
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.25 µg/L	95.1	72.0	134
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.25 µg/L	80.7	65.0	144
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.625 µg/L	106	71.0	132





Sub-Matrix: WATER

				Matrix Spike (MS) Report			
				Spike	Spike Recovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4308957)</b>							
EM2207398-032	SX_OB_20220423_16_03_SS_Triplicate_ALS	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	1.25 µg/L	91.6	73.0	129
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.25 µg/L	102	72.0	129
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.25 µg/L	98.3	72.0	129
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.25 µg/L	94.5	72.0	130
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.25 µg/L	96.4	71.0	133
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.25 µg/L	95.7	69.0	130
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.25 µg/L	93.0	71.0	129
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.25 µg/L	97.0	69.0	133
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.25 µg/L	83.9	72.0	134
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.25 µg/L	78.9	65.0	144
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.625 µg/L	88.2	71.0	132
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4308976)</b>							
EM2207398-049	SX_IB_20220425_11_48_SS_Primary_ALS	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	1.25 µg/L	89.2	73.0	129
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.25 µg/L	95.6	72.0	129
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.25 µg/L	95.6	72.0	129
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.25 µg/L	99.1	72.0	130
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.25 µg/L	96.8	71.0	133
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.25 µg/L	93.3	69.0	130
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.25 µg/L	102	71.0	129
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.25 µg/L	90.2	69.0	133
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.25 µg/L	74.8	72.0	134
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.25 µg/L	# 44.0	65.0	144
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.625 µg/L	# 33.9	71.0	132
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4311172)</b>							
EM2207477-003	Anonymous	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	1.25 µg/L	91.4	73.0	129
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.25 µg/L	88.6	72.0	129
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.25 µg/L	88.6	72.0	129
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.25 µg/L	101	72.0	130
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.25 µg/L	101	71.0	133
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.25 µg/L	90.0	69.0	130
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.25 µg/L	118	71.0	129
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.25 µg/L	108	69.0	133
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.25 µg/L	94.9	72.0	134
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.25 µg/L	79.6	65.0	144
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.625 µg/L	110	71.0	132
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4306840)</b>							
EM2207302-004	Anonymous	EP231X-INJ: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.5 µg/L	98.0	67.0	137



Sub-Matrix: WATER

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4306840) - continued</b>							
EM2207302-004	Anonymous	EP231X-INJ: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	1.25 µg/L	101	68.0	141
		EP231X-INJ: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	1.25 µg/L	103	70.0	130
		EP231X-INJ: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	1.25 µg/L	94.7	70.0	130
		EP231X-INJ: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	1.25 µg/L	101	70.0	130
		EP231X-INJ: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.5 µg/L	107	65.0	136
		EP231X-INJ: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.5 µg/L	94.6	61.0	135
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4307919)</b>							
EM2207398-002	SX_OB_20220423_08_12_SS_Duplicate_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.25 µg/L	102	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.625 µg/L	127	68.0	141
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.625 µg/L	112	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.625 µg/L	104	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.625 µg/L	98.9	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.25 µg/L	106	65.0	136
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.25 µg/L	104	61.0	135
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4307929)</b>							
EM2207398-023	SX_IB_20220425_11_48_SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.25 µg/L	105	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.625 µg/L	109	68.0	141
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.625 µg/L	110	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.625 µg/L	101	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.625 µg/L	84.7	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.25 µg/L	113	65.0	136
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.25 µg/L	99.6	61.0	135
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4308957)</b>							



Sub-Matrix: WATER

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4308957) - continued</b>							
EM2207398-032	SX_OB_20220423_16_03_SS_Triplicate_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.25 µg/L	95.0	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.625 µg/L	97.5	68.0	141
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.625 µg/L	90.3	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.625 µg/L	87.7	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.625 µg/L	94.7	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.25 µg/L	96.2	65.0	136
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.25 µg/L	89.6	61.0	135
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4308976)</b>							
EM2207398-049	SX_IB_20220425_11_48_SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.25 µg/L	89.4	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.625 µg/L	71.9	68.0	141
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.625 µg/L	# 61.4	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.625 µg/L	77.4	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.625 µg/L	70.0	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.25 µg/L	75.5	65.0	136
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.25 µg/L	75.6	61.0	135
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4311172)</b>							
EM2207477-003	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.25 µg/L	92.4	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.625 µg/L	107	68.0	141
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.625 µg/L	100	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.625 µg/L	99.2	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.625 µg/L	93.1	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.25 µg/L	101	65.0	136
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.25 µg/L	102	61.0	135
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4306840)</b>							



Sub-Matrix: WATER

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4306840) - continued</b>							
EM2207302-004	Anonymous	EP231X-INJ: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.469 µg/L	97.8	63.0	143
		EP231X-INJ: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.476 µg/L	104	64.0	140
		EP231X-INJ: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.48 µg/L	109	67.0	138
		EP231X-INJ: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.483 µg/L	95.8	70.0	130
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4307919)</b>							
EM2207398-002	SX_OB_20220423_08_12_SS_Duplicate_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.234 µg/L	101	63.0	143
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.238 µg/L	104	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.24 µg/L	107	67.0	138
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.242 µg/L	96.5	70.0	130
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4307929)</b>							
EM2207398-023	SX_IB_20220425_11_48_SS_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.234 µg/L	102	63.0	143
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.238 µg/L	106	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.24 µg/L	114	67.0	138
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.242 µg/L	72.5	70.0	130
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4308957)</b>							
EM2207398-032	SX_OB_20220423_16_03_SS_Triplicate_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.234 µg/L	106	63.0	143
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.238 µg/L	110	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.24 µg/L	102	67.0	138
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.242 µg/L	77.8	70.0	130
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4308976)</b>							
EM2207398-049	SX_IB_20220425_11_48_SS_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.234 µg/L	97.2	63.0	143
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.238 µg/L	102	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.24 µg/L	100	67.0	138
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.242 µg/L	# 54.8	70.0	130
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4311172)</b>							
EM2207477-003	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.234 µg/L	102	63.0	143
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.238 µg/L	114	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.24 µg/L	110	67.0	138
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.242 µg/L	91.0	70.0	130

## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: EM2207398	Page	: 1 of 26
Client	: AGON ENVIRONMENTAL PTY LTD	Laboratory	: Environmental Division Melbourne
Contact	: CRAIG TRIMBUR	Telephone	: +61-3-8549 9600
Project	: JC0927	Date Samples Received	: 26-Apr-2022
Site	: 20220426041206-ALS-21	Issue Date	: 29-Apr-2022
Sampler	: Brandon + TB - Agon, LR + HK - EP Risk	No. of samples received	: 54
Order number	: ----	No. of samples analysed	: 54

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO** Method Blank value outliers occur.
- **NO** Duplicate outliers occur.
- Laboratory Control outliers exist - please see following pages for full details.
- Matrix Spike outliers exist - please see following pages for full details.
- For all regular sample matrices, **NO** surrogate recovery outliers occur.

#### Outliers : Analysis Holding Time Compliance

- **NO** Analysis Holding Time Outliers exist.

#### Outliers : Frequency of Quality Control Samples

- **NO** Quality Control Sample Frequency Outliers exist.



**Outliers : Quality Control Samples**

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: **SOIL**

Compound Group Name	Laboratory Sample ID	Client Sample ID	Analyte	CAS Number	Data	Limits	Comment
<b>Laboratory Control Spike (LCS) Recoveries</b>							
EP075A: Phenolic Compounds (Non-halogenated)	QC-4305545-001	----	<b>2-Methyl-4,6-dinitrophenol</b>	8071-51-0	147 %	43.6-128%	<b>Recovery greater than upper control limit</b>

Matrix: **WATER**

Compound Group Name	Laboratory Sample ID	Client Sample ID	Analyte	CAS Number	Data	Limits	Comment
<b>Matrix Spike (MS) Recoveries</b>							
EP231B: Perfluoroalkyl Carboxylic Acids	EM2207398--049	SX_IB_20220425_11_48_SS_	<b>Perfluorotridecanoic acid (PFTrDA)</b>	72629-94-8	44.0 %	65.0-144%	<b>Recovery less than lower data quality objective</b>
EP231B: Perfluoroalkyl Carboxylic Acids	EM2207398--049	SX_IB_20220425_11_48_SS_	<b>Perfluorotetradecanoic acid (PFTeDA)</b>	376-06-7	33.9 %	71.0-132%	<b>Recovery less than lower data quality objective</b>
EP231C: Perfluoroalkyl Sulfonamides	EM2207398--049	SX_IB_20220425_11_48_SS_	<b>N-Ethyl perfluorooctane sulfonamide (EtFOSA)</b>	4151-50-2	61.4 %	70.0-130%	<b>Recovery less than lower data quality objective</b>
EP231D: (n:2) Fluorotelomer Sulfonic Acids	EM2207398--049	SX_IB_20220425_11_48_SS_	<b>10:2 Fluorotelomer sulfonic acid (10:2 FTS)</b>	120226-60-0	54.8 %	70.0-130%	<b>Recovery less than lower data quality objective</b>

**Analysis Holding Time Compliance**

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results.

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **SOIL**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis		
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA001: pH in soil using 0.01M CaCl extract</b>								
<b>Soil Glass Jar - Unpreserved (EA001)</b> SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS,	SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS	23-Apr-2022	28-Apr-2022	30-Apr-2022	✓	28-Apr-2022	28-Apr-2022	✓
<b>Soil Glass Jar - Unpreserved (EA001)</b> SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_16_49_SS_Triplicate_ALS, SX_IB_20220424_23_48_SS_Primary_ALS,	SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS, SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS	24-Apr-2022	28-Apr-2022	01-May-2022	✓	28-Apr-2022	28-Apr-2022	✓
<b>Soil Glass Jar - Unpreserved (EA001)</b> SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS,	SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220425_19_49_SS_Primary_ALS	25-Apr-2022	28-Apr-2022	02-May-2022	✓	28-Apr-2022	28-Apr-2022	✓
<b>Soil Glass Jar - Unpreserved (EA001)</b> SX_IB_20220426_00_02_SS_Primary_ALS,	SX_IB_20220426_03_47_SS_Primary_ALS	26-Apr-2022	28-Apr-2022	03-May-2022	✓	28-Apr-2022	28-Apr-2022	✓
<b>EA055: Moisture Content (Dried @ 105-110°C)</b>								
<b>Soil Glass Jar - Unpreserved (EA055)</b> SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS,	SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS	23-Apr-2022	----	----	----	27-Apr-2022	07-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EA055)</b> SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_16_49_SS_Triplicate_ALS, SX_IB_20220424_23_48_SS_Primary_ALS,	SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS, SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS	24-Apr-2022	----	----	----	27-Apr-2022	08-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EA055)</b> SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS,	SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220425_19_49_SS_Primary_ALS	25-Apr-2022	----	----	----	27-Apr-2022	09-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EA055)</b> SX_IB_20220426_00_02_SS_Primary_ALS,	SX_IB_20220426_03_47_SS_Primary_ALS	26-Apr-2022	----	----	----	27-Apr-2022	10-May-2022	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EG005(ED093)T: Total Metals by ICP-AES</b>								
<b>Soil Glass Jar - Unpreserved (EG005T)</b> SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS,	SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS	23-Apr-2022	27-Apr-2022	20-Oct-2022	✓	27-Apr-2022	20-Oct-2022	✓
<b>Soil Glass Jar - Unpreserved (EG005T)</b> SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_16_49_SS_Triplicate_ALS, SX_IB_20220424_23_48_SS_Primary_ALS,	SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS, SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS	24-Apr-2022	27-Apr-2022	22-Oct-2022	✓	27-Apr-2022	22-Oct-2022	✓
<b>Soil Glass Jar - Unpreserved (EG005T)</b> SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS,	SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220425_19_49_SS_Primary_ALS	25-Apr-2022	27-Apr-2022	22-Oct-2022	✓	27-Apr-2022	22-Oct-2022	✓
<b>Soil Glass Jar - Unpreserved (EG005T)</b> SX_IB_20220426_00_02_SS_Primary_ALS,	SX_IB_20220426_03_47_SS_Primary_ALS	26-Apr-2022	27-Apr-2022	23-Oct-2022	✓	27-Apr-2022	23-Oct-2022	✓
<b>EG035T: Total Recoverable Mercury by FIMS</b>								
<b>Soil Glass Jar - Unpreserved (EG035T)</b> SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS,	SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS	23-Apr-2022	27-Apr-2022	21-May-2022	✓	27-Apr-2022	21-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EG035T)</b> SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_16_49_SS_Triplicate_ALS, SX_IB_20220424_23_48_SS_Primary_ALS,	SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS, SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS	24-Apr-2022	27-Apr-2022	22-May-2022	✓	27-Apr-2022	22-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EG035T)</b> SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS,	SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220425_19_49_SS_Primary_ALS	25-Apr-2022	27-Apr-2022	23-May-2022	✓	27-Apr-2022	23-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EG035T)</b> SX_IB_20220426_00_02_SS_Primary_ALS,	SX_IB_20220426_03_47_SS_Primary_ALS	26-Apr-2022	27-Apr-2022	24-May-2022	✓	27-Apr-2022	24-May-2022	✓





Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>								
<b>Soil Glass Jar - Unpreserved (EG048G)</b> SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS,	SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS	23-Apr-2022	27-Apr-2022	21-May-2022	✓	28-Apr-2022	04-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EG048G)</b> SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_16_49_SS_Triplicate_ALS, SX_IB_20220424_23_48_SS_Primary_ALS,	SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS, SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS	24-Apr-2022	27-Apr-2022	22-May-2022	✓	28-Apr-2022	04-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EG048G)</b> SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS,	SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220425_19_49_SS_Primary_ALS	25-Apr-2022	27-Apr-2022	23-May-2022	✓	28-Apr-2022	04-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EG048G)</b> SX_IB_20220426_00_02_SS_Primary_ALS,	SX_IB_20220426_03_47_SS_Primary_ALS	26-Apr-2022	27-Apr-2022	24-May-2022	✓	28-Apr-2022	04-May-2022	✓
<b>EK026SF: Total CN by Segmented Flow Analyser</b>								
<b>Soil Glass Jar - Unpreserved (EK026SF)</b> SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS,	SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS	23-Apr-2022	27-Apr-2022	07-May-2022	✓	28-Apr-2022	11-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EK026SF)</b> SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_16_49_SS_Triplicate_ALS, SX_IB_20220424_23_48_SS_Primary_ALS,	SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS, SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS	24-Apr-2022	27-Apr-2022	08-May-2022	✓	28-Apr-2022	11-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EK026SF)</b> SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS,	SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220425_19_49_SS_Primary_ALS	25-Apr-2022	27-Apr-2022	09-May-2022	✓	28-Apr-2022	11-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EK026SF)</b> SX_IB_20220426_00_02_SS_Primary_ALS,	SX_IB_20220426_03_47_SS_Primary_ALS	26-Apr-2022	27-Apr-2022	10-May-2022	✓	28-Apr-2022	11-May-2022	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EK040T: Fluoride Total</b>								
<b>Soil Glass Jar - Unpreserved (EK040T)</b> SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS,	SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS	23-Apr-2022	27-Apr-2022	21-May-2022	✓	29-Apr-2022	21-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EK040T)</b> SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_16_49_SS_Triplicate_ALS, SX_IB_20220424_23_48_SS_Primary_ALS,	SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS, SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS	24-Apr-2022	27-Apr-2022	22-May-2022	✓	29-Apr-2022	22-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EK040T)</b> SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS,	SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220425_19_49_SS_Primary_ALS	25-Apr-2022	27-Apr-2022	23-May-2022	✓	29-Apr-2022	23-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EK040T)</b> SX_IB_20220426_00_02_SS_Primary_ALS,	SX_IB_20220426_03_47_SS_Primary_ALS	26-Apr-2022	27-Apr-2022	24-May-2022	✓	29-Apr-2022	24-May-2022	✓
<b>EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>								
<b>Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60a-P)</b> SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS,	SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS	23-Apr-2022	27-Apr-2022	20-Oct-2022	✓	----	----	----
<b>Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60a-P)</b> SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS	SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS, SX_IB_20220424_23_48_SS_Primary_ALS,	24-Apr-2022	27-Apr-2022	22-Oct-2022	✓	----	----	----
<b>Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60a-P)</b> SX_IB_20220424_16_49_SS_Triplicate_ALS		24-Apr-2022	28-Apr-2022	21-Oct-2022	✓	----	----	----
<b>Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60a-P)</b> SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS,	SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220425_19_49_SS_Primary_ALS	25-Apr-2022	27-Apr-2022	22-Oct-2022	✓	----	----	----
<b>Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60a-P)</b> SX_IB_20220426_00_02_SS_Primary_ALS		26-Apr-2022	27-Apr-2022	23-Oct-2022	✓	----	----	----
<b>Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60a-P)</b> SX_IB_20220426_03_47_SS_Primary_ALS		26-Apr-2022	28-Apr-2022	23-Oct-2022	✓	----	----	----



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis		
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation
<b>EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>							
<b>Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60-DIa-P)</b> SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS, SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS	23-Apr-2022	27-Apr-2022	20-Oct-2022	✓	----	----	----
<b>Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60-DIa-P)</b> SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_16_49_SS_Triplicate_ALS, SX_IB_20220424_23_48_SS_Primary_ALS, SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS, SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS	24-Apr-2022	27-Apr-2022	22-Oct-2022	✓	----	----	----
<b>Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60-DIa-P)</b> SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS, SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS	25-Apr-2022	27-Apr-2022	22-Oct-2022	✓	----	----	----
<b>Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60-DIa-P)</b> SX_IB_20220425_19_49_SS_Primary_ALS	25-Apr-2022	28-Apr-2022	22-Oct-2022	✓	----	----	----
<b>Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60-DIa-P)</b> SX_IB_20220426_00_02_SS_Primary_ALS, SX_IB_20220426_03_47_SS_Primary_ALS	26-Apr-2022	27-Apr-2022	23-Oct-2022	✓	----	----	----
<b>EP066: Polychlorinated Biphenyls (PCB)</b>							
<b>Soil Glass Jar - Unpreserved (EP066-EM)</b> SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS, SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS	23-Apr-2022	27-Apr-2022	07-May-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>Soil Glass Jar - Unpreserved (EP066-EM)</b> SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_16_49_SS_Triplicate_ALS, SX_IB_20220424_23_48_SS_Primary_ALS, SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS, SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS	24-Apr-2022	27-Apr-2022	08-May-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>Soil Glass Jar - Unpreserved (EP066-EM)</b> SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS, SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220425_19_49_SS_Primary_ALS	25-Apr-2022	27-Apr-2022	09-May-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>Soil Glass Jar - Unpreserved (EP066-EM)</b> SX_IB_20220426_00_02_SS_Primary_ALS, SX_IB_20220426_03_47_SS_Primary_ALS	26-Apr-2022	27-Apr-2022	10-May-2022	✓	27-Apr-2022	06-Jun-2022	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>								
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b> SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS,	SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS	23-Apr-2022	26-Apr-2022	30-Apr-2022	✓	27-Apr-2022	30-Apr-2022	✓
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b> SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_16_49_SS_Triplicate_ALS	SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS,	24-Apr-2022	26-Apr-2022	01-May-2022	✓	27-Apr-2022	01-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b> SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS	SX_IB_20220424_23_48_SS_Primary_ALS,	24-Apr-2022	27-Apr-2022	01-May-2022	✓	27-Apr-2022	01-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b> SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS,	SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220425_19_49_SS_Primary_ALS	25-Apr-2022	27-Apr-2022	02-May-2022	✓	27-Apr-2022	02-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b> SX_IB_20220426_00_02_SS_Primary_ALS,	SX_IB_20220426_03_47_SS_Primary_ALS	26-Apr-2022	27-Apr-2022	03-May-2022	✓	27-Apr-2022	03-May-2022	✓
<b>EP074H: Naphthalene</b>								
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b> SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS,	SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS	23-Apr-2022	26-Apr-2022	30-Apr-2022	✓	27-Apr-2022	30-Apr-2022	✓
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b> SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_16_49_SS_Triplicate_ALS	SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS,	24-Apr-2022	26-Apr-2022	01-May-2022	✓	27-Apr-2022	01-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b> SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS	SX_IB_20220424_23_48_SS_Primary_ALS,	24-Apr-2022	27-Apr-2022	01-May-2022	✓	27-Apr-2022	01-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b> SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS,	SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220425_19_49_SS_Primary_ALS	25-Apr-2022	27-Apr-2022	02-May-2022	✓	27-Apr-2022	02-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b> SX_IB_20220426_00_02_SS_Primary_ALS,	SX_IB_20220426_03_47_SS_Primary_ALS	26-Apr-2022	27-Apr-2022	03-May-2022	✓	27-Apr-2022	03-May-2022	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP074I: Volatile Halogenated Compounds</b>								
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b> SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS,	SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS	23-Apr-2022	26-Apr-2022	30-Apr-2022	✓	27-Apr-2022	30-Apr-2022	✓
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b> SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_16_49_SS_Triplicate_ALS	SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS,	24-Apr-2022	26-Apr-2022	01-May-2022	✓	27-Apr-2022	01-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b> SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS	SX_IB_20220424_23_48_SS_Primary_ALS,	24-Apr-2022	27-Apr-2022	01-May-2022	✓	27-Apr-2022	01-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b> SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS,	SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220425_19_49_SS_Primary_ALS	25-Apr-2022	27-Apr-2022	02-May-2022	✓	27-Apr-2022	02-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b> SX_IB_20220426_00_02_SS_Primary_ALS,	SX_IB_20220426_03_47_SS_Primary_ALS	26-Apr-2022	27-Apr-2022	03-May-2022	✓	27-Apr-2022	03-May-2022	✓
<b>EP075A: Phenolic Compounds (Halogenated)</b>								
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b> SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS,	SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS	23-Apr-2022	27-Apr-2022	07-May-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b> SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_16_49_SS_Triplicate_ALS, SX_IB_20220424_23_48_SS_Primary_ALS,	SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS, SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS	24-Apr-2022	27-Apr-2022	08-May-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b> SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS,	SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220425_19_49_SS_Primary_ALS	25-Apr-2022	27-Apr-2022	09-May-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b> SX_IB_20220426_00_02_SS_Primary_ALS,	SX_IB_20220426_03_47_SS_Primary_ALS	26-Apr-2022	27-Apr-2022	10-May-2022	✓	27-Apr-2022	06-Jun-2022	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>								
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b> SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS,	SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS	23-Apr-2022	27-Apr-2022	07-May-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b> SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_16_49_SS_Triplicate_ALS, SX_IB_20220424_23_48_SS_Primary_ALS,	SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS, SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS	24-Apr-2022	27-Apr-2022	08-May-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b> SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS,	SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220425_19_49_SS_Primary_ALS	25-Apr-2022	27-Apr-2022	09-May-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b> SX_IB_20220426_00_02_SS_Primary_ALS,	SX_IB_20220426_03_47_SS_Primary_ALS	26-Apr-2022	27-Apr-2022	10-May-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>								
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b> SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS,	SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS	23-Apr-2022	27-Apr-2022	07-May-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b> SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_16_49_SS_Triplicate_ALS, SX_IB_20220424_23_48_SS_Primary_ALS,	SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS, SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS	24-Apr-2022	27-Apr-2022	08-May-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b> SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS,	SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220425_19_49_SS_Primary_ALS	25-Apr-2022	27-Apr-2022	09-May-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b> SX_IB_20220426_00_02_SS_Primary_ALS,	SX_IB_20220426_03_47_SS_Primary_ALS	26-Apr-2022	27-Apr-2022	10-May-2022	✓	27-Apr-2022	06-Jun-2022	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP075I: Organochlorine Pesticides</b>								
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b>								
SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS,	SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS	23-Apr-2022	27-Apr-2022	07-May-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b>								
SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_16_49_SS_Triplicate_ALS, SX_IB_20220424_23_48_SS_Primary_ALS,	SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS, SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS	24-Apr-2022	27-Apr-2022	08-May-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b>								
SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS,	SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220425_19_49_SS_Primary_ALS	25-Apr-2022	27-Apr-2022	09-May-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b>								
SX_IB_20220426_00_02_SS_Primary_ALS,	SX_IB_20220426_03_47_SS_Primary_ALS	26-Apr-2022	27-Apr-2022	10-May-2022	✓	27-Apr-2022	06-Jun-2022	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP080/071: Total Petroleum Hydrocarbons</b>								
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b> SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS,	SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS	23-Apr-2022	26-Apr-2022	30-Apr-2022	✓	27-Apr-2022	30-Apr-2022	✓
<b>Soil Glass Jar - Unpreserved (EP071-EM)</b> SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS,	SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS	23-Apr-2022	27-Apr-2022	07-May-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b> SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_16_49_SS_Triplicate_ALS	SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS,	24-Apr-2022	26-Apr-2022	01-May-2022	✓	27-Apr-2022	01-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b> SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_16_49_SS_Triplicate_ALS, SX_IB_20220424_23_48_SS_Primary_ALS,	SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS, SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS	24-Apr-2022	27-Apr-2022	01-May-2022	✓	27-Apr-2022	01-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b> SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS,	SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220425_19_49_SS_Primary_ALS	25-Apr-2022	27-Apr-2022	02-May-2022	✓	27-Apr-2022	02-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b> SX_IB_20220426_00_02_SS_Primary_ALS,	SX_IB_20220426_03_47_SS_Primary_ALS	26-Apr-2022	27-Apr-2022	03-May-2022	✓	27-Apr-2022	03-May-2022	✓





Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>								
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b>								
SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS,	SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS	23-Apr-2022	26-Apr-2022	30-Apr-2022	✓	27-Apr-2022	30-Apr-2022	✓
<b>Soil Glass Jar - Unpreserved (EP071-EM)</b>								
SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS,	SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS	23-Apr-2022	27-Apr-2022	07-May-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b>								
SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_16_49_SS_Triplicate_ALS	SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS,	24-Apr-2022	26-Apr-2022	01-May-2022	✓	27-Apr-2022	01-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b>								
SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_16_49_SS_Triplicate_ALS, SX_IB_20220424_23_48_SS_Primary_ALS,	SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS, SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS	24-Apr-2022	27-Apr-2022	01-May-2022	✓	27-Apr-2022	01-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b>								
SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS,	SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220425_19_49_SS_Primary_ALS	25-Apr-2022	27-Apr-2022	02-May-2022	✓	27-Apr-2022	02-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b>								
SX_IB_20220426_00_02_SS_Primary_ALS,	SX_IB_20220426_03_47_SS_Primary_ALS	26-Apr-2022	27-Apr-2022	03-May-2022	✓	27-Apr-2022	03-May-2022	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b> SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS,	SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS	23-Apr-2022	27-Apr-2022	20-Oct-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>HDPE Soil Jar (EP231X)</b> SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_16_49_SS_Triplicate_ALS	SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS,	24-Apr-2022	27-Apr-2022	21-Oct-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>HDPE Soil Jar (EP231X)</b> SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS	SX_IB_20220424_23_48_SS_Primary_ALS,	24-Apr-2022	28-Apr-2022	22-Oct-2022	✓	28-Apr-2022	07-Jun-2022	✓
<b>HDPE Soil Jar (EP231X)</b> SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS,	SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220425_19_49_SS_Primary_ALS	25-Apr-2022	28-Apr-2022	22-Oct-2022	✓	28-Apr-2022	07-Jun-2022	✓
<b>HDPE Soil Jar (EP231X)</b> SX_IB_20220426_00_02_SS_Primary_ALS,	SX_IB_20220426_03_47_SS_Primary_ALS	26-Apr-2022	28-Apr-2022	23-Oct-2022	✓	28-Apr-2022	07-Jun-2022	✓
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b> SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS,	SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS	23-Apr-2022	27-Apr-2022	20-Oct-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>HDPE Soil Jar (EP231X)</b> SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_16_49_SS_Triplicate_ALS	SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS,	24-Apr-2022	27-Apr-2022	21-Oct-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>HDPE Soil Jar (EP231X)</b> SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS	SX_IB_20220424_23_48_SS_Primary_ALS,	24-Apr-2022	28-Apr-2022	22-Oct-2022	✓	28-Apr-2022	07-Jun-2022	✓
<b>HDPE Soil Jar (EP231X)</b> SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS,	SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220425_19_49_SS_Primary_ALS	25-Apr-2022	28-Apr-2022	22-Oct-2022	✓	28-Apr-2022	07-Jun-2022	✓
<b>HDPE Soil Jar (EP231X)</b> SX_IB_20220426_00_02_SS_Primary_ALS,	SX_IB_20220426_03_47_SS_Primary_ALS	26-Apr-2022	28-Apr-2022	23-Oct-2022	✓	28-Apr-2022	07-Jun-2022	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
<b>HDPE Soil Jar (EP231X)</b> SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS,	SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS	23-Apr-2022	27-Apr-2022	20-Oct-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>HDPE Soil Jar (EP231X)</b> SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_16_49_SS_Triplicate_ALS	SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS,	24-Apr-2022	27-Apr-2022	21-Oct-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>HDPE Soil Jar (EP231X)</b> SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS	SX_IB_20220424_23_48_SS_Primary_ALS,	24-Apr-2022	28-Apr-2022	22-Oct-2022	✓	28-Apr-2022	07-Jun-2022	✓
<b>HDPE Soil Jar (EP231X)</b> SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS,	SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220425_19_49_SS_Primary_ALS	25-Apr-2022	28-Apr-2022	22-Oct-2022	✓	28-Apr-2022	07-Jun-2022	✓
<b>HDPE Soil Jar (EP231X)</b> SX_IB_20220426_00_02_SS_Primary_ALS,	SX_IB_20220426_03_47_SS_Primary_ALS	26-Apr-2022	28-Apr-2022	23-Oct-2022	✓	28-Apr-2022	07-Jun-2022	✓
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b> SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS,	SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS	23-Apr-2022	27-Apr-2022	20-Oct-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>HDPE Soil Jar (EP231X)</b> SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_16_49_SS_Triplicate_ALS	SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS,	24-Apr-2022	27-Apr-2022	21-Oct-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>HDPE Soil Jar (EP231X)</b> SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS	SX_IB_20220424_23_48_SS_Primary_ALS,	24-Apr-2022	28-Apr-2022	22-Oct-2022	✓	28-Apr-2022	07-Jun-2022	✓
<b>HDPE Soil Jar (EP231X)</b> SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS,	SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220425_19_49_SS_Primary_ALS	25-Apr-2022	28-Apr-2022	22-Oct-2022	✓	28-Apr-2022	07-Jun-2022	✓
<b>HDPE Soil Jar (EP231X)</b> SX_IB_20220426_00_02_SS_Primary_ALS,	SX_IB_20220426_03_47_SS_Primary_ALS	26-Apr-2022	28-Apr-2022	23-Oct-2022	✓	28-Apr-2022	07-Jun-2022	✓



Matrix: **SOIL**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231P: PFAS Sums</b>								
<b>HDPE Soil Jar (EP231X)</b> SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS,	SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS	23-Apr-2022	27-Apr-2022	20-Oct-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>HDPE Soil Jar (EP231X)</b> SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_16_49_SS_Triplicate_ALS	SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS,	24-Apr-2022	27-Apr-2022	21-Oct-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>HDPE Soil Jar (EP231X)</b> SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS	SX_IB_20220424_23_48_SS_Primary_ALS,	24-Apr-2022	28-Apr-2022	22-Oct-2022	✓	28-Apr-2022	07-Jun-2022	✓
<b>HDPE Soil Jar (EP231X)</b> SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS,	SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220425_19_49_SS_Primary_ALS	25-Apr-2022	28-Apr-2022	22-Oct-2022	✓	28-Apr-2022	07-Jun-2022	✓
<b>HDPE Soil Jar (EP231X)</b> SX_IB_20220426_00_02_SS_Primary_ALS,	SX_IB_20220426_03_47_SS_Primary_ALS	26-Apr-2022	28-Apr-2022	23-Oct-2022	✓	28-Apr-2022	07-Jun-2022	✓

Matrix: **WATER**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis		
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation



Matrix: WATER

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
<b>HDPE (no PTFE) (EP231X)</b>								
SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS, SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS, SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220425_19_49_SS_Primary_ALS, SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS, SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_16_49_SS_Triplicate_ALS, SX_IB_20220424_23_48_SS_Primary_ALS, SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS, SX_IB_20220426_03_47_SS_Primary_ALS	SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS, SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS, SX_IB_20220424_23_48_SS_Primary_ALS, SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS, SX_IB_20220426_00_02_SS_Primary_ALS, SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS, SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS, SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS, SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220426_00_02_SS_Primary_ALS	27-Apr-2022	28-Apr-2022	24-Oct-2022	✓	28-Apr-2022	24-Oct-2022	✓
<b>HDPE (no PTFE) (EP231X)</b>								
SX_IB_20220424_16_49_SS_Triplicate_ALS,	SX_IB_20220426_03_47_SS_Primary_ALS	28-Apr-2022	28-Apr-2022	25-Oct-2022	✓	28-Apr-2022	25-Oct-2022	✓
<b>HDPE (no PTFE) (EP231X)</b>								
SX_IB_20220425_19_49_SS_Primary_ALS		28-Apr-2022	29-Apr-2022	25-Oct-2022	✓	29-Apr-2022	25-Oct-2022	✓
<b>Miscellaneous Plastic bottle - Unpreserved (EP231X-INJ)</b>								
SX_OB_20220423_08_38_SS_Blank_ALS,	SX_OB_20220423_08_36_SR_Rinsate_ALS	23-Apr-2022	27-Apr-2022	20-Oct-2022	✓	27-Apr-2022	20-Oct-2022	✓



Matrix: WATER

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis				
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation		
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
<b>HDPE (no PTFE) (EP231X)</b>									
SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS, SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS, SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220425_19_49_SS_Primary_ALS, SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS, SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_16_49_SS_Triplicate_ALS, SX_IB_20220424_23_48_SS_Primary_ALS, SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS, SX_IB_20220426_03_47_SS_Primary_ALS	SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS, SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS, SX_IB_20220424_23_48_SS_Primary_ALS, SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS, SX_IB_20220426_00_02_SS_Primary_ALS, SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS, SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS, SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS, SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220426_00_02_SS_Primary_ALS	27-Apr-2022	28-Apr-2022	24-Oct-2022	✓	28-Apr-2022	24-Oct-2022	✓	
<b>HDPE (no PTFE) (EP231X)</b>									
SX_IB_20220424_16_49_SS_Triplicate_ALS,	SX_IB_20220426_03_47_SS_Primary_ALS	28-Apr-2022	28-Apr-2022	25-Oct-2022	✓	28-Apr-2022	25-Oct-2022	✓	
<b>HDPE (no PTFE) (EP231X)</b>									
SX_IB_20220425_19_49_SS_Primary_ALS		28-Apr-2022	29-Apr-2022	25-Oct-2022	✓	29-Apr-2022	25-Oct-2022	✓	
<b>Miscellaneous Plastic bottle - Unpreserved (EP231X-INJ)</b>									
SX_OB_20220423_08_38_SS_Blank_ALS,	SX_OB_20220423_08_36_SR_Rinsate_ALS	23-Apr-2022	27-Apr-2022	20-Oct-2022	✓	27-Apr-2022	20-Oct-2022	✓	



Matrix: WATER

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
<b>HDPE (no PTFE) (EP231X)</b>								
SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS, SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS, SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220425_19_49_SS_Primary_ALS, SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS, SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_16_49_SS_Triplicate_ALS, SX_IB_20220424_23_48_SS_Primary_ALS, SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS, SX_IB_20220426_03_47_SS_Primary_ALS	SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS, SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS, SX_IB_20220424_23_48_SS_Primary_ALS, SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS, SX_IB_20220426_00_02_SS_Primary_ALS, SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS, SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS, SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS, SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220426_00_02_SS_Primary_ALS	27-Apr-2022	28-Apr-2022	24-Oct-2022	✓	28-Apr-2022	24-Oct-2022	✓
<b>HDPE (no PTFE) (EP231X)</b>								
SX_IB_20220424_16_49_SS_Triplicate_ALS,	SX_IB_20220426_03_47_SS_Primary_ALS	28-Apr-2022	28-Apr-2022	25-Oct-2022	✓	28-Apr-2022	25-Oct-2022	✓
<b>HDPE (no PTFE) (EP231X)</b>								
SX_IB_20220425_19_49_SS_Primary_ALS		28-Apr-2022	29-Apr-2022	25-Oct-2022	✓	29-Apr-2022	25-Oct-2022	✓
<b>Miscellaneous Plastic bottle - Unpreserved (EP231X-INJ)</b>								
SX_OB_20220423_08_38_SS_Blank_ALS,	SX_OB_20220423_08_36_SR_Rinsate_ALS	23-Apr-2022	27-Apr-2022	20-Oct-2022	✓	27-Apr-2022	20-Oct-2022	✓



Matrix: WATER

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis				
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation		
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
<b>HDPE (no PTFE) (EP231X)</b>									
SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS, SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS, SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220425_19_49_SS_Primary_ALS, SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS, SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_16_49_SS_Triplicate_ALS, SX_IB_20220424_23_48_SS_Primary_ALS, SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS, SX_IB_20220426_03_47_SS_Primary_ALS	SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS, SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS, SX_IB_20220424_23_48_SS_Primary_ALS, SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS, SX_IB_20220426_00_02_SS_Primary_ALS, SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS, SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS, SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS, SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220426_00_02_SS_Primary_ALS	27-Apr-2022	28-Apr-2022	24-Oct-2022	✓	28-Apr-2022	24-Oct-2022	✓	
<b>HDPE (no PTFE) (EP231X)</b> SX_IB_20220424_16_49_SS_Triplicate_ALS,	SX_IB_20220426_03_47_SS_Primary_ALS	28-Apr-2022	28-Apr-2022	25-Oct-2022	✓	28-Apr-2022	25-Oct-2022	✓	
<b>HDPE (no PTFE) (EP231X)</b> SX_IB_20220425_19_49_SS_Primary_ALS		28-Apr-2022	29-Apr-2022	25-Oct-2022	✓	29-Apr-2022	25-Oct-2022	✓	
<b>Miscellaneous Plastic bottle - Unpreserved (EP231X-INJ)</b> SX_OB_20220423_08_38_SS_Blank_ALS,	SX_OB_20220423_08_36_SR_Rinsate_ALS	23-Apr-2022	27-Apr-2022	20-Oct-2022	✓	27-Apr-2022	20-Oct-2022	✓	





Matrix: WATER

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis				
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation		
<b>EP231P: PFAS Sums</b>									
<b>HDPE (no PTFE) (EP231X)</b>									
SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS, SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS, SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220425_19_49_SS_Primary_ALS, SX_OB_20220423_08_10_SS_Primary_ALS, SX_OB_20220423_12_11_SB_Primary_ALS, SX_OB_20220423_16_04_SS_Primary_ALS, SX_OB_20220424_00_14_SS_Primary_ALS, SX_OB_20220424_08_05_SS_Primary_ALS, SX_IB_20220424_12_03_SS_Primary_ALS, SX_IB_20220424_16_49_SS_Triplicate_ALS, SX_IB_20220424_23_48_SS_Primary_ALS, SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS, SX_IB_20220426_03_47_SS_Primary_ALS	SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS, SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS, SX_IB_20220424_23_48_SS_Primary_ALS, SX_OB_20220425_04_16_SS_Primary_ALS, SX_IB_20220425_07_56_SS_Primary_ALS, SX_IB_20220425_11_48_SS_Primary_ALS, SX_IB_20220425_15_58_SS_Triplicate_ALS, SX_IB_20220426_00_02_SS_Primary_ALS, SX_OB_20220423_08_12_SS_Duplicate_ALS, SX_OB_20220423_16_03_SS_Triplicate_ALS, SX_OB_20220423_20_07_SS_Primary_ALS, SX_IB_20220424_04_08_SS_Primary_ALS, SX_OB_20220424_08_06_SS_Duplicate_ALS, SX_IB_20220424_16_05_SS_Primary_ALS, SX_IB_20220424_19_54_SS_Primary_ALS, SX_IB_20220424_23_55_SS_Primary_ALS, SX_OB_20220425_04_18_SS_Duplicate_ALS, SX_IB_20220425_07_57_SS_Duplicate_ALS, SX_IB_20220425_15_50_SS_Primary_ALS, SX_IB_20220426_00_02_SS_Primary_ALS	27-Apr-2022	28-Apr-2022	24-Oct-2022	✓	28-Apr-2022	24-Oct-2022	✓	
<b>HDPE (no PTFE) (EP231X)</b>									
SX_IB_20220424_16_49_SS_Triplicate_ALS,	SX_IB_20220426_03_47_SS_Primary_ALS	28-Apr-2022	28-Apr-2022	25-Oct-2022	✓	28-Apr-2022	25-Oct-2022	✓	
<b>HDPE (no PTFE) (EP231X)</b>									
SX_IB_20220425_19_49_SS_Primary_ALS		28-Apr-2022	29-Apr-2022	25-Oct-2022	✓	29-Apr-2022	25-Oct-2022	✓	
<b>Miscellaneous Plastic bottle - Unpreserved (EP231X-INJ)</b>									
SX_OB_20220423_08_38_SS_Blank_ALS,	SX_OB_20220423_08_36_SR_Rinsate_ALS	23-Apr-2022	27-Apr-2022	20-Oct-2022	✓	27-Apr-2022	20-Oct-2022	✓	



## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **SOIL**

Evaluation: \* = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	3	27	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Moisture Content	EA055	3	27	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	4	38	10.53	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	5	39	12.82	10.00	✓	NEPM 2013 B3 & ALS QC Standard
pH in soil using a 0.01M CaCl2 extract	EA001	3	27	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	4	38	10.53	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	3	27	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	3	26	11.54	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	3	26	11.54	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	3	26	11.54	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	4	37	10.81	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	4	26	15.38	10.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	4	27	14.81	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	2	38	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	3	39	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
pH in soil using a 0.01M CaCl2 extract	EA001	4	27	14.81	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	2	38	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	2	27	7.41	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	2	26	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	2	26	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	2	26	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	2	37	5.41	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	2	26	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
Deionised Water Leach - Plastic Leaching Vessel	EN60-DIa-P	3	26	11.54	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	2	27	7.41	5.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	2	38	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	3	39	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	2	38	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	2	27	7.41	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	2	26	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	2	26	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	2	26	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	2	37	5.41	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	2	26	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard



Matrix: **SOIL** Evaluation: \* = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Matrix Spikes (MS)</b>							
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	4	27	14.81	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	2	38	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	3	39	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	2	38	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	2	27	7.41	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	2	26	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	2	26	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	2	26	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	2	37	5.41	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	2	26	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard

Matrix: **WATER** Evaluation: \* = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	8	55	14.55	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X-INJ	1	5	20.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	6	55	10.91	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X-INJ	1	5	20.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	6	55	10.91	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X-INJ	1	5	20.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Matrix Spikes (MS)</b>							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	5	55	9.09	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X-INJ	1	5	20.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard



## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

Analytical Methods	Method	Matrix	Method Descriptions
pH in soil using a 0.01M CaCl <sub>2</sub> extract	EA001	SOIL	In house: Referenced to Rayment and Lyons 4B3 (mod.) or 4B4 (mod.) 10 g of soil is mixed with 50 mL of 0.01M CaCl <sub>2</sub> and tumbled end over end for 1 hour. pH is measured from the continuous suspension. This method is compliant with NEPM Schedule B(3).
Moisture Content	EA055	SOIL	In house: A gravimetric procedure based on weight loss over a 12 hour drying period at 105-110 degrees C. This method is compliant with NEPM Schedule B(3).
Total Metals by ICP-AES	EG005T	SOIL	In house: Referenced to APHA 3120; USEPA SW 846 - 6010. Metals are determined following an appropriate acid digestion of the soil. The ICPAES technique ionises samples in a plasma, emitting a characteristic spectrum based on metals present. Intensities at selected wavelengths are compared against those of matrix matched standards. This method is compliant with NEPM Schedule B(3)
Total Mercury by FIMS	EG035T	SOIL	In house: Referenced to APHA 3112 Hg - B (Flow-injection (SnCl <sub>2</sub> ) (Cold Vapour generation) AAS) FIM-AAS is an automated flameless atomic absorption technique. Mercury in solids are determined following an appropriate acid digestion. Ionic mercury is reduced online to atomic mercury vapour by SnCl <sub>2</sub> which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM Schedule B(3)
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	SOIL	In house: Referenced to USEPA SW846, Method 3060. Hexavalent chromium is extracted by alkaline digestion. The digest is determined by photometrically by automatic discrete analyser, following pH adjustment. The instrument uses colour development using dephenylcarbazide. Each run of samples is measured against a five-point calibration curve. This method is compliant with NEPM Schedule B(3)
Total Cyanide by Segmented Flow Analyser	EK026SF	SOIL	In house: Referenced to APHA 4500-CN C / ASTM D7511 / ISO 14403. Caustic leachates of soil samples are introduced into an automated segmented flow analyser. Complex bound cyanide is decomposed in a continuously flowing stream, at a pH of 3.8, by the effect of UV light. A UV-B lamp (312 nm) and a decomposition spiral of borosilicate glass are used to filter out UV light with a wavelength of less than 290 nm thus preventing the conversion of thiocyanate into cyanide. The hydrogen cyanide present at a pH of 3.8 is separated by gas dialysis. The hydrogen cyanide is then determined photometrically, based on the reaction of cyanide with chloramine-T to form cyanogen chloride. This then reacts with 4-pyridine carboxylic acid and 1,3-dimethylbarbituric acid to give a red colour which is measured at 600 nm. This method is compliant with NEPM Schedule B(3).
Total Fluoride	EK040T	SOIL	(In-house) Total fluoride is determined by ion specific electrode (ISE) in a solution obtained after a Sodium Carbonate / Potassium Carbonate fusion dissolution.
PCB - VIC EPA 448.3 Screen	EP066-EM	SOIL	In house: Referenced to USEPA SW 846 - 8270 Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This method is compliant with NEPM Schedule B(3).
TRH - Semivolatile Fraction	EP071-EM	SOIL	In house: Referenced to USEPA SW 846 - 8015A Sample extracts are analysed by Capillary GC/FID and quantified against alkane standards over the range C10 - C40.
Volatile Organic Compounds - Ultra-trace	EP074-UT	SOIL	In house: Referenced to USEPA SW 846 - 8260 Extracts are analysed by Purge and Trap, Capillary GC/MS in partial SIM/Scan mode. Quantification is by comparison against an established multi-point calibration curves. This method is compliant with NEPM Schedule B(3).



Analytical Methods	Method	Matrix	Method Descriptions
Volatile Organic Compounds - Ultra-trace - Summations	EP074-UT-SUM	SOIL	Summation of MAHs and VHCs
Semivolatile Organic Compounds - Waste Classification	EP075-EM	SOIL	In house: Referenced to USEPA SW 846 - 8270 Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This technique is compliant with NEPM Schedule B(3).
SVOC - Waste Classification (Sums)	EP075-EM-SUM	SOIL	Summations for EP075 (EM variation)
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	SOIL	In-house: Analysis of fresh and saline waters by Solid Phase Extraction (SPE) followed by LC-Electrospray-MS-MS, Negative Mode using MRM and internal standard quantitation. Isotopically labelled analogues of target analytes used as internal standards and surrogates are added to the sample container. The entire contents are transferred to a solid phase extraction (SPE) cartridge. The sample container is successively rinsed with aliquots of the elution solvent. The eluted extract is combined with an equal volume of reagent water and a portion is filtered for analysis. Method procedures and data quality objectives conform to US DoD QSM 5.3, table B-15 requirements.
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X-INJ	WATER	In house: Direct injection analysis of fresh waters after dilution (1:1) with mobile phase solvent. Analysis by LC-Electrospray-MS-MS, Negative Mode using MRM. Where commercially available, isotopically labelled analogues of the target analytes are used as internal standards for quantification. Where a labelled analogue is not commercially available, the internal standard with similar chemistry and the closest retention time to the target is used for quantification. The DQO for internal standard response is 50-150% of that established at initial calibration. PFOS is quantified using a certified, traceable standard consisting of linear and branched PFOS isomers.

Preparation Methods	Method	Matrix	Method Descriptions
NaOH leach for CN in Soils	CN-PR	SOIL	In house: APHA 4500 CN. Samples are extracted by end-over-end tumbling with NaOH.
pH in soil using a 0.01M CaCl <sub>2</sub> extract	EA001-PR	SOIL	In house: Referenced to Rayment and Lyons 4B1, 10 g of soil is mixed with 50 mL of 0.01M CaCl <sub>2</sub> and tumbled end over end for 1 hour. pH is measured from the continuous suspension. This method is compliant with NEPM Schedule B(3).
Alkaline digestion for Hexavalent Chromium	EG048PR	SOIL	In house: Referenced to USEPA SW846, Method 3060A.
Total Fluoride	EK040T-PR	SOIL	In house: Samples are fused with Sodium Carbonate / Potassium Carbonate flux.
ASLP for Non & Semivolatile Analytes - Plastic Leaching Vessel	EN60a-P	SOIL	In house QWI-EN/60 referenced to AS4439.3 Preparation of Leachates.
Deionised Water Leach - Plastic Leaching Vessel	EN60-DIa-P	SOIL	In house QWI-EN/60 referenced to AS4439.3 Preparation of Leachates
Hot Block Digest for metals in soils sediments and sludges	EN69	SOIL	In house: Referenced to USEPA 200.2. Hot Block Acid Digestion 1.0g of sample is heated with Nitric and Hydrochloric acids, then cooled. Peroxide is added and samples heated and cooled again before being filtered and bulked to volume for analysis. Digest is appropriate for determination of selected metals in sludge, sediments, and soils. This method is compliant with NEPM Schedule B(3).
Methanolic Extraction of Soils - Ultra-trace.	ORG16-UT	SOIL	In house: Referenced to USEPA SW 846 - 5030A. 5g of solid is shaken with surrogate and 10mL methanol prior to analysis by Purge and Trap - GC/MS.
Tumbler Extraction of Solids - VIC EPA Screen	ORG17-EM	SOIL	In house: Mechanical agitation (tumbler). 10g of sample, Na <sub>2</sub> SO <sub>4</sub> and surrogate are extracted with 30mL 1:1 DCM/Acetone by end over end tumble. The solvent is decanted, dehydrated and concentrated (by KD) to the desired volume for analysis.



<i>Preparation Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
QuEChERS Extraction of Solids	ORG71	SOIL	In house: Sequential extractions with Acetonitrile/Methanol by shaking. Extraction efficiency aided by the addition of salts under acidic conditions. Where relevant, interferences from co-extracted organics are removed with dispersive clean-up media (dSPE). The extract is either diluted or concentrated and exchanged into the analytical solvent.
Solid Phase Extraction (SPE) for PFAS in water	ORG72	SOIL	In-house: Isotopically labelled analogues of target analytes used as internal standards and surrogates are added to the sample container. The entire contents are transferred to a solid phase extraction (SPE) cartridge. The sample container is successively rinsed with aliquots of the elution solvent. The eluted extract is combined with an equal volume of reagent water and a portion is filtered for analysis. Method procedures conform to US DoD QSM 5.3, table B-15 requirements.
Preparation for PFAS in water.	EP231-PR	WATER	Method presumes direct injection without workup. Preparation includes addition of internal standard and surrogate, and filtration prior to analysis.