

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	D06.0220220524113803_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
--------------------------------	-------------------------	--

1. Motherhub Summary

Source TBM/Bin at Pivot	2	Source Geological Domain	3
Approx. Source Tunnel Chainage From	214	Approx. Source Tunnel Chainage To	225
Approx. Rings From	92	Approx. Rings To	97
Foaming Agent	TamSoil 287AC	Water Source	Potable (City West Water)
For BSF Holding Bay No:	D06.02	Start of Filling From (Time / date)	08/05/2022
Tonnes Put in Holding Bay No:	7402.14	Finish of Filling (Time / Date)	10/05/2022
Classified Volume (LCM)	4000	Spoil Classification Decision	NPIW Containment
Sampling Ratio (samples per LCM)	1 : 190.48	Approx. Bank Cubic Meters (BCM)	2102.48

2. Agon Spoil Classification Decision

Spoil Categorisation Decision (State Yes or No in each Row)	
NPIW Containment - 2020/476 (SO 9042848)	Yes
NPIW Landfill - 2019/404 (SO 9038429)	Yes
PIW-Category C - 2019/405 (SO 9038560)	No
PIW-Category B - 2019/406 (SO 9038561)	No
PIW-Category A	No

3. Agon Spoil Classification Assessment

3.1 Applicable Samples

Table 3.1 - 1 lists the applicable sample numbers for this spoil. These have been determined from:

- The date / time bay filling was started
- The date / time bay filling was finished
- The ID of the first truck that deposited spoil in the bay and the date / time that it was filled at Pivot
- The ID of the last truck that deposited spoil in the bay and the date / time it was filled at Pivot
- The sample ID that was associated with the first truck – noting that a time window to be associated with each sample is half the time interval between its sampling time and the time of the preceding and the following samples. For example, if samples were collected at 8am, noon and 4 pm, the time window for the noon sample is between 10 am and 2 pm. That is this sample “belongs” to all truck loaded in this time window

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	D06.0220220524113803_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
--------------------------------	-------------------------	--

Table 3.1 - Applicable Sample ID's

Table 3.1 - 1 Applicable Sample ID's

Applicable Spoil Sample ID's		
SX_IB_20220509_20_07_SS_Duplicate_EUF	SX_IB_20220509_12_04_SS_Primary_EUF	SX_IB_20220509_00_15_SS_Primary_EUF
SX_IB_20220509_20_08_SS_Triplicate_ALS	SX_IB_20220509_08_10_SS_Triplicate_EUF	SX_IB_20220509_00_07_SS_Primary_ALS
SX_IB_20220509_20_05_SS_Primary_EUF	SX_IB_20220509_08_09_SS_Duplicate_ALS	SX_IB_20220508_19_44_SS_Primary_EUF
SX_IB_20220509_20_01_SS_Primary_ALS	SX_IB_20220509_08_07_SS_Primary_ALS	SX_IB_20220508_19_39_SS_Primary_ALS
SX_IB_20220509_16_00_SS_Primary_EUF	SX_IB_20220509_07_57_SS_Primary_EUF	SX_IB_20220508_16_16_SS_Triplicate_ALS
SX_IB_20220509_15_52_SS_Primary_ALS	SX_IB_20220509_04_04_SS_Primary_ALS	SX_IB_20220508_16_15_SS_Duplicate_EUF
SX_IB_20220509_12_20_SS_Primary_ALS	SX_IB_20220509_03_58_SS_Primary_EUF	SX_IB_20220508_16_14_SS_Primary_EUF
Total Sample Numbers	21	Ratio Acceptable
Primary Sample Numbers	15	Yes
Classified Volume (LCM)	4000 m ³	
Volume: Sample Number Ratio (Samples per LCM)	1 : 190.48	

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	D06.0220220524113803_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

3.2 Data Quality Compliance with SAQP

Table 3.2-1 evaluates the compliance of the data quality for this spoil – by reference to the criteria in the SAQP (Yes / No).

Table 3.2 - 1 Evaluation of Quality of Data for this Spoil

DQI	Field Consideration	Laboratory Consideration	Overall Data Quality Acceptability
Precision	Yes	Yes	Yes
Accuracy	Yes	Yes	Yes
Representativeness	Yes	Yes	Yes
Completeness	Yes	Yes	Yes
Comparability	Yes	Yes	Yes

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	D06.0220220524113803_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
--------------------------------	-------------------------	--

3.3 Selection of the Spoil Sample Testing Regime

Table 3.3 - 1 Selection of the Spoil Sample Testing Regime

	(State Yes or No in each Row)
<p>A. Is testing all spoil samples taken required for spoil in this Holding Bay, because prior to this Holding Bay, less than 10 Holding Bays of spoil have been tested from this Domain</p> <p>If the answer is Yes, go to E. If the answer is No, go to B.</p>	Yes
<p>B. If the answer to A is No (i.e., 10 or more Holding Bays of spoil have been tested from this Domain), do trends in the maximum data values from the previous 10 bays indicate that results are trending at <75% of the containment criteria?</p> <p>If the answer is Yes, go to C. If the answer is No, go to D.</p>	NA
<p>C. If the answer to B is Yes, then was testing of spoil for this Holding Bay reduced to two primary samples per bay plus QC samples (Minimum Testing Regime) as allowed by the SAQP (See SAQP Section 6.2.7)?</p>	NA
<p>D. If the answer to B is No, then was the default testing regime implemented for all samples collected for the spoil in this Holding Bay (as required by the SAQP)?</p>	NA
<p>E. Based on the answers to Questions A to D above, was the default testing regime (as defined in the SAQP) applied to the spoil in this Holding Bay?</p>	Yes
<p>F. Based on the answers to Questions A to D above, was the Minimum testing Regime (as defined in the SAQP) applied to the spoil in this Holding Bay?</p>	No

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	D06.0220220524113803_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
--------------------------------	-------------------------	--

3.4 Spoil Compliance with SAQP Criteria for Containment Cell

Table 3.4 - 1 Spoil Compliance with SAQP Criteria for Containment Cell

Need for IWRG 621.1 or 655.1 Testing	
A. Is Spoil in this Holding Bay from a Zone of Exception or Anomalous and required testing for IWRG 621.1?	No
B. Is IWRG 621.1 testing required for spoil in this Holding Bay, because prior to this Holding Bay, less than 10 Holding Bays of spoil have been tested from this Domain?	Yes
C. Is IWRG 621.1 testing required for spoil in this Holding Bay, because the moving 95% UCL values for the previous 10 consecutive Holding Bays of spoil from this Domain are not below TC0?	No
D. Is testing pursuant to IWRG 655.1 required for spoil in this Holding Bay, because the spoil comes from Exception Zone 3 (See SAQP Section 5.4)?	No
E. Has spoil testing for IWRG 621.1 Parameters been triggered by results of spoil water tests for previous Holding Bays of spoil from this geological domain?	No
Outcome from IWRG 621.1 testing (if needed)	
F. If Yes to one or more Questions A, B, C or E, (and not NOC< applicable background concentrations) then do test results for IWRG 621.1 (see Table 3.4-2) prohibit NPIW Containment as a spoil Classification Outcome? If no to all of Questions A, B, C and E, then respond NA to this question.	No
Outcome from IWRG 655.1 testing (if needed)	
G. If Yes to Questions D, then do test results for IWRG 655.1 (see Table 3.4-3) permit NPIW Containment as a spoil Classification Outcome? If no to Question D, respond NA to this question	NA
Outcome from PFAS Testing	
H. Do test results for PFAS (see Table 3.4-4 below) permit NPIW Containment as a spoil Classification Outcome?	Yes
<i>If Yes to either or both of Question E or F, then Spoil is Not Suitable for Containment; Go to Section 3.5. Otherwise, it is Suitable for Containment</i>	
Notes:	
1. Criteria taken from EPA Grandfathered Classifications for TBM Spoil (2020/476 (SO 9042848)), and from the EPA approved EMP for Hi Quality's Containment Cell	

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	D06.0220220524113803_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

Table 3.4 - 2 IWRG 621.1 Parameter Concentration Statistics & Spoil Suitability for Containment

IWRG 621.1 Exceedance Test Results												
Chemical	Unit	LOR	No. of samples	No. of primary samples	Sample: LCM Ratio	No > LOR	Min	Mean	95% UCL on Mean	Max	Limiting Criteria for NPIW Containment	Comment
Arsenic	mg/kg	2	21*	15	1: 190.48	21	15	35.52	40.28	64	20	NPIW-Containment - considered to be naturally occurring chemical, see comment 1 (Section 4)
Copper	mg/kg	5	21*	15	1: 190.48	21	43	65.43	72.35	120	100	NPIW-Containment
Chromium (Hexavalent)	mg/kg	1	21*	15	1: 190.48	8	<1	1.56	NA	2.0	1	NPIW-Containment - considered to be naturally occurring chemical, see comment 1 (Section 4)
Nickel	mg/kg	5	21*	15	1: 190.48	21	136	201.7	225	420	60	NPIW-Containment - considered to be naturally occurring chemical, see comment 1 (Section 4)
Zinc	mg/kg	5	21*	15	1: 190.48	21	66	113.1	126.7	220	200	NPIW-Containment

“*” - Ratio used for categorisation of spoil is total samples to LCM due to spoil not being from a zone of exception. (See Section 4)

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	D06.0220220524113803_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

Table 3.4 – 3 IWRG 655.1 (WASS) Parameter Concentration Statistics & Spoil Suitability for Containment

IWRG 655.1 Test Results											
Chemical	Unit	LOR	No. of primary samples	Sample: LCM Ratio	No > LOR	Min	Mean	95% UCL on Mean	Max	Limiting Criteria for NPIW Containment	Comment
pHF	pH									5	
pHFox	pH									5	
Delta pH										2	
%S	%									0.03%	
Mol H+ /tonne	Mol/tonne									18	

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	D06.0220220524113803_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
--------------------------------	-------------------------	--

Table 3.4 - 4 PFAS Parameter Concentrations & Spoil Suitability for Containment

PFAS Test Results											
Chemical	Unit	LOR	No. of Samples	No. of primary samples	No > LOR	Min	Mean	95% UCL on Mean	Max	Upper Limiting Criteria for NPIW Containment	Spoil Category for PFAS
Total PFAS Concentrations											
Total PFOS	ug/kg	5	21*	15	0	N/A	N/A	N/A	<5	N/A	NPIW-Containment
Total PFOA	ug/kg	5	21*	15	0	N/A	N/A	N/A	<5	N/A	NPIW-Containment
Total PFHxS	ug/kg	5	21*	15	0	N/A	N/A	N/A	<5	N/A	NPIW-Containment
ASLP (pH= 5) PFAS Concentrations											
PFOA	ug/L	0.01	21*	15	0	N/A	N/A	N/A	<0.01	56	NPIW-Containment
PFOS+PFHxS	ug/L	0.01	21*	15	0	N/A	N/A	N/A	<0.01	7	NPIW-Containment
ASLP (pH= 7) PFAS Concentrations											
PFOA	ug/L	0.01	21*	15	0	N/A	N/A	N/A	<0.01	56	NPIW-Containment
PFOS+PFHxS	ug/L	0.01	21*	15	0	N/A	N/A	N/A	<0.01	7	NPIW-Containment

"*" - Ratio used for categorisation of spoil is total samples to LCM due to spoil not being from a zone of exception. (See Section 4)

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	D06.0220220524113803_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

3.5 Waste Classification for Spoil Not Suitable for Containment Cell

This Section 3.5 and the Tables 3.5-1 to 3.5-3 only apply if the spoil is classified in Section 3.4 as not suitable for the Containment Cell. If the spoil is classified in Section 3.4 as not suitable for the Containment Cell, then Tables 3.5-1 and 3.5-2 contain no data and no assessment.

Table 3.5 - 1 below contains the statistics for IWRG 621.1 Parameter concentrations, and Agon's assessment of their implications for the spoil waste category

Table 3.5 - 2 below contains the statistics for IWRG 655.1 Parameter concentrations, and Agon's assessment of their implications for the spoil waste category

Table 3.5 - 3 below contains the statistics for PFAS concentration, and Agon's assessment of their implications for the spoil waste category

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	D06.0220220524113803_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

Table 3.5 - 1 IWRG 621.1 Parameter Concentration Statistics & Waste Classifications

IWRG 621.1 Exceedance Test Results													
Chemical	Unit	LOR	No. of primary samples	Sample: LCM Ratio	No > LOR	Min	Mean	95% UCL on Mean	Max	Limiting Criteria for NPIW	Limiting Criteria for Cat C	Limiting Criteria for Cat B	Comment
Arsenic	mg/kg												
Copper	mg/kg												
Chromium (Hexavalent)	mg/kg												
Nickel	mg/kg												
Fluoride	mg/kg												

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	D06.0220220524113803_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

Table 3.5 – 2 IWRG 655.1 (WASS) Parameter Concentration Statistics & Waste Classification

IWRG 655.1 Test Results											
Chemical	Unit	LOR	No. of primary samples	Sample: LCM Ratio	No > LOR	Min	Mean	95% UCL on Mean	Max	Limiting Criteria for NPIW Containment	Comment
pHF	pH									5	
pHFox	pH									5	
Delta pH										2	
%S	%									0.03%	
Mol H+ /tonne	Mol/tonne									18	

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	D06.0220220524113803_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

Table 3.5 - 3 PFAS Parameter Concentrations and Waste Classifications

PFAS Test Results													
Chemical	Unit	LOR	No. of primary samples	No > LOR	Min	Mean	95% UCL on Mean	Max	Upper Limiting Criteria for NPIW Containment	Upper Limiting Criteria for NPIW Landfill	Upper Limiting Criteria for PIW Cat C	Upper Limiting Criteria for PIW Cat B	Spoil Category for PFAS
Total PFAS Concentrations													
Total PFOS	ug/kg												
Total PFOA	ug/kg												
Total PFHxS	ug/kg												
ASLP (pH= 5) PFAS Concentrations													
PFOA	ug/L												
PFOS+PFHxS	ug/L												
ASLP (pH= 7) PFAS Concentrations													
PFOA	ug/L												
PFOS+PFHxS	ug/L												

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	D06.0220220524113803_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

4. Comments and Limitations

Comments and Limitations	
1.	<p>Naturally Occurring Chemicals listed in IWRG 621.1 that are within the Background range despite being reported at concentrations that would otherwise categorise the material as PIW:</p> <ol style="list-style-type: none"> 1. Technical discussion around the naturally occurring metal concentrations found in soils beneath the WGTP is detailed in <i>Golder (2017b) – Technical Report B, Appendix E – Environmental characterisation of spoil (natural soil and rock)</i>. The report indicates that elevated metals (including arsenic, nickel, copper, chromium (CrVI), zinc and mercury) were considered to be associated with natural enrichment instead of anthropogenic contamination. <ol style="list-style-type: none"> a. Arsenic – <i>Golder (2017b) – Technical Report B, Appendix E section 6.2 Arsenic enrichment in the residual soil of the upper Older Volcanics (Tvo1)</i> found that while the soil of the upper Older Volcanics sub-unit contains arsenic, the arsenic is not characteristic of the wider sub unit (i.e the rock) or the lower sub-unit (soil or rock). The concentration of arsenic therefore appears to be related to the chemical and biological weather of the unit over time. This is further supported by: <ol style="list-style-type: none"> i. The residual soil of the sub-unit being characterised by iron-oxide staining and containing goethite. Goethite is an iron oxyhydroxide mineral, which can contain elevated concentrations of arsenic. <p>Golder therefore concluded that based on the broad vertical distribution of arsenic and the presence of arsenic throughout the greater project area, arsenic results in Upper Older Volcanics soil are not likely to be associated with anthropogenic contamination.</p> b. Nickel – <i>Golder (2017b) – Technical Report B, Appendix E section 6.3 Nickel enrichment within the upper Older Volcanics</i> found that <ol style="list-style-type: none"> i. Nickel is known to be enriched within olivine and pyroxene basalt minerals, leading to nickel enrichment of soils weathered from basalt (Martini and Chesworth, 2013). ii. The reported mean nickel concentrations within the Older Volcanics (Tvo) were comparable to results reported within soils derived from basalt in Auckland and basalt rock of Finland (ARC, 2001; Koljonen, 1992), Older Volcanics observed in the Melbourne Metro Project (Golder, 1026a) and Newer Volcanics basalt of the Westenra Plains (Birch, 2003). iii. Enriched nickel concentrations corresponded with enriched cobalt (all units) and iron (except tertiary volcanics (Tvo2) soil) indicating that the nickel is likely associated with geochemical enrichment rather than added contamination.

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	D06.0220220524113803_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

iv. Enriched nickel concentrations also corresponded with enriched copper (Two soil and rock) and zinc (all units) indicating that the nickel is likely associated with geochemical enrichment rather than added contamination.

Golder therefore concluded that the nickel is likely associated with geochemical enrichment rather than added contamination.

The Golder study found that based on review of the depth, site history and the geochemical association of elements, the reported elevated concentrations of arsenic and nickel are considered representative of geogenic conditions and are not expected to be associated with contamination.

2. Previous reviews of the presence of hexavalent chromium (CrVI) in soil data outlined on the SAQP (Rev 5) were undertaken by Golders (2017) and later consolidated with data compiled by Mikkonen by AJJV (2019). The AJJV review of the consolidated data set identified:

- Samples reported to contain hexavalent chromium above the IWRG621 Table 2 Fill Material Upper Limit of 1mg/kg, were not collected in areas considered to be where anthropogenic sources of CrVI were present
- The ratio of tests reported above the laboratory LOR of 0.5 mg/kg was 15 out of 84 tests
- The ratio of tests where CrVI was above 1mg/kg was 3 in 84 samples
- The maximum reported concentration was 2.8mg/kg
- The 95%UCLave was 0.439

The AJJV data review was to assess whether the spoil derived from the tunnelling operations would contain chemicals that would result in the spoil being classified as something other than Fill Material. AJJV concluded the CrVI was present due to natural enrichment. Refer extract from the AJJV report below:

In summary, the reported CrVI concentration reported in the Older Volcanics are considered to be naturally occurring / enriched based on the following:

- *No potential CrVI sources have been identified in the vicinity of the sampling locations that reported the CrVI concentrations.*
- *Similar concentrations of CrVI were reported in the Older Volcanics on the MMRP, that were deemed to be naturally occurring.*
- *The 2017 Golder report concluded that enriched arsenic concentrations in the Older Volcanics on WGT*
- *Corresponded with enriched vanadium indicating that the arsenic is likely associated with geochemical enrichment rather than added contamination. The elevated CrVI is also found through this area deemed to be geochemically enriched.*

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	D06.0220220524113803_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
--------------------------------	-------------------------	--

- There were limited exceedances of CrVI in the groundwater, which suggested no evidence of an anthropogenic source or Potential pathway from the surface

Given the large volume of ground to be tunnelled, the 95% UCL's in Table E.2 and the likely naturally enriched nature of the reported CrVI, AJJV consider that the CrVI impacts will not alter the spoil classification within Domain 5. AJJV note that the material will undergo ongoing sampling as the TBM spoil is produced – sampling will be outlined within the SAQP. If any contaminated material is encountered beyond the extent of the nominated potentially contaminated domains, this will trigger management of the material in accordance with Tunnel Spoil Disposal Framework.

Agon notes that Table E1: Summary of elevated concentration within Natural materials concludes the presence of hexavalent chromium may “Potentially” classify the spoil as PIW.

Test	Element Exceeding Criteria	Victorian Background Soil Database Soil greater than 5.4m below surface										Findings		Classification as PIW				
		Coast	Deltaic	Min	Max	Mean	Standard Deviation	Count of Exceedance	95% UCL	Fill Material Upper Limit	Coast	Max	Mean		95% UCL Statistical Assessment	Victorian Soil Database Assessment		
Other Volatiles	Fluoride	84	1	50	800	204	185	100	2	225.1	450	92	<100	790	263	Not Exceeding	Natural Origin	No Affect
	Acetic	101	84	+4	800	33	7	115	25	84.6	20	256	±10	3200	33	Exceeding	Natural Origin	No Affect
	Cadmium	103	6	-0.1	3	0.52	0.5	0.41	2	NA	3	-	-	-	-	NA	No Data	No Affect
	Chromium (VI)	84	15	<0.5	2.8	0.923	0.7	0.562	3	84.36	1	-	-	-	-	NA	No Data	Potentially
	Copper	101	96	+5	326	55	55	44	15	82.4	600	799	+25	87	+25	Not Exceeding	No Data	No Affect
	Mercury	101	7	-0.1	1.7	0.073	0.85	0.17	1	NA	1	-	-	-	-	NA	No Data	No Affect
	Nickel	101	90	+2	451	127	115	73	88	140.6	60	800	+25	170	29	Exceeding	Natural Origin	No Affect
Zinc	101	96	+5	483	84	83	79	6	98.7	200	819	+25	198	+25	Not Exceeding	No Data	No Affect	

A review of the Agon data for spoil reported in data set B.05 shows:

- A similar ratio of test results >1mg/kg compared to the overall data set;
 - If a ½ LOR is substituted for results reported as <LOR (of 1mg/kg), then like the AJJV 95% UCL, the calculation is <1mg/kg
- The results also show that there are no synthetic compounds reported above the laboratory LOR, another indication that anthropogenic contamination is not present.

2.	Test result outcomes can lead to two classification possibilities; however, the classification decision follows the preference of the waste management hierarchy.
3.	Spoil is not from a “Zone of Exception”. Zone of exception applies a sampling ratio of only Primary Samples to LCM to categorise spoil as per the SAQP revision 5. Sample to categorised volume ratio in zones of exception is to be as per IWRG702 with 1 primary spoil sample categorising a maximum 250 m3 of spoil.

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	D06.0220220524113803_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

4.	Loose Cubic metres (LCM) to mass (tonnes) conversion ratio used is 1 LCM:1.6 tonnes
5.	This report has been prepared in accordance with industry recognised standards and procedures current at the time of the work. The report presents the results of the assessment based on the quoted scope of works (unless otherwise agreed in writing) for the specific purposes of the engagement by the Client. No warranties expressed or implied, are offered to any third parties and no liability will be accepted for use of this report by third parties.
6.	All information provided by third parties has been assumed to be correct and complete. Agon does not assume any liability for misrepresentation of information by third parties or for matters not visible, accessible or present on the subject site.
7.	Opinions and judgements expressed herein are based on Agon's understanding of current regulatory standards and should not be construed as legal opinions. No responsibility is accepted for use of any part of this report in any other context or for any other purpose or by third parties other than those listed above.
8.	This report should be read in full.

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	D06.0220220524113803_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

5. Attachments

ATTACHMENT A: TABULATED RESULTS

ATTACHMENT B: 95% UCL AVE CALCULATIONS

ATTACHMENT C: LABORATORY CERTIFICATES

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	D06.0220220524113803_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

ATTACHMENT A: TABULATED RESULTS

	Metals									
	Arsenic	Cadmium	Copper	Chromium (III+VI)	Chromium (hexavalent)	Lead	Mercury	Molybdenum	Nickel	Selenium
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
EQL	2	0.4	5	5	1	5	0.1	5	5	2
EPA PFAS Classification - Tunnel Zone - 2019/404 (SO 9038429) Threshold										
EPA PFAS Classification - Tunnel Zone - 2019/405 (SO 9038560) Threshold										
EPA PFAS Classification - Tunnel Zone - 2019/406 (SO 9038561) Threshold										
EPA PFAS Classification - Tunnel Zone - No option for disposal threshold										
EPA Victoria IWRG621 Category B Leached Upper Limits										
EPA Victoria IWRG621 Category B Upper Limits	2,000	400	20,000		2,000	6,000	300	4,000	12,000	200
EPA Victoria IWRG621 Category C Leached Upper Limits										
EPA Victoria IWRG621 Category C Upper Limits	500	100	5,000		500	1,500	75	1,000	3,000	50
EPA Victoria IWRG621 Fill Upper Limits	20	3	100		1	300	1	40	60	10

Location Code	Field ID	Sample Code	Date	Lab Report Number	Lab Name	Sample Type	Parent Sample	Arsenic	Cadmium	Copper	Chromium (III+VI)	Chromium (hexavalent)	Lead	Mercury	Molybdenum	Nickel	Selenium
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF	M22-My0018764	8/05/2022	886480	MGT	Normal		52	<0.4	70	120	<1	<5	<0.1	<5	210	<2
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF	M22-My0018789	8/05/2022	886480	MGT	Normal											
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF	M22-My0018812	8/05/2022	886480	MGT	Normal											
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF	M22-My0018765	8/05/2022	886480	MGT	Field_D	M22-My0018764	38	<0.4	59	120	<1	<5	<0.1	<5	190	<2
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF	M22-My0018790	8/05/2022	886480	MGT	Field_D	M22-My0018789										
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF	M22-My0018813	8/05/2022	886480	MGT	Field_D	M22-My0018812										
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS	EM2208379018	8/05/2022	EM2208379	ALSE-Melbourne	Interlab_D	M22-My0018764	26	<1	55	114	<1.0	<5	<0.1	<5	161	<5
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS	EM2208379039	8/05/2022	EM2208379	ALSE-Melbourne	Interlab_D	M22-My0018812										
D06.02	SX_IB_20220508_19_39_SS_Primary_ALS	EM2208379019	8/05/2022	EM2208379	ALSE-Melbourne	Normal		29	<1	51	102	2.0	<5	<0.1	<5	154	<5
D06.02	SX_IB_20220508_19_39_SS_Primary_ALS	EM2208379040	8/05/2022	EM2208379	ALSE-Melbourne	Normal											
D06.02	SX_IB_20220508_19_44_SS_Primary_EUF	M22-My0018768	8/05/2022	886480	MGT	Normal		38	<0.4	63	140	<1	<5	<0.1	<5	200	<2
D06.02	SX_IB_20220508_19_44_SS_Primary_EUF	M22-My0018791	8/05/2022	886480	MGT	Normal											
D06.02	SX_IB_20220508_19_44_SS_Primary_EUF	M22-My0018814	8/05/2022	886480	MGT	Normal											
D06.02	SX_IB_20220509_00_07_SS_Primary_ALS	EM2208379021	9/05/2022	EM2208379	ALSE-Melbourne	Normal		15	<1	44	82	<1.0	<5	<0.1	<5	136	<5
D06.02	SX_IB_20220509_00_07_SS_Primary_ALS	EM2208379042	9/05/2022	EM2208379	ALSE-Melbourne	Normal											
D06.02	SX_IB_20220509_00_15_SS_Primary_EUF	M22-My0018771	9/05/2022	886480	MGT	Normal		43	<0.4	72	130	<1	<5	<0.1	<5	220	<2
D06.02	SX_IB_20220509_00_15_SS_Primary_EUF	M22-My0018794	9/05/2022	886480	MGT	Normal											
D06.02	SX_IB_20220509_00_15_SS_Primary_EUF	M22-My0018817	9/05/2022	886480	MGT	Normal											
D06.02	SX_IB_20220509_03_58_SS_Primary_EUF	M22-My0018772	9/05/2022	886480	MGT	Normal		64	<0.4	86	170	<1	<5	<0.1	<5	260	<2
D06.02	SX_IB_20220509_03_58_SS_Primary_EUF	M22-My0018795	9/05/2022	886480	MGT	Normal											
D06.02	SX_IB_20220509_03_58_SS_Primary_EUF	M22-My0018818	9/05/2022	886480	MGT	Normal											
D06.02	SX_IB_20220509_04_04_SS_Primary_ALS	EM2208379023	9/05/2022	EM2208379	ALSE-Melbourne	Normal		18	<1	43	77	<1.0	<5	<0.1	<5	144	<5
D06.02	SX_IB_20220509_04_04_SS_Primary_ALS	EM2208379044	9/05/2022	EM2208379	ALSE-Melbourne	Normal											
D06.02	SX_IB_20220509_07_57_SS_Primary_EUF	M22-My0022567	9/05/2022	886969	MGT	Normal		57	<0.4	64	130	1.1	6.4	<0.1	<5	180	<2
D06.02	SX_IB_20220509_07_57_SS_Primary_EUF	M22-My0022578	9/05/2022	886969	MGT	Normal											
D06.02	SX_IB_20220509_07_57_SS_Primary_EUF	M22-My0022589	9/05/2022	886969	MGT	Normal											
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	EM2208523002	9/05/2022	EM2208523	ALSE-Melbourne	Normal		37	<1	64	104	1.8	<5	<0.1	<5	180	<5
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	EM2208523012	9/05/2022	EM2208523	ALSE-Melbourne	Normal											
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS	EM2208523003	9/05/2022	EM2208523	ALSE-Melbourne	Field_D	EM2208523002	33	<1	58	103	1.9	<5	<0.1	<5	167	<5
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS	EM2208523013	9/05/2022	EM2208523	ALSE-Melbourne	Field_D	EM2208523012										
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF	M22-My0022568	9/05/2022	886969	MGT	Interlab_D	EM2208523002	36	<0.4	71	110	<1	<5	<0.1	<5	210	<2
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF	M22-My0022579	9/05/2022	886969	MGT	Interlab_D	EM2208523002										
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF	M22-My0022590	9/05/2022	886969	MGT	Interlab_D	EM2208523012										
D06.02	SX_IB_20220509_12_04_SS_Primary_EUF	M22-My0022569	9/05/2022	886969	MGT	Normal		51	<0.4	120	240	<1	6.0	<0.1	6.2	420	2.3
D06.02	SX_IB_20220509_12_04_SS_Primary_EUF	M22-My0022580	9/05/2022	886969	MGT	Normal											
D06.02	SX_IB_20220509_12_04_SS_Primary_EUF	M22-My0022591	9/05/2022	886969	MGT	Normal											
D06.02	SX_IB_20220509_12_20_SS_Primary_ALS	EM2208523004	9/05/2022	EM2208523	ALSE-Melbourne	Normal		22	<1	54	97	1.6	<5	<0.1	<5	161	<5
D06.02	SX_IB_20220509_12_20_SS_Primary_ALS	EM2208523014	9/05/2022	EM2208523	ALSE-Melbourne	Normal											
D06.02	SX_IB_20220509_15_52_SS_Primary_ALS	EM2208523005	9/05/2022	EM2208523	ALSE-Melbourne	Normal		31	<1	58	94	1.4	<5	<0.1	<5	164	<5
D06.02	SX_IB_20220509_15_52_SS_Primary_ALS	EM2208523015	9/05/2022	EM2208523	ALSE-Melbourne	Normal											
D06.02	SX_IB_20220509_16_00_SS_Primary_EUF	M22-My0022570	9/05/2022	886969	MGT	Normal		31	<0.4	68	140	<1	<5	<0.1	<5	230	<2
D06.02	SX_IB_20220509_16_00_SS_Primary_EUF	M22-My0022581	9/05/2022	886969	MGT	Normal											
D06.02	SX_IB_20220509_16_00_SS_Primary_EUF	M22-My0022592	9/05/2022	886969	MGT	Normal											
D06.02	SX_IB_20220509_20_01_SS_Primary_ALS	EM2208523007	9/05/2022	EM2208523	ALSE-Melbourne	Normal		23	<1	58	97	1.4	<5	<0.1	<5	180	<5
D06.02	SX_IB_20220509_20_01_SS_Primary_ALS	EM2208523017	9/05/2022	EM2208523	ALSE-Melbourne	Normal											
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF	M22-My0022574	9/05/2022	886969	MGT	Normal		35	<0.4	70	130	<1	<5	<0.1	<5	230	<2
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF	M22-My0022585	9/05/2022	886969	MGT	Normal											
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF	M22-My0022596	9/05/2022	886969	MGT	Normal											
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF	M22-My0022575	9/05/2022	886969	MGT	Field_D	M22-My0022574	40	<0.4	90	150	<1	5.2	<0.1	<5	270	<2
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF	M22-My0022586	9/05/2022	886969	MGT	Field_D	M22-My0022585										
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF	M22-My0022597	9/05/2022	886969	MGT	Field_D	M22-My0022596										
D06.02	SX_IB_20220509_20_08_SS_Triplicate_ALS	EM2208523008	9/05/2022	EM2208523	ALSE-Melbourne	Interlab_D	M22-My0022574	27	<1	56	101	1.3	<5	<0.1	<5	169	<5
D06.02	SX_IB_20220509_20_08_SS_Triplicate_ALS	EM2208523018	9/05/2022	EM2208523	ALSE-Melbourne	Interlab_D	M22-My0022596										

EQL	PAH																					
	Silver mg/kg	Tin mg/kg	Zinc mg/kg	PAHS (Vic EPA List) mg/kg	Benzo(b+f+k)fluoranthene mg/kg	Acenaphthene mg/kg	Acenaphthylene mg/kg	Anthracene mg/kg	Benzo(a)anthracene mg/kg	Benzo(a)pyrene TEQ calc (Zero) mg/kg	Benzo(a)pyrene TEQ (LOR) mg/kg	Benzo(a)pyrene TEQ calc (Half) mg/kg	Benzo(a)pyrene mg/kg	Benzo(b+f)fluoranthene mg/kg	Benzo(g,h,i)perylene mg/kg	Benzo(k)fluoranthene mg/kg	Chrysene mg/kg	DiBenzo(a,h)anthracene mg/kg	Fluoranthene mg/kg	Fluorene mg/kg	Indeno(1,2,3-c,d)pyrene mg/kg	Naphthalene mg/kg
EPA PFAS Classification - Tunnel Zone - 2019/404 (SO 9038429) Thr	2	10	5	0.5	1	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
EPA PFAS Classification - Tunnel Zone - 2019/405 (SO 9038560) Thr																						
EPA PFAS Classification - Tunnel Zone - 2019/406 (SO 9038561) Thr																						
EPA PFAS Classification - Tunnel Zone - No option for disposal three																						
EPA Victoria IWRG621 Category B Leached Upper Limits																						
EPA Victoria IWRG621 Category B Upper Limits	720		140,000	400									20									
EPA Victoria IWRG621 Category C Leached Upper Limits																						
EPA Victoria IWRG621 Category C Upper Limits	180	500	35,000	100									5									
EPA Victoria IWRG621 Fill Upper Limits	10	50	200	20									1									

Location Code	Field ID	Silver	Tin	Zinc	PAHS (Vic EPA List)	Benzo(b+f+k)fluoranthene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene TEQ calc (Zero)	Benzo(a)pyrene TEQ (LOR)	Benzo(a)pyrene TEQ calc (Half)	Benzo(a)pyrene	Benzo(b+f)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Chrysene	DiBenzo(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-c,d)pyrene	Naphthalene	
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF	<2	<10	140			<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																							
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																							
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF	<2	<10	110			<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF																							
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF																							
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS	<2	<10	84	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS																							
D06.02	SX_IB_20220508_19_39_SS_Primary_ALS	<2	<10	80	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
D06.02	SX_IB_20220508_19_39_SS_Primary_ALS																							
D06.02	SX_IB_20220508_19_44_SS_Primary_EUF	<2	<10	110			<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
D06.02	SX_IB_20220508_19_44_SS_Primary_EUF																							
D06.02	SX_IB_20220508_19_44_SS_Primary_EUF																							
D06.02	SX_IB_20220509_00_07_SS_Primary_ALS	<2	<10	66	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
D06.02	SX_IB_20220509_00_07_SS_Primary_ALS																							
D06.02	SX_IB_20220509_00_15_SS_Primary_EUF	<2	<10	130			<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
D06.02	SX_IB_20220509_00_15_SS_Primary_EUF																							
D06.02	SX_IB_20220509_00_15_SS_Primary_EUF																							
D06.02	SX_IB_20220509_03_58_SS_Primary_EUF	<2	<10	160			<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
D06.02	SX_IB_20220509_03_58_SS_Primary_EUF																							
D06.02	SX_IB_20220509_03_58_SS_Primary_EUF																							
D06.02	SX_IB_20220509_04_04_SS_Primary_ALS	<2	<10	70	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
D06.02	SX_IB_20220509_04_04_SS_Primary_ALS																							
D06.02	SX_IB_20220509_07_57_SS_Primary_EUF	<2	<10	110			<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
D06.02	SX_IB_20220509_07_57_SS_Primary_EUF																							
D06.02	SX_IB_20220509_07_57_SS_Primary_EUF																							
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	<2	<10	100	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS																							
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS	<2	<10	90	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS																							
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF	<2	<10	130			<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF																							
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF																							
D06.02	SX_IB_20220509_12_04_SS_Primary_EUF	<2	<10	220			<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
D06.02	SX_IB_20220509_12_04_SS_Primary_EUF																							
D06.02	SX_IB_20220509_12_04_SS_Primary_EUF																							
D06.02	SX_IB_20220509_12_20_SS_Primary_ALS	<2	<10	85	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
D06.02	SX_IB_20220509_12_20_SS_Primary_ALS																							
D06.02	SX_IB_20220509_15_52_SS_Primary_ALS	<2	<10	91	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
D06.02	SX_IB_20220509_15_52_SS_Primary_ALS																							
D06.02	SX_IB_20220509_16_00_SS_Primary_EUF	<2	<10	120			<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
D06.02	SX_IB_20220509_16_00_SS_Primary_EUF																							
D06.02	SX_IB_20220509_16_00_SS_Primary_EUF																							
D06.02	SX_IB_20220509_20_01_SS_Primary_ALS	<2	<10	94	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
D06.02	SX_IB_20220509_20_01_SS_Primary_ALS																							
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF	<2	<10	130			<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF																							
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF																							
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF	<2	<10	160			<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF																							
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF																							
D06.02	SX_IB_20220509_20_08_SS_Triplicate_ALS	<2	<10	95	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
D06.02	SX_IB_20220509_20_08_SS_Triplicate_ALS																							

	BTEX									TRH							TPH					
	Phenanthrene	Pyrene	PAHs (Sum of total)	Benzene	Ethylbenzene	Toluene	Xylene (o)	Xylene (m & p)	Xylene Total	C6-C10	C6-C10 (F1 minus BTEX)	C10-C16	C10-C16 (F2 minus Naphthalene)	C16-C34	C34-C40	C10-C40 (Sum of total)	C6-C9	C10-C14	C15-C28	C29-C36	+C10-C36 (Sum of total)	Aldrin
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
EQL	0.5	0.5	0.5	0.1	0.1	0.1	0.1	0.2	0.3	20	20	50	50	100	100	50	20	20	50	50	50	0.05
EPA PFAS Classification - Tunnel Zone - 2019/404 (SO 9038429) Th																						
EPA PFAS Classification - Tunnel Zone - 2019/405 (SO 9038560) Th																						
EPA PFAS Classification - Tunnel Zone - 2019/406 (SO 9038561) Th																						
EPA PFAS Classification - Tunnel Zone - No option for disposal thre																						
EPA Victoria IWRG621 Category B Leached Upper Limits			400	16													2,600					40,000
EPA Victoria IWRG621 Category B Upper Limits																						
EPA Victoria IWRG621 Category C Leached Upper Limits			100	4													650					10,000
EPA Victoria IWRG621 Category C Upper Limits																						
EPA Victoria IWRG621 Fill Upper Limits			20	1													100					1,000

Location Code	Field ID	Phenanthrene	Pyrene	PAHs (Sum of total)	Benzene	Ethylbenzene	Toluene	Xylene (o)	Xylene (m & p)	Xylene Total	C6-C10	C6-C10 (F1 minus BTEX)	C10-C16	C10-C16 (F2 minus Naphthalene)	C16-C34	C34-C40	C10-C40 (Sum of total)	C6-C9	C10-C14	C15-C28	C29-C36	+C10-C36 (Sum of total)	Aldrin
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20	<50	<50	<50	<0.05
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																						
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																						
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20	<50	<50	<50	<0.05
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF																						
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF																						
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS	<0.5	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50	<100	<100	<50	<0.05
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS																						
D06.02	SX_IB_20220508_19_39_SS_Primary_ALS	<0.5	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50	<100	<100	<50	<0.05
D06.02	SX_IB_20220508_19_39_SS_Primary_ALS																						
D06.02	SX_IB_20220508_19_44_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20	<50	<50	<50	<0.05
D06.02	SX_IB_20220508_19_44_SS_Primary_EUF																						
D06.02	SX_IB_20220508_19_44_SS_Primary_EUF																						
D06.02	SX_IB_20220509_00_07_SS_Primary_ALS	<0.5	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50	<100	<100	<50	<0.05
D06.02	SX_IB_20220509_00_07_SS_Primary_ALS																						
D06.02	SX_IB_20220509_00_15_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20	<50	<50	<50	<0.05
D06.02	SX_IB_20220509_00_15_SS_Primary_EUF																						
D06.02	SX_IB_20220509_00_15_SS_Primary_EUF																						
D06.02	SX_IB_20220509_03_58_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20	<50	<50	<50	<0.05
D06.02	SX_IB_20220509_03_58_SS_Primary_EUF																						
D06.02	SX_IB_20220509_03_58_SS_Primary_EUF																						
D06.02	SX_IB_20220509_04_04_SS_Primary_ALS	<0.5	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50	<100	<100	<50	<0.05
D06.02	SX_IB_20220509_04_04_SS_Primary_ALS																						
D06.02	SX_IB_20220509_07_57_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20	<50	<50	<50	<0.05
D06.02	SX_IB_20220509_07_57_SS_Primary_EUF																						
D06.02	SX_IB_20220509_07_57_SS_Primary_EUF																						
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	<0.5	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50	<100	<100	<50	<0.05
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS																						
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS	<0.5	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50	<100	<100	<50	<0.05
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS																						
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20	<50	<50	<50	<0.05
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF																						
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF																						
D06.02	SX_IB_20220509_12_04_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20	<50	<50	<50	<0.05
D06.02	SX_IB_20220509_12_04_SS_Primary_EUF																						
D06.02	SX_IB_20220509_12_04_SS_Primary_EUF																						
D06.02	SX_IB_20220509_12_20_SS_Primary_ALS	<0.5	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50	<100	<100	<50	<0.05
D06.02	SX_IB_20220509_12_20_SS_Primary_ALS																						
D06.02	SX_IB_20220509_15_52_SS_Primary_ALS	<0.5	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50	<100	<100	<50	<0.05
D06.02	SX_IB_20220509_15_52_SS_Primary_ALS																						
D06.02	SX_IB_20220509_16_00_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20	<50	<50	<50	<0.05
D06.02	SX_IB_20220509_16_00_SS_Primary_EUF																						
D06.02	SX_IB_20220509_16_00_SS_Primary_EUF																						
D06.02	SX_IB_20220509_20_01_SS_Primary_ALS	<0.5	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50	<100	<100	<50	<0.05
D06.02	SX_IB_20220509_20_01_SS_Primary_ALS																						
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20	<50	<50	<50	<0.05
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF																						
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF																						
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20	<50	<50	<50	<0.05
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF																						
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF																						
D06.02	SX_IB_20220509_20_08_SS_Triplicate_ALS	<0.5	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50	<100	<100	<50	<0.05
D06.02	SX_IB_20220509_20_08_SS_Triplicate_ALS																						

	Phenols																					
	Methoxychlor	Toluene	Organochlorine pesticides EPAVic	Other organochlorine pesticides EPAVic	p-Chlorophenol	2,4-Dichlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,6-Dichlorophenol	4-chloro-3-methylphenol	Pentachlorophenol	2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4,6-Dinitro-2-methylphenol	Tetrachlorophenols	2,3,5,6-Tetrachlorophenol	Cresol Total	4,6-Dinitro-o-cyclohexyl phenol	Phenols (halogenated) EPAVic	Phenols (non-halogenated) EPAVic	2,4-Dimethylphenol	2-Methylphenol	2-Nitrophenol
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
EQL	0.05	0.5	0.1	0.03	0.5	0.5	1	1	0.5	1	1	0.05	5	10	0.03	0.5	20	1	20	0.5	0.2	1
EPA PFAS Classification - Tunnel Zone - 2019/404 (SO 9038429) Thru																						
EPA PFAS Classification - Tunnel Zone - 2019/405 (SO 9038560) Thru																						
EPA PFAS Classification - Tunnel Zone - 2019/406 (SO 9038561) Thru																						
EPA PFAS Classification - Tunnel Zone - No option for disposal thru																						
EPA Victoria IWRG621 Category B Leached Upper Limits				50														320	2,200			
EPA Victoria IWRG621 Category B Upper Limits																						
EPA Victoria IWRG621 Category C Leached Upper Limits				10														10	560			
EPA Victoria IWRG621 Category C Upper Limits																						
EPA Victoria IWRG621 Fill Upper Limits			1															1	60			

Location Code	Field ID	Methoxychlor	Toluene	Organochlorine pesticides EPAVic	Other organochlorine pesticides EPAVic	p-Chlorophenol	2,4-Dichlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,6-Dichlorophenol	4-chloro-3-methylphenol	Pentachlorophenol	2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4,6-Dinitro-2-methylphenol	Tetrachlorophenols	2,3,5,6-Tetrachlorophenol	Cresol Total	4,6-Dinitro-o-cyclohexyl phenol	Phenols (halogenated) EPAVic	Phenols (non-halogenated) EPAVic	2,4-Dimethylphenol	2-Methylphenol	2-Nitrophenol	
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1	<5	<10			<0.5	<20			<0.5	<0.2	<1	
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																							
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																							
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1	<5	<10			<0.5	<20			<0.5	<0.2	<1	
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF																							
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF																							
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03		<20	<1.00	<20	<1	<1	<1	
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS																							
D06.02	SX_IB_20220508_19_39_SS_Primary_ALS	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03		<20	<1.00	<20	<1	<1	<1	
D06.02	SX_IB_20220508_19_39_SS_Primary_ALS																							
D06.02	SX_IB_20220508_19_44_SS_Primary_EUF	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1	<5	<10			<0.5	<20			<0.5	<0.2	<1	
D06.02	SX_IB_20220508_19_44_SS_Primary_EUF																							
D06.02	SX_IB_20220508_19_44_SS_Primary_EUF																							
D06.02	SX_IB_20220509_00_07_SS_Primary_ALS	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03		<20	<1.00	<20	<1	<1	<1	
D06.02	SX_IB_20220509_00_07_SS_Primary_ALS																							
D06.02	SX_IB_20220509_00_15_SS_Primary_EUF	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1	<5	<10			<0.5	<20			<0.5	<0.2	<1	
D06.02	SX_IB_20220509_00_15_SS_Primary_EUF																							
D06.02	SX_IB_20220509_00_15_SS_Primary_EUF																							
D06.02	SX_IB_20220509_03_58_SS_Primary_EUF	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1	<5	<10			<0.5	<20			<0.5	<0.2	<1	
D06.02	SX_IB_20220509_03_58_SS_Primary_EUF																							
D06.02	SX_IB_20220509_03_58_SS_Primary_EUF																							
D06.02	SX_IB_20220509_04_04_SS_Primary_ALS	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03		<20	<1.00	<20	<1	<1	<1	
D06.02	SX_IB_20220509_04_04_SS_Primary_ALS																							
D06.02	SX_IB_20220509_07_57_SS_Primary_EUF	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1	<5	<10			<0.5	<20			<0.5	<0.2	<1	
D06.02	SX_IB_20220509_07_57_SS_Primary_EUF																							
D06.02	SX_IB_20220509_07_57_SS_Primary_EUF																							
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03		<20	<1.00	<20	<1	<1	<1	
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS																							
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03		<20	<1.00	<20	<1	<1	<1	
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS																							
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1	<5	<10			<0.5	<20			<0.5	<0.2	<1	
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF																							
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF																							
D06.02	SX_IB_20220509_12_04_SS_Primary_EUF	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1	<5	<10			<0.5	<20			<0.5	<0.2	<1	
D06.02	SX_IB_20220509_12_04_SS_Primary_EUF																							
D06.02	SX_IB_20220509_12_04_SS_Primary_EUF																							
D06.02	SX_IB_20220509_12_20_SS_Primary_ALS	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03		<20	<1.00	<20	<1	<1	<1	
D06.02	SX_IB_20220509_12_20_SS_Primary_ALS																							
D06.02	SX_IB_20220509_15_52_SS_Primary_ALS	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03		<20	<1.00	<20	<1	<1	<1	
D06.02	SX_IB_20220509_15_52_SS_Primary_ALS																							
D06.02	SX_IB_20220509_16_00_SS_Primary_EUF	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1	<5	<10			<0.5	<20			<0.5	<0.2	<1	
D06.02	SX_IB_20220509_16_00_SS_Primary_EUF																							
D06.02	SX_IB_20220509_16_00_SS_Primary_EUF																							
D06.02	SX_IB_20220509_20_01_SS_Primary_ALS	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03		<20	<1.00	<20	<1	<1	<1	
D06.02	SX_IB_20220509_20_01_SS_Primary_ALS																							
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1	<5	<10			<0.5	<20			<0.5	<0.2	<1	
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF																							
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF																							
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1	<5	<10			<0.5	<20			<0.5	<0.2	<1	
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF																							
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF																							
D06.02	SX_IB_20220509_20_08_SS_Triplicate_ALS	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03		<20	<1.00	<20	<1	<1	<1	
D06.02	SX_IB_20220509_20_08_SS_Triplicate_ALS																							

EQL	Chlorinated Hydrocarbons																	NA				
	cis-1,3-dichloropropene	Dibromomethane	Dichloromethane	Hexachlorobutadiene	Other chlorinated hydrocarbons EPAVIC	Trichloroethene	Chlorinated hydrocarbons EPAVIC	cis-1,2-dichloroethene	1,1,2-trichloroethane	trans-1,3-dichloropropene	Vinyl chloride	Bromoform	Carbon tetrachloride	Chlorodibromomethane	Chloroethane	trans-1,2-dichloroethene	Tetrachloroethene	Sum of WA DWER PFAS (n=10)*	Moisture Content	Arochlor 1232	Arochlor 1242	
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	UG/KG	µg/L	%	mg/kg	mg/kg
EPA PFAS Classification - Tunnel Zone - 2019/404 (SO 9038429) Thr	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.05	1	0.1	0.1	
EPA PFAS Classification - Tunnel Zone - 2019/405 (SO 9038560) Thr																						
EPA PFAS Classification - Tunnel Zone - 2019/406 (SO 9038561) Thr																						
EPA PFAS Classification - Tunnel Zone - No option for disposal thre																						
EPA Victoria IWRG621 Category B Leached Upper Limits				11	50						4.8											
EPA Victoria IWRG621 Category B Upper Limits																						
EPA Victoria IWRG621 Category C Leached Upper Limits																						
EPA Victoria IWRG621 Category C Upper Limits				2.8	10						1.2											
EPA Victoria IWRG621 Fill Upper Limits							1															

Location Code	Field ID	cis-1,3-dichloropropene	Dibromomethane	Dichloromethane	Hexachlorobutadiene	Other chlorinated hydrocarbons EPAVIC	Trichloroethene	Chlorinated hydrocarbons EPAVIC	cis-1,2-dichloroethene	1,1,2-trichloroethane	trans-1,3-dichloropropene	Vinyl chloride	Bromoform	Carbon tetrachloride	Chlorodibromomethane	Chloroethane	trans-1,2-dichloroethene	Tetrachloroethene	Sum of WA DWER PFAS (n=10)*	Moisture Content	Arochlor 1232	Arochlor 1242
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10		<0.1	<0.1
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																		<0.05			
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																		<0.05			
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10		<0.1	<0.1
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF																		<0.05			
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF																		<0.05			
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS			<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<10.0	<0.05	26.5	
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS																		<0.05			
D06.02	SX_IB_20220508_19_39_SS_Primary_ALS			<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<10.0	<0.05	26.9	
D06.02	SX_IB_20220508_19_39_SS_Primary_ALS																		<0.05			
D06.02	SX_IB_20220508_19_44_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10		<0.1	<0.1
D06.02	SX_IB_20220508_19_44_SS_Primary_EUF																		<0.05			
D06.02	SX_IB_20220508_19_44_SS_Primary_EUF																		<0.05			
D06.02	SX_IB_20220509_00_07_SS_Primary_ALS			<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<10.0	<0.05	27.0	
D06.02	SX_IB_20220509_00_07_SS_Primary_ALS																		<0.05			
D06.02	SX_IB_20220509_00_15_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10		<0.1	<0.1
D06.02	SX_IB_20220509_00_15_SS_Primary_EUF																		<0.05			
D06.02	SX_IB_20220509_00_15_SS_Primary_EUF																		<0.05			
D06.02	SX_IB_20220509_03_58_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10		<0.1	<0.1
D06.02	SX_IB_20220509_03_58_SS_Primary_EUF																		<0.05			
D06.02	SX_IB_20220509_03_58_SS_Primary_EUF																		<0.05			
D06.02	SX_IB_20220509_04_04_SS_Primary_ALS			<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<10.0	<0.05	26.0	
D06.02	SX_IB_20220509_04_04_SS_Primary_ALS																		<0.05			
D06.02	SX_IB_20220509_07_57_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10		<0.1	<0.1
D06.02	SX_IB_20220509_07_57_SS_Primary_EUF																		<0.05			
D06.02	SX_IB_20220509_07_57_SS_Primary_EUF																		<0.05			
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS			<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<10.0	<0.05	26.6	
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS																		<0.05			
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS			<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<10.0	<0.05	28.4	
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS																		<0.05			
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10		<0.1	<0.1
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF																		<0.05			
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF																		<0.05			
D06.02	SX_IB_20220509_12_04_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10		<0.1	<0.1
D06.02	SX_IB_20220509_12_04_SS_Primary_EUF																		<0.05			
D06.02	SX_IB_20220509_12_04_SS_Primary_EUF																		<0.05			
D06.02	SX_IB_20220509_12_20_SS_Primary_ALS			<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<10.0	<0.05	26.1	
D06.02	SX_IB_20220509_12_20_SS_Primary_ALS																		<0.05			
D06.02	SX_IB_20220509_15_52_SS_Primary_ALS			<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<10.0	<0.05	29.0	
D06.02	SX_IB_20220509_15_52_SS_Primary_ALS																		<0.05			
D06.02	SX_IB_20220509_16_00_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10		<0.1	<0.1
D06.02	SX_IB_20220509_16_00_SS_Primary_EUF																		<0.05			
D06.02	SX_IB_20220509_16_00_SS_Primary_EUF																		<0.05			
D06.02	SX_IB_20220509_20_01_SS_Primary_ALS			<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<10.0	<0.05	24.4	
D06.02	SX_IB_20220509_20_01_SS_Primary_ALS																		<0.05			
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10		<0.1	<0.1
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF																		<0.05			
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF																		<0.05			
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10		<0.1	<0.1
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF																		<0.05			
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF																		<0.05			
D06.02	SX_IB_20220509_20_08_SS_Triplicate_ALS			<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<10.0	<0.05	25.9	
D06.02	SX_IB_20220509_20_08_SS_Triplicate_ALS																		<0.05			

	PCBs						Inorganics							Halogenated Benzenes								
	Arochlor 1248	Arochlor 1254	Arochlor 1221	Arochlor 1260	Arochlor 1016	PCBs (Sum of total)	pH (after HCL)	pH (Final)	pH (Initial)	pH of Leaching Fluid	pH (aqueous extract)	Fluoride	Moisture Content (dried @ 103°C)	Cyanide Total	1,2,4-trichlorobenzene	1,2-dichlorobenzene	1,3-dichlorobenzene	1,4-dichlorobenzene	Bromobenzene	4-chlorotoluene	Chlorobenzene	Iodomethane
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	-	-	-	-	mg/kg	%	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
EQL	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	100	1	5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
EPA PFAS Classification - Tunnel Zone - 2019/404 (SO 9038429) Th																						
EPA PFAS Classification - Tunnel Zone - 2019/405 (SO 9038560) Th																						
EPA PFAS Classification - Tunnel Zone - 2019/406 (SO 9038561) Th																						
EPA PFAS Classification - Tunnel Zone - No option for disposal thre																						
EPA Victoria IWRG621 Category B Leached Upper Limits																						
EPA Victoria IWRG621 Category B Upper Limits											40,000		10,000									
EPA Victoria IWRG621 Category C Leached Upper Limits																						
EPA Victoria IWRG621 Category C Upper Limits											10,000		2,500									
EPA Victoria IWRG621 Fill Upper Limits						2					450		50									

Location Code	Field ID	Arochlor 1248	Arochlor 1254	Arochlor 1221	Arochlor 1260	Arochlor 1016	PCBs (Sum of total)	pH (after HCL)	pH (Final)	pH (Initial)	pH of Leaching Fluid	pH (aqueous extract)	Fluoride	Moisture Content (dried @ 103°C)	Cyanide Total	1,2,4-trichlorobenzene	1,2-dichlorobenzene	1,3-dichlorobenzene	1,4-dichlorobenzene	Bromobenzene	4-chlorotoluene	Chlorobenzene	Iodomethane
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1					8.3	<100	26	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF								5.1		5.1												
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF								8.6		6.1												
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1					8.8	<100	27	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF								5.1		5.1												
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF								8.7		6.1												
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS						<0.1	11.3	5.1	9.2	5.0		120		<5	<0.50	<0.50		<0.50			<0.50	
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS								9.6														
D06.02	SX_IB_20220508_19_39_SS_Primary_ALS						<0.1	1.4	5.1	9.3	5.0		120		<5	<0.50	<0.50		<0.50			<0.50	
D06.02	SX_IB_20220508_19_39_SS_Primary_ALS								9.5														
D06.02	SX_IB_20220508_19_44_SS_Primary_EUF	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1					8.8	<100	26	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
D06.02	SX_IB_20220508_19_44_SS_Primary_EUF								5.1		5.1												
D06.02	SX_IB_20220508_19_44_SS_Primary_EUF								8.6		6.1												
D06.02	SX_IB_20220509_00_07_SS_Primary_ALS						<0.1	1.4	5.1	9.4	5.0		<100		<5	<0.50	<0.50		<0.50			<0.50	
D06.02	SX_IB_20220509_00_07_SS_Primary_ALS								9.3														
D06.02	SX_IB_20220509_00_15_SS_Primary_EUF	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1					8.7	<100	27	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
D06.02	SX_IB_20220509_00_15_SS_Primary_EUF								5.1		5.1												
D06.02	SX_IB_20220509_00_15_SS_Primary_EUF								8.6		6.1												
D06.02	SX_IB_20220509_03_58_SS_Primary_EUF	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1					8.7	<100	26	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
D06.02	SX_IB_20220509_03_58_SS_Primary_EUF								5.1		5.1												
D06.02	SX_IB_20220509_03_58_SS_Primary_EUF								8.5		6.1												
D06.02	SX_IB_20220509_04_04_SS_Primary_ALS						<0.1	1.4	5.1	9.3	5.0		160		<5	<0.50	<0.50		<0.50			<0.50	
D06.02	SX_IB_20220509_04_04_SS_Primary_ALS								9.3														
D06.02	SX_IB_20220509_07_57_SS_Primary_EUF	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1					7.3	230	24	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
D06.02	SX_IB_20220509_07_57_SS_Primary_EUF								5.1		5.1												
D06.02	SX_IB_20220509_07_57_SS_Primary_EUF								7.6		6.9												
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS						<0.1	1.5	5.1	9.3	5		190		<5	<0.50	<0.50		<0.50			<0.50	
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS								9.5														
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS						<0.1	1.5	5.1	9.2	5		250		<5	<0.50	<0.50		<0.50			<0.50	
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS								9.5														
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1					8.3	240	26	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF								5.0		5.1												
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF								8.4		6.9												
D06.02	SX_IB_20220509_12_04_SS_Primary_EUF	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1					8.3	340	26	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
D06.02	SX_IB_20220509_12_04_SS_Primary_EUF								5.0		5.1												
D06.02	SX_IB_20220509_12_04_SS_Primary_EUF								8.5		6.9												
D06.02	SX_IB_20220509_12_20_SS_Primary_ALS						<0.1	1.4	5.1	9.2	5		190		<5	<0.50	<0.50		<0.50			<0.50	
D06.02	SX_IB_20220509_12_20_SS_Primary_ALS								9.6														
D06.02	SX_IB_20220509_15_52_SS_Primary_ALS						<0.1	1.4	5.1	9.2	5		170		<5	<0.50	<0.50		<0.50			<0.50	
D06.02	SX_IB_20220509_15_52_SS_Primary_ALS								9.5														
D06.02	SX_IB_20220509_16_00_SS_Primary_EUF	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1					7.1	220	26	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
D06.02	SX_IB_20220509_16_00_SS_Primary_EUF								5.0		5.1												
D06.02	SX_IB_20220509_16_00_SS_Primary_EUF								8.8		6.9												
D06.02	SX_IB_20220509_20_01_SS_Primary_ALS						<0.1	1.5	5.1	9.2	5		220		<5	<0.50	<0.50		<0.50			<0.50	
D06.02	SX_IB_20220509_20_01_SS_Primary_ALS								9.6														
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1					6.8	340	26	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF								5.2		5.1												
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF								8.7		6.9												
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1					8.6	370	25	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF								5.2		5.1												
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF								8.8		6.9												
D06.02	SX_IB_20220509_20_08_SS_Triplicate_ALS																						

	Halogenated Hydrocarbons				MAH						Solvents					SPOCAS
	Bromomethane	1,2-dibromoethane	Dichlorodifluoromethane	Trichlorofluoromethane	Total MAH	Monocyclic aromatic hydrocarbons EPA/Vic	1,3,5-trimethylbenzene	Styrene	Isopropylbenzene	1,2,4-trimethylbenzene	4-Methyl-2-pentanone	Acetone	Allyl chloride	Carbon disulfide	Methyl Ethyl Ketone	pH (CaCl2)
EQL	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.1
EPA PFAS Classification - Tunnel Zone - 2019/404 (SO 9038429) Thr																
EPA PFAS Classification - Tunnel Zone - 2019/405 (SO 9038560) Thr																
EPA PFAS Classification - Tunnel Zone - 2019/406 (SO 9038561) Thr																
EPA PFAS Classification - Tunnel Zone - No option for disposal thre																
EPA Victoria IWRG621 Category B Leached Upper Limits																
EPA Victoria IWRG621 Category B Upper Limits						240										
EPA Victoria IWRG621 Category C Leached Upper Limits																
EPA Victoria IWRG621 Category C Upper Limits						70										
EPA Victoria IWRG621 Fill Upper Limits						7										

Location Code	Field ID	Bromomethane	1,2-dibromoethane	Dichlorodifluoromethane	Trichlorofluoromethane	Total MAH	Monocyclic aromatic hydrocarbons EPA/Vic	1,3,5-trimethylbenzene	Styrene	Isopropylbenzene	1,2,4-trimethylbenzene	4-Methyl-2-pentanone	Acetone	Allyl chloride	Carbon disulfide	Methyl Ethyl Ketone	pH (CaCl2)	
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																	
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																	
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF																	
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF																	
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS						<0.5	<0.5										7.7
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS																	
D06.02	SX_IB_20220508_19_39_SS_Primary_ALS						<0.5	<0.5										7.7
D06.02	SX_IB_20220508_19_39_SS_Primary_ALS																	
D06.02	SX_IB_20220508_19_44_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		
D06.02	SX_IB_20220508_19_44_SS_Primary_EUF																	
D06.02	SX_IB_20220508_19_44_SS_Primary_EUF																	
D06.02	SX_IB_20220509_00_07_SS_Primary_ALS						<0.5	<0.5										7.7
D06.02	SX_IB_20220509_00_07_SS_Primary_ALS																	
D06.02	SX_IB_20220509_00_15_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		
D06.02	SX_IB_20220509_00_15_SS_Primary_EUF																	
D06.02	SX_IB_20220509_00_15_SS_Primary_EUF																	
D06.02	SX_IB_20220509_03_58_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		
D06.02	SX_IB_20220509_03_58_SS_Primary_EUF																	
D06.02	SX_IB_20220509_03_58_SS_Primary_EUF																	
D06.02	SX_IB_20220509_04_04_SS_Primary_ALS						<0.5	<0.5										7.7
D06.02	SX_IB_20220509_04_04_SS_Primary_ALS																	
D06.02	SX_IB_20220509_07_57_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		
D06.02	SX_IB_20220509_07_57_SS_Primary_EUF																	
D06.02	SX_IB_20220509_07_57_SS_Primary_EUF																	
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS						<0.5	<0.5										7.7
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS																	
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS						<0.5	<0.5										7.8
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS																	
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF																	
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF																	
D06.02	SX_IB_20220509_12_04_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		
D06.02	SX_IB_20220509_12_04_SS_Primary_EUF																	
D06.02	SX_IB_20220509_12_04_SS_Primary_EUF																	
D06.02	SX_IB_20220509_12_20_SS_Primary_ALS						<0.5	<0.5										7.7
D06.02	SX_IB_20220509_12_20_SS_Primary_ALS																	
D06.02	SX_IB_20220509_15_52_SS_Primary_ALS						<0.5	<0.5										7.8
D06.02	SX_IB_20220509_15_52_SS_Primary_ALS																	
D06.02	SX_IB_20220509_16_00_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		
D06.02	SX_IB_20220509_16_00_SS_Primary_EUF																	
D06.02	SX_IB_20220509_16_00_SS_Primary_EUF																	
D06.02	SX_IB_20220509_20_01_SS_Primary_ALS						<0.5	<0.5										7.8
D06.02	SX_IB_20220509_20_01_SS_Primary_ALS																	
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF																	
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF																	
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF																	
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF																	
D06.02	SX_IB_20220509_20_08_SS_Triplicate_ALS						<0.5	<0.5										7.8
D06.02	SX_IB_20220509_20_08_SS_Triplicate_ALS																	

							Metals									
							Arsenic	Cadmium	Copper	Chromium (III+VI)	Chromium (hexavalent)	Lead	Mercury	Molybdenum	Nickel	Selenium
							mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
EQL							2	0.4	5	5	1	5	0.1	5	5	2
Location Code	Field ID	Date	Lab Report Number	Lab Name	Sample Type	Parent Sample										
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF	7/05/2022	886480	MGT	Normal		22	<0.4	56	90	<1	<5	<0.1	<5	150	<2
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF	7/05/2022	886480	MGT	Field_D	M22-My0018753	29	<0.4	61	120	<1	<5	<0.1	<5	170	<2
RPD							27	0	9	29	0	0	0	0	12	0
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF	7/05/2022	886480	MGT	Normal		22	<0.4	56	90	<1	<5	<0.1	<5	150	<2
B01.02	SX_OB_20220507_16_20_SS_Triplicate_ALS	7/05/2022	EM2208379	ALSE-Melbourne	Interlab_D	M22-My0018753	16	<1	44	75	<1.0	<5	<0.1	<5	123	<5
RPD							32	0	24	18	0	0	0	0	20	0
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF	7/05/2022	886480	MGT	Normal											
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF	7/05/2022	886480	MGT	Field_D	M22-My0018778										
RPD																
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF	7/05/2022	886480	MGT	Normal											
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF	7/05/2022	886480	MGT	Field_D	M22-My0018801										
RPD																
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF	7/05/2022	886480	MGT	Normal											
B01.02	SX_OB_20220507_16_20_SS_Triplicate_ALS	7/05/2022	EM2208379	ALSE-Melbourne	Interlab_D	M22-My0018801										
RPD																
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF	7/05/2022	886480	MGT	Normal		24	<0.4	59	100	<1	<5	<0.1	<5	160	<2
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF	7/05/2022	886480	MGT	Field_D	M22-My0018756	27	<0.4	62	120	<1	<5	<0.1	<5	170	<2
RPD							12	0	5	18	0	0	0	0	6	0
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF	7/05/2022	886480	MGT	Normal		24	<0.4	59	100	<1	<5	<0.1	<5	160	<2
B01.02	SX_OB_20220507_20_23_SS_Triplicate_ALS	7/05/2022	EM2208379	ALSE-Melbourne	Interlab_D	M22-My0018756	26	<1	60	102	<1.0	<5	<0.1	<5	165	<5
RPD							8	0	2	2	0	0	0	0	3	0
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF	7/05/2022	886480	MGT	Normal											
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF	7/05/2022	886480	MGT	Field_D	M22-My0018781										
RPD																
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF	7/05/2022	886480	MGT	Normal											
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF	7/05/2022	886480	MGT	Field_D	M22-My0018804										
RPD																
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF	7/05/2022	886480	MGT	Normal											
B01.02	SX_OB_20220507_20_23_SS_Triplicate_ALS	7/05/2022	EM2208379	ALSE-Melbourne	Interlab_D	M22-My0018804										
RPD																
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS	7/05/2022	EM2208379	ALSE-Melbourne	Normal		18	<1	63	163	<1.0	<5	<0.1	<5	204	<5
B01.02	SX_OB_20220507_08_17_SS_Duplicate_ALS	7/05/2022	EM2208379	ALSE-Melbourne	Field_D	EM2208379002	20	<1	65	141	<1.0	<5	<0.1	<5	212	<5
RPD							11	0	3	14	0	0	0	0	4	0
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS	7/05/2022	EM2208379	ALSE-Melbourne	Normal		18	<1	63	163	<1.0	<5	<0.1	<5	204	<5
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF	7/05/2022	886480	MGT	Interlab_D	EM2208379002	30	<0.4	81	170	<1	<5	<0.1	<5	270	<2
RPD							50	0	25	4	0	0	0	0	28	0
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS	7/05/2022	EM2208379	ALSE-Melbourne	Normal		18	<1	63	163	<1.0	<5	<0.1	<5	204	<5
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF	7/05/2022	886480	MGT	Interlab_D	EM2208379002										
RPD																
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS	7/05/2022	EM2208379	ALSE-Melbourne	Normal											
B01.02	SX_OB_20220507_08_17_SS_Duplicate_ALS	7/05/2022	EM2208379	ALSE-Melbourne	Field_D	EM2208379025										
RPD																
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS	7/05/2022	EM2208379	ALSE-Melbourne	Normal											
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF	7/05/2022	886480	MGT	Interlab_D	EM2208379025										
RPD																
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF	8/05/2022	886480	MGT	Normal		52	<0.4	70	120	<1	<5	<0.1	<5	210	<2
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF	8/05/2022	886480	MGT	Field_D	M22-My0018764	38	<0.4	59	120	<1	<5	<0.1	<5	190	<2
RPD							31	0	17	0	0	0	0	0	10	0
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF	8/05/2022	886480	MGT	Normal		52	<0.4	70	120	<1	<5	<0.1	<5	210	<2
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS	8/05/2022	EM2208379	ALSE-Melbourne	Interlab_D	M22-My0018764	26	<1	55	114	<1.0	<5	<0.1	<5	161	<5
RPD							67	0	24	5	0	0	0	0	26	0
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF	8/05/2022	886480	MGT	Normal											
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF	8/05/2022	886480	MGT	Field_D	M22-My0018789										
RPD																
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF	8/05/2022	886480	MGT	Normal											
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF	8/05/2022	886480	MGT	Field_D	M22-My0018812										
RPD																
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF	8/05/2022	886480	MGT	Normal											
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS	8/05/2022	EM2208379	ALSE-Melbourne	Interlab_D	M22-My0018812										
RPD																
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF	8/05/2022	886480	MGT	Normal		30	<0.4	77	150	<1	<5	<0.1	<5	290	<2
D08.02	SX_OB_20220508_19_50_SS_Duplicate_EUF	8/05/2022	886480	MGT	Field_D	M22-My0018769	48	<0.4	110	200	<1	<5	<0.1	<5	310	<2

						Metals										
						Arsenic	Cadmium	Copper	Chromium (III+VI)	Chromium (hexavalent)	Lead	Mercury	Molybdenum	Nickel	Selenium	
						mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	
RPD						46	0	35	29	0	0	0	0	7	0	
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF	8/05/2022	886480	MGT	Normal	30	<0.4	77	150	<1	<5	<0.1	<5	290	<2	
D08.02	SX_OB_20220508_19_51_SS_Triplicate_ALS	8/05/2022	EM2208379	ALSE-Melbourne	Interlab_D	M22-My0018769	17	<1	62	98	<1.0	<5	<0.1	<5	160	<5
RPD						55	0	22	42	0	0	0	0	58	0	
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF	8/05/2022	886480	MGT	Normal											
D08.02	SX_OB_20220508_19_50_SS_Duplicate_EUF	8/05/2022	886480	MGT	Field_D	M22-My0018792										
RPD																
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF	8/05/2022	886480	MGT	Normal											
D08.02	SX_OB_20220508_19_50_SS_Duplicate_EUF	8/05/2022	886480	MGT	Field_D	M22-My0018815										
RPD																
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF	8/05/2022	886480	MGT	Normal											
D08.02	SX_OB_20220508_19_51_SS_Triplicate_ALS	8/05/2022	EM2208379	ALSE-Melbourne	Interlab_D	M22-My0018815										
RPD																
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS	8/05/2022	EM2208379	ALSE-Melbourne	Normal	19	<1	70	144	<1.0	<5	<0.1	<5	224	<5	
B01.02	SX_OB_20220508_07_45_SS_Duplicate_ALS	8/05/2022	EM2208379	ALSE-Melbourne	Field_D	EM2208379012	20	<1	70	135	<1.0	<5	<0.1	<5	220	<5
RPD							5	0	0	6	0	0	0	2	0	
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS	8/05/2022	EM2208379	ALSE-Melbourne	Normal	19	<1	70	144	<1.0	<5	<0.1	<5	224	<5	
C02.02	SX_OB_20220506_07_59_SS_Duplicate_ALS	6/05/2022	EM2208326	ALSE-Melbourne	Field_D	EM2208379012	22	<1	78	138	<1.0	<5	<0.1	<5	230	<5
RPD							15	0	11	4	0	0	0	3	0	
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS	8/05/2022	EM2208379	ALSE-Melbourne	Normal	19	<1	70	144	<1.0	<5	<0.1	<5	224	<5	
B01.02	SX_OB_20220508_07_46_SS_Triplicate_EUF	8/05/2022	886480	MGT	Interlab_D	EM2208379012	35	<0.4	120	190	<1	<5	<0.1	<5	350	2.1
RPD							59	0	53	28	0	0	0	44	0	
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS	8/05/2022	EM2208379	ALSE-Melbourne	Normal	19	<1	70	144	<1.0	<5	<0.1	<5	224	<5	
B01.02	SX_OB_20220508_07_46_SS_Triplicate_EUF	8/05/2022	886480	MGT	Interlab_D	EM2208379012										
RPD																
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS	8/05/2022	EM2208379	ALSE-Melbourne	Normal	19	<1	70	144	<1.0	<5	<0.1	<5	224	<5	
C02.02	SX_OB_20220506_08_00_SS_Triplicate_EUF	6/05/2022	886296	MGT	Interlab_D	EM2208379012	36	<0.4	110	210	<1	<5	<0.1	<5	330	2.3
RPD							62	0	44	37	0	0	0	38	0	
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS	8/05/2022	EM2208379	ALSE-Melbourne	Normal	19	<1	70	144	<1.0	<5	<0.1	<5	224	<5	
C02.02	SX_OB_20220506_08_00_SS_Triplicate_EUF	6/05/2022	886296	MGT	Interlab_D	EM2208379012										
RPD																
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS	8/05/2022	EM2208379	ALSE-Melbourne	Normal											
B01.02	SX_OB_20220508_07_45_SS_Duplicate_ALS	8/05/2022	EM2208379	ALSE-Melbourne	Field_D	EM2208379035										
RPD																
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS	8/05/2022	EM2208379	ALSE-Melbourne	Normal											
C02.02	SX_OB_20220506_07_59_SS_Duplicate_ALS	6/05/2022	EM2208326	ALSE-Melbourne	Field_D	EM2208379035										
RPD																
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS	8/05/2022	EM2208379	ALSE-Melbourne	Normal											
B01.02	SX_OB_20220508_07_46_SS_Triplicate_EUF	8/05/2022	886480	MGT	Interlab_D	EM2208379035										
RPD																
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS	8/05/2022	EM2208379	ALSE-Melbourne	Normal											
C02.02	SX_OB_20220506_08_00_SS_Triplicate_EUF	6/05/2022	886296	MGT	Interlab_D	EM2208379035										
RPD																
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF	9/05/2022	886969	MGT	Normal											
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF	9/05/2022	886969	MGT	Field_D	M22-My0022574	35	<0.4	70	130	<1	<5	<0.1	<5	230	<2
RPD							40	<0.4	90	150	<1	5.2	<0.1	<5	270	<2
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF	9/05/2022	886969	MGT	Normal		13	0	25	14	0	4	0	0	16	0
D06.02	SX_IB_20220509_20_08_SS_Triplicate_ALS	9/05/2022	EM2208523	ALSE-Melbourne	Interlab_D	M22-My0022574	35	<0.4	70	130	<1	<5	<0.1	<5	230	<2
RPD							27	<1	56	101	1.3	<5	<0.1	<5	169	<5
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF	9/05/2022	886969	MGT	Normal		26	0	22	25	26	0	0	0	31	0
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF	9/05/2022	886969	MGT	Field_D	M22-My0022585										
RPD																
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF	9/05/2022	886969	MGT	Normal											
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF	9/05/2022	886969	MGT	Field_D	M22-My0022596										
RPD																
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF	9/05/2022	886969	MGT	Normal											
D06.02	SX_IB_20220509_20_08_SS_Triplicate_ALS	9/05/2022	EM2208523	ALSE-Melbourne	Interlab_D	M22-My0022596										
RPD																
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF	9/05/2022	886969	MGT	Normal											
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF	9/05/2022	886969	MGT	Field_D	M22-My0022571	35	<0.4	88	200	<1	<5	<0.1	<5	340	<2
RPD							23	<0.4	73	150	<1	<5	<0.1	<5	210	<2
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF	9/05/2022	886969	MGT	Normal		41	0	19	29	0	0	0	0	47	0
D08.02	SX_OB_20220509_16_03_SS_Triplicate_ALS	9/05/2022	EM2208523	ALSE-Melbourne	Interlab_D	M22-My0022571	35	<0.4	88	200	<1	<5	<0.1	<5	340	<2
RPD							22	<1	68	98	<1.0	<5	<0.1	<5	183	<5
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF	9/05/2022	886969	MGT	Normal		46	0	26	68	0	0	0	0	60	0

							Metals									
							Arsenic	Cadmium	Copper	Chromium (III+VI)	Chromium (hexavalent)	Lead	Mercury	Molybdenum	Nickel	Selenium
							mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF	9/05/2022	886969	MGT	Field_D	M22-My0022582										
RPD																
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF	9/05/2022	886969	MGT	Normal											
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF	9/05/2022	886969	MGT	Field_D	M22-My0022593										
RPD																
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF	9/05/2022	886969	MGT	Normal											
D08.02	SX_OB_20220509_16_03_SS_Triplicate_ALS	9/05/2022	EM2208523	ALSE-Melbourne	Interlab_D	M22-My0022593										
RPD																
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	9/05/2022	EM2208523	ALSE-Melbourne	Normal		37	<1	64	104	1.8	<5	<0.1	<5	180	<5
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS	9/05/2022	EM2208523	ALSE-Melbourne	Field_D	EM2208523002	33	<1	58	103	1.9	<5	<0.1	<5	167	<5
RPD							11	0	10	1	5	0	0	0	7	0
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	9/05/2022	EM2208523	ALSE-Melbourne	Normal		37	<1	64	104	1.8	<5	<0.1	<5	180	<5
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF	9/05/2022	886969	MGT	Interlab_D	EM2208523002	36	<0.4	71	110	<1	<5	<0.1	<5	210	<2
RPD							3	0	10	6	57	0	0	0	15	0
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	9/05/2022	EM2208523	ALSE-Melbourne	Normal		37	<1	64	104	1.8	<5	<0.1	<5	180	<5
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF	9/05/2022	886969	MGT	Interlab_D	EM2208523002										
RPD																
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	9/05/2022	EM2208523	ALSE-Melbourne	Normal											
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS	9/05/2022	EM2208523	ALSE-Melbourne	Field_D	EM2208523012										
RPD																
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	9/05/2022	EM2208523	ALSE-Melbourne	Normal											
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF	9/05/2022	886969	MGT	Interlab_D	EM2208523012										
RPD																

*RPDs have only been considered where a concentration is greater than 1 times the EQL.

**Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multiplier range are: 81 (1 - 10 x EQL); 50 (10 - 30 x EQL); 30 (> 30 x EQL))

***Interlab Duplicates are matched on a per compound basis as methods vary between laboratories. Any methods in the row header relate to those used in the primary laboratory

				PAH																	
	Silver	tin	Zinc	PAHs (Vic EPA List)	Benzo(b+j+k)fluoranthene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene TEQ calc (Zero)	Benzo(a)pyrene TEQ (LOR)	Benzo(a)pyrene TEQ calc (Half)	Benzo(a)pyrene	Benzo(b+j)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	
EQL	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
Location Code	Field ID																				
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF	<2	<10	110		<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF	<2	<10	120		<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD		0	0	9		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF	<2	<10	110		<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
B01.02	SX_OB_20220507_16_20_SS_Triplicate_ALS	<2	<10	69	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD		0	0	46		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																				
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF																				
RPD																					
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																				
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF																				
RPD																					
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																				
B01.02	SX_OB_20220507_16_20_SS_Triplicate_ALS																				
RPD																					
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF	<2	<10	120		<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF	<2	<10	110		<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD		0	0	9		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF	<2	<10	120		<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
B01.02	SX_OB_20220507_20_23_SS_Triplicate_ALS	<2	<10	105	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD		0	0	13		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																				
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF																				
RPD																					
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																				
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF																				
RPD																					
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																				
B01.02	SX_OB_20220507_20_23_SS_Triplicate_ALS																				
RPD																					
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS	<2	<10	125	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
B01.02	SX_OB_20220507_08_17_SS_Duplicate_ALS	<2	<10	127	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD		0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS	<2	<10	125	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF	<2	<10	170		<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD		0	0	31		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS	<2	<10	125	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF																				
RPD																					
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																				
B01.02	SX_OB_20220507_08_17_SS_Duplicate_ALS																				
RPD																					
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																				
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF																				
RPD																					
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF	<2	<10	140		<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF	<2	<10	110		<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD		0	0	24		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF	<2	<10	140		<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS	<2	<10	84	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD		0	0	50		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																				
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF																				
RPD																					
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																				
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF																				
RPD																					
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF	<2	<10	160		<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
D08.02	SX_OB_20220508_19_50_SS_Duplicate_EUF	<2	<10	230		<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

		PAH																			
		Silver	tin	Zinc	PAHs (Vic EPA List)	Benzo(b+j)fluoranthene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene TEQ calc (Zero)	Benzo(a)pyrene TEQ (LOR)	Benzo(a)pyrene TEQ calc (Half)	Benzo(a)pyrene	Benzo(b+j)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Chrysene	DiBenzo(a,h)anthracene	Fluoranthene	Fluorene
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
RPD		0	0	36																	
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF	<2	<10	160																	
D08.02	SX_OB_20220508_19_51_SS_Triplicate_ALS	<2	<10	90	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD		0	0	56																	
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF																				
D08.02	SX_OB_20220508_19_50_SS_Duplicate_EUF																				
RPD																					
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF																				
D08.02	SX_OB_20220508_19_50_SS_Duplicate_EUF																				
RPD																					
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF																				
D08.02	SX_OB_20220508_19_51_SS_Triplicate_ALS																				
RPD																					
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS	<2	<10	133	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5
B01.02	SX_OB_20220508_07_45_SS_Duplicate_ALS	<2	<10	140	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5
RPD		0	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS	<2	<10	133	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5
C02.02	SX_OB_20220506_07_59_SS_Duplicate_ALS	<2	<10	151	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5
RPD		0	0	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS	<2	<10	133	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5
B01.02	SX_OB_20220508_07_46_SS_Triplicate_EUF	<2	<10	220											<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD		0	0	49																	
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS	<2	<10	133	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5
B01.02	SX_OB_20220508_07_46_SS_Triplicate_EUF																				
RPD																					
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS	<2	<10	133	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5
C02.02	SX_OB_20220506_08_00_SS_Triplicate_EUF	<2	<10	220											<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD		0	0	49																	
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS	<2	<10	133	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5
B01.02	SX_OB_20220508_07_46_SS_Triplicate_EUF																				
RPD																					
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS	<2	<10	133	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5
C02.02	SX_OB_20220506_08_00_SS_Triplicate_EUF	<2	<10	220											<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD		0	0	49																	
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS	<2	<10	133	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5
C02.02	SX_OB_20220506_08_00_SS_Triplicate_EUF																				
RPD																					
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS																				
B01.02	SX_OB_20220508_07_45_SS_Duplicate_ALS																				
RPD																					
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS																				
C02.02	SX_OB_20220506_07_59_SS_Duplicate_ALS																				
RPD																					
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS																				
B01.02	SX_OB_20220508_07_46_SS_Triplicate_EUF																				
RPD																					
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS																				
C02.02	SX_OB_20220506_08_00_SS_Triplicate_EUF																				
RPD																					
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF	<2	<10	130																	
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF	<2	<10	160																	
RPD		0	0	21																	
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF	<2	<10	130																	
D06.02	SX_IB_20220509_20_08_SS_Triplicate_ALS	<2	<10	95	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD		0	0	31																	
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF																				
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF																				
RPD																					
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF																				
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF																				
RPD																					
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF																				
D06.02	SX_IB_20220509_20_08_SS_Triplicate_ALS																				
RPD																					
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF	<2	<10	210																	
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF	<2	<10	140																	
RPD		0	0	40																	
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF	<2	<10	210																	
D08.02	SX_OB_20220509_16_03_SS_Triplicate_ALS	<2	<10	114	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD		0	0	59																	
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF																				

		PAH																				
		Silver	Tin	Zinc	PAHs (Vic EPA List)	Benzo(b+j+k)fluoranthene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene TEQ calc (Zero)	Benzo(a)pyrene TEQ (LOR)	Benzo(a)pyrene TEQ calc (Half)	Benzo(a) pyrene	Benzo(b+j)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF																					
RPD																						
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF																					
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF																					
RPD																						
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF																					
D08.02	SX_OB_20220509_16_03_SS_Triplicate_ALS																					
RPD																						
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	<2	<10	100	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5	
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS	<2	<10	90	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5	
RPD		0	0	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	<2	<10	100	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5	
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF	<2	<10	130			<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
RPD		0	0	26			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	<2	<10	100	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5	
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF																					
RPD																						
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS																					
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS																					
RPD																						
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS																					
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF																					
RPD																						

*RPDs have only been considered where a concentration is greater than 1 times the EQL.
 **Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multiplier range)
 ***Interlab Duplicates are matched on a per compound basis as methods vary between laboratories. Any r

		BTEX										TRH									
	Indeno(1,2,3-c,d)pyrene	Naphthalene	Phenanthrene	Pyrene	PAHs (Sum of total)	Benzene	Ethylbenzene	Toluene	Xylene (o)	Xylene (m & p)	Xylene Total	C6-C10	C6-C10 (F1 minus BTEX)	C10-C16	C10-C16 (F2 minus Naphthalene)	C16-C34	C34-C40	C10-C40 (sum of total)	C6-C9	C10-C14	
EQL	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	
	0.5	0.5	0.5	0.5	0.5	0.1	0.1	0.1	0.1	0.2	0.3	20	20	50	50	100	100	50	20	20	
Location Code	Field ID																				
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																				
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF																				
RPD																					
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																				
B01.02	SX_OB_20220507_16_20_SS_Triplicate_ALS																				
RPD																					
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																				
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF																				
RPD																					
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																				
B01.02	SX_OB_20220507_16_20_SS_Triplicate_ALS																				
RPD																					
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																				
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF																				
RPD																					
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																				
B01.02	SX_OB_20220507_20_23_SS_Triplicate_ALS																				
RPD																					
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																				
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF																				
RPD																					
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																				
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF																				
RPD																					
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																				
B01.02	SX_OB_20220507_20_23_SS_Triplicate_ALS																				
RPD																					
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																				
B01.02	SX_OB_20220507_08_17_SS_Duplicate_ALS																				
RPD																					
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																				
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF																				
RPD																					
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																				
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF																				
RPD																					
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																				
B01.02	SX_OB_20220507_08_17_SS_Duplicate_ALS																				
RPD																					
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																				
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF																				
RPD																					
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																				
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF																				
RPD																					
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																				
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS																				
RPD																					
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																				
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF																				
RPD																					
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																				
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS																				
RPD																					
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF																				
D08.02	SX_OB_20220508_19_50_SS_Duplicate_EUF																				

		BTEX										TRH									
		Indeno(1,2,3-c,d)pyrene	Naphthalene	Phenanthrene	Pyrene	PAHs (Sum of total)	Benzene	Ethylbenzene	Toluene	Xylene (o)	Xylene (m & p)	Xylene Total	C6-C10	C6-C10 (F1 minus BTEX)	C10-C16	C10-C16 (F2 minus Naphthalene)	C16-C34	C34-C40	C10-C40 (Sum of total)	C6-C9	C10-C14
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20
D08.02	SX_OB_20220508_19_51_SS_Triplicate_ALS	<0.5	<0.5	<0.5	<0.5	<0.5	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF																				
D08.02	SX_OB_20220508_19_50_SS_Duplicate_EUF																				
RPD																					
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF																				
D08.02	SX_OB_20220508_19_50_SS_Duplicate_EUF																				
RPD																					
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF																				
D08.02	SX_OB_20220508_19_51_SS_Triplicate_ALS																				
RPD																					
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS	<0.5	<0.5	<0.5	<0.5	<0.5	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50
B01.02	SX_OB_20220508_07_45_SS_Duplicate_ALS	<0.5	<0.5	<0.5	<0.5	<0.5	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS	<0.5	<0.5	<0.5	<0.5	<0.5	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50
C02.02	SX_OB_20220506_07_59_SS_Duplicate_ALS	<0.5	<0.5	<0.5	<0.5	<0.5	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS	<0.5	<0.5	<0.5	<0.5	<0.5	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50
B01.02	SX_OB_20220508_07_46_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS	<0.5	<0.5	<0.5	<0.5	<0.5	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50
B01.02	SX_OB_20220508_07_46_SS_Triplicate_EUF																				
RPD																					
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS	<0.5	<0.5	<0.5	<0.5	<0.5	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50
C02.02	SX_OB_20220506_08_00_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS	<0.5	<0.5	<0.5	<0.5	<0.5	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50
C02.02	SX_OB_20220506_08_00_SS_Triplicate_EUF																				
RPD																					
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS																				
B01.02	SX_OB_20220508_07_45_SS_Duplicate_ALS																				
RPD																					
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS																				
C02.02	SX_OB_20220506_07_59_SS_Duplicate_ALS																				
RPD																					
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS																				
B01.02	SX_OB_20220508_07_46_SS_Triplicate_EUF																				
RPD																					
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS																				
C02.02	SX_OB_20220506_08_00_SS_Triplicate_EUF																				
RPD																					
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20
D06.02	SX_IB_20220509_20_08_SS_Triplicate_ALS	<0.5	<0.5	<0.5	<0.5	<0.5	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF																				
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF																				
RPD																					
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF																				
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF																				
RPD																					
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF																				
D06.02	SX_IB_20220509_20_08_SS_Triplicate_ALS																				
RPD																					
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20
D08.02	SX_OB_20220509_16_03_SS_Triplicate_ALS	<0.5	<0.5	<0.5	<0.5	<0.5	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF																				

		BTEX										TRH									
		Indeno(1,2,3-c,d)pyrene	Naphthalene	Phenanthrene	Pyrene	PAHs (Sum of total)	Benzene	Ethylbenzene	Toluene	Xylene (o)	Xylene (m & p)	Xylene Total	C6-C10	C6-C10 (F1 minus BTEX)	C10-C16	C10-C16 (F2 minus Naphthalene)	C16-C34	C34-C40	C10-C40 (Sum of total)	C6-C9	C10-C14
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF																				
RPD																					
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF																				
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF																				
RPD																					
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF																				
D08.02	SX_OB_20220509_16_03_SS_Triplicate_ALS																				
RPD																					
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	<0.5	<0.5	<0.5	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS	<0.5	<0.5	<0.5	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50
RPD		0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	<0.5	<0.5	<0.5	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20
RPD		0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	<0.5	<0.5	<0.5	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF																				
RPD																					
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS																				
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS																				
RPD																					
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS																				
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF																				
RPD																					

*RPDs have only been considered where a concentration is greater than 1 times the EQL.
 **Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multiplier range)
 ***Interlab Duplicates are matched on a per compound basis as methods vary between laboratories. Any r

TPH				Organochlorine Pesticides																	
	C15-C28	C29-C36	+C10-C36 (Sum of total)	Aldrin	Dieldrin	Aldrin + Dieldrin	DDD	DDT	4,4-DDE	DDT+DDE+DDD	Endosulfan I	Endosulfan II	Endrin	Endrin ketone	Endrin aldehyde	Endosulfan sulphate	Chlordane	Chlordane (cis)	Chlordane (trans)	Hexachlorobenzene	
EQL	50	50	50	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.1	0.03	0.03	0.05	
Location Code	Field ID																				
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																				
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF																				
RPD																					
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																				
B01.02	SX_OB_20220507_16_20_SS_Triplicate_ALS																				
RPD																					
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																				
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF																				
RPD																					
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																				
B01.02	SX_OB_20220507_16_20_SS_Triplicate_ALS																				
RPD																					
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																				
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF																				
RPD																					
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																				
B01.02	SX_OB_20220507_20_23_SS_Triplicate_ALS																				
RPD																					
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																				
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF																				
RPD																					
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																				
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF																				
RPD																					
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																				
B01.02	SX_OB_20220507_20_23_SS_Triplicate_ALS																				
RPD																					
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																				
B01.02	SX_OB_20220507_08_17_SS_Duplicate_ALS																				
RPD																					
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																				
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF																				
RPD																					
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																				
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF																				
RPD																					
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																				
B01.02	SX_OB_20220507_08_17_SS_Duplicate_ALS																				
RPD																					
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																				
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF																				
RPD																					
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																				
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF																				
RPD																					
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																				
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS																				
RPD																					
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																				
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF																				
RPD																					
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																				
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS																				
RPD																					
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF																				
D08.02	SX_OB_20220508_19_50_SS_Duplicate_EUF																				

TPH		Organochlorine Pesticides																			
	C15-C28	C29-C36	+C10-C36 (Sum of total)	Aldrin	Dieldrin	Aldrin + Dieldrin	DDD	DDT	4,4-DDE	DDT+DDE+DDD	Endosulfan I	Endosulfan II	Endrin	Endrin ketone	Endrin aldehyde	Endosulfan sulphate	Chlordane	Chlordane (cis)	Chlordane (trans)	Hexachlorobenzene	
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF																				
RPD																					
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF																				
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF																				
RPD																					
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF																				
D08.02	SX_OB_20220509_16_03_SS_Triplicate_ALS																				
RPD																					
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	<100	<100	<50	<0.05	<0.05	<0.30	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.10	<0.03	<0.03	<0.05	
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS	<100	<100	<50	<0.05	<0.05	<0.30	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.10	<0.03	<0.03	<0.05	
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	<100	<100	<50	<0.05	<0.05	<0.30	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.10	<0.03	<0.03	<0.05	
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF	<50	<50	<50	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1			<0.05	
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			0	
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	<100	<100	<50	<0.05	<0.05	<0.30	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.10	<0.03	<0.03	<0.05	
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF																				
RPD																					
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS																				
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS																				
RPD																					
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS																				
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF																				
RPD																					

*RPDs have only been considered where a concentration is greater than 1 times the EQL.
 **Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multiplier range)
 ***Interlab Duplicates are matched on a per compound basis as methods vary between laboratories. Any r

		Heptachlor	Heptachlor epoxide	p-BHC	p-BHC	p-BHC	g-BHC (Lindane)	Methoxychlor	Toxaphene	Organochlorine pesticides EPA/Vic	Other organochlorine pesticides EPA/Vic	p-Chlorophenol	2,4-Dichlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,6-Dichlorophenol	4-chloro-3-methylphenol	Pentachlorophenol	2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4,6-Dinitro-2-methylphenol	Tetrachlorophenols	
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	
EQL		0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.5	0.1	0.03	0.5	0.5	1	1	0.5	1	1	0.05	5	10	
Location Code	Field ID																					
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10	
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10	
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10	
B01.02	SX_OB_20220507_16_20_SS_Triplicate_ALS	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.5	<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																					
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF																					
RPD																						
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																					
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF																					
RPD																						
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																					
B01.02	SX_OB_20220507_16_20_SS_Triplicate_ALS																					
RPD																						
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10	
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10	
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10	
B01.02	SX_OB_20220507_20_23_SS_Triplicate_ALS	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.5	<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																					
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF																					
RPD																						
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																					
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF																					
RPD																						
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																					
B01.02	SX_OB_20220507_20_23_SS_Triplicate_ALS																					
RPD																						
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		
B01.02	SX_OB_20220507_08_17_SS_Duplicate_ALS	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		
RPD		0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0		0	0	
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10	
RPD		0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0		0		
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF																					
RPD																						
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																					
B01.02	SX_OB_20220507_08_17_SS_Duplicate_ALS																					
RPD																						
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																					
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF																					
RPD																						
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10	
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10	
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10	
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.5	<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		
RPD		0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0		0		
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																					
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF																					
RPD																						
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																					
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF																					
RPD																						
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10	
D08.02	SX_OB_20220508_19_50_SS_Duplicate_EUF	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10	

		Heptachlor	Heptachlor epoxide	p-BHC	p-BHC	p-BHC	p-BHC (Lindane)	Methoxychlor	Toxaphene	Organochlorine pesticides EPA/Vic	Other organochlorine pesticides EPA/Vic	p-Chlorophenol	2,4-Dichlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,6-Dichlorophenol	4-chloro-3-methylphenol	Pentachlorophenol	2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4,6-Dinitro-2-methylphenol	Tetrachlorophenols
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10
D08.02	SX_OB_20220508_19_51_SS_Triplicate_ALS	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5	
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF																				
D08.02	SX_OB_20220508_19_50_SS_Duplicate_EUF																				
RPD																					
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF																				
D08.02	SX_OB_20220508_19_50_SS_Duplicate_EUF																				
RPD																					
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF																				
D08.02	SX_OB_20220508_19_51_SS_Triplicate_ALS																				
RPD																					
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5	
B01.02	SX_OB_20220508_07_45_SS_Duplicate_ALS	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5	
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5	
C02.02	SX_OB_20220506_07_59_SS_Duplicate_ALS	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5	
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5	
B01.02	SX_OB_20220508_07_46_SS_Triplicate_EUF	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5	
B01.02	SX_OB_20220508_07_46_SS_Triplicate_EUF																				
RPD																					
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5	
C02.02	SX_OB_20220506_08_00_SS_Triplicate_EUF	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5	
B01.02	SX_OB_20220508_07_45_SS_Duplicate_ALS																				
RPD																					
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS																				
B01.02	SX_OB_20220508_07_45_SS_Duplicate_ALS																				
RPD																					
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS																				
C02.02	SX_OB_20220506_08_00_SS_Triplicate_EUF																				
RPD																					
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS																				
B01.02	SX_OB_20220508_07_46_SS_Triplicate_EUF																				
RPD																					
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS																				
C02.02	SX_OB_20220506_08_00_SS_Triplicate_EUF																				
RPD																					
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10
D06.02	SX_IB_20220509_20_08_SS_Triplicate_ALS	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5	
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF																				
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF																				
RPD																					
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF																				
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF																				
RPD																					
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF																				
D06.02	SX_IB_20220509_20_08_SS_Triplicate_ALS																				
RPD																					
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10
D08.02	SX_OB_20220509_16_03_SS_Triplicate_ALS	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5	
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF																				

		Heptachlor	Heptachlor epoxide	p-BHC	m-BHC	o-BHC	g-BHC (Lindane)	Methoxychlor	Toxaphene	Organochlorine pesticides EPAVc	Other organochlorine pesticides EPAVc	p-Chlorophenol	2,4-Dichlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,6-Dichlorophenol	4-chloro-3-methylphenol	Pentachlorophenol	2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4,6-Dinitro-2-methylphenol	Tetrachlorophenols	
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF																					
RPD																						
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF																					
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF																					
RPD																						
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF																					
D08.02	SX_OB_20220509_16_03_SS_Triplicate_ALS																					
RPD																						
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		
RPD		0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	0	
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10	
RPD		0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0		0		
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF																					
RPD																						
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS																					
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS																					
RPD																						
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS																					
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF																					
RPD																						

*RPDs have only been considered where a concentration is greater than 1 times the EQL.
 **Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multiplier range)
 ***Interlab Duplicates are matched on a per compound basis as methods vary between laboratories. Any r

		Phenols																			
		2,3,5-Tetrachlorophenol	Cresol Total	4,6-Dinitro-o-cyclohexyl phenol	Phenols (halogenated) EPAVic	Phenols (non-halogenated) EPAVic	2,4-Dimethylphenol	2-Methylphenol	2-Nitrophenol	2,4-Dinitrophenol	3&4-Methylphenol (m&p-cresol)	4-Nitrophenol	Dinoseb	Phenol	Phenols (Total Halogenated)	Phenols (Total Non Halogenated)	10:2 Fluorotelomer sulfonic acid (10:2 FTS)	8:2 Fluorotelomer sulfonic acid (8:2 FTS)	6:2 Fluorotelomer sulfonic acid		
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L
EQL		0.03	0.5	20	1	20	0.5	0.2	1	5	0.4	5	20	0.5	1	20	0.00001	0.005	0.00001	0.005	0.00005
Location Code	Field ID																				
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF		<0.5	<20			<0.5	<0.2	<1	<5	<0.4	<5	<20	<0.5	<1	<20		<0.005		<0.005	
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF		<0.5	<20			<0.5	<0.2	<1	<5	<0.4	<5	<20	<0.5	<1	<20		<0.005		<0.005	
RPD			0	0			0	0	0	0	0	0	0	0	0	0		0		0	
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF		<0.5	<20			<0.5	<0.2	<1	<5	<0.4	<5	<20	<0.5	<1	<20		<0.005		<0.005	
B01.02	SX_OB_20220507_16_20_SS_Triplicate_ALS	<0.03		<20	<1.00	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005
RPD				0			0	0	0	0	0	0	0	0				0		0	
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																<0.00001		<0.00001		<0.00005
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF																<0.00001		<0.00001		<0.00005
RPD																	0		0		0
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																<0.00001		<0.00001		<0.00005
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF																<0.00001		<0.00001		<0.00005
RPD																	0		0		0
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																<0.00001		<0.00001		<0.00005
B01.02	SX_OB_20220507_16_20_SS_Triplicate_ALS																<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
RPD																	0		0		0
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF		<0.5	<20			<0.5	<0.2	<1	<5	<0.4	<5	<20	<0.5	<1	<20		<0.005		<0.005	
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF		<0.5	<20			<0.5	<0.2	<1	<5	<0.4	<5	<20	<0.5	<1	<20		<0.005		<0.005	
RPD			0	0			0	0	0	0	0	0	0	0	0	0		0		0	
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF		<0.5	<20			<0.5	<0.2	<1	<5	<0.4	<5	<20	<0.5	<1	<20		<0.005		<0.005	
B01.02	SX_OB_20220507_20_23_SS_Triplicate_ALS	<0.03		<20	<1.00	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005
RPD				0			0	0	0	0	0	0	0	0				0		0	
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																<0.00001		<0.00001		<0.00005
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF																<0.00001		<0.00001		<0.00005
RPD																	0		0		0
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																<0.00001		<0.00001		<0.00005
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF																<0.00001		<0.00001		<0.00005
RPD																	0		0		0
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																<0.00001		<0.00001		<0.00005
B01.02	SX_OB_20220507_20_23_SS_Triplicate_ALS																<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
RPD																	0		0		0
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS	<0.03		<20	<1.00	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005
B01.02	SX_OB_20220507_08_17_SS_Duplicate_ALS	<0.03		<20	<1.00	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005
RPD		0		0			0	0	0	0	0	0	0	0				0		0	
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS	<0.03		<20	<1.00	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF		<0.5	<20			<0.5	<0.2	<1	<5	<0.4	<5	<20	<0.5	<1	<20		<0.005		<0.005	
RPD				0			0	0	0	0	0	0	0	0				0		0	
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS	<0.03		<20	<1.00	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF																<0.00001		<0.00001		<0.00005
RPD																	0		0		0
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																<0.00005		<0.00005		<0.00005
B01.02	SX_OB_20220507_08_17_SS_Duplicate_ALS																<0.00005		<0.00005		<0.00005
RPD																	0		0		0
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																<0.00005		<0.00005		<0.00005
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF																<0.00001		<0.00001		<0.00005
RPD																	0		0		0
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF		<0.5	<20			<0.5	<0.2	<1	<5	<0.4	<5	<20	<0.5	<1	<20		<0.005		<0.005	
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF		<0.5	<20			<0.5	<0.2	<1	<5	<0.4	<5	<20	<0.5	<1	<20		<0.005		<0.005	
RPD			0	0			0	0	0	0	0	0	0	0	0	0		0		0	
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF		<0.5	<20			<0.5	<0.2	<1	<5	<0.4	<5	<20	<0.5	<1	<20		<0.005		<0.005	
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS	<0.03		<20	<1.00	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005
RPD				0			0	0	0	0	0	0	0	0				0		0	
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																<0.00001		<0.00001		<0.00005
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF																<0.00001		<0.00001		<0.00005
RPD																	0		0		0
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																<0.00001		<0.00001		<0.00005
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF																<0.00001		<0.00001		<0.00005
RPD																	0		0		0
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																<0.00001		<0.00001		<0.00005
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS																<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
RPD																	0		0		0
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF		<0.5	<20			<0.5	<0.2	<1	<5	<0.4	<5	<20	<0.5	<1	<20		<0.005		<0.005	
D08.02	SX_OB_20220508_19_50_SS_Duplicate_EUF		<0.5	<20			<0.5	<0.2	<1	<5	<0.4	<5	<20	<0.5	<1	<20		<0.005		<0.005	

		Phenols														10:2 Fluorotelomer sulfonic acid (10:2 FTS)			8:2 Fluorotelomer sulfonic acid (8:2 FTS)		6:2 Fluorotelomer sulfonic
		2,3,5-Tetrachlorophenol	Cresol Total	4,6-Dinitro-o-cyclohexyl phenol	Phenols (halogenated) EPAVic	Phenols (non-halogenated) EPAVic	2,4-Dimethylphenol	2-Methylphenol	2-Nitrophenol	2,4-Dinitrophenol	3&4-Methylphenol (m&p-cresol)	4-Nitrophenol	Dinoseb	Phenol	Phenols (Total Halogenated)	Phenols (Total Non Halogenated)	mg/L	mg/kg	mg/L	mg/kg	mg/L
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg					
RPD			0	0			0	0	0	0	0	0	0	0	0	0		0		0	
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF		<0.5	<20			<0.5	<0.2	<1	<5	<0.4	<5	<20	<0.5	<1	<20		<0.005		<0.005	
D08.02	SX_OB_20220508_19_51_SS_Triplicate_ALS		<0.03	<20	<1.00	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005
RPD				0			0	0	0	0	0	0	0	0				0		0	
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF																<0.00001		<0.00001		<0.00005
D08.02	SX_OB_20220508_19_50_SS_Duplicate_EUF																<0.00001		<0.00001		<0.00005
RPD																	0		0		0
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF																<0.00001		<0.00001		<0.00005
D08.02	SX_OB_20220508_19_50_SS_Duplicate_EUF																<0.00001		<0.00001		<0.00005
RPD																	0		0		0
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF																<0.00001		<0.00001		<0.00005
D08.02	SX_OB_20220508_19_51_SS_Triplicate_ALS																<0.00005		<0.00005		<0.00005
RPD																	0		0		0
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS		<0.03	<20	<1.00	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005
B01.02	SX_OB_20220508_07_45_SS_Duplicate_ALS		<0.03	<20	<1.00	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005
RPD			0	0	0	0	0	0	0	0	0	0	0	0			0		0		0
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS		<0.03	<20	<1.00	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005
C02.02	SX_OB_20220506_07_59_SS_Duplicate_ALS		<0.03	<20	<1.00	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005
RPD			0	0	0	0	0	0	0	0	0	0	0	0			0		0		0
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS		<0.03	<20	<1.00	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005
B01.02	SX_OB_20220508_07_46_SS_Triplicate_EUF			<0.5	<20		<0.5	<0.2	<1	<5	<0.4	<5	<20	<0.5	<1	<20		<0.005		<0.005	
RPD				0			0	0	0	0	0	0	0	0				0		0	
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS		<0.03	<20	<1.00	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005
B01.02	SX_OB_20220508_07_46_SS_Triplicate_EUF																<0.00001		<0.00001		<0.00005
RPD																	0		0		0
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS		<0.03	<20	<1.00	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005
C02.02	SX_OB_20220506_08_00_SS_Triplicate_EUF			<0.5	<20		<0.5	<0.2	<1	<5	<0.4	<5	<20	<0.5	<1	<20		<0.005		<0.005	
RPD				0			0	0	0	0	0	0	0	0				0		0	
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS		<0.03	<20	<1.00	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005
C02.02	SX_OB_20220506_08_00_SS_Triplicate_EUF																<0.00001		<0.00001		<0.00005
RPD																	0		0		0
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS																<0.00005		<0.00005		<0.00005
B01.02	SX_OB_20220508_07_45_SS_Duplicate_ALS																<0.00005		<0.00005		<0.00005
RPD																	0		0		0
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS																<0.00005		<0.00005		<0.00005
C02.02	SX_OB_20220506_07_59_SS_Duplicate_ALS																<0.00005		<0.00005		<0.00005
RPD																	0		0		0
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS																<0.00005		<0.00005		<0.00005
B01.02	SX_OB_20220508_07_46_SS_Triplicate_EUF																<0.00001		<0.00001		<0.00005
RPD																	0		0		0
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS																<0.00005		<0.00005		<0.00005
C02.02	SX_OB_20220506_08_00_SS_Triplicate_EUF																<0.00001		<0.00001		<0.00005
RPD																	0		0		0
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF		<0.5	<20			<0.5	<0.2	<1	<5	<0.4	<5	<20	<0.5	<1	<20		<0.005		<0.005	
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF		<0.5	<20			<0.5	<0.2	<1	<5	<0.4	<5	<20	<0.5	<1	<20		<0.005		<0.005	
RPD			0	0			0	0	0	0	0	0	0	0	0	0		0		0	
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF		<0.5	<20			<0.5	<0.2	<1	<5	<0.4	<5	<20	<0.5	<1	<20		<0.005		<0.005	
D06.02	SX_IB_20220509_20_08_SS_Triplicate_ALS		<0.03	<20	<1.00	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005
RPD				0			0	0	0	0	0	0	0	0				0		0	
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF																<0.00001		<0.00001		<0.00005
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF																<0.00001		<0.00001		<0.00005
RPD																	0		0		0
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF																<0.00001		<0.00001		<0.00005
D06.02	SX_IB_20220509_20_08_SS_Triplicate_ALS																<0.00005		<0.00005		<0.00005
RPD																	0		0		0
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF		<0.5	<20			<0.5	<0.2	<1	<5	<0.4	<5	<20	<0.5	<1	<20		<0.005		<0.005	
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF		<0.5	<20			<0.5	<0.2	<1	<5	<0.4	<5	<20	<0.5	<1	<20		<0.005		<0.005	
RPD			0	0			0	0	0	0	0	0	0	0	0	0		0		0	
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF		<0.5	<20			<0.5	<0.2	<1	<5	<0.4	<5	<20	<0.5	<1	<20		<0.005		<0.005	
D08.02	SX_OB_20220509_16_03_SS_Triplicate_ALS		<0.03	<20	<1.00	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005
RPD				0			0	0	0	0	0	0	0	0				0		0	
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF																<0.00001		<0.00001		<0.00005

		Phenols																			
		2,3,5,6-Tetrachlorophenol	Cresol Total	4,6-Dinitro-o-cyclohexyl phenol	Phenols (halogenated) EPAVic	Phenols (non-halogenated) EPAVic	2,4-Dimethylphenol	2-Methylphenol	2-Nitrophenol	2,4-Dinitrophenol	3&4-Methylphenol (m&p-cresol)	4-Nitrophenol	Dinoseb	Phenol	Phenols (Total Halogenated)	Phenols (Total Non Halogenated)	10:2 Fluorotelomer sulfonic acid (10:2 FTS)	8:2 Fluorotelomer sulfonic acid (8:2 FTS)	6:2 Fluorotelomer sulfonic acid		
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF																<0.00001		<0.00001		<0.00005
RPD																	0		0		0
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF																<0.00001		<0.00001		<0.00005
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF																<0.00001		<0.00001		<0.00005
RPD																	0		0		0
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF																<0.00001		<0.00001		<0.00005
D08.02	SX_OB_20220509_16_03_SS_Triplicate_ALS																<0.00005		<0.00005		<0.00005
RPD																	0		0		0
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	<0.03		<20	<1.00	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS	<0.03		<20	<1.00	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005
RPD		0		0	0	0	0	0	0	0	0	0	0	0			0		0		0
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	<0.03		<20	<1.00	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF		<0.5	<20			<0.5	<0.2	<1	<5	<0.4	<5	<20	<0.5	<1	<20		<0.005		<0.005	
RPD				0			0	0	0	0	0	0	0	0				0		0	
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	<0.03		<20	<1.00	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF																<0.00001		<0.00001		<0.00005
RPD																	0		0		0
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS																<0.00005		<0.00005		<0.00005
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS																<0.00005		<0.00005		<0.00005
RPD																	0		0		0
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS																<0.00005		<0.00005		<0.00005
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF																<0.00001		<0.00001		<0.00005
RPD																	0		0		0

*RPDs have only been considered where a concentration is greater than 1 times the EQL.
 **Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multiplier range)
 ***Interlab Duplicates are matched on a per compound basis as methods vary between laboratories. Any r

		acid (6:2 FTS)	4:2 Fluorotelomer sulfonic acid (4:2 FTS)	N-Ethyl perfluorooctane sulfonamide (NEFOSA)	N-ethylperfluorooctanesulfonamide (NEFOSAA)	N-Ethylperfluorooctanesulfonamide (NEFOSAE)	N-Methylperfluorooctane sulfonamide (MMeFOSA)	N-methylperfluorooctane sulfonamide (MMeFOSAA)	N-Methylperfluorooctanesulfonamide (N-MeFOSE)	Perfluorobutanoic acid (PFBA)	Perfluorobutane sulfonic acid (PFBS)	Perfluorodecanoic acid
		mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg
EQL		0.01	0.00001	0.005	0.00005	0.005	0.00002	0.01	0.00005	0.005	0.00005	0.00001
Location Code	Field ID											
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF	<0.01		<0.005		<0.005		<0.01		<0.005		<0.005
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF	<0.01		<0.005		<0.005		<0.01		<0.005		<0.005
RPD		0		0		0		0		0		0
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF	<0.01		<0.005		<0.005		<0.01		<0.005		<0.005
B01.02	SX_OB_20220507_16_20_SS_Triplicate_ALS	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.00002
RPD		0		0		0		0		0		0
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF	<0.00001		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF	<0.00001		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001
RPD		0		0		0		0		0		0
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF	<0.00001		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF	<0.00001		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001
RPD		0		0		0		0		0		0
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF	<0.00001		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001
B01.02	SX_OB_20220507_16_20_SS_Triplicate_ALS	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00002
RPD		0		0		0		0		0		0
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF	<0.01		<0.005		<0.005		<0.01		<0.005		<0.005
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF	<0.01		<0.005		<0.005		<0.01		<0.005		<0.005
RPD		0		0		0		0		0		0
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF	<0.01		<0.005		<0.005		<0.01		<0.005		<0.005
B01.02	SX_OB_20220507_20_23_SS_Triplicate_ALS	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.00002
RPD		0		0		0		0		0		0
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF	<0.00001		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF	<0.00001		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001
RPD		0		0		0		0		0		0
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF	<0.00001		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF	<0.00001		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001
RPD		0		0		0		0		0		0
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF	<0.00001		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001
B01.02	SX_OB_20220507_20_23_SS_Triplicate_ALS	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00002
RPD		0		0		0		0		0		0
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.00002
B01.02	SX_OB_20220507_08_17_SS_Duplicate_ALS	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.00002
RPD		0		0		0		0		0		0
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.00002
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF	<0.01		<0.005		<0.005		<0.01		<0.005		<0.005
RPD		0		0		0		0		0		0
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.00002
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF	<0.00001		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001
RPD		0		0		0		0		0		0
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00002
B01.02	SX_OB_20220507_08_17_SS_Duplicate_ALS	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00002
RPD		0		0		0		0		0		0
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00002
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF	<0.00001		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001
RPD		0		0		0		0		0		0
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF	<0.01		<0.005		<0.005		<0.01		<0.005		<0.005
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF	<0.01		<0.005		<0.005		<0.01		<0.005		<0.005
RPD		0		0		0		0		0		0
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF	<0.01		<0.005		<0.005		<0.01		<0.005		<0.005
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.00002
RPD		0		0		0		0		0		0
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF	<0.00001		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF	<0.00001		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001
RPD		0		0		0		0		0		0
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF	<0.00001		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF	<0.00001		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001
RPD		0		0		0		0		0		0
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF	<0.00001		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00002
RPD		0		0		0		0		0		0
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF	<0.01		<0.005		<0.005		<0.01		<0.005		<0.005
D08.02	SX_OB_20220508_19_50_SS_Duplicate_EUF	<0.01		<0.005		<0.005		<0.01		<0.005		<0.005

		acid (6:2 FTS)		4:2 Fluorotelomer sulfonic acid (4:2 FTS)		N-Ethyl perfluorooctane sulfonamide (NEFOSA)		N-ethyl-perfluorooctanesulfonamide acetic acid (NEFOSAA)		N-ethylperfluorooctanesulfonamide (NEFOSE)		N-Methyl perfluorooctane sulfonamide (NMeFOSA)		N-methylperfluorooctane sulfonamide acetic acid (NMeFOSA)		N-Methylperfluorooctanesulfonamide (N-MeFOSE)		Perfluorobutanoic acid (PFBA)		Perfluorobutane sulfonic acid (PFBS)		Perfluorodecanoic acid			
		mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF		<0.00001		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00001		<0.00001
RPD			0		0		0		0		0		0		0		0		0		0		0		0
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF		<0.00001		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00001		<0.00001
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF		<0.00001		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00001		<0.00001
RPD			0		0		0		0		0		0		0		0		0		0		0		0
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF		<0.00001		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00001		<0.00001
D08.02	SX_OB_20220509_16_03_SS_Triplicate_ALS		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00002		<0.00002
RPD			0		0		0		0		0		0		0		0		0		0		0		0
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00001	<0.005	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.00002	
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00001	<0.005	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.00002	
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00001	<0.005	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.00002	
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF		<0.00001		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00001		<0.00001
RPD			0		0		0		0		0		0		0		0		0		0		0		0
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00002		<0.00002		<0.00002		<0.00002
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00002		<0.00002		<0.00002		<0.00002
RPD			0		0		0		0		0		0		0		0		0		0		0		0
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00002		<0.00002		<0.00002		<0.00002
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF		<0.00001		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00001		<0.00001
RPD			0		0		0		0		0		0		0		0		0		0		0		0

*RPDs have only been considered where a concentration is greater than 1 times the EQL.
 **Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multiplier range)
 ***Interlab Duplicates are matched on a per compound basis as methods vary between laboratories. Any r

		PFOS/PFOA																	
		PFDA	Perfluorododecanoic acid (PFDDoDA)	Perfluorodecanesulfonic acid (PFDS)	Perfluoroheptanoic acid (PFHpA)	Perfluoroheptane sulfonic acid (PFHpS)	Perfluorohexanoic acid (PFHxA)	Perfluorononanoic acid (PFNA)	Perfluorononanesulfonic acid (PFNS)(trace)	Perfluorooctanoic acid (PFOA)	Perfluorooctane sulfonamide (PFOSA)	Perfluoropentanoic acid							
		mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF		<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001
RPD			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF		<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF		<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001
RPD			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF		<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001
D08.02	SX_OB_20220509_16_03_SS_Triplicate_ALS		<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002
RPD			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00005	<0.0050	<0.00002
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00005	<0.0050	<0.00002
RPD			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00005	<0.0050	<0.00002
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF	<0.005	<0.00001	<0.005	<0.00001	<0.005	<0.00001	<0.005	<0.00001	<0.005	<0.00001	<0.005	<0.00001	<0.005	<0.00001	<0.005	<0.00005	<0.005	<0.00001
RPD			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00005	<0.0050	<0.00002
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001
RPD			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00001	<0.00001	<0.00005	<0.00001	<0.00002
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00001	<0.00001	<0.00005	<0.00001	<0.00002
RPD			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00001	<0.00001	<0.00005	<0.00001	<0.00002
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001
RPD			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

*RPDs have only been considered where a concentration is greater than 1 times the EQL.
 **Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multiplier range)
 ***Interlab Duplicates are matched on a per compound basis as methods vary between laboratories. Any r

EQL	mg/kg	Perfluoropentane sulfonic acid (PFPeS)		Perfluoropropanesulfonic acid (PFPrS)		Perfluorotetradecanoic acid (PFTeDA)		Perfluorotridecanoic acid (PFTriDA)		Perfluoroundecanoic acid (PFUnDA)		Perfluorooctanesulfonic acid (PFOS)		Perfluorohexane sulfonic acid (PFHxS)		Sum of PFHxS and PFOs		Sum of US EPA PFAS (PFOS + PFOA)*		Sum of enHealth PFAS	
		mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	
EQL	0.005	0.00001	0.005	0.00001	0.005	0.00001	0.005	0.00001	0.005	0.00001	0.005	0.00001	0.005	0.00001	0.005	0.00001	0.005	0.00001	0.005	0.00001	0.00001
Location Code	Field ID																				
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																				
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF																				
RPD	0																				
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																				
B01.02	SX_OB_20220507_16_20_SS_Triplicate_ALS																				
RPD	0																				
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																				
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF																				
RPD	0																				
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																				
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF																				
RPD	0																				
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																				
B01.02	SX_OB_20220507_16_20_SS_Triplicate_ALS																				
RPD	0																				
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																				
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF																				
RPD	0																				
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																				
B01.02	SX_OB_20220507_20_23_SS_Triplicate_ALS																				
RPD	0																				
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																				
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF																				
RPD	0																				
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																				
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF																				
RPD	0																				
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																				
B01.02	SX_OB_20220507_20_23_SS_Triplicate_ALS																				
RPD	0																				
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																				
B01.02	SX_OB_20220507_08_17_SS_Duplicate_ALS																				
RPD	0																				
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																				
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF																				
RPD	0																				
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																				
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF																				
RPD	0																				
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																				
B01.02	SX_OB_20220507_08_17_SS_Duplicate_ALS																				
RPD	0																				
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																				
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF																				
RPD	0																				
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																				
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF																				
RPD	0																				
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																				
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS																				
RPD	0																				
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																				
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF																				
RPD	0																				
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																				
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF																				
RPD	0																				
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																				
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS																				
RPD	0																				
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF																				
D08.02	SX_OB_20220508_19_50_SS_Duplicate_EUF																				

		(PFPeA)	Perfluoropentane sulfonic acid (PFPeS)	Perfluoropropanesulfonic acid (PFPrS)	Perfluorotetradecanoic acid (PFTeDA)	Perfluorotridecanoic acid (PFTrDA)	Perfluoroundecanoic acid (PFUnDA)	Perfluorooctanesulfonic acid (PFOS)	Perfluorohexane sulfonic acid (PFHxS)	Sum of PFHxS and PFOS	Sum of US EPA PFAS (PFOS + PFOA)*	Sum of enHealth PFAS					
		mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg					
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF		<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001					
RPD			0	0	0	0	0	0	0	0	0	0					
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF		<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001					
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF		<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001					
RPD			0	0	0	0	0	0	0	0	0	0					
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF		<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001					
D08.02	SX_OB_20220509_16_03_SS_Triplicate_ALS		<0.00002		<0.00005	<0.00002	<0.00002	<0.00001	<0.00001	<0.00001		<0.00001					
RPD			0		0	0	0	0	0	0		0					
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	<0.0050	<0.00002	<0.0050		<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050		
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS	<0.0050	<0.00002	<0.0050		<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050		
RPD			0	0		0	0	0	0	0	0	0	0	0	0		
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	<0.0050	<0.00002	<0.0050		<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050		
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF	<0.005		<0.005	<0.005	<0.005		<0.005		<0.005		<0.005		<0.005		<0.005	
RPD			0	0		0		0		0		0		0		0	
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	<0.0050	<0.00002	<0.0050		<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050		
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF		<0.00001	<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001	<0.00001
RPD			0			0		0		0		0		0		0	
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS		<0.00002			<0.00005		<0.00002		<0.00002		<0.00001		<0.00001		<0.00001	
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS		<0.00002			<0.00005		<0.00002		<0.00002		<0.00001		<0.00001		<0.00001	
RPD			0			0		0		0		0		0		0	
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS		<0.00002			<0.00005		<0.00002		<0.00002		<0.00001		<0.00001		<0.00001	
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF		<0.00001	<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001	<0.00001
RPD			0			0		0		0		0		0		0	

*RPDs have only been considered where a concentration is greater than 1 times the EQL.
 **Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multiplier range)
 ***Interlab Duplicates are matched on a per compound basis as methods vary between laboratories. Any r

		Chlorinated Hydrocarbons																		
EQL	(PFHxS + PFOS + PFOA)*	Sum of PFAS		1,1-dichloroethane	1,1-dichloroethene	1,2,3-trichloropropane	1,2-dichloroethane	1,2-dichloropropane	1,3-dichloropropane	Bromochloromethane	1,1,1,2-tetrachloroethane	Bromodichloromethane	1,1,1-trichloroethane	Chloroform	1,1,1,2-tetrachloroethane	Chloromethane	cis-1,3-dichloropropene	Dibromomethane	Dichloromethane	Hexachlorobutadiene
		mg/kg	mg/L	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
EQL		0.005	0.00001	0.05	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Location Code	Field ID																			
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF	<0.005		<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF	<0.005		<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD		0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF	<0.005		<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
B01.02	SX_OB_20220507_16_20_SS_Triplicate_ALS		<0.00010	<0.0500	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
RPD			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF		<0.0001																	
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF		<0.0001																	
RPD			0																	
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF		<0.0001																	
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF		<0.0001																	
RPD			0																	
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF		<0.0001																	
B01.02	SX_OB_20220507_16_20_SS_Triplicate_ALS		<0.00010																	
RPD			0																	
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF	<0.005		<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF	<0.005		<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD		0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF	<0.005		<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
B01.02	SX_OB_20220507_20_23_SS_Triplicate_ALS		<0.00010	<0.0500	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
RPD			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF		<0.0001																	
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF		<0.0001																	
RPD			0																	
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF		<0.0001																	
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF		<0.0001																	
RPD			0																	
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF		<0.0001																	
B01.02	SX_OB_20220507_20_23_SS_Triplicate_ALS		<0.00010																	
RPD			0																	
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS		<0.00010	<0.0500	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
B01.02	SX_OB_20220507_08_17_SS_Duplicate_ALS		<0.00010	<0.0500	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
RPD			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS		<0.00010	<0.0500	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF	<0.005		<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS		<0.00010	<0.0500	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF		<0.0001																	
RPD			0																	
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS		<0.00010																	
B01.02	SX_OB_20220507_08_17_SS_Duplicate_ALS		<0.00010																	
RPD			0																	
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS		<0.00010																	
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF		<0.0001																	
RPD			0																	
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF	<0.005		<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF	<0.005		<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD		0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF	<0.005		<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS		<0.00010	<0.0500	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
RPD			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF		<0.0001																	
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF		<0.0001																	
RPD			0																	
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF		<0.0001																	
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS		<0.00010																	
RPD			0																	
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF	<0.005		<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
D08.02	SX_OB_20220508_19_50_SS_Duplicate_EUF	<0.005		<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Chlorinated Hydrocarbons

		(PFHS + PFOS + PFOA)*	Chlorinated Hydrocarbons																		
			Sum of PFAS	Sum of PFAS	1,1-dichloroethane	1,1-dichloroethene	1,2,3-trichloropropane	1,2-dichloroethane	1,2-dichloropropane	1,3-dichloropropane	Bromochloromethane	1,1,1,2-tetrachloroethane	Bromodichloromethane	1,1,1-trichloroethane	Chloroform	1,1,2,2-tetrachloroethane	Chloromethane	cis-1,3-dichloropropene	Dibromomethane	Dichloromethane	Hexachlorobutadiene
		mg/kg	mg/L	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
RPD		0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF	<0.005		<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
D08.02	SX_OB_20220508_19_51_SS_Triplicate_ALS		<0.00010	<0.0500		<0.50	<0.50				<0.50		<0.50	<0.50	<0.50					<0.5	<0.50
RPD				0		0					0		0	0	0					0	0
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF		<0.0001																		
D08.02	SX_OB_20220508_19_50_SS_Duplicate_EUF		<0.0001																		
RPD			0																		
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF		<0.0001																		
D08.02	SX_OB_20220508_19_50_SS_Duplicate_EUF		<0.0001																		
RPD			0																		
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF		<0.0001																		
D08.02	SX_OB_20220508_19_51_SS_Triplicate_ALS		<0.00010																		
RPD			0																		
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS		<0.00010	<0.0500		<0.50	<0.50				<0.50		<0.50	<0.50	<0.50					<0.5	<0.50
B01.02	SX_OB_20220508_07_45_SS_Duplicate_ALS		<0.00010	<0.0500		<0.50	<0.50				<0.50		<0.50	<0.50	<0.50					<0.5	<0.50
RPD			0			0					0		0	0	0					0	0
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS		<0.00010	<0.0500		<0.50	<0.50				<0.50		<0.50	<0.50	<0.50					<0.5	<0.50
C02.02	SX_OB_20220506_07_59_SS_Duplicate_ALS		<0.00010	<0.0500		<0.50	<0.50				<0.50		<0.50	<0.50	<0.50					<0.5	<0.50
RPD			0			0					0		0	0	0					0	0
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS		<0.00010	<0.0500		<0.50	<0.50				<0.50		<0.50	<0.50	<0.50					<0.5	<0.50
B01.02	SX_OB_20220508_07_46_SS_Triplicate_EUF	<0.005		<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD				0		0					0		0	0	0					0	0
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS		<0.00010	<0.0500		<0.50	<0.50				<0.50		<0.50	<0.50	<0.50					<0.5	<0.50
B01.02	SX_OB_20220508_07_46_SS_Triplicate_EUF		<0.0001																		
RPD			0																		
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS		<0.00010	<0.0500		<0.50	<0.50				<0.50		<0.50	<0.50	<0.50					<0.5	<0.50
C02.02	SX_OB_20220506_08_00_SS_Triplicate_EUF	<0.005		<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD				0		0					0		0	0	0					0	0
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS		<0.00010	<0.0500		<0.50	<0.50				<0.50		<0.50	<0.50	<0.50					<0.5	<0.50
C02.02	SX_OB_20220506_08_00_SS_Triplicate_EUF		<0.0001																		
RPD			0																		
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS		<0.00010																		
B01.02	SX_OB_20220508_07_45_SS_Duplicate_ALS		<0.00010																		
RPD			0																		
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS		<0.00010																		
C02.02	SX_OB_20220506_07_59_SS_Duplicate_ALS		<0.00001																		
RPD			0																		
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS		<0.00010																		
B01.02	SX_OB_20220508_07_46_SS_Triplicate_EUF		<0.0001																		
RPD			0																		
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS		<0.00010																		
C02.02	SX_OB_20220506_08_00_SS_Triplicate_EUF		<0.0001																		
RPD			0																		
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF	<0.005		<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF	<0.005		<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD				0		0					0		0	0	0					0	0
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF	<0.005		<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
D06.02	SX_IB_20220509_20_08_SS_Triplicate_ALS		<0.00010	<0.0500		<0.50	<0.50				<0.50		<0.50	<0.50	<0.50					<0.5	<0.50
RPD				0		0					0		0	0	0					0	0
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF		<0.0001																		
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF		<0.0001																		
RPD			0																		
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF		<0.0001																		
D06.02	SX_IB_20220509_20_08_SS_Triplicate_ALS		<0.00010																		
RPD			0																		
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF	<0.005		<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF	<0.005		<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD				0		0					0		0	0	0					0	0
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF	<0.005		<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
D08.02	SX_OB_20220509_16_03_SS_Triplicate_ALS		<0.00010	<0.0500		<0.50	<0.50				<0.50		<0.50	<0.50	<0.50					<0.5	<0.50
RPD				0		0					0		0	0	0					0	0
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF		<0.0001																		

		Chlorinated Hydrocarbons																		
		(PFHxS + PFOS + PFOA)*		1,1-dichloroethane	1,1-dichloroethene	1,2,3-trichloropropane	1,2-dichloroethane	1,2-dichloropropane	1,3-dichloropropane	Bromochloromethane	1,1,1,2-tetrachloroethane	Bromodichloromethane	1,1,1-trichloroethane	Chloroform	1,1,2,2-tetrachloroethane	Chloromethane	cis-1,3-dichloropropene	Dibromomethane	Dichloromethane	Hexachlorobutadiene
		mg/kg	mg/L																	
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF		<0.0001																	
	RPD		0																	
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF		<0.0001																	
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF		<0.0001																	
	RPD		0																	
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF		<0.0001																	
D08.02	SX_OB_20220509_16_03_SS_Triplicate_ALS		<0.00010																	
	RPD		0																	
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS		<0.00010	<0.0500	<0.50		<0.50				<0.50	<0.50	<0.50	<0.50					<0.5	<0.50
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS		<0.00010	<0.0500	<0.50		<0.50				<0.50	<0.50	<0.50	<0.50					<0.5	<0.50
	RPD		0	0	0		0				0	0	0	0					0	0
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS		<0.00010	<0.0500	<0.50		<0.50				<0.50	<0.50	<0.50	<0.50					<0.5	<0.50
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF	<0.005		<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	RPD			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS		<0.00010	<0.0500	<0.50		<0.50				<0.50	<0.50	<0.50	<0.50					<0.5	<0.50
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF		<0.0001																	
	RPD		0																	
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS		<0.00010																	
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS		<0.00010																	
	RPD		0																	
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS		<0.00010																	
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF		<0.0001																	
	RPD		0																	

*RPDs have only been considered where a concentration is greater than 1 times the EQL.
 **Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multiplier range)
 ***Interlab Duplicates are matched on a per compound basis as methods vary between laboratories. Any r

															NA			PC			
Other chlorinated hydrocarbons EPAVIC	Trichloroethene	Chlorinated hydrocarbons EPAVIC	cis-1,2-dichloroethene	1,1,2-trichloroethane	trans-1,3-dichloropropene	Vinyl chloride	Bromoform	Carbon tetrachloride	Chlorodibromomethane	Chloroethane	trans-1,2-dichloroethene	Tetrachloroethene	Sum of WA DWER PFAS (n=10)*	Moisture Content	Arochlor 1232	Arochlor 1242	Arochlor 1248	Arochlor 1254			
mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	UG/KG	µg/L	%	mg/kg	mg/kg	mg/kg	mg/kg		
EQL	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.05		1	0.1	0.1	0.1	0.1		
Location Code	Field ID																				
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																				
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF																				
RPD	0	0	0	0	0	0	0	0	0	0	0	0	0			0	0	0	0		
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																				
B01.02	SX_OB_20220507_16_20_SS_Triplicate_ALS																				
RPD	0	0	0	0	0	0	0	0	0	0	0	0	0								
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																				
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF																				
RPD													<0.05								
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																				
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF																				
RPD													0								
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																				
B01.02	SX_OB_20220507_16_20_SS_Triplicate_ALS																				
RPD													<0.05	<0.05							
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																				
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF																				
RPD	0	0	0	0	0	0	0	0	0	0	0	0	0			0	0	0	0		
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																				
B01.02	SX_OB_20220507_20_23_SS_Triplicate_ALS																				
RPD	0	0	0	0	0	0	0	0	0	0	0	0	0								
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																				
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF																				
RPD													<0.05								
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																				
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF																				
RPD													0								
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																				
B01.02	SX_OB_20220507_20_23_SS_Triplicate_ALS																				
RPD													<0.05	<0.05							
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																				
B01.02	SX_OB_20220507_08_17_SS_Duplicate_ALS																				
RPD	0	0	0	0	0	0	0	0	0	0	0	0	0			0	0	0	0		
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																				
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF																				
RPD	0	0	0	0	0	0	0	0	0	0	0	0	0								
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																				
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF																				
RPD													<0.05	<0.05							
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																				
B01.02	SX_OB_20220507_08_17_SS_Duplicate_ALS																				
RPD													0								
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																				
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF																				
RPD													<0.05	<0.05							
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																				
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF																				
RPD	0	0	0	0	0	0	0	0	0	0	0	0	0			0	0	0	0		
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																				
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS																				
RPD	0	0	0	0	0	0	0	0	0	0	0	0	0								
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																				
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF																				
RPD													<0.05								
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																				
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF																				
RPD													0								
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																				
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS																				
RPD													<0.05	<0.05							
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF																				
D08.02	SX_OB_20220508_19_50_SS_Duplicate_EUF																				
RPD	0	0	0	0	0	0	0	0	0	0	0	0	0			0	0	0	0		

		NA													PC						
		Other chlorinated hydrocarbons EPAVIC	Trichloroethene	Chlorinated hydrocarbons EPAVIC	cis-1,2-dichloroethene	1,1,2-trichloroethane	trans-1,3-dichloropropene	Vinyl chloride	Bromoform	Carbon tetrachloride	Chlorodibromomethane	Chloroethane	trans-1,2-dichloroethene	Tetrachloroethene	Sum of WA DWER PFAS (n=10)*	Moisture Content	Arochlor 1232	Arochlor 1242	Arochlor 1248	Arochlor 1254	
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	UG/KG	µg/L	%	mg/kg	mg/kg	mg/kg	mg/kg
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF														<0.05						
RPD															0						
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF														<0.05						
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF														<0.05						
RPD															0						
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF														<0.05						
D08.02	SX_OB_20220509_16_03_SS_Triplicate_ALS															<0.05					
RPD																					
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	<0.50	<0.50	<0.50	<0.50	<0.50		<0.50		<0.50			<0.50	<0.50	<10.0	<0.05	26.6				
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS	<0.50	<0.50	<0.50	<0.50	<0.50		<0.50		<0.50			<0.50	<0.50	<10.0	<0.05	28.4				
RPD		0	0	0	0	0		0		0			0	0	0	7					
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	<0.50	<0.50	<0.50	<0.50	<0.50		<0.50		<0.50			<0.50	<0.50	<10.0	<0.05	26.6				
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10			<0.1	<0.1	<0.1	<0.1
RPD		0	0	0	0	0		0		0			0	0	0						
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS	<0.50	<0.50	<0.50	<0.50	<0.50		<0.50		<0.50			<0.50	<0.50	<10.0	<0.05	26.6				
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF														<0.05						
RPD															0						
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS															<0.05					
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS															<0.05					
RPD															0						
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS															<0.05					
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF														<0.05						
RPD																					

*RPDs have only been considered where a concentration is greater than 1 times the EQL.
 **Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multiplier range)
 ***Interlab Duplicates are matched on a per compound basis as methods vary between laboratories. Any r

Bs		Inorganics											Halogenated Benzenes							
	Arochlor 1221	Arochlor 1260	Arochlor 1016	PCBs (Sum of total)	pH (after HCL)	pH (Final)	pH (Initial)	pH of Leaching Fluid	pH (aqueous extract)	Fluoride	Moisture Content (dried @ 103°C)	Cyanide Total	1,2,4-trichlorobenzene	1,2-dichlorobenzene	1,3-dichlorobenzene	1,4-dichlorobenzene	Bromobenzene	4-chlorotoluene	Chlorobenzene	Iodomethane
EQL	mg/kg	mg/kg	mg/kg	mg/kg	-	-	-	-	-	mg/kg	%	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	100	1	5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Location Code	Field ID																			
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																			
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF																			
RPD																				
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																			
B01.02	SX_OB_20220507_16_20_SS_Triplicate_ALS																			
RPD																				
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																			
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF																			
RPD																				
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																			
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF																			
RPD																				
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																			
B01.02	SX_OB_20220507_16_20_SS_Triplicate_ALS																			
RPD																				
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																			
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF																			
RPD																				
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																			
B01.02	SX_OB_20220507_20_23_SS_Triplicate_ALS																			
RPD																				
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																			
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF																			
RPD																				
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																			
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF																			
RPD																				
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																			
B01.02	SX_OB_20220507_20_23_SS_Triplicate_ALS																			
RPD																				
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																			
B01.02	SX_OB_20220507_08_17_SS_Duplicate_ALS																			
RPD																				
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																			
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF																			
RPD																				
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																			
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF																			
RPD																				
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																			
B01.02	SX_OB_20220507_08_17_SS_Duplicate_ALS																			
RPD																				
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																			
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF																			
RPD																				
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																			
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF																			
RPD																				
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																			
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS																			
RPD																				
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																			
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF																			
RPD																				
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																			
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF																			
RPD																				
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																			
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS																			
RPD																				
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF																			
D08.02	SX_OB_20220508_19_50_SS_Duplicate_EUF																			

Bs		Inorganics										Halogenated Benzenes								
	Arochlor 1221	Arochlor 1260	Arochlor 1016	PCBs (Sum of total)	pH (after HCL)	pH (Final)	pH (Initial)	pH of Leaching Fluid	pH (aqueous extract)	Fluoride	Moisture Content (dried @ 103°C)	Cyanide Total	1,2,4-trichlorobenzene	1,2-dichlorobenzene	1,3-dichlorobenzene	1,4-dichlorobenzene	Bromobenzene	4-chlorotoluene	Chlorobenzene	Iodomethane
	mg/kg	mg/kg	mg/kg	mg/kg	-	-	-	-	-	mg/kg	%	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
RPD	0	0	0	0	-	-	-	-	4	144	6	0	0	0	0	0	0	0	0	0
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF	<0.1	<0.1	<0.1	<0.1				8.5	<100	35	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
D08.02	SX_OB_20220508_19_51_SS_Triplicate_ALS				<0.1	1.4	5.2	9.2	5.0	<100		<5	<0.50	<0.50		<0.50			<0.50	
RPD				0						0		0	0	0		0			0	
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF						5.1		5.1											
D08.02	SX_OB_20220508_19_50_SS_Duplicate_EUF						5.1		5.1											
RPD							0		0											
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF						8.3		6.1											
D08.02	SX_OB_20220508_19_50_SS_Duplicate_EUF						8.2		6.1											
RPD							1		0											
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF						8.3		6.1											
D08.02	SX_OB_20220508_19_51_SS_Triplicate_ALS						9.2													
RPD							10													
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS				<0.1	1.3	5.0	9.2	5.0	120		<5	<0.50	<0.50		<0.50			<0.50	
B01.02	SX_OB_20220508_07_45_SS_Duplicate_ALS				<0.1	1.3	5.1	9.3	5.0	110		<5	<0.50	<0.50		<0.50			<0.50	
RPD				0	0	2	1	0	0	9		0	0	0		0			0	
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS				<0.1	1.3	5.0	9.2	5.0	120		<5	<0.50	<0.50		<0.50			<0.50	
C02.02	SX_OB_20220506_07_59_SS_Duplicate_ALS				<0.1	1.4	5.0	9.0	5.0	<100		<5	<0.50	<0.50		<0.50			<0.50	
RPD				0	7	0	2	0	0	18		0	0	0		0			0	
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS				<0.1	1.3	5.0	9.2	5.0	120		<5	<0.50	<0.50		<0.50			<0.50	
B01.02	SX_OB_20220508_07_46_SS_Triplicate_EUF	<0.1	<0.1	<0.1	<0.1				8.3	<100	45	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD				0						18		0	0	0		0			0	
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS				<0.1	1.3	5.0	9.2	5.0	120		<5	<0.50	<0.50		<0.50			<0.50	
B01.02	SX_OB_20220508_07_46_SS_Triplicate_EUF						5.0		5.1											
RPD							0		2											
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS				<0.1	1.3	5.0	9.2	5.0	120		<5	<0.50	<0.50		<0.50			<0.50	
C02.02	SX_OB_20220506_08_00_SS_Triplicate_EUF	<0.1	<0.1	<0.1	<0.1				7.8	<100	35	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD				0						18		0	0	0		0			0	
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS				<0.1	1.3	5.0	9.2	5.0	120		<5	<0.50	<0.50		<0.50			<0.50	
C02.02	SX_OB_20220506_08_00_SS_Triplicate_EUF						5.1		5.1											
RPD							2		2											
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS						9.0													
B01.02	SX_OB_20220508_07_45_SS_Duplicate_ALS						9.1													
RPD							1													
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS						9.0													
C02.02	SX_OB_20220506_07_59_SS_Duplicate_ALS						8.7													
RPD							3													
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS						9.0													
B01.02	SX_OB_20220508_07_46_SS_Triplicate_EUF						8.6		6.1											
RPD							5													
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS						9.0													
C02.02	SX_OB_20220506_08_00_SS_Triplicate_EUF						8.4		6.7											
RPD							7													
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF	<0.1	<0.1	<0.1	<0.1				6.8	340	26	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF	<0.1	<0.1	<0.1	<0.1				8.6	370	25	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD		0	0	0	0				23	8	4	0	0	0	0	0	0	0	0	0
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF	<0.1	<0.1	<0.1	<0.1				6.8	340	26	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
D06.02	SX_IB_20220509_20_08_SS_Triplicate_ALS				<0.1	1.5	5.1	9.2	5	230		<5	<0.50	<0.50		<0.50			<0.50	
RPD				0						39		0	0	0		0			0	
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF						5.2		5.1											
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF						5.2		5.1											
RPD							0		0											
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF						8.7		6.9											
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF						8.8		6.9											
RPD							1		0											
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF						8.7		6.9											
D06.02	SX_IB_20220509_20_08_SS_Triplicate_ALS						9.6													
RPD							10													
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF	<0.1	<0.1	<0.1	<0.1				6.9	310	34	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF	<0.1	<0.1	<0.1	<0.1				6.8	230	25	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD		0	0	0	0				1	30	31	0	0	0	0	0	0	0	0	0
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF	<0.1	<0.1	<0.1	<0.1				6.9	310	34	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
D08.02	SX_OB_20220509_16_03_SS_Triplicate_ALS				<0.1	1.5	5.1	8.9	5	240		<5	<0.50	<0.50		<0.50			<0.50	
RPD				0						25		0	0	0		0			0	
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF						5.2		5.1											

Bs		Inorganics											Halogenated Benzenes								
	Arochlor 1221	Arochlor 1260	Arochlor 1016	PCBs (Sum of total)	pH (after HCL)	pH (Final)	pH (Initial)	pH of Leaching Fluid	pH (aqueous extract)	Fluoride	Moisture Content (dried @ 103°C)	Cyanide Total	1,2,4-trichlorobenzene	1,2-dichlorobenzene	1,3-dichlorobenzene	1,4-dichlorobenzene	Bromobenzene	4-chlorotoluene	Chlorobenzene	Iodomethane	
	mg/kg	mg/kg	mg/kg	mg/kg	-	-	-	-	-	mg/kg	%	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF					5.2		5.1													
RPD						0		0													
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF					8.6		6.9													
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF					8.5		6.9													
RPD						1		0													
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF					8.6		6.9													
D08.02	SX_OB_20220509_16_03_SS_Triplicate_ALS					9.4															
RPD						9															
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS			<0.1	1.5	5.1	9.3	5		190		<5	<0.50	<0.50		<0.50			<0.50		
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS			<0.1	1.5	5.1	9.2	5		250		<5	<0.50	<0.50		<0.50			<0.50		
RPD				0	0	0	1	0		27		0	0	0		0			0		
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS			<0.1	1.5	5.1	9.3	5		190		<5	<0.50	<0.50		<0.50			<0.50		
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF	<0.1	<0.1	<0.1					8.3	240	26	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
RPD				0						23		0	0	0		0			0		
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS			<0.1	1.5	5.1	9.3	5		190		<5	<0.50	<0.50		<0.50			<0.50		
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF					5.0		5.1													
RPD						2		2													
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS					9.5															
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS					9.5															
RPD						0															
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS					9.5															
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF					8.4		6.9													
RPD						12															

*RPDs have only been considered where a concentration is greater than 1 times the EQL.
 **Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multiplier range)
 ***Interlab Duplicates are matched on a per compound basis as methods vary between laboratories. Any r

EQL	Halogenated Hydrocarbons				MAH						Solvents					SPOCAS	
	Bromomethane	1,2-dibromoethane	Dichlorodifluoromethane	Trichlorofluoromethane	Total MAH	Monocyclic aromatic hydrocarbons EPAVIC	1,3,5-trimethylbenzene	Styrene	Isopropylbenzene	1,2,4-trimethylbenzene	4-Methyl-2-pentanone	Acetone	Allyl chloride	Carbon disulfide	Methyl Ethyl ketone	pH (CaCl2)	
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg		
0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.1

Location Code	Field ID	Bromomethane	1,2-dibromoethane	Dichlorodifluoromethane	Trichlorofluoromethane	Total MAH	Monocyclic aromatic hydrocarbons EPAVIC	1,3,5-trimethylbenzene	Styrene	Isopropylbenzene	1,2,4-trimethylbenzene	4-Methyl-2-pentanone	Acetone	Allyl chloride	Carbon disulfide	Methyl Ethyl ketone	pH (CaCl2)
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
RPD		0	0	0	0	0		0	0	0	0	0	0	0	0	0	
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
B01.02	SX_OB_20220507_16_20_SS_Triplicate_ALS						<0.5		<0.5								7.8
RPD								0									
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF																
RPD																	
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF																
RPD																	
B01.02	SX_OB_20220507_16_18_SS_Primary_EUF																
B01.02	SX_OB_20220507_16_19_SS_Duplicate_EUF																
RPD																	
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
RPD		0	0	0	0	0		0	0	0	0	0	0	0	0	0	
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
B01.02	SX_OB_20220507_20_23_SS_Triplicate_ALS						<0.5		<0.5								7.8
RPD								0									
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF																
RPD																	
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																
B01.02	SX_OB_20220507_20_21_SS_Duplicate_EUF																
RPD																	
B01.02	SX_OB_20220507_20_20_SS_Primary_EUF																
B01.02	SX_OB_20220507_20_23_SS_Triplicate_ALS																
RPD																	
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS						<0.5		<0.5								7.6
B01.02	SX_OB_20220507_08_17_SS_Duplicate_ALS						<0.5		<0.5								7.6
RPD							0		0								0
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS						<0.5		<0.5								7.6
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
RPD								0									
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS						<0.5		<0.5								7.6
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF																
RPD																	
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																
B01.02	SX_OB_20220507_08_17_SS_Duplicate_ALS																
RPD																	
B01.02	SX_OB_20220507_08_16_SS_Primary_ALS																
B01.02	SX_OB_20220507_08_19_SS_Triplicate_EUF																
RPD																	
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
RPD		0	0	0	0	0		0	0	0	0	0	0	0	0	0	
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS						<0.5		<0.5								7.7
RPD								0									
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF																
RPD																	
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																
D06.02	SX_IB_20220508_16_15_SS_Duplicate_EUF																
RPD																	
D06.02	SX_IB_20220508_16_14_SS_Primary_EUF																
D06.02	SX_IB_20220508_16_16_SS_Triplicate_ALS																
RPD																	
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
D08.02	SX_OB_20220508_19_50_SS_Duplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	

		Halogenated Hydrocarbons				MAH					Solvents					SPOCAS	
		Bromomethane	1,2-dibromoethane	Dichlorodifluoromethane	Trichlorofluoromethane	Total MAH	Monocyclic aromatic hydrocarbons EPAVic	1,3,5-trimethylbenzene	Styrene	Isopropylbenzene	1,2,4-trimethylbenzene	4-Methyl-2-pentanone	Acetone	Allyl chloride	Carbon disulfide	Methyl Ethyl ketone	pH (CaCl2)
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	-
RPD		0	0	0	0	0		0	0	0	0	0	0	0	0	0	
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
D08.02	SX_OB_20220508_19_51_SS_Triplicate_ALS						<0.5	<0.5	<0.5								7.7
RPD								0									
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF																
D08.02	SX_OB_20220508_19_50_SS_Duplicate_EUF																
RPD																	
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF																
D08.02	SX_OB_20220508_19_50_SS_Duplicate_EUF																
RPD																	
D08.02	SX_OB_20220508_19_49_SS_Primary_EUF																
D08.02	SX_OB_20220508_19_51_SS_Triplicate_ALS																
RPD																	
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS						<0.5	<0.5									7.8
B01.02	SX_OB_20220508_07_45_SS_Duplicate_ALS						<0.5	<0.5									7.8
RPD							0	0									0
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS						<0.5	<0.5									7.8
C02.02	SX_OB_20220506_07_59_SS_Duplicate_ALS						<0.5	<0.5									7.6
RPD							0	0									3
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS						<0.5	<0.5									7.8
B01.02	SX_OB_20220508_07_46_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
RPD								0									
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS						<0.5	<0.5									7.8
B01.02	SX_OB_20220508_07_46_SS_Triplicate_EUF																
RPD																	
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS						<0.5	<0.5									7.8
C02.02	SX_OB_20220506_08_00_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
RPD								0									
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS						<0.5	<0.5									7.8
C02.02	SX_OB_20220506_08_00_SS_Triplicate_EUF																
RPD																	
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS																
B01.02	SX_OB_20220508_07_45_SS_Duplicate_ALS																
RPD																	
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS																
C02.02	SX_OB_20220506_07_59_SS_Duplicate_ALS																
RPD																	
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS																
B01.02	SX_OB_20220508_07_46_SS_Triplicate_EUF																
RPD																	
B01.02	SX_OB_20220508_07_42_SS_Primary_ALS																
C02.02	SX_OB_20220506_08_00_SS_Triplicate_EUF																
RPD																	
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
RPD		0	0	0	0	0		0	0	0	0	0	0	0	0	0	
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
D06.02	SX_IB_20220509_20_08_SS_Triplicate_ALS						<0.5	<0.5									7.8
RPD								0									
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF																
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF																
RPD																	
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF																
D06.02	SX_IB_20220509_20_07_SS_Duplicate_EUF																
RPD																	
D06.02	SX_IB_20220509_20_05_SS_Primary_EUF																
D06.02	SX_IB_20220509_20_08_SS_Triplicate_ALS																
RPD																	
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
RPD		0	0	0	0	0		0	0	0	0	0	0	0	0	0	
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
D08.02	SX_OB_20220509_16_03_SS_Triplicate_ALS						<0.5	<0.5									7.9
RPD								0									
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF																

		Halogenated Hydrocarbons				MAH						Solvents					SPOCAS
		Bromomethane	1,2-dibromoethane	Dichlorodifluoromethane	Trichlorofluoromethane	Total MAH	Monocyclic aromatic hydrocarbons EPAV1c	1,3,5-trimethylbenzene	Styrene	Isopropylbenzene	1,2,4-trimethylbenzene	4-Methyl-2-pentanone	Acetone	Allyl chloride	Carbon disulfide	Methyl Ethyl Ketone	pH (CaCl2)
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF																
	RPD																
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF																
D08.02	SX_OB_20220509_16_02_SS_Duplicate_EUF																
	RPD																
D08.02	SX_OB_20220509_16_02_SS_Primary_EUF																
D08.02	SX_OB_20220509_16_03_SS_Triplicate_ALS																
	RPD																
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS						<0.5	<0.5									7.7
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS						<0.5	<0.5									7.8
	RPD						0	0									1
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS						<0.5	<0.5									7.7
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
	RPD							0									
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS						<0.5	<0.5									7.7
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF																
	RPD																
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS																
D06.02	SX_IB_20220509_08_09_SS_Duplicate_ALS																
	RPD																
D06.02	SX_IB_20220509_08_07_SS_Primary_ALS																
D06.02	SX_IB_20220509_08_10_SS_Triplicate_EUF																
	RPD																

*RPDs have only been considered where a concentration is greater than 1 times the EQL.
 **Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multiplier range)
 ***Interlab Duplicates are matched on a per compound basis as methods vary between laboratories. Any r

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	D06.0220220524113803_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

ATTACHMENT B: 95% UCL AVE CALCULATIONS

	A	B	C	D	E	F	G	H	I	J	K	L	
1	UCL Statistics for Data Sets with Non-Detects												
2													
3	User Selected Options												
4	Date/Time of Computation		ProUCL 5.124/05/2022 1:35:12 PM										
5	From File		WorkSheet_b.xls										
6	Full Precision		OFF										
7	Confidence Coefficient		95%										
8	Number of Bootstrap Operations		2000										
9													
10													
11	Arsenic												
12													
13	General Statistics												
14	Total Number of Observations				21		Number of Distinct Observations				19		
15									Number of Missing Observations				0
16	Minimum				15		Mean				35.52		
17	Maximum				64		Median				35		
18	SD				12.64		Std. Error of Mean				2.758		
19	Coefficient of Variation				0.356		Skewness				0.583		
20													
21	Normal GOF Test												
22	Shapiro Wilk Test Statistic				0.966		Shapiro Wilk GOF Test						
23	5% Shapiro Wilk Critical Value				0.908		Data appear Normal at 5% Significance Level						
24	Lilliefors Test Statistic				0.137		Lilliefors GOF Test						
25	5% Lilliefors Critical Value				0.188		Data appear Normal at 5% Significance Level						
26	Data appear Normal at 5% Significance Level												
27													
28	Assuming Normal Distribution												
29	95% Normal UCL						95% UCLs (Adjusted for Skewness)						
30	95% Student's-t UCL				40.28		95% Adjusted-CLT UCL (Chen-1995)				40.44		
31							95% Modified-t UCL (Johnson-1978)				40.34		
32													
33	Gamma GOF Test												
34	A-D Test Statistic				0.147		Anderson-Darling Gamma GOF Test						
35	5% A-D Critical Value				0.744		Detected data appear Gamma Distributed at 5% Significance Level						
36	K-S Test Statistic				0.0921		Kolmogorov-Smirnov Gamma GOF Test						
37	5% K-S Critical Value				0.19		Detected data appear Gamma Distributed at 5% Significance Level						
38	Detected data appear Gamma Distributed at 5% Significance Level												
39													
40	Gamma Statistics												
41	k hat (MLE)				8.218		k star (bias corrected MLE)				7.076		
42	Theta hat (MLE)				4.323		Theta star (bias corrected MLE)				5.02		
43	nu hat (MLE)				345.2		nu star (bias corrected)				297.2		
44	MLE Mean (bias corrected)				35.52		MLE Sd (bias corrected)				13.35		
45							Approximate Chi Square Value (0.05)				258.2		
46	Adjusted Level of Significance				0.0383		Adjusted Chi Square Value				255.5		
47													
48	Assuming Gamma Distribution												
49	95% Approximate Gamma UCL (use when n>=50))				40.88		95% Adjusted Gamma UCL (use when n<50)				41.32		
50													
51	Lognormal GOF Test												
52	Shapiro Wilk Test Statistic				0.983		Shapiro Wilk Lognormal GOF Test						
53	5% Shapiro Wilk Critical Value				0.908		Data appear Lognormal at 5% Significance Level						
54	Lilliefors Test Statistic				0.0868		Lilliefors Lognormal GOF Test						
55	5% Lilliefors Critical Value				0.188		Data appear Lognormal at 5% Significance Level						
56	Data appear Lognormal at 5% Significance Level												

	A	B	C	D	E	F	G	H	I	J	K	L
57												
58	Lognormal Statistics											
59	Minimum of Logged Data				2.708		Mean of logged Data				3.508	
60	Maximum of Logged Data				4.159		SD of logged Data				0.368	
61												
62	Assuming Lognormal Distribution											
63	95% H-UCL				41.7		90% Chebyshev (MVUE) UCL				44.36	
64	95% Chebyshev (MVUE) UCL				48.32		97.5% Chebyshev (MVUE) UCL				53.83	
65	99% Chebyshev (MVUE) UCL				64.64							
66												
67	Nonparametric Distribution Free UCL Statistics											
68	Data appear to follow a Discernible Distribution at 5% Significance Level											
69												
70	Nonparametric Distribution Free UCLs											
71	95% CLT UCL				40.06		95% Jackknife UCL				40.28	
72	95% Standard Bootstrap UCL				39.88		95% Bootstrap-t UCL				40.54	
73	95% Hall's Bootstrap UCL				40.57		95% Percentile Bootstrap UCL				39.95	
74	95% BCA Bootstrap UCL				40.19							
75	90% Chebyshev(Mean, Sd) UCL				43.8		95% Chebyshev(Mean, Sd) UCL				47.55	
76	97.5% Chebyshev(Mean, Sd) UCL				52.75		99% Chebyshev(Mean, Sd) UCL				62.97	
77												
78	Suggested UCL to Use											
79	95% Student's-t UCL				40.28							
80												
81	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
82	Recommendations are based upon data size, data distribution, and skewness.											
83	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
84	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
85												
86												
87	Copper											
88												
89	General Statistics											
90	Total Number of Observations				21		Number of Distinct Observations				17	
91							Number of Missing Observations				0	
92	Minimum				43		Mean				65.43	
93	Maximum				120		Median				63	
94	SD				17.09		Std. Error of Mean				3.73	
95	Coefficient of Variation				0.261		Skewness				1.744	
96												
97	Normal GOF Test											
98	Shapiro Wilk Test Statistic				0.852		Shapiro Wilk GOF Test					
99	5% Shapiro Wilk Critical Value				0.908		Data Not Normal at 5% Significance Level					
100	Lilliefors Test Statistic				0.207		Lilliefors GOF Test					
101	5% Lilliefors Critical Value				0.188		Data Not Normal at 5% Significance Level					
102	Data Not Normal at 5% Significance Level											
103												
104	Assuming Normal Distribution											
105	95% Normal UCL						95% UCLs (Adjusted for Skewness)					
106	95% Student's-t UCL				71.86		95% Adjusted-CLT UCL (Chen-1995)				73.08	
107							95% Modified-t UCL (Johnson-1978)				72.1	
108												
109	Gamma GOF Test											
110	A-D Test Statistic				0.581		Anderson-Darling Gamma GOF Test					
111	5% A-D Critical Value				0.743		Detected data appear Gamma Distributed at 5% Significance Level					
112	K-S Test Statistic				0.168		Kolmogorov-Smirnov Gamma GOF Test					
113	5% K-S Critical Value				0.189		Detected data appear Gamma Distributed at 5% Significance Level					
114	Detected data appear Gamma Distributed at 5% Significance Level											

	A	B	C	D	E	F	G	H	I	J	K	L
115												
116	Gamma Statistics											
117	k hat (MLE)				18.14		k star (bias corrected MLE)				15.58	
118	Theta hat (MLE)				3.606		Theta star (bias corrected MLE)				4.198	
119	nu hat (MLE)				762.1		nu star (bias corrected)				654.5	
120	MLE Mean (bias corrected)				65.43		MLE Sd (bias corrected)				16.57	
121							Approximate Chi Square Value (0.05)				596.2	
122	Adjusted Level of Significance				0.0383		Adjusted Chi Square Value				591.9	
123												
124	Assuming Gamma Distribution											
125	95% Approximate Gamma UCL (use when n>=50)				71.83		95% Adjusted Gamma UCL (use when n<50)				72.35	
126												
127	Lognormal GOF Test											
128	Shapiro Wilk Test Statistic				0.941		Shapiro Wilk Lognormal GOF Test					
129	5% Shapiro Wilk Critical Value				0.908		Data appear Lognormal at 5% Significance Level					
130	Lilliefors Test Statistic				0.156		Lilliefors Lognormal GOF Test					
131	5% Lilliefors Critical Value				0.188		Data appear Lognormal at 5% Significance Level					
132	Data appear Lognormal at 5% Significance Level											
133												
134	Lognormal Statistics											
135	Minimum of Logged Data				3.761		Mean of logged Data				4.153	
136	Maximum of Logged Data				4.787		SD of logged Data				0.234	
137												
138	Assuming Lognormal Distribution											
139	95% H-UCL				71.84		90% Chebyshev (MVUE) UCL				75.42	
140	95% Chebyshev (MVUE) UCL				80		97.5% Chebyshev (MVUE) UCL				86.36	
141	99% Chebyshev (MVUE) UCL				98.84							
142												
143	Nonparametric Distribution Free UCL Statistics											
144	Data appear to follow a Discernible Distribution at 5% Significance Level											
145												
146	Nonparametric Distribution Free UCLs											
147	95% CLT UCL				71.56		95% Jackknife UCL				71.86	
148	95% Standard Bootstrap UCL				71.45		95% Bootstrap-t UCL				74.4	
149	95% Hall's Bootstrap UCL				78.11		95% Percentile Bootstrap UCL				71.52	
150	95% BCA Bootstrap UCL				72.62							
151	90% Chebyshev(Mean, Sd) UCL				76.62		95% Chebyshev(Mean, Sd) UCL				81.69	
152	97.5% Chebyshev(Mean, Sd) UCL				88.72		99% Chebyshev(Mean, Sd) UCL				102.5	
153												
154	Suggested UCL to Use											
155	95% Adjusted Gamma UCL				72.35							
156												
157	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
158	Recommendations are based upon data size, data distribution, and skewness.											
159	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
160	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
161												
162												
163	Nickel											
164												
165	General Statistics											
166	Total Number of Observations				21		Number of Distinct Observations				16	
167							Number of Missing Observations				0	
168	Minimum				136		Mean				201.7	
169	Maximum				420		Median				180	
170	SD				61.76		Std. Error of Mean				13.48	
171	Coefficient of Variation				0.306		Skewness				2.367	
172												

	A	B	C	D	E	F	G	H	I	J	K	L
173	Normal GOF Test											
174	Shapiro Wilk Test Statistic					0.775	Shapiro Wilk GOF Test					
175	5% Shapiro Wilk Critical Value					0.908	Data Not Normal at 5% Significance Level					
176	Lilliefors Test Statistic					0.181	Lilliefors GOF Test					
177	5% Lilliefors Critical Value					0.188	Data appear Normal at 5% Significance Level					
178	Data appear Approximate Normal at 5% Significance Level											
179												
180	Assuming Normal Distribution											
181	95% Normal UCL						95% UCLs (Adjusted for Skewness)					
182	95% Student's-t UCL					225	95% Adjusted-CLT UCL (Chen-1995)					231.3
183							95% Modified-t UCL (Johnson-1978)					226.1
184												
185	Gamma GOF Test											
186	A-D Test Statistic					0.726	Anderson-Darling Gamma GOF Test					
187	5% A-D Critical Value					0.743	Detected data appear Gamma Distributed at 5% Significance Level					
188	K-S Test Statistic					0.157	Kolmogorov-Smirnov Gamma GOF Test					
189	5% K-S Critical Value					0.189	Detected data appear Gamma Distributed at 5% Significance Level					
190	Detected data appear Gamma Distributed at 5% Significance Level											
191												
192	Gamma Statistics											
193	k hat (MLE)					14.62	k star (bias corrected MLE)					12.56
194	Theta hat (MLE)					13.8	Theta star (bias corrected MLE)					16.06
195	nu hat (MLE)					614.1	nu star (bias corrected)					527.7
196	MLE Mean (bias corrected)					201.7	MLE Sd (bias corrected)					56.91
197							Approximate Chi Square Value (0.05)					475.4
198	Adjusted Level of Significance					0.0383	Adjusted Chi Square Value					471.6
199												
200	Assuming Gamma Distribution											
201	95% Approximate Gamma UCL (use when n>=50))					223.9	95% Adjusted Gamma UCL (use when n<50)					225.7
202												
203	Lognormal GOF Test											
204	Shapiro Wilk Test Statistic					0.906	Shapiro Wilk Lognormal GOF Test					
205	5% Shapiro Wilk Critical Value					0.908	Data Not Lognormal at 5% Significance Level					
206	Lilliefors Test Statistic					0.146	Lilliefors Lognormal GOF Test					
207	5% Lilliefors Critical Value					0.188	Data appear Lognormal at 5% Significance Level					
208	Data appear Approximate Lognormal at 5% Significance Level											
209												
210	Lognormal Statistics											
211	Minimum of Logged Data					4.913	Mean of logged Data					5.272
212	Maximum of Logged Data					6.04	SD of logged Data					0.255
213												
214	Assuming Lognormal Distribution											
215	95% H-UCL					223.1	90% Chebyshev (MVUE) UCL					234.9
216	95% Chebyshev (MVUE) UCL					250.3	97.5% Chebyshev (MVUE) UCL					271.6
217	99% Chebyshev (MVUE) UCL					313.5						
218												
219	Nonparametric Distribution Free UCL Statistics											
220	Data appear to follow a Discernible Distribution at 5% Significance Level											
221												
222	Nonparametric Distribution Free UCLs											
223	95% CLT UCL					223.9	95% Jackknife UCL					225
224	95% Standard Bootstrap UCL					222.5	95% Bootstrap-t UCL					238.2
225	95% Hall's Bootstrap UCL					330.9	95% Percentile Bootstrap UCL					225
226	95% BCA Bootstrap UCL					231.8						
227	90% Chebyshev(Mean, Sd) UCL					242.1	95% Chebyshev(Mean, Sd) UCL					260.5
228	97.5% Chebyshev(Mean, Sd) UCL					285.9	99% Chebyshev(Mean, Sd) UCL					335.8
229												
230	Suggested UCL to Use											
231	95% Student's-t UCL					225						

	A	B	C	D	E	F	G	H	I	J	K	L
232												
233	When a data set follows an approximate (e.g., normal) distribution passing one of the GOF test											
234	When applicable, it is suggested to use a UCL based upon a distribution (e.g., gamma) passing both GOF tests in ProUCL											
235												
236	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
237	Recommendations are based upon data size, data distribution, and skewness.											
238	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
239	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
240												
241												
242	Zinc											
243												
244	General Statistics											
245	Total Number of Observations				21		Number of Distinct Observations				16	
246							Number of Missing Observations				0	
247	Minimum				66		Mean				113.1	
248	Maximum				220		Median				110	
249	SD				36.18		Std. Error of Mean				7.895	
250	Coefficient of Variation				0.32		Skewness				1.35	
251												
252	Normal GOF Test											
253	Shapiro Wilk Test Statistic				0.9		Shapiro Wilk GOF Test					
254	5% Shapiro Wilk Critical Value				0.908		Data Not Normal at 5% Significance Level					
255	Lilliefors Test Statistic				0.153		Lilliefors GOF Test					
256	5% Lilliefors Critical Value				0.188		Data appear Normal at 5% Significance Level					
257	Data appear Approximate Normal at 5% Significance Level											
258												
259	Assuming Normal Distribution											
260	95% Normal UCL						95% UCLs (Adjusted for Skewness)					
261	95% Student's-t UCL				126.7		95% Adjusted-CLT UCL (Chen-1995)				128.6	
262							95% Modified-t UCL (Johnson-1978)				127.1	
263												
264	Gamma GOF Test											
265	A-D Test Statistic				0.305		Anderson-Darling Gamma GOF Test					
266	5% A-D Critical Value				0.743		Detected data appear Gamma Distributed at 5% Significance Level					
267	K-S Test Statistic				0.118		Kolmogorov-Smirnov Gamma GOF Test					
268	5% K-S Critical Value				0.189		Detected data appear Gamma Distributed at 5% Significance Level					
269	Detected data appear Gamma Distributed at 5% Significance Level											
270												
271	Gamma Statistics											
272	k hat (MLE)				11.72		k star (bias corrected MLE)				10.07	
273	Theta hat (MLE)				9.654		Theta star (bias corrected MLE)				11.23	
274	nu hat (MLE)				492		nu star (bias corrected)				423.1	
275	MLE Mean (bias corrected)				113.1		MLE Sd (bias corrected)				35.63	
276							Approximate Chi Square Value (0.05)				376.4	
277	Adjusted Level of Significance				0.0383		Adjusted Chi Square Value				373	
278												
279	Assuming Gamma Distribution											
280	95% Approximate Gamma UCL (use when n>=50))				127.1		95% Adjusted Gamma UCL (use when n<50)				128.3	
281												
282	Lognormal GOF Test											
283	Shapiro Wilk Test Statistic				0.975		Shapiro Wilk Lognormal GOF Test					
284	5% Shapiro Wilk Critical Value				0.908		Data appear Lognormal at 5% Significance Level					
285	Lilliefors Test Statistic				0.1		Lilliefors Lognormal GOF Test					
286	5% Lilliefors Critical Value				0.188		Data appear Lognormal at 5% Significance Level					
287	Data appear Lognormal at 5% Significance Level											
288												
289	Lognormal Statistics											
290	Minimum of Logged Data				4.19		Mean of logged Data				4.685	
291	Maximum of Logged Data				5.394		SD of logged Data				0.295	

	A	B	C	D	E	F	G	H	I	J	K	L
292												
293	Assuming Lognormal Distribution											
294					95% H-UCL	127.7					90% Chebyshev (MVUE) UCL	135
295					95% Chebyshev (MVUE) UCL	145					97.5% Chebyshev (MVUE) UCL	158.9
296					99% Chebyshev (MVUE) UCL	186.2						
297												
298	Nonparametric Distribution Free UCL Statistics											
299	Data appear to follow a Discernible Distribution at 5% Significance Level											
300												
301	Nonparametric Distribution Free UCLs											
302					95% CLT UCL	126.1					95% Jackknife UCL	126.7
303					95% Standard Bootstrap UCL	125.2					95% Bootstrap-t UCL	129.9
304					95% Hall's Bootstrap UCL	133.7					95% Percentile Bootstrap UCL	126.4
305					95% BCA Bootstrap UCL	128.5						
306					90% Chebyshev(Mean, Sd) UCL	136.8					95% Chebyshev(Mean, Sd) UCL	147.5
307					97.5% Chebyshev(Mean, Sd) UCL	162.4					99% Chebyshev(Mean, Sd) UCL	191.6
308												
309	Suggested UCL to Use											
310					95% Student's-t UCL	126.7						
311												
312	When a data set follows an approximate (e.g., normal) distribution passing one of the GOF test											
313	When applicable, it is suggested to use a UCL based upon a distribution (e.g., gamma) passing both GOF tests in ProUCL											
314												
315	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
316	Recommendations are based upon data size, data distribution, and skewness.											
317	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
318	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
319												

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	D06.0220220524113803_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

ATTACHMENT C: LABORATORY CERTIFICATES



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welsphool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	SX_OB_20220507_07_58_S_S_Primary_EUF	May 07, 2022	7:58AM	Soil	M22-My0018749		X	X	X
2	SX_OB_20220507_08_19_S_S_Triplicate_EUF	May 07, 2022	8:19AM	Soil	M22-My0018750		X	X	X
3	SX_IB_20220507_11_59_SS_Primary_EUF	May 07, 2022	11:59AM	Soil	M22-My0018751		X	X	X
4	SX_IB_20220507_11_59_SS_Primary_EUF	May 07, 2022	4:00PM	Soil	M22-		X	X	X



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	07_16_00_SS _Primary_EUF				My0018752				
5	SX_OB_20220 507_16_18_S S_Primary_EU F	May 07, 2022	4:18PM	Soil	M22- My0018753		X	X	X
6	SX_OB_20220 507_16_19_S S_Duplicate_E UF	May 07, 2022	4:19PM	Soil	M22- My0018754		X	X	X
7	SX_IB_202205 07_20_11_SS _Primary_EUF	May 07, 2022	8:11PM	Soil	M22- My0018755		X	X	X
8	SX_OB_20220	May 07, 2022	8:20PM	Soil	M22-		X	X	X



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
8	SX_OB_20220507_20_20_SS_Primary_EUF	May 07, 2022	8:20PM	Soil	M22-My0018756				
9	SX_OB_20220507_20_21_SS_Duplicate_EUF	May 07, 2022	8:21PM	Soil	M22-My0018757		X	X	X
10	SX_IB_20220508_00_17_SS_Primary_EUF	May 08, 2022	12:17AM	Soil	M22-My0018758		X	X	X
11	SX_IB_20220508_04_10_SS_Primary_EUF	May 08, 2022	4:10AM	Soil	M22-My0018759		X	X	X



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
12	SX_IB_20220508_04_21_SS_Primary_EUF	May 08, 2022	4:21AM	Soil	M22-My0018760		X	X	X
13	SX_OB_20220508_07_46_S_S_Triplicate_EUF	May 08, 2022	7:46AM	Soil	M22-My0018761		X	X	X
14	SX_IB_20220508_07_52_SS_Primary_EUF	May 08, 2022	7:52AM	Soil	M22-My0018762		X	X	X
15	SX_OB_20220508_11_47_S_S_Primary_EUF	May 08, 2022	11:47AM	Soil	M22-My0018763		X	X	X



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
16	SX_IB_20220508_16_14_SS_Primary_EUF	May 08, 2022	4:14PM	Soil	M22-My0018764		X	X	X
17	SX_IB_20220508_16_15_SS_Duplicate_EUF	May 08, 2022	4:15PM	Soil	M22-My0018765		X	X	X
18	SX_IB_20220508_16_38_SR_Rinsate_EUF	May 08, 2022	4:38PM	Water	M22-My0018766			X	
19	SX_IB_20220508_16_39_SB_Blank_EUF	May 08, 2022	4:39PM	Water	M22-My0018767			X	
20	SX_IB_202205	May 08, 2022	7:44PM	Soil	M22-		X	X	X



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	08_19_44_SS _Primary_EUF				My0018768				
21	SX_OB_20220 508_19_49_S S_Primary_EU F	May 08, 2022	7:49PM	Soil	M22- My0018769		X	X	X
22	SX_OB_20220 508_19_50_S S_Duplicate_E UF	May 08, 2022	7:50PM	Soil	M22- My0018770		X	X	X
23	SX_IB_202205 09_00_15_SS _Primary_EUF	May 09, 2022	12:15AM	Soil	M22- My0018771		X	X	X
24	SX_IB_202205	May 09, 2022	3:58AM	Soil	M22-		X	X	X



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
24	SX_IB_20220509_03_58_SS_Primary_EUF	May 09, 2022	3:58AM	Soil	M22-My0018772				
25	SX_OB_20220509_04_10_SS_Primary_EUF	May 09, 2022	4:10AM	Soil	M22-My0018773		X	X	X
26	SX_OB_20220507_07_58_SS_Primary_EUF	May 07, 2022	7:58AM	AUS Leachate - pH 5.0	M22-My0018774	X		X	
27	SX_OB_20220507_08_19_SS_Triplicate_E	May 07, 2022	8:19AM	AUS Leachate - pH 5.0	M22-My0018775	X		X	



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	UF								
28	SX_IB_20220507_11_59_SS_Primary_EUF	May 07, 2022	11:59AM	AUS Leachate - pH 5.0	M22-My0018776	X		X	
29	SX_IB_20220507_16_00_SS_Primary_EUF	May 07, 2022	4:00PM	AUS Leachate - pH 5.0	M22-My0018777	X		X	
30	SX_OB_20220507_16_18_S_S_Primary_EUF	May 07, 2022	4:18PM	AUS Leachate - pH 5.0	M22-My0018778	X		X	
31	SX_OB_20220507_16_19_S_S_Duplicate_EUF	May 07, 2022	4:19PM	AUS Leachate - pH 5.0	M22-My0018779	X		X	



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	S_Duplicate_EUF								
32	SX_IB_20220507_20_11_SS_Primary_EUF	May 07, 2022	8:11PM	AUS Leachate - pH 5.0	M22-My0018780	X		X	
33	SX_OB_20220507_20_20_SS_Primary_EUF	May 07, 2022	8:20PM	AUS Leachate - pH 5.0	M22-My0018781	X		X	
34	SX_OB_20220507_20_21_SS_Duplicate_EUF	May 07, 2022	8:21PM	AUS Leachate - pH 5.0	M22-My0018782	X		X	
35	SX_IB_202205	May 08, 2022	12:17AM	AUS Leachate	M22-	X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	08_00_17_SS _Primary_EUF			- pH 5.0	My0018783				
36	SX_IB_202205 08_04_10_SS _Primary_EUF	May 08, 2022	4:10AM	AUS Leachate - pH 5.0	M22- My0018784	X		X	
37	SX_IB_202205 08_04_21_SS _Primary_EUF	May 08, 2022	4:21AM	AUS Leachate - pH 5.0	M22- My0018785	X		X	
38	SX_OB_20220 508_07_46_S S_Triplicate_E UF	May 08, 2022	7:46AM	AUS Leachate - pH 5.0	M22- My0018786	X		X	
39	SX_IB_202205 08_07_52_SS	May 08, 2022	7:52AM	AUS Leachate - pH 5.0	M22- My0018787	X		X	



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	08_07_52_SS _Primary_EUF			- pH 5.0	My0018787				
40	SX_OB_20220 508_11_47_S S_Primary_EU F	May 08, 2022	11:47AM	AUS Leachate - pH 5.0	M22- My0018788	X		X	
41	SX_IB_202205 08_16_14_SS _Primary_EUF	May 08, 2022	4:14PM	AUS Leachate - pH 5.0	M22- My0018789	X		X	
42	SX_IB_202205 08_16_15_SS _Duplicate_EU F	May 08, 2022	4:15PM	AUS Leachate - pH 5.0	M22- My0018790	X		X	
43	SX_IB_202205	May 08, 2022	7:44PM	AUS Leachate	M22-	X		X	



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	08_19_44_SS _Primary_EUF			- pH 5.0	My0018791				
44	SX_OB_20220 508_19_49_S S_Primary_EU F	May 08, 2022	7:49PM	AUS Leachate - pH 5.0	M22- My0018792	X		X	
45	SX_OB_20220 508_19_50_S S_Duplicate_E UF	May 08, 2022	7:50PM	AUS Leachate - pH 5.0	M22- My0018793	X		X	
46	SX_IB_202205 09_00_15_SS _Primary_EUF	May 09, 2022	12:15AM	AUS Leachate - pH 5.0	M22- My0018794	X		X	
47	SX_IB_202205	May 09, 2022	3:58AM	AUS Leachate	M22-	X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
47	SX_IB_20220509_03_58_SS_Primary_EUF	May 09, 2022	3:58AM	AUS Leachate - pH 5.0	M22-My0018795				
48	SX_OB_20220509_04_10_SS_Primary_EUF	May 09, 2022	4:10AM	AUS Leachate - pH 5.0	M22-My0018796	X		X	
49	SX_OB_20220507_07_58_SS_Primary_EUF	May 07, 2022	7:58AM	AUS Leachate - Reagent Water	M22-My0018797	X		X	
50	SX_OB_20220507_08_19_SS_Triplicate_E	May 07, 2022	8:19AM	AUS Leachate - Reagent Water	M22-My0018798	X		X	



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welsphool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	UF								
51	SX_IB_20220507_11_59_SS_Primary_EUF	May 07, 2022	11:59AM	AUS Leachate - Reagent Water	M22-My0018799	X		X	
52	SX_IB_20220507_16_00_SS_Primary_EUF	May 07, 2022	4:00PM	AUS Leachate - Reagent Water	M22-My0018800	X		X	
53	SX_OB_20220507_16_18_S_S_Primary_EUF	May 07, 2022	4:18PM	AUS Leachate - Reagent Water	M22-My0018801	X		X	
54	SX_OB_20220507_16_19_S_S_Duplicate_E	May 07, 2022	4:19PM	AUS Leachate - Reagent Water	M22-My0018802	X		X	



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	S_Duplicate_EUF			Water					
55	SX_IB_20220507_20_11_SS_Primary_EUF	May 07, 2022	8:11PM	AUS Leachate - Reagent Water	M22-My0018803	X		X	
56	SX_OB_20220507_20_20_SS_Primary_EUF	May 07, 2022	8:20PM	AUS Leachate - Reagent Water	M22-My0018804	X		X	
57	SX_OB_20220507_20_21_SS_Duplicate_EUF	May 07, 2022	8:21PM	AUS Leachate - Reagent Water	M22-My0018805	X		X	
58	SX_IB_202205	May 08, 2022	12:17AM	AUS Leachate	M22-	X		X	



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	08_00_17_SS _Primary_EUF			- Reagent Water	My0018806				
59	SX_IB_202205 08_04_10_SS _Primary_EUF	May 08, 2022	4:10AM	AUS Leachate - Reagent Water	M22- My0018807	X		X	
60	SX_IB_202205 08_04_21_SS _Primary_EUF	May 08, 2022	4:21AM	AUS Leachate - Reagent Water	M22- My0018808	X		X	
61	SX_OB_20220 508_07_46_S S_Triplicate_E UF	May 08, 2022	7:46AM	AUS Leachate - Reagent Water	M22- My0018809	X		X	
62	SX_IB_202205 08_07_52_SS	May 08, 2022	7:52AM	AUS Leachate - Reagent	M22- My0018810	X		X	



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	08_07_52_SS _Primary_EUF			- Reagent Water	My0018810				
63	SX_OB_20220 508_11_47_S S_Primary_EU F	May 08, 2022	11:47AM	AUS Leachate - Reagent Water	M22- My0018811	X		X	
64	SX_IB_202205 08_16_14_SS _Primary_EUF	May 08, 2022	4:14PM	AUS Leachate - Reagent Water	M22- My0018812	X		X	
65	SX_IB_202205 08_16_15_SS _Duplicate_EU F	May 08, 2022	4:15PM	AUS Leachate - Reagent Water	M22- My0018813	X		X	
66	SX_IB_202205	May 08, 2022	7:44PM	AUS Leachate	M22-	X		X	



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	08_19_44_SS _Primary_EUF			- Reagent Water	My0018814				
67	SX_OB_20220 508_19_49_S S_Primary_EU F	May 08, 2022	7:49PM	AUS Leachate - Reagent Water	M22- My0018815	X		X	
68	SX_OB_20220 508_19_50_S S_Duplicate_E UF	May 08, 2022	7:50PM	AUS Leachate - Reagent Water	M22- My0018816	X		X	
69	SX_IB_202205 09_00_15_SS _Primary_EUF	May 09, 2022	12:15AM	AUS Leachate - Reagent Water	M22- My0018817	X		X	
70	SX_IB_202205	May 09, 2022	3:58AM	AUS Leachate	M22-	X		X	



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
70	SX_IB_20220509_03_58_SS_Primary_EUF	May 09, 2022	3:58AM	AUS Leachate - Reagent Water	M22-My0018818				
71	SX_OB_20220509_04_10_S_Primary_EUF	May 09, 2022	4:10AM	AUS Leachate - Reagent Water	M22-My0018819	X		X	
Test Counts						46	23	71	23

Agon Environmental Pty Ltd - VIC
3/224 Glen Osmond Road
Fullarton
SA 5063



NATA Accredited
Accreditation Number 1261
Site Number 1254

Accredited for compliance with ISO/IEC 17025 – Testing
NATA is a signatory to the ILAC Mutual Recognition
Arrangement for the mutual recognition of the
equivalence of testing, medical testing, calibration,
inspection, proficiency testing scheme providers and
reference materials producers reports and certificates.

Attention: **Agon Lab Reports (WGTP)**

Report **886480-L**
Project name **20220509043341-Eurofin-21**
Project ID **JC0927**
Received Date **May 09, 2022**

Client Sample ID			SX_OB_20220 507_07_58_SS _Primary_EUF	SX_OB_20220 507_08_19_SS _Triplicate_EU F	SX_IB_202205 07_11_59_SS _Primary_EUF	SX_IB_202205 07_16_00_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0018774	M22- My0018775	M22- My0018776	M22- My0018777
Date Sampled			May 07, 2022	May 07, 2022	May 07, 2022	May 07, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.1	5.1	5.1	5.1
pH (off)	0.1	pH Units	5.2	5.1	5.1	5.1
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	97	90	95	101
13C5-PFPeA (surr.)	1	%	85	79	85	72
13C5-PFHxA (surr.)	1	%	81	60	58	55
13C4-PFHpA (surr.)	1	%	70	71	79	88
13C8-PFOA (surr.)	1	%	68	72	62	72
13C5-PFNA (surr.)	1	%	74	75	89	95
13C6-PFDA (surr.)	1	%	74	73	102	110
13C2-PFUnDA (surr.)	1	%	94	96	125	134
13C2-PFDoDA (surr.)	1	%	94	79	118	124
13C2-PFTeDA (surr.)	1	%	56	31	88	103

Client Sample ID			SX_OB_20220 507_07_58_SS _Primary_EUF	SX_OB_20220 507_08_19_SS _Triplicate_EU F	SX_IB_202205 07_11_59_SS _Primary_EUF	SX_IB_202205 07_16_00_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0018774	M22- My0018775	M22- My0018776	M22- My0018777
Date Sampled			May 07, 2022	May 07, 2022	May 07, 2022	May 07, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	111	109	110	123
D3-N-MeFOSA (surr.)	1	%	94	113	33	87
D5-N-EtFOSA (surr.)	1	%	105	131	39	104
D7-N-MeFOSE (surr.)	1	%	113	107	69	82
D9-N-EtFOSE (surr.)	1	%	105	97	78	96
D5-N-EtFOSAA (surr.)	1	%	55	75	93	92
D3-N-MeFOSAA (surr.)	1	%	39	56	59	80
Perfluoroalkyl sulfonic acids (PFSA)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	92	62	57	75
18O2-PFHxS (surr.)	1	%	81	86	102	112
13C8-PFOS (surr.)	1	%	64	60	75	77
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	95	109	124	146
13C2-6:2 FTSA (surr.)	1	%	74	79	109	96
13C2-8:2 FTSA (surr.)	1	%	90	85	139	122
13C2-10:2 FTSA (surr.)	1	%	94	90	107	82
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_20220 507_16_18_SS _Primary_EUF	SX_OB_20220 507_16_19_SS _Duplicate_EU F	SX_IB_202205 07_20_11_SS _Primary_EUF	SX_OB_20220 507_20_20_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0018778	M22- My0018779	M22- My0018780	M22- My0018781
Date Sampled			May 07, 2022	May 07, 2022	May 07, 2022	May 07, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.1	5.1	5.1	5.1
pH (off)	0.1	pH Units	5.1	5.1	5.1	5.0
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	97	90	102	86
13C5-PFPeA (surr.)	1	%	93	83	82	76
13C5-PFHxA (surr.)	1	%	68	68	63	63
13C4-PFHpA (surr.)	1	%	80	78	82	63
13C8-PFOA (surr.)	1	%	90	82	84	62
13C5-PFNA (surr.)	1	%	84	76	96	63
13C6-PFDA (surr.)	1	%	87	84	119	74
13C2-PFUnDA (surr.)	1	%	121	86	140	71
13C2-PFDoDA (surr.)	1	%	110	90	132	69
13C2-PFTTeDA (surr.)	1	%	71	61	83	53
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	112	83	122	81
D3-N-MeFOSA (surr.)	1	%	70	28	54	28
D5-N-EtFOSA (surr.)	1	%	81	41	62	41
D7-N-MeFOSE (surr.)	1	%	86	65	69	69
D9-N-EtFOSE (surr.)	1	%	83	66	83	70
D5-N-EtFOSAA (surr.)	1	%	89	80	61	59
D3-N-MeFOSAA (surr.)	1	%	63	86	99	78

Client Sample ID			SX_OB_20220 507_16_18_SS _Primary_EUF	SX_OB_20220 507_16_19_SS _Duplicate_EU F	SX_IB_202205 07_20_11_SS _Primary_EUF	SX_OB_20220 507_20_20_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0018778	M22- My0018779	M22- My0018780	M22- My0018781
Date Sampled			May 07, 2022	May 07, 2022	May 07, 2022	May 07, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl sulfonic acids (PFASs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	66	60	64	57
18O2-PFHxS (surr.)	1	%	81	85	94	80
13C8-PFOS (surr.)	1	%	81	58	85	60
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	123	107	130	103
13C2-6:2 FTSA (surr.)	1	%	82	67	103	67
13C2-8:2 FTSA (surr.)	1	%	107	103	125	89
13C2-10:2 FTSA (surr.)	1	%	130	106	159	70
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_20220 507_20_21_SS _Duplicate_EU F	SX_IB_202205 08_00_17_SS _Primary_EUF	SX_IB_202205 08_04_10_SS _Primary_EUF	SX_IB_202205 08_04_21_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0018782	M22- My0018783	M22- My0018784	M22- My0018785
Date Sampled			May 07, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.1	5.1	5.1	5.1
pH (off)	0.1	pH Units	5.0	5.0	5.0	5.0

Client Sample ID			SX_OB_20220 507_20_21_SS Duplicate_EU F	SX_IB_202205 08_00_17_SS Primary_EUF	SX_IB_202205 08_04_10_SS Primary_EUF	SX_IB_202205 08_04_21_SS Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0018782	M22- My0018783	M22- My0018784	M22- My0018785
Date Sampled			May 07, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	84	82	100	102
13C5-PFPeA (surr.)	1	%	76	75	87	88
13C5-PFHxA (surr.)	1	%	61	55	74	87
13C4-PFHpA (surr.)	1	%	67	64	81	80
13C8-PFOA (surr.)	1	%	66	53	83	77
13C5-PFNA (surr.)	1	%	70	76	90	87
13C6-PFDA (surr.)	1	%	76	67	105	84
13C2-PFUnDA (surr.)	1	%	88	89	145	127
13C2-PFDoDA (surr.)	1	%	83	96	122	121
13C2-PFTTeDA (surr.)	1	%	47	64	85	75
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	88	95	114	83
D3-N-MeFOSA (surr.)	1	%	39	39	65	27
D5-N-EtFOSA (surr.)	1	%	46	46	81	32
D7-N-MeFOSE (surr.)	1	%	68	78	83	52
D9-N-EtFOSE (surr.)	1	%	86	75	88	52
D5-N-EtFOSAA (surr.)	1	%	51	73	85	103
D3-N-MeFOSAA (surr.)	1	%	37	76	96	67
Perfluoroalkyl sulfonic acids (PFSAs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01

Client Sample ID			SX_OB_20220 507_20_21_SS Duplicate_EU F	SX_IB_202205 08_00_17_SS Primary_EUF	SX_IB_202205 08_04_10_SS Primary_EUF	SX_IB_202205 08_04_21_SS Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0018782	M22- My0018783	M22- My0018784	M22- My0018785
Date Sampled			May 07, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl sulfonic acids (PFASs)						
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	53	55	62	101
18O2-PFHxS (surr.)	1	%	81	78	107	96
13C8-PFOS (surr.)	1	%	62	55	74	72
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	89	110	130	105
13C2-6:2 FTSA (surr.)	1	%	54	72	97	84
13C2-8:2 FTSA (surr.)	1	%	90	108	113	103
13C2-10:2 FTSA (surr.)	1	%	93	101	122	145
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_20220 508_07_46_SS TriPLICATE_EU F	SX_IB_202205 08_07_52_SS Primary_EUF	SX_OB_20220 508_11_47_SS Primary_EUF	SX_IB_202205 08_16_14_SS Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0018786	M22- My0018787	M22- My0018788	M22- My0018789
Date Sampled			May 08, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.1	5.1	5.1	5.1
pH (off)	0.1	pH Units	5.0	5.0	5.0	5.1
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01

Client Sample ID			SX_OB_20220 508_07_46_SS _Triuplicate_EU F	SX_IB_202205 08_07_52_SS _Primary_EUF	SX_OB_20220 508_11_47_SS _Primary_EUF	SX_IB_202205 08_16_14_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0018786	M22- My0018787	M22- My0018788	M22- My0018789
Date Sampled			May 08, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	103	99	93	95
13C5-PFPeA (surr.)	1	%	90	83	73	85
13C5-PFHxA (surr.)	1	%	93	74	64	76
13C4-PFHpA (surr.)	1	%	83	84	68	79
13C8-PFOA (surr.)	1	%	72	92	74	81
13C5-PFNA (surr.)	1	%	88	109	76	92
13C6-PFDA (surr.)	1	%	84	95	81	97
13C2-PFUnDA (surr.)	1	%	132	144	93	127
13C2-PFDoDA (surr.)	1	%	114	144	97	117
13C2-PFTeDA (surr.)	1	%	84	111	66	78
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	106	122	93	109
D3-N-MeFOSA (surr.)	1	%	60	72	33	62
D5-N-EtFOSA (surr.)	1	%	70	87	37	68
D7-N-MeFOSE (surr.)	1	%	50	70	76	71
D9-N-EtFOSE (surr.)	1	%	65	95	68	79
D5-N-EtFOSAA (surr.)	1	%	68	161	76	103
D3-N-MeFOSAA (surr.)	1	%	76	127	66	86
Perfluoroalkyl sulfonic acids (PFSAs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	100	92	55	99
18O2-PFHxS (surr.)	1	%	93	106	89	99
13C8-PFOS (surr.)	1	%	85	86	77	85

Client Sample ID			SX_OB_20220508_07_46_SS_Triplicate_EUF	SX_IB_20220508_07_52_SS_Primary_EUF	SX_OB_20220508_11_47_SS_Primary_EUF	SX_IB_20220508_16_14_SS_Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22-My0018786	M22-My0018787	M22-My0018788	M22-My0018789
Date Sampled			May 08, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	112	127	102	106
13C2-6:2 FTSA (surr.)	1	%	86	89	77	88
13C2-8:2 FTSA (surr.)	1	%	103	133	109	127
13C2-10:2 FTSA (surr.)	1	%	98	143	50	107
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_20220508_16_15_SS_Duplicate_EUF	SX_IB_20220508_19_44_SS_Primary_EUF	SX_OB_20220508_19_49_SS_Primary_EUF	SX_OB_20220508_19_50_SS_Duplicate_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22-My0018790	M22-My0018791	M22-My0018792	M22-My0018793
Date Sampled			May 08, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.1	5.1	5.1	5.1
pH (off)	0.1	pH Units	5.1	5.1	5.1	5.1
Perfluoroalkyl carboxylic acids (PFCA)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	94	91	129	99
13C5-PFPeA (surr.)	1	%	85	83	83	86

Client Sample ID			SX_IB_202205 08_16_15_SS Duplicate_EUF	SX_IB_202205 08_19_44_SS Primary_EUF	SX_OB_20220 508_19_49_SS Primary_EUF	SX_OB_20220 508_19_50_SS Duplicate_EU F
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0018790	M22- My0018791	M22- My0018792	M22- My0018793
Date Sampled			May 08, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl carboxylic acids (PFCAs)						
13C5-PFHxA (surr.)	1	%	81	74	68	87
13C4-PFHpA (surr.)	1	%	78	71	60	78
13C8-PFOA (surr.)	1	%	75	69	64	71
13C5-PFNA (surr.)	1	%	81	71	69	94
13C6-PFDA (surr.)	1	%	89	78	74	86
13C2-PFUnDA (surr.)	1	%	115	113	113	143
13C2-PFDoDA (surr.)	1	%	105	101	108	126
13C2-PFTeDA (surr.)	1	%	64	47	110	97
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	108	122	97	105
D3-N-MeFOSA (surr.)	1	%	34	135	78	47
D5-N-EtFOSA (surr.)	1	%	45	162	99	61
D7-N-MeFOSE (surr.)	1	%	65	108	76	55
D9-N-EtFOSE (surr.)	1	%	66	118	84	70
D5-N-EtFOSAA (surr.)	1	%	101	82	89	74
D3-N-MeFOSAA (surr.)	1	%	85	87	105	85
Perfluoroalkyl sulfonic acids (PFSA)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	73	83	90	98
18O2-PFHxS (surr.)	1	%	90	83	75	115
13C8-PFOS (surr.)	1	%	68	67	75	79
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01

Client Sample ID			SX_IB_202205 08_16_15_SS Duplicate_EUF	SX_IB_202205 08_19_44_SS Primary_EUF	SX_OB_20220 508_19_49_SS _Primary_EUF	SX_OB_20220 508_19_50_SS _Duplicate_EU F
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0018790	M22- My0018791	M22- My0018792	M22- My0018793
Date Sampled			May 08, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
13C2-4:2 FTSA (surr.)	1	%	115	96	113	99
13C2-6:2 FTSA (surr.)	1	%	85	68	161	84
13C2-8:2 FTSA (surr.)	1	%	124	101	80	105
13C2-10:2 FTSA (surr.)	1	%	117	96	155	104
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202205 09_00_15_SS Primary_EUF	SX_IB_202205 09_03_58_SS Primary_EUF	SX_OB_20220 509_04_10_SS _Primary_EUF	SX_OB_20220 507_07_58_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0018794	M22- My0018795	M22- My0018796	M22- My0018797
Date Sampled			May 09, 2022	May 09, 2022	May 09, 2022	May 07, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.1	5.1	5.1	5.1
pH (off)	0.1	pH Units	5.1	5.1	5.1	5.1
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	100	86	83	77
13C5-PFPeA (surr.)	1	%	81	83	76	69
13C5-PFHxA (surr.)	1	%	67	68	64	63
13C4-PFHpA (surr.)	1	%	86	62	64	53
13C8-PFOA (surr.)	1	%	84	70	70	52
13C5-PFNA (surr.)	1	%	97	70	69	58
13C6-PFDA (surr.)	1	%	109	87	56	42
13C2-PFUnDA (surr.)	1	%	121	94	102	73
13C2-PFDoDA (surr.)	1	%	137	85	70	83
13C2-PFTeDA (surr.)	1	%	83	49	39	77

Client Sample ID			SX_IB_202205 09_00_15_SS_ Primary_EUF	SX_IB_202205 09_03_58_SS_ Primary_EUF	SX_OB_20220 509_04_10_SS_ Primary_EUF	SX_OB_20220 507_07_58_SS_ Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0018794	M22- My0018795	M22- My0018796	M22- My0018797
Date Sampled			May 09, 2022	May 09, 2022	May 09, 2022	May 07, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	118	88	91	102
D3-N-MeFOSA (surr.)	1	%	89	33	49	89
D5-N-EtFOSA (surr.)	1	%	103	45	59	92
D7-N-MeFOSE (surr.)	1	%	82	66	92	101
D9-N-EtFOSE (surr.)	1	%	97	69	88	93
D5-N-EtFOSAA (surr.)	1	%	108	47	64	62
D3-N-MeFOSAA (surr.)	1	%	64	78	87	61
Perfluoroalkyl sulfonic acids (PFSA)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	75	63	62	73
18O2-PFHxS (surr.)	1	%	106	86	71	69
13C8-PFOS (surr.)	1	%	78	65	61	63
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	110	98	85	68
13C2-6:2 FTSA (surr.)	1	%	119	82	84	60
13C2-8:2 FTSA (surr.)	1	%	115	105	96	68
13C2-10:2 FTSA (surr.)	1	%	145	97	75	77
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_20220 507_08_19_SS _TriPLICATE_EU F	SX_IB_202205 07_11_59_SS _Primary_EUF	SX_IB_202205 07_16_00_SS _Primary_EUF	SX_OB_20220 507_16_18_SS _Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0018798	M22- My0018799	M22- My0018800	M22- My0018801
Date Sampled			May 07, 2022	May 07, 2022	May 07, 2022	May 07, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	6.1	6.1	6.1	6.1
pH (off)	0.1	pH Units	8.1	8.5	8.5	8.5
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	94	95	93	101
13C5-PFPeA (surr.)	1	%	79	87	79	85
13C5-PFHxA (surr.)	1	%	72	62	66	72
13C4-PFHpA (surr.)	1	%	71	71	73	72
13C8-PFOA (surr.)	1	%	72	64	64	72
13C5-PFNA (surr.)	1	%	73	70	70	63
13C6-PFDA (surr.)	1	%	70	90	80	62
13C2-PFUnDA (surr.)	1	%	87	119	83	84
13C2-PFDoDA (surr.)	1	%	77	92	83	81
13C2-PFTeDA (surr.)	1	%	43	46	48	62
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	98	111	109	95
D3-N-MeFOSA (surr.)	1	%	86	42	38	78
D5-N-EtFOSA (surr.)	1	%	96	47	41	86
D7-N-MeFOSE (surr.)	1	%	99	90	81	95
D9-N-EtFOSE (surr.)	1	%	88	87	73	82
D5-N-EtFOSAA (surr.)	1	%	54	72	107	69
D3-N-MeFOSAA (surr.)	1	%	88	99	107	31

Client Sample ID			SX_OB_20220 507_08_19_SS _TriPLICATE_EU F	SX_IB_202205 07_11_59_SS _Primary_EUF	SX_IB_202205 07_16_00_SS _Primary_EUF	SX_OB_20220 507_16_18_SS _Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0018798	M22- My0018799	M22- My0018800	M22- My0018801
Date Sampled			May 07, 2022	May 07, 2022	May 07, 2022	May 07, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl sulfonic acids (PFASs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	65	60	56	61
18O2-PFHxS (surr.)	1	%	87	99	82	82
13C8-PFOS (surr.)	1	%	72	57	59	56
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	123	105	98	107
13C2-6:2 FTSA (surr.)	1	%	62	80	64	66
13C2-8:2 FTSA (surr.)	1	%	99	107	95	84
13C2-10:2 FTSA (surr.)	1	%	86	77	92	97
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_20220 507_16_19_SS _Duplicate_EU F	SX_IB_202205 07_20_11_SS _Primary_EUF	SX_OB_20220 507_20_20_SS _Primary_EUF	SX_OB_20220 507_20_21_SS _Duplicate_EU F
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0018802	M22- My0018803	M22- My0018804	M22- My0018805
Date Sampled			May 07, 2022	May 07, 2022	May 07, 2022	May 07, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	6.1	6.1	6.1	6.1
pH (off)	0.1	pH Units	8.7	8.8	8.7	8.7

Client Sample ID			SX_OB_20220 507_16_19_SS Duplicate_EU F	SX_IB_202205 07_20_11_SS Primary_EUF	SX_OB_20220 507_20_20_SS Primary_EUF	SX_OB_20220 507_20_21_SS Duplicate_EU F
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0018802	M22- My0018803	M22- My0018804	M22- My0018805
Date Sampled			May 07, 2022	May 07, 2022	May 07, 2022	May 07, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	95	94	95	59
13C5-PFPeA (surr.)	1	%	82	99	88	72
13C5-PFHxA (surr.)	1	%	68	69	71	70
13C4-PFHpA (surr.)	1	%	63	68	70	66
13C8-PFOA (surr.)	1	%	58	61	73	64
13C5-PFNA (surr.)	1	%	60	73	64	72
13C6-PFDA (surr.)	1	%	62	78	91	59
13C2-PFUnDA (surr.)	1	%	80	68	92	67
13C2-PFDoDA (surr.)	1	%	76	71	94	64
13C2-PFTeDA (surr.)	1	%	39	34	51	32
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	104	98	119	49
D3-N-MeFOSA (surr.)	1	%	23	27	24	58
D5-N-EtFOSA (surr.)	1	%	22	26	23	38
D7-N-MeFOSE (surr.)	1	%	81	64	76	32
D9-N-EtFOSE (surr.)	1	%	67	60	80	34
D5-N-EtFOSAA (surr.)	1	%	64	74	75	31
D3-N-MeFOSAA (surr.)	1	%	33	92	50	30
Perfluoroalkyl sulfonic acids (PFSA)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01

Client Sample ID			SX_OB_20220 507_16_19_SS Duplicate_EU F	SX_IB_202205 07_20_11_SS Primary_EUF	SX_OB_20220 507_20_20_SS Primary_EUF	SX_OB_20220 507_20_21_SS Duplicate_EU F
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0018802	M22- My0018803	M22- My0018804	M22- My0018805
Date Sampled			May 07, 2022	May 07, 2022	May 07, 2022	May 07, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl sulfonic acids (PFASs)						
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	62	57	62	54
18O2-PFHxS (surr.)	1	%	62	80	80	53
13C8-PFOS (surr.)	1	%	61	57	78	51
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	94	106	99	37
13C2-6:2 FTSA (surr.)	1	%	74	68	72	56
13C2-8:2 FTSA (surr.)	1	%	78	88	92	29
13C2-10:2 FTSA (surr.)	1	%	52	68	100	15
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202205 08_00_17_SS Primary_EUF	SX_IB_202205 08_04_10_SS Primary_EUF	SX_IB_202205 08_04_21_SS Primary_EUF	SX_OB_20220 508_07_46_SS Triplicate_EU F
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0018806	M22- My0018807	M22- My0018808	M22- My0018809
Date Sampled			May 08, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	6.1	6.1	6.1	6.1
pH (off)	0.1	pH Units	8.8	8.7	8.5	8.6
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01

Client Sample ID			SX_IB_202205 08_00_17_SS_ Primary_EUF	SX_IB_202205 08_04_10_SS_ Primary_EUF	SX_IB_202205 08_04_21_SS_ Primary_EUF	SX_OB_20220 508_07_46_SS Triuplicate_EU F
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0018806	M22- My0018807	M22- My0018808	M22- My0018809
Date Sampled			May 08, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	98	93	91	90
13C5-PFPeA (surr.)	1	%	86	90	90	80
13C5-PFHxA (surr.)	1	%	65	63	72	68
13C4-PFHpA (surr.)	1	%	75	67	57	53
13C8-PFOA (surr.)	1	%	63	57	51	58
13C5-PFNA (surr.)	1	%	76	64	55	54
13C6-PFDA (surr.)	1	%	87	79	65	53
13C2-PFUnDA (surr.)	1	%	103	74	62	55
13C2-PFDoDA (surr.)	1	%	98	54	55	37
13C2-PFTeDA (surr.)	1	%	65	21	29	19
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	127	94	76	88
D3-N-MeFOSA (surr.)	1	%	77	54	21	32
D5-N-EtFOSA (surr.)	1	%	72	48	34	31
D7-N-MeFOSE (surr.)	1	%	103	69	68	40
D9-N-EtFOSE (surr.)	1	%	107	69	60	40
D5-N-EtFOSAA (surr.)	1	%	113	75	69	36
D3-N-MeFOSAA (surr.)	1	%	45	45	74	48
Perfluoroalkyl sulfonic acids (PFSAs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	51	56	83	74
18O2-PFHxS (surr.)	1	%	95	67	65	62
13C8-PFOS (surr.)	1	%	74	56	59	53

Client Sample ID			SX_IB_202205_08_00_17_SS_Primary_EUF	SX_IB_202205_08_04_10_SS_Primary_EUF	SX_IB_202205_08_04_21_SS_Primary_EUF	SX_IB_202205_08_07_46_SS_Triplicate_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22-My0018806	M22-My0018807	M22-My0018808	M22-My0018809
Date Sampled			May 08, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	115	105	79	75
13C2-6:2 FTSA (surr.)	1	%	58	60	58	55
13C2-8:2 FTSA (surr.)	1	%	96	72	73	80
13C2-10:2 FTSA (surr.)	1	%	113	41	49	38
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202205_08_07_52_SS_Primary_EUF	SX_IB_202205_08_11_47_SS_Primary_EUF	SX_IB_202205_08_16_14_SS_Primary_EUF	SX_IB_202205_08_16_15_SS_Duplicate_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22-My0018810	M22-My0018811	M22-My0018812	M22-My0018813
Date Sampled			May 08, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	6.1	6.1	6.1	6.1
pH (off)	0.1	pH Units	8.8	7.9	8.6	8.7
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	93	88	76	94

Client Sample ID			SX_IB_202205 08_07_52_SS_ Primary_EUF	SX_OB_20220 508_11_47_SS _Primary_EUF	SX_IB_202205 08_16_14_SS_ Primary_EUF	SX_IB_202205 08_16_15_SS_ Duplicate_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0018810	M22- My0018811	M22- My0018812	M22- My0018813
Date Sampled			May 08, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl carboxylic acids (PFCAs)						
13C5-PFPeA (surr.)	1	%	76	74	66	88
13C5-PFHxA (surr.)	1	%	83	55	90	78
13C4-PFHpA (surr.)	1	%	68	66	65	71
13C8-PFOA (surr.)	1	%	58	58	55	62
13C5-PFNA (surr.)	1	%	70	66	64	66
13C6-PFDA (surr.)	1	%	65	61	59	68
13C2-PFUnDA (surr.)	1	%	70	72	67	91
13C2-PFDoDA (surr.)	1	%	59	67	58	63
13C2-PFTeDA (surr.)	1	%	23	30	26	38
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	62	65	58	97
D3-N-MeFOSA (surr.)	1	%	65	70	76	37
D5-N-EtFOSA (surr.)	1	%	48	49	51	42
D7-N-MeFOSE (surr.)	1	%	44	87	57	68
D9-N-EtFOSE (surr.)	1	%	39	79	53	66
D5-N-EtFOSAA (surr.)	1	%	47	43	43	57
D3-N-MeFOSAA (surr.)	1	%	44	49	43	58
Perfluoroalkyl sulfonic acids (PFSA)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	76	60	80	71
18O2-PFHxS (surr.)	1	%	66	81	70	85
13C8-PFOS (surr.)	1	%	67	73	65	61

Client Sample ID			SX_IB_202205_08_07_52_SS_Primary_EUF	SX_OB_20220_508_11_47_SS_Primary_EUF	SX_IB_202205_08_16_14_SS_Primary_EUF	SX_IB_202205_08_16_15_SS_Duplicate_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22-My0018810	M22-My0018811	M22-My0018812	M22-My0018813
Date Sampled			May 08, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	79	61	57	102
13C2-6:2 FTSA (surr.)	1	%	82	76	70	79
13C2-8:2 FTSA (surr.)	1	%	45	41	37	71
13C2-10:2 FTSA (surr.)	1	%	24	31	26	74
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202205_08_19_44_SS_Primary_EUF	SX_OB_20220_508_19_49_SS_Primary_EUF	SX_OB_20220_508_19_50_SS_Duplicate_EUF	SX_IB_202205_09_00_15_SS_Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22-My0018814	M22-My0018815	M22-My0018816	M22-My0018817
Date Sampled			May 08, 2022	May 08, 2022	May 08, 2022	May 09, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	6.1	6.1	6.1	6.1
pH (off)	0.1	pH Units	8.6	8.3	8.2	8.6
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	102	93	90	74

Client Sample ID			SX_IB_202205 08_19_44_SS_ Primary_EUF	SX_OB_20220 508_19_49_SS_ Primary_EUF	SX_OB_20220 508_19_50_SS_ Duplicate_EU F	SX_IB_202205 09_00_15_SS_ Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0018814	M22- My0018815	M22- My0018816	M22- My0018817
Date Sampled			May 08, 2022	May 08, 2022	May 08, 2022	May 09, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl carboxylic acids (PFCAs)						
13C5-PFPeA (surr.)	1	%	85	82	77	65
13C5-PFHxA (surr.)	1	%	73	74	106	57
13C4-PFHpA (surr.)	1	%	63	65	70	64
13C8-PFOA (surr.)	1	%	68	58	69	58
13C5-PFNA (surr.)	1	%	60	58	78	73
13C6-PFDA (surr.)	1	%	73	74	72	74
13C2-PFUnDA (surr.)	1	%	83	98	75	80
13C2-PFDoDA (surr.)	1	%	73	74	82	79
13C2-PFTeDA (surr.)	1	%	41	46	40	34
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	82	105	52	70
D3-N-MeFOSA (surr.)	1	%	92	85	49	52
D5-N-EtFOSA (surr.)	1	%	98	85	58	35
D7-N-MeFOSE (surr.)	1	%	80	110	43	68
D9-N-EtFOSE (surr.)	1	%	81	101	44	66
D5-N-EtFOSAA (surr.)	1	%	76	95	58	62
D3-N-MeFOSAA (surr.)	1	%	68	73	59	54
Perfluoroalkyl sulfonic acids (PFSAAs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	78	92	91	68
18O2-PFHxS (surr.)	1	%	54	65	78	72
13C8-PFOS (surr.)	1	%	50	56	75	75

Client Sample ID			SX_IB_20220508_19_44_SS_Primary_EUF	SX_OB_20220508_19_49_SS_Primary_EUF	SX_OB_20220508_19_50_SS_Duplicate_EUF	SX_IB_20220509_00_15_SS_Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22-My0018814	M22-My0018815	M22-My0018816	M22-My0018817
Date Sampled			May 08, 2022	May 08, 2022	May 08, 2022	May 09, 2022
Test/Reference	LOR	Unit				
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	108	84	53	56
13C2-6:2 FTSA (surr.)	1	%	59	60	46	81
13C2-8:2 FTSA (surr.)	1	%	81	83	44	50
13C2-10:2 FTSA (surr.)	1	%	83	90	32	32
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_20220509_03_58_SS_Primary_EUF	SX_OB_20220509_04_10_SS_Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22-My0018818	M22-My0018819
Date Sampled			May 09, 2022	May 09, 2022
Test/Reference	LOR	Unit		
AUS Leaching Procedure				
Leachate Fluid ^{C01}		comment	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	6.1	6.1
pH (off)	0.1	pH Units	8.5	8.3
Perfluoroalkyl carboxylic acids (PFCAs)				
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	80	85

Client Sample ID			SX_IB_202205 09_03_58_SS_ Primary_EUF	SX_OB_20220 509_04_10_SS _Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0018818	M22- My0018819
Date Sampled			May 09, 2022	May 09, 2022
Test/Reference	LOR	Unit		
Perfluoroalkyl carboxylic acids (PFCAs)				
13C5-PFPeA (surr.)	1	%	75	75
13C5-PFHxA (surr.)	1	%	64	60
13C4-PFHpA (surr.)	1	%	56	60
13C8-PFOA (surr.)	1	%	54	53
13C5-PFNA (surr.)	1	%	61	59
13C6-PFDA (surr.)	1	%	60	54
13C2-PFUnDA (surr.)	1	%	64	67
13C2-PFDoDA (surr.)	1	%	46	69
13C2-PFTeDA (surr.)	1	%	16	36
Perfluoroalkyl sulfonamido substances				
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	51	63
D3-N-MeFOSA (surr.)	1	%	22	76
D5-N-EtFOSA (surr.)	1	%	28	57
D7-N-MeFOSE (surr.)	1	%	32	56
D9-N-EtFOSE (surr.)	1	%	24	51
D5-N-EtFOSAA (surr.)	1	%	48	47
D3-N-MeFOSAA (surr.)	1	%	44	47
Perfluoroalkyl sulfonic acids (PFSA)				
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	66	66
18O2-PFHxS (surr.)	1	%	66	69
13C8-PFOS (surr.)	1	%	61	62

Client Sample ID			SX_IB_202205 09_03_58_SS_	SX_OB_20220 509_04_10_SS
Sample Matrix			Primary_EUF	Primary_EUF
Eurofins Sample No.			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Date Sampled			M22- My0018818	M22- My0018819
Test/Reference	LOR	Unit	May 09, 2022	May 09, 2022
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	50	46
13C2-6:2 FTSA (surr.)	1	%	72	76
13C2-8:2 FTSA (surr.)	1	%	40	37
13C2-10:2 FTSA (surr.)	1	%	19	31
PFASs Summations				
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1

Sample History

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
AUS Leaching Procedure			
pH (initial) - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Melbourne	May 11, 2022	0 Days
pH (Leachate fluid) - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Melbourne	May 11, 2022	0 Days
pH (off) - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Melbourne	May 11, 2022	0 Days
Per- and Polyfluoroalkyl Substances (PFASs)			
Perfluoroalkyl carboxylic acids (PFCAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 11, 2022	28 Days
Perfluoroalkyl sulfonamido substances - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 11, 2022	28 Days
Perfluoroalkyl sulfonic acids (PFASs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 11, 2022	28 Days
n:2 Fluorotelomer sulfonic acids (n:2 FTSAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 11, 2022	28 Days
PFASs Summations - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 09, 2022	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	SX_OB_20220507_07_58_S_S_Primary_EUF	May 07, 2022	7:58AM	Soil	M22-My0018749		X	X	X
2	SX_OB_20220507_08_19_S_S_Triplicate_EUF	May 07, 2022	8:19AM	Soil	M22-My0018750		X	X	X
3	SX_IB_20220507_11_59_SS_Primary_EUF	May 07, 2022	11:59AM	Soil	M22-My0018751		X	X	X
4	SX_IB_20220507_11_59_SS_Primary_EUF	May 07, 2022	4:00PM	Soil	M22-		X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	07_16_00_SS _Primary_EUF				My0018752				
5	SX_OB_20220 507_16_18_S S_Primary_EU F	May 07, 2022	4:18PM	Soil	M22- My0018753		X	X	X
6	SX_OB_20220 507_16_19_S S_Duplicate_E UF	May 07, 2022	4:19PM	Soil	M22- My0018754		X	X	X
7	SX_IB_202205 07_20_11_SS _Primary_EUF	May 07, 2022	8:11PM	Soil	M22- My0018755		X	X	X
8	SX_OB_20220	May 07, 2022	8:20PM	Soil	M22-		X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
8	SX_OB_20220507_20_20_SS_Primary_EUF	May 07, 2022	8:20PM	Soil	M22-My0018756				
9	SX_OB_20220507_20_21_SS_Duplicate_EUF	May 07, 2022	8:21PM	Soil	M22-My0018757		X	X	X
10	SX_IB_20220508_00_17_SS_Primary_EUF	May 08, 2022	12:17AM	Soil	M22-My0018758		X	X	X
11	SX_IB_20220508_04_10_SS_Primary_EUF	May 08, 2022	4:10AM	Soil	M22-My0018759		X	X	X

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
12	SX_IB_20220508_04_21_SS_Primary_EUF	May 08, 2022	4:21AM	Soil	M22-My0018760		X	X	X
13	SX_OB_20220508_07_46_S_S_Triplicate_EUF	May 08, 2022	7:46AM	Soil	M22-My0018761		X	X	X
14	SX_IB_20220508_07_52_SS_Primary_EUF	May 08, 2022	7:52AM	Soil	M22-My0018762		X	X	X
15	SX_OB_20220508_11_47_S_S_Primary_EUF	May 08, 2022	11:47AM	Soil	M22-My0018763		X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
16	SX_IB_20220508_16_14_SS_Primary_EUF	May 08, 2022	4:14PM	Soil	M22-My0018764		X	X	X
17	SX_IB_20220508_16_15_SS_Duplicate_EUF	May 08, 2022	4:15PM	Soil	M22-My0018765		X	X	X
18	SX_IB_20220508_16_38_SR_Rinsate_EUF	May 08, 2022	4:38PM	Water	M22-My0018766			X	
19	SX_IB_20220508_16_39_SB_Blank_EUF	May 08, 2022	4:39PM	Water	M22-My0018767			X	
20	SX_IB_202205	May 08, 2022	7:44PM	Soil	M22-		X	X	X

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	08_19_44_SS _Primary_EUF				My0018768				
21	SX_OB_20220 508_19_49_S S_Primary_EU F	May 08, 2022	7:49PM	Soil	M22- My0018769		X	X	X
22	SX_OB_20220 508_19_50_S S_Duplicate_E UF	May 08, 2022	7:50PM	Soil	M22- My0018770		X	X	X
23	SX_IB_202205 09_00_15_SS _Primary_EUF	May 09, 2022	12:15AM	Soil	M22- My0018771		X	X	X
24	SX_IB_202205	May 09, 2022	3:58AM	Soil	M22-		X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
24	SX_IB_20220509_03_58_SS_Primary_EUF	May 09, 2022	3:58AM	Soil	M22-My0018772				
25	SX_OB_20220509_04_10_SS_Primary_EUF	May 09, 2022	4:10AM	Soil	M22-My0018773		X	X	X
26	SX_OB_20220507_07_58_SS_Primary_EUF	May 07, 2022	7:58AM	AUS Leachate - pH 5.0	M22-My0018774	X		X	
27	SX_OB_20220507_08_19_SS_Triplicate_E	May 07, 2022	8:19AM	AUS Leachate - pH 5.0	M22-My0018775	X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	UF								
28	SX_IB_20220507_11_59_SS_Primary_EUF	May 07, 2022	11:59AM	AUS Leachate - pH 5.0	M22-My0018776	X		X	
29	SX_IB_20220507_16_00_SS_Primary_EUF	May 07, 2022	4:00PM	AUS Leachate - pH 5.0	M22-My0018777	X		X	
30	SX_OB_20220507_16_18_S_S_Primary_EUF	May 07, 2022	4:18PM	AUS Leachate - pH 5.0	M22-My0018778	X		X	
31	SX_OB_20220507_16_19_S_S_Duplicate_EUF	May 07, 2022	4:19PM	AUS Leachate - pH 5.0	M22-My0018779	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	S_Duplicate_EUF								
32	SX_IB_20220507_20_11_SS_Primary_EUF	May 07, 2022	8:11PM	AUS Leachate - pH 5.0	M22-My0018780	X		X	
33	SX_OB_20220507_20_20_SS_Primary_EUF	May 07, 2022	8:20PM	AUS Leachate - pH 5.0	M22-My0018781	X		X	
34	SX_OB_20220507_20_21_SS_Duplicate_EUF	May 07, 2022	8:21PM	AUS Leachate - pH 5.0	M22-My0018782	X		X	
35	SX_IB_202205	May 08, 2022	12:17AM	AUS Leachate	M22-	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFAS)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	08_00_17_SS _Primary_EUF			- pH 5.0	My0018783				
36	SX_IB_202205 08_04_10_SS _Primary_EUF	May 08, 2022	4:10AM	AUS Leachate - pH 5.0	M22- My0018784	X		X	
37	SX_IB_202205 08_04_21_SS _Primary_EUF	May 08, 2022	4:21AM	AUS Leachate - pH 5.0	M22- My0018785	X		X	
38	SX_OB_20220 508_07_46_S S_Triplicate_E UF	May 08, 2022	7:46AM	AUS Leachate - pH 5.0	M22- My0018786	X		X	
39	SX_IB_202205 08_07_52_SS	May 08, 2022	7:52AM	AUS Leachate - pH 5.0	M22- My0018787	X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	08_07_52_SS _Primary_EUF			- pH 5.0	My0018787				
40	SX_OB_20220 508_11_47_S S_Primary_EU F	May 08, 2022	11:47AM	AUS Leachate - pH 5.0	M22- My0018788	X		X	
41	SX_IB_202205 08_16_14_SS _Primary_EUF	May 08, 2022	4:14PM	AUS Leachate - pH 5.0	M22- My0018789	X		X	
42	SX_IB_202205 08_16_15_SS _Duplicate_EU F	May 08, 2022	4:15PM	AUS Leachate - pH 5.0	M22- My0018790	X		X	
43	SX_IB_202205	May 08, 2022	7:44PM	AUS Leachate	M22-	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	08_19_44_SS _Primary_EUF			- pH 5.0	My0018791				
44	SX_OB_20220 508_19_49_S S_Primary_EU F	May 08, 2022	7:49PM	AUS Leachate - pH 5.0	M22- My0018792	X		X	
45	SX_OB_20220 508_19_50_S S_Duplicate_E UF	May 08, 2022	7:50PM	AUS Leachate - pH 5.0	M22- My0018793	X		X	
46	SX_IB_202205 09_00_15_SS _Primary_EUF	May 09, 2022	12:15AM	AUS Leachate - pH 5.0	M22- My0018794	X		X	
47	SX_IB_202205	May 09, 2022	3:58AM	AUS Leachate	M22-	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFAS)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
47	SX_IB_20220509_03_58_SS_Primary_EUF	May 09, 2022	3:58AM	AUS Leachate - pH 5.0	M22-My0018795				
48	SX_OB_20220509_04_10_SS_Primary_EUF	May 09, 2022	4:10AM	AUS Leachate - pH 5.0	M22-My0018796	X		X	
49	SX_OB_20220507_07_58_SS_Primary_EUF	May 07, 2022	7:58AM	AUS Leachate - Reagent Water	M22-My0018797	X		X	
50	SX_OB_20220507_08_19_SS_Triplicate_EUF	May 07, 2022	8:19AM	AUS Leachate - Reagent Water	M22-My0018798	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	UF								
51	SX_IB_20220507_11_59_SS_Primary_EUF	May 07, 2022	11:59AM	AUS Leachate - Reagent Water	M22-My0018799	X		X	
52	SX_IB_20220507_16_00_SS_Primary_EUF	May 07, 2022	4:00PM	AUS Leachate - Reagent Water	M22-My0018800	X		X	
53	SX_OB_20220507_16_18_S_S_Primary_EUF	May 07, 2022	4:18PM	AUS Leachate - Reagent Water	M22-My0018801	X		X	
54	SX_OB_20220507_16_19_S_S_Duplicate_EUF	May 07, 2022	4:19PM	AUS Leachate - Reagent Water	M22-My0018802	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	S_Duplicate_EUF			Water					
55	SX_IB_20220507_20_11_SS_Primary_EUF	May 07, 2022	8:11PM	AUS Leachate - Reagent Water	M22-My0018803	X		X	
56	SX_OB_20220507_20_20_SS_Primary_EUF	May 07, 2022	8:20PM	AUS Leachate - Reagent Water	M22-My0018804	X		X	
57	SX_OB_20220507_20_21_SS_Duplicate_EUF	May 07, 2022	8:21PM	AUS Leachate - Reagent Water	M22-My0018805	X		X	
58	SX_IB_202205	May 08, 2022	12:17AM	AUS Leachate	M22-	X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	08_00_17_SS _Primary_EUF			- Reagent Water	My0018806				
59	SX_IB_202205 08_04_10_SS _Primary_EUF	May 08, 2022	4:10AM	AUS Leachate - Reagent Water	M22- My0018807	X		X	
60	SX_IB_202205 08_04_21_SS _Primary_EUF	May 08, 2022	4:21AM	AUS Leachate - Reagent Water	M22- My0018808	X		X	
61	SX_OB_20220 508_07_46_S S_Triplicate_E UF	May 08, 2022	7:46AM	AUS Leachate - Reagent Water	M22- My0018809	X		X	
62	SX_IB_202205 08_07_52_SS	May 08, 2022	7:52AM	AUS Leachate - Reagent	M22- My0018810	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	08_07_52_SS _Primary_EUF			- Reagent Water	My0018810				
63	SX_OB_20220 508_11_47_S S_Primary_EU F	May 08, 2022	11:47AM	AUS Leachate - Reagent Water	M22- My0018811	X		X	
64	SX_IB_202205 08_16_14_SS _Primary_EUF	May 08, 2022	4:14PM	AUS Leachate - Reagent Water	M22- My0018812	X		X	
65	SX_IB_202205 08_16_15_SS _Duplicate_EU F	May 08, 2022	4:15PM	AUS Leachate - Reagent Water	M22- My0018813	X		X	
66	SX_IB_202205	May 08, 2022	7:44PM	AUS Leachate	M22-	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	08_19_44_SS _Primary_EUF			- Reagent Water	My0018814				
67	SX_OB_20220 508_19_49_S S_Primary_EU F	May 08, 2022	7:49PM	AUS Leachate - Reagent Water	M22- My0018815	X		X	
68	SX_OB_20220 508_19_50_S S_Duplicate_E UF	May 08, 2022	7:50PM	AUS Leachate - Reagent Water	M22- My0018816	X		X	
69	SX_IB_202205 09_00_15_SS _Primary_EUF	May 09, 2022	12:15AM	AUS Leachate - Reagent Water	M22- My0018817	X		X	
70	SX_IB_202205	May 09, 2022	3:58AM	AUS Leachate	M22-	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
70	SX_IB_20220509_03_58_SS_Primary_EUF	May 09, 2022	3:58AM	AUS Leachate - Reagent Water	M22-My0018818				
71	SX_OB_20220509_04_10_S_Primary_EUF	May 09, 2022	4:10AM	AUS Leachate - Reagent Water	M22-My0018819	X		X	
Test Counts						46	23	71	23

Internal Quality Control Review and Glossary

General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer that may have an impact on the results.
- This report replaces any interim results previously issued.

Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

Units

mg/kg: milligrams per kilogram	mg/L: milligrams per litre	µg/L: micrograms per litre
ppm: parts per million	ppb: parts per billion	%: Percentage
org/100 mL: Organisms per 100 millilitres	NTU: Nephelometric Turbidity Units	MPN/100 mL: Most Probable Number of organisms per 100 millilitres

Terms

APHA	American Public Health Association
COC	Chain of Custody
CP	Client Parent - QC was performed on samples pertaining to this report
CRM	Certified Reference Material (ISO17034) - reported as percent recovery.
Dry	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
Duplicate	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
LOR	Limit of Reporting.
LCS	Laboratory Control Sample - reported as percent recovery.
Method Blank	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
NCP	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
RPD	Relative Percent Difference between two Duplicate pieces of analysis.
SPIKE	Addition of the analyte to the sample and reported as percentage recovery.
SRA	Sample Receipt Advice
Surr - Surrogate	The addition of a like compound to the analyte target and reported as percentage recovery.
TBTO	Tributyltin oxide (<i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment however free tributyltin was measured and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits.
TCLP	Toxicity Characteristic Leaching Procedure
TEQ	Toxic Equivalency Quotient or Total Equivalence
QSM	US Department of Defense Quality Systems Manual Version 5.4
US EPA	United States Environmental Protection Agency
WA DWER	Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

QC - Acceptance Criteria

The acceptance criteria should be used as a guide only and may be different when site specific Sampling Analysis and Quality Plan (SAQP) have been implemented

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR: No Limit

Results between 10-20 times the LOR: RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

NOTE: pH duplicates are reported as a range not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.4 where no positive PFAS results have been reported have been reviewed and no data was affected.

QC Data General Comments

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery the term "INT" appears against that analyte.
- For Matrix Spikes and LCS results a dash "-" in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

Quality Control Results

Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Method Blank						
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA)	ug/L	< 0.05		0.05	Pass	
Perfluoropentanoic acid (PFPeA)	ug/L	< 0.01		0.01	Pass	
Perfluorohexanoic acid (PFHxA)	ug/L	< 0.01		0.01	Pass	
Perfluoroheptanoic acid (PFHpA)	ug/L	< 0.01		0.01	Pass	
Perfluorooctanoic acid (PFOA)	ug/L	< 0.01		0.01	Pass	
Perfluorononanoic acid (PFNA)	ug/L	< 0.01		0.01	Pass	
Perfluorodecanoic acid (PFDA)	ug/L	< 0.01		0.01	Pass	
Perfluoroundecanoic acid (PFUnDA)	ug/L	< 0.01		0.01	Pass	
Perfluorododecanoic acid (PFDoDA)	ug/L	< 0.01		0.01	Pass	
Perfluorotridecanoic acid (PFTTrDA)	ug/L	< 0.01		0.01	Pass	
Perfluorotetradecanoic acid (PFTeDA)	ug/L	< 0.01		0.01	Pass	
Method Blank						
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA)	ug/L	< 0.05		0.05	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	ug/L	< 0.05		0.05	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	ug/L	< 0.05		0.05	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	ug/L	< 0.05		0.05	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	ug/L	< 0.05		0.05	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	ug/L	< 0.05		0.05	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	ug/L	< 0.05		0.05	Pass	
Method Blank						
Perfluoroalkyl sulfonic acids (PFASs)						
Perfluorobutanesulfonic acid (PFBS)	ug/L	< 0.01		0.01	Pass	
Perfluorononanesulfonic acid (PFNS)	ug/L	< 0.01		0.01	Pass	
Perfluoropropanesulfonic acid (PFPrS)	ug/L	< 0.01		0.01	Pass	
Perfluoropentanesulfonic acid (PFPeS)	ug/L	< 0.01		0.01	Pass	
Perfluorohexanesulfonic acid (PFHxS)	ug/L	< 0.01		0.01	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	ug/L	< 0.01		0.01	Pass	
Perfluorooctanesulfonic acid (PFOS)	ug/L	< 0.01		0.01	Pass	
Perfluorodecanesulfonic acid (PFDS)	ug/L	< 0.01		0.01	Pass	
Method Blank						
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	ug/L	< 0.01		0.01	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	ug/L	< 0.05		0.05	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	ug/L	< 0.01		0.01	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	ug/L	< 0.01		0.01	Pass	
LCS - % Recovery						
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA)	%	106		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	93		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	103		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	106		50-150	Pass	
Perfluorooctanoic acid (PFOA)	%	104		50-150	Pass	
Perfluorononanoic acid (PFNA)	%	110		50-150	Pass	
Perfluorodecanoic acid (PFDA)	%	106		50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	%	122		50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	%	100		50-150	Pass	
Perfluorotridecanoic acid (PFTTrDA)	%	116		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	%	110		50-150	Pass	

Test		Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code	
LCS - % Recovery									
Perfluoroalkyl sulfonamido substances									
Perfluorooctane sulfonamide (FOSA)		%	92			50-150	Pass		
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)		%	112			50-150	Pass		
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)		%	103			50-150	Pass		
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)		%	56			50-150	Pass		
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)		%	120			50-150	Pass		
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)		%	68			50-150	Pass		
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)		%	77			50-150	Pass		
LCS - % Recovery									
Perfluoroalkyl sulfonic acids (PFSA's)									
Perfluorobutanesulfonic acid (PFBS)		%	91			50-150	Pass		
Perfluorononanesulfonic acid (PFNS)		%	91			50-150	Pass		
Perfluoropropanesulfonic acid (PFPrS)		%	125			50-150	Pass		
Perfluoropentanesulfonic acid (PFPeS)		%	114			50-150	Pass		
Perfluorohexanesulfonic acid (PFHxS)		%	115			50-150	Pass		
Perfluoroheptanesulfonic acid (PFHpS)		%	88			50-150	Pass		
Perfluorooctanesulfonic acid (PFOS)		%	125			50-150	Pass		
Perfluorodecanesulfonic acid (PFDS)		%	71			50-150	Pass		
LCS - % Recovery									
n:2 Fluorotelomer sulfonic acids (n:2 FTSA's)									
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)		%	114			50-150	Pass		
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)		%	139			50-150	Pass		
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)		%	133			50-150	Pass		
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)		%	137			50-150	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Duplicate									
Perfluoroalkyl carboxylic acids (PFCAs)									
				Result 1	Result 2	RPD			
Perfluorobutanoic acid (PFBA)	M22-My0018776	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
Perfluoropentanoic acid (PFPeA)	M22-My0018776	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorohexanoic acid (PFHxA)	M22-My0018776	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluoroheptanoic acid (PFHpA)	M22-My0018776	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorooctanoic acid (PFOA)	M22-My0018776	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorononanoic acid (PFNA)	M22-My0018776	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorodecanoic acid (PFDA)	M22-My0018776	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluoroundecanoic acid (PFUnDA)	M22-My0018776	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorododecanoic acid (PFDoDA)	M22-My0018776	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorotridecanoic acid (PFTrDA)	M22-My0018776	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorotetradecanoic acid (PFTeDA)	M22-My0018776	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Duplicate									
Perfluoroalkyl sulfonamido substances									
				Result 1	Result 2	RPD			
Perfluorooctane sulfonamide (FOSA)	M22-My0018776	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0018776	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0018776	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0018776	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0018776	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0018776	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0018776	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSAs)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-My0018776	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-My0018776	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-My0018776	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-My0018776	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-My0018776	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0018776	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-My0018776	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-My0018776	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0018776	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0018776	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0018776	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0018776	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
Perfluoroalkyl carboxylic acids (PFCAs)				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-My0018788	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-My0018788	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-My0018788	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-My0018788	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-My0018788	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-My0018788	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-My0018788	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-My0018788	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-My0018788	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotridecanoic acid (PFTrDA)	M22-My0018788	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-My0018788	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-My0018788	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0018788	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0018788	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0018788	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0018788	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0018788	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0018788	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-My0018788	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-My0018788	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-My0018788	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-My0018788	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-My0018788	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0018788	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-My0018788	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-My0018788	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0018788	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0018788	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0018788	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0018788	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
Perfluoroalkyl carboxylic acids (PFCA)				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-My0018792	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-My0018792	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-My0018792	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-My0018792	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-My0018792	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-My0018792	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-My0018792	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-My0018792	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-My0018792	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotridecanoic acid (PFTrDA)	M22-My0018792	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-My0018792	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-My0018792	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0018792	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0018792	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0018792	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0018792	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0018792	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0018792	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-My0018792	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-My0018792	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-My0018792	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-My0018792	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-My0018792	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0018792	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-My0018792	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-My0018792	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0018792	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0018792	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0018792	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0018792	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
Perfluoroalkyl carboxylic acids (PFCA)				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-My0018807	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-My0018807	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-My0018807	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-My0018807	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-My0018807	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-My0018807	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-My0018807	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-My0018807	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-My0018807	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotridecanoic acid (PFTTrDA)	M22-My0018807	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-My0018807	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-My0018807	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0018807	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0018807	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0018807	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0018807	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0018807	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0018807	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-My0018807	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-My0018807	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-My0018807	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-My0018807	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-My0018807	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0018807	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-My0018807	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-My0018807	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0018807	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0018807	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0018807	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0018807	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
Perfluoroalkyl carboxylic acids (PFCA)				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-My0018817	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-My0018817	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-My0018817	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-My0018817	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-My0018817	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-My0018817	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-My0018817	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-My0018817	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-My0018817	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotridecanoic acid (PFTTrDA)	M22-My0018817	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-My0018817	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-My0018817	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0018817	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0018817	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0018817	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0018817	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0018817	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0018817	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-My0018817	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-My0018817	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-My0018817	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-My0018817	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-My0018817	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0018817	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-My0018817	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-My0018817	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0018817	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0018817	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0018817	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0018817	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass

Comments
Sample Integrity

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	No
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

Qualifier Codes/Comments

Code	Description
C01	Leachate Fluid Key: 1 - pH 5.0; 2 - pH 2.9; 3 - pH 9.2; 4 - Reagent (DI) water; 5 - Client sample, 6 - other
N11	Isotope dilution is used for calibration of each native compound for which an exact labelled analogue is available (Isotope Dilution Quantitation). The isotopically labelled analogues allow identification and recovery correction of the concentration of the associated native PFAS compounds.
N15	Where the native PFAS compound does not have labelled analogue then the quantification is made using the Extracted Internal Standard Analyte with the closest retention time to the analyte and no recovery correction has been made (Internal Standard Quantitation).

Authorised by:

Catherine Wilson	Analytical Services Manager
Joseph Edouard	Senior Analyst-PFAS
Mary Makarios	Senior Analyst-Sample Properties



Glenn Jackson
General Manager

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Agon Environmental Pty Ltd - VIC
3/224 Glen Osmond Road
Fullarton
SA 5063



NATA Accredited
Accreditation Number 1261
Site Number 1254

Accredited for compliance with ISO/IEC 17025 – Testing
NATA is a signatory to the ILAC Mutual Recognition
Arrangement for the mutual recognition of the
equivalence of testing, medical testing, calibration,
inspection, proficiency testing scheme providers and
reference materials producers reports and certificates.

Attention: **Agon Lab Reports (WGTP)**

Report **886480-S**
Project name **20220509043341-Eurofin-21**
Project ID **JC0927**
Received Date **May 09, 2022**

Client Sample ID			SX_OB_20220 507_07_58_SS _Primary_EUF	SX_OB_20220 507_08_19_SS _Triplicate_EU F	SX_IB_202205 07_11_59_SS _Primary_EUF	SX_IB_202205 07_16_00_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0018749	M22- My0018750	M22- My0018751	M22- My0018752
Date Sampled			May 07, 2022	May 07, 2022	May 07, 2022	May 07, 2022
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
Naphthalene ^{N02}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) ^{N04}	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) ^{N01}	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
Volatile Organics						
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Volatile Organics						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_OB_20220 507_07_58_SS _Primary_EUF	SX_OB_20220 507_08_19_SS _Triplicate_EU F	SX_IB_202205 07_11_59_SS _Primary_EUF	SX_IB_202205 07_16_00_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0018749	M22- My0018750	M22- My0018751	M22- My0018752
Date Sampled			May 07, 2022	May 07, 2022	May 07, 2022	May 07, 2022
Test/Reference	LOR	Unit				
Volatile Organics						
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	65	55	59	61
Toluene-d8 (surr.)	1	%	62	67	63	81
Polycyclic Aromatic Hydrocarbons						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_OB_20220 507_07_58_SS _Primary_EUF	SX_OB_20220 507_08_19_SS _TriPLICATE_EU F	SX_IB_202205 07_11_59_SS _Primary_EUF	SX_IB_202205 07_16_00_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0018749	M22- My0018750	M22- My0018751	M22- My0018752
Date Sampled			May 07, 2022	May 07, 2022	May 07, 2022	May 07, 2022
Test/Reference	LOR	Unit				
Polycyclic Aromatic Hydrocarbons						
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	118	127	117	102
p-Terphenyl-d14 (surr.)	1	%	119	112	130	119
Organochlorine Pesticides						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchloroendate (surr.)	1	%	113	148	137	120
Tetrachloro-m-xylene (surr.)	1	%	104	104	118	111

Client Sample ID			SX_OB_20220 507_07_58_SS _Primary_EUF	SX_OB_20220 507_08_19_SS _Triplicate_EU F	SX_IB_202205 07_11_59_SS _Primary_EUF	SX_IB_202205 07_16_00_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0018749	M22- My0018750	M22- My0018751	M22- My0018752
Date Sampled			May 07, 2022	May 07, 2022	May 07, 2022	May 07, 2022
Test/Reference	LOR	Unit				
Polychlorinated Biphenyls						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchloroendate (surr.)	1	%	113	148	137	120
Tetrachloro-m-xylene (surr.)	1	%	104	104	118	111
Phenols (Halogenated)						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1
Phenols (non-Halogenated)						
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	88	102	91	80
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20
Chromium (hexavalent)						
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1	< 1
Cyanide (total)						
Cyanide (total)	5	mg/kg	< 5	< 5	< 5	< 5
Fluoride (Total)						
Fluoride (Total)	100	mg/kg	< 100	< 100	< 100	< 100
pH (1:5 Aqueous extract at 25°C as rec.)						
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	7.9	7.8	8.4	8.9
% Moisture						
% Moisture	1	%	33	32	28	29
Heavy Metals						
Arsenic	2	mg/kg	30	30	44	63
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	150	170	140	140
Copper	5	mg/kg	70	81	66	62
Lead	5	mg/kg	< 5	< 5	< 5	< 5
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_20220 507_07_58_SS _Primary_EUF	SX_OB_20220 507_08_19_SS _TriPLICATE_EU F	SX_IB_202205 07_11_59_SS _Primary_EUF	SX_IB_202205 07_16_00_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0018749	M22- My0018750	M22- My0018751	M22- My0018752
Date Sampled			May 07, 2022	May 07, 2022	May 07, 2022	May 07, 2022
Test/Reference	LOR	Unit				
Heavy Metals						
Molybdenum	5	mg/kg	< 5	< 5	< 5	< 5
Nickel	5	mg/kg	240	270	210	210
Selenium	2	mg/kg	< 2	< 2	< 2	< 2
Silver	2	mg/kg	< 2	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10	< 10
Zinc	5	mg/kg	150	170	120	150
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTrDA) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	77	88	91	88
13C5-PFPeA (surr.)	1	%	74	90	95	90
13C5-PFHxA (surr.)	1	%	68	81	79	76
13C4-PFHpA (surr.)	1	%	75	77	80	74
13C8-PFOA (surr.)	1	%	71	79	75	76
13C5-PFNA (surr.)	1	%	81	88	77	77
13C6-PFDA (surr.)	1	%	107	105	141	117
13C2-PFUnDA (surr.)	1	%	110	103	127	115
13C2-PFDoDA (surr.)	1	%	113	107	93	103
13C2-PFTeDA (surr.)	1	%	69	80	65	87
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	88	109	102	91
D3-N-MeFOSA (surr.)	1	%	112	131	146	112
D5-N-EtFOSA (surr.)	1	%	90	101	107	96
D7-N-MeFOSE (surr.)	1	%	90	85	104	85
D9-N-EtFOSE (surr.)	1	%	95	108	106	98
D5-N-EtFOSAA (surr.)	1	%	77	105	104	61
D3-N-MeFOSAA (surr.)	1	%	110	134	132	93

Client Sample ID			SX_OB_20220 507_07_58_SS _Primary_EUF	SX_OB_20220 507_08_19_SS _TriPLICATE_EU F	SX_IB_202205 07_11_59_SS _Primary_EUF	SX_IB_202205 07_16_00_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0018749	M22- My0018750	M22- My0018751	M22- My0018752
Date Sampled			May 07, 2022	May 07, 2022	May 07, 2022	May 07, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl sulfonic acids (PFASs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	68	74	72	66
18O2-PFHxS (surr.)	1	%	77	61	67	66
13C8-PFOS (surr.)	1	%	80	88	82	94
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	56	74	71	77
13C2-6:2 FTSA (surr.)	1	%	57	64	70	63
13C2-8:2 FTSA (surr.)	1	%	98	135	130	144
13C2-10:2 FTSA (surr.)	1	%	88	98	113	62
PFASs Summations						
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50	< 50

Client Sample ID			SX_OB_20220 507_16_18_SS _Primary_EUF	SX_OB_20220 507_16_19_SS _Duplicate_EU F	SX_IB_202205 07_20_11_SS _Primary_EUF	SX_OB_20220 507_20_20_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0018753	M22- My0018754	M22- My0018755	M22- My0018756
Date Sampled			May 07, 2022	May 07, 2022	May 07, 2022	May 07, 2022
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
Naphthalene ^{N02}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20

Client Sample ID			SX_OB_20220 507_16_18_SS _Primary_EUF	SX_OB_20220 507_16_19_SS _Duplicate_EU F	SX_IB_202205 07_20_11_SS _Primary_EUF	SX_OB_20220 507_20_20_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0018753	M22- My0018754	M22- My0018755	M22- My0018756
Date Sampled			May 07, 2022	May 07, 2022	May 07, 2022	May 07, 2022
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons						
TRH C6-C10 less BTEX (F1) ^{N04}	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) ^{N01}	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
Volatile Organics						
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Volatile Organics						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_OB_20220 507_16_18_SS _Primary_EUF	SX_OB_20220 507_16_19_SS _Duplicate_EU F	SX_IB_202205 07_20_11_SS _Primary_EUF	SX_OB_20220 507_20_20_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0018753	M22- My0018754	M22- My0018755	M22- My0018756
Date Sampled			May 07, 2022	May 07, 2022	May 07, 2022	May 07, 2022
Test/Reference	LOR	Unit				
Volatiles Organics						
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	68	61	52	60
Toluene-d8 (surr.)	1	%	65	63	59	56
Polycyclic Aromatic Hydrocarbons						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	58	103	130	124
p-Terphenyl-d14 (surr.)	1	%	78	109	109	119

Client Sample ID			SX_OB_20220 507_16_18_SS _Primary_EUF	SX_OB_20220 507_16_19_SS _Duplicate_EU F	SX_IB_202205 07_20_11_SS _Primary_EUF	SX_OB_20220 507_20_20_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0018753	M22- My0018754	M22- My0018755	M22- My0018756
Date Sampled			May 07, 2022	May 07, 2022	May 07, 2022	May 07, 2022
Test/Reference	LOR	Unit				
Organochlorine Pesticides						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	97	110	123	119
Tetrachloro-m-xylene (surr.)	1	%	119	104	125	119
Polychlorinated Biphenyls						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	97	110	123	119
Tetrachloro-m-xylene (surr.)	1	%	119	104	125	119
Phenols (Halogenated)						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1

Client Sample ID			SX_OB_20220 507_16_18_SS _Primary_EUF	SX_OB_20220 507_16_19_SS _Duplicate_EU F	SX_IB_202205 07_20_11_SS _Primary_EUF	SX_OB_20220 507_20_20_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0018753	M22- My0018754	M22- My0018755	M22- My0018756
Date Sampled			May 07, 2022	May 07, 2022	May 07, 2022	May 07, 2022
Test/Reference	LOR	Unit				
Phenols (non-Halogenated)						
2-Cyclohexyl-4.6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4.6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2.4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2.4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	60	72	74	79
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20
Chromium (hexavalent)						
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1	< 1
Cyanide (total)						
Cyanide (total)	5	mg/kg	< 5	< 5	< 5	< 5
Fluoride (Total)						
Fluoride (Total)	100	mg/kg	390	180	< 100	< 100
pH (1:5 Aqueous extract at 25°C as rec.)						
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	8.3	8.6	8.2	8.6
% Moisture						
% Moisture	1	%	30	30	29	27
Heavy Metals						
Arsenic	2	mg/kg	22	29	47	24
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	90	120	120	100
Copper	5	mg/kg	56	61	53	59
Lead	5	mg/kg	< 5	< 5	< 5	< 5
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Molybdenum	5	mg/kg	< 5	< 5	< 5	< 5
Nickel	5	mg/kg	150	170	170	160
Selenium	2	mg/kg	< 2	< 2	< 2	< 2
Silver	2	mg/kg	< 2	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10	< 10
Zinc	5	mg/kg	110	120	100	120
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTrDA) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	86	88	87	81
13C5-PFPeA (surr.)	1	%	100	95	89	81
13C5-PFHxA (surr.)	1	%	83	82	76	77

Client Sample ID			SX_OB_20220 507_16_18_SS _Primary_EUF	SX_OB_20220 507_16_19_SS _Duplicate_EU F	SX_IB_202205 07_20_11_SS _Primary_EUF	SX_OB_20220 507_20_20_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0018753	M22- My0018754	M22- My0018755	M22- My0018756
Date Sampled			May 07, 2022	May 07, 2022	May 07, 2022	May 07, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl carboxylic acids (PFCAs)						
13C4-PFHpA (surr.)	1	%	76	81	76	76
13C8-PFOA (surr.)	1	%	74	91	77	79
13C5-PFNA (surr.)	1	%	81	86	83	81
13C6-PFDA (surr.)	1	%	119	120	128	121
13C2-PFUnDA (surr.)	1	%	113	123	114	106
13C2-PFDoDA (surr.)	1	%	90	82	93	120
13C2-PFTeDA (surr.)	1	%	80	74	76	66
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	100	103	97	93
D3-N-MeFOSA (surr.)	1	%	116	134	146	128
D5-N-EtFOSA (surr.)	1	%	97	94	99	94
D7-N-MeFOSE (surr.)	1	%	80	51	90	81
D9-N-EtFOSE (surr.)	1	%	104	113	102	95
D5-N-EtFOSAA (surr.)	1	%	112	137	83	87
D3-N-MeFOSAA (surr.)	1	%	107	112	121	94
Perfluoroalkyl sulfonic acids (PFSA)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	77	77	70	69
18O2-PFHxS (surr.)	1	%	80	68	62	65
13C8-PFOS (surr.)	1	%	94	94	83	91
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	63	63	68	56
13C2-6:2 FTSA (surr.)	1	%	72	60	70	57

Client Sample ID			SX_OB_20220 507_16_18_SS _Primary_EUF	SX_OB_20220 507_16_19_SS _Duplicate_EU F	SX_IB_202205 07_20_11_SS _Primary_EUF	SX_OB_20220 507_20_20_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0018753	M22- My0018754	M22- My0018755	M22- My0018756
Date Sampled			May 07, 2022	May 07, 2022	May 07, 2022	May 07, 2022
Test/Reference	LOR	Unit				
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
13C2-8:2 FTSA (surr.)	1	%	124	144	134	111
13C2-10:2 FTSA (surr.)	1	%	118	83	118	84
PFASs Summations						
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50	< 50

Client Sample ID			SX_OB_20220 507_20_21_SS _Duplicate_EU F	SX_IB_202205 08_00_17_SS _Primary_EUF	SX_IB_202205 08_04_10_SS _Primary_EUF	SX_IB_202205 08_04_21_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0018757	M22- My0018758	M22- My0018759	M22- My0018760
Date Sampled			May 07, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
Naphthalene ^{N02}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) ^{N04}	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) ^{N01}	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
Volatile Organics						
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Volatile Organics						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_OB_20220 507_20_21_SS Duplicate_EU F	SX_IB_202205 08_00_17_SS Primary_EUF	SX_IB_202205 08_04_10_SS Primary_EUF	SX_IB_202205 08_04_21_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0018757	M22- My0018758	M22- My0018759	M22- My0018760
Date Sampled			May 07, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
Volatile Organics						
1,2,4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1,3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1,3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1,3,5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1,4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1,2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1,3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1,2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1,3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	67	82	79	65
Toluene-d8 (surr.)	1	%	66	69	78	60

Client Sample ID			SX_OB_20220 507_20_21_SS Duplicate_EU F	SX_IB_202205 08_00_17_SS Primary_EUF	SX_IB_202205 08_04_10_SS Primary_EUF	SX_IB_202205 08_04_21_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0018757	M22- My0018758	M22- My0018759	M22- My0018760
Date Sampled			May 07, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
Polycyclic Aromatic Hydrocarbons						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	141	109	135	85
p-Terphenyl-d14 (surr.)	1	%	138	110	132	117
Organochlorine Pesticides						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_20220 507_20_21_SS Duplicate_EU F	SX_IB_202205 08_00_17_SS Primary_EUF	SX_IB_202205 08_04_10_SS Primary_EUF	SX_IB_202205 08_04_21_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0018757	M22- My0018758	M22- My0018759	M22- My0018760
Date Sampled			May 07, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
Organochlorine Pesticides						
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	125	74	123	143
Tetrachloro-m-xylene (surr.)	1	%	129	122	127	136
Polychlorinated Biphenyls						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	125	74	123	143
Tetrachloro-m-xylene (surr.)	1	%	129	122	127	136
Phenols (Halogenated)						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1
Phenols (non-Halogenated)						
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	82	95	110	71
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20
Chromium (hexavalent)						
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1	< 1
Cyanide (total)						
Cyanide (total)	5	mg/kg	< 5	< 5	< 5	< 5
Fluoride (Total)						
Fluoride (Total)	100	mg/kg	< 100	< 100	560	< 100
pH (1:5 Aqueous extract at 25°C as rec.)						
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	8.5	8.5	8.6	8.0
% Moisture						
% Moisture	1	%	34	24	27	35

Client Sample ID			SX_OB_20220 507_20_21_SS Duplicate_EU F	SX_IB_202205 08_00_17_SS Primary_EUF	SX_IB_202205 08_04_10_SS Primary_EUF	SX_IB_202205 08_04_21_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0018757	M22- My0018758	M22- My0018759	M22- My0018760
Date Sampled			May 07, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
Heavy Metals						
Arsenic	2	mg/kg	27	34	49	31
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	120	110	140	150
Copper	5	mg/kg	62	55	62	77
Lead	5	mg/kg	< 5	< 5	< 5	< 5
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Molybdenum	5	mg/kg	< 5	< 5	< 5	< 5
Nickel	5	mg/kg	170	160	190	250
Selenium	2	mg/kg	< 2	< 2	< 2	< 2
Silver	2	mg/kg	< 2	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10	< 10
Zinc	5	mg/kg	110	100	130	150
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTriDA) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	86	94	94	75
13C5-PFPeA (surr.)	1	%	87	93	99	86
13C5-PFHxA (surr.)	1	%	78	81	84	71
13C4-PFHpA (surr.)	1	%	74	83	81	69
13C8-PFOA (surr.)	1	%	80	76	84	72
13C5-PFNA (surr.)	1	%	86	77	90	74
13C6-PFDA (surr.)	1	%	140	127	144	97
13C2-PFUnDA (surr.)	1	%	112	140	123	112
13C2-PFDoDA (surr.)	1	%	116	101	110	110
13C2-PFTeDA (surr.)	1	%	88	86	83	87
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	107	106	98	92

Client Sample ID			SX_OB_20220 507_20_21_SS _Duplicate_EU F	SX_IB_202205 08_00_17_SS _Primary_EUF	SX_IB_202205 08_04_10_SS _Primary_EUF	SX_IB_202205 08_04_21_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0018757	M22- My0018758	M22- My0018759	M22- My0018760
Date Sampled			May 07, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl sulfonamido substances						
D3-N-MeFOSA (surr.)	1	%	137	147	149	125
D5-N-EtFOSA (surr.)	1	%	88	103	100	81
D7-N-MeFOSE (surr.)	1	%	100	93	78	58
D9-N-EtFOSE (surr.)	1	%	102	119	116	93
D5-N-EtFOSAA (surr.)	1	%	118	65	99	75
D3-N-MeFOSAA (surr.)	1	%	81	93	140	106
Perfluoroalkyl sulfonic acids (PFASs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	67	70	77	62
18O2-PFHxS (surr.)	1	%	65	100	93	56
13C8-PFOS (surr.)	1	%	100	101	72	70
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	63	76	76	52
13C2-6:2 FTSA (surr.)	1	%	65	76	71	57
13C2-8:2 FTSA (surr.)	1	%	131	143	129	112
13C2-10:2 FTSA (surr.)	1	%	94	79	89	113
PFASs Summations						
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50	< 50

Client Sample ID			SX_OB_20220 508_07_46_SS _TriPLICATE_EU F	SX_IB_202205 08_07_52_SS _Primary_EUF	SX_OB_20220 508_11_47_SS _Primary_EUF	SX_IB_202205 08_16_14_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0018761	M22- My0018762	M22- My0018763	M22- My0018764
Date Sampled			May 08, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
Naphthalene ^{N02}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) ^{N04}	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) ^{N01}	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
Volatile Organics						
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Volatile Organics						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_OB_20220 508_07_46_SS _TriPLICATE_EU F	SX_IB_202205 08_07_52_SS _Primary_EUF	SX_OB_20220 508_11_47_SS _Primary_EUF	SX_IB_202205 08_16_14_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0018761	M22- My0018762	M22- My0018763	M22- My0018764
Date Sampled			May 08, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
Volatile Organics						
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	58	55	65	80
Toluene-d8 (surr.)	1	%	62	50	62	79
Polycyclic Aromatic Hydrocarbons						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_OB_20220 508_07_46_SS _TriPLICATE_EU F	SX_IB_202205 08_07_52_SS _Primary_EUF	SX_OB_20220 508_11_47_SS _Primary_EUF	SX_IB_202205 08_16_14_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0018761	M22- My0018762	M22- My0018763	M22- My0018764
Date Sampled			May 08, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
Polycyclic Aromatic Hydrocarbons						
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	94	97	102	92
p-Terphenyl-d14 (surr.)	1	%	118	109	90	91
Organochlorine Pesticides						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchloroendate (surr.)	1	%	143	132	88	112
Tetrachloro-m-xylene (surr.)	1	%	103	142	112	147
Polychlorinated Biphenyls						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchloroendate (surr.)	1	%	143	132	88	112
Tetrachloro-m-xylene (surr.)	1	%	103	142	112	147

Client Sample ID			SX_OB_20220 508_07_46_SS _TriPLICATE_EU F	SX_IB_202205 08_07_52_SS _Primary_EUF	SX_OB_20220 508_11_47_SS _Primary_EUF	SX_IB_202205 08_16_14_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0018761	M22- My0018762	M22- My0018763	M22- My0018764
Date Sampled			May 08, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
Phenols (Halogenated)						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1
Phenols (non-Halogenated)						
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	75	85	67	54
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20
Chromium (hexavalent)						
Chromium (hexavalent)	1	mg/kg	< 1	< 1	1.2	< 1
Cyanide (total)						
Cyanide (total)	5	mg/kg	< 5	< 5	< 5	< 5
Fluoride (Total)						
Fluoride (Total)	100	mg/kg	< 100	110	< 100	< 100
pH (1:5 Aqueous extract at 25°C as rec.)						
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	8.3	8.8	8.5	8.3
% Moisture						
% Moisture	1	%	45	24	24	26
Heavy Metals						
Arsenic	2	mg/kg	35	35	76	52
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	190	120	120	120
Copper	5	mg/kg	120	61	69	70
Lead	5	mg/kg	< 5	< 5	< 5	< 5
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Molybdenum	5	mg/kg	< 5	< 5	< 5	< 5
Nickel	5	mg/kg	350	190	210	210
Selenium	2	mg/kg	2.1	< 2	< 2	< 2
Silver	2	mg/kg	< 2	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10	< 10
Zinc	5	mg/kg	220	110	200	140
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5

Client Sample ID			SX_OB_20220 508_07_46_SS _TriPLICATE_EU F	SX_IB_202205 08_07_52_SS _Primary_EUF	SX_OB_20220 508_11_47_SS _Primary_EUF	SX_IB_202205 08_16_14_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0018761	M22- My0018762	M22- My0018763	M22- My0018764
Date Sampled			May 08, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorooctanoic acid (PFOA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTrDA) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	74	75	87	90
13C5-PFPeA (surr.)	1	%	76	71	102	89
13C5-PFHxA (surr.)	1	%	69	69	80	80
13C4-PFHpA (surr.)	1	%	69	70	78	77
13C8-PFOA (surr.)	1	%	74	74	82	86
13C5-PFNA (surr.)	1	%	70	71	78	73
13C6-PFDA (surr.)	1	%	83	82	111	116
13C2-PFUnDA (surr.)	1	%	97	89	106	109
13C2-PFDoDA (surr.)	1	%	114	76	101	100
13C2-PFTeDA (surr.)	1	%	76	75	80	88
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	72	89	96	88
D3-N-MeFOSA (surr.)	1	%	118	58	131	136
D5-N-EtFOSA (surr.)	1	%	82	104	96	94
D7-N-MeFOSE (surr.)	1	%	85	86	73	98
D9-N-EtFOSE (surr.)	1	%	92	81	96	106
D5-N-EtFOSAA (surr.)	1	%	110	56	144	122
D3-N-MeFOSAA (surr.)	1	%	98	61	106	102
Perfluoroalkyl sulfonic acids (PFSA)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoronanesulfonic acid (PFNS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	68	68	73	81
18O2-PFHxS (surr.)	1	%	53	54	74	82
13C8-PFOS (surr.)	1	%	68	60	88	84

Client Sample ID			SX_OB_20220 508_07_46_SS _TriPLICATE_EUF	SX_IB_202205 08_07_52_SS _Primary_EUF	SX_OB_20220 508_11_47_SS _Primary_EUF	SX_IB_202205 08_16_14_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0018761	M22- My0018762	M22- My0018763	M22- My0018764
Date Sampled			May 08, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	55	49	65	70
13C2-6:2 FTSA (surr.)	1	%	60	52	56	61
13C2-8:2 FTSA (surr.)	1	%	90	135	134	133
13C2-10:2 FTSA (surr.)	1	%	81	89	103	93
PFASs Summations						
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50	< 50

Client Sample ID			SX_IB_202205 08_16_15_SS _Duplicate_EUF	SX_IB_202205 08_19_44_SS _Primary_EUF	SX_OB_20220 508_19_49_SS _Primary_EUF	SX_OB_20220 508_19_50_SS _Duplicate_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0018765	M22- My0018768	M22- My0018769	M22- My0018770
Date Sampled			May 08, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
Naphthalene ^{N02}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) ^{N04}	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) ^{N01}	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
Volatile Organics						
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_IB_202205 08_16_15_SS Duplicate_EUF	SX_IB_202205 08_19_44_SS Primary_EUF	SX_OB_20220 508_19_49_SS _Primary_EUF	SX_OB_20220 508_19_50_SS Duplicate_EU F
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0018765	M22- My0018768	M22- My0018769	M22- My0018770
Date Sampled			May 08, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
Volatile Organics						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_IB_202205 08_16_15_SS Duplicate_EUF	SX_IB_202205 08_19_44_SS Primary_EUF	SX_OB_20220 508_19_49_SS _Primary_EUF	SX_OB_20220 508_19_50_SS Duplicate_EU F
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0018765	M22- My0018768	M22- My0018769	M22- My0018770
Date Sampled			May 08, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
Volatile Organics						
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	59	94	71	75
Toluene-d8 (surr.)	1	%	60	86	65	86
Polycyclic Aromatic Hydrocarbons						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	141	104	100	128
p-Terphenyl-d14 (surr.)	1	%	108	103	100	137
Organochlorine Pesticides						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4.4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4.4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4.4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05

Client Sample ID			SX_IB_202205 08_16_15_SS Duplicate_EUF	SX_IB_202205 08_19_44_SS Primary_EUF	SX_OB_20220 508_19_49_SS _Primary_EUF	SX_OB_20220 508_19_50_SS Duplicate_EU F
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0018765	M22- My0018768	M22- My0018769	M22- My0018770
Date Sampled			May 08, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
Organochlorine Pesticides						
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchloroendate (surr.)	1	%	131	91	108	105
Tetrachloro-m-xylene (surr.)	1	%	141	102	102	107
Polychlorinated Biphenyls						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchloroendate (surr.)	1	%	131	91	108	105
Tetrachloro-m-xylene (surr.)	1	%	141	102	102	107
Phenols (Halogenated)						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1
Phenols (non-Halogenated)						
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5

Client Sample ID			SX_IB_202205 08_16_15_SS Duplicate_EUF	SX_IB_202205 08_19_44_SS Primary_EUF	SX_OB_20220 508_19_49_SS _Primary_EUF	SX_OB_20220 508_19_50_SS Duplicate_EU F
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0018765	M22- My0018768	M22- My0018769	M22- My0018770
Date Sampled			May 08, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
Phenols (non-Halogenated)						
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	85	74	74	104
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20
Chromium (hexavalent)						
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1	< 1
Cyanide (total)	5	mg/kg	< 5	< 5	< 5	< 5
Fluoride (Total)	100	mg/kg	< 100	< 100	< 100	610
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	8.8	8.8	8.5	8.2
% Moisture	1	%	27	26	35	33
Heavy Metals						
Arsenic	2	mg/kg	38	38	30	48
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	120	140	150	200
Copper	5	mg/kg	59	63	77	110
Lead	5	mg/kg	< 5	< 5	< 5	< 5
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Molybdenum	5	mg/kg	< 5	< 5	< 5	< 5
Nickel	5	mg/kg	190	200	290	310
Selenium	2	mg/kg	< 2	< 2	< 2	< 2
Silver	2	mg/kg	< 2	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10	< 10
Zinc	5	mg/kg	110	110	160	230
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTTrDA) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	85	86	79	79
13C5-PFPeA (surr.)	1	%	84	85	79	76
13C5-PFHxA (surr.)	1	%	77	76	73	76
13C4-PFHpA (surr.)	1	%	73	73	68	71
13C8-PFOA (surr.)	1	%	61	74	70	67
13C5-PFNA (surr.)	1	%	86	82	72	75
13C6-PFDA (surr.)	1	%	115	96	123	125
13C2-PFUnDA (surr.)	1	%	123	114	103	146
13C2-PFDoDA (surr.)	1	%	122	110	121	114
13C2-PFTeDA (surr.)	1	%	81	80	71	84

Client Sample ID			SX_IB_202205 08_16_15_SS Duplicate_EUF	SX_IB_202205 08_19_44_SS Primary_EUF	SX_OB_20220 508_19_49_SS _Primary_EUF	SX_OB_20220 508_19_50_SS Duplicate_EU F
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0018765	M22- My0018768	M22- My0018769	M22- My0018770
Date Sampled			May 08, 2022	May 08, 2022	May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	104	101	95	91
D3-N-MeFOSA (surr.)	1	%	145	106	122	142
D5-N-EtFOSA (surr.)	1	%	90	87	85	97
D7-N-MeFOSE (surr.)	1	%	84	96	76	74
D9-N-EtFOSE (surr.)	1	%	98	93	87	97
D5-N-EtFOSAA (surr.)	1	%	51	112	114	75
D3-N-MeFOSAA (surr.)	1	%	113	114	81	84
Perfluoroalkyl sulfonic acids (PFSA)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	76	73	72	71
18O2-PFHxS (surr.)	1	%	88	76	63	66
13C8-PFOS (surr.)	1	%	75	81	82	71
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	82	74	58	63
13C2-6:2 FTSA (surr.)	1	%	72	54	61	59
13C2-8:2 FTSA (surr.)	1	%	126	126	119	120
13C2-10:2 FTSA (surr.)	1	%	86	100	73	100
PFASs Summations						
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50	< 50

Client Sample ID			SX_IB_202205 09_00_15_SS_ Primary_EUF	SX_IB_202205 09_03_58_SS_ Primary_EUF	SX_IB_202205 509_04_10_SS_ Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- My0018771	M22- My0018772	M22- My0018773
Date Sampled			May 09, 2022	May 09, 2022	May 09, 2022
Test/Reference	LOR	Unit			
Total Recoverable Hydrocarbons					
TRH C6-C9	20	mg/kg	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50
Naphthalene ^{N02}	0.5	mg/kg	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) ^{N04}	20	mg/kg	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) ^{N01}	50	mg/kg	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100
Volatile Organics					
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Volatile Organics					
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_IB_202205 09_00_15_SS_ Primary_EUF	SX_IB_202205 09_03_58_SS_ Primary_EUF	SX_OB_20220 509_04_10_SS_ Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- My0018771	M22- My0018772	M22- My0018773
Date Sampled			May 09, 2022	May 09, 2022	May 09, 2022
Test/Reference	LOR	Unit			
Volatile Organics					
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	52	75	60
Toluene-d8 (surr.)	1	%	51	69	54
Polycyclic Aromatic Hydrocarbons					
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_IB_202205 09_00_15_SS_ Primary_EUF	SX_IB_202205 09_03_58_SS_ Primary_EUF	SX_OB_20220 509_04_10_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- My0018771	M22- My0018772	M22- My0018773
Date Sampled			May 09, 2022	May 09, 2022	May 09, 2022
Test/Reference	LOR	Unit			
Polycyclic Aromatic Hydrocarbons					
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	108	103	73
p-Terphenyl-d14 (surr.)	1	%	142	118	109
Organochlorine Pesticides					
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1
4.4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05
4.4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05
4.4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Dibutylchloroendate (surr.)	1	%	145	120	102
Tetrachloro-m-xylene (surr.)	1	%	145	136	102
Polychlorinated Biphenyls					
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Dibutylchloroendate (surr.)	1	%	145	120	102
Tetrachloro-m-xylene (surr.)	1	%	145	136	102
Phenols (Halogenated)					
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1

Client Sample ID			SX_IB_202205 09_00_15_SS_ Primary_EUF	SX_IB_202205 09_03_58_SS_ Primary_EUF	SX_OB_20220 509_04_10_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- My0018771	M22- My0018772	M22- My0018773
Date Sampled			May 09, 2022	May 09, 2022	May 09, 2022
Test/Reference	LOR	Unit			
Phenols (Halogenated)					
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1
Phenols (non-Halogenated)					
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20	< 20	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	97	79	50
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20
Chromium (hexavalent)					
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1
Cyanide (total)					
Cyanide (total)	5	mg/kg	< 5	< 5	< 5
Fluoride (Total)					
Fluoride (Total)	100	mg/kg	< 100	< 100	< 100
pH (1:5 Aqueous extract at 25°C as rec.)					
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	8.7	8.7	8.6
% Moisture					
% Moisture	1	%	27	26	29
Heavy Metals					
Arsenic	2	mg/kg	43	64	56
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	130	170	120
Copper	5	mg/kg	72	86	100
Lead	5	mg/kg	< 5	< 5	< 5
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Molybdenum	5	mg/kg	< 5	< 5	< 5
Nickel	5	mg/kg	220	260	230
Selenium	2	mg/kg	< 2	< 2	< 2
Silver	2	mg/kg	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10
Zinc	5	mg/kg	130	160	250
Perfluoroalkyl carboxylic acids (PFCAs)					
Perfluorobutanoic acid (PFBA) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) ^{N11}	5	ug/kg	< 5	< 5	< 5

Client Sample ID			SX_IB_202205 09_00_15_SS Primary_EUF	SX_IB_202205 09_03_58_SS Primary_EUF	SX_OB_20220 509_04_10_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- My0018771	M22- My0018772	M22- My0018773
Date Sampled			May 09, 2022	May 09, 2022	May 09, 2022
Test/Reference	LOR	Unit			
Perfluoroalkyl carboxylic acids (PFCAs)					
Perfluorododecanoic acid (PFDoDA) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTrDA) ^{N15}	5	ug/kg	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	5	ug/kg	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	89	87	83
13C5-PFPeA (surr.)	1	%	85	84	81
13C5-PFHxA (surr.)	1	%	79	79	75
13C4-PFHpA (surr.)	1	%	78	72	74
13C8-PFOA (surr.)	1	%	67	80	80
13C5-PFNA (surr.)	1	%	92	102	93
13C6-PFDA (surr.)	1	%	92	122	127
13C2-PFUnDA (surr.)	1	%	127	149	112
13C2-PFDoDA (surr.)	1	%	126	133	117
13C2-PFTeDA (surr.)	1	%	108	101	72
Perfluoroalkyl sulfonamido substances					
Perfluorooctane sulfonamide (FOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	109	93	97
D3-N-MeFOSA (surr.)	1	%	132	135	131
D5-N-EtFOSA (surr.)	1	%	97	97	93
D7-N-MeFOSE (surr.)	1	%	99	97	88
D9-N-EtFOSE (surr.)	1	%	101	112	106
D5-N-EtFOSAA (surr.)	1	%	106	128	106
D3-N-MeFOSAA (surr.)	1	%	114	111	73
Perfluoroalkyl sulfonic acids (PFSA)					
Perfluorobutanesulfonic acid (PFBS) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) ^{N15}	5	ug/kg	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	5	ug/kg	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	5	ug/kg	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	5	ug/kg	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) ^{N15}	5	ug/kg	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	78	83	71
18O2-PFHxS (surr.)	1	%	85	70	69
13C8-PFOS (surr.)	1	%	86	87	92

Client Sample ID			SX_IB_202205 09_00_15_SS_ Primary_EUF	SX_IB_202205 09_03_58_SS_ Primary_EUF	SX_OB_20220 509_04_10_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- My0018771	M22- My0018772	M22- My0018773
Date Sampled			May 09, 2022	May 09, 2022	May 09, 2022
Test/Reference	LOR	Unit			
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)					
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	10	ug/kg	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	82	72	59
13C2-6:2 FTSA (surr.)	1	%	66	69	61
13C2-8:2 FTSA (surr.)	1	%	140	140	129
13C2-10:2 FTSA (surr.)	1	%	121	104	78
PFASs Summations					
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50

Sample History

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
IWRG 621 WGTP Suite			
Total Recoverable Hydrocarbons - 1999 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40	Melbourne	May 10, 2022	14 Days
Total Recoverable Hydrocarbons - 2013 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40	Melbourne	May 10, 2022	14 Days
Total Recoverable Hydrocarbons - 2013 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40	Melbourne	May 10, 2022	14 Days
Volatile Organics - Method: USEPA 8260 - MGT 350A Volatile Organics by GCMS	Melbourne	May 10, 2022	7 Days
Volatile Organics - Method: LTM-ORG-2150 VOCs in Soils Liquid and other Aqueous Matrices (USEPA 8260)	Melbourne	May 10, 2022	7 Days
Polycyclic Aromatic Hydrocarbons - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Melbourne	May 10, 2022	14 Days
Organochlorine Pesticides - Method: LTM-ORG-2220 OCP & PCB in Soil and Water (USEPA 8270)	Melbourne	May 10, 2022	14 Days
Polychlorinated Biphenyls - Method: LTM-ORG-2220 OCP & PCB in Soil and Water (USEPA 8082)	Melbourne	May 10, 2022	28 Days
Phenols (Halogenated) - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Melbourne	May 10, 2022	14 Days
Phenols (non-Halogenated) - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Melbourne	May 10, 2022	14 Days
Chromium (hexavalent) - Method: LTM-INO-4100 Hexavalent Chromium by Spectrometric detection	Melbourne	May 10, 2022	28 Days
Cyanide (total) - Method: LTM-INO-4020 Total Free WAD Cyanide by CFA	Melbourne	May 10, 2022	14 Days
Fluoride (Total) - Method: LTM-INO-4150 Determination of Total Fluoride PART B – ISE	Melbourne	May 10, 2022	28 Days
pH (1:5 Aqueous extract at 25°C as rec.) - Method: LTM-GEN-7090 pH in soil by ISE	Melbourne	May 10, 2022	7 Days
Metals IWRG 621 : Metals M12 - Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS	Melbourne	May 10, 2022	28 Days
% Moisture - Method: LTM-GEN-7080 Moisture	Melbourne	May 09, 2022	14 Days
Per- and Polyfluoroalkyl Substances (PFASs)			
Perfluoroalkyl carboxylic acids (PFCAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 10, 2022	28 Days
Perfluoroalkyl sulfonamido substances - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 10, 2022	28 Days
Perfluoroalkyl sulfonic acids (PFASs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 10, 2022	28 Days
n:2 Fluorotelomer sulfonic acids (n:2 FTSAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 10, 2022	28 Days
PFASs Summations - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 09, 2022	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	SX_OB_20220507_07_58_S_S_Primary_EUF	May 07, 2022	7:58AM	Soil	M22-My0018749		X	X	X
2	SX_OB_20220507_08_19_S_S_Triplicate_EUF	May 07, 2022	8:19AM	Soil	M22-My0018750		X	X	X
3	SX_IB_20220507_11_59_SS_Primary_EUF	May 07, 2022	11:59AM	Soil	M22-My0018751		X	X	X
4	SX_IB_20220507_04_00PM	May 07, 2022	4:00PM	Soil	M22-		X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	07_16_00_SS _Primary_EUF				My0018752				
5	SX_OB_20220 507_16_18_S S_Primary_EU F	May 07, 2022	4:18PM	Soil	M22- My0018753		X	X	X
6	SX_OB_20220 507_16_19_S S_Duplicate_E UF	May 07, 2022	4:19PM	Soil	M22- My0018754		X	X	X
7	SX_IB_202205 07_20_11_SS _Primary_EUF	May 07, 2022	8:11PM	Soil	M22- My0018755		X	X	X
8	SX_OB_20220	May 07, 2022	8:20PM	Soil	M22-		X	X	X

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
8	SX_OB_20220507_20_20_SS_Primary_EUF	May 07, 2022	8:20PM	Soil	M22-My0018756				
9	SX_OB_20220507_20_21_SS_Duplicate_EUF	May 07, 2022	8:21PM	Soil	M22-My0018757		X	X	X
10	SX_IB_20220508_00_17_SS_Primary_EUF	May 08, 2022	12:17AM	Soil	M22-My0018758		X	X	X
11	SX_IB_20220508_04_10_SS_Primary_EUF	May 08, 2022	4:10AM	Soil	M22-My0018759		X	X	X

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
12	SX_IB_20220508_04_21_SS_Primary_EUF	May 08, 2022	4:21AM	Soil	M22-My0018760		X	X	X
13	SX_OB_20220508_07_46_S_S_Triplicate_EUF	May 08, 2022	7:46AM	Soil	M22-My0018761		X	X	X
14	SX_IB_20220508_07_52_SS_Primary_EUF	May 08, 2022	7:52AM	Soil	M22-My0018762		X	X	X
15	SX_OB_20220508_11_47_S_S_Primary_EUF	May 08, 2022	11:47AM	Soil	M22-My0018763		X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
16	SX_IB_20220508_16_14_SS_Primary_EUF	May 08, 2022	4:14PM	Soil	M22-My0018764		X	X	X
17	SX_IB_20220508_16_15_SS_Duplicate_EUF	May 08, 2022	4:15PM	Soil	M22-My0018765		X	X	X
18	SX_IB_20220508_16_38_SR_Rinsate_EUF	May 08, 2022	4:38PM	Water	M22-My0018766			X	
19	SX_IB_20220508_16_39_SB_Blank_EUF	May 08, 2022	4:39PM	Water	M22-My0018767			X	
20	SX_IB_202205	May 08, 2022	7:44PM	Soil	M22-		X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	08_19_44_SS _Primary_EUF				My0018768				
21	SX_OB_20220 508_19_49_S S_Primary_EU F	May 08, 2022	7:49PM	Soil	M22- My0018769		X	X	X
22	SX_OB_20220 508_19_50_S S_Duplicate_E UF	May 08, 2022	7:50PM	Soil	M22- My0018770		X	X	X
23	SX_IB_202205 09_00_15_SS _Primary_EUF	May 09, 2022	12:15AM	Soil	M22- My0018771		X	X	X
24	SX_IB_202205	May 09, 2022	3:58AM	Soil	M22-		X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
24	SX_IB_20220509_03_58_SS_Primary_EUF	May 09, 2022	3:58AM	Soil	M22-My0018772				
25	SX_OB_20220509_04_10_SS_Primary_EUF	May 09, 2022	4:10AM	Soil	M22-My0018773		X	X	X
26	SX_OB_20220507_07_58_SS_Primary_EUF	May 07, 2022	7:58AM	AUS Leachate - pH 5.0	M22-My0018774	X		X	
27	SX_OB_20220507_08_19_SS_Triplicate_E	May 07, 2022	8:19AM	AUS Leachate - pH 5.0	M22-My0018775	X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	UF								
28	SX_IB_20220507_11_59_SS_Primary_EUF	May 07, 2022	11:59AM	AUS Leachate - pH 5.0	M22-My0018776	X		X	
29	SX_IB_20220507_16_00_SS_Primary_EUF	May 07, 2022	4:00PM	AUS Leachate - pH 5.0	M22-My0018777	X		X	
30	SX_OB_20220507_16_18_S_S_Primary_EUF	May 07, 2022	4:18PM	AUS Leachate - pH 5.0	M22-My0018778	X		X	
31	SX_OB_20220507_16_19_S_S_Duplicate_EUF	May 07, 2022	4:19PM	AUS Leachate - pH 5.0	M22-My0018779	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	S_Duplicate_EUF								
32	SX_IB_20220507_20_11_SS_Primary_EUF	May 07, 2022	8:11PM	AUS Leachate - pH 5.0	M22-My0018780	X		X	
33	SX_OB_20220507_20_20_SS_Primary_EUF	May 07, 2022	8:20PM	AUS Leachate - pH 5.0	M22-My0018781	X		X	
34	SX_OB_20220507_20_21_SS_Duplicate_EUF	May 07, 2022	8:21PM	AUS Leachate - pH 5.0	M22-My0018782	X		X	
35	SX_IB_202205	May 08, 2022	12:17AM	AUS Leachate	M22-	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFAS)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	08_00_17_SS _Primary_EUF			- pH 5.0	My0018783				
36	SX_IB_202205 08_04_10_SS _Primary_EUF	May 08, 2022	4:10AM	AUS Leachate - pH 5.0	M22- My0018784	X		X	
37	SX_IB_202205 08_04_21_SS _Primary_EUF	May 08, 2022	4:21AM	AUS Leachate - pH 5.0	M22- My0018785	X		X	
38	SX_OB_20220 508_07_46_S S_Triplicate_E UF	May 08, 2022	7:46AM	AUS Leachate - pH 5.0	M22- My0018786	X		X	
39	SX_IB_202205 08_07_52_SS	May 08, 2022	7:52AM	AUS Leachate - pH 5.0	M22- My0018787	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	08_07_52_SS _Primary_EUF			- pH 5.0	My0018787				
40	SX_OB_20220 508_11_47_S S_Primary_EU F	May 08, 2022	11:47AM	AUS Leachate - pH 5.0	M22- My0018788	X		X	
41	SX_IB_202205 08_16_14_SS _Primary_EUF	May 08, 2022	4:14PM	AUS Leachate - pH 5.0	M22- My0018789	X		X	
42	SX_IB_202205 08_16_15_SS _Duplicate_EU F	May 08, 2022	4:15PM	AUS Leachate - pH 5.0	M22- My0018790	X		X	
43	SX_IB_202205	May 08, 2022	7:44PM	AUS Leachate	M22-	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	08_19_44_SS _Primary_EUF			- pH 5.0	My0018791				
44	SX_OB_20220 508_19_49_S S_Primary_EU F	May 08, 2022	7:49PM	AUS Leachate - pH 5.0	M22- My0018792	X		X	
45	SX_OB_20220 508_19_50_S S_Duplicate_E UF	May 08, 2022	7:50PM	AUS Leachate - pH 5.0	M22- My0018793	X		X	
46	SX_IB_202205 09_00_15_SS _Primary_EUF	May 09, 2022	12:15AM	AUS Leachate - pH 5.0	M22- My0018794	X		X	
47	SX_IB_202205	May 09, 2022	3:58AM	AUS Leachate	M22-	X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFAS)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
47	SX_IB_20220509_03_58_SS_Primary_EUF	May 09, 2022	3:58AM	AUS Leachate - pH 5.0	M22-My0018795				
48	SX_OB_20220509_04_10_SS_Primary_EUF	May 09, 2022	4:10AM	AUS Leachate - pH 5.0	M22-My0018796	X		X	
49	SX_OB_20220507_07_58_SS_Primary_EUF	May 07, 2022	7:58AM	AUS Leachate - Reagent Water	M22-My0018797	X		X	
50	SX_OB_20220507_08_19_SS_Triplicate_E	May 07, 2022	8:19AM	AUS Leachate - Reagent Water	M22-My0018798	X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	UF								
51	SX_IB_20220507_11_59_SS_Primary_EUF	May 07, 2022	11:59AM	AUS Leachate - Reagent Water	M22-My0018799	X		X	
52	SX_IB_20220507_16_00_SS_Primary_EUF	May 07, 2022	4:00PM	AUS Leachate - Reagent Water	M22-My0018800	X		X	
53	SX_OB_20220507_16_18_S_S_Primary_EUF	May 07, 2022	4:18PM	AUS Leachate - Reagent Water	M22-My0018801	X		X	
54	SX_OB_20220507_16_19_S_S_Duplicate_EUF	May 07, 2022	4:19PM	AUS Leachate - Reagent Water	M22-My0018802	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	S_Duplicate_EUF			Water					
55	SX_IB_20220507_20_11_SS_Primary_EUF	May 07, 2022	8:11PM	AUS Leachate - Reagent Water	M22-My0018803	X		X	
56	SX_OB_20220507_20_20_SS_Primary_EUF	May 07, 2022	8:20PM	AUS Leachate - Reagent Water	M22-My0018804	X		X	
57	SX_OB_20220507_20_21_SS_Duplicate_EUF	May 07, 2022	8:21PM	AUS Leachate - Reagent Water	M22-My0018805	X		X	
58	SX_IB_202205	May 08, 2022	12:17AM	AUS Leachate	M22-	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	08_00_17_SS _Primary_EUF			- Reagent Water	My0018806				
59	SX_IB_202205 08_04_10_SS _Primary_EUF	May 08, 2022	4:10AM	AUS Leachate - Reagent Water	M22- My0018807	X		X	
60	SX_IB_202205 08_04_21_SS _Primary_EUF	May 08, 2022	4:21AM	AUS Leachate - Reagent Water	M22- My0018808	X		X	
61	SX_OB_20220 508_07_46_S S_Triplicate_E UF	May 08, 2022	7:46AM	AUS Leachate - Reagent Water	M22- My0018809	X		X	
62	SX_IB_202205 08_07_52_SS	May 08, 2022	7:52AM	AUS Leachate - Reagent	M22- My0018810	X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	08_07_52_SS _Primary_EUF			- Reagent Water	My0018810				
63	SX_OB_20220 508_11_47_S S_Primary_EU F	May 08, 2022	11:47AM	AUS Leachate - Reagent Water	M22- My0018811	X		X	
64	SX_IB_202205 08_16_14_SS _Primary_EUF	May 08, 2022	4:14PM	AUS Leachate - Reagent Water	M22- My0018812	X		X	
65	SX_IB_202205 08_16_15_SS _Duplicate_EU F	May 08, 2022	4:15PM	AUS Leachate - Reagent Water	M22- My0018813	X		X	
66	SX_IB_202205	May 08, 2022	7:44PM	AUS Leachate	M22-	X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	08_19_44_SS _Primary_EUF			- Reagent Water	My0018814				
67	SX_OB_20220 508_19_49_S S_Primary_EU F	May 08, 2022	7:49PM	AUS Leachate - Reagent Water	M22- My0018815	X		X	
68	SX_OB_20220 508_19_50_S S_Duplicate_E UF	May 08, 2022	7:50PM	AUS Leachate - Reagent Water	M22- My0018816	X		X	
69	SX_IB_202205 09_00_15_SS _Primary_EUF	May 09, 2022	12:15AM	AUS Leachate - Reagent Water	M22- My0018817	X		X	
70	SX_IB_202205	May 09, 2022	3:58AM	AUS Leachate	M22-	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
70	SX_IB_20220509_03_58_SS_Primary_EUF	May 09, 2022	3:58AM	AUS Leachate - Reagent Water	M22-My0018818				
71	SX_OB_20220509_04_10_S_Primary_EUF	May 09, 2022	4:10AM	AUS Leachate - Reagent Water	M22-My0018819	X		X	
Test Counts						46	23	71	23

Internal Quality Control Review and Glossary

General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer that may have an impact on the results.
- This report replaces any interim results previously issued.

Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

Units

mg/kg: milligrams per kilogram	mg/L: milligrams per litre	µg/L: micrograms per litre
ppm: parts per million	ppb: parts per billion	%: Percentage
org/100 mL: Organisms per 100 millilitres	NTU: Nephelometric Turbidity Units	MPN/100 mL: Most Probable Number of organisms per 100 millilitres

Terms

APHA	American Public Health Association
COC	Chain of Custody
CP	Client Parent - QC was performed on samples pertaining to this report
CRM	Certified Reference Material (ISO17034) - reported as percent recovery.
Dry	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
Duplicate	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
LOR	Limit of Reporting.
LCS	Laboratory Control Sample - reported as percent recovery.
Method Blank	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
NCP	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
RPD	Relative Percent Difference between two Duplicate pieces of analysis.
SPIKE	Addition of the analyte to the sample and reported as percentage recovery.
SRA	Sample Receipt Advice
Surr - Surrogate	The addition of a like compound to the analyte target and reported as percentage recovery.
TBTO	Tributyltin oxide (<i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment however free tributyltin was measured and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits.
TCLP	Toxicity Characteristic Leaching Procedure
TEQ	Toxic Equivalency Quotient or Total Equivalence
QSM	US Department of Defense Quality Systems Manual Version 5.4
US EPA	United States Environmental Protection Agency
WA DWER	Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

QC - Acceptance Criteria

The acceptance criteria should be used as a guide only and may be different when site specific Sampling Analysis and Quality Plan (SAQP) have been implemented

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR: No Limit

Results between 10-20 times the LOR: RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

NOTE: pH duplicates are reported as a range not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.4 where no positive PFAS results have been reported have been reviewed and no data was affected.

QC Data General Comments

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery the term "INT" appears against that analyte.
- For Matrix Spikes and LCS results a dash "-" in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

Quality Control Results

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Method Blank							
Total Recoverable Hydrocarbons							
TRH C6-C9	mg/kg	< 20			20	Pass	
TRH C10-C14	mg/kg	< 20			20	Pass	
TRH C15-C28	mg/kg	< 50			50	Pass	
TRH C29-C36	mg/kg	< 50			50	Pass	
Naphthalene	mg/kg	< 0.5			0.5	Pass	
TRH C6-C10	mg/kg	< 20			20	Pass	
TRH >C10-C16	mg/kg	< 50			50	Pass	
TRH >C16-C34	mg/kg	< 100			100	Pass	
TRH >C34-C40	mg/kg	< 100			100	Pass	
Method Blank							
Volatile Organics							
Hexachlorobutadiene	mg/kg	< 0.5			0.5	Pass	
Method Blank							
Volatile Organics							
1.1-Dichloroethane	mg/kg	< 0.5			0.5	Pass	
1.2.4-Trichlorobenzene	mg/kg	< 0.5			0.5	Pass	
1.1-Dichloroethene	mg/kg	< 0.5			0.5	Pass	
1.1.1-Trichloroethane	mg/kg	< 0.5			0.5	Pass	
1.1.1.2-Tetrachloroethane	mg/kg	< 0.5			0.5	Pass	
1.1.2-Trichloroethane	mg/kg	< 0.5			0.5	Pass	
1.1.2.2-Tetrachloroethane	mg/kg	< 0.5			0.5	Pass	
1.2-Dibromoethane	mg/kg	< 0.5			0.5	Pass	
1.2-Dichlorobenzene	mg/kg	< 0.5			0.5	Pass	
1.2-Dichloroethane	mg/kg	< 0.5			0.5	Pass	
1.2-Dichloropropane	mg/kg	< 0.5			0.5	Pass	
1.2.3-Trichloropropane	mg/kg	< 0.5			0.5	Pass	
1.2.4-Trimethylbenzene	mg/kg	< 0.5			0.5	Pass	
1.3-Dichlorobenzene	mg/kg	< 0.5			0.5	Pass	
1.3-Dichloropropane	mg/kg	< 0.5			0.5	Pass	
1.3.5-Trimethylbenzene	mg/kg	< 0.5			0.5	Pass	
1.4-Dichlorobenzene	mg/kg	< 0.5			0.5	Pass	
2-Butanone (MEK)	mg/kg	< 0.5			0.5	Pass	
2-Propanone (Acetone)	mg/kg	< 0.5			0.5	Pass	
4-Chlorotoluene	mg/kg	< 0.5			0.5	Pass	
4-Methyl-2-pentanone (MIBK)	mg/kg	< 0.5			0.5	Pass	
Allyl chloride	mg/kg	< 0.5			0.5	Pass	
Benzene	mg/kg	< 0.1			0.1	Pass	
Bromobenzene	mg/kg	< 0.5			0.5	Pass	
Bromochloromethane	mg/kg	< 0.5			0.5	Pass	
Bromodichloromethane	mg/kg	< 0.5			0.5	Pass	
Bromoform	mg/kg	< 0.5			0.5	Pass	
Bromomethane	mg/kg	< 0.5			0.5	Pass	
Carbon disulfide	mg/kg	< 0.5			0.5	Pass	
Carbon Tetrachloride	mg/kg	< 0.5			0.5	Pass	
Chlorobenzene	mg/kg	< 0.5			0.5	Pass	
Chloroethane	mg/kg	< 0.5			0.5	Pass	
Chloroform	mg/kg	< 0.5			0.5	Pass	
Chloromethane	mg/kg	< 0.5			0.5	Pass	
cis-1.2-Dichloroethene	mg/kg	< 0.5			0.5	Pass	
cis-1.3-Dichloropropene	mg/kg	< 0.5			0.5	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Dibromochloromethane	mg/kg	< 0.5			0.5	Pass	
Dibromomethane	mg/kg	< 0.5			0.5	Pass	
Dichlorodifluoromethane	mg/kg	< 0.5			0.5	Pass	
Ethylbenzene	mg/kg	< 0.1			0.1	Pass	
Iodomethane	mg/kg	< 0.5			0.5	Pass	
Isopropyl benzene (Cumene)	mg/kg	< 0.5			0.5	Pass	
m&p-Xylenes	mg/kg	< 0.2			0.2	Pass	
Methylene Chloride	mg/kg	< 0.5			0.5	Pass	
o-Xylene	mg/kg	< 0.1			0.1	Pass	
Styrene	mg/kg	< 0.5			0.5	Pass	
Tetrachloroethene	mg/kg	< 0.5			0.5	Pass	
Toluene	mg/kg	< 0.1			0.1	Pass	
trans-1,2-Dichloroethene	mg/kg	< 0.5			0.5	Pass	
trans-1,3-Dichloropropene	mg/kg	< 0.5			0.5	Pass	
Trichloroethene	mg/kg	< 0.5			0.5	Pass	
Trichlorofluoromethane	mg/kg	< 0.5			0.5	Pass	
Vinyl chloride	mg/kg	< 0.5			0.5	Pass	
Xylenes - Total*	mg/kg	< 0.3			0.3	Pass	
Method Blank							
Polycyclic Aromatic Hydrocarbons							
Acenaphthene	mg/kg	< 0.5			0.5	Pass	
Acenaphthylene	mg/kg	< 0.5			0.5	Pass	
Anthracene	mg/kg	< 0.5			0.5	Pass	
Benz(a)anthracene	mg/kg	< 0.5			0.5	Pass	
Benzo(a)pyrene	mg/kg	< 0.5			0.5	Pass	
Benzo(b&j)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Benzo(g,h,i)perylene	mg/kg	< 0.5			0.5	Pass	
Benzo(k)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Chrysene	mg/kg	< 0.5			0.5	Pass	
Dibenz(a,h)anthracene	mg/kg	< 0.5			0.5	Pass	
Fluoranthene	mg/kg	< 0.5			0.5	Pass	
Fluorene	mg/kg	< 0.5			0.5	Pass	
Indeno(1,2,3-cd)pyrene	mg/kg	< 0.5			0.5	Pass	
Naphthalene	mg/kg	< 0.5			0.5	Pass	
Phenanthrene	mg/kg	< 0.5			0.5	Pass	
Pyrene	mg/kg	< 0.5			0.5	Pass	
Method Blank							
Organochlorine Pesticides							
Chlordanes - Total	mg/kg	< 0.1			0.1	Pass	
4,4'-DDD	mg/kg	< 0.05			0.05	Pass	
4,4'-DDE	mg/kg	< 0.05			0.05	Pass	
4,4'-DDT	mg/kg	< 0.05			0.05	Pass	
a-HCH	mg/kg	< 0.05			0.05	Pass	
Aldrin	mg/kg	< 0.05			0.05	Pass	
b-HCH	mg/kg	< 0.05			0.05	Pass	
d-HCH	mg/kg	< 0.05			0.05	Pass	
Dieldrin	mg/kg	< 0.05			0.05	Pass	
Endosulfan I	mg/kg	< 0.05			0.05	Pass	
Endosulfan II	mg/kg	< 0.05			0.05	Pass	
Endosulfan sulphate	mg/kg	< 0.05			0.05	Pass	
Endrin	mg/kg	< 0.05			0.05	Pass	
Endrin aldehyde	mg/kg	< 0.05			0.05	Pass	
Endrin ketone	mg/kg	< 0.05			0.05	Pass	
g-HCH (Lindane)	mg/kg	< 0.05			0.05	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Heptachlor	mg/kg	< 0.05			0.05	Pass	
Heptachlor epoxide	mg/kg	< 0.05			0.05	Pass	
Hexachlorobenzene	mg/kg	< 0.05			0.05	Pass	
Methoxychlor	mg/kg	< 0.05			0.05	Pass	
Toxaphene	mg/kg	< 0.5			0.5	Pass	
Method Blank							
Polychlorinated Biphenyls							
Aroclor-1016	mg/kg	< 0.1			0.1	Pass	
Aroclor-1221	mg/kg	< 0.1			0.1	Pass	
Aroclor-1232	mg/kg	< 0.1			0.1	Pass	
Aroclor-1242	mg/kg	< 0.1			0.1	Pass	
Aroclor-1248	mg/kg	< 0.1			0.1	Pass	
Aroclor-1254	mg/kg	< 0.1			0.1	Pass	
Aroclor-1260	mg/kg	< 0.1			0.1	Pass	
Total PCB*	mg/kg	< 0.1			0.1	Pass	
Method Blank							
Phenols (Halogenated)							
2-Chlorophenol	mg/kg	< 0.5			0.5	Pass	
2,4-Dichlorophenol	mg/kg	< 0.5			0.5	Pass	
2,4,5-Trichlorophenol	mg/kg	< 1			1	Pass	
2,4,6-Trichlorophenol	mg/kg	< 1			1	Pass	
2,6-Dichlorophenol	mg/kg	< 0.5			0.5	Pass	
4-Chloro-3-methylphenol	mg/kg	< 1			1	Pass	
Pentachlorophenol	mg/kg	< 1			1	Pass	
Tetrachlorophenols - Total	mg/kg	< 10			10	Pass	
Method Blank							
Phenols (non-Halogenated)							
2-Cyclohexyl-4,6-dinitrophenol	mg/kg	< 20			20	Pass	
2-Methyl-4,6-dinitrophenol	mg/kg	< 5			5	Pass	
2-Nitrophenol	mg/kg	< 1			1.0	Pass	
2,4-Dimethylphenol	mg/kg	< 0.5			0.5	Pass	
2,4-Dinitrophenol	mg/kg	< 5			5	Pass	
2-Methylphenol (o-Cresol)	mg/kg	< 0.2			0.2	Pass	
3&4-Methylphenol (m&p-Cresol)	mg/kg	< 0.4			0.4	Pass	
4-Nitrophenol	mg/kg	< 5			5	Pass	
Dinoseb	mg/kg	< 20			20	Pass	
Phenol	mg/kg	< 0.5			0.5	Pass	
Method Blank							
Chromium (hexavalent)	mg/kg	< 1			1	Pass	
Cyanide (total)	mg/kg	< 5			5	Pass	
Fluoride (Total)	mg/kg	< 100			100	Pass	
Method Blank							
Heavy Metals							
Arsenic	mg/kg	< 2			2	Pass	
Cadmium	mg/kg	< 0.4			0.4	Pass	
Chromium	mg/kg	< 5			5	Pass	
Copper	mg/kg	< 5			5	Pass	
Lead	mg/kg	< 5			5	Pass	
Mercury	mg/kg	< 0.1			0.1	Pass	
Molybdenum	mg/kg	< 5			5	Pass	
Nickel	mg/kg	< 5			5	Pass	
Selenium	mg/kg	< 2			2	Pass	
Silver	mg/kg	< 2			2	Pass	
Tin	mg/kg	< 10			10	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Zinc	mg/kg	< 5			5	Pass	
Method Blank							
Perfluoroalkyl carboxylic acids (PFCAs)							
Perfluorobutanoic acid (PFBA)	ug/kg	< 5			5	Pass	
Perfluoropentanoic acid (PFPeA)	ug/kg	< 5			5	Pass	
Perfluorohexanoic acid (PFHxA)	ug/kg	< 5			5	Pass	
Perfluoroheptanoic acid (PFHpA)	ug/kg	< 5			5	Pass	
Perfluorooctanoic acid (PFOA)	ug/kg	< 5			5	Pass	
Perfluorononanoic acid (PFNA)	ug/kg	< 5			5	Pass	
Perfluorodecanoic acid (PFDA)	ug/kg	< 5			5	Pass	
Perfluoroundecanoic acid (PFUnDA)	ug/kg	< 5			5	Pass	
Perfluorododecanoic acid (PFDoDA)	ug/kg	< 5			5	Pass	
Perfluorotridecanoic acid (PFTTrDA)	ug/kg	< 5			5	Pass	
Perfluorotetradecanoic acid (PFTTeDA)	ug/kg	< 5			5	Pass	
Method Blank							
Perfluoroalkyl sulfonamido substances							
Perfluorooctane sulfonamide (FOSA)	ug/kg	< 5			5	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	ug/kg	< 5			5	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	ug/kg	< 5			5	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	ug/kg	< 5			5	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	ug/kg	< 5			5	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	ug/kg	< 10			10	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	ug/kg	< 10			10	Pass	
Method Blank							
Perfluoroalkyl sulfonic acids (PFSAs)							
Perfluorobutanesulfonic acid (PFBS)	ug/kg	< 5			5	Pass	
Perfluorononanesulfonic acid (PFNS)	ug/kg	< 5			5	Pass	
Perfluoropropanesulfonic acid (PFPrS)	ug/kg	< 5			5	Pass	
Perfluoropentanesulfonic acid (PFPeS)	ug/kg	< 5			5	Pass	
Perfluorohexanesulfonic acid (PFHxS)	ug/kg	< 5			5	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	ug/kg	< 5			5	Pass	
Perfluorooctanesulfonic acid (PFOS)	ug/kg	< 5			5	Pass	
Perfluorodecanesulfonic acid (PFDS)	ug/kg	< 5			5	Pass	
Method Blank							
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)							
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	ug/kg	< 5			5	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	ug/kg	< 10			10	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	ug/kg	< 5			5	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	ug/kg	< 5			5	Pass	
LCS - % Recovery							
Total Recoverable Hydrocarbons							
TRH C6-C9	%	99			70-130	Pass	
TRH C10-C14	%	73			70-130	Pass	
Naphthalene	%	107			70-130	Pass	
TRH C6-C10	%	101			70-130	Pass	
TRH >C10-C16	%	82			70-130	Pass	
LCS - % Recovery							
Volatile Organics							
1.1-Dichloroethene	%	84			70-130	Pass	
1.1.1-Trichloroethane	%	77			70-130	Pass	
1.2-Dichlorobenzene	%	101			70-130	Pass	
1.2-Dichloroethane	%	92			70-130	Pass	
Benzene	%	88			70-130	Pass	
Ethylbenzene	%	82			70-130	Pass	

Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
m&p-Xylenes	%	80		70-130	Pass	
Toluene	%	83		70-130	Pass	
Trichloroethene	%	80		70-130	Pass	
Xylenes - Total*	%	80		70-130	Pass	
LCS - % Recovery						
Polycyclic Aromatic Hydrocarbons						
Acenaphthene	%	105		70-130	Pass	
Acenaphthylene	%	113		70-130	Pass	
Anthracene	%	110		70-130	Pass	
Benz(a)anthracene	%	109		70-130	Pass	
Benzo(a)pyrene	%	107		70-130	Pass	
Benzo(b&i)fluoranthene	%	96		70-130	Pass	
Benzo(g,h,i)perylene	%	113		70-130	Pass	
Benzo(k)fluoranthene	%	85		70-130	Pass	
Chrysene	%	114		70-130	Pass	
Dibenz(a,h)anthracene	%	109		70-130	Pass	
Fluoranthene	%	104		70-130	Pass	
Fluorene	%	111		70-130	Pass	
Indeno(1,2,3-cd)pyrene	%	107		70-130	Pass	
Naphthalene	%	106		70-130	Pass	
Phenanthrene	%	99		70-130	Pass	
Pyrene	%	105		70-130	Pass	
LCS - % Recovery						
Organochlorine Pesticides						
Chlordanes - Total	%	92		70-130	Pass	
4,4'-DDD	%	87		70-130	Pass	
4,4'-DDE	%	95		70-130	Pass	
4,4'-DDT	%	119		70-130	Pass	
a-HCH	%	97		70-130	Pass	
Aldrin	%	92		70-130	Pass	
b-HCH	%	98		70-130	Pass	
d-HCH	%	99		70-130	Pass	
Dieldrin	%	94		70-130	Pass	
Endosulfan I	%	91		70-130	Pass	
Endosulfan II	%	87		70-130	Pass	
Endosulfan sulphate	%	87		70-130	Pass	
Endrin	%	96		70-130	Pass	
Endrin aldehyde	%	105		70-130	Pass	
Endrin ketone	%	124		70-130	Pass	
g-HCH (Lindane)	%	88		70-130	Pass	
Heptachlor	%	98		70-130	Pass	
Heptachlor epoxide	%	93		70-130	Pass	
Hexachlorobenzene	%	100		70-130	Pass	
Methoxychlor	%	116		70-130	Pass	
LCS - % Recovery						
Polychlorinated Biphenyls						
Aroclor-1260	%	84		70-130	Pass	
LCS - % Recovery						
Phenols (Halogenated)						
2-Chlorophenol	%	95		25-140	Pass	
2,4-Dichlorophenol	%	121		25-140	Pass	
2,4,5-Trichlorophenol	%	31		25-140	Pass	
2,4,6-Trichlorophenol	%	53		25-140	Pass	
2,6-Dichlorophenol	%	79		25-140	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
4-Chloro-3-methylphenol	%	104			25-140	Pass	
Pentachlorophenol	%	108			25-140	Pass	
Tetrachlorophenols - Total	%	95			25-140	Pass	
LCS - % Recovery							
Phenols (non-Halogenated)							
2-Cyclohexyl-4,6-dinitrophenol	%	58			25-140	Pass	
2-Methyl-4,6-dinitrophenol	%	86			25-140	Pass	
2-Nitrophenol	%	106			25-140	Pass	
2,4-Dimethylphenol	%	110			25-140	Pass	
2,4-Dinitrophenol	%	51			25-140	Pass	
2-Methylphenol (o-Cresol)	%	82			25-140	Pass	
3&4-Methylphenol (m&p-Cresol)	%	107			25-140	Pass	
4-Nitrophenol	%	111			25-140	Pass	
Dinoseb	%	87			25-140	Pass	
Phenol	%	105			25-140	Pass	
LCS - % Recovery							
Chromium (hexavalent)	%	96			70-130	Pass	
Cyanide (total)	%	89			70-130	Pass	
Fluoride (Total)	%	83			70-130	Pass	
LCS - % Recovery							
Heavy Metals							
Arsenic	%	103			80-120	Pass	
Cadmium	%	96			80-120	Pass	
Chromium	%	104			80-120	Pass	
Copper	%	101			80-120	Pass	
Lead	%	106			80-120	Pass	
Mercury	%	103			80-120	Pass	
Molybdenum	%	103			80-120	Pass	
Nickel	%	97			80-120	Pass	
Selenium	%	104			80-120	Pass	
Silver	%	99			80-120	Pass	
Tin	%	101			80-120	Pass	
Zinc	%	100			80-120	Pass	
LCS - % Recovery							
Perfluoroalkyl carboxylic acids (PFCAs)							
Perfluorobutanoic acid (PFBA)	%	102			50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	99			50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	99			50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	105			50-150	Pass	
Perfluorooctanoic acid (PFOA)	%	111			50-150	Pass	
Perfluorononanoic acid (PFNA)	%	122			50-150	Pass	
Perfluorodecanoic acid (PFDA)	%	110			50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	%	135			50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	%	101			50-150	Pass	
Perfluorotridecanoic acid (PFTrDA)	%	134			50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	%	114			50-150	Pass	
LCS - % Recovery							
Perfluoroalkyl sulfonamido substances							
Perfluorooctane sulfonamide (FOSA)	%	100			50-150	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	%	102			50-150	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	%	147			50-150	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	%	100			50-150	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	%	103			50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	%	143			50-150	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	%	68			50-150	Pass		
LCS - % Recovery								
Perfluoroalkyl sulfonic acids (PFSA's)								
Perfluorobutanesulfonic acid (PFBS)	%	94			50-150	Pass		
Perfluorononanesulfonic acid (PFNS)	%	127			50-150	Pass		
Perfluoropropanesulfonic acid (PFPrS)	%	125			50-150	Pass		
Perfluoropentanesulfonic acid (PFPeS)	%	93			50-150	Pass		
Perfluorohexanesulfonic acid (PFHxS)	%	104			50-150	Pass		
Perfluoroheptanesulfonic acid (PFHpS)	%	59			50-150	Pass		
Perfluorooctanesulfonic acid (PFOS)	%	104			50-150	Pass		
Perfluorodecanesulfonic acid (PFDS)	%	128			50-150	Pass		
LCS - % Recovery								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA's)								
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	%	102			50-150	Pass		
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	%	91			50-150	Pass		
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	%	96			50-150	Pass		
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	%	99			50-150	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Spike - % Recovery								
Phenols (non-Halogenated)				Result 1				
2,4-Dinitrophenol	M22-My0002106	NCP	%	120		30-130	Pass	
Spike - % Recovery								
				Result 1				
Cyanide (total)	M22-My0015420	NCP	%	81		70-130	Pass	
Spike - % Recovery								
Heavy Metals				Result 1				
Arsenic	M22-My0021509	NCP	%	101		75-125	Pass	
Cadmium	M22-My0021509	NCP	%	116		75-125	Pass	
Chromium	M22-My0021509	NCP	%	115		75-125	Pass	
Copper	M22-My0021509	NCP	%	110		75-125	Pass	
Lead	M22-My0021509	NCP	%	105		75-125	Pass	
Mercury	M22-My0021509	NCP	%	105		75-125	Pass	
Molybdenum	M22-My0021509	NCP	%	109		75-125	Pass	
Nickel	M22-My0021509	NCP	%	113		75-125	Pass	
Selenium	M22-My0021509	NCP	%	98		75-125	Pass	
Silver	M22-My0021509	NCP	%	119		75-125	Pass	
Tin	M22-My0021509	NCP	%	113		75-125	Pass	
Zinc	M22-My0021509	NCP	%	117		75-125	Pass	
Spike - % Recovery								
Perfluoroalkyl carboxylic acids (PFCAs)				Result 1				
Perfluorobutanoic acid (PFBA)	M22-My0020059	NCP	%	91		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	M22-My0020059	NCP	%	98		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	M22-My0020059	NCP	%	96		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	M22-My0020059	NCP	%	100		50-150	Pass	
Perfluorooctanoic acid (PFOA)	M22-My0020059	NCP	%	96		50-150	Pass	
Perfluorononanoic acid (PFNA)	M22-My0020059	NCP	%	96		50-150	Pass	
Perfluorodecanoic acid (PFDA)	M22-My0020059	NCP	%	108		50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	M22-My0020059	NCP	%	121		50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	M22-My0020059	NCP	%	112		50-150	Pass	
Perfluorotridecanoic acid (PFTrDA)	M22-My0020059	NCP	%	122		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	M22-My0020059	NCP	%	107		50-150	Pass	
Spike - % Recovery								

Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Perfluoroalkyl sulfonamido substances				Result 1				
Perfluorooctane sulfonamide (FOSA)	M22-My0020059	NCP	%	94		50-150	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0020059	NCP	%	103		50-150	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0020059	NCP	%	143		50-150	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0020059	NCP	%	106		50-150	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0020059	NCP	%	106		50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0020059	NCP	%	107		50-150	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0020059	NCP	%	116		50-150	Pass	
Spike - % Recovery								
Perfluoroalkyl sulfonic acids (PFSA's)				Result 1				
Perfluorobutanesulfonic acid (PFBS)	M22-My0020059	NCP	%	86		50-150	Pass	
Perfluorononanesulfonic acid (PFNS)	M22-My0020059	NCP	%	135		50-150	Pass	
Perfluoropropanesulfonic acid (PFPrS)	M22-My0020059	NCP	%	116		50-150	Pass	
Perfluoropentanesulfonic acid (PFPeS)	M22-My0020059	NCP	%	88		50-150	Pass	
Perfluorohexanesulfonic acid (PFHxS)	M22-My0020059	NCP	%	96		50-150	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0020059	NCP	%	67		50-150	Pass	
Perfluorooctanesulfonic acid (PFOS)	M22-My0020059	NCP	%	113		50-150	Pass	
Perfluorodecanesulfonic acid (PFDS)	M22-My0020059	NCP	%	122		50-150	Pass	
Spike - % Recovery								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA's)				Result 1				
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0020059	NCP	%	101		50-150	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0020059	NCP	%	100		50-150	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0020059	NCP	%	100		50-150	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0020059	NCP	%	82		50-150	Pass	
Spike - % Recovery								
Polycyclic Aromatic Hydrocarbons				Result 1				
Acenaphthene	M22-My0018751	CP	%	106		70-130	Pass	
Acenaphthylene	M22-My0018751	CP	%	117		70-130	Pass	
Anthracene	M22-My0018751	CP	%	99		70-130	Pass	
Benz(a)anthracene	M22-My0018751	CP	%	99		70-130	Pass	
Benzo(a)pyrene	M22-My0018751	CP	%	109		70-130	Pass	
Benzo(b&j)fluoranthene	M22-My0018751	CP	%	110		70-130	Pass	
Benzo(g,h,i)perylene	M22-My0018751	CP	%	109		70-130	Pass	
Benzo(k)fluoranthene	M22-My0018751	CP	%	86		70-130	Pass	
Chrysene	M22-My0018751	CP	%	120		70-130	Pass	
Dibenz(a,h)anthracene	M22-My0018751	CP	%	104		70-130	Pass	
Fluoranthene	M22-My0018751	CP	%	109		70-130	Pass	
Fluorene	M22-My0018751	CP	%	111		70-130	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Indeno(1,2,3-cd)pyrene	M22-My0018751	CP	%	105		70-130	Pass	
Naphthalene	M22-My0018751	CP	%	106		70-130	Pass	
Phenanthrene	M22-My0018751	CP	%	95		70-130	Pass	
Pyrene	M22-My0018751	CP	%	109		70-130	Pass	
Spike - % Recovery								
Phenols (Halogenated)				Result 1				
2-Chlorophenol	M22-My0018751	CP	%	93		30-130	Pass	
2,4-Dichlorophenol	M22-My0018751	CP	%	122		30-130	Pass	
2,4,5-Trichlorophenol	M22-My0018751	CP	%	124		30-130	Pass	
2,4,6-Trichlorophenol	M22-My0018751	CP	%	92		30-130	Pass	
2,6-Dichlorophenol	M22-My0018751	CP	%	120		30-130	Pass	
4-Chloro-3-methylphenol	M22-My0018751	CP	%	102		30-130	Pass	
Pentachlorophenol	M22-My0018751	CP	%	100		30-130	Pass	
Tetrachlorophenols - Total	M22-My0018751	CP	%	91		30-130	Pass	
Spike - % Recovery								
Phenols (non-Halogenated)				Result 1				
2-Cyclohexyl-4,6-dinitrophenol	M22-My0018751	CP	%	29		30-130	Fail	Q08
2-Methyl-4,6-dinitrophenol	M22-My0018751	CP	%	79		30-130	Pass	
2-Nitrophenol	M22-My0018751	CP	%	101		30-130	Pass	
2,4-Dimethylphenol	M22-My0018751	CP	%	111		30-130	Pass	
2-Methylphenol (o-Cresol)	M22-My0018751	CP	%	126		30-130	Pass	
3&4-Methylphenol (m&p-Cresol)	M22-My0018751	CP	%	102		30-130	Pass	
4-Nitrophenol	M22-My0018751	CP	%	108		30-130	Pass	
Dinoseb	M22-My0018751	CP	%	93		30-130	Pass	
Phenol	M22-My0018751	CP	%	96		30-130	Pass	
Spike - % Recovery								
Total Recoverable Hydrocarbons				Result 1				
TRH C10-C14	M22-My0018755	CP	%	105		70-130	Pass	
TRH >C10-C16	M22-My0018755	CP	%	105		70-130	Pass	
Spike - % Recovery								
				Result 1				
Chromium (hexavalent)	M22-My0018762	CP	%	102		70-130	Pass	
Spike - % Recovery								
Total Recoverable Hydrocarbons				Result 1				
TRH C6-C9	M22-My0018768	CP	%	81		70-130	Pass	
Naphthalene	M22-My0018768	CP	%	116		70-130	Pass	
TRH C6-C10	M22-My0018768	CP	%	80		70-130	Pass	
Spike - % Recovery								
Volatile Organics				Result 1				
1,1-Dichloroethene	M22-My0018768	CP	%	76		70-130	Pass	
1,1,1-Trichloroethane	M22-My0018768	CP	%	82		70-130	Pass	
1,2-Dichlorobenzene	M22-My0018768	CP	%	103		70-130	Pass	
1,2-Dichloroethane	M22-My0018768	CP	%	74		70-130	Pass	
Benzene	M22-My0018768	CP	%	84		70-130	Pass	
Ethylbenzene	M22-My0018768	CP	%	80		70-130	Pass	
m&p-Xylenes	M22-My0018768	CP	%	76		70-130	Pass	
o-Xylene	M22-My0018768	CP	%	79		70-130	Pass	
Toluene	M22-My0018768	CP	%	85		70-130	Pass	
Trichloroethene	M22-My0018768	CP	%	75		70-130	Pass	
Xylenes - Total*	M22-My0018768	CP	%	77		70-130	Pass	
Spike - % Recovery								
Organochlorine Pesticides				Result 1				
Chlordanes - Total	M22-My0018768	CP	%	109		70-130	Pass	
4,4'-DDD	M22-My0018768	CP	%	106		70-130	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
4.4'-DDE	M22-My0018768	CP	%	123			70-130	Pass	
4.4'-DDT	M22-My0018768	CP	%	79			70-130	Pass	
a-HCH	M22-My0018768	CP	%	105			70-130	Pass	
Aldrin	M22-My0018768	CP	%	122			70-130	Pass	
b-HCH	M22-My0018768	CP	%	89			70-130	Pass	
d-HCH	M22-My0018768	CP	%	107			70-130	Pass	
Dieldrin	M22-My0018768	CP	%	88			70-130	Pass	
Endosulfan I	M22-My0018768	CP	%	103			70-130	Pass	
Endosulfan II	M22-My0018768	CP	%	106			70-130	Pass	
Endosulfan sulphate	M22-My0018768	CP	%	97			70-130	Pass	
Endrin	M22-My0018768	CP	%	103			70-130	Pass	
Endrin aldehyde	M22-My0018768	CP	%	109			70-130	Pass	
Endrin ketone	M22-My0018768	CP	%	84			70-130	Pass	
g-HCH (Lindane)	M22-My0018768	CP	%	119			70-130	Pass	
Heptachlor	M22-My0018768	CP	%	112			70-130	Pass	
Heptachlor epoxide	M22-My0018768	CP	%	109			70-130	Pass	
Hexachlorobenzene	M22-My0018768	CP	%	88			70-130	Pass	
Methoxychlor	M22-My0018768	CP	%	84			70-130	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Duplicate									
				Result 1	Result 2	RPD			
Cyanide (total)	M22-My0015419	NCP	mg/kg	< 5	< 5	<1	30%	Pass	
Duplicate									
Total Recoverable Hydrocarbons				Result 1	Result 2	RPD			
TRH C10-C14	M22-My0018750	CP	mg/kg	< 20	< 20	<1	30%	Pass	
TRH C15-C28	M22-My0018750	CP	mg/kg	< 50	< 50	<1	30%	Pass	
TRH C29-C36	M22-My0018750	CP	mg/kg	< 50	< 50	<1	30%	Pass	
TRH >C10-C16	M22-My0018750	CP	mg/kg	< 50	< 50	<1	30%	Pass	
TRH >C16-C34	M22-My0018750	CP	mg/kg	< 100	< 100	<1	30%	Pass	
TRH >C34-C40	M22-My0018750	CP	mg/kg	< 100	< 100	<1	30%	Pass	
Duplicate									
Polycyclic Aromatic Hydrocarbons				Result 1	Result 2	RPD			
Acenaphthene	M22-My0018750	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Acenaphthylene	M22-My0018750	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Anthracene	M22-My0018750	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benz(a)anthracene	M22-My0018750	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benzo(a)pyrene	M22-My0018750	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benzo(b&j)fluoranthene	M22-My0018750	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benzo(g,h,i)perylene	M22-My0018750	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benzo(k)fluoranthene	M22-My0018750	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Chrysene	M22-My0018750	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Dibenz(a,h)anthracene	M22-My0018750	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Fluoranthene	M22-My0018750	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Fluorene	M22-My0018750	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Indeno(1.2.3-cd)pyrene	M22-My0018750	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Naphthalene	M22-My0018750	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Phenanthrene	M22-My0018750	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Pyrene	M22-My0018750	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Duplicate									
Organochlorine Pesticides				Result 1	Result 2	RPD			
Chlordanes - Total	M22-My0018750	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass	
4.4'-DDD	M22-My0018750	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
4.4'-DDE	M22-My0018750	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
4.4'-DDT	M22-My0018750	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	

Duplicate								
Organochlorine Pesticides				Result 1	Result 2	RPD		
a-HCH	M22-My0018750	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Aldrin	M22-My0018750	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
b-HCH	M22-My0018750	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
d-HCH	M22-My0018750	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Dieldrin	M22-My0018750	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan I	M22-My0018750	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan II	M22-My0018750	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan sulphate	M22-My0018750	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin	M22-My0018750	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin aldehyde	M22-My0018750	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin ketone	M22-My0018750	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
g-HCH (Lindane)	M22-My0018750	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Heptachlor	M22-My0018750	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Heptachlor epoxide	M22-My0018750	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Hexachlorobenzene	M22-My0018750	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Methoxychlor	M22-My0018750	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Toxaphene	M22-My0018750	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
Polychlorinated Biphenyls				Result 1	Result 2	RPD		
Aroclor-1016	M22-My0018750	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1221	M22-My0018750	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1232	M22-My0018750	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1242	M22-My0018750	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1248	M22-My0018750	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1254	M22-My0018750	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1260	M22-My0018750	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Total PCB*	M22-My0018750	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Duplicate								
Phenols (Halogenated)				Result 1	Result 2	RPD		
2-Chlorophenol	M22-My0018750	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2,4-Dichlorophenol	M22-My0018750	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2,4,5-Trichlorophenol	M22-My0018750	CP	mg/kg	< 1	< 1	<1	30%	Pass
2,4,6-Trichlorophenol	M22-My0018750	CP	mg/kg	< 1	< 1	<1	30%	Pass
2,6-Dichlorophenol	M22-My0018750	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Chloro-3-methylphenol	M22-My0018750	CP	mg/kg	< 1	< 1	<1	30%	Pass
Pentachlorophenol	M22-My0018750	CP	mg/kg	< 1	< 1	<1	30%	Pass
Tetrachlorophenols - Total	M22-My0018750	CP	mg/kg	< 10	< 10	<1	30%	Pass
Duplicate								
Phenols (non-Halogenated)				Result 1	Result 2	RPD		
2-Cyclohexyl-4,6-dinitrophenol	M22-My0018750	CP	mg/kg	< 20	< 20	<1	30%	Pass
2-Methyl-4,6-dinitrophenol	M22-My0018750	CP	mg/kg	< 5	< 5	<1	30%	Pass
2-Nitrophenol	M22-My0018750	CP	mg/kg	< 1	< 1	<1	30%	Pass
2,4-Dimethylphenol	M22-My0018750	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2,4-Dinitrophenol	M22-My0018750	CP	mg/kg	< 5	< 5	<1	30%	Pass
2-Methylphenol (o-Cresol)	M22-My0018750	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
3&4-Methylphenol (m&p-Cresol)	M22-My0018750	CP	mg/kg	< 0.4	< 0.4	<1	30%	Pass
4-Nitrophenol	M22-My0018750	CP	mg/kg	< 5	< 5	<1	30%	Pass
Dinoseb	M22-My0018750	CP	mg/kg	< 20	< 20	<1	30%	Pass
Phenol	M22-My0018750	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
Total Recoverable Hydrocarbons				Result 1	Result 2	RPD		
TRH C6-C9	M22-My0018754	CP	mg/kg	< 20	< 20	<1	30%	Pass
Naphthalene	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
TRH C6-C10	M22-My0018754	CP	mg/kg	< 20	< 20	<1	30%	Pass

Duplicate								
Volatile Organics				Result 1	Result 2	RPD		
Hexachlorobutadiene	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
Volatile Organics				Result 1	Result 2	RPD		
1.1-Dichloroethane	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2.4-Trichlorobenzene	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.1-Dichloroethene	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.1.1-Trichloroethane	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.1.1.2-Tetrachloroethane	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.1.2-Trichloroethane	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.1.2.2-Tetrachloroethane	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2-Dibromoethane	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2-Dichlorobenzene	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2-Dichloroethane	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2-Dichloropropane	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2.3-Trichloropropane	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2.4-Trimethylbenzene	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.3-Dichlorobenzene	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.3-Dichloropropane	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.3.5-Trimethylbenzene	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.4-Dichlorobenzene	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2-Butanone (MEK)	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2-Propanone (Acetone)	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Chlorotoluene	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Methyl-2-pentanone (MIBK)	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Allyl chloride	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzene	M22-My0018754	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Bromobenzene	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromochloromethane	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromodichloromethane	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromoform	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromomethane	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Carbon disulfide	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Carbon Tetrachloride	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chlorobenzene	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloroethane	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloroform	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloromethane	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
cis-1.2-Dichloroethene	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
cis-1.3-Dichloropropene	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibromochloromethane	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibromomethane	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dichlorodifluoromethane	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Ethylbenzene	M22-My0018754	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Iodomethane	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Isopropyl benzene (Cumene)	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
m&p-Xylenes	M22-My0018754	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Methylene Chloride	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
o-Xylene	M22-My0018754	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Styrene	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Tetrachloroethene	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Toluene	M22-My0018754	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
trans-1.2-Dichloroethene	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
trans-1.3-Dichloropropene	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Trichloroethene	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass

Duplicate								
Volatile Organics				Result 1	Result 2	RPD		
Trichlorofluoromethane	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Vinyl chloride	M22-My0018754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Xylenes - Total*	M22-My0018754	CP	mg/kg	< 0.3	< 0.3	<1	30%	Pass
Duplicate								
Polycyclic Aromatic Hydrocarbons				Result 1	Result 2	RPD		
Acenaphthene	M22-My0018755	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Acenaphthylene	M22-My0018755	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Anthracene	M22-My0018755	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benz(a)anthracene	M22-My0018755	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(a)pyrene	M22-My0018755	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(b&j)fluoranthene	M22-My0018755	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(g,h,i)perylene	M22-My0018755	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(k)fluoranthene	M22-My0018755	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chrysene	M22-My0018755	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibenz(a,h)anthracene	M22-My0018755	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Fluoranthene	M22-My0018755	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Fluorene	M22-My0018755	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Indeno(1,2,3-cd)pyrene	M22-My0018755	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Naphthalene	M22-My0018755	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Phenanthrene	M22-My0018755	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Pyrene	M22-My0018755	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
Organochlorine Pesticides				Result 1	Result 2	RPD		
Chlordanes - Total	M22-My0018755	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
4,4'-DDD	M22-My0018755	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
4,4'-DDE	M22-My0018755	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
4,4'-DDT	M22-My0018755	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
a-HCH	M22-My0018755	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Aldrin	M22-My0018755	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
b-HCH	M22-My0018755	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
d-HCH	M22-My0018755	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Dieldrin	M22-My0018755	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan I	M22-My0018755	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan II	M22-My0018755	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan sulphate	M22-My0018755	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin	M22-My0018755	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin aldehyde	M22-My0018755	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin ketone	M22-My0018755	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
g-HCH (Lindane)	M22-My0018755	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Heptachlor	M22-My0018755	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Heptachlor epoxide	M22-My0018755	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Hexachlorobenzene	M22-My0018755	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Methoxychlor	M22-My0018755	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Toxaphene	M22-My0018755	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
Polychlorinated Biphenyls				Result 1	Result 2	RPD		
Aroclor-1016	M22-My0018755	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1221	M22-My0018755	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1232	M22-My0018755	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1242	M22-My0018755	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1248	M22-My0018755	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1254	M22-My0018755	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1260	M22-My0018755	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Total PCB*	M22-My0018755	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass

Duplicate								
Phenols (Halogenated)				Result 1	Result 2	RPD		
2-Chlorophenol	M22-My0018755	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2,4-Dichlorophenol	M22-My0018755	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2,4,5-Trichlorophenol	M22-My0018755	CP	mg/kg	< 1	< 1	<1	30%	Pass
2,4,6-Trichlorophenol	M22-My0018755	CP	mg/kg	< 1	< 1	<1	30%	Pass
2,6-Dichlorophenol	M22-My0018755	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Chloro-3-methylphenol	M22-My0018755	CP	mg/kg	< 1	< 1	<1	30%	Pass
Pentachlorophenol	M22-My0018755	CP	mg/kg	< 1	< 1	<1	30%	Pass
Tetrachlorophenols - Total	M22-My0018755	CP	mg/kg	< 10	< 10	<1	30%	Pass
Duplicate								
Phenols (non-Halogenated)				Result 1	Result 2	RPD		
2-Cyclohexyl-4,6-dinitrophenol	M22-My0018755	CP	mg/kg	< 20	< 20	<1	30%	Pass
2-Methyl-4,6-dinitrophenol	M22-My0018755	CP	mg/kg	< 5	< 5	<1	30%	Pass
2-Nitrophenol	M22-My0018755	CP	mg/kg	< 1	< 1	<1	30%	Pass
2,4-Dimethylphenol	M22-My0018755	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2,4-Dinitrophenol	M22-My0018755	CP	mg/kg	< 5	< 5	<1	30%	Pass
2-Methylphenol (o-Cresol)	M22-My0018755	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
3&4-Methylphenol (m&p-Cresol)	M22-My0018755	CP	mg/kg	< 0.4	< 0.4	<1	30%	Pass
4-Nitrophenol	M22-My0018755	CP	mg/kg	< 5	< 5	<1	30%	Pass
Dinoseb	M22-My0018755	CP	mg/kg	< 20	< 20	<1	30%	Pass
Phenol	M22-My0018755	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
				Result 1	Result 2	RPD		
% Moisture	M22-My0018756	CP	%	27	31	13	30%	Pass
Duplicate								
Perfluoroalkyl carboxylic acids (PFCAs)				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-My0018757	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-My0018757	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-My0018757	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-My0018757	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-My0018757	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-My0018757	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-My0018757	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-My0018757	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-My0018757	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorotridecanoic acid (PFTrDA)	M22-My0018757	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-My0018757	CP	ug/kg	< 5	< 5	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-My0018757	CP	ug/kg	< 5	< 5	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0018757	CP	ug/kg	< 5	< 5	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0018757	CP	ug/kg	< 5	< 5	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0018757	CP	ug/kg	< 5	< 5	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0018757	CP	ug/kg	< 5	< 5	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0018757	CP	ug/kg	< 10	< 10	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0018757	CP	ug/kg	< 10	< 10	<1	30%	Pass

Duplicate								
Perfluoroalkyl sulfonic acids (PFASs)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-My0018757	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-My0018757	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-My0018757	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-My0018757	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-My0018757	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0018757	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-My0018757	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-My0018757	CP	ug/kg	< 5	< 5	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0018757	CP	ug/kg	< 5	< 5	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0018757	CP	ug/kg	< 10	< 10	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0018757	CP	ug/kg	< 5	< 5	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0018757	CP	ug/kg	< 5	< 5	<1	30%	Pass
Duplicate								
				Result 1	Result 2	RPD		
Fluoride (Total)	M22-My0018759	CP	mg/kg	560	540	3.0	30%	Pass
Duplicate								
Total Recoverable Hydrocarbons				Result 1	Result 2	RPD		
TRH C6-C9	M22-My0018764	CP	mg/kg	< 20	< 20	<1	30%	Pass
TRH C10-C14	M22-My0018764	CP	mg/kg	< 20	< 20	<1	30%	Pass
TRH C15-C28	M22-My0018764	CP	mg/kg	< 50	< 50	<1	30%	Pass
TRH C29-C36	M22-My0018764	CP	mg/kg	< 50	< 50	<1	30%	Pass
Naphthalene	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
TRH C6-C10	M22-My0018764	CP	mg/kg	< 20	< 20	<1	30%	Pass
TRH >C10-C16	M22-My0018764	CP	mg/kg	< 50	< 50	<1	30%	Pass
TRH >C16-C34	M22-My0018764	CP	mg/kg	< 100	< 100	<1	30%	Pass
TRH >C34-C40	M22-My0018764	CP	mg/kg	< 100	< 100	<1	30%	Pass
Duplicate								
Volatile Organics				Result 1	Result 2	RPD		
Hexachlorobutadiene	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
Volatile Organics				Result 1	Result 2	RPD		
1.1-Dichloroethane	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2.4-Trichlorobenzene	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.1-Dichloroethene	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.1.1-Trichloroethane	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.1.1.2-Tetrachloroethane	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.1.2-Trichloroethane	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.1.2.2-Tetrachloroethane	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2-Dibromoethane	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2-Dichlorobenzene	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2-Dichloroethane	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass

Duplicate								
Volatile Organics				Result 1	Result 2	RPD		
1.2-Dichloropropane	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2.3-Trichloropropane	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2.4-Trimethylbenzene	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.3-Dichlorobenzene	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.3-Dichloropropane	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.3.5-Trimethylbenzene	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.4-Dichlorobenzene	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2-Butanone (MEK)	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2-Propanone (Acetone)	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Chlorotoluene	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Methyl-2-pentanone (MIBK)	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Allyl chloride	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzene	M22-My0018764	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Bromobenzene	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromochloromethane	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromodichloromethane	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromoform	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromomethane	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Carbon disulfide	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Carbon Tetrachloride	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chlorobenzene	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloroethane	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloroform	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloromethane	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
cis-1.2-Dichloroethene	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
cis-1.3-Dichloropropene	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibromochloromethane	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibromomethane	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dichlorodifluoromethane	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Ethylbenzene	M22-My0018764	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Iodomethane	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Isopropyl benzene (Cumene)	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
m&p-Xylenes	M22-My0018764	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Methylene Chloride	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
o-Xylene	M22-My0018764	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Styrene	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Tetrachloroethene	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Toluene	M22-My0018764	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
trans-1.2-Dichloroethene	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
trans-1.3-Dichloropropene	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Trichloroethene	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Trichlorofluoromethane	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Vinyl chloride	M22-My0018764	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Xylenes - Total*	M22-My0018764	CP	mg/kg	< 0.3	< 0.3	<1	30%	Pass
Duplicate								
				Result 1	Result 2	RPD		
pH (1:5 Aqueous extract at 25°C as rec.)	M22-My0018764	CP	pH Units	8.3	8.3	pass	30%	Pass
Duplicate								
Heavy Metals				Result 1	Result 2	RPD		
Arsenic	M22-My0018764	CP	mg/kg	52	40	25	30%	Pass
Cadmium	M22-My0018764	CP	mg/kg	< 0.4	< 0.4	<1	30%	Pass
Chromium	M22-My0018764	CP	mg/kg	120	120	2.0	30%	Pass
Copper	M22-My0018764	CP	mg/kg	70	74	6.0	30%	Pass

Duplicate								
Heavy Metals				Result 1	Result 2	RPD		
Lead	M22-My0018764	CP	mg/kg	< 5	< 5	<1	30%	Pass
Mercury	M22-My0018764	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Molybdenum	M22-My0018764	CP	mg/kg	< 5	< 5	<1	30%	Pass
Nickel	M22-My0018764	CP	mg/kg	210	190	14	30%	Pass
Selenium	M22-My0018764	CP	mg/kg	< 2	< 2	<1	30%	Pass
Silver	M22-My0018764	CP	mg/kg	< 2	< 2	<1	30%	Pass
Tin	M22-My0018764	CP	mg/kg	< 10	< 10	<1	30%	Pass
Zinc	M22-My0018764	CP	mg/kg	140	150	9.0	30%	Pass
Duplicate								
				Result 1	Result 2	RPD		
% Moisture	M22-My0018768	CP	%	26	28	6.0	30%	Pass
Duplicate								
				Result 1	Result 2	RPD		
Fluoride (Total)	M22-My0018771	CP	mg/kg	< 100	< 100	<1	30%	Pass
pH (1:5 Aqueous extract at 25°C as rec.)	M22-My0018771	CP	pH Units	8.7	8.6	pass	30%	Pass
Duplicate								
				Result 1	Result 2	RPD		
Chromium (hexavalent)	M22-My0018773	CP	mg/kg	< 1	< 1	<1	30%	Pass

Comments
Sample Integrity

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	No
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

Qualifier Codes/Comments

Code	Description
N01	F2 is determined by arithmetically subtracting the "naphthalene" value from the ">C10-C16" value. The naphthalene value used in this calculation is obtained from volatiles (Purge & Trap analysis).
N02	Where we have reported both volatile (P&T GCMS) and semivolatile (GCMS) naphthalene data, results may not be identical. Provided correct sample handling protocols have been followed, any observed differences in results are likely to be due to procedural differences within each methodology. Results determined by both techniques have passed all QAQC acceptance criteria, and are entirely technically valid.
N04	F1 is determined by arithmetically subtracting the "Total BTEX" value from the "C6-C10" value. The "Total BTEX" value is obtained by summing the concentrations of BTEX analytes. The "C6-C10" value is obtained by quantitating against a standard of mixed aromatic/aliphatic analytes.
N07	Please note:- These two PAH isomers closely co-elute using the most contemporary analytical methods and both the reported concentration (and the TEQ) apply specifically to the total of the two co-eluting PAHs
N11	Isotope dilution is used for calibration of each native compound for which an exact labelled analogue is available (Isotope Dilution Quantitation). The isotopically labelled analogues allow identification and recovery correction of the concentration of the associated native PFAS compounds.
N15	Where the native PFAS compound does not have labelled analogue then the quantification is made using the Extracted Internal Standard Analyte with the closest retention time to the analyte and no recovery correction has been made (Internal Standard Quantitation).
Q08	The matrix spike recovery is outside of the recommended acceptance criteria. An acceptable recovery was obtained for the laboratory control sample indicating a sample matrix interference.

Authorised by:

Catherine Wilson	Analytical Services Manager
Joseph Edouard	Senior Analyst-PFAS
Caitlin Breeze	Senior Analyst-Inorganic
Joseph Edouard	Senior Analyst-Volatile
Mary Makarios	Senior Analyst-Metal
Joseph Edouard	Senior Analyst-Organic
Mary Makarios	Senior Analyst-Sample Properties
Edward Lee	Senior Analyst-Organic
Harry Bacalis	Senior Analyst-Volatile
Scott Beddoes	Senior Analyst-Inorganic



Glenn Jackson
General Manager

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Agon Environmental Pty Ltd - VIC
3/224 Glen Osmond Road
Fullarton
SA 5063



NATA Accredited
Accreditation Number 1261
Site Number 1254

Accredited for compliance with ISO/IEC 17025 – Testing
NATA is a signatory to the ILAC Mutual Recognition
Arrangement for the mutual recognition of the
equivalence of testing, medical testing, calibration,
inspection, proficiency testing scheme providers and
reference materials producers reports and certificates.

Attention: **Agon Lab Reports (WGTP)**

Report **886480-W**
Project name **20220509043341-Eurofin-21**
Project ID **JC0927**
Received Date **May 09, 2022**

Client Sample ID			SX_IB_202205 08_16_38_SR_ Rinsate_EUF	SX_IB_202205 08_16_39_SB_ Blank_EUF
Sample Matrix			Water	Water
Eurofins Sample No.			M22- My0018766	M22- My0018767
Date Sampled			May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit		
Perfluoroalkyl carboxylic acids (PFCAs)				
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	91	87
13C5-PFPeA (surr.)	1	%	92	99
13C5-PFHxA (surr.)	1	%	78	81
13C4-PFHpA (surr.)	1	%	68	68
13C8-PFOA (surr.)	1	%	63	70
13C5-PFNA (surr.)	1	%	70	68
13C6-PFDA (surr.)	1	%	71	65
13C2-PFUnDA (surr.)	1	%	63	56
13C2-PFDoDA (surr.)	1	%	63	60
13C2-PFTeDA (surr.)	1	%	28	22
Perfluoroalkyl sulfonamido substances				
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	62	68

Client Sample ID			SX_IB_202205 08_16_38_SR_ Rinsate_EUF	SX_IB_202205 08_16_39_SB_ Blank_EUF
Sample Matrix			Water	Water
Eurofins Sample No.			M22- My0018766	M22- My0018767
Date Sampled			May 08, 2022	May 08, 2022
Test/Reference	LOR	Unit		
Perfluoroalkyl sulfonamido substances				
D3-N-MeFOSA (surr.)	1	%	77	49
D5-N-EtFOSA (surr.)	1	%	82	55
D7-N-MeFOSE (surr.)	1	%	93	72
D9-N-EtFOSE (surr.)	1	%	74	61
D5-N-EtFOSAA (surr.)	1	%	32	25
D3-N-MeFOSAA (surr.)	1	%	33	28
Perfluoroalkyl sulfonic acids (PFASs)				
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	90	95
18O2-PFHxS (surr.)	1	%	80	92
13C8-PFOS (surr.)	1	%	64	69
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	31	35
13C2-6:2 FTSA (surr.)	1	%	28	32
13C2-8:2 FTSA (surr.)	1	%	59	64
13C2-10:2 FTSA (surr.)	1	%	43	36
PFASs Summations				
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1

Sample History

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
Per- and Polyfluoroalkyl Substances (PFASs)			
Perfluoroalkyl carboxylic acids (PFCAs)	Melbourne	May 09, 2022	28 Days
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			
Perfluoroalkyl sulfonamido substances	Melbourne	May 09, 2022	28 Days
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			
Perfluoroalkyl sulfonic acids (PFSAs)	Melbourne	May 09, 2022	28 Days
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			
n:2 Fluorotelomer sulfonic acids (n:2 FTSAs)	Melbourne	May 09, 2022	28 Days
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			
PFASs Summations	Melbourne	May 09, 2022	
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	SX_OB_20220507_07_58_S_S_Primary_EUF	May 07, 2022	7:58AM	Soil	M22-My0018749		X	X	X
2	SX_OB_20220507_08_19_S_S_Triplicate_EUF	May 07, 2022	8:19AM	Soil	M22-My0018750		X	X	X
3	SX_IB_20220507_11_59_SS_Primary_EUF	May 07, 2022	11:59AM	Soil	M22-My0018751		X	X	X
4	SX_IB_20220507_11_59_SS_Primary_EUF	May 07, 2022	4:00PM	Soil	M22-		X	X	X

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	07_16_00_SS _Primary_EUF				My0018752				
5	SX_OB_20220 507_16_18_S S_Primary_EU F	May 07, 2022	4:18PM	Soil	M22- My0018753		X	X	X
6	SX_OB_20220 507_16_19_S S_Duplicate_E UF	May 07, 2022	4:19PM	Soil	M22- My0018754		X	X	X
7	SX_IB_202205 07_20_11_SS _Primary_EUF	May 07, 2022	8:11PM	Soil	M22- My0018755		X	X	X
8	SX_OB_20220	May 07, 2022	8:20PM	Soil	M22-		X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
8	SX_OB_20220507_20_20_SS_Primary_EUF	May 07, 2022	8:20PM	Soil	M22-My0018756				
9	SX_OB_20220507_20_21_SS_Duplicate_EUF	May 07, 2022	8:21PM	Soil	M22-My0018757		X	X	X
10	SX_IB_20220508_00_17_SS_Primary_EUF	May 08, 2022	12:17AM	Soil	M22-My0018758		X	X	X
11	SX_IB_20220508_04_10_SS_Primary_EUF	May 08, 2022	4:10AM	Soil	M22-My0018759		X	X	X

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
12	SX_IB_20220508_04_21_SS_Primary_EUF	May 08, 2022	4:21AM	Soil	M22-My0018760		X	X	X
13	SX_OB_20220508_07_46_S_S_Triplicate_EUF	May 08, 2022	7:46AM	Soil	M22-My0018761		X	X	X
14	SX_IB_20220508_07_52_SS_Primary_EUF	May 08, 2022	7:52AM	Soil	M22-My0018762		X	X	X
15	SX_OB_20220508_11_47_S_S_Primary_EUF	May 08, 2022	11:47AM	Soil	M22-My0018763		X	X	X

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
16	SX_IB_20220508_16_14_SS_Primary_EUF	May 08, 2022	4:14PM	Soil	M22-My0018764		X	X	X
17	SX_IB_20220508_16_15_SS_Duplicate_EUF	May 08, 2022	4:15PM	Soil	M22-My0018765		X	X	X
18	SX_IB_20220508_16_38_SR_Rinsate_EUF	May 08, 2022	4:38PM	Water	M22-My0018766			X	
19	SX_IB_20220508_16_39_SB_Blank_EUF	May 08, 2022	4:39PM	Water	M22-My0018767			X	
20	SX_IB_202205	May 08, 2022	7:44PM	Soil	M22-		X	X	X

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	08_19_44_SS _Primary_EUF				My0018768				
21	SX_OB_20220 508_19_49_S S_Primary_EU F	May 08, 2022	7:49PM	Soil	M22- My0018769		X	X	X
22	SX_OB_20220 508_19_50_S S_Duplicate_E UF	May 08, 2022	7:50PM	Soil	M22- My0018770		X	X	X
23	SX_IB_202205 09_00_15_SS _Primary_EUF	May 09, 2022	12:15AM	Soil	M22- My0018771		X	X	X
24	SX_IB_202205	May 09, 2022	3:58AM	Soil	M22-		X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
24	SX_IB_20220509_03_58_SS_Primary_EUF	May 09, 2022	3:58AM	Soil	M22-My0018772				
25	SX_OB_20220509_04_10_S_S_Primary_EUF	May 09, 2022	4:10AM	Soil	M22-My0018773		X	X	X
26	SX_OB_20220507_07_58_S_S_Primary_EUF	May 07, 2022	7:58AM	AUS Leachate - pH 5.0	M22-My0018774	X		X	
27	SX_OB_20220507_08_19_S_S_Triplicate_E	May 07, 2022	8:19AM	AUS Leachate - pH 5.0	M22-My0018775	X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	UF								
28	SX_IB_20220507_11_59_SS_Primary_EUF	May 07, 2022	11:59AM	AUS Leachate - pH 5.0	M22-My0018776	X		X	
29	SX_IB_20220507_16_00_SS_Primary_EUF	May 07, 2022	4:00PM	AUS Leachate - pH 5.0	M22-My0018777	X		X	
30	SX_OB_20220507_16_18_S_S_Primary_EUF	May 07, 2022	4:18PM	AUS Leachate - pH 5.0	M22-My0018778	X		X	
31	SX_OB_20220507_16_19_S_S_Duplicate_EUF	May 07, 2022	4:19PM	AUS Leachate - pH 5.0	M22-My0018779	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	S_Duplicate_EUF								
32	SX_IB_20220507_20_11_SS_Primary_EUF	May 07, 2022	8:11PM	AUS Leachate - pH 5.0	M22-My0018780	X		X	
33	SX_OB_20220507_20_20_SS_Primary_EUF	May 07, 2022	8:20PM	AUS Leachate - pH 5.0	M22-My0018781	X		X	
34	SX_OB_20220507_20_21_SS_Duplicate_EUF	May 07, 2022	8:21PM	AUS Leachate - pH 5.0	M22-My0018782	X		X	
35	SX_IB_202205	May 08, 2022	12:17AM	AUS Leachate	M22-	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFAS)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	08_00_17_SS _Primary_EUF			- pH 5.0	My0018783				
36	SX_IB_202205 08_04_10_SS _Primary_EUF	May 08, 2022	4:10AM	AUS Leachate - pH 5.0	M22- My0018784	X		X	
37	SX_IB_202205 08_04_21_SS _Primary_EUF	May 08, 2022	4:21AM	AUS Leachate - pH 5.0	M22- My0018785	X		X	
38	SX_OB_20220 508_07_46_S S_Triplicate_E UF	May 08, 2022	7:46AM	AUS Leachate - pH 5.0	M22- My0018786	X		X	
39	SX_IB_202205 08_07_52_SS	May 08, 2022	7:52AM	AUS Leachate - pH 5.0	M22- My0018787	X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	08_07_52_SS _Primary_EUF			- pH 5.0	My0018787				
40	SX_OB_20220 508_11_47_S S_Primary_EU F	May 08, 2022	11:47AM	AUS Leachate - pH 5.0	M22- My0018788	X		X	
41	SX_IB_202205 08_16_14_SS _Primary_EUF	May 08, 2022	4:14PM	AUS Leachate - pH 5.0	M22- My0018789	X		X	
42	SX_IB_202205 08_16_15_SS _Duplicate_EU F	May 08, 2022	4:15PM	AUS Leachate - pH 5.0	M22- My0018790	X		X	
43	SX_IB_202205	May 08, 2022	7:44PM	AUS Leachate	M22-	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	08_19_44_SS _Primary_EUF			- pH 5.0	My0018791				
44	SX_OB_20220 508_19_49_S S_Primary_EU F	May 08, 2022	7:49PM	AUS Leachate - pH 5.0	M22- My0018792	X		X	
45	SX_OB_20220 508_19_50_S S_Duplicate_E UF	May 08, 2022	7:50PM	AUS Leachate - pH 5.0	M22- My0018793	X		X	
46	SX_IB_202205 09_00_15_SS _Primary_EUF	May 09, 2022	12:15AM	AUS Leachate - pH 5.0	M22- My0018794	X		X	
47	SX_IB_202205	May 09, 2022	3:58AM	AUS Leachate	M22-	X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220509043341-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 886480
Phone: 08 8338 1009
Fax:

Received: May 9, 2022 10:45 AM
Due: May 16, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFAS)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
47	SX_IB_20220509_03_58_SS_Primary_EUF	May 09, 2022	3:58AM	AUS Leachate - pH 5.0	M22-My0018795				
48	SX_OB_20220509_04_10_SS_Primary_EUF	May 09, 2022	4:10AM	AUS Leachate - pH 5.0	M22-My0018796	X		X	
49	SX_OB_20220507_07_58_SS_Primary_EUF	May 07, 2022	7:58AM	AUS Leachate - Reagent Water	M22-My0018797	X		X	
50	SX_OB_20220507_08_19_SS_Triplicate_E	May 07, 2022	8:19AM	AUS Leachate - Reagent Water	M22-My0018798	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	UF								
51	SX_IB_20220507_11_59_SS_Primary_EUF	May 07, 2022	11:59AM	AUS Leachate - Reagent Water	M22-My0018799	X		X	
52	SX_IB_20220507_16_00_SS_Primary_EUF	May 07, 2022	4:00PM	AUS Leachate - Reagent Water	M22-My0018800	X		X	
53	SX_OB_20220507_16_18_S_S_Primary_EUF	May 07, 2022	4:18PM	AUS Leachate - Reagent Water	M22-My0018801	X		X	
54	SX_OB_20220507_16_19_S_S_Duplicate_EUF	May 07, 2022	4:19PM	AUS Leachate - Reagent Water	M22-My0018802	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	S_Duplicate_EUF			Water					
55	SX_IB_20220507_20_11_SS_Primary_EUF	May 07, 2022	8:11PM	AUS Leachate - Reagent Water	M22-My0018803	X		X	
56	SX_OB_20220507_20_20_SS_Primary_EUF	May 07, 2022	8:20PM	AUS Leachate - Reagent Water	M22-My0018804	X		X	
57	SX_OB_20220507_20_21_SS_Duplicate_EUF	May 07, 2022	8:21PM	AUS Leachate - Reagent Water	M22-My0018805	X		X	
58	SX_IB_202205	May 08, 2022	12:17AM	AUS Leachate	M22-	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	08_00_17_SS _Primary_EUF			- Reagent Water	My0018806				
59	SX_IB_202205 08_04_10_SS _Primary_EUF	May 08, 2022	4:10AM	AUS Leachate - Reagent Water	M22- My0018807	X		X	
60	SX_IB_202205 08_04_21_SS _Primary_EUF	May 08, 2022	4:21AM	AUS Leachate - Reagent Water	M22- My0018808	X		X	
61	SX_OB_20220 508_07_46_S S_Triplicate_E UF	May 08, 2022	7:46AM	AUS Leachate - Reagent Water	M22- My0018809	X		X	
62	SX_IB_202205 08_07_52_SS	May 08, 2022	7:52AM	AUS Leachate - Reagent	M22- My0018810	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	08_07_52_SS _Primary_EUF			- Reagent Water	My0018810				
63	SX_OB_20220 508_11_47_S S_Primary_EU F	May 08, 2022	11:47AM	AUS Leachate - Reagent Water	M22- My0018811	X		X	
64	SX_IB_202205 08_16_14_SS _Primary_EUF	May 08, 2022	4:14PM	AUS Leachate - Reagent Water	M22- My0018812	X		X	
65	SX_IB_202205 08_16_15_SS _Duplicate_EU F	May 08, 2022	4:15PM	AUS Leachate - Reagent Water	M22- My0018813	X		X	
66	SX_IB_202205	May 08, 2022	7:44PM	AUS Leachate	M22-	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	08_19_44_SS _Primary_EUF			- Reagent Water	My0018814				
67	SX_OB_20220 508_19_49_S S_Primary_EU F	May 08, 2022	7:49PM	AUS Leachate - Reagent Water	M22- My0018815	X		X	
68	SX_OB_20220 508_19_50_S S_Duplicate_E UF	May 08, 2022	7:50PM	AUS Leachate - Reagent Water	M22- My0018816	X		X	
69	SX_IB_202205 09_00_15_SS _Primary_EUF	May 09, 2022	12:15AM	AUS Leachate - Reagent Water	M22- My0018817	X		X	
70	SX_IB_202205	May 09, 2022	3:58AM	AUS Leachate	M22-	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 9, 2022 10:45 AM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886480	Due:	May 16, 2022
Project Name:	20220509043341-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (WGTP)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
70	SX_IB_20220509_03_58_SS_Primary_EUF	May 09, 2022	3:58AM	AUS Leachate - Reagent Water	M22-My0018818				
71	SX_OB_20220509_04_10_S_Primary_EUF	May 09, 2022	4:10AM	AUS Leachate - Reagent Water	M22-My0018819	X		X	
Test Counts						46	23	71	23

Internal Quality Control Review and Glossary

General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer that may have an impact on the results.
- This report replaces any interim results previously issued.

Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

Units

mg/kg: milligrams per kilogram	mg/L: milligrams per litre	µg/L: micrograms per litre
ppm: parts per million	ppb: parts per billion	%: Percentage
org/100 mL: Organisms per 100 millilitres	NTU: Nephelometric Turbidity Units	MPN/100 mL: Most Probable Number of organisms per 100 millilitres

Terms

APHA	American Public Health Association
COC	Chain of Custody
CP	Client Parent - QC was performed on samples pertaining to this report
CRM	Certified Reference Material (ISO17034) - reported as percent recovery.
Dry	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
Duplicate	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
LOR	Limit of Reporting.
LCS	Laboratory Control Sample - reported as percent recovery.
Method Blank	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
NCP	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
RPD	Relative Percent Difference between two Duplicate pieces of analysis.
SPIKE	Addition of the analyte to the sample and reported as percentage recovery.
SRA	Sample Receipt Advice
Surr - Surrogate	The addition of a like compound to the analyte target and reported as percentage recovery.
TBTO	Tributyltin oxide (<i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment however free tributyltin was measured and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits.
TCLP	Toxicity Characteristic Leaching Procedure
TEQ	Toxic Equivalency Quotient or Total Equivalence
QSM	US Department of Defense Quality Systems Manual Version 5.4
US EPA	United States Environmental Protection Agency
WA DWER	Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

QC - Acceptance Criteria

The acceptance criteria should be used as a guide only and may be different when site specific Sampling Analysis and Quality Plan (SAQP) have been implemented

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR: No Limit

Results between 10-20 times the LOR: RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

NOTE: pH duplicates are reported as a range not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.4 where no positive PFAS results have been reported have been reviewed and no data was affected.

QC Data General Comments

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery the term "INT" appears against that analyte.
- For Matrix Spikes and LCS results a dash "-" in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

Quality Control Results

Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Method Blank						
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA)	ug/L	< 0.05		0.05	Pass	
Perfluoropentanoic acid (PFPeA)	ug/L	< 0.01		0.01	Pass	
Perfluorohexanoic acid (PFHxA)	ug/L	< 0.01		0.01	Pass	
Perfluoroheptanoic acid (PFHpA)	ug/L	< 0.01		0.01	Pass	
Perfluorooctanoic acid (PFOA)	ug/L	< 0.01		0.01	Pass	
Perfluorononanoic acid (PFNA)	ug/L	< 0.01		0.01	Pass	
Perfluorodecanoic acid (PFDA)	ug/L	< 0.01		0.01	Pass	
Perfluoroundecanoic acid (PFUnDA)	ug/L	< 0.01		0.01	Pass	
Perfluorododecanoic acid (PFDoDA)	ug/L	< 0.01		0.01	Pass	
Perfluorotridecanoic acid (PFTTrDA)	ug/L	< 0.01		0.01	Pass	
Perfluorotetradecanoic acid (PFTeDA)	ug/L	< 0.01		0.01	Pass	
Method Blank						
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA)	ug/L	< 0.05		0.05	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	ug/L	< 0.05		0.05	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	ug/L	< 0.05		0.05	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	ug/L	< 0.05		0.05	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	ug/L	< 0.05		0.05	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	ug/L	< 0.05		0.05	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	ug/L	< 0.05		0.05	Pass	
Method Blank						
Perfluoroalkyl sulfonic acids (PFSA)						
Perfluorobutanesulfonic acid (PFBS)	ug/L	< 0.01		0.01	Pass	
Perfluorononanesulfonic acid (PFNS)	ug/L	< 0.01		0.01	Pass	
Perfluoropropanesulfonic acid (PFPrS)	ug/L	< 0.01		0.01	Pass	
Perfluoropentanesulfonic acid (PFPeS)	ug/L	< 0.01		0.01	Pass	
Perfluorohexanesulfonic acid (PFHxS)	ug/L	< 0.01		0.01	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	ug/L	< 0.01		0.01	Pass	
Perfluorodecanesulfonic acid (PFDS)	ug/L	< 0.01		0.01	Pass	
Method Blank						
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	ug/L	< 0.01		0.01	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	ug/L	< 0.05		0.05	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	ug/L	< 0.01		0.01	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	ug/L	< 0.01		0.01	Pass	
LCS - % Recovery						
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA)	%	112		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	103		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	93		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	92		50-150	Pass	
Perfluorooctanoic acid (PFOA)	%	110		50-150	Pass	
Perfluorononanoic acid (PFNA)	%	99		50-150	Pass	
Perfluorodecanoic acid (PFDA)	%	124		50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	%	110		50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	%	102		50-150	Pass	
Perfluorotridecanoic acid (PFTTrDA)	%	126		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	%	99		50-150	Pass	
LCS - % Recovery						

Test			Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Perfluoroalkyl sulfonamido substances								
Perfluorooctane sulfonamide (FOSA)			%	92		50-150	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)			%	102		50-150	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)			%	94		50-150	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)			%	67		50-150	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)			%	112		50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)			%	100		50-150	Pass	
LCS - % Recovery								
Perfluoroalkyl sulfonic acids (PFSA)								
Perfluorobutanesulfonic acid (PFBS)			%	89		50-150	Pass	
Perfluorononanesulfonic acid (PFNS)			%	86		50-150	Pass	
Perfluoropropanesulfonic acid (PFPrS)			%	123		50-150	Pass	
Perfluoropentanesulfonic acid (PFPeS)			%	98		50-150	Pass	
Perfluorohexanesulfonic acid (PFHxS)			%	89		50-150	Pass	
Perfluoroheptanesulfonic acid (PFHpS)			%	84		50-150	Pass	
Perfluorooctanesulfonic acid (PFOS)			%	90		50-150	Pass	
Perfluorodecanesulfonic acid (PFDS)			%	74		50-150	Pass	
LCS - % Recovery								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)								
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)			%	109		50-150	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)			%	89		50-150	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)			%	128		50-150	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)			%	103		50-150	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Spike - % Recovery								
Perfluoroalkyl carboxylic acids (PFCA)								
				Result 1				
Perfluorobutanoic acid (PFBA)	M22-My0013611	NCP	%	101		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	M22-My0013611	NCP	%	111		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	M22-My0013611	NCP	%	102		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	M22-My0013611	NCP	%	93		50-150	Pass	
Perfluorooctanoic acid (PFOA)	M22-My0013611	NCP	%	100		50-150	Pass	
Perfluorononanoic acid (PFNA)	M22-My0013611	NCP	%	92		50-150	Pass	
Perfluorodecanoic acid (PFDA)	M22-My0013611	NCP	%	96		50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	M22-My0013611	NCP	%	115		50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	M22-My0013611	NCP	%	110		50-150	Pass	
Perfluorotridecanoic acid (PFTrDA)	M22-My0013611	NCP	%	146		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	M22-My0013611	NCP	%	96		50-150	Pass	
Spike - % Recovery								
Perfluoroalkyl sulfonamido substances								
				Result 1				
Perfluorooctane sulfonamide (FOSA)	M22-My0013611	NCP	%	103		50-150	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0013611	NCP	%	111		50-150	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0013611	NCP	%	100		50-150	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0013611	NCP	%	74		50-150	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0013611	NCP	%	110		50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0013611	NCP	%	68		50-150	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0013611	NCP	%	116			50-150	Pass	
Spike - % Recovery									
Perfluoroalkyl sulfonic acids (PFSA)				Result 1					
Perfluorobutanesulfonic acid (PFBS)	M22-My0013611	NCP	%	94			50-150	Pass	
Perfluorononanesulfonic acid (PFNS)	M22-My0013611	NCP	%	80			50-150	Pass	
Perfluoropropanesulfonic acid (PFPrS)	M22-My0013611	NCP	%	135			50-150	Pass	
Perfluoropentanesulfonic acid (PFPeS)	M22-My0013611	NCP	%	84			50-150	Pass	
Perfluorohexanesulfonic acid (PFHxS)	M22-My0013611	NCP	%	90			50-150	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0013611	NCP	%	83			50-150	Pass	
Perfluorooctanesulfonic acid (PFOS)	M22-My0013611	NCP	%	86			50-150	Pass	
Perfluorodecanesulfonic acid (PFDS)	M22-My0013611	NCP	%	62			50-150	Pass	
Spike - % Recovery									
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1					
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0013611	NCP	%	115			50-150	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0013611	NCP	%	122			50-150	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0013611	NCP	%	134			50-150	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0013611	NCP	%	133			50-150	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Duplicate									
Perfluoroalkyl carboxylic acids (PFCA)				Result 1	Result 2	RPD			
Perfluorobutanoic acid (PFBA)	M22-My0019988	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
Perfluoropentanoic acid (PFPeA)	M22-My0019988	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorohexanoic acid (PFHxA)	M22-My0019988	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluoroheptanoic acid (PFHpA)	M22-My0019988	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorooctanoic acid (PFOA)	M22-My0019988	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorononanoic acid (PFNA)	M22-My0019988	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorodecanoic acid (PFDA)	M22-My0019988	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluoroundecanoic acid (PFUnDA)	M22-My0019988	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorododecanoic acid (PFDoDA)	M22-My0019988	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorotridecanoic acid (PFTrDA)	M22-My0019988	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorotetradecanoic acid (PFTeDA)	M22-My0019988	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-My0019988	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0019988	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0019988	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0019988	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0019988	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0019988	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0019988	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA's)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-My0019988	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-My0019988	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-My0019988	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-My0019988	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-My0019988	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0019988	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-My0019988	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-My0019988	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA's)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0019988	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0019988	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0019988	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0019988	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass

Comments
Sample Integrity

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	No
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

Qualifier Codes/Comments

Code	Description
N11	Isotope dilution is used for calibration of each native compound for which an exact labelled analogue is available (Isotope Dilution Quantitation). The isotopically labelled analogues allow identification and recovery correction of the concentration of the associated native PFAS compounds.
N15	Where the native PFAS compound does not have labelled analogue then the quantification is made using the Extracted Internal Standard Analyte with the closest retention time to the analyte and no recovery correction has been made (Internal Standard Quantitation).

Authorised by:

Catherine Wilson	Analytical Services Manager
Joseph Edouard	Senior Analyst-PFAS



Glenn Jackson
General Manager

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.



CHAIN OF CUSTODY RECORD

- Sydney Laboratory
Unit F3 Bkt 1-16 Mars Road Lane Cove West NSW 2066
02 8900 8400 EnviroSampleNSW@eurofins.com
- Brisbane Laboratory
Unit 1 21 Smallwood Place Muramba QLD 4172
07 3902 4800 EnviroSampleQLD@eurofins.com
- Perth Laboratory
Unit 2 91 Leach Highway Kewdale WA 6105
08 9251 9600 EnviroSampleWA@eurofins.com
- Melbourne Laboratory
5 Monsey Road Dandenong South VIC 3175
03 8564 5000 EnviroSampleVic@eurofins.com

Company	AGON Environmental - Tunnel Spoil Testing	Project No.	JC0927	Project Manager	Craig Trimbur	Sampler(s)	WOH + TG		
Address	Unit H76, 63-85 Turner St, Port Melbourne VIC 3207	Project Name	WGTP-Tunnel Ref: 20220510044757-Eurofins-12	EDD Format	Esdat	Handed over by			
Contact Name	Craig Trimbur David Lawson	Analysis When media is analysed, all results are to be reported as "Spill" or "Blow" If a TSP count must be used by client, please specify.	Spoil Sample Preparation Suite WGTP-R-TRU/PAH/ Phenols/ OCP/ PCB/ VOC/ Vinyl Chloride/ Metals (As, Cd, Cr, Cu, Ni, Pb, Hg, Ag, Sn, Mo, Se, Zn)/ Cr6+ CW/ Total Fluoride/ pH PFAS Extended Suite - 0.1-5ug/kg ASLP PH 5 - PFAS 0.01-0.05 ug/l ASLP Reagent - PFAS 0.01-0.05ug/l			Email for Invoice	finance@agonenviro.com.au LabReports.TST@agonenviro.com.au		
Phone No.	+61 400 828 907 (Craig) +61 490 411 004 (David)					Email for Results	LabReports.TST@agonenviro.com.au agonenvironmental@esdat.com.au motherhublabresults1@wgtp.com.au Amrit.Kaur@agile-analytics.com.au		
Special Directions	Please provide an interim lab report if finalised report has not been provided by 14 days from sample receipt. Please provide eSRN along with other sample receipt documentation.					Containers Change container type & size if necessary		Required Turnaround Time (T.A.) Default and for customised packages	
Purchase Order						<input type="checkbox"/> Overnight (reporting by 9am)* <input type="checkbox"/> Same day <input type="checkbox"/> 1 day <input type="checkbox"/> <input type="checkbox"/> 2 days <input type="checkbox"/> 3 days <input type="checkbox"/> <input checked="" type="checkbox"/> 5 days (standard) <input type="checkbox"/> Other ()			
Quote ID No.	Agon WGTP TST					Sample Comments / Dangerous Goods Hazard Warning			

No.	Client Sample ID	Sampled Date/Time	Matrix	As	Cd	Cr	Cu	Ni	Pb	Hg	Ag	Sn	Mo	Se	Zn	Cr6+	Fluoride	pH	PFAS	ASLP PH 5	ASLP Reagent	Containers	Required Turnaround Time (T.A.)	Sample Comments	
1	SX_IB_20220509_07_58_Primary_EUF	9/9/2022	S	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		1		
2	SX_IB_20220509_08_10_SS_Triplicate_EUF	9/9/2022	S	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		1		
3	SX_IB_20220509_12_04_SS_Primary_EUF	9/9/2022	S	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		1		
4	SX_IB_20220509_16_00_SS_Primary_EUF	9/9/2022	S	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		1		
5	SX_OB_20220509_16_02_SS_Primary_EUF	9/9/2022	S	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		1		
6	SX_OB_20220509_16_02_SS_Duplicate_EUF	9/9/2022	S	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		1		
7	SX_OB_20220509_19_57_SS_Primary_EUF	9/9/2022	S	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		1		
8	SX_IB_20220509_20_05_SS_Primary_EUF	9/9/2022	S	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		1	886969	
9	SX_IB_20220509_20_07_SS_Primary_EUF	9/9/2022	S	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		1	10/5/22	
10	SX_IB_20220510_00_09_SS_Primary_EUF	10/5/2022	S	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		1	Ty	
11	SX_OB_20220510_03_58_SS_Primary_EUF	10/5/2022	S	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		1		
12																									
13																									
14																									
15																									
16																									
17																									
18																									
19																									
20																									
21																									
22																									
23																									
24																									
25																									
26																									
27																									
Total Counts				11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11		15		

Method of Shipment	<input checked="" type="checkbox"/> Courier (#)	<input type="checkbox"/> Hand Delivered	<input type="checkbox"/> Postal	Name	Hannah K	Signature	[Signature]	Date	10/5/22	Time	
Laboratory Use Only	Received By	SYD BNE MEL PER ADL NTL DRW	Signature		Date		Time		Temperature		Report No.
	Received By	SYD BNE MEL PER ADL NTL DRW	Signature		Date		Time				

Date/Time: 10/5 2.10
 Chilled: Yes/No
 Temp: 17.2
 +0.2
 Connection: 17.4
 Final Temp: 17.4
 Courier: TL



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220510044757-Eurofin-12
Project ID: JC0927

Order No.:
Report #: 886969
Phone: 08 8338 1009
Fax:

Received: May 10, 2022 2:10 PM
Due: May 17, 2022
Priority: 5 Day
Contact Name: - ALL SPOIL REPORTS WGTP

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	SX_IB_20220509_07_57_SS_Primary_EUF	May 09, 2022		Soil	M22-My0022567		X	X	X
2	SX_IB_20220509_08_10_SS_Triplicate_EUF	May 09, 2022		Soil	M22-My0022568		X	X	X
3	SX_IB_20220509_12_04_SS_Primary_EUF	May 09, 2022		Soil	M22-My0022569		X	X	X
4	SX_IB_20220509_16_00_SS	May 09, 2022		Soil	M22-My0022570		X	X	X



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220510044757-Eurofin-12
Project ID: JC0927

Order No.:
Report #: 886969
Phone: 08 8338 1009
Fax:

Received: May 10, 2022 2:10 PM
Due: May 17, 2022
Priority: 5 Day
Contact Name: - ALL SPOIL REPORTS WGTP

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	_Primary_EUF								
5	SX_OB_20220509_16_02_S_S_Primary_EUF	May 09, 2022		Soil	M22-My0022571		X	X	X
6	SX_OB_20220509_16_02_S_S_Duplicate_EUF	May 09, 2022		Soil	M22-My0022572		X	X	X
7	SX_OB_20220509_19_57_S_S_Primary_EUF	May 09, 2022		Soil	M22-My0022573		X	X	X
8	SX_IB_202205	May 09, 2022		Soil	M22-		X	X	X



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220510044757-Eurofin-12
Project ID: JC0927

Order No.:
Report #: 886969
Phone: 08 8338 1009
Fax:

Received: May 10, 2022 2:10 PM
Due: May 17, 2022
Priority: 5 Day
Contact Name: - ALL SPOIL REPORTS WGTP

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
8	SX_IB_20220509_20_05_SS_Primary_EUF	May 09, 2022		Soil	M22-My0022574				
9	SX_IB_20220509_20_07_SS_Duplicate_EUF	May 09, 2022		Soil	M22-My0022575		X	X	X
10	SX_IB_20220510_00_09_SS_Primary_EUF	May 10, 2022		Soil	M22-My0022576		X	X	X
11	SX_OB_20220510_03_58_S_S_Primary_EUF	May 10, 2022		Soil	M22-My0022577		X	X	X



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220510044757-Eurofin-12
Project ID: JC0927

Order No.:
Report #: 886969
Phone: 08 8338 1009
Fax:

Received: May 10, 2022 2:10 PM
Due: May 17, 2022
Priority: 5 Day
Contact Name: - ALL SPOIL REPORTS WGTP

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
12	SX_IB_20220509_07_57_SS_Primary_EUF	May 09, 2022		AUS Leachate - pH 5.0	M22-My0022578	X		X	
13	SX_IB_20220509_08_10_SS_Triplicate_EUF	May 09, 2022		AUS Leachate - pH 5.0	M22-My0022579	X		X	
14	SX_IB_20220509_12_04_SS_Primary_EUF	May 09, 2022		AUS Leachate - pH 5.0	M22-My0022580	X		X	
15	SX_IB_20220509_16_00_SS_Primary_EUF	May 09, 2022		AUS Leachate - pH 5.0	M22-My0022581	X		X	
16	SX_OB_20220	May 09, 2022		AUS Leachate	M22-	X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220510044757-Eurofin-12
Project ID: JC0927

Order No.:
Report #: 886969
Phone: 08 8338 1009
Fax:

Received: May 10, 2022 2:10 PM
Due: May 17, 2022
Priority: 5 Day
Contact Name: - ALL SPOIL REPORTS WGTP

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
16	SX_OB_20220509_16_02_SS_Primary_EU	May 09, 2022		AUS Leachate - pH 5.0	M22-My0022582				
17	SX_OB_20220509_16_02_SS_Duplicate_EU	May 09, 2022		AUS Leachate - pH 5.0	M22-My0022583	X		X	
18	SX_OB_20220509_19_57_SS_Primary_EU	May 09, 2022		AUS Leachate - pH 5.0	M22-My0022584	X		X	
19	SX_IB_20220509_20_05_SS	May 09, 2022		AUS Leachate - pH 5.0	M22-My0022585	X		X	



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Order No.:
Report #: 886969
Phone: 08 8338 1009
Fax:

Received: May 10, 2022 2:10 PM
Due: May 17, 2022
Priority: 5 Day
Contact Name: - ALL SPOIL REPORTS WGTP

Project Name: 20220510044757-Eurofin-12
Project ID: JC0927

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFAS)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	_Primary_EUF								
20	SX_IB_20220509_20_07_SS_Duplicate_EUF	May 09, 2022		AUS Leachate - pH 5.0	M22-My0022586	X		X	
21	SX_IB_20220510_00_09_SS_Primary_EUF	May 10, 2022		AUS Leachate - pH 5.0	M22-My0022587	X		X	
22	SX_OB_20220510_03_58_S_S_Primary_EUF	May 10, 2022		AUS Leachate - pH 5.0	M22-My0022588	X		X	
23	SX_IB_20220509_07_57_SS	May 09, 2022		AUS Leachate - Reagent	M22-My0022589	X		X	



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Order No.:
Report #: 886969
Phone: 08 8338 1009
Fax:

Received: May 10, 2022 2:10 PM
Due: May 17, 2022
Priority: 5 Day
Contact Name: - ALL SPOIL REPORTS WGTP

Project Name: 20220510044757-Eurofin-12
Project ID: JC0927

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	09_07_57_SS _Primary_EUF			- Reagent Water	My0022589				
24	SX_IB_202205 09_08_10_SS _Triplicate_EU F	May 09, 2022		AUS Leachate - Reagent Water	M22- My0022590	X		X	
25	SX_IB_202205 09_12_04_SS _Primary_EUF	May 09, 2022		AUS Leachate - Reagent Water	M22- My0022591	X		X	
26	SX_IB_202205 09_16_00_SS _Primary_EUF	May 09, 2022		AUS Leachate - Reagent Water	M22- My0022592	X		X	
27	SX_OB_20220 509_16_02_S	May 09, 2022		AUS Leachate - Reagent	M22- My0022593	X		X	



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welsphool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220510044757-Eurofin-12
Project ID: JC0927

Order No.:
Report #: 886969
Phone: 08 8338 1009
Fax:

Received: May 10, 2022 2:10 PM
Due: May 17, 2022
Priority: 5 Day
Contact Name: - ALL SPOIL REPORTS WGTP

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	S_Primary_EUF			Water					
28	SX_OB_20220509_16_02_S_S_Duplicate_EUF	May 09, 2022		AUS Leachate - Reagent Water	M22-My0022594	X	X		
29	SX_OB_20220509_19_57_S_S_Primary_EUF	May 09, 2022		AUS Leachate - Reagent Water	M22-My0022595	X	X		
30	SX_IB_20220509_20_05_SS_Primary_EUF	May 09, 2022		AUS Leachate - Reagent Water	M22-My0022596	X	X		
31	SX_IB_202205	May 09, 2022		AUS Leachate	M22-	X	X		



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220510044757-Eurofin-12
Project ID: JC0927

Order No.:
Report #: 886969
Phone: 08 8338 1009
Fax:

Received: May 10, 2022 2:10 PM
Due: May 17, 2022
Priority: 5 Day
Contact Name: - ALL SPOIL REPORTS WGTP

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
31	SX_IB_20220509_20_07_SS_Duplicate_EU_F	May 09, 2022		AUS Leachate - Reagent Water	M22-My0022597				
32	SX_IB_20220510_00_09_SS_Primary_EUF	May 10, 2022		AUS Leachate - Reagent Water	M22-My0022598	X		X	
33	SX_OB_20220510_03_58_S_S_Primary_EU_F	May 10, 2022		AUS Leachate - Reagent Water	M22-My0022599	X		X	
Test Counts						22	11	33	11

Agon Environmental Pty Ltd - VIC
3/224 Glen Osmond Road
Fullarton
SA 5063



NATA Accredited
Accreditation Number 1261
Site Number 1254

Accredited for compliance with ISO/IEC 17025 – Testing
NATA is a signatory to the ILAC Mutual Recognition
Arrangement for the mutual recognition of the
equivalence of testing, medical testing, calibration,
inspection, proficiency testing scheme providers and
reference materials producers reports and certificates.

Attention: - ALL SPOIL REPORTS WGTP Mother Hub

Report **886969-L**
Project name **20220510044757-Eurofin-12**
Project ID **JC0927**
Received Date **May 10, 2022**

Client Sample ID			SX_IB_202205 09_07_57_SS Primary_EUF	SX_IB_202205 09_08_10_SS Triplicate_EUF	SX_IB_202205 09_12_04_SS Primary_EUF	SX_IB_202205 09_16_00_SS Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0022578	M22- My0022579	M22- My0022580	M22- My0022581
Date Sampled			May 09, 2022	May 09, 2022	May 09, 2022	May 09, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.1	5.1	5.1	5.1
pH (off)	0.1	pH Units	5.1	5.0	5.0	5.0
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	108	105	102	116
13C5-PFPeA (surr.)	1	%	88	115	71	119
13C5-PFHxA (surr.)	1	%	109	115	107	127
13C4-PFHpA (surr.)	1	%	100	137	102	138
13C8-PFOA (surr.)	1	%	89	127	88	132
13C5-PFNA (surr.)	1	%	91	136	106	128
13C6-PFDA (surr.)	1	%	86	139	103	139
13C2-PFUnDA (surr.)	1	%	64	122	72	118
13C2-PFDoDA (surr.)	1	%	57	143	76	149
13C2-PFTeDA (surr.)	1	%	33	67	51	93
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05

Client Sample ID			SX_IB_202205 09_07_57_SS Primary_EUF	SX_IB_202205 09_08_10_SS TriPLICATE_EUF	SX_IB_202205 09_12_04_SS Primary_EUF	SX_IB_202205 09_16_00_SS Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0022578	M22- My0022579	M22- My0022580	M22- My0022581
Date Sampled			May 09, 2022	May 09, 2022	May 09, 2022	May 09, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl sulfonamido substances						
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	68	102	79	100
D3-N-MeFOSA (surr.)	1	%	37	78	47	68
D5-N-EtFOSA (surr.)	1	%	30	62	40	62
D7-N-MeFOSE (surr.)	1	%	62	87	60	91
D9-N-EtFOSE (surr.)	1	%	53	65	50	71
D5-N-EtFOSAA (surr.)	1	%	50	108	75	100
D3-N-MeFOSAA (surr.)	1	%	50	149	57	137
Perfluoroalkyl sulfonic acids (PFASs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	117	107	118	97
18O2-PFHxS (surr.)	1	%	93	121	81	107
13C8-PFOS (surr.)	1	%	83	120	80	126
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	78	121	80	130
13C2-6:2 FTSA (surr.)	1	%	83	151	76	148
13C2-8:2 FTSA (surr.)	1	%	86	131	79	117
13C2-10:2 FTSA (surr.)	1	%	41	105	64	112
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_20220 509_16_02_SS _Primary_EUF	SX_OB_20220 509_16_02_SS Duplicate_EU F	SX_OB_20220 509_19_57_SS _Primary_EUF	SX_IB_202205 09_20_05_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0022582	M22- My0022583	M22- My0022584	M22- My0022585
Date Sampled			May 09, 2022	May 09, 2022	May 09, 2022	May 09, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.1	5.1	5.1	5.1
pH (off)	0.1	pH Units	5.2	5.2	5.2	5.2
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	123	106	109	100
13C5-PFPeA (surr.)	1	%	127	95	122	105
13C5-PFHxA (surr.)	1	%	147	110	138	101
13C4-PFHpA (surr.)	1	%	134	102	124	140
13C8-PFOA (surr.)	1	%	108	91	110	107
13C5-PFNA (surr.)	1	%	109	89	120	127
13C6-PFDA (surr.)	1	%	95	76	113	131
13C2-PFUnDA (surr.)	1	%	90	53	92	110
13C2-PFDoDA (surr.)	1	%	99	55	105	141
13C2-PFTTeDA (surr.)	1	%	60	37	50	66
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	74	57	82	88
D3-N-MeFOSA (surr.)	1	%	55	27	60	69
D5-N-EtFOSA (surr.)	1	%	46	22	45	56
D7-N-MeFOSE (surr.)	1	%	63	42	54	65
D9-N-EtFOSE (surr.)	1	%	54	36	54	65
D5-N-EtFOSAA (surr.)	1	%	91	26	116	131
D3-N-MeFOSAA (surr.)	1	%	105	60	139	76

Client Sample ID			SX_OB_20220 509_16_02_SS _Primary_EUF	SX_OB_20220 509_16_02_SS Duplicate_EU F	SX_OB_20220 509_19_57_SS _Primary_EUF	SX_IB_202205 09_20_05_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0022582	M22- My0022583	M22- My0022584	M22- My0022585
Date Sampled			May 09, 2022	May 09, 2022	May 09, 2022	May 09, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl sulfonic acids (PFASs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	105	127	130	87
18O2-PFHxS (surr.)	1	%	91	81	88	91
13C8-PFOS (surr.)	1	%	92	77	97	104
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	104	74	96	124
13C2-6:2 FTSA (surr.)	1	%	118	91	89	119
13C2-8:2 FTSA (surr.)	1	%	92	74	93	106
13C2-10:2 FTSA (surr.)	1	%	92	37	85	114
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202205 09_20_07_SS Duplicate_EUF	SX_IB_202205 10_00_09_SS Primary_EUF	SX_OB_20220 510_03_58_SS _Primary_EUF	SX_IB_202205 09_07_57_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0022586	M22- My0022587	M22- My0022588	M22- My0022589
Date Sampled			May 09, 2022	May 10, 2022	May 10, 2022	May 09, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	1.0	1.0	1.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.1	5.1	5.1	6.9
pH (off)	0.1	pH Units	5.2	5.3	5.2	7.6

Client Sample ID			SX_IB_202205 09_20_07_SS Duplicate_EUF	SX_IB_202205 10_00_09_SS Primary_EUF	SX_OB_20220 510_03_58_SS _Primary_EUF	SX_IB_202205 09_07_57_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0022586	M22- My0022587	M22- My0022588	M22- My0022589
Date Sampled			May 09, 2022	May 10, 2022	May 10, 2022	May 09, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	103	128	130	118
13C5-PFPeA (surr.)	1	%	98	130	127	105
13C5-PFHxA (surr.)	1	%	102	74	137	138
13C4-PFHpA (surr.)	1	%	129	140	150	126
13C8-PFOA (surr.)	1	%	104	125	125	88
13C5-PFNA (surr.)	1	%	109	129	122	114
13C6-PFDA (surr.)	1	%	110	143	137	132
13C2-PFUnDA (surr.)	1	%	88	103	96	119
13C2-PFDoDA (surr.)	1	%	110	121	126	127
13C2-PFTTeDA (surr.)	1	%	55	76	73	85
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	72	91	95	110
D3-N-MeFOSA (surr.)	1	%	59	64	58	68
D5-N-EtFOSA (surr.)	1	%	54	55	49	59
D7-N-MeFOSE (surr.)	1	%	73	97	81	85
D9-N-EtFOSE (surr.)	1	%	62	61	63	71
D5-N-EtFOSAA (surr.)	1	%	135	127	103	185
D3-N-MeFOSAA (surr.)	1	%	97	121	104	175
Perfluoroalkyl sulfonic acids (PFSAs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01

Client Sample ID			SX_IB_202205 09_20_07_SS Duplicate_EUF	SX_IB_202205 10_00_09_SS Primary_EUF	SX_OB_20220 510_03_58_SS _Primary_EUF	SX_IB_202205 09_07_57_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0022586	M22- My0022587	M22- My0022588	M22- My0022589
Date Sampled			May 09, 2022	May 10, 2022	May 10, 2022	May 09, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl sulfonic acids (PFASs)						
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	86	97	113	108
18O2-PFHxS (surr.)	1	%	86	127	110	99
13C8-PFOS (surr.)	1	%	107	121	98	108
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	119	173	113	91
13C2-6:2 FTSA (surr.)	1	%	122	190	100	68
13C2-8:2 FTSA (surr.)	1	%	93	109	99	86
13C2-10:2 FTSA (surr.)	1	%	84	95	125	105
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202205 09_08_10_SS Triplicate_EUF	SX_IB_202205 09_12_04_SS Primary_EUF	SX_IB_202205 09_16_00_SS _Primary_EUF	SX_OB_20220 509_16_02_SS _Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0022590	M22- My0022591	M22- My0022592	M22- My0022593
Date Sampled			May 09, 2022	May 09, 2022	May 09, 2022	May 09, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	6.9	6.9	6.9	6.9
pH (off)	0.1	pH Units	8.4	8.5	8.8	8.6
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01

Client Sample ID			SX_IB_202205 09_08_10_SS Triuplicate_EUF	SX_IB_202205 09_12_04_SS Primary_EUF	SX_IB_202205 09_16_00_SS Primary_EUF	SX_IB_202205 09_16_02_SS Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0022590	M22- My0022591	M22- My0022592	M22- My0022593
Date Sampled			May 09, 2022	May 09, 2022	May 09, 2022	May 09, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	73	101	81	91
13C5-PFPeA (surr.)	1	%	69	90	72	88
13C5-PFHxA (surr.)	1	%	85	109	93	99
13C4-PFHpA (surr.)	1	%	84	100	89	93
13C8-PFOA (surr.)	1	%	86	77	66	74
13C5-PFNA (surr.)	1	%	70	83	85	69
13C6-PFDA (surr.)	1	%	97	111	91	95
13C2-PFUnDA (surr.)	1	%	91	75	71	68
13C2-PFDoDA (surr.)	1	%	70	108	96	60
13C2-PFTeDA (surr.)	1	%	33	76	56	31
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	65	74	77	54
D3-N-MeFOSA (surr.)	1	%	26	33	28	10
D5-N-EtFOSA (surr.)	1	%	24	27	22	12
D7-N-MeFOSE (surr.)	1	%	49	60	58	34
D9-N-EtFOSE (surr.)	1	%	34	44	47	30
D5-N-EtFOSAA (surr.)	1	%	94	135	80	78
D3-N-MeFOSAA (surr.)	1	%	67	109	122	59
Perfluoroalkyl sulfonic acids (PFSAs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	83	119	100	114
18O2-PFHxS (surr.)	1	%	63	85	70	52
13C8-PFOS (surr.)	1	%	82	77	79	76

Client Sample ID			SX_IB_202205_09_08_10_SS_Triplicate_EUF	SX_IB_202205_09_12_04_SS_Primary_EUF	SX_IB_202205_09_16_00_SS_Primary_EUF	SX_OB_20220_509_16_02_SS_Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22-My0022590	M22-My0022591	M22-My0022592	M22-My0022593
Date Sampled			May 09, 2022	May 09, 2022	May 09, 2022	May 09, 2022
Test/Reference	LOR	Unit				
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	60	76	58	61
13C2-6:2 FTSA (surr.)	1	%	59	72	92	70
13C2-8:2 FTSA (surr.)	1	%	55	79	70	61
13C2-10:2 FTSA (surr.)	1	%	63	73	52	46
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_20220_509_16_02_SS_Duplicate_EUF	SX_OB_20220_509_19_57_SS_Primary_EUF	SX_IB_202205_09_20_05_SS_Primary_EUF	SX_IB_202205_09_20_07_SS_Duplicate_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22-My0022594	M22-My0022595	M22-My0022596	M22-My0022597
Date Sampled			May 09, 2022	May 09, 2022	May 09, 2022	May 09, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	6.9	6.9	6.9	6.9
pH (off)	0.1	pH Units	8.5	8.5	8.7	8.8
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	76	94	98	74

Client Sample ID			SX_OB_20220 509_16_02_SS Duplicate_EU F	SX_OB_20220 509_19_57_SS Primary_EUF	SX_IB_202205 09_20_05_SS Primary_EUF	SX_IB_202205 09_20_07_SS Duplicate_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0022594	M22- My0022595	M22- My0022596	M22- My0022597
Date Sampled			May 09, 2022	May 09, 2022	May 09, 2022	May 09, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl carboxylic acids (PFCAs)						
13C5-PFPeA (surr.)	1	%	78	87	86	65
13C5-PFHxA (surr.)	1	%	75	100	96	81
13C4-PFHpA (surr.)	1	%	73	89	112	84
13C8-PFOA (surr.)	1	%	70	61	72	63
13C5-PFNA (surr.)	1	%	66	76	111	83
13C6-PFDA (surr.)	1	%	55	89	121	80
13C2-PFUnDA (surr.)	1	%	41	77	118	65
13C2-PFDoDA (surr.)	1	%	24	80	148	75
13C2-PFTeDA (surr.)	1	%	11	46	107	52
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	47	80	88	64
D3-N-MeFOSA (surr.)	1	%	25	38	11	14
D5-N-EtFOSA (surr.)	1	%	24	30	18	12
D7-N-MeFOSE (surr.)	1	%	43	60	67	43
D9-N-EtFOSE (surr.)	1	%	36	47	56	37
D5-N-EtFOSAA (surr.)	1	%	33	44	148	87
D3-N-MeFOSAA (surr.)	1	%	39	11	126	52
Perfluoroalkyl sulfonic acids (PFSA)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	65	117	72	70
18O2-PFHxS (surr.)	1	%	68	67	103	63
13C8-PFOS (surr.)	1	%	57	83	107	79

Client Sample ID			SX_OB_20220509_16_02_SS_Duplicate_EUF	SX_OB_20220509_19_57_SS_Primary_EUF	SX_IB_20220509_20_05_SS_Primary_EUF	SX_IB_20220509_20_07_SS_Duplicate_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22-My0022594	M22-My0022595	M22-My0022596	M22-My0022597
Date Sampled			May 09, 2022	May 09, 2022	May 09, 2022	May 09, 2022
Test/Reference	LOR	Unit				
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	54	54	81	71
13C2-6:2 FTSA (surr.)	1	%	50	55	81	58
13C2-8:2 FTSA (surr.)	1	%	63	59	89	67
13C2-10:2 FTSA (surr.)	1	%	30	65	112	53
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_20220510_00_09_SS_Primary_EUF	SX_OB_20220510_03_58_SS_Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22-My0022598	M22-My0022599
Date Sampled			May 10, 2022	May 10, 2022
Test/Reference	LOR	Unit		
AUS Leaching Procedure				
Leachate Fluid ^{C01}		comment	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	6.9	6.9
pH (off)	0.1	pH Units	8.8	8.5
Perfluoroalkyl carboxylic acids (PFCAs)				
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	81	98

Client Sample ID			SX_IB_202205 10_00_09_SS Primary_EUF	SX_OB_20220 510_03_58_SS _Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0022598	M22- My0022599
Date Sampled			May 10, 2022	May 10, 2022
Test/Reference	LOR	Unit		
Perfluoroalkyl carboxylic acids (PFCAs)				
13C5-PFPeA (surr.)	1	%	74	83
13C5-PFHxA (surr.)	1	%	80	99
13C4-PFHpA (surr.)	1	%	84	80
13C8-PFOA (surr.)	1	%	56	54
13C5-PFNA (surr.)	1	%	68	56
13C6-PFDA (surr.)	1	%	87	73
13C2-PFUnDA (surr.)	1	%	68	61
13C2-PFDoDA (surr.)	1	%	80	77
13C2-PFTeDA (surr.)	1	%	59	53
Perfluoroalkyl sulfonamido substances				
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	57	66
D3-N-MeFOSA (surr.)	1	%	11	43
D5-N-EtFOSA (surr.)	1	%	12	37
D7-N-MeFOSE (surr.)	1	%	39	55
D9-N-EtFOSE (surr.)	1	%	29	42
D5-N-EtFOSAA (surr.)	1	%	89	79
D3-N-MeFOSAA (surr.)	1	%	48	36
Perfluoroalkyl sulfonic acids (PFSA)				
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	64	119
18O2-PFHxS (surr.)	1	%	56	54
13C8-PFOS (surr.)	1	%	65	66

Client Sample ID			SX_IB_202205 10_00_09_SS_	SX_OB_20220 510_03_58_SS
Sample Matrix			Primary_EUF	Primary_EUF
Eurofins Sample No.			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Date Sampled			M22- My0022598	M22- My0022599
Test/Reference	LOR	Unit	May 10, 2022	May 10, 2022
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	66	58
13C2-6:2 FTSA (surr.)	1	%	62	51
13C2-8:2 FTSA (surr.)	1	%	60	56
13C2-10:2 FTSA (surr.)	1	%	64	60
PFASs Summations				
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1

Sample History

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
AUS Leaching Procedure			
pH (initial) - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Melbourne	May 11, 2022	0 Days
pH (Leachate fluid) - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Melbourne	May 11, 2022	0 Days
pH (off) - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Melbourne	May 11, 2022	0 Days
Per- and Polyfluoroalkyl Substances (PFASs)			
Perfluoroalkyl carboxylic acids (PFCAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 12, 2022	28 Days
Perfluoroalkyl sulfonamido substances - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 12, 2022	28 Days
Perfluoroalkyl sulfonic acids (PFASs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 12, 2022	28 Days
n:2 Fluorotelomer sulfonic acids (n:2 FTSAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 12, 2022	28 Days
PFASs Summations - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 10, 2022	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 10, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886969	Due:	May 17, 2022
Project Name:	20220510044757-Eurofin-12	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	- ALL SPOIL REPORTS WGTP

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	SX_IB_20220509_07_57_SS_Primary_EUF	May 09, 2022		Soil	M22-My0022567		X	X	X
2	SX_IB_20220509_08_10_SS_Triplicate_EU F	May 09, 2022		Soil	M22-My0022568		X	X	X
3	SX_IB_20220509_12_04_SS_Primary_EUF	May 09, 2022		Soil	M22-My0022569		X	X	X
4	SX_IB_20220509_16_00_SS	May 09, 2022		Soil	M22-My0022570		X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 10, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886969	Due:	May 17, 2022
Project Name:	20220510044757-Eurofin-12	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	- ALL SPOIL REPORTS WGTP

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	_Primary_EUF								
5	SX_OB_20220509_16_02_S_S_Primary_EUF	May 09, 2022		Soil	M22-My0022571		X	X	X
6	SX_OB_20220509_16_02_S_S_Duplicate_EUF	May 09, 2022		Soil	M22-My0022572		X	X	X
7	SX_OB_20220509_19_57_S_S_Primary_EUF	May 09, 2022		Soil	M22-My0022573		X	X	X
8	SX_IB_202205	May 09, 2022		Soil	M22-		X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 10, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886969	Due:	May 17, 2022
Project Name:	20220510044757-Eurofin-12	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	- ALL SPOIL REPORTS WGTP

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
8	SX_IB_20220509_20_05_SS_Primary_EUF	May 09, 2022		Soil	M22-My0022574				
9	SX_IB_20220509_20_07_SS_Duplicate_EUF	May 09, 2022		Soil	M22-My0022575		X	X	X
10	SX_IB_20220510_00_09_SS_Primary_EUF	May 10, 2022		Soil	M22-My0022576		X	X	X
11	SX_OB_20220510_03_58_S_S_Primary_EUF	May 10, 2022		Soil	M22-My0022577		X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 10, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886969	Due:	May 17, 2022
Project Name:	20220510044757-Eurofin-12	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	- ALL SPOIL REPORTS WGTP

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
12	SX_IB_20220509_07_57_SS_Primary_EUF	May 09, 2022		AUS Leachate - pH 5.0	M22-My0022578	X		X	
13	SX_IB_20220509_08_10_SS_Triplicate_EUF	May 09, 2022		AUS Leachate - pH 5.0	M22-My0022579	X		X	
14	SX_IB_20220509_12_04_SS_Primary_EUF	May 09, 2022		AUS Leachate - pH 5.0	M22-My0022580	X		X	
15	SX_IB_20220509_16_00_SS_Primary_EUF	May 09, 2022		AUS Leachate - pH 5.0	M22-My0022581	X		X	
16	SX_OB_20220	May 09, 2022		AUS Leachate	M22-	X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220510044757-Eurofin-12
Project ID: JC0927

Order No.:
Report #: 886969
Phone: 08 8338 1009
Fax:

Received: May 10, 2022 2:10 PM
Due: May 17, 2022
Priority: 5 Day
Contact Name: - ALL SPOIL REPORTS WGTP

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
16	SX_OB_20220509_16_02_SS_Primary_EU	May 09, 2022		AUS Leachate - pH 5.0	M22-My0022582				
17	SX_OB_20220509_16_02_SS_Duplicate_EU	May 09, 2022		AUS Leachate - pH 5.0	M22-My0022583	X		X	
18	SX_OB_20220509_19_57_SS_Primary_EU	May 09, 2022		AUS Leachate - pH 5.0	M22-My0022584	X		X	
19	SX_IB_20220509_20_05_SS	May 09, 2022		AUS Leachate - pH 5.0	M22-My0022585	X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Order No.:
Report #: 886969
Phone: 08 8338 1009
Fax:

Received: May 10, 2022 2:10 PM
Due: May 17, 2022
Priority: 5 Day
Contact Name: - ALL SPOIL REPORTS WGTP

Project Name: 20220510044757-Eurofin-12
Project ID: JC0927

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	_Primary_EUF								
20	SX_IB_20220509_20_07_SS_Duplicate_EUF	May 09, 2022		AUS Leachate - pH 5.0	M22-My0022586	X		X	
21	SX_IB_20220510_00_09_SS_Primary_EUF	May 10, 2022		AUS Leachate - pH 5.0	M22-My0022587	X		X	
22	SX_OB_20220510_03_58_S_S_Primary_EUF	May 10, 2022		AUS Leachate - pH 5.0	M22-My0022588	X		X	
23	SX_IB_20220509_07_57_SS	May 09, 2022		AUS Leachate - Reagent	M22-My0022589	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 10, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886969	Due:	May 17, 2022
Project Name:	20220510044757-Eurofin-12	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	- ALL SPOIL REPORTS WGTP

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	09_07_57_SS _Primary_EUF			- Reagent Water	My0022589				
24	SX_IB_202205 09_08_10_SS _Triplicate_EU F	May 09, 2022		AUS Leachate - Reagent Water	M22- My0022590	X		X	
25	SX_IB_202205 09_12_04_SS _Primary_EUF	May 09, 2022		AUS Leachate - Reagent Water	M22- My0022591	X		X	
26	SX_IB_202205 09_16_00_SS _Primary_EUF	May 09, 2022		AUS Leachate - Reagent Water	M22- My0022592	X		X	
27	SX_OB_20220 509_16_02_S	May 09, 2022		AUS Leachate - Reagent	M22- My0022593	X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220510044757-Eurofin-12
Project ID: JC0927

Order No.:
Report #: 886969
Phone: 08 8338 1009
Fax:

Received: May 10, 2022 2:10 PM
Due: May 17, 2022
Priority: 5 Day
Contact Name: - ALL SPOIL REPORTS WGTP

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	S_Primary_EU F			Water					
28	SX_OB_20220 509_16_02_S S_Duplicate_E UF	May 09, 2022		AUS Leachate - Reagent Water	M22- My0022594	X	X		
29	SX_OB_20220 509_19_57_S S_Primary_EU F	May 09, 2022		AUS Leachate - Reagent Water	M22- My0022595	X	X		
30	SX_IB_202205 09_20_05_SS _Primary_EUF	May 09, 2022		AUS Leachate - Reagent Water	M22- My0022596	X	X		
31	SX_IB_202205	May 09, 2022		AUS Leachate	M22-	X	X		

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 10, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886969	Due:	May 17, 2022
Project Name:	20220510044757-Eurofin-12	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	- ALL SPOIL REPORTS WGTP

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
31	SX_IB_20220509_20_07_SS_Duplicate_EU_F	May 09, 2022		AUS Leachate - Reagent Water	M22-My0022597				
32	SX_IB_20220510_00_09_SS_Primary_EUF	May 10, 2022		AUS Leachate - Reagent Water	M22-My0022598	X		X	
33	SX_OB_20220510_03_58_S_Primary_EU_F	May 10, 2022		AUS Leachate - Reagent Water	M22-My0022599	X		X	
Test Counts						22	11	33	11

Internal Quality Control Review and Glossary

General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer that may have an impact on the results.
- This report replaces any interim results previously issued.

Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

Units

mg/kg: milligrams per kilogram	mg/L: milligrams per litre	µg/L: micrograms per litre
ppm: parts per million	ppb: parts per billion	%: Percentage
org/100 mL: Organisms per 100 millilitres	NTU: Nephelometric Turbidity Units	MPN/100 mL: Most Probable Number of organisms per 100 millilitres

Terms

APHA	American Public Health Association
COC	Chain of Custody
CP	Client Parent - QC was performed on samples pertaining to this report
CRM	Certified Reference Material (ISO17034) - reported as percent recovery.
Dry	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
Duplicate	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
LOR	Limit of Reporting.
LCS	Laboratory Control Sample - reported as percent recovery.
Method Blank	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
NCP	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
RPD	Relative Percent Difference between two Duplicate pieces of analysis.
SPIKE	Addition of the analyte to the sample and reported as percentage recovery.
SRA	Sample Receipt Advice
Surr - Surrogate	The addition of a like compound to the analyte target and reported as percentage recovery.
TBTO	Tributyltin oxide (<i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment however free tributyltin was measured and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits.
TCLP	Toxicity Characteristic Leaching Procedure
TEQ	Toxic Equivalency Quotient or Total Equivalence
QSM	US Department of Defense Quality Systems Manual Version 5.4
US EPA	United States Environmental Protection Agency
WA DWER	Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

QC - Acceptance Criteria

The acceptance criteria should be used as a guide only and may be different when site specific Sampling Analysis and Quality Plan (SAQP) have been implemented

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR: No Limit

Results between 10-20 times the LOR: RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

NOTE: pH duplicates are reported as a range not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.4 where no positive PFAS results have been reported have been reviewed and no data was affected.

QC Data General Comments

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery the term "INT" appears against that analyte.
- For Matrix Spikes and LCS results a dash "-" in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

Quality Control Results

Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Method Blank						
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA)	ug/L	< 0.05		0.05	Pass	
Perfluoropentanoic acid (PFPeA)	ug/L	< 0.01		0.01	Pass	
Perfluorohexanoic acid (PFHxA)	ug/L	< 0.01		0.01	Pass	
Perfluoroheptanoic acid (PFHpA)	ug/L	< 0.01		0.01	Pass	
Perfluorooctanoic acid (PFOA)	ug/L	< 0.01		0.01	Pass	
Perfluorononanoic acid (PFNA)	ug/L	< 0.01		0.01	Pass	
Perfluorodecanoic acid (PFDA)	ug/L	< 0.01		0.01	Pass	
Perfluoroundecanoic acid (PFUnDA)	ug/L	< 0.01		0.01	Pass	
Perfluorododecanoic acid (PFDoDA)	ug/L	< 0.01		0.01	Pass	
Perfluorotridecanoic acid (PFTTrDA)	ug/L	< 0.01		0.01	Pass	
Perfluorotetradecanoic acid (PFTeDA)	ug/L	< 0.01		0.01	Pass	
Method Blank						
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA)	ug/L	< 0.05		0.05	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	ug/L	< 0.05		0.05	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	ug/L	< 0.05		0.05	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	ug/L	< 0.05		0.05	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	ug/L	< 0.05		0.05	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	ug/L	< 0.05		0.05	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	ug/L	< 0.05		0.05	Pass	
Method Blank						
Perfluoroalkyl sulfonic acids (PFASs)						
Perfluorobutanesulfonic acid (PFBS)	ug/L	< 0.01		0.01	Pass	
Perfluorononanesulfonic acid (PFNS)	ug/L	< 0.01		0.01	Pass	
Perfluoropropanesulfonic acid (PFPrS)	ug/L	< 0.01		0.01	Pass	
Perfluoropentanesulfonic acid (PFPeS)	ug/L	< 0.01		0.01	Pass	
Perfluorohexanesulfonic acid (PFHxS)	ug/L	< 0.01		0.01	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	ug/L	< 0.01		0.01	Pass	
Perfluorooctanesulfonic acid (PFOS)	ug/L	< 0.01		0.01	Pass	
Perfluorodecanesulfonic acid (PFDS)	ug/L	< 0.01		0.01	Pass	
Method Blank						
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	ug/L	< 0.01		0.01	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	ug/L	< 0.05		0.05	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	ug/L	< 0.01		0.01	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	ug/L	< 0.01		0.01	Pass	
LCS - % Recovery						
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA)	%	147		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	117		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	122		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	114		50-150	Pass	
Perfluorooctanoic acid (PFOA)	%	104		50-150	Pass	
Perfluorononanoic acid (PFNA)	%	119		50-150	Pass	
Perfluorodecanoic acid (PFDA)	%	117		50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	%	126		50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	%	135		50-150	Pass	
Perfluorotridecanoic acid (PFTTrDA)	%	120		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	%	95		50-150	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code		
LCS - % Recovery									
Perfluoroalkyl sulfonamido substances									
Perfluorooctane sulfonamide (FOSA)	%	108			50-150	Pass			
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	%	112			50-150	Pass			
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	%	75			50-150	Pass			
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	%	103			50-150	Pass			
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	%	125			50-150	Pass			
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	%	132			50-150	Pass			
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	%	68			50-150	Pass			
LCS - % Recovery									
Perfluoroalkyl sulfonic acids (PFSA)									
Perfluorobutanesulfonic acid (PFBS)	%	98			50-150	Pass			
Perfluorononanesulfonic acid (PFNS)	%	112			50-150	Pass			
Perfluoropropanesulfonic acid (PFPrS)	%	139			50-150	Pass			
Perfluoropentanesulfonic acid (PFPeS)	%	150			50-150	Pass			
Perfluorohexanesulfonic acid (PFHxS)	%	140			50-150	Pass			
Perfluoroheptanesulfonic acid (PFHpS)	%	106			50-150	Pass			
Perfluorooctanesulfonic acid (PFOS)	%	111			50-150	Pass			
Perfluorodecanesulfonic acid (PFDS)	%	101			50-150	Pass			
LCS - % Recovery									
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)									
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	%	135			50-150	Pass			
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	%	137			50-150	Pass			
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	%	139			50-150	Pass			
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	%	81			50-150	Pass			
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Duplicate									
Perfluoroalkyl carboxylic acids (PFCAs)									
				Result 1	Result 2	RPD			
Perfluorobutanoic acid (PFBA)	M22-My0022585	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
Perfluoropentanoic acid (PFPeA)	M22-My0022585	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorohexanoic acid (PFHxA)	M22-My0022585	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluoroheptanoic acid (PFHpA)	M22-My0022585	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorooctanoic acid (PFOA)	M22-My0022585	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorononanoic acid (PFNA)	M22-My0022585	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorodecanoic acid (PFDA)	M22-My0022585	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluoroundecanoic acid (PFUnDA)	M22-My0022585	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorododecanoic acid (PFDoDA)	M22-My0022585	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorotridecanoic acid (PFTrDA)	M22-My0022585	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorotetradecanoic acid (PFTeDA)	M22-My0022585	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Duplicate									
Perfluoroalkyl sulfonamido substances									
				Result 1	Result 2	RPD			
Perfluorooctane sulfonamide (FOSA)	M22-My0022585	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0022585	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0022585	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0022585	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0022585	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0022585	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0022585	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSAs)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-My0022585	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-My0022585	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-My0022585	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-My0022585	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-My0022585	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0022585	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-My0022585	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-My0022585	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0022585	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0022585	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0022585	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0022585	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
Perfluoroalkyl carboxylic acids (PFCAs)				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-My0022587	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-My0022587	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-My0022587	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-My0022587	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-My0022587	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-My0022587	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-My0022587	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-My0022587	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-My0022587	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotridecanoic acid (PFTrDA)	M22-My0022587	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-My0022587	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-My0022587	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0022587	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0022587	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0022587	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0022587	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0022587	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0022587	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-My0022587	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-My0022587	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-My0022587	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-My0022587	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-My0022587	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0022587	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-My0022587	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-My0022587	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0022587	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0022587	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0022587	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0022587	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
Perfluoroalkyl carboxylic acids (PFCA)				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-My0022592	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-My0022592	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-My0022592	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-My0022592	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-My0022592	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-My0022592	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-My0022592	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-My0022592	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-My0022592	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotridecanoic acid (PFTTrDA)	M22-My0022592	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-My0022592	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-My0022592	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0022592	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0022592	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0022592	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0022592	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0022592	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0022592	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-My0022592	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-My0022592	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-My0022592	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-My0022592	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-My0022592	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0022592	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-My0022592	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-My0022592	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0022592	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0022592	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0022592	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0022592	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
Perfluoroalkyl carboxylic acids (PFCA)				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-My0022593	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-My0022593	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-My0022593	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-My0022593	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-My0022593	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-My0022593	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-My0022593	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-My0022593	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-My0022593	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotridecanoic acid (PFTTrDA)	M22-My0022593	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-My0022593	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-My0022593	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0022593	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0022593	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0022593	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0022593	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0022593	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0022593	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-My0022593	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-My0022593	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-My0022593	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-My0022593	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-My0022593	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0022593	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-My0022593	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-My0022593	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0022593	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0022593	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0022593	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0022593	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass

Comments
Sample Integrity

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	No
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

Qualifier Codes/Comments

Code	Description
C01	Leachate Fluid Key: 1 - pH 5.0; 2 - pH 2.9; 3 - pH 9.2; 4 - Reagent (DI) water; 5 - Client sample, 6 - other
N11	Isotope dilution is used for calibration of each native compound for which an exact labelled analogue is available (Isotope Dilution Quantitation). The isotopically labelled analogues allow identification and recovery correction of the concentration of the associated native PFAS compounds.
N15	Where the native PFAS compound does not have labelled analogue then the quantification is made using the Extracted Internal Standard Analyte with the closest retention time to the analyte and no recovery correction has been made (Internal Standard Quantitation).

Authorised by:

Catherine Wilson	Analytical Services Manager
Joseph Edouard	Senior Analyst-PFAS
Mary Makarios	Senior Analyst-Sample Properties



Glenn Jackson
General Manager

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Agon Environmental Pty Ltd - VIC
3/224 Glen Osmond Road
Fullarton
SA 5063



NATA Accredited
Accreditation Number 1261
Site Number 1254

Accredited for compliance with ISO/IEC 17025 – Testing
NATA is a signatory to the ILAC Mutual Recognition
Arrangement for the mutual recognition of the
equivalence of testing, medical testing, calibration,
inspection, proficiency testing scheme providers and
reference materials producers reports and certificates.

Attention: - ALL SPOIL REPORTS WGTP Mother Hub

Report **886969-S**
Project name 20220510044757-Eurofin-12
Project ID JC0927
Received Date May 10, 2022

Client Sample ID			SX_IB_202205 09_07_57_SS Primary_EUF	SX_IB_202205 09_08_10_SS Triplicate_EUF	SX_IB_202205 09_12_04_SS Primary_EUF	SX_IB_202205 09_16_00_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0022567	M22- My0022568	M22- My0022569	M22- My0022570
Date Sampled			May 09, 2022	May 09, 2022	May 09, 2022	May 09, 2022
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
Naphthalene ^{N02}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) ^{N04}	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) ^{N01}	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
Volatile Organics						
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Volatile Organics						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_IB_202205 09_07_57_SS Primary_EUF	SX_IB_202205 09_08_10_SS Triplicate_EUF	SX_IB_202205 09_12_04_SS Primary_EUF	SX_IB_202205 09_16_00_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0022567	M22- My0022568	M22- My0022569	M22- My0022570
Date Sampled			May 09, 2022	May 09, 2022	May 09, 2022	May 09, 2022
Test/Reference	LOR	Unit				
Volatile Organics						
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1,2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1,3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1,2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1,3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	66	74	114	71
Toluene-d8 (surr.)	1	%	62	66	104	67
Polycyclic Aromatic Hydrocarbons						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_IB_202205 09_07_57_SS_ Primary_EUF	SX_IB_202205 09_08_10_SS_ TriPLICATE_EUF	SX_IB_202205 09_12_04_SS_ Primary_EUF	SX_IB_202205 09_16_00_SS_ Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0022567	M22- My0022568	M22- My0022569	M22- My0022570
Date Sampled			May 09, 2022	May 09, 2022	May 09, 2022	May 09, 2022
Test/Reference	LOR	Unit				
Polycyclic Aromatic Hydrocarbons						
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1,2,3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	124	101	97	128
p-Terphenyl-d14 (surr.)	1	%	142	135	125	138
Organochlorine Pesticides						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchloroendate (surr.)	1	%	58	64	76	82
Tetrachloro-m-xylene (surr.)	1	%	114	85	80	119

Client Sample ID			SX_IB_202205 09_07_57_SS Primary_EUF	SX_IB_202205 09_08_10_SS Triplicate_EUF	SX_IB_202205 09_12_04_SS Primary_EUF	SX_IB_202205 09_16_00_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0022567	M22- My0022568	M22- My0022569	M22- My0022570
Date Sampled			May 09, 2022	May 09, 2022	May 09, 2022	May 09, 2022
Test/Reference	LOR	Unit				
Polychlorinated Biphenyls						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	58	64	76	82
Tetrachloro-m-xylene (surr.)	1	%	114	85	80	119
Phenols (Halogenated)						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1
Phenols (non-Halogenated)						
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	115	100	109	121
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20
Other Parameters						
Chromium (hexavalent)	1	mg/kg	1.1	< 1	< 1	< 1
Cyanide (total)	5	mg/kg	< 5	< 5	< 5	< 5
Fluoride (Total)	100	mg/kg	230	240	340	220
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	7.3	8.3	8.3	7.1
% Moisture	1	%	24	26	26	26
Heavy Metals						
Arsenic	2	mg/kg	57	36	51	31
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	130	110	240	140
Copper	5	mg/kg	64	71	120	68
Lead	5	mg/kg	6.4	< 5	6.0	< 5
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202205 09_07_57_SS_ Primary_EUF	SX_IB_202205 09_08_10_SS_ Triplicate_EUF	SX_IB_202205 09_12_04_SS_ Primary_EUF	SX_IB_202205 09_16_00_SS_ Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0022567	M22- My0022568	M22- My0022569	M22- My0022570
Date Sampled			May 09, 2022	May 09, 2022	May 09, 2022	May 09, 2022
Test/Reference	LOR	Unit				
Heavy Metals						
Molybdenum	5	mg/kg	< 5	< 5	6.2	< 5
Nickel	5	mg/kg	180	210	420	230
Selenium	2	mg/kg	< 2	< 2	2.3	< 2
Silver	2	mg/kg	< 2	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10	< 10
Zinc	5	mg/kg	110	130	220	120
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTeDA) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	77	75	74	77
13C5-PFPeA (surr.)	1	%	75	68	65	81
13C5-PFHxA (surr.)	1	%	66	68	65	69
13C4-PFHpA (surr.)	1	%	64	62	62	65
13C8-PFOA (surr.)	1	%	57	61	63	60
13C5-PFNA (surr.)	1	%	59	64	56	60
13C6-PFDA (surr.)	1	%	63	73	46	52
13C2-PFUnDA (surr.)	1	%	102	86	63	87
13C2-PFDoDA (surr.)	1	%	78	74	71	84
13C2-PFTeDA (surr.)	1	%	104	75	74	101
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	87	86	85	93
D3-N-MeFOSA (surr.)	1	%	93	116	109	116
D5-N-EtFOSA (surr.)	1	%	109	108	113	112
D7-N-MeFOSE (surr.)	1	%	63	55	78	69
D9-N-EtFOSE (surr.)	1	%	82	85	85	81
D5-N-EtFOSAA (surr.)	1	%	92	64	62	89
D3-N-MeFOSAA (surr.)	1	%	87	91	53	107

Client Sample ID			SX_IB_202205 09_07_57_SS Primary_EUF	SX_IB_202205 09_08_10_SS TriPLICATE_EUF	SX_IB_202205 09_12_04_SS Primary_EUF	SX_IB_202205 09_16_00_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0022567	M22- My0022568	M22- My0022569	M22- My0022570
Date Sampled			May 09, 2022	May 09, 2022	May 09, 2022	May 09, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl sulfonic acids (PFASs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	85	64	71	85
18O2-PFHxS (surr.)	1	%	72	29	70	89
13C8-PFOS (surr.)	1	%	85	80	59	74
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	92	65	67	72
13C2-6:2 FTSA (surr.)	1	%	83	53	63	78
13C2-8:2 FTSA (surr.)	1	%	111	77	88	95
13C2-10:2 FTSA (surr.)	1	%	83	100	92	115
PFASs Summations						
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50	< 50

Client Sample ID			SX_OB_20220 509_16_02_SS Primary_EUF	SX_OB_20220 509_16_02_SS Duplicate_EU F	SX_OB_20220 509_19_57_SS Primary_EUF	SX_IB_202205 09_20_05_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0022571	M22- My0022572	M22- My0022573	M22- My0022574
Date Sampled			May 09, 2022	May 09, 2022	May 09, 2022	May 09, 2022
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
Naphthalene ^{N02}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) ^{N04}	20	mg/kg	< 20	< 20	< 20	< 20

Client Sample ID			SX_OB_20220 509_16_02_SS _Primary_EUF	SX_OB_20220 509_16_02_SS _Duplicate_EU F	SX_OB_20220 509_19_57_SS _Primary_EUF	SX_IB_202205 09_20_05_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0022571	M22- My0022572	M22- My0022573	M22- My0022574
Date Sampled			May 09, 2022	May 09, 2022	May 09, 2022	May 09, 2022
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons						
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) ^{N01}	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
Volatile Organics						
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Volatile Organics						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_OB_20220 509_16_02_SS _Primary_EUF	SX_OB_20220 509_16_02_SS Duplicate_EU F	SX_OB_20220 509_19_57_SS _Primary_EUF	SX_IB_202205 09_20_05_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0022571	M22- My0022572	M22- My0022573	M22- My0022574
Date Sampled			May 09, 2022	May 09, 2022	May 09, 2022	May 09, 2022
Test/Reference	LOR	Unit				
Volatile Organics						
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	71	62	68	66
Toluene-d8 (surr.)	1	%	68	57	64	63
Polycyclic Aromatic Hydrocarbons						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	113	64	134	103
p-Terphenyl-d14 (surr.)	1	%	127	78	145	121

Client Sample ID			SX_OB_20220 509_16_02_SS _Primary_EUF	SX_OB_20220 509_16_02_SS Duplicate_EU F	SX_OB_20220 509_19_57_SS _Primary_EUF	SX_IB_202205 09_20_05_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0022571	M22- My0022572	M22- My0022573	M22- My0022574
Date Sampled			May 09, 2022	May 09, 2022	May 09, 2022	May 09, 2022
Test/Reference	LOR	Unit				
Organochlorine Pesticides						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	99	53	74	61
Tetrachloro-m-xylene (surr.)	1	%	117	70	128	94
Polychlorinated Biphenyls						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	99	53	74	61
Tetrachloro-m-xylene (surr.)	1	%	117	70	128	94
Phenols (Halogenated)						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1

Client Sample ID			SX_OB_20220 509_16_02_SS _Primary_EUF	SX_OB_20220 509_16_02_SS Duplicate_EU F	SX_OB_20220 509_19_57_SS _Primary_EUF	SX_IB_202205 09_20_05_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0022571	M22- My0022572	M22- My0022573	M22- My0022574
Date Sampled			May 09, 2022	May 09, 2022	May 09, 2022	May 09, 2022
Test/Reference	LOR	Unit				
Phenols (non-Halogenated)						
2-Cyclohexyl-4.6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4.6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2.4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2.4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	111	63	118	91
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20
Chromium (hexavalent)						
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1	< 1
Cyanide (total)						
Cyanide (total)	5	mg/kg	< 5	< 5	< 5	< 5
Fluoride (Total)						
Fluoride (Total)	100	mg/kg	310	230	300	340
pH (1:5 Aqueous extract at 25°C as rec.)						
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	6.9	6.8	6.7	6.8
% Moisture						
% Moisture	1	%	34	25	28	26
Heavy Metals						
Arsenic	2	mg/kg	35	23	27	35
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	200	150	140	130
Copper	5	mg/kg	88	73	76	70
Lead	5	mg/kg	< 5	< 5	5.1	< 5
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Molybdenum	5	mg/kg	< 5	< 5	< 5	< 5
Nickel	5	mg/kg	340	210	240	230
Selenium	2	mg/kg	< 2	< 2	< 2	< 2
Silver	2	mg/kg	< 2	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10	< 10
Zinc	5	mg/kg	210	140	170	130
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTrDA) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	98	79	82	79
13C5-PFPeA (surr.)	1	%	87	83	80	83
13C5-PFHxA (surr.)	1	%	93	74	82	66

Client Sample ID			SX_OB_20220 509_16_02_SS _Primary_EUF	SX_OB_20220 509_16_02_SS Duplicate_EU F	SX_OB_20220 509_19_57_SS _Primary_EUF	SX_IB_202205 09_20_05_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0022571	M22- My0022572	M22- My0022573	M22- My0022574
Date Sampled			May 09, 2022	May 09, 2022	May 09, 2022	May 09, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl carboxylic acids (PFCAs)						
13C4-PFHpA (surr.)	1	%	92	72	75	68
13C8-PFOA (surr.)	1	%	118	70	75	64
13C5-PFNA (surr.)	1	%	73	50	79	62
13C6-PFDA (surr.)	1	%	68	71	83	71
13C2-PFUnDA (surr.)	1	%	108	57	103	91
13C2-PFDoDA (surr.)	1	%	80	83	94	96
13C2-PFTeDA (surr.)	1	%	99	71	110	90
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	101	90	100	95
D3-N-MeFOSA (surr.)	1	%	92	53	132	118
D5-N-EtFOSA (surr.)	1	%	85	111	129	124
D7-N-MeFOSE (surr.)	1	%	87	70	95	76
D9-N-EtFOSE (surr.)	1	%	97	79	89	90
D5-N-EtFOSAA (surr.)	1	%	53	80	155	52
D3-N-MeFOSAA (surr.)	1	%	18	77	79	122
Perfluoroalkyl sulfonic acids (PFSA)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	87	65	88	80
18O2-PFHxS (surr.)	1	%	119	60	71	103
13C8-PFOS (surr.)	1	%	78	58	138	83
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	83	56	62	78
13C2-6:2 FTSA (surr.)	1	%	84	59	63	68

Client Sample ID			SX_OB_20220 509_16_02_SS _Primary_EUF	SX_OB_20220 509_16_02_SS _Duplicate_EU F	SX_OB_20220 509_19_57_SS _Primary_EUF	SX_IB_202205 09_20_05_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0022571	M22- My0022572	M22- My0022573	M22- My0022574
Date Sampled			May 09, 2022	May 09, 2022	May 09, 2022	May 09, 2022
Test/Reference	LOR	Unit				
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
13C2-8:2 FTSA (surr.)	1	%	108	109	119	102
13C2-10:2 FTSA (surr.)	1	%	108	103	45	145
PFASs Summations						
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50	< 50

Client Sample ID			SX_IB_202205 09_20_07_SS _Duplicate_EUF	SX_IB_202205 10_00_09_SS _Primary_EUF	SX_OB_20220 510_03_58_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- My0022575	M22- My0022576	M22- My0022577
Date Sampled			May 09, 2022	May 10, 2022	May 10, 2022
Test/Reference	LOR	Unit			
Total Recoverable Hydrocarbons					
TRH C6-C9	20	mg/kg	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50
Naphthalene ^{N02}	0.5	mg/kg	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) ^{N04}	20	mg/kg	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) ^{N01}	50	mg/kg	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100
Volatile Organics					
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Volatile Organics					
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_IB_202205 09_20_07_SS Duplicate_EUF	SX_IB_202205 10_00_09_SS Primary_EUF	SX_OB_20220 510_03_58_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- My0022575	M22- My0022576	M22- My0022577
Date Sampled			May 09, 2022	May 10, 2022	May 10, 2022
Test/Reference	LOR	Unit			
Volatile Organics					
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	68	69	150
Toluene-d8 (surr.)	1	%	Q09;int	125	97

Client Sample ID			SX_IB_202205 09_20_07_SS Duplicate_EUF	SX_IB_202205 10_00_09_SS Primary_EUF	SX_OB_20220 510_03_58_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- My0022575	M22- My0022576	M22- My0022577
Date Sampled			May 09, 2022	May 10, 2022	May 10, 2022
Test/Reference	LOR	Unit			
Polycyclic Aromatic Hydrocarbons					
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Indeno(1,2,3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	106	91	100
p-Terphenyl-d14 (surr.)	1	%	128	122	133
Organochlorine Pesticides					
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202205 09_20_07_SS Duplicate_EUF	SX_IB_202205 10_00_09_SS Primary_EUF	SX_OB_20220 510_03_58_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- My0022575	M22- My0022576	M22- My0022577
Date Sampled			May 09, 2022	May 10, 2022	May 10, 2022
Test/Reference	LOR	Unit			
Organochlorine Pesticides					
Dibutylchlorendate (surr.)	1	%	85	72	80
Tetrachloro-m-xylene (surr.)	1	%	101	96	109
Polychlorinated Biphenyls					
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	85	72	80
Tetrachloro-m-xylene (surr.)	1	%	101	96	109
Phenols (Halogenated)					
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1
Phenols (non-Halogenated)					
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20	< 20	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	92	99	104
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20
Chromium (hexavalent)					
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1
Cyanide (total)	5	mg/kg	< 5	< 5	< 5
Fluoride (Total)	100	mg/kg	370	630	440
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	8.6	8.6	8.1
% Moisture	1	%	25	27	30

Client Sample ID			SX_IB_202205 09_20_07_SS Duplicate_EUF	SX_IB_202205 10_00_09_SS Primary_EUF	SX_OB_20220 510_03_58_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- My0022575	M22- My0022576	M22- My0022577
Date Sampled			May 09, 2022	May 10, 2022	May 10, 2022
Test/Reference	LOR	Unit			
Heavy Metals					
Arsenic	2	mg/kg	40	30	270
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	150	120	300
Copper	5	mg/kg	90	77	140
Lead	5	mg/kg	5.2	< 5	33
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Molybdenum	5	mg/kg	< 5	< 5	< 5
Nickel	5	mg/kg	270	260	290
Selenium	2	mg/kg	< 2	< 2	2.4
Silver	2	mg/kg	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10
Zinc	5	mg/kg	160	140	190
Perfluoroalkyl carboxylic acids (PFCAs)					
Perfluorobutanoic acid (PFBA) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTrDA) ^{N15}	5	ug/kg	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	5	ug/kg	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	76	77	95
13C5-PFPeA (surr.)	1	%	69	72	83
13C5-PFHxA (surr.)	1	%	64	67	95
13C4-PFHpA (surr.)	1	%	67	70	91
13C8-PFOA (surr.)	1	%	63	52	108
13C5-PFNA (surr.)	1	%	36	50	73
13C6-PFDA (surr.)	1	%	90	58	92
13C2-PFUnDA (surr.)	1	%	79	81	108
13C2-PFDoDA (surr.)	1	%	85	82	86
13C2-PFTeDA (surr.)	1	%	79	85	103
Perfluoroalkyl sulfonamido substances					
Perfluorooctane sulfonamide (FOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	99	85	108
D3-N-MeFOSA (surr.)	1	%	94	107	81

Client Sample ID			SX_IB_202205 09_20_07_SS Duplicate_EUF	SX_IB_202205 10_00_09_SS Primary_EUF	SX_OB_20220 510_03_58_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- My0022575	M22- My0022576	M22- My0022577
Date Sampled			May 09, 2022	May 10, 2022	May 10, 2022
Test/Reference	LOR	Unit			
Perfluoroalkyl sulfonamido substances					
D5-N-EtFOSA (surr.)	1	%	115	121	87
D7-N-MeFOSE (surr.)	1	%	59	61	60
D9-N-EtFOSE (surr.)	1	%	94	84	85
D5-N-EtFOSAA (surr.)	1	%	129	110	148
D3-N-MeFOSAA (surr.)	1	%	119	100	148
Perfluoroalkyl sulfonic acids (PFASs)					
Perfluorobutanesulfonic acid (PFBS) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) ^{N15}	5	ug/kg	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	5	ug/kg	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	5	ug/kg	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	5	ug/kg	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) ^{N15}	5	ug/kg	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	66	67	82
18O2-PFHxS (surr.)	1	%	70	71	93
13C8-PFOS (surr.)	1	%	65	66	89
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)					
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	10	ug/kg	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	69	69	79
13C2-6:2 FTSA (surr.)	1	%	78	50	95
13C2-8:2 FTSA (surr.)	1	%	88	81	116
13C2-10:2 FTSA (surr.)	1	%	124	129	118
PFASs Summations					
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50

Sample History

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
IWRG 621 WGTP Suite			
Total Recoverable Hydrocarbons - 1999 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40	Melbourne	May 11, 2022	14 Days
Total Recoverable Hydrocarbons - 2013 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40	Melbourne	May 11, 2022	14 Days
Total Recoverable Hydrocarbons - 2013 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40	Melbourne	May 11, 2022	14 Days
Volatile Organics - Method: USEPA 8260 - MGT 350A Volatile Organics by GCMS	Melbourne	May 11, 2022	7 Days
Volatile Organics - Method: LTM-ORG-2150 VOCs in Soils Liquid and other Aqueous Matrices (USEPA 8260)	Melbourne	May 11, 2022	7 Days
Polycyclic Aromatic Hydrocarbons - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Melbourne	May 11, 2022	14 Days
Organochlorine Pesticides - Method: LTM-ORG-2220 OCP & PCB in Soil and Water (USEPA 8270)	Melbourne	May 11, 2022	14 Days
Polychlorinated Biphenyls - Method: LTM-ORG-2220 OCP & PCB in Soil and Water (USEPA 8082)	Melbourne	May 11, 2022	28 Days
Phenols (Halogenated) - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Melbourne	May 11, 2022	14 Days
Phenols (non-Halogenated) - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Melbourne	May 11, 2022	14 Days
Chromium (hexavalent) - Method: LTM-INO-4100 Hexavalent Chromium by Spectrometric detection	Melbourne	May 11, 2022	28 Days
Cyanide (total) - Method: LTM-INO-4020 Total Free WAD Cyanide by CFA	Melbourne	May 11, 2022	14 Days
Fluoride (Total) - Method: LTM-INO-4150 Determination of Total Fluoride PART B – ISE	Melbourne	May 11, 2022	28 Days
pH (1:5 Aqueous extract at 25°C as rec.) - Method: LTM-GEN-7090 pH in soil by ISE	Melbourne	May 11, 2022	7 Days
Metals IWRG 621 : Metals M12 - Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS	Melbourne	May 11, 2022	28 Days
% Moisture - Method: LTM-GEN-7080 Moisture	Melbourne	May 10, 2022	14 Days
Per- and Polyfluoroalkyl Substances (PFASs)			
Perfluoroalkyl carboxylic acids (PFCAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 11, 2022	28 Days
Perfluoroalkyl sulfonamido substances - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 11, 2022	28 Days
Perfluoroalkyl sulfonic acids (PFASs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 11, 2022	28 Days
n:2 Fluorotelomer sulfonic acids (n:2 FTSAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 11, 2022	28 Days
PFASs Summations - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 10, 2022	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 10, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886969	Due:	May 17, 2022
Project Name:	20220510044757-Eurofin-12	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	- ALL SPOIL REPORTS WGTP

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	SX_IB_20220509_07_57_SS_Primary_EUF	May 09, 2022		Soil	M22-My0022567		X	X	X
2	SX_IB_20220509_08_10_SS_Triplicate_EUF	May 09, 2022		Soil	M22-My0022568		X	X	X
3	SX_IB_20220509_12_04_SS_Primary_EUF	May 09, 2022		Soil	M22-My0022569		X	X	X
4	SX_IB_20220509_16_00_SS	May 09, 2022		Soil	M22-My0022570		X	X	X

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220510044757-Eurofin-12
Project ID: JC0927

Order No.:
Report #: 886969
Phone: 08 8338 1009
Fax:

Received: May 10, 2022 2:10 PM
Due: May 17, 2022
Priority: 5 Day
Contact Name: - ALL SPOIL REPORTS WGTP

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	_Primary_EUF								
5	SX_OB_20220509_16_02_S_S_Primary_EUF	May 09, 2022		Soil	M22-My0022571		X	X	X
6	SX_OB_20220509_16_02_S_S_Duplicate_EUF	May 09, 2022		Soil	M22-My0022572		X	X	X
7	SX_OB_20220509_19_57_S_S_Primary_EUF	May 09, 2022		Soil	M22-My0022573		X	X	X
8	SX_IB_202205	May 09, 2022		Soil	M22-		X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 10, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886969	Due:	May 17, 2022
Project Name:	20220510044757-Eurofin-12	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	- ALL SPOIL REPORTS WGTP

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
8	SX_IB_20220509_20_05_SS_Primary_EUF	May 09, 2022		Soil	M22-My0022574				
9	SX_IB_20220509_20_07_SS_Duplicate_EUF	May 09, 2022		Soil	M22-My0022575		X	X	X
10	SX_IB_20220510_00_09_SS_Primary_EUF	May 10, 2022		Soil	M22-My0022576		X	X	X
11	SX_OB_20220510_03_58_S_S_Primary_EUF	May 10, 2022		Soil	M22-My0022577		X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 10, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886969	Due:	May 17, 2022
Project Name:	20220510044757-Eurofin-12	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	- ALL SPOIL REPORTS WGTP

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
12	SX_IB_20220509_07_57_SS_Primary_EUF	May 09, 2022		AUS Leachate - pH 5.0	M22-My0022578	X		X	
13	SX_IB_20220509_08_10_SS_Triplicate_EUF	May 09, 2022		AUS Leachate - pH 5.0	M22-My0022579	X		X	
14	SX_IB_20220509_12_04_SS_Primary_EUF	May 09, 2022		AUS Leachate - pH 5.0	M22-My0022580	X		X	
15	SX_IB_20220509_16_00_SS_Primary_EUF	May 09, 2022		AUS Leachate - pH 5.0	M22-My0022581	X		X	
16	SX_OB_20220	May 09, 2022		AUS Leachate	M22-	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 10, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886969	Due:	May 17, 2022
Project Name:	20220510044757-Eurofin-12	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	- ALL SPOIL REPORTS WGTP

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
16	SX_OB_20220509_16_02_SS_Primary_EU	May 09, 2022		AUS Leachate - pH 5.0	M22-My0022582				
17	SX_OB_20220509_16_02_SS_Duplicate_EU	May 09, 2022		AUS Leachate - pH 5.0	M22-My0022583	X		X	
18	SX_OB_20220509_19_57_SS_Primary_EU	May 09, 2022		AUS Leachate - pH 5.0	M22-My0022584	X		X	
19	SX_IB_20220509_20_05_SS	May 09, 2022		AUS Leachate - pH 5.0	M22-My0022585	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 10, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886969	Due:	May 17, 2022
Project Name:	20220510044757-Eurofin-12	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	- ALL SPOIL REPORTS WGTP

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	_Primary_EUF								
20	SX_IB_20220509_20_07_SS_Duplicate_EUF	May 09, 2022		AUS Leachate - pH 5.0	M22-My0022586	X		X	
21	SX_IB_20220510_00_09_SS_Primary_EUF	May 10, 2022		AUS Leachate - pH 5.0	M22-My0022587	X		X	
22	SX_OB_20220510_03_58_S_S_Primary_EUF	May 10, 2022		AUS Leachate - pH 5.0	M22-My0022588	X		X	
23	SX_IB_20220509_07_57_SS	May 09, 2022		AUS Leachate - Reagent	M22-My0022589	X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220510044757-Eurofin-12
Project ID: JC0927

Order No.:
Report #: 886969
Phone: 08 8338 1009
Fax:

Received: May 10, 2022 2:10 PM
Due: May 17, 2022
Priority: 5 Day
Contact Name: - ALL SPOIL REPORTS WGTP

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	09_07_57_SS _Primary_EUF			- Reagent Water	My0022589				
24	SX_IB_202205 09_08_10_SS _Triplicate_EU F	May 09, 2022		AUS Leachate - Reagent Water	M22- My0022590	X		X	
25	SX_IB_202205 09_12_04_SS _Primary_EUF	May 09, 2022		AUS Leachate - Reagent Water	M22- My0022591	X		X	
26	SX_IB_202205 09_16_00_SS _Primary_EUF	May 09, 2022		AUS Leachate - Reagent Water	M22- My0022592	X		X	
27	SX_OB_20220 509_16_02_S	May 09, 2022		AUS Leachate - Reagent	M22- My0022593	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 10, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886969	Due:	May 17, 2022
Project Name:	20220510044757-Eurofin-12	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	- ALL SPOIL REPORTS WGTP

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	S_Primary_EU F			Water					
28	SX_OB_20220 509_16_02_S S_Duplicate_E UF	May 09, 2022		AUS Leachate - Reagent Water	M22- My0022594	X		X	
29	SX_OB_20220 509_19_57_S S_Primary_EU F	May 09, 2022		AUS Leachate - Reagent Water	M22- My0022595	X		X	
30	SX_IB_202205 09_20_05_SS _Primary_EUF	May 09, 2022		AUS Leachate - Reagent Water	M22- My0022596	X		X	
31	SX_IB_202205	May 09, 2022		AUS Leachate	M22-	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 10, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	886969	Due:	May 17, 2022
Project Name:	20220510044757-Eurofin-12	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	- ALL SPOIL REPORTS WGTP

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
31	SX_IB_20220509_20_07_SS_Duplicate_EU_F	May 09, 2022		AUS Leachate - Reagent Water	M22-My0022597				
32	SX_IB_20220510_00_09_SS_Primary_EUF	May 10, 2022		AUS Leachate - Reagent Water	M22-My0022598	X		X	
33	SX_OB_20220510_03_58_S_S_Primary_EU_F	May 10, 2022		AUS Leachate - Reagent Water	M22-My0022599	X		X	
Test Counts						22	11	33	11

Internal Quality Control Review and Glossary

General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer that may have an impact on the results.
- This report replaces any interim results previously issued.

Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

Units

mg/kg: milligrams per kilogram	mg/L: milligrams per litre	µg/L: micrograms per litre
ppm: parts per million	ppb: parts per billion	%: Percentage
org/100 mL: Organisms per 100 millilitres	NTU: Nephelometric Turbidity Units	MPN/100 mL: Most Probable Number of organisms per 100 millilitres

Terms

APHA	American Public Health Association
COC	Chain of Custody
CP	Client Parent - QC was performed on samples pertaining to this report
CRM	Certified Reference Material (ISO17034) - reported as percent recovery.
Dry	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
Duplicate	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
LOR	Limit of Reporting.
LCS	Laboratory Control Sample - reported as percent recovery.
Method Blank	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
NCP	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
RPD	Relative Percent Difference between two Duplicate pieces of analysis.
SPIKE	Addition of the analyte to the sample and reported as percentage recovery.
SRA	Sample Receipt Advice
Surr - Surrogate	The addition of a like compound to the analyte target and reported as percentage recovery.
TBTO	Tributyltin oxide (<i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment however free tributyltin was measured and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits.
TCLP	Toxicity Characteristic Leaching Procedure
TEQ	Toxic Equivalency Quotient or Total Equivalence
QSM	US Department of Defense Quality Systems Manual Version 5.4
US EPA	United States Environmental Protection Agency
WA DWER	Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

QC - Acceptance Criteria

The acceptance criteria should be used as a guide only and may be different when site specific Sampling Analysis and Quality Plan (SAQP) have been implemented

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR: No Limit

Results between 10-20 times the LOR: RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

NOTE: pH duplicates are reported as a range not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.4 where no positive PFAS results have been reported have been reviewed and no data was affected.

QC Data General Comments

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery the term "INT" appears against that analyte.
- For Matrix Spikes and LCS results a dash "-" in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

Quality Control Results

Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Method Blank						
Total Recoverable Hydrocarbons						
TRH C6-C9	mg/kg	< 20		20	Pass	
TRH C10-C14	mg/kg	< 20		20	Pass	
TRH C15-C28	mg/kg	< 50		50	Pass	
TRH C29-C36	mg/kg	< 50		50	Pass	
Naphthalene	mg/kg	< 0.5		0.5	Pass	
TRH C6-C10	mg/kg	< 20		20	Pass	
TRH >C10-C16	mg/kg	< 50		50	Pass	
TRH >C16-C34	mg/kg	< 100		100	Pass	
TRH >C34-C40	mg/kg	< 100		100	Pass	
Method Blank						
Volatile Organics						
Hexachlorobutadiene	mg/kg	< 0.5		0.5	Pass	
Method Blank						
Volatile Organics						
1.1-Dichloroethane	mg/kg	< 0.5		0.5	Pass	
1.2.4-Trichlorobenzene	mg/kg	< 0.5		0.5	Pass	
1.1-Dichloroethene	mg/kg	< 0.5		0.5	Pass	
1.1.1-Trichloroethane	mg/kg	< 0.5		0.5	Pass	
1.1.1.2-Tetrachloroethane	mg/kg	< 0.5		0.5	Pass	
1.1.2-Trichloroethane	mg/kg	< 0.5		0.5	Pass	
1.1.2.2-Tetrachloroethane	mg/kg	< 0.5		0.5	Pass	
1.2-Dibromoethane	mg/kg	< 0.5		0.5	Pass	
1.2-Dichlorobenzene	mg/kg	< 0.5		0.5	Pass	
1.2-Dichloroethane	mg/kg	< 0.5		0.5	Pass	
1.2-Dichloropropane	mg/kg	< 0.5		0.5	Pass	
1.2.3-Trichloropropane	mg/kg	< 0.5		0.5	Pass	
1.2.4-Trimethylbenzene	mg/kg	< 0.5		0.5	Pass	
1.3-Dichlorobenzene	mg/kg	< 0.5		0.5	Pass	
1.3-Dichloropropane	mg/kg	< 0.5		0.5	Pass	
1.3.5-Trimethylbenzene	mg/kg	< 0.5		0.5	Pass	
1.4-Dichlorobenzene	mg/kg	< 0.5		0.5	Pass	
2-Butanone (MEK)	mg/kg	< 0.5		0.5	Pass	
2-Propanone (Acetone)	mg/kg	< 0.5		0.5	Pass	
4-Chlorotoluene	mg/kg	< 0.5		0.5	Pass	
4-Methyl-2-pentanone (MIBK)	mg/kg	< 0.5		0.5	Pass	
Allyl chloride	mg/kg	< 0.5		0.5	Pass	
Benzene	mg/kg	< 0.1		0.1	Pass	
Bromobenzene	mg/kg	< 0.5		0.5	Pass	
Bromochloromethane	mg/kg	< 0.5		0.5	Pass	
Bromodichloromethane	mg/kg	< 0.5		0.5	Pass	
Bromoform	mg/kg	< 0.5		0.5	Pass	
Bromomethane	mg/kg	< 0.5		0.5	Pass	
Carbon disulfide	mg/kg	< 0.5		0.5	Pass	
Carbon Tetrachloride	mg/kg	< 0.5		0.5	Pass	
Chlorobenzene	mg/kg	< 0.5		0.5	Pass	
Chloroethane	mg/kg	< 0.5		0.5	Pass	
Chloroform	mg/kg	< 0.5		0.5	Pass	
Chloromethane	mg/kg	< 0.5		0.5	Pass	
cis-1.2-Dichloroethene	mg/kg	< 0.5		0.5	Pass	
cis-1.3-Dichloropropene	mg/kg	< 0.5		0.5	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Dibromochloromethane	mg/kg	< 0.5			0.5	Pass	
Dibromomethane	mg/kg	< 0.5			0.5	Pass	
Dichlorodifluoromethane	mg/kg	< 0.5			0.5	Pass	
Ethylbenzene	mg/kg	< 0.1			0.1	Pass	
Iodomethane	mg/kg	< 0.5			0.5	Pass	
Isopropyl benzene (Cumene)	mg/kg	< 0.5			0.5	Pass	
m&p-Xylenes	mg/kg	< 0.2			0.2	Pass	
Methylene Chloride	mg/kg	< 0.5			0.5	Pass	
o-Xylene	mg/kg	< 0.1			0.1	Pass	
Styrene	mg/kg	< 0.5			0.5	Pass	
Tetrachloroethene	mg/kg	< 0.5			0.5	Pass	
Toluene	mg/kg	< 0.1			0.1	Pass	
trans-1.2-Dichloroethene	mg/kg	< 0.5			0.5	Pass	
trans-1.3-Dichloropropene	mg/kg	< 0.5			0.5	Pass	
Trichloroethene	mg/kg	< 0.5			0.5	Pass	
Trichlorofluoromethane	mg/kg	< 0.5			0.5	Pass	
Vinyl chloride	mg/kg	< 0.5			0.5	Pass	
Xylenes - Total*	mg/kg	< 0.3			0.3	Pass	
Method Blank							
Polycyclic Aromatic Hydrocarbons							
Acenaphthene	mg/kg	< 0.5			0.5	Pass	
Acenaphthylene	mg/kg	< 0.5			0.5	Pass	
Anthracene	mg/kg	< 0.5			0.5	Pass	
Benz(a)anthracene	mg/kg	< 0.5			0.5	Pass	
Benzo(a)pyrene	mg/kg	< 0.5			0.5	Pass	
Benzo(b&j)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Benzo(g,h,i)perylene	mg/kg	< 0.5			0.5	Pass	
Benzo(k)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Chrysene	mg/kg	< 0.5			0.5	Pass	
Dibenz(a,h)anthracene	mg/kg	< 0.5			0.5	Pass	
Fluoranthene	mg/kg	< 0.5			0.5	Pass	
Fluorene	mg/kg	< 0.5			0.5	Pass	
Indeno(1.2.3-cd)pyrene	mg/kg	< 0.5			0.5	Pass	
Naphthalene	mg/kg	< 0.5			0.5	Pass	
Phenanthrene	mg/kg	< 0.5			0.5	Pass	
Pyrene	mg/kg	< 0.5			0.5	Pass	
Method Blank							
Organochlorine Pesticides							
Chlordanes - Total	mg/kg	< 0.1			0.1	Pass	
4.4'-DDD	mg/kg	< 0.05			0.05	Pass	
4.4'-DDE	mg/kg	< 0.05			0.05	Pass	
4.4'-DDT	mg/kg	< 0.05			0.05	Pass	
a-HCH	mg/kg	< 0.05			0.05	Pass	
Aldrin	mg/kg	< 0.05			0.05	Pass	
b-HCH	mg/kg	< 0.05			0.05	Pass	
d-HCH	mg/kg	< 0.05			0.05	Pass	
Dieldrin	mg/kg	< 0.05			0.05	Pass	
Endosulfan I	mg/kg	< 0.05			0.05	Pass	
Endosulfan II	mg/kg	< 0.05			0.05	Pass	
Endosulfan sulphate	mg/kg	< 0.05			0.05	Pass	
Endrin	mg/kg	< 0.05			0.05	Pass	
Endrin aldehyde	mg/kg	< 0.05			0.05	Pass	
Endrin ketone	mg/kg	< 0.05			0.05	Pass	
g-HCH (Lindane)	mg/kg	< 0.05			0.05	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Heptachlor	mg/kg	< 0.05			0.05	Pass	
Heptachlor epoxide	mg/kg	< 0.05			0.05	Pass	
Hexachlorobenzene	mg/kg	< 0.05			0.05	Pass	
Methoxychlor	mg/kg	< 0.05			0.05	Pass	
Toxaphene	mg/kg	< 0.5			0.5	Pass	
Method Blank							
Polychlorinated Biphenyls							
Aroclor-1016	mg/kg	< 0.1			0.1	Pass	
Aroclor-1221	mg/kg	< 0.1			0.1	Pass	
Aroclor-1232	mg/kg	< 0.1			0.1	Pass	
Aroclor-1242	mg/kg	< 0.1			0.1	Pass	
Aroclor-1248	mg/kg	< 0.1			0.1	Pass	
Aroclor-1254	mg/kg	< 0.1			0.1	Pass	
Aroclor-1260	mg/kg	< 0.1			0.1	Pass	
Total PCB*	mg/kg	< 0.1			0.1	Pass	
Method Blank							
Phenols (Halogenated)							
2-Chlorophenol	mg/kg	< 0.5			0.5	Pass	
2,4-Dichlorophenol	mg/kg	< 0.5			0.5	Pass	
2,4,5-Trichlorophenol	mg/kg	< 1			1	Pass	
2,4,6-Trichlorophenol	mg/kg	< 1			1	Pass	
2,6-Dichlorophenol	mg/kg	< 0.5			0.5	Pass	
4-Chloro-3-methylphenol	mg/kg	< 1			1	Pass	
Pentachlorophenol	mg/kg	< 1			1	Pass	
Tetrachlorophenols - Total	mg/kg	< 10			10	Pass	
Method Blank							
Phenols (non-Halogenated)							
2-Cyclohexyl-4,6-dinitrophenol	mg/kg	< 20			20	Pass	
2-Methyl-4,6-dinitrophenol	mg/kg	< 5			5	Pass	
2-Nitrophenol	mg/kg	< 1			1.0	Pass	
2,4-Dimethylphenol	mg/kg	< 0.5			0.5	Pass	
2,4-Dinitrophenol	mg/kg	< 5			5	Pass	
2-Methylphenol (o-Cresol)	mg/kg	< 0.2			0.2	Pass	
3&4-Methylphenol (m&p-Cresol)	mg/kg	< 0.4			0.4	Pass	
4-Nitrophenol	mg/kg	< 5			5	Pass	
Dinoseb	mg/kg	< 20			20	Pass	
Phenol	mg/kg	< 0.5			0.5	Pass	
Method Blank							
Chromium (hexavalent)	mg/kg	< 1			1	Pass	
Cyanide (total)	mg/kg	< 5			5	Pass	
Fluoride (Total)	mg/kg	< 100			100	Pass	
Method Blank							
Heavy Metals							
Arsenic	mg/kg	< 2			2	Pass	
Cadmium	mg/kg	< 0.4			0.4	Pass	
Chromium	mg/kg	< 5			5	Pass	
Copper	mg/kg	< 5			5	Pass	
Lead	mg/kg	< 5			5	Pass	
Mercury	mg/kg	< 0.1			0.1	Pass	
Molybdenum	mg/kg	< 5			5	Pass	
Nickel	mg/kg	< 5			5	Pass	
Selenium	mg/kg	< 2			2	Pass	
Silver	mg/kg	< 2			2	Pass	
Tin	mg/kg	< 10			10	Pass	

Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Zinc	mg/kg	< 5		5	Pass	
Method Blank						
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA)	ug/kg	< 5		5	Pass	
Perfluoropentanoic acid (PFPeA)	ug/kg	< 5		5	Pass	
Perfluorohexanoic acid (PFHxA)	ug/kg	< 5		5	Pass	
Perfluoroheptanoic acid (PFHpA)	ug/kg	< 5		5	Pass	
Perfluorooctanoic acid (PFOA)	ug/kg	< 5		5	Pass	
Perfluorononanoic acid (PFNA)	ug/kg	< 5		5	Pass	
Perfluorodecanoic acid (PFDA)	ug/kg	< 5		5	Pass	
Perfluoroundecanoic acid (PFUnDA)	ug/kg	< 5		5	Pass	
Perfluorododecanoic acid (PFDoDA)	ug/kg	< 5		5	Pass	
Perfluorotridecanoic acid (PFTrDA)	ug/kg	< 5		5	Pass	
Perfluorotetradecanoic acid (PFTeDA)	ug/kg	< 5		5	Pass	
Method Blank						
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA)	ug/kg	< 5		5	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	ug/kg	< 5		5	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	ug/kg	< 5		5	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	ug/kg	< 5		5	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	ug/kg	< 5		5	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	ug/kg	< 10		10	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	ug/kg	< 10		10	Pass	
Method Blank						
Perfluoroalkyl sulfonic acids (PFSAs)						
Perfluorobutanesulfonic acid (PFBS)	ug/kg	< 5		5	Pass	
Perfluorononanesulfonic acid (PFNS)	ug/kg	< 5		5	Pass	
Perfluoropropanesulfonic acid (PFPrS)	ug/kg	< 5		5	Pass	
Perfluoropentanesulfonic acid (PFPeS)	ug/kg	< 5		5	Pass	
Perfluorohexanesulfonic acid (PFHxS)	ug/kg	< 5		5	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	ug/kg	< 5		5	Pass	
Perfluorooctanesulfonic acid (PFOS)	ug/kg	< 5		5	Pass	
Perfluorodecanesulfonic acid (PFDS)	ug/kg	< 5		5	Pass	
Method Blank						
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	ug/kg	< 5		5	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	ug/kg	< 10		10	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	ug/kg	< 5		5	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	ug/kg	< 5		5	Pass	
LCS - % Recovery						
Total Recoverable Hydrocarbons						
TRH C6-C9	%	108		70-130	Pass	
TRH C10-C14	%	84		70-130	Pass	
Naphthalene	%	73		70-130	Pass	
TRH C6-C10	%	105		70-130	Pass	
TRH >C10-C16	%	87		70-130	Pass	
LCS - % Recovery						
Volatile Organics						
1.1-Dichloroethene	%	81		70-130	Pass	
1.1.1-Trichloroethane	%	92		70-130	Pass	
1.2-Dichlorobenzene	%	99		70-130	Pass	
1.2-Dichloroethane	%	96		70-130	Pass	
Benzene	%	91		70-130	Pass	
Ethylbenzene	%	103		70-130	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
m&p-Xylenes	%	101			70-130	Pass	
Toluene	%	89			70-130	Pass	
Trichloroethene	%	98			70-130	Pass	
Xylenes - Total*	%	102			70-130	Pass	
LCS - % Recovery							
Polycyclic Aromatic Hydrocarbons							
Acenaphthene	%	107			70-130	Pass	
Acenaphthylene	%	98			70-130	Pass	
Anthracene	%	104			70-130	Pass	
Benz(a)anthracene	%	94			70-130	Pass	
Benzo(a)pyrene	%	103			70-130	Pass	
Benzo(b&i)fluoranthene	%	82			70-130	Pass	
Benzo(g,h,i)perylene	%	84			70-130	Pass	
Benzo(k)fluoranthene	%	86			70-130	Pass	
Chrysene	%	98			70-130	Pass	
Dibenz(a,h)anthracene	%	79			70-130	Pass	
Fluoranthene	%	75			70-130	Pass	
Fluorene	%	106			70-130	Pass	
Indeno(1,2,3-cd)pyrene	%	77			70-130	Pass	
Naphthalene	%	95			70-130	Pass	
Phenanthrene	%	96			70-130	Pass	
Pyrene	%	84			70-130	Pass	
LCS - % Recovery							
Organochlorine Pesticides							
Chlordanes - Total	%	99			70-130	Pass	
4,4'-DDD	%	120			70-130	Pass	
4,4'-DDE	%	107			70-130	Pass	
4,4'-DDT	%	87			70-130	Pass	
a-HCH	%	125			70-130	Pass	
Aldrin	%	119			70-130	Pass	
b-HCH	%	89			70-130	Pass	
d-HCH	%	129			70-130	Pass	
Dieldrin	%	90			70-130	Pass	
Endosulfan I	%	87			70-130	Pass	
Endosulfan II	%	102			70-130	Pass	
Endosulfan sulphate	%	113			70-130	Pass	
Endrin	%	123			70-130	Pass	
Endrin aldehyde	%	87			70-130	Pass	
Endrin ketone	%	120			70-130	Pass	
g-HCH (Lindane)	%	116			70-130	Pass	
Heptachlor	%	87			70-130	Pass	
Heptachlor epoxide	%	86			70-130	Pass	
Hexachlorobenzene	%	125			70-130	Pass	
Methoxychlor	%	110			70-130	Pass	
LCS - % Recovery							
Polychlorinated Biphenyls							
Aroclor-1260	%	87			70-130	Pass	
LCS - % Recovery							
Phenols (Halogenated)							
2-Chlorophenol	%	98			25-140	Pass	
2,4-Dichlorophenol	%	79			25-140	Pass	
2,4,5-Trichlorophenol	%	59			25-140	Pass	
2,4,6-Trichlorophenol	%	67			25-140	Pass	
2,6-Dichlorophenol	%	61			25-140	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
4-Chloro-3-methylphenol	%	59			25-140	Pass	
Pentachlorophenol	%	39			25-140	Pass	
Tetrachlorophenols - Total	%	49			25-140	Pass	
LCS - % Recovery							
Phenols (non-Halogenated)							
2-Cyclohexyl-4,6-dinitrophenol	%	34			25-140	Pass	
2-Methyl-4,6-dinitrophenol	%	34			25-140	Pass	
2-Nitrophenol	%	68			25-140	Pass	
2,4-Dimethylphenol	%	58			25-140	Pass	
2,4-Dinitrophenol	%	53			25-140	Pass	
2-Methylphenol (o-Cresol)	%	61			25-140	Pass	
3&4-Methylphenol (m&p-Cresol)	%	76			25-140	Pass	
Dinoseb	%	42			25-140	Pass	
Phenol	%	86			25-140	Pass	
LCS - % Recovery							
Chromium (hexavalent)	%	100			70-130	Pass	
Cyanide (total)	%	98			70-130	Pass	
Fluoride (Total)	%	117			70-130	Pass	
LCS - % Recovery							
Heavy Metals							
Arsenic	%	110			80-120	Pass	
Cadmium	%	115			80-120	Pass	
Chromium	%	114			80-120	Pass	
Copper	%	111			80-120	Pass	
Lead	%	117			80-120	Pass	
Mercury	%	114			80-120	Pass	
Molybdenum	%	111			80-120	Pass	
Nickel	%	108			80-120	Pass	
Selenium	%	107			80-120	Pass	
Silver	%	117			80-120	Pass	
Tin	%	109			80-120	Pass	
Zinc	%	109			80-120	Pass	
LCS - % Recovery							
Perfluoroalkyl carboxylic acids (PFCAs)							
Perfluorobutanoic acid (PFBA)	%	80			50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	75			50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	88			50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	78			50-150	Pass	
Perfluorooctanoic acid (PFOA)	%	75			50-150	Pass	
Perfluorononanoic acid (PFNA)	%	96			50-150	Pass	
Perfluorodecanoic acid (PFDA)	%	92			50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	%	107			50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	%	103			50-150	Pass	
Perfluorotridecanoic acid (PFTrDA)	%	98			50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	%	98			50-150	Pass	
LCS - % Recovery							
Perfluoroalkyl sulfonamido substances							
Perfluorooctane sulfonamide (FOSA)	%	78			50-150	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	%	97			50-150	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	%	68			50-150	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	%	146			50-150	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	%	88			50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	%	81			50-150	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	%	105			50-150	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code	
LCS - % Recovery								
Perfluoroalkyl sulfonic acids (PFASs)								
Perfluorobutanesulfonic acid (PFBS)	%	81			50-150	Pass		
Perfluorononanesulfonic acid (PFNS)	%	106			50-150	Pass		
Perfluoropropanesulfonic acid (PFPrS)	%	92			50-150	Pass		
Perfluoropentanesulfonic acid (PFPeS)	%	71			50-150	Pass		
Perfluorohexanesulfonic acid (PFHxS)	%	71			50-150	Pass		
Perfluoroheptanesulfonic acid (PFHpS)	%	54			50-150	Pass		
Perfluorooctanesulfonic acid (PFOS)	%	80			50-150	Pass		
Perfluorodecanesulfonic acid (PFDS)	%	97			50-150	Pass		
LCS - % Recovery								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)								
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	%	94			50-150	Pass		
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	%	94			50-150	Pass		
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	%	111			50-150	Pass		
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	%	88			50-150	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Spike - % Recovery								
Total Recoverable Hydrocarbons				Result 1				
TRH C6-C9	M22-My0012806	NCP	%	81		70-130	Pass	
TRH C10-C14	M22-My0008290	NCP	%	106		70-130	Pass	
Naphthalene	M22-My0012806	NCP	%	72		70-130	Pass	
TRH C6-C10	M22-My0012806	NCP	%	79		70-130	Pass	
TRH >C10-C16	M22-My0008290	NCP	%	109		70-130	Pass	
Spike - % Recovery								
Volatile Organics				Result 1				
1.1-Dichloroethene	M22-My0012806	NCP	%	75		70-130	Pass	
1.1.1-Trichloroethane	M22-My0012806	NCP	%	82		70-130	Pass	
1.2-Dichlorobenzene	M22-My0012806	NCP	%	77		70-130	Pass	
1.2-Dichloroethane	M22-My0012806	NCP	%	79		70-130	Pass	
Benzene	M22-My0012806	NCP	%	71		70-130	Pass	
Ethylbenzene	M22-My0012806	NCP	%	74		70-130	Pass	
m&p-Xylenes	M22-My0012806	NCP	%	73		70-130	Pass	
o-Xylene	M22-My0012806	NCP	%	77		70-130	Pass	
Toluene	M22-My0012806	NCP	%	79		70-130	Pass	
Trichloroethene	M22-My0012806	NCP	%	72		70-130	Pass	
Xylenes - Total*	M22-My0012806	NCP	%	75		70-130	Pass	
Spike - % Recovery								
Polycyclic Aromatic Hydrocarbons				Result 1				
Acenaphthene	M22-My0032714	NCP	%	119		70-130	Pass	
Acenaphthylene	M22-My0032714	NCP	%	118		70-130	Pass	
Anthracene	M22-My0032714	NCP	%	92		70-130	Pass	
Benz(a)anthracene	M22-My0032714	NCP	%	87		70-130	Pass	
Benzo(a)pyrene	M22-My0032714	NCP	%	88		70-130	Pass	
Benzo(b&j)fluoranthene	M22-My0032714	NCP	%	82		70-130	Pass	
Benzo(g,h,i)perylene	M22-My0032714	NCP	%	113		70-130	Pass	
Benzo(k)fluoranthene	M22-My0032714	NCP	%	84		70-130	Pass	
Chrysene	M22-My0032714	NCP	%	112		70-130	Pass	
Dibenz(a,h)anthracene	M22-My0032714	NCP	%	83		70-130	Pass	
Fluoranthene	M22-My0032714	NCP	%	78		70-130	Pass	
Fluorene	M22-My0032714	NCP	%	103		70-130	Pass	
Indeno(1,2,3-cd)pyrene	M22-My0032714	NCP	%	101		70-130	Pass	
Naphthalene	M22-My0032714	NCP	%	113		70-130	Pass	
Phenanthrene	M22-My0032714	NCP	%	78		70-130	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Pyrene	M22-My0032714	NCP	%	73		70-130	Pass	
Spike - % Recovery								
Polychlorinated Biphenyls				Result 1				
Aroclor-1016	M22-My0023799	NCP	%	74		70-130	Pass	
Aroclor-1260	M22-My0023799	NCP	%	86		70-130	Pass	
Spike - % Recovery								
Phenols (Halogenated)				Result 1				
2-Chlorophenol	M22-My0032714	NCP	%	62		30-130	Pass	
2,4-Dichlorophenol	M22-My0032714	NCP	%	71		30-130	Pass	
2,4,5-Trichlorophenol	M22-My0032714	NCP	%	54		30-130	Pass	
2,4,6-Trichlorophenol	M22-My0032714	NCP	%	54		30-130	Pass	
2,6-Dichlorophenol	M22-My0032714	NCP	%	50		30-130	Pass	
4-Chloro-3-methylphenol	M22-My0032714	NCP	%	47		30-130	Pass	
Pentachlorophenol	M22-My0032714	NCP	%	47		30-130	Pass	
Tetrachlorophenols - Total	M22-My0005664	NCP	%	77		30-130	Pass	
Spike - % Recovery								
Phenols (non-Halogenated)				Result 1				
2-Cyclohexyl-4,6-dinitrophenol	M22-My0032714	NCP	%	73		30-130	Pass	
2-Methyl-4,6-dinitrophenol	M22-My0032714	NCP	%	33		30-130	Pass	
2-Nitrophenol	M22-My0032714	NCP	%	60		30-130	Pass	
2,4-Dimethylphenol	M22-My0032714	NCP	%	51		30-130	Pass	
2-Methylphenol (o-Cresol)	M22-My0005664	NCP	%	83		30-130	Pass	
3&4-Methylphenol (m&p-Cresol)	M22-My0032714	NCP	%	60		30-130	Pass	
Dinoseb	M22-My0032714	NCP	%	53		30-130	Pass	
Phenol	M22-My0032714	NCP	%	53		30-130	Pass	
Spike - % Recovery								
				Result 1				
Chromium (hexavalent)	M22-My0011483	NCP	%	102		70-130	Pass	
Cyanide (total)	M22-My0005805	NCP	%	90		70-130	Pass	
Spike - % Recovery								
Perfluoroalkyl carboxylic acids (PFCAs)				Result 1				
Perfluorobutanoic acid (PFBA)	M22-My0013579	NCP	%	101		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	M22-My0013579	NCP	%	101		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	M22-My0013579	NCP	%	105		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	M22-My0013579	NCP	%	97		50-150	Pass	
Perfluorooctanoic acid (PFOA)	M22-My0013579	NCP	%	116		50-150	Pass	
Perfluorononanoic acid (PFNA)	M22-My0013579	NCP	%	118		50-150	Pass	
Perfluorodecanoic acid (PFDA)	M22-My0013579	NCP	%	126		50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	M22-My0013579	NCP	%	116		50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	M22-My0013579	NCP	%	99		50-150	Pass	
Perfluorotridecanoic acid (PFTTrDA)	M22-My0013579	NCP	%	116		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	M22-My0013579	NCP	%	120		50-150	Pass	
Spike - % Recovery								
Perfluoroalkyl sulfonamido substances				Result 1				
Perfluorooctane sulfonamide (FOSA)	M22-My0013579	NCP	%	104		50-150	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0013579	NCP	%	122		50-150	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0013579	NCP	%	83		50-150	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0013579	NCP	%	97		50-150	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0013579	NCP	%	105		50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0013579	NCP	%	87		50-150	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0013579	NCP	%	131		50-150	Pass	
Spike - % Recovery								
Perfluoroalkyl sulfonic acids (PFSA)				Result 1				
Perfluorobutanesulfonic acid (PFBS)	M22-My0013579	NCP	%	103		50-150	Pass	
Perfluorononanesulfonic acid (PFNS)	M22-My0013579	NCP	%	111		50-150	Pass	
Perfluoropropanesulfonic acid (PFPrS)	M22-My0013579	NCP	%	127		50-150	Pass	
Perfluoropentanesulfonic acid (PFPeS)	M22-My0013579	NCP	%	99		50-150	Pass	
Perfluorohexanesulfonic acid (PFHxS)	M22-My0013579	NCP	%	105		50-150	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0013579	NCP	%	61		50-150	Pass	
Perfluorooctanesulfonic acid (PFOS)	M22-My0013579	NCP	%	95		50-150	Pass	
Perfluorodecanesulfonic acid (PFDS)	M22-My0013579	NCP	%	110		50-150	Pass	
Spike - % Recovery								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1				
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0013579	NCP	%	117		50-150	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0013579	NCP	%	97		50-150	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0013579	NCP	%	109		50-150	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0013579	NCP	%	127		50-150	Pass	
Spike - % Recovery								
Phenols (non-Halogenated)				Result 1				
4-Nitrophenol	M22-My0016739	NCP	%	61		30-130	Pass	
Spike - % Recovery								
				Result 1				
Fluoride (Total)	M22-My0022569	CP	%	118		70-130	Pass	
Spike - % Recovery								
Organochlorine Pesticides				Result 1				
Chlordanes - Total	M22-My0022574	CP	%	115		70-130	Pass	
4.4'-DDD	M22-My0022574	CP	%	88		70-130	Pass	
4.4'-DDE	M22-My0022574	CP	%	126		70-130	Pass	
4.4'-DDT	M22-My0022574	CP	%	82		70-130	Pass	
a-HCH	M22-My0022574	CP	%	118		70-130	Pass	
Aldrin	M22-My0022574	CP	%	90		70-130	Pass	
b-HCH	M22-My0022574	CP	%	110		70-130	Pass	
d-HCH	M22-My0022574	CP	%	110		70-130	Pass	
Dieldrin	M22-My0022574	CP	%	122		70-130	Pass	
Endosulfan I	M22-My0022574	CP	%	101		70-130	Pass	
Endosulfan II	M22-My0022574	CP	%	101		70-130	Pass	
Endosulfan sulphate	M22-My0022574	CP	%	108		70-130	Pass	
Endrin	M22-My0022574	CP	%	127		70-130	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Endrin aldehyde	M22-My0022574	CP	%	108			70-130	Pass	
Endrin ketone	M22-My0022574	CP	%	128			70-130	Pass	
g-HCH (Lindane)	M22-My0022574	CP	%	74			70-130	Pass	
Heptachlor	M22-My0022574	CP	%	87			70-130	Pass	
Heptachlor epoxide	M22-My0022574	CP	%	94			70-130	Pass	
Hexachlorobenzene	M22-My0022574	CP	%	93			70-130	Pass	
Methoxychlor	M22-My0022574	CP	%	100			70-130	Pass	
Spike - % Recovery									
Heavy Metals				Result 1					
Arsenic	M22-My0022576	CP	%	108			75-125	Pass	
Cadmium	M22-My0022576	CP	%	109			75-125	Pass	
Chromium	M22-My0022576	CP	%	94			75-125	Pass	
Copper	M22-My0022576	CP	%	113			75-125	Pass	
Lead	M22-My0022576	CP	%	107			75-125	Pass	
Mercury	M22-My0022576	CP	%	110			75-125	Pass	
Molybdenum	M22-My0022576	CP	%	115			75-125	Pass	
Nickel	M22-My0022576	CP	%	70			75-125	Fail	Q08
Selenium	M22-My0022576	CP	%	98			75-125	Pass	
Silver	M22-My0022576	CP	%	112			75-125	Pass	
Tin	M22-My0022576	CP	%	109			75-125	Pass	
Zinc	M22-My0022576	CP	%	95			75-125	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Duplicate									
Total Recoverable Hydrocarbons				Result 1	Result 2	RPD			
TRH C6-C9	M22-My0022567	CP	mg/kg	< 20	< 20	<1	30%	Pass	
TRH C10-C14	M22-My0005813	NCP	mg/kg	< 20	< 20	<1	30%	Pass	
TRH C15-C28	M22-My0005813	NCP	mg/kg	< 50	< 50	<1	30%	Pass	
TRH C29-C36	M22-My0005813	NCP	mg/kg	< 50	< 50	<1	30%	Pass	
Naphthalene	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
TRH C6-C10	M22-My0022567	CP	mg/kg	< 20	< 20	<1	30%	Pass	
TRH >C10-C16	M22-My0005813	NCP	mg/kg	< 50	< 50	<1	30%	Pass	
TRH >C16-C34	M22-My0005813	NCP	mg/kg	< 100	< 100	<1	30%	Pass	
TRH >C34-C40	M22-My0005813	NCP	mg/kg	< 100	< 100	<1	30%	Pass	
Duplicate									
Volatile Organics				Result 1	Result 2	RPD			
Hexachlorobutadiene	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Duplicate									
Volatile Organics				Result 1	Result 2	RPD			
1.1-Dichloroethane	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2.4-Trichlorobenzene	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1-Dichloroethene	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1.1-Trichloroethane	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1.1.2-Tetrachloroethane	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1.2-Trichloroethane	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1.2.2-Tetrachloroethane	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2-Dibromoethane	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2-Dichlorobenzene	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2-Dichloroethane	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2-Dichloropropane	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2.3-Trichloropropane	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2.4-Trimethylbenzene	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.3-Dichlorobenzene	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.3-Dichloropropane	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.3.5-Trimethylbenzene	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	

Duplicate								
Volatile Organics				Result 1	Result 2	RPD		
1,4-Dichlorobenzene	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2-Butanone (MEK)	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2-Propanone (Acetone)	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Chlorotoluene	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Methyl-2-pentanone (MIBK)	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Allyl chloride	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzene	M22-My0022567	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Bromobenzene	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromochloromethane	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromodichloromethane	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromoform	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromomethane	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Carbon disulfide	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Carbon Tetrachloride	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chlorobenzene	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloroethane	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloroform	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloromethane	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
cis-1,2-Dichloroethene	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
cis-1,3-Dichloropropene	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibromochloromethane	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibromomethane	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dichlorodifluoromethane	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Ethylbenzene	M22-My0022567	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Iodomethane	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Isopropyl benzene (Cumene)	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
m&p-Xylenes	M22-My0022567	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Methylene Chloride	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
o-Xylene	M22-My0022567	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Styrene	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Tetrachloroethene	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Toluene	M22-My0022567	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
trans-1,2-Dichloroethene	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
trans-1,3-Dichloropropene	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Trichloroethene	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Trichlorofluoromethane	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Vinyl chloride	M22-My0022567	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Xylenes - Total*	M22-My0022567	CP	mg/kg	< 0.3	< 0.3	<1	30%	Pass
Duplicate								
				Result 1	Result 2	RPD		
Chromium (hexavalent)	M22-My0012165	NCP	mg/kg	< 1	< 1	<1	30%	Pass
Cyanide (total)	M22-My0005806	NCP	mg/kg	< 5	< 5	<1	30%	Pass
Fluoride (Total)	M22-My0022567	CP	mg/kg	230	210	9.0	30%	Pass
pH (1:5 Aqueous extract at 25°C as rec.)	L22-My0011821	NCP	pH Units	5.6	5.5	pass	30%	Pass
Duplicate								
Perfluoroalkyl carboxylic acids (PFCA)				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-My0013588	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-My0013588	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-My0013588	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-My0013588	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-My0013588	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-My0013588	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-My0013588	NCP	ug/kg	< 5	< 5	<1	30%	Pass

Duplicate								
Perfluoroalkyl carboxylic acids (PFCAs)				Result 1	Result 2	RPD		
Perfluoroundecanoic acid (PFUnDA)	M22-My0013588	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-My0013588	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorotridecanoic acid (PFTrDA)	M22-My0013588	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-My0013588	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-My0013588	NCP	ug/kg	< 5	< 5	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0013588	NCP	ug/kg	< 5	< 5	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0013588	NCP	ug/kg	< 5	< 5	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0013588	NCP	ug/kg	< 5	< 5	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0013588	NCP	ug/kg	< 5	< 5	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0013588	NCP	ug/kg	< 10	< 10	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0013588	NCP	ug/kg	< 10	< 10	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-My0013588	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-My0013588	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-My0013588	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-My0013588	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-My0013588	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0013588	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-My0013588	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-My0013588	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0013588	NCP	ug/kg	< 5	< 5	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0013588	NCP	ug/kg	< 10	< 10	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0013588	NCP	ug/kg	< 5	< 5	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0013588	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Duplicate								
				Result 1	Result 2	RPD		
% Moisture	M22-My0022571	CP	%	34	33	5.0	30%	Pass

Duplicate								
Polycyclic Aromatic Hydrocarbons				Result 1	Result 2	RPD		
Acenaphthene	M22-My0022573	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Acenaphthylene	M22-My0022573	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Anthracene	M22-My0022573	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(a)anthracene	M22-My0022573	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(a)pyrene	M22-My0022573	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(b&j)fluoranthene	M22-My0022573	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(g,h,i)perylene	M22-My0022573	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(k)fluoranthene	M22-My0022573	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chrysene	M22-My0022573	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibenz(a,h)anthracene	M22-My0022573	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Fluoranthene	M22-My0022573	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Fluorene	M22-My0022573	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Indeno(1,2,3-cd)pyrene	M22-My0022573	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Naphthalene	M22-My0022573	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Phenanthrene	M22-My0022573	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Pyrene	M22-My0022573	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
Organochlorine Pesticides				Result 1	Result 2	RPD		
Chlordanes - Total	M22-My0022573	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
4,4'-DDD	M22-My0022573	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
4,4'-DDE	M22-My0022573	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
4,4'-DDT	M22-My0022573	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
a-HCH	M22-My0022573	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Aldrin	M22-My0022573	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
b-HCH	M22-My0022573	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
d-HCH	M22-My0022573	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Dieldrin	M22-My0022573	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan I	M22-My0022573	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan II	M22-My0022573	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan sulphate	M22-My0022573	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin	M22-My0022573	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin aldehyde	M22-My0022573	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin ketone	M22-My0022573	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
g-HCH (Lindane)	M22-My0022573	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Heptachlor	M22-My0022573	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Heptachlor epoxide	M22-My0022573	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Hexachlorobenzene	M22-My0022573	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Methoxychlor	M22-My0022573	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Toxaphene	M22-My0022573	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
Polychlorinated Biphenyls				Result 1	Result 2	RPD		
Aroclor-1016	M22-My0022573	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1221	M22-My0022573	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1232	M22-My0022573	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1242	M22-My0022573	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1248	M22-My0022573	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1254	M22-My0022573	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1260	M22-My0022573	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Total PCB*	M22-My0022573	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass

Duplicate								
Phenols (Halogenated)				Result 1	Result 2	RPD		
2-Chlorophenol	M22-My0022573	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2,4-Dichlorophenol	M22-My0022573	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2,4,5-Trichlorophenol	M22-My0022573	CP	mg/kg	< 1	< 1	<1	30%	Pass
2,4,6-Trichlorophenol	M22-My0022573	CP	mg/kg	< 1	< 1	<1	30%	Pass
2,6-Dichlorophenol	M22-My0022573	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Chloro-3-methylphenol	M22-My0022573	CP	mg/kg	< 1	< 1	<1	30%	Pass
Pentachlorophenol	M22-My0022573	CP	mg/kg	< 1	< 1	<1	30%	Pass
Tetrachlorophenols - Total	M22-My0022573	CP	mg/kg	< 10	< 10	<1	30%	Pass
Duplicate								
Phenols (non-Halogenated)				Result 1	Result 2	RPD		
2-Cyclohexyl-4,6-dinitrophenol	M22-My0022573	CP	mg/kg	< 20	< 20	<1	30%	Pass
2-Methyl-4,6-dinitrophenol	M22-My0022573	CP	mg/kg	< 5	< 5	<1	30%	Pass
2-Nitrophenol	M22-My0022573	CP	mg/kg	< 1	< 1	<1	30%	Pass
2,4-Dimethylphenol	M22-My0022573	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2,4-Dinitrophenol	M22-My0022573	CP	mg/kg	< 5	< 5	<1	30%	Pass
2-Methylphenol (o-Cresol)	M22-My0022573	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
3&4-Methylphenol (m&p-Cresol)	M22-My0022573	CP	mg/kg	< 0.4	< 0.4	<1	30%	Pass
4-Nitrophenol	M22-My0022573	CP	mg/kg	< 5	< 5	<1	30%	Pass
Dinoseb	M22-My0022573	CP	mg/kg	< 20	< 20	<1	30%	Pass
Phenol	M22-My0022573	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
Heavy Metals				Result 1	Result 2	RPD		
Arsenic	M22-My0022576	CP	mg/kg	30	30	<1	30%	Pass
Cadmium	M22-My0022576	CP	mg/kg	< 0.4	< 0.4	<1	30%	Pass
Chromium	M22-My0022576	CP	mg/kg	120	120	3.0	30%	Pass
Copper	M22-My0022576	CP	mg/kg	77	78	<1	30%	Pass
Lead	M22-My0022576	CP	mg/kg	< 5	< 5	<1	30%	Pass
Mercury	M22-My0022576	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Molybdenum	M22-My0022576	CP	mg/kg	< 5	< 5	<1	30%	Pass
Nickel	M22-My0022576	CP	mg/kg	260	270	2.0	30%	Pass
Selenium	M22-My0022576	CP	mg/kg	< 2	< 2	<1	30%	Pass
Silver	M22-My0022576	CP	mg/kg	< 2	< 2	<1	30%	Pass
Tin	M22-My0022576	CP	mg/kg	< 10	< 10	<1	30%	Pass
Zinc	M22-My0022576	CP	mg/kg	140	140	2.0	30%	Pass
Duplicate								
Total Recoverable Hydrocarbons				Result 1	Result 2	RPD		
TRH C6-C9	M22-My0022577	CP	mg/kg	< 20	< 20	<1	30%	Pass
Naphthalene	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
TRH C6-C10	M22-My0022577	CP	mg/kg	< 20	< 20	<1	30%	Pass
Duplicate								
Volatile Organics				Result 1	Result 2	RPD		
Hexachlorobutadiene	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
Volatile Organics				Result 1	Result 2	RPD		
1,1-Dichloroethane	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1,2,4-Trichlorobenzene	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1,1-Dichloroethene	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1,1,1-Trichloroethane	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1,1,1,2-Tetrachloroethane	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1,1,2-Trichloroethane	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1,1,2,2-Tetrachloroethane	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1,2-Dibromoethane	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1,2-Dichlorobenzene	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1,2-Dichloroethane	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass

Duplicate								
Volatile Organics				Result 1	Result 2	RPD		
1.2-Dichloropropane	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2.3-Trichloropropane	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2.4-Trimethylbenzene	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.3-Dichlorobenzene	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.3-Dichloropropane	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.3.5-Trimethylbenzene	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.4-Dichlorobenzene	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2-Butanone (MEK)	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2-Propanone (Acetone)	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Chlorotoluene	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Methyl-2-pentanone (MIBK)	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Allyl chloride	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzene	M22-My0022577	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Bromobenzene	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromochloromethane	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromodichloromethane	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromoform	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromomethane	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Carbon disulfide	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Carbon Tetrachloride	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chlorobenzene	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloroethane	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloroform	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloromethane	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
cis-1.2-Dichloroethene	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
cis-1.3-Dichloropropene	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibromochloromethane	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibromomethane	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dichlorodifluoromethane	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Ethylbenzene	M22-My0022577	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Iodomethane	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Isopropyl benzene (Cumene)	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
m&p-Xylenes	M22-My0022577	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Methylene Chloride	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
o-Xylene	M22-My0022577	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Styrene	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Tetrachloroethene	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Toluene	M22-My0022577	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
trans-1.2-Dichloroethene	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
trans-1.3-Dichloropropene	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Trichloroethene	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Trichlorofluoromethane	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Vinyl chloride	M22-My0022577	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Xylenes - Total*	M22-My0022577	CP	mg/kg	< 0.3	< 0.3	<1	30%	Pass

Comments
Sample Integrity

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	No
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

Qualifier Codes/Comments

Code	Description
N01	F2 is determined by arithmetically subtracting the "naphthalene" value from the ">C10-C16" value. The naphthalene value used in this calculation is obtained from volatiles (Purge & Trap analysis).
N02	Where we have reported both volatile (P&T GCMS) and semivolatile (GCMS) naphthalene data, results may not be identical. Provided correct sample handling protocols have been followed, any observed differences in results are likely to be due to procedural differences within each methodology. Results determined by both techniques have passed all QAQC acceptance criteria, and are entirely technically valid.
N04	F1 is determined by arithmetically subtracting the "Total BTEX" value from the "C6-C10" value. The "Total BTEX" value is obtained by summing the concentrations of BTEX analytes. The "C6-C10" value is obtained by quantitating against a standard of mixed aromatic/aliphatic analytes.
N07	Please note:- These two PAH isomers closely co-elute using the most contemporary analytical methods and both the reported concentration (and the TEQ) apply specifically to the total of the two co-eluting PAHs
N11	Isotope dilution is used for calibration of each native compound for which an exact labelled analogue is available (Isotope Dilution Quantitation). The isotopically labelled analogues allow identification and recovery correction of the concentration of the associated native PFAS compounds.
N15	Where the native PFAS compound does not have labelled analogue then the quantification is made using the Extracted Internal Standard Analyte with the closest retention time to the analyte and no recovery correction has been made (Internal Standard Quantitation).
Q08	The matrix spike recovery is outside of the recommended acceptance criteria. An acceptable recovery was obtained for the laboratory control sample indicating a sample matrix interference.
Q09	The Surrogate recovery is outside of the recommended acceptance criteria due to matrix interference. Acceptance criteria were met for all other QC

Authorised by:

Catherine Wilson	Analytical Services Manager
Caitlin Breeze	Senior Analyst-Inorganic
Edward Lee	Senior Analyst-Organic
Harry Bacalis	Senior Analyst-Volatile
Joseph Edouard	Senior Analyst-Organic
Joseph Edouard	Senior Analyst-PFAS
Joseph Edouard	Senior Analyst-Volatile
Mary Makarios	Senior Analyst-Metal
Mary Makarios	Senior Analyst-Sample Properties
Scott Beddoes	Senior Analyst-Inorganic



Glenn Jackson
General Manager

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

CERTIFICATE OF ANALYSIS

Work Order : **EM2208379**
Client : **AGON ENVIRONMENTAL PTY LTD**
Contact : DAVID LAWSON
Address : D1.1 63-85 TURNER STREET
 PORT MELBOURNE 3207

Telephone : ----
Project : JC0927
Order number : ----
C-O-C number : 20220509043641-ALS-21
Sampler : WOH + BC - AGON AV+ HK - EP Risk
Site : 20220509043641-ALS-21
Quote number : EN/150/19 -WGTP -Bulk Sample Quote
No. of samples received : 44
No. of samples analysed : 44

Page : 1 of 64
Laboratory : Environmental Division Melbourne
Contact : Josh Alexander
Address : 4 Westall Rd Springvale VIC Australia 3171

Telephone : +61-3-8549 9600
Date Samples Received : 09-May-2022 10:10
Date Analysis Commenced : 10-May-2022
Issue Date : 16-May-2022 17:07



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Dilani Fernando	Laboratory Coordinator	Melbourne Inorganics, Springvale, VIC
Xing Lin	Senior Organic Chemist	Melbourne Inorganics, Springvale, VIC
Xing Lin	Senior Organic Chemist	Melbourne Organics, Springvale, VIC



General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.
LOR = Limit of reporting
^ = This result is computed from individual analyte detections at or above the level of reporting
ø = ALS is not NATA accredited for these tests.
~ = Indicates an estimated value.

- EP231X: Poor matrix spike recovery for sample EM2208379-002 due to sample matrix interference.
- Benzo(a)pyrene Toxicity Equivalent Quotient (TEQ) per the NEPM (2013) is the sum total of the concentration of the eight carcinogenic PAHs multiplied by their Toxicity Equivalence Factor (TEF) relative to Benzo(a)pyrene. TEF values are provided in brackets as follows: Benz(a)anthracene (0.1), Chrysene (0.01), Benzo(b+j) & Benzo(k)fluoranthene (0.1), Benzo(a)pyrene (1.0), Indeno(1.2.3.cd)pyrene (0.1), Dibenz(a,h)anthracene (1.0), Benzo(g,h,i)perylene (0.01). Less than LOR results for 'TEQ Zero' are treated as zero, for 'TEQ 1/2LOR' are treated as half the reported LOR, and for 'TEQ LOR' are treated as being equal to the reported LOR. Note: TEQ 1/2LOR and TEQ LOR will calculate as 0.6mg/Kg and 1.2mg/Kg respectively for samples with non-detects for all of the eight TEQ PAHs.
- EP231X - Per- and Polyfluoroalkyl Substances (PFAS): Samples received in 20ml or 125ml bottles have been tested in accordance with the QSM5.3 compliant, NATA accredited method. 60mL or 250mL bottles have been tested to the legacy QSM 5.1 aligned, NATA accredited method.
- EP074-UT: Where reported, Total Xylenes is the sum of the reported concentrations of m&p-Xylene and o-Xylene at or above the LOR.
- EP074-WF: Where reported, Sum of trichlorobenzenes is the sum of the reported concentrations of 1,2,3-Trichlorobenzene and 1,2,4-Trichlorobenzene, and 1,3,5-Trichlorobenzene at or above the LOR.
- EP231X: Poor matrix spike recovery for sample EM2208379-032 due to sample matrix interference.
- EG048G: EM2208379 #11, 16 and 19: Positive Hexavalent chromium result has been confirmed by re-digestion and re-analysis.
- EP075-EM: EM2208379_020 Poor surrogate recovery due to matrix effects.
- EP231: Stable isotope enriched internal standards are added to samples prior to extraction. Target compounds have a direct analogous internal standard with the exception of PFPeS, PFHpA, PFDS, PFTrDA and 10:2 FTS. These compounds use an internal standard that is chemically related and has a retention time close to that of the target compound. The DQO for internal standard response is 50-150% of that established at initial calibration. PFOS is quantified using a certified, traceable standard consisting of linear and branched PFOS isomers. These practices are in line with recommendations in the National Environmental Management Plan for PFAS (Australian HEPA) and also conform to QSM 5.3 (US DoD) requirements.
- EN60: Where leachable PFAS analysis is requested, centrifugation rather than pressure filtration is used as the default approach for removal of particulates, in line with AS 4439.3.
- EN60-DI: Where leachable PFAS analysis is requested, centrifugation rather than pressure filtration is used as the default approach for removal of particulates, in line with AS 4439.3.



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220507_08_04_SS_Primary_ALS	SX_OB_20220507_08_16_SS_Primary_ALS	SX_OB_20220507_08_17_SS_Duplicate_ALS	SX_OB_20220507_11_53_SS_Primary_ALS	SX_OB_20220507_16_17_SS_Primary_ALS
Sampling date / time				07-May-2022 08:04	07-May-2022 08:16	07-May-2022 08:17	07-May-2022 11:53	07-May-2022 16:17
Compound	CAS Number	LOR	Unit	EM2208379-001	EM2208379-002	EM2208379-003	EM2208379-004	EM2208379-005
				Result	Result	Result	Result	Result
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220507_08_04_SS_Primary_ALS	SX_OB_20220507_08_16_SS_Primary_ALS	SX_OB_20220507_08_17_SS_Duplicate_ALS	SX_OB_20220507_11_53_SS_Primary_ALS	SX_OB_20220507_16_17_SS_Primary_ALS
Sampling date / time				07-May-2022 08:04	07-May-2022 08:16	07-May-2022 08:17	07-May-2022 11:53	07-May-2022 16:17
Compound	CAS Number	LOR	Unit	EM2208379-001	EM2208379-002	EM2208379-003	EM2208379-004	EM2208379-005
				Result	Result	Result	Result	Result
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	95.2	93.8	91.4	93.5	93.5
13C8-PFOA	----	0.02	%	98.2	95.9	95.6	97.9	96.1



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_OB_20220507_16_20_SS_Triplicate_ALS	SX_IB_20220507_20_15_SS_Primary_ALS	SX_OB_20220507_20_23_SS_Triplicate_ALS	SX_OB_20220508_00_06_SS_Primary_ALS	SX_IB_20220508_00_13_SS_Primary_ALS
Sampling date / time				07-May-2022 16:20	07-May-2022 20:15	07-May-2022 20:23	08-May-2022 00:06	08-May-2022 00:13
Compound	CAS Number	LOR	Unit	EM2208379-006	EM2208379-007	EM2208379-008	EM2208379-009	EM2208379-010
				Result	Result	Result	Result	Result
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_OB_20220507_16_20_SS_Triplicate_ALS	SX_IB_20220507_20_15_SS_Primary_ALS	SX_OB_20220507_20_23_SS_Triplicate_ALS	SX_OB_20220508_00_06_SS_Primary_ALS	SX_IB_20220508_00_13_SS_Primary_ALS
Sampling date / time				07-May-2022 16:20	07-May-2022 20:15	07-May-2022 20:23	08-May-2022 00:06	08-May-2022 00:13
Compound	CAS Number	LOR	Unit	EM2208379-006	EM2208379-007	EM2208379-008	EM2208379-009	EM2208379-010
				Result	Result	Result	Result	Result
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	94.2	95.2	90.9	90.5	85.4
13C8-PFOA	----	0.02	%	97.7	95.2	95.8	97.6	96.8



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220508_04_15_SS_Primary_ALS	SX_OB_20220508_07_42_SS_Primary_ALS	SX_OB_20220508_07_45_SS_Duplicate_ALS	SX_IB_20220508_11_55_SS_Primary_ALS	SX_OB_20220508_16_00_SS_Primary_ALS
Sampling date / time				08-May-2022 04:15	08-May-2022 07:42	08-May-2022 07:45	08-May-2022 11:55	08-May-2022 16:00
Compound	CAS Number	LOR	Unit	EM2208379-011	EM2208379-012	EM2208379-013	EM2208379-016	EM2208379-017
				Result	Result	Result	Result	Result
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220508_04_15_SS_Primary_ALS	SX_OB_20220508_07_42_SS_Primary_ALS	SX_OB_20220508_07_45_SS_Duplicate_ALS	SX_IB_20220508_11_55_SS_Primary_ALS	SX_OB_20220508_16_00_SS_Primary_ALS
Sampling date / time				08-May-2022 04:15	08-May-2022 07:42	08-May-2022 07:45	08-May-2022 11:55	08-May-2022 16:00
Compound	CAS Number	LOR	Unit	EM2208379-011	EM2208379-012	EM2208379-013	EM2208379-016	EM2208379-017
				Result	Result	Result	Result	Result
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	93.6	97.0	95.9	91.2	95.2
13C8-PFOA	----	0.02	%	95.0	94.1	97.3	96.3	96.6



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220508_16_16_SS_Triplicate_ALS	SX_IB_20220508_19_39_SS_Primary_ALS	SX_OB_20220508_19_51_SS_Triplicate_ALS	SX_IB_20220509_00_07_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS
Sampling date / time				08-May-2022 16:16	08-May-2022 19:39	08-May-2022 19:51	09-May-2022 00:07	09-May-2022 00:10
Compound	CAS Number	LOR	Unit	EM2208379-018	EM2208379-019	EM2208379-020	EM2208379-021	EM2208379-022
				Result	Result	Result	Result	Result
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220508_16_16_SS_Triplicate_ALS	SX_IB_20220508_19_39_SS_Primary_ALS	SX_OB_20220508_19_51_SS_Triplicate_ALS	SX_IB_20220509_00_07_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS
Sampling date / time				08-May-2022 16:16	08-May-2022 19:39	08-May-2022 19:51	09-May-2022 00:07	09-May-2022 00:10
Compound	CAS Number	LOR	Unit	EM2208379-018	EM2208379-019	EM2208379-020	EM2208379-021	EM2208379-022
				Result	Result	Result	Result	Result
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	89.9	91.2	87.6	94.3	91.8
13C8-PFOA	----	0.02	%	99.0	94.0	98.3	96.8	97.8



Analytical Results

Sub-Matrix: ASLP LEACHATE (Matrix: WATER)		Sample ID		SX_IB_20220509_04_04_SS_Primary_ALS	----	----	----	----
Sampling date / time		09-May-2022 04:04		----	----	----	----	----
Compound	CAS Number	LOR	Unit	EM2208379-023	-----	-----	-----	-----
				Result	----	----	----	----
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	----	----	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	----	----	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	----	----	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	----	----	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	----	----	----	----
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	----	----	----	----
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	----	----	----	----
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	----	----	----	----
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	----	----	----	----



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

SX_IB_20220509_04_
 04_SS_Primary_ALS

				Sampling date / time				
Compound	CAS Number	LOR	Unit					
				09-May-2022 04:04	----	----	----	----
				EM2208379-023	-----	-----	-----	-----
				Result	----	----	----	----
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	----	----	----	----
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	----	----	----	----
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	----	----	----	----
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	----	----	----	----
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	----	----	----	----
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	----	----	----	----
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	82.4	----	----	----	----
13C8-PFOA	----	0.02	%	95.9	----	----	----	----



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220507_08_04_SS_Primary_ALS	SX_OB_20220507_08_16_SS_Primary_ALS	SX_OB_20220507_08_17_SS_Duplicate_ALS	SX_OB_20220507_11_53_SS_Primary_ALS	SX_OB_20220507_16_17_SS_Primary_ALS
Sampling date / time				07-May-2022 08:04	07-May-2022 08:16	07-May-2022 08:17	07-May-2022 11:53	07-May-2022 16:17
Compound	CAS Number	LOR	Unit	EM2208379-024	EM2208379-025	EM2208379-026	EM2208379-027	EM2208379-028
				Result	Result	Result	Result	Result
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220507_08_04_SS_Primary_ALS	SX_OB_20220507_08_16_SS_Primary_ALS	SX_OB_20220507_08_17_SS_Duplicate_ALS	SX_OB_20220507_11_53_SS_Primary_ALS	SX_OB_20220507_16_17_SS_Primary_ALS
Sampling date / time				07-May-2022 08:04	07-May-2022 08:16	07-May-2022 08:17	07-May-2022 11:53	07-May-2022 16:17
Compound	CAS Number	LOR	Unit	EM2208379-024	EM2208379-025	EM2208379-026	EM2208379-027	EM2208379-028
				Result	Result	Result	Result	Result
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	87.8	90.7	88.6	87.5	96.7
13C8-PFOA	----	0.02	%	89.3	96.4	95.3	94.1	100



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_OB_20220507_16 _20_SS_Triplicate_AL S	SX_IB_20220507_20_ 15_SS_Primary_ALS	SX_OB_20220507_20 _23_SS_Triplicate_AL S	SX_OB_20220508_00 _06_SS_Primary_ALS	SX_IB_20220508_00_ 13_SS_Primary_ALS
Sampling date / time				07-May-2022 16:20	07-May-2022 20:15	07-May-2022 20:23	08-May-2022 00:06	08-May-2022 00:13
Compound	CAS Number	LOR	Unit	EM2208379-029	EM2208379-030	EM2208379-031	EM2208379-032	EM2208379-033
				Result	Result	Result	Result	Result
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_OB_20220507_16_20_SS_Triplicate_ALS	SX_IB_20220507_20_15_SS_Primary_ALS	SX_OB_20220507_20_23_SS_Triplicate_ALS	SX_OB_20220508_00_06_SS_Primary_ALS	SX_IB_20220508_00_13_SS_Primary_ALS
Sampling date / time				07-May-2022 16:20	07-May-2022 20:15	07-May-2022 20:23	08-May-2022 00:06	08-May-2022 00:13
Compound	CAS Number	LOR	Unit	EM2208379-029	EM2208379-030	EM2208379-031	EM2208379-032	EM2208379-033
				Result	Result	Result	Result	Result
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	98.1	82.6	87.6	97.0	99.0
13C8-PFOA	----	0.02	%	97.4	94.2	97.7	97.6	92.4



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220508_04_15_SS_Primary_ALS	SX_OB_20220508_07_42_SS_Primary_ALS	SX_OB_20220508_07_45_SS_Duplicate_ALS	SX_IB_20220508_11_55_SS_Primary_ALS	SX_OB_20220508_16_00_SS_Primary_ALS
Sampling date / time				08-May-2022 04:15	08-May-2022 07:42	08-May-2022 07:45	08-May-2022 11:55	08-May-2022 16:00
Compound	CAS Number	LOR	Unit	EM2208379-034	EM2208379-035	EM2208379-036	EM2208379-037	EM2208379-038
				Result	Result	Result	Result	Result
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220508_04_15_SS_Primary_ALS	SX_OB_20220508_07_42_SS_Primary_ALS	SX_OB_20220508_07_45_SS_Duplicate_ALS	SX_IB_20220508_11_55_SS_Primary_ALS	SX_OB_20220508_16_00_SS_Primary_ALS
Sampling date / time				08-May-2022 04:15	08-May-2022 07:42	08-May-2022 07:45	08-May-2022 11:55	08-May-2022 16:00
Compound	CAS Number	LOR	Unit	EM2208379-034	EM2208379-035	EM2208379-036	EM2208379-037	EM2208379-038
				Result	Result	Result	Result	Result
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	97.6	95.2	98.1	94.5	100
13C8-PFOA	----	0.02	%	93.8	95.2	95.9	95.2	96.5



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220508_16_16_SS_Triplicate_ALS	SX_IB_20220508_19_39_SS_Primary_ALS	SX_OB_20220508_19_51_SS_Triplicate_ALS	SX_IB_20220509_00_07_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS
Sampling date / time				08-May-2022 16:16	08-May-2022 19:39	08-May-2022 19:51	09-May-2022 00:07	09-May-2022 00:10
Compound	CAS Number	LOR	Unit	EM2208379-039	EM2208379-040	EM2208379-041	EM2208379-042	EM2208379-043
				Result	Result	Result	Result	Result
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220508_16_16_SS_Triplicate_ALS	SX_IB_20220508_19_39_SS_Primary_ALS	SX_OB_20220508_19_51_SS_Triplicate_ALS	SX_IB_20220509_00_07_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS
Sampling date / time				08-May-2022 16:16	08-May-2022 19:39	08-May-2022 19:51	09-May-2022 00:07	09-May-2022 00:10
Compound	CAS Number	LOR	Unit	EM2208379-039	EM2208379-040	EM2208379-041	EM2208379-042	EM2208379-043
				Result	Result	Result	Result	Result
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	101	98.2	95.9	99.6	101
13C8-PFOA	----	0.02	%	94.1	93.0	95.3	97.9	93.3



Analytical Results

Sub-Matrix: DI WATER LEACHATE (Matrix: WATER)		Sample ID		SX_IB_20220509_04_04_SS_Primary_ALS	----	----	----	----
		Sampling date / time		09-May-2022 04:04	----	----	----	----
Compound	CAS Number	LOR	Unit	EM2208379-044	-----	-----	-----	-----
				Result	----	----	----	----
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	----	----	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	----	----	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	----	----	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	----	----	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	----	----	----	----
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	----	----	----	----
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	----	----	----	----
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	----	----	----	----
Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.02	µg/L	<0.02	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	----	----	----	----
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	----	----	----	----



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

SX_IB_20220509_04_
 04_SS_Primary_ALS

				Sampling date / time				
Compound	CAS Number	LOR	Unit					
				09-May-2022 04:04	----	----	----	----
				EM2208379-044	-----	-----	-----	-----
				Result	----	----	----	----
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	----	----	----	----
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	----	----	----	----
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	----	----	----	----
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	----	----	----	----
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	----	----	----	----
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	----	----	----	----
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	102	----	----	----	----
13C8-PFOA	----	0.02	%	94.9	----	----	----	----



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220507_08_04_SS_Primary_ALS	SX_OB_20220507_08_16_SS_Primary_ALS	SX_OB_20220507_08_17_SS_Duplicate_ALS	SX_OB_20220507_11_53_SS_Primary_ALS	SX_OB_20220507_16_17_SS_Primary_ALS
Sampling date / time				07-May-2022 08:04	07-May-2022 08:16	07-May-2022 08:17	07-May-2022 11:53	07-May-2022 16:17
Compound	CAS Number	LOR	Unit	EM2208379-001	EM2208379-002	EM2208379-003	EM2208379-004	EM2208379-005
				Result	Result	Result	Result	Result
EA001: pH in soil using 0.01M CaCl extract								
pH (CaCl2)	----	0.1	pH Unit	7.6	7.6	7.6	7.7	7.8
EA055: Moisture Content (Dried @ 105-110°C)								
Moisture Content	----	1.0	%	25.6	34.9	32.8	26.9	27.0
EG005(ED093)T: Total Metals by ICP-AES								
Arsenic	7440-38-2	5	mg/kg	34	18	20	15	19
Cadmium	7440-43-9	1	mg/kg	<1	<1	<1	<1	<1
Chromium	7440-47-3	5	mg/kg	103	163	141	95	80
Copper	7440-50-8	5	mg/kg	57	63	65	53	45
Lead	7439-92-1	5	mg/kg	<5	<5	<5	<5	<5
Molybdenum	7439-98-7	5	mg/kg	<5	<5	<5	<5	<5
Nickel	7440-02-0	5	mg/kg	171	204	212	156	129
Selenium	7782-49-2	5	mg/kg	<5	<5	<5	<5	<5
Silver	7440-22-4	2	mg/kg	<2	<2	<2	<2	<2
Tin	7440-31-5	10	mg/kg	<10	<10	<10	<10	<10
Zinc	7440-66-6	5	mg/kg	89	125	127	94	79
EG035T: Total Recoverable Mercury by FIMS								
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
EG048: Hexavalent Chromium (Alkaline Digest)								
Hexavalent Chromium	18540-29-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
EK026SF: Total CN by Segmented Flow Analyser								
Total Cyanide	57-12-5	5	mg/kg	<5	<5	<5	<5	<5
EK040T: Fluoride Total								
Fluoride	16984-48-8	100	mg/kg	140	120	<100	110	120
EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Initial pH	----	0.1	pH Unit	9.3	9.0	9.1	9.2	9.2
After HCl pH	----	0.1	pH Unit	1.5	1.4	1.4	1.5	1.4
Extraction Fluid pH	----	0.1	pH Unit	5.0	5.0	5.0	5.0	5.0
Final pH	----	0.1	pH Unit	5.1	5.1	5.1	5.1	5.0
EP066: Polychlorinated Biphenyls (PCB)								
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
EP074A: Monocyclic Aromatic Hydrocarbons								
Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	<0.2	<0.2	<0.2



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220507_08_04_SS_Primary_ALS	SX_OB_20220507_08_16_SS_Primary_ALS	SX_OB_20220507_08_17_SS_Duplicate_ALS	SX_OB_20220507_11_53_SS_Primary_ALS	SX_OB_20220507_16_17_SS_Primary_ALS
Sampling date / time				07-May-2022 08:04	07-May-2022 08:16	07-May-2022 08:17	07-May-2022 11:53	07-May-2022 16:17
Compound	CAS Number	LOR	Unit	EM2208379-001	EM2208379-002	EM2208379-003	EM2208379-004	EM2208379-005
				Result	Result	Result	Result	Result
EP074A: Monocyclic Aromatic Hydrocarbons - Continued								
Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of monocyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Total Xylenes	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
EP074H: Naphthalene								
Naphthalene	91-20-3	1	mg/kg	<1	<1	<1	<1	<1
EP074I: Volatile Halogenated Compounds								
Vinyl chloride	75-01-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethene	75-35-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Methylene chloride	75-09-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
trans-1,2-Dichloroethene	156-60-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	156-59-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroform	67-66-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1-Trichloroethane	71-55-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Carbon Tetrachloride	56-23-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloroethane	107-06-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Trichloroethene	79-01-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2-Trichloroethane	79-00-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene	127-18-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1,2-Tetrachloroethane	630-20-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2,2-Tetrachloroethane	79-34-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Hexachlorobutadiene	87-68-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chlorobenzene	108-90-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dichlorobenzene	106-46-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichlorobenzene	95-50-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2,4-Trichlorobenzene	120-82-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of volatile chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of other chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
EP075A: Phenolic Compounds (Halogenated)								



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220507_08_04_SS_Primary_ALS	SX_OB_20220507_08_16_SS_Primary_ALS	SX_OB_20220507_08_17_SS_Duplicate_ALS	SX_OB_20220507_11_53_SS_Primary_ALS	SX_OB_20220507_16_17_SS_Primary_ALS
Sampling date / time				07-May-2022 08:04	07-May-2022 08:16	07-May-2022 08:17	07-May-2022 11:53	07-May-2022 16:17
Compound	CAS Number	LOR	Unit	EM2208379-001	EM2208379-002	EM2208379-003	EM2208379-004	EM2208379-005
				Result	Result	Result	Result	Result
EP075A: Phenolic Compounds (Halogenated) - Continued								
2-Chlorophenol	95-57-8	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,4-Dichlorophenol	120-83-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,6-Dichlorophenol	87-65-0	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
4-Chloro-3-methylphenol	59-50-7	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,5-Trichlorophenol	95-95-4	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,6-Trichlorophenol	88-06-2	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-90-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Pentachlorophenol	87-86-5	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
^ Sum of Phenols (halogenated)	----	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
EP075A: Phenolic Compounds (Non-halogenated)								
Phenol	108-95-2	1	mg/kg	<1	<1	<1	<1	<1
2-Methylphenol	95-48-7	1	mg/kg	<1	<1	<1	<1	<1
3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	<1	<1	<1
2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	<5	<5	<5
4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	<5	<5	<5
2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	<5	<5	<5
Dinoseb	88-85-7	20	mg/kg	<20	<20	<20	<20	<20
2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	20	mg/kg	<20	<20	<20	<20	<20
^ Sum of Phenols (non-halogenated)	----	20	mg/kg	<20	<20	<20	<20	<20
EP075B: Polynuclear Aromatic Hydrocarbons								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220507_08_04_SS_Primary_ALS	SX_OB_20220507_08_16_SS_Primary_ALS	SX_OB_20220507_08_17_SS_Duplicate_ALS	SX_OB_20220507_11_53_SS_Primary_ALS	SX_OB_20220507_16_17_SS_Primary_ALS
Sampling date / time				07-May-2022 08:04	07-May-2022 08:16	07-May-2022 08:17	07-May-2022 11:53	07-May-2022 16:17
Compound	CAS Number	LOR	Unit	EM2208379-001	EM2208379-002	EM2208379-003	EM2208379-004	EM2208379-005
				Result	Result	Result	Result	Result
EP075B: Polynuclear Aromatic Hydrocarbons - Continued								
Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	0.6	0.6	0.6	0.6	0.6
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	1.2	1.2	1.2	1.2	1.2
EP075I: Organochlorine Pesticides								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
Endosulfan 1	959-98-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan 2	33213-65-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Methoxychlor	72-43-5	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Sum of organochlorine pesticides	----	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220507_08_04_SS_Primary_ALS	SX_OB_20220507_08_16_SS_Primary_ALS	SX_OB_20220507_08_17_SS_Duplicate_ALS	SX_OB_20220507_11_53_SS_Primary_ALS	SX_OB_20220507_16_17_SS_Primary_ALS
Sampling date / time				07-May-2022 08:04	07-May-2022 08:16	07-May-2022 08:17	07-May-2022 11:53	07-May-2022 16:17
Compound	CAS Number	LOR	Unit	EM2208379-001	EM2208379-002	EM2208379-003	EM2208379-004	EM2208379-005
				Result	Result	Result	Result	Result
EP075I: Organochlorine Pesticides - Continued								
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.30	mg/kg	<0.30	<0.30	<0.30	<0.30	<0.30
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Chlordane	57-74-9	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10
^ Sum of other organochlorine pesticides	----	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
EP080/071: Total Petroleum Hydrocarbons								
C6 - C9 Fraction	----	20	mg/kg	<20	<20	<20	<20	<20
C10 - C14 Fraction	----	50	mg/kg	<50	<50	<50	<50	<50
C6 - C10 Fraction	C6_C10	20	mg/kg	<20	<20	<20	<20	<20
C15 - C28 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
C29 - C36 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
^ C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	<50	<50	<50
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions								
>C10 - C16 Fraction	----	50	mg/kg	<50	<50	<50	<50	<50
>C16 - C34 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
>C34 - C40 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	<50	<50	<50
>C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	<50	<50	<50	<50	<50
C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	20	mg/kg	<20	<20	<20	<20	<20
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorodecane sulfonic acid (PFDS)	335-77-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220507_08_04_SS_Primary_ALS	SX_OB_20220507_08_16_SS_Primary_ALS	SX_OB_20220507_08_17_SS_Duplicate_ALS	SX_OB_20220507_11_53_SS_Primary_ALS	SX_OB_20220507_16_17_SS_Primary_ALS
Sampling date / time				07-May-2022 08:04	07-May-2022 08:16	07-May-2022 08:17	07-May-2022 11:53	07-May-2022 16:17
Compound	CAS Number	LOR	Unit	EM2208379-001	EM2208379-002	EM2208379-003	EM2208379-004	EM2208379-005
				Result	Result	Result	Result	Result
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	5	µg/kg	<5	<5	<5	<5	<5
Perfluoropentanoic acid (PFPeA)	2706-90-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorohexanoic acid (PFHxA)	307-24-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroheptanoic acid (PFHpA)	375-85-9	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorooctanoic acid (PFOA)	335-67-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorononanoic acid (PFNA)	375-95-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorodecanoic acid (PFDA)	335-76-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorododecanoic acid (PFDoDA)	307-55-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
EP231D: (n:2) Fluorotelomer Sulfonic Acids								



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220507_08_04_SS_Primary_ALS	SX_OB_20220507_08_16_SS_Primary_ALS	SX_OB_20220507_08_17_SS_Duplicate_ALS	SX_OB_20220507_11_53_SS_Primary_ALS	SX_OB_20220507_16_17_SS_Primary_ALS
Sampling date / time				07-May-2022 08:04	07-May-2022 08:16	07-May-2022 08:17	07-May-2022 11:53	07-May-2022 16:17
Compound	CAS Number	LOR	Unit	EM2208379-001	EM2208379-002	EM2208379-003	EM2208379-004	EM2208379-005
				Result	Result	Result	Result	Result
EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
EP231P: PFAS Sums								
Sum of PFAS	----	50.0	µg/kg	<50.0	<50.0	<50.0	<50.0	<50.0
Sum of PFHxS and PFOS	355-46-4/1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Sum of PFAS (WA DER List)	----	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
EP066S: PCB Surrogate								
Decachlorobiphenyl	2051-24-3	0.1	%	97.7	90.5	88.4	86.5	92.9
EP074S: VOC Surrogates (Ultra-Trace)								
1,2-Dichloroethane-D4	17060-07-0	0.1	%	103	83.2	84.3	77.7	92.4
Toluene-D8	2037-26-5	0.1	%	94.3	75.0	72.8	64.4	80.0
4-Bromofluorobenzene	460-00-4	0.1	%	101	87.6	85.9	77.3	91.2
EP075S: Acid Extractable Surrogates (Waste Classification)								
Phenol-d6	13127-88-3	0.025	%	115	106	102	101	108
2-Chlorophenol-D4	93951-73-6	0.025	%	95.2	87.3	84.1	85.0	90.4
2,4,6-Tribromophenol	118-79-6	0.025	%	81.6	76.3	73.4	74.5	79.9
EP075T: Base/Neutral Extractable Surrogates (Waste Classification)								
Nitrobenzene-D5	4165-60-0	0.025	%	102	97.2	91.6	91.3	100
1,2-Dichlorobenzene-D4	2199-69-1	0.025	%	91.3	84.9	79.4	82.8	86.9
2-Fluorobiphenyl	321-60-8	0.025	%	98.5	91.7	88.2	90.2	96.4
Anthracene-d10	1719-06-8	0.025	%	94.4	88.7	85.0	85.9	93.1
4-Terphenyl-d14	1718-51-0	0.025	%	102	94.8	91.4	93.3	101
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.0002	%	88.2	85.7	85.8	84.4	89.0
13C8-PFOA	----	0.0002	%	88.3	84.4	96.2	92.2	96.8



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220507_16_20_SS_Triplicate_ALS	SX_IB_20220507_20_15_SS_Primary_ALS	SX_OB_20220507_20_23_SS_Triplicate_ALS	SX_OB_20220508_00_06_SS_Primary_ALS	SX_IB_20220508_00_13_SS_Primary_ALS
Sampling date / time				07-May-2022 16:20	07-May-2022 20:15	07-May-2022 20:23	08-May-2022 00:06	08-May-2022 00:13
Compound	CAS Number	LOR	Unit	EM2208379-006	EM2208379-007	EM2208379-008	EM2208379-009	EM2208379-010
				Result	Result	Result	Result	Result
EA001: pH in soil using 0.01M CaCl extract								
pH (CaCl2)	----	0.1	pH Unit	7.8	7.7	7.8	7.8	7.7
EA055: Moisture Content (Dried @ 105-110°C)								
Moisture Content	----	1.0	%	30.2	31.1	33.6	29.2	26.0
EG005(ED093)T: Total Metals by ICP-AES								
Arsenic	7440-38-2	5	mg/kg	16	35	26	20	28
Cadmium	7440-43-9	1	mg/kg	<1	<1	<1	<1	<1
Chromium	7440-47-3	5	mg/kg	75	91	102	82	114
Copper	7440-50-8	5	mg/kg	44	42	60	57	53
Lead	7439-92-1	5	mg/kg	<5	<5	<5	<5	<5
Molybdenum	7439-98-7	5	mg/kg	<5	<5	<5	<5	<5
Nickel	7440-02-0	5	mg/kg	123	137	165	165	155
Selenium	7782-49-2	5	mg/kg	<5	<5	<5	<5	<5
Silver	7440-22-4	2	mg/kg	<2	<2	<2	<2	<2
Tin	7440-31-5	10	mg/kg	<10	<10	<10	<10	<10
Zinc	7440-66-6	5	mg/kg	69	78	105	104	84
EG035T: Total Recoverable Mercury by FIMS								
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
EG048: Hexavalent Chromium (Alkaline Digest)								
Hexavalent Chromium	18540-29-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
EK026SF: Total CN by Segmented Flow Analyser								
Total Cyanide	57-12-5	5	mg/kg	<5	<5	<5	<5	<5
EK040T: Fluoride Total								
Fluoride	16984-48-8	100	mg/kg	130	110	110	120	170
EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Initial pH	----	0.1	pH Unit	9.1	9.3	9.1	9.3	9.4
After HCl pH	----	0.1	pH Unit	1.4	1.4	1.3	1.3	1.3
Extraction Fluid pH	----	0.1	pH Unit	5.0	5.0	5.0	5.0	5.0
Final pH	----	0.1	pH Unit	5.1	5.1	5.1	5.1	5.2
EP066: Polychlorinated Biphenyls (PCB)								
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
EP074A: Monocyclic Aromatic Hydrocarbons								
Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	<0.2	<0.2	<0.2



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220507_16_20_SS_Triplicate_ALS	SX_IB_20220507_20_15_SS_Primary_ALS	SX_OB_20220507_20_23_SS_Triplicate_ALS	SX_OB_20220508_00_06_SS_Primary_ALS	SX_IB_20220508_00_13_SS_Primary_ALS
Sampling date / time				07-May-2022 16:20	07-May-2022 20:15	07-May-2022 20:23	08-May-2022 00:06	08-May-2022 00:13
Compound	CAS Number	LOR	Unit	EM2208379-006	EM2208379-007	EM2208379-008	EM2208379-009	EM2208379-010
				Result	Result	Result	Result	Result
EP074A: Monocyclic Aromatic Hydrocarbons - Continued								
Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of monocyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Total Xylenes	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
EP074H: Naphthalene								
Naphthalene	91-20-3	1	mg/kg	<1	<1	<1	<1	<1
EP074I: Volatile Halogenated Compounds								
Vinyl chloride	75-01-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethene	75-35-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Methylene chloride	75-09-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
trans-1,2-Dichloroethene	156-60-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	156-59-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroform	67-66-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1-Trichloroethane	71-55-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Carbon Tetrachloride	56-23-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloroethane	107-06-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Trichloroethene	79-01-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2-Trichloroethane	79-00-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene	127-18-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1,2-Tetrachloroethane	630-20-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2,2-Tetrachloroethane	79-34-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Hexachlorobutadiene	87-68-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chlorobenzene	108-90-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dichlorobenzene	106-46-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichlorobenzene	95-50-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2,4-Trichlorobenzene	120-82-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of volatile chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of other chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
EP075A: Phenolic Compounds (Halogenated)								



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220507_16_20_SS_Triplicate_ALS	SX_IB_20220507_20_15_SS_Primary_ALS	SX_OB_20220507_20_23_SS_Triplicate_ALS	SX_OB_20220508_00_06_SS_Primary_ALS	SX_IB_20220508_00_13_SS_Primary_ALS
Sampling date / time				07-May-2022 16:20	07-May-2022 20:15	07-May-2022 20:23	08-May-2022 00:06	08-May-2022 00:13
Compound	CAS Number	LOR	Unit	EM2208379-006	EM2208379-007	EM2208379-008	EM2208379-009	EM2208379-010
				Result	Result	Result	Result	Result
EP075A: Phenolic Compounds (Halogenated) - Continued								
2-Chlorophenol	95-57-8	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,4-Dichlorophenol	120-83-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,6-Dichlorophenol	87-65-0	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
4-Chloro-3-methylphenol	59-50-7	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,5-Trichlorophenol	95-95-4	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,6-Trichlorophenol	88-06-2	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-90-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Pentachlorophenol	87-86-5	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
^ Sum of Phenols (halogenated)	----	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
EP075A: Phenolic Compounds (Non-halogenated)								
Phenol	108-95-2	1	mg/kg	<1	<1	<1	<1	<1
2-Methylphenol	95-48-7	1	mg/kg	<1	<1	<1	<1	<1
3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	<1	<1	<1
2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	<5	<5	<5
4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	<5	<5	<5
2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	<5	<5	<5
Dinoseb	88-85-7	20	mg/kg	<20	<20	<20	<20	<20
2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	20	mg/kg	<20	<20	<20	<20	<20
^ Sum of Phenols (non-halogenated)	----	20	mg/kg	<20	<20	<20	<20	<20
EP075B: Polynuclear Aromatic Hydrocarbons								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220507_16_20_SS_Triplicate_ALS	SX_IB_20220507_20_15_SS_Primary_ALS	SX_OB_20220507_20_23_SS_Triplicate_ALS	SX_OB_20220508_00_06_SS_Primary_ALS	SX_IB_20220508_00_13_SS_Primary_ALS
Sampling date / time				07-May-2022 16:20	07-May-2022 20:15	07-May-2022 20:23	08-May-2022 00:06	08-May-2022 00:13
Compound	CAS Number	LOR	Unit	EM2208379-006	EM2208379-007	EM2208379-008	EM2208379-009	EM2208379-010
				Result	Result	Result	Result	Result
EP075B: Polynuclear Aromatic Hydrocarbons - Continued								
Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	0.6	0.6	0.6	0.6	0.6
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	1.2	1.2	1.2	1.2	1.2
EP075I: Organochlorine Pesticides								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
Endosulfan 1	959-98-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan 2	33213-65-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Methoxychlor	72-43-5	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Sum of organochlorine pesticides	----	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220507_16_20_SS_Triplicate_ALS	SX_IB_20220507_20_15_SS_Primary_ALS	SX_OB_20220507_20_23_SS_Triplicate_ALS	SX_OB_20220508_00_06_SS_Primary_ALS	SX_IB_20220508_00_13_SS_Primary_ALS
Sampling date / time				07-May-2022 16:20	07-May-2022 20:15	07-May-2022 20:23	08-May-2022 00:06	08-May-2022 00:13
Compound	CAS Number	LOR	Unit	EM2208379-006	EM2208379-007	EM2208379-008	EM2208379-009	EM2208379-010
				Result	Result	Result	Result	Result
EP075I: Organochlorine Pesticides - Continued								
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.30	mg/kg	<0.30	<0.30	<0.30	<0.30	<0.30
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Chlordane	57-74-9	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10
^ Sum of other organochlorine pesticides	----	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
EP080/071: Total Petroleum Hydrocarbons								
C6 - C9 Fraction	----	20	mg/kg	<20	<20	<20	<20	<20
C10 - C14 Fraction	----	50	mg/kg	<50	<50	<50	<50	<50
C6 - C10 Fraction	C6_C10	20	mg/kg	<20	<20	<20	<20	<20
C15 - C28 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
C29 - C36 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
^ C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	<50	<50	<50
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions								
>C10 - C16 Fraction	----	50	mg/kg	<50	<50	<50	<50	<50
>C16 - C34 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
>C34 - C40 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	<50	<50	<50
>C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	<50	<50	<50	<50	<50
C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	20	mg/kg	<20	<20	<20	<20	<20
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorodecane sulfonic acid (PFDS)	335-77-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220507_16_20_SS_Triplicate_ALS	SX_IB_20220507_20_15_SS_Primary_ALS	SX_OB_20220507_20_23_SS_Triplicate_ALS	SX_OB_20220508_00_06_SS_Primary_ALS	SX_IB_20220508_00_13_SS_Primary_ALS
Sampling date / time				07-May-2022 16:20	07-May-2022 20:15	07-May-2022 20:23	08-May-2022 00:06	08-May-2022 00:13
Compound	CAS Number	LOR	Unit	EM2208379-006	EM2208379-007	EM2208379-008	EM2208379-009	EM2208379-010
				Result	Result	Result	Result	Result
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	5	µg/kg	<5	<5	<5	<5	<5
Perfluoropentanoic acid (PFPeA)	2706-90-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorohexanoic acid (PFHxA)	307-24-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroheptanoic acid (PFHpA)	375-85-9	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorooctanoic acid (PFOA)	335-67-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorononanoic acid (PFNA)	375-95-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorodecanoic acid (PFDA)	335-76-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorododecanoic acid (PFDoDA)	307-55-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
EP231D: (n:2) Fluorotelomer Sulfonic Acids								



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220507_16_20_SS_Triplicate_ALS	SX_IB_20220507_20_15_SS_Primary_ALS	SX_OB_20220507_20_23_SS_Triplicate_ALS	SX_OB_20220508_00_06_SS_Primary_ALS	SX_IB_20220508_00_13_SS_Primary_ALS
Sampling date / time				07-May-2022 16:20	07-May-2022 20:15	07-May-2022 20:23	08-May-2022 00:06	08-May-2022 00:13
Compound	CAS Number	LOR	Unit	EM2208379-006	EM2208379-007	EM2208379-008	EM2208379-009	EM2208379-010
				Result	Result	Result	Result	Result
EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
EP231P: PFAS Sums								
Sum of PFAS	----	50.0	µg/kg	<50.0	<50.0	<50.0	<50.0	<50.0
Sum of PFHxS and PFOS	355-46-4/1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Sum of PFAS (WA DER List)	----	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
EP066S: PCB Surrogate								
Decachlorobiphenyl	2051-24-3	0.1	%	89.7	86.4	91.8	90.3	85.1
EP074S: VOC Surrogates (Ultra-Trace)								
1,2-Dichloroethane-D4	17060-07-0	0.1	%	93.9	61.5	90.9	67.4	81.6
Toluene-D8	2037-26-5	0.1	%	83.5	56.1	77.2	59.0	74.0
4-Bromofluorobenzene	460-00-4	0.1	%	94.7	62.5	87.8	68.7	83.2
EP075S: Acid Extractable Surrogates (Waste Classification)								
Phenol-d6	13127-88-3	0.025	%	105	99.6	104	104	97.1
2-Chlorophenol-D4	93951-73-6	0.025	%	90.5	84.1	86.5	87.5	79.4
2,4,6-Tribromophenol	118-79-6	0.025	%	76.7	72.2	75.6	74.0	72.1
EP075T: Base/Neutral Extractable Surrogates (Waste Classification)								
Nitrobenzene-D5	4165-60-0	0.025	%	97.9	93.5	96.4	94.7	89.0
1,2-Dichlorobenzene-D4	2199-69-1	0.025	%	84.5	81.7	83.0	82.6	73.2
2-Fluorobiphenyl	321-60-8	0.025	%	92.2	89.4	91.4	91.5	88.3
Anthracene-d10	1719-06-8	0.025	%	89.0	85.9	87.6	87.8	85.7
4-Terphenyl-d14	1718-51-0	0.025	%	95.5	92.1	94.4	94.8	90.0
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.0002	%	93.8	99.6	87.5	106	91.4
13C8-PFOA	----	0.0002	%	94.8	102	96.4	104	87.3



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220508_04_15_SS_Primary_ALS	SX_OB_20220508_07_42_SS_Primary_ALS	SX_OB_20220508_07_45_SS_Duplicate_ALS	SX_IB_20220508_11_55_SS_Primary_ALS	SX_OB_20220508_16_00_SS_Primary_ALS
Sampling date / time				08-May-2022 04:15	08-May-2022 07:42	08-May-2022 07:45	08-May-2022 11:55	08-May-2022 16:00
Compound	CAS Number	LOR	Unit	EM2208379-011	EM2208379-012	EM2208379-013	EM2208379-016	EM2208379-017
				Result	Result	Result	Result	Result
EA001: pH in soil using 0.01M CaCl extract								
pH (CaCl2)	----	0.1	pH Unit	7.6	7.8	7.8	8.0	7.8
EA055: Moisture Content (Dried @ 105-110°C)								
Moisture Content	----	1.0	%	28.6	35.2	31.5	28.8	29.6
EG005(ED093)T: Total Metals by ICP-AES								
Arsenic	7440-38-2	5	mg/kg	42	19	20	28	24
Cadmium	7440-43-9	1	mg/kg	<1	<1	<1	<1	<1
Chromium	7440-47-3	5	mg/kg	104	144	135	86	104
Copper	7440-50-8	5	mg/kg	52	70	70	46	56
Lead	7439-92-1	5	mg/kg	<5	<5	<5	<5	<5
Molybdenum	7439-98-7	5	mg/kg	<5	<5	<5	<5	<5
Nickel	7440-02-0	5	mg/kg	172	224	220	148	162
Selenium	7782-49-2	5	mg/kg	<5	<5	<5	<5	<5
Silver	7440-22-4	2	mg/kg	<2	<2	<2	<2	<2
Tin	7440-31-5	10	mg/kg	<10	<10	<10	<10	<10
Zinc	7440-66-6	5	mg/kg	87	133	140	74	98
EG035T: Total Recoverable Mercury by FIMS								
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
EG048: Hexavalent Chromium (Alkaline Digest)								
Hexavalent Chromium	18540-29-9	1.0	mg/kg	1.7	<1.0	<1.0	1.4	<1.0
EK026SF: Total CN by Segmented Flow Analyser								
Total Cyanide	57-12-5	5	mg/kg	<5	<5	<5	<5	<5
EK040T: Fluoride Total								
Fluoride	16984-48-8	100	mg/kg	100	120	110	150	130
EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Initial pH	----	0.1	pH Unit	9.4	9.2	9.3	9.4	9.3
After HCl pH	----	0.1	pH Unit	1.4	1.3	1.3	1.3	1.4
Extraction Fluid pH	----	0.1	pH Unit	5.0	5.0	5.0	5.0	5.0
Final pH	----	0.1	pH Unit	5.1	5.0	5.1	5.1	5.1
EP066: Polychlorinated Biphenyls (PCB)								
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
EP074A: Monocyclic Aromatic Hydrocarbons								
Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	<0.2	<0.2	<0.2



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220508_04_15_SS_Primary_ALS	SX_OB_20220508_07_42_SS_Primary_ALS	SX_OB_20220508_07_45_SS_Duplicate_ALS	SX_IB_20220508_11_55_SS_Primary_ALS	SX_OB_20220508_16_00_SS_Primary_ALS
Sampling date / time				08-May-2022 04:15	08-May-2022 07:42	08-May-2022 07:45	08-May-2022 11:55	08-May-2022 16:00
Compound	CAS Number	LOR	Unit	EM2208379-011	EM2208379-012	EM2208379-013	EM2208379-016	EM2208379-017
				Result	Result	Result	Result	Result
EP074A: Monocyclic Aromatic Hydrocarbons - Continued								
Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of monocyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Total Xylenes	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
EP074H: Naphthalene								
Naphthalene	91-20-3	1	mg/kg	<1	<1	<1	<1	<1
EP074I: Volatile Halogenated Compounds								
Vinyl chloride	75-01-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethene	75-35-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Methylene chloride	75-09-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
trans-1,2-Dichloroethene	156-60-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	156-59-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroform	67-66-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1-Trichloroethane	71-55-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Carbon Tetrachloride	56-23-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloroethane	107-06-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Trichloroethene	79-01-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2-Trichloroethane	79-00-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene	127-18-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1,2-Tetrachloroethane	630-20-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2,2-Tetrachloroethane	79-34-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Hexachlorobutadiene	87-68-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chlorobenzene	108-90-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dichlorobenzene	106-46-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichlorobenzene	95-50-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2,4-Trichlorobenzene	120-82-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of volatile chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of other chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
EP075A: Phenolic Compounds (Halogenated)								



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220508_04_15_SS_Primary_ALS	SX_OB_20220508_07_42_SS_Primary_ALS	SX_OB_20220508_07_45_SS_Duplicate_ALS	SX_IB_20220508_11_55_SS_Primary_ALS	SX_OB_20220508_16_00_SS_Primary_ALS
Sampling date / time				08-May-2022 04:15	08-May-2022 07:42	08-May-2022 07:45	08-May-2022 11:55	08-May-2022 16:00
Compound	CAS Number	LOR	Unit	EM2208379-011	EM2208379-012	EM2208379-013	EM2208379-016	EM2208379-017
				Result	Result	Result	Result	Result
EP075A: Phenolic Compounds (Halogenated) - Continued								
2-Chlorophenol	95-57-8	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,4-Dichlorophenol	120-83-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,6-Dichlorophenol	87-65-0	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
4-Chloro-3-methylphenol	59-50-7	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,5-Trichlorophenol	95-95-4	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,6-Trichlorophenol	88-06-2	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-90-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Pentachlorophenol	87-86-5	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
^ Sum of Phenols (halogenated)	----	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
EP075A: Phenolic Compounds (Non-halogenated)								
Phenol	108-95-2	1	mg/kg	<1	<1	<1	<1	<1
2-Methylphenol	95-48-7	1	mg/kg	<1	<1	<1	<1	<1
3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	<1	<1	<1
2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	<5	<5	<5
4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	<5	<5	<5
2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	<5	<5	<5
Dinoseb	88-85-7	20	mg/kg	<20	<20	<20	<20	<20
2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	20	mg/kg	<20	<20	<20	<20	<20
^ Sum of Phenols (non-halogenated)	----	20	mg/kg	<20	<20	<20	<20	<20
EP075B: Polynuclear Aromatic Hydrocarbons								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220508_04_15_SS_Primary_ALS	SX_OB_20220508_07_42_SS_Primary_ALS	SX_OB_20220508_07_45_SS_Duplicate_ALS	SX_IB_20220508_11_55_SS_Primary_ALS	SX_OB_20220508_16_00_SS_Primary_ALS
Sampling date / time				08-May-2022 04:15	08-May-2022 07:42	08-May-2022 07:45	08-May-2022 11:55	08-May-2022 16:00
Compound	CAS Number	LOR	Unit	EM2208379-011	EM2208379-012	EM2208379-013	EM2208379-016	EM2208379-017
				Result	Result	Result	Result	Result
EP075B: Polynuclear Aromatic Hydrocarbons - Continued								
Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	0.6	0.6	0.6	0.6	0.6
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	1.2	1.2	1.2	1.2	1.2
EP075I: Organochlorine Pesticides								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
Endosulfan 1	959-98-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan 2	33213-65-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	<0.05	0.14	<0.05
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	0.12	<0.05
Methoxychlor	72-43-5	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Sum of organochlorine pesticides	----	0.10	mg/kg	<0.10	<0.10	<0.10	0.26	<0.10



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220508_04_15_SS_Primary_ALS	SX_OB_20220508_07_42_SS_Primary_ALS	SX_OB_20220508_07_45_SS_Duplicate_ALS	SX_IB_20220508_11_55_SS_Primary_ALS	SX_OB_20220508_16_00_SS_Primary_ALS
Sampling date / time				08-May-2022 04:15	08-May-2022 07:42	08-May-2022 07:45	08-May-2022 11:55	08-May-2022 16:00
Compound	CAS Number	LOR	Unit	EM2208379-011	EM2208379-012	EM2208379-013	EM2208379-016	EM2208379-017
				Result	Result	Result	Result	Result
EP075I: Organochlorine Pesticides - Continued								
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.30	mg/kg	<0.30	<0.30	<0.30	<0.30	<0.30
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg	<0.05	<0.05	<0.05	0.26	<0.05
^ Chlordane	57-74-9	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10
^ Sum of other organochlorine pesticides	----	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
EP080/071: Total Petroleum Hydrocarbons								
C6 - C9 Fraction	----	20	mg/kg	<20	<20	<20	<20	<20
C10 - C14 Fraction	----	50	mg/kg	<50	<50	<50	<50	<50
C6 - C10 Fraction	C6_C10	20	mg/kg	<20	<20	<20	<20	<20
C15 - C28 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
C29 - C36 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
^ C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	<50	<50	<50
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions								
>C10 - C16 Fraction	----	50	mg/kg	<50	<50	<50	<50	<50
>C16 - C34 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
>C34 - C40 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	<50	<50	<50
>C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	<50	<50	<50	<50	<50
C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	20	mg/kg	<20	<20	<20	<20	<20
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorodecane sulfonic acid (PFDS)	335-77-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220508_04_15_SS_Primary_ALS	SX_OB_20220508_07_42_SS_Primary_ALS	SX_OB_20220508_07_45_SS_Duplicate_ALS	SX_IB_20220508_11_55_SS_Primary_ALS	SX_OB_20220508_16_00_SS_Primary_ALS
Sampling date / time				08-May-2022 04:15	08-May-2022 07:42	08-May-2022 07:45	08-May-2022 11:55	08-May-2022 16:00
Compound	CAS Number	LOR	Unit	EM2208379-011	EM2208379-012	EM2208379-013	EM2208379-016	EM2208379-017
				Result	Result	Result	Result	Result
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	5	µg/kg	<5	<5	<5	<5	<5
Perfluoropentanoic acid (PFPeA)	2706-90-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorohexanoic acid (PFHxA)	307-24-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroheptanoic acid (PFHpA)	375-85-9	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorooctanoic acid (PFOA)	335-67-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorononanoic acid (PFNA)	375-95-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorodecanoic acid (PFDA)	335-76-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorododecanoic acid (PFDoDA)	307-55-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
EP231D: (n:2) Fluorotelomer Sulfonic Acids								



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220508_04_15_SS_Primary_ALS	SX_OB_20220508_07_42_SS_Primary_ALS	SX_OB_20220508_07_45_SS_Duplicate_ALS	SX_IB_20220508_11_55_SS_Primary_ALS	SX_OB_20220508_16_00_SS_Primary_ALS
Sampling date / time				08-May-2022 04:15	08-May-2022 07:42	08-May-2022 07:45	08-May-2022 11:55	08-May-2022 16:00
Compound	CAS Number	LOR	Unit	EM2208379-011	EM2208379-012	EM2208379-013	EM2208379-016	EM2208379-017
				Result	Result	Result	Result	Result
EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
EP231P: PFAS Sums								
Sum of PFAS	----	50.0	µg/kg	<50.0	<50.0	<50.0	<50.0	<50.0
Sum of PFHxS and PFOS	355-46-4/1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Sum of PFAS (WA DER List)	----	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
EP066S: PCB Surrogate								
Decachlorobiphenyl	2051-24-3	0.1	%	87.6	87.9	91.9	98.9	83.9
EP074S: VOC Surrogates (Ultra-Trace)								
1,2-Dichloroethane-D4	17060-07-0	0.1	%	80.3	93.0	89.6	97.9	91.6
Toluene-D8	2037-26-5	0.1	%	68.1	87.4	81.9	92.8	82.6
4-Bromofluorobenzene	460-00-4	0.1	%	79.1	101	95.7	109	96.3
EP075S: Acid Extractable Surrogates (Waste Classification)								
Phenol-d6	13127-88-3	0.025	%	105	103	110	103	87.6
2-Chlorophenol-D4	93951-73-6	0.025	%	89.9	84.8	89.9	93.8	81.6
2,4,6-Tribromophenol	118-79-6	0.025	%	77.0	72.5	76.9	85.5	73.0
EP075T: Base/Neutral Extractable Surrogates (Waste Classification)								
Nitrobenzene-D5	4165-60-0	0.025	%	95.3	94.6	98.8	101	89.8
1,2-Dichlorobenzene-D4	2199-69-1	0.025	%	86.3	80.9	86.6	84.8	78.2
2-Fluorobiphenyl	321-60-8	0.025	%	93.2	90.2	93.9	91.7	80.0
Anthracene-d10	1719-06-8	0.025	%	89.6	86.6	90.3	105	88.3
4-Terphenyl-d14	1718-51-0	0.025	%	96.2	94.2	98.0	107	91.3
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.0002	%	83.6	95.8	91.0	95.0	98.0
13C8-PFOA	----	0.0002	%	83.4	93.4	88.0	98.8	95.0



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220508_16_16_SS_Triplicate_ALS	SX_IB_20220508_19_39_SS_Primary_ALS	SX_OB_20220508_19_51_SS_Triplicate_ALS	SX_IB_20220509_00_07_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS
Sampling date / time				08-May-2022 16:16	08-May-2022 19:39	08-May-2022 19:51	09-May-2022 00:07	09-May-2022 00:10
Compound	CAS Number	LOR	Unit	EM2208379-018	EM2208379-019	EM2208379-020	EM2208379-021	EM2208379-022
				Result	Result	Result	Result	Result
EA001: pH in soil using 0.01M CaCl extract								
pH (CaCl2)	----	0.1	pH Unit	7.7	7.7	7.7	7.7	7.9
EA055: Moisture Content (Dried @ 105-110°C)								
Moisture Content	----	1.0	%	26.5	26.9	27.9	27.0	33.0
EG005(ED093)T: Total Metals by ICP-AES								
Arsenic	7440-38-2	5	mg/kg	26	29	17	15	14
Cadmium	7440-43-9	1	mg/kg	<1	<1	<1	<1	<1
Chromium	7440-47-3	5	mg/kg	114	102	98	82	98
Copper	7440-50-8	5	mg/kg	55	51	62	44	52
Lead	7439-92-1	5	mg/kg	<5	<5	<5	<5	<5
Molybdenum	7439-98-7	5	mg/kg	<5	<5	<5	<5	<5
Nickel	7440-02-0	5	mg/kg	161	154	160	136	170
Selenium	7782-49-2	5	mg/kg	<5	<5	<5	<5	<5
Silver	7440-22-4	2	mg/kg	<2	<2	<2	<2	<2
Tin	7440-31-5	10	mg/kg	<10	<10	<10	<10	<10
Zinc	7440-66-6	5	mg/kg	84	80	90	66	95
EG035T: Total Recoverable Mercury by FIMS								
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
EG048: Hexavalent Chromium (Alkaline Digest)								
Hexavalent Chromium	18540-29-9	1.0	mg/kg	<1.0	2.0	<1.0	<1.0	<1.0
EK026SF: Total CN by Segmented Flow Analyser								
Total Cyanide	57-12-5	5	mg/kg	<5	<5	<5	<5	<5
EK040T: Fluoride Total								
Fluoride	16984-48-8	100	mg/kg	120	120	<100	<100	120
EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Initial pH	----	0.1	pH Unit	9.2	9.3	9.2	9.4	9.1
After HCl pH	----	0.1	pH Unit	11.3	1.4	1.4	1.4	1.3
Extraction Fluid pH	----	0.1	pH Unit	5.0	5.0	5.0	5.0	5.0
Final pH	----	0.1	pH Unit	5.1	5.1	5.2	5.1	5.3
EP066: Polychlorinated Biphenyls (PCB)								
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
EP074A: Monocyclic Aromatic Hydrocarbons								
Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	<0.2	<0.2	<0.2



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220508_16_16_SS_Triplicate_ALS	SX_IB_20220508_19_39_SS_Primary_ALS	SX_OB_20220508_19_51_SS_Triplicate_ALS	SX_IB_20220509_00_07_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS
Sampling date / time				08-May-2022 16:16	08-May-2022 19:39	08-May-2022 19:51	09-May-2022 00:07	09-May-2022 00:10
Compound	CAS Number	LOR	Unit	EM2208379-018	EM2208379-019	EM2208379-020	EM2208379-021	EM2208379-022
				Result	Result	Result	Result	Result
EP074A: Monocyclic Aromatic Hydrocarbons - Continued								
Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of monocyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Total Xylenes	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
EP074H: Naphthalene								
Naphthalene	91-20-3	1	mg/kg	<1	<1	<1	<1	<1
EP074I: Volatile Halogenated Compounds								
Vinyl chloride	75-01-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethene	75-35-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Methylene chloride	75-09-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
trans-1,2-Dichloroethene	156-60-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	156-59-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroform	67-66-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1-Trichloroethane	71-55-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Carbon Tetrachloride	56-23-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloroethane	107-06-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Trichloroethene	79-01-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2-Trichloroethane	79-00-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene	127-18-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1,2-Tetrachloroethane	630-20-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2,2-Tetrachloroethane	79-34-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Hexachlorobutadiene	87-68-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chlorobenzene	108-90-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dichlorobenzene	106-46-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichlorobenzene	95-50-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2,4-Trichlorobenzene	120-82-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of volatile chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of other chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
EP075A: Phenolic Compounds (Halogenated)								



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220508_16_16_SS_Triplicate_ALS	SX_IB_20220508_19_39_SS_Primary_ALS	SX_OB_20220508_19_51_SS_Triplicate_ALS	SX_IB_20220509_00_07_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS
Sampling date / time				08-May-2022 16:16	08-May-2022 19:39	08-May-2022 19:51	09-May-2022 00:07	09-May-2022 00:10
Compound	CAS Number	LOR	Unit	EM2208379-018	EM2208379-019	EM2208379-020	EM2208379-021	EM2208379-022
				Result	Result	Result	Result	Result
EP075A: Phenolic Compounds (Halogenated) - Continued								
2-Chlorophenol	95-57-8	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,4-Dichlorophenol	120-83-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,6-Dichlorophenol	87-65-0	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
4-Chloro-3-methylphenol	59-50-7	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,5-Trichlorophenol	95-95-4	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,6-Trichlorophenol	88-06-2	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-90-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Pentachlorophenol	87-86-5	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
^ Sum of Phenols (halogenated)	----	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
EP075A: Phenolic Compounds (Non-halogenated)								
Phenol	108-95-2	1	mg/kg	<1	<1	<1	<1	<1
2-Methylphenol	95-48-7	1	mg/kg	<1	<1	<1	<1	<1
3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	<1	<1	<1
2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	<5	<5	<5
4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	<5	<5	<5
2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	<5	<5	<5
Dinoseb	88-85-7	20	mg/kg	<20	<20	<20	<20	<20
2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	20	mg/kg	<20	<20	<20	<20	<20
^ Sum of Phenols (non-halogenated)	----	20	mg/kg	<20	<20	<20	<20	<20
EP075B: Polynuclear Aromatic Hydrocarbons								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220508_16_16_SS_Triplicate_ALS	SX_IB_20220508_19_39_SS_Primary_ALS	SX_OB_20220508_19_51_SS_Triplicate_ALS	SX_IB_20220509_00_07_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS
Sampling date / time				08-May-2022 16:16	08-May-2022 19:39	08-May-2022 19:51	09-May-2022 00:07	09-May-2022 00:10
Compound	CAS Number	LOR	Unit	EM2208379-018	EM2208379-019	EM2208379-020	EM2208379-021	EM2208379-022
				Result	Result	Result	Result	Result
EP075B: Polynuclear Aromatic Hydrocarbons - Continued								
Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	0.6	0.6	0.6	0.6	0.6
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	1.2	1.2	1.2	1.2	1.2
EP075I: Organochlorine Pesticides								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
Endosulfan 1	959-98-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan 2	33213-65-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Methoxychlor	72-43-5	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Sum of organochlorine pesticides	----	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220508_16_16_SS_Triplicate_ALS	SX_IB_20220508_19_39_SS_Primary_ALS	SX_OB_20220508_19_51_SS_Triplicate_ALS	SX_IB_20220509_00_07_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS
Sampling date / time				08-May-2022 16:16	08-May-2022 19:39	08-May-2022 19:51	09-May-2022 00:07	09-May-2022 00:10
Compound	CAS Number	LOR	Unit	EM2208379-018	EM2208379-019	EM2208379-020	EM2208379-021	EM2208379-022
				Result	Result	Result	Result	Result
EP075I: Organochlorine Pesticides - Continued								
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.30	mg/kg	<0.30	<0.30	<0.30	<0.30	<0.30
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Chlordane	57-74-9	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10
^ Sum of other organochlorine pesticides	----	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
EP080/071: Total Petroleum Hydrocarbons								
C6 - C9 Fraction	----	20	mg/kg	<20	<20	<20	<20	<20
C10 - C14 Fraction	----	50	mg/kg	<50	<50	<50	<50	<50
C6 - C10 Fraction	C6_C10	20	mg/kg	<20	<20	<20	<20	<20
C15 - C28 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
C29 - C36 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
^ C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	<50	<50	<50
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions								
>C10 - C16 Fraction	----	50	mg/kg	<50	<50	<50	<50	<50
>C16 - C34 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
>C34 - C40 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	<50	<50	<50
>C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	<50	<50	<50	<50	<50
C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	20	mg/kg	<20	<20	<20	<20	<20
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorodecane sulfonic acid (PFDS)	335-77-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220508_16_16_SS_Triplicate_ALS	SX_IB_20220508_19_39_SS_Primary_ALS	SX_OB_20220508_19_51_SS_Triplicate_ALS	SX_IB_20220509_00_07_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS
Sampling date / time				08-May-2022 16:16	08-May-2022 19:39	08-May-2022 19:51	09-May-2022 00:07	09-May-2022 00:10
Compound	CAS Number	LOR	Unit	EM2208379-018	EM2208379-019	EM2208379-020	EM2208379-021	EM2208379-022
				Result	Result	Result	Result	Result
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	5	µg/kg	<5	<5	<5	<5	<5
Perfluoropentanoic acid (PFPeA)	2706-90-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorohexanoic acid (PFHxA)	307-24-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroheptanoic acid (PFHpA)	375-85-9	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorooctanoic acid (PFOA)	335-67-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorononanoic acid (PFNA)	375-95-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorodecanoic acid (PFDA)	335-76-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorododecanoic acid (PFDoDA)	307-55-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
EP231D: (n:2) Fluorotelomer Sulfonic Acids								



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220508_16_16_SS_Triplicate_ALS	SX_IB_20220508_19_39_SS_Primary_ALS	SX_OB_20220508_19_51_SS_Triplicate_ALS	SX_IB_20220509_00_07_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS
Sampling date / time				08-May-2022 16:16	08-May-2022 19:39	08-May-2022 19:51	09-May-2022 00:07	09-May-2022 00:10
Compound	CAS Number	LOR	Unit	EM2208379-018	EM2208379-019	EM2208379-020	EM2208379-021	EM2208379-022
				Result	Result	Result	Result	Result
EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
EP231P: PFAS Sums								
Sum of PFAS	----	50.0	µg/kg	<50.0	<50.0	<50.0	<50.0	<50.0
Sum of PFHxS and PFOS	355-46-4/1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Sum of PFAS (WA DER List)	----	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
EP066S: PCB Surrogate								
Decachlorobiphenyl	2051-24-3	0.1	%	89.0	100	89.5	91.2	89.0
EP074S: VOC Surrogates (Ultra-Trace)								
1,2-Dichloroethane-D4	17060-07-0	0.1	%	80.2	91.5	93.7	95.8	93.7
Toluene-D8	2037-26-5	0.1	%	73.3	85.0	84.8	85.6	90.0
4-Bromofluorobenzene	460-00-4	0.1	%	92.4	99.7	101	102	102
EP075S: Acid Extractable Surrogates (Waste Classification)								
Phenol-d6	13127-88-3	0.025	%	94.7	102	78.8	93.4	93.4
2-Chlorophenol-D4	93951-73-6	0.025	%	85.9	92.5	70.7	85.4	86.0
2,4,6-Tribromophenol	118-79-6	0.025	%	77.4	93.2	77.7	80.3	76.5
EP075T: Base/Neutral Extractable Surrogates (Waste Classification)								
Nitrobenzene-D5	4165-60-0	0.025	%	91.9	99.9	74.4	94.8	94.3
1,2-Dichlorobenzene-D4	2199-69-1	0.025	%	77.6	82.4	59.8	77.8	83.5
2-Fluorobiphenyl	321-60-8	0.025	%	85.1	94.2	72.0	83.9	85.2
Anthracene-d10	1719-06-8	0.025	%	95.9	108	96.3	95.0	93.6
4-Terphenyl-d14	1718-51-0	0.025	%	97.3	109	98.3	96.0	95.2
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.0002	%	114	96.7	88.8	86.0	100
13C8-PFOA	----	0.0002	%	101	93.5	94.5	91.6	108



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220509_04_04_SS_Primary_ALS	SX_IB_20220507_08_04_SS_Primary_ALS	SX_OB_20220507_08_16_SS_Primary_ALS	SX_OB_20220507_08_17_SS_Duplicate_ALS	SX_OB_20220507_11_53_SS_Primary_ALS
Sampling date / time				09-May-2022 04:04	07-May-2022 08:04	07-May-2022 08:16	07-May-2022 08:17	07-May-2022 11:53
Compound	CAS Number	LOR	Unit	EM2208379-023	EM2208379-024	EM2208379-025	EM2208379-026	EM2208379-027
				Result	Result	Result	Result	Result
EA001: pH in soil using 0.01M CaCl extract								
pH (CaCl ₂)	----	0.1	pH Unit	7.7	----	----	----	----
EA055: Moisture Content (Dried @ 105-110°C)								
Moisture Content	----	1.0	%	26.0	----	----	----	----
EG005(ED093)T: Total Metals by ICP-AES								
Arsenic	7440-38-2	5	mg/kg	18	----	----	----	----
Cadmium	7440-43-9	1	mg/kg	<1	----	----	----	----
Chromium	7440-47-3	5	mg/kg	77	----	----	----	----
Copper	7440-50-8	5	mg/kg	43	----	----	----	----
Lead	7439-92-1	5	mg/kg	<5	----	----	----	----
Molybdenum	7439-98-7	5	mg/kg	<5	----	----	----	----
Nickel	7440-02-0	5	mg/kg	144	----	----	----	----
Selenium	7782-49-2	5	mg/kg	<5	----	----	----	----
Silver	7440-22-4	2	mg/kg	<2	----	----	----	----
Tin	7440-31-5	10	mg/kg	<10	----	----	----	----
Zinc	7440-66-6	5	mg/kg	70	----	----	----	----
EG035T: Total Recoverable Mercury by FIMS								
Mercury	7439-97-6	0.1	mg/kg	<0.1	----	----	----	----
EG048: Hexavalent Chromium (Alkaline Digest)								
Hexavalent Chromium	18540-29-9	1.0	mg/kg	<1.0	----	----	----	----
EK026SF: Total CN by Segmented Flow Analyser								
Total Cyanide	57-12-5	5	mg/kg	<5	----	----	----	----
EK040T: Fluoride Total								
Fluoride	16984-48-8	100	mg/kg	160	----	----	----	----
EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Initial pH	----	0.1	pH Unit	9.3	----	----	----	----
After HCl pH	----	0.1	pH Unit	1.4	----	----	----	----
Extraction Fluid pH	----	0.1	pH Unit	5.0	----	----	----	----
Final pH	----	0.1	pH Unit	5.1	----	----	----	----
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Final pH	----	0.1	pH Unit	----	9.5	8.8	8.8	9.2
EP066: Polychlorinated Biphenyls (PCB)								
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	----	----	----	----



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220509_04_04_SS_Primary_ALS	SX_IB_20220507_08_04_SS_Primary_ALS	SX_OB_20220507_08_16_SS_Primary_ALS	SX_OB_20220507_08_17_SS_Duplicate_ALS	SX_OB_20220507_11_53_SS_Primary_ALS
Sampling date / time				09-May-2022 04:04	07-May-2022 08:04	07-May-2022 08:16	07-May-2022 08:17	07-May-2022 11:53
Compound	CAS Number	LOR	Unit	EM2208379-023	EM2208379-024	EM2208379-025	EM2208379-026	EM2208379-027
				Result	Result	Result	Result	Result
EP074A: Monocyclic Aromatic Hydrocarbons								
Benzene	71-43-2	0.2	mg/kg	<0.2	----	----	----	----
Toluene	108-88-3	0.5	mg/kg	<0.5	----	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	----	----	----	----
Styrene	100-42-5	0.5	mg/kg	<0.5	----	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	----	----	----	----
^ Sum of monocyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	----	----	----	----
^ Total Xylenes	----	0.5	mg/kg	<0.5	----	----	----	----
EP074H: Naphthalene								
Naphthalene	91-20-3	1	mg/kg	<1	----	----	----	----
EP074I: Volatile Halogenated Compounds								
Vinyl chloride	75-01-4	0.50	mg/kg	<0.50	----	----	----	----
1,1-Dichloroethene	75-35-4	0.50	mg/kg	<0.50	----	----	----	----
Methylene chloride	75-09-2	0.5	mg/kg	<0.5	----	----	----	----
trans-1,2-Dichloroethene	156-60-5	0.50	mg/kg	<0.50	----	----	----	----
cis-1,2-Dichloroethene	156-59-2	0.50	mg/kg	<0.50	----	----	----	----
Chloroform	67-66-3	0.50	mg/kg	<0.50	----	----	----	----
1,1,1-Trichloroethane	71-55-6	0.50	mg/kg	<0.50	----	----	----	----
Carbon Tetrachloride	56-23-5	0.50	mg/kg	<0.50	----	----	----	----
1,2-Dichloroethane	107-06-2	0.50	mg/kg	<0.50	----	----	----	----
Trichloroethene	79-01-6	0.50	mg/kg	<0.50	----	----	----	----
1,1,2-Trichloroethane	79-00-5	0.50	mg/kg	<0.50	----	----	----	----
Tetrachloroethene	127-18-4	0.50	mg/kg	<0.50	----	----	----	----
1,1,1,2-Tetrachloroethane	630-20-6	0.50	mg/kg	<0.50	----	----	----	----
1,1,2,2-Tetrachloroethane	79-34-5	0.50	mg/kg	<0.50	----	----	----	----
Hexachlorobutadiene	87-68-3	0.50	mg/kg	<0.50	----	----	----	----
Chlorobenzene	108-90-7	0.50	mg/kg	<0.50	----	----	----	----
1,4-Dichlorobenzene	106-46-7	0.50	mg/kg	<0.50	----	----	----	----
1,2-Dichlorobenzene	95-50-1	0.50	mg/kg	<0.50	----	----	----	----
1,2,4-Trichlorobenzene	120-82-1	0.50	mg/kg	<0.50	----	----	----	----
^ Sum of volatile chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	----	----	----	----
^ Sum of other chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	----	----	----	----



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220509_04_04_SS_Primary_ALS	SX_IB_20220507_08_04_SS_Primary_ALS	SX_OB_20220507_08_16_SS_Primary_ALS	SX_OB_20220507_08_17_SS_Duplicate_ALS	SX_OB_20220507_11_53_SS_Primary_ALS
Sampling date / time				09-May-2022 04:04	07-May-2022 08:04	07-May-2022 08:16	07-May-2022 08:17	07-May-2022 11:53
Compound	CAS Number	LOR	Unit	EM2208379-023	EM2208379-024	EM2208379-025	EM2208379-026	EM2208379-027
				Result	Result	Result	Result	Result
EP075A: Phenolic Compounds (Halogenated)								
2-Chlorophenol	95-57-8	0.50	mg/kg	<0.50	----	----	----	----
2,4-Dichlorophenol	120-83-2	0.50	mg/kg	<0.50	----	----	----	----
2,6-Dichlorophenol	87-65-0	0.50	mg/kg	<0.50	----	----	----	----
4-Chloro-3-methylphenol	59-50-7	1.00	mg/kg	<1.00	----	----	----	----
2,4,5-Trichlorophenol	95-95-4	1.00	mg/kg	<1.00	----	----	----	----
2,4,6-Trichlorophenol	88-06-2	1.00	mg/kg	<1.00	----	----	----	----
2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	----	----	----	----
2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-90-2	0.05	mg/kg	<0.05	----	----	----	----
Pentachlorophenol	87-86-5	1.0	mg/kg	<1.0	----	----	----	----
^ Sum of Phenols (halogenated)	----	1.00	mg/kg	<1.00	----	----	----	----
EP075A: Phenolic Compounds (Non-halogenated)								
Phenol	108-95-2	1	mg/kg	<1	----	----	----	----
2-Methylphenol	95-48-7	1	mg/kg	<1	----	----	----	----
3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	----	----	----	----
2-Nitrophenol	88-75-5	1	mg/kg	<1	----	----	----	----
2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	----	----	----	----
2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	----	----	----	----
4-Nitrophenol	100-02-7	5	mg/kg	<5	----	----	----	----
2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	----	----	----	----
Dinoseb	88-85-7	20	mg/kg	<20	----	----	----	----
2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	20	mg/kg	<20	----	----	----	----
^ Sum of Phenols (non-halogenated)	----	20	mg/kg	<20	----	----	----	----
EP075B: Polynuclear Aromatic Hydrocarbons								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	----	----	----	----
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	----	----	----	----
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	----	----	----	----
Fluorene	86-73-7	0.5	mg/kg	<0.5	----	----	----	----
Phenanthrene	85-01-8	0.5	mg/kg	2.2	----	----	----	----
Anthracene	120-12-7	0.5	mg/kg	0.5	----	----	----	----
Fluoranthene	206-44-0	0.5	mg/kg	5.9	----	----	----	----
Pyrene	129-00-0	0.5	mg/kg	5.9	----	----	----	----
Benz(a)anthracene	56-55-3	0.5	mg/kg	3.3	----	----	----	----



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220509_04_04_SS_Primary_ALS	SX_IB_20220507_08_04_SS_Primary_ALS	SX_OB_20220507_08_16_SS_Primary_ALS	SX_OB_20220507_08_17_SS_Duplicate_ALS	SX_OB_20220507_11_53_SS_Primary_ALS
Sampling date / time				09-May-2022 04:04	07-May-2022 08:04	07-May-2022 08:16	07-May-2022 08:17	07-May-2022 11:53
Compound	CAS Number	LOR	Unit	EM2208379-023	EM2208379-024	EM2208379-025	EM2208379-026	EM2208379-027
				Result	Result	Result	Result	Result
EP075B: Polynuclear Aromatic Hydrocarbons - Continued								
Chrysene	218-01-9	0.5	mg/kg	2.6	----	----	----	----
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1.0	mg/kg	5.8	----	----	----	----
Benzo(a)pyrene	50-32-8	0.5	mg/kg	3.6	----	----	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	2.0	----	----	----	----
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	----	----	----	----
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	2.2	----	----	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	34.0	----	----	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	4.8	----	----	----	----
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	5.0	----	----	----	----
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	5.2	----	----	----	----
EP075I: Organochlorine Pesticides								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	----	----	----	----
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	----	----	----	----
beta-BHC	319-85-7	0.05	mg/kg	<0.05	----	----	----	----
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	----	----	----	----
delta-BHC	319-86-8	0.05	mg/kg	<0.05	----	----	----	----
Heptachlor	76-44-8	0.05	mg/kg	<0.05	----	----	----	----
Aldrin	309-00-2	0.05	mg/kg	<0.05	----	----	----	----
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	----	----	----	----
cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	----	----	----	----
trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	----	----	----	----
Endosulfan 1	959-98-8	0.05	mg/kg	<0.05	----	----	----	----
4.4`-DDE	72-55-9	0.05	mg/kg	<0.05	----	----	----	----
Dieldrin	60-57-1	0.05	mg/kg	<0.05	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	----	----	----	----
Endrin	72-20-8	0.05	mg/kg	<0.05	----	----	----	----
Endosulfan 2	33213-65-9	0.05	mg/kg	<0.05	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg	<0.05	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	----	----	----	----
4.4`-DDT	50-29-3	0.05	mg/kg	<0.05	----	----	----	----
Methoxychlor	72-43-5	0.05	mg/kg	<0.05	----	----	----	----
^ Sum of organochlorine pesticides	----	0.10	mg/kg	<0.10	----	----	----	----



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220509_04_04_SS_Primary_ALS	SX_IB_20220507_08_04_SS_Primary_ALS	SX_OB_20220507_08_16_SS_Primary_ALS	SX_OB_20220507_08_17_SS_Duplicate_ALS	SX_OB_20220507_11_53_SS_Primary_ALS
Sampling date / time				09-May-2022 04:04	07-May-2022 08:04	07-May-2022 08:16	07-May-2022 08:17	07-May-2022 11:53
Compound	CAS Number	LOR	Unit	EM2208379-023	EM2208379-024	EM2208379-025	EM2208379-026	EM2208379-027
				Result	Result	Result	Result	Result
EP075I: Organochlorine Pesticides - Continued								
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.30	mg/kg	<0.30	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg	<0.05	----	----	----	----
^ Chlordane	57-74-9	0.10	mg/kg	<0.10	----	----	----	----
^ Sum of other organochlorine pesticides	----	0.03	mg/kg	<0.03	----	----	----	----
EP080/071: Total Petroleum Hydrocarbons								
C6 - C9 Fraction	----	20	mg/kg	<20	----	----	----	----
C10 - C14 Fraction	----	50	mg/kg	<50	----	----	----	----
C6 - C10 Fraction	C6_C10	20	mg/kg	<20	----	----	----	----
C15 - C28 Fraction	----	100	mg/kg	<100	----	----	----	----
C29 - C36 Fraction	----	100	mg/kg	<100	----	----	----	----
^ C10 - C36 Fraction (sum)	----	50	mg/kg	<50	----	----	----	----
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions								
>C10 - C16 Fraction	----	50	mg/kg	<50	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg	120	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg	<100	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	120	----	----	----	----
>C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	<50	----	----	----	----
C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	20	mg/kg	<20	----	----	----	----
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	5.0	µg/kg	<5.0	----	----	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	5.0	µg/kg	<5.0	----	----	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	5.0	µg/kg	<5.0	----	----	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	5.0	µg/kg	<5.0	----	----	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	5.0	µg/kg	<5.0	----	----	----	----
Perfluorodecane sulfonic acid (PFDS)	335-77-3	5.0	µg/kg	<5.0	----	----	----	----



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220509_04_04_SS_Primary_ALS	SX_IB_20220507_08_04_SS_Primary_ALS	SX_OB_20220507_08_16_SS_Primary_ALS	SX_OB_20220507_08_17_SS_Duplicate_ALS	SX_OB_20220507_11_53_SS_Primary_ALS
Sampling date / time				09-May-2022 04:04	07-May-2022 08:04	07-May-2022 08:16	07-May-2022 08:17	07-May-2022 11:53
Compound	CAS Number	LOR	Unit	EM2208379-023	EM2208379-024	EM2208379-025	EM2208379-026	EM2208379-027
				Result	Result	Result	Result	Result
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	5	µg/kg	<5	----	----	----	----
Perfluoropentanoic acid (PFPeA)	2706-90-3	5.0	µg/kg	<5.0	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	5.0	µg/kg	<5.0	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	5.0	µg/kg	<5.0	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	5.0	µg/kg	<5.0	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	5.0	µg/kg	<5.0	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	5.0	µg/kg	<5.0	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	5.0	µg/kg	<5.0	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	5.0	µg/kg	<5.0	----	----	----	----
Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	5.0	µg/kg	<5.0	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	5.0	µg/kg	<5.0	----	----	----	----
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	5.0	µg/kg	<5.0	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	5.0	µg/kg	<5.0	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	5.0	µg/kg	<5.0	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	5.0	µg/kg	<5.0	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	5.0	µg/kg	<5.0	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	10.0	µg/kg	<10.0	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	10.0	µg/kg	<10.0	----	----	----	----
EP231D: (n:2) Fluorotelomer Sulfonic Acids								



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220509_04_04_SS_Primary_ALS	SX_IB_20220507_08_04_SS_Primary_ALS	SX_OB_20220507_08_16_SS_Primary_ALS	SX_OB_20220507_08_17_SS_Duplicate_ALS	SX_OB_20220507_11_53_SS_Primary_ALS
Sampling date / time				09-May-2022 04:04	07-May-2022 08:04	07-May-2022 08:16	07-May-2022 08:17	07-May-2022 11:53
Compound	CAS Number	LOR	Unit	EM2208379-023	EM2208379-024	EM2208379-025	EM2208379-026	EM2208379-027
				Result	Result	Result	Result	Result
EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	5.0	µg/kg	<5.0	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	10.0	µg/kg	<10.0	----	----	----	----
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	5.0	µg/kg	<5.0	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	5.0	µg/kg	<5.0	----	----	----	----
EP231P: PFAS Sums								
Sum of PFAS	----	50.0	µg/kg	<50.0	----	----	----	----
Sum of PFHxS and PFOS	355-46-4/1763-23-1	5.0	µg/kg	<5.0	----	----	----	----
Sum of PFAS (WA DER List)	----	10.0	µg/kg	<10.0	----	----	----	----
EP066S: PCB Surrogate								
Decachlorobiphenyl	2051-24-3	0.1	%	93.4	----	----	----	----
EP074S: VOC Surrogates (Ultra-Trace)								
1,2-Dichloroethane-D4	17060-07-0	0.1	%	94.7	----	----	----	----
Toluene-D8	2037-26-5	0.1	%	87.2	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.1	%	99.5	----	----	----	----
EP075S: Acid Extractable Surrogates (Waste Classification)								
Phenol-d6	13127-88-3	0.025	%	100	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.025	%	93.6	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.025	%	93.1	----	----	----	----
EP075T: Base/Neutral Extractable Surrogates (Waste Classification)								
Nitrobenzene-D5	4165-60-0	0.025	%	105	----	----	----	----
1,2-Dichlorobenzene-D4	2199-69-1	0.025	%	91.8	----	----	----	----
2-Fluorobiphenyl	321-60-8	0.025	%	90.3	----	----	----	----
Anthracene-d10	1719-06-8	0.025	%	96.4	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.025	%	97.5	----	----	----	----
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.0002	%	95.4	----	----	----	----
13C8-PFOA	----	0.0002	%	89.5	----	----	----	----



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220507_16_17_SS_Primary_ALS	SX_OB_20220507_16_20_SS_Triplicate_ALS	SX_IB_20220507_20_15_SS_Primary_ALS	SX_OB_20220507_20_23_SS_Triplicate_ALS	SX_OB_20220508_00_06_SS_Primary_ALS
Sampling date / time				07-May-2022 16:17	07-May-2022 16:20	07-May-2022 20:15	07-May-2022 20:23	08-May-2022 00:06
Compound	CAS Number	LOR	Unit	EM2208379-028	EM2208379-029	EM2208379-030	EM2208379-031	EM2208379-032
				Result	Result	Result	Result	Result
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Final pH	----	0.1	pH Unit	9.3	9.2	9.2	9.4	9.3



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220508_00_13_SS_Primary_ALS	SX_IB_20220508_04_15_SS_Primary_ALS	SX_OB_20220508_07_42_SS_Primary_ALS	SX_OB_20220508_07_45_SS_Duplicate_ALS	SX_IB_20220508_11_55_SS_Primary_ALS
Sampling date / time				08-May-2022 00:13	08-May-2022 04:15	08-May-2022 07:42	08-May-2022 07:45	08-May-2022 11:55
Compound	CAS Number	LOR	Unit	EM2208379-033	EM2208379-034	EM2208379-035	EM2208379-036	EM2208379-037
				Result	Result	Result	Result	Result
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Final pH	----	0.1	pH Unit	9.6	9.4	9.0	9.1	9.6



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220508_16_00_SS_Primary_ALS	SX_IB_20220508_16_16_SS_Triplicate_ALS	SX_IB_20220508_19_39_SS_Primary_ALS	SX_OB_20220508_19_51_SS_Triplicate_ALS	SX_IB_20220509_00_07_SS_Primary_ALS
Sampling date / time				08-May-2022 16:00	08-May-2022 16:16	08-May-2022 19:39	08-May-2022 19:51	09-May-2022 00:07
Compound	CAS Number	LOR	Unit	EM2208379-038	EM2208379-039	EM2208379-040	EM2208379-041	EM2208379-042
				Result	Result	Result	Result	Result
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Final pH	----	0.1	pH Unit	9.3	9.6	9.5	9.2	9.3



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_OB_20220509_00 _10_SS_Primary_ALS	SX_IB_20220509_04_ 04_SS_Primary_ALS	----	----	----
Sampling date / time				09-May-2022 00:10	09-May-2022 04:04	----	----	----	
Compound	CAS Number	LOR	Unit	EM2208379-043	EM2208379-044	-----	-----	-----	
				Result	Result	---	---	---	
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)									
Final pH	----	0.1	pH Unit	9.2	9.3	----	----	----	



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)			Sample ID		SX_IB_20220508_08_15_SR_Rinsate_ALS	SX_IB_20220508_08_18_SB_Blank_ALS	----	----	----
Sampling date / time			08-May-2022 08:15		08-May-2022 08:18		----	----	----
Compound	CAS Number	LOR	Unit	EM2208379-014	EM2208379-015	-----	-----	-----	
				Result	Result	---	---	---	
EP231A: Perfluoroalkyl Sulfonic Acids									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	----	----	----	
EP231B: Perfluoroalkyl Carboxylic Acids									
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	----	----	----	
EP231C: Perfluoroalkyl Sulfonamides									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	----	----	----	



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	SX_IB_20220508_08_15_SR_Rinsate_ALS	SX_IB_20220508_08_18_SB_Blank_ALS	----	----	----
Sampling date / time				08-May-2022 08:15	08-May-2022 08:18	----	----	----	
Compound	CAS Number	LOR	Unit	EM2208379-014	EM2208379-015	-----	-----	-----	
				Result	Result	---	---	---	
EP231C: Perfluoroalkyl Sulfonamides - Continued									
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	----	----	----	
EP231D: (n:2) Fluorotelomer Sulfonic Acids									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	----	----	----	
EP231P: PFAS Sums									
Sum of PFAS	----	0.01	µg/L	<0.01	<0.01	----	----	----	
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	----	----	----	
Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	<0.01	----	----	----	
EP231S: PFAS Surrogate									
13C4-PFOS	----	0.02	%	91.8	95.2	----	----	----	
13C8-PFOA	----	0.02	%	97.7	98.7	----	----	----	



Surrogate Control Limits

Sub-Matrix: ASLP LEACHATE		Recovery Limits (%)	
Compound	CAS Number	Low	High
EP231S: PFAS Surrogate			
13C4-PFOS	----	65	140
13C8-PFOA	----	71	133

Sub-Matrix: DI WATER LEACHATE		Recovery Limits (%)	
Compound	CAS Number	Low	High
EP231S: PFAS Surrogate			
13C4-PFOS	----	65	140
13C8-PFOA	----	71	133

Sub-Matrix: SOIL		Recovery Limits (%)	
Compound	CAS Number	Low	High
EP066S: PCB Surrogate			
Decachlorobiphenyl	2051-24-3	41	122
EP074S: VOC Surrogates (Ultra-Trace)			
1,2-Dichloroethane-D4	17060-07-0	59	119
Toluene-D8	2037-26-5	55	117
4-Bromofluorobenzene	460-00-4	59	123
EP075S: Acid Extractable Surrogates (Waste Classification)			
Phenol-d6	13127-88-3	63	134
2-Chlorophenol-D4	93951-73-6	60	125
2,4,6-Tribromophenol	118-79-6	54	129
EP075T: Base/Neutral Extractable Surrogates (Waste Classification)			
Nitrobenzene-D5	4165-60-0	63	131
1,2-Dichlorobenzene-D4	2199-69-1	61	124
2-Fluorobiphenyl	321-60-8	69	131
Anthracene-d10	1719-06-8	70	133
4-Terphenyl-d14	1718-51-0	59	141
EP231S: PFAS Surrogate			
13C4-PFOS	----	68	136
13C8-PFOA	----	69	133

Sub-Matrix: WATER		Recovery Limits (%)	
Compound	CAS Number	Low	High
EP231S: PFAS Surrogate			
13C4-PFOS	----	65	140
13C8-PFOA	----	71	133

QUALITY CONTROL REPORT

Work Order	: EM2208379	Page	: 1 of 53
Client	: AGON ENVIRONMENTAL PTY LTD	Laboratory	: Environmental Division Melbourne
Contact	: DAVID LAWSON	Contact	: Josh Alexander
Address	: D1.1 63-85 TURNER STREET PORT MELBOURNE 3207	Address	: 4 Westall Rd Springvale VIC Australia 3171
Telephone	: ----	Telephone	: +61-3-8549 9600
Project	: JC0927	Date Samples Received	: 09-May-2022
Order number	: ----	Date Analysis Commenced	: 10-May-2022
C-O-C number	: 20220509043641-ALS-21	Issue Date	: 16-May-2022
Sampler	: WOH + BC - AGON AV+ HK - EP Risk		
Site	: 20220509043641-ALS-21		
Quote number	: EN/150/19 -WGTP -Bulk Sample Quote		
No. of samples received	: 44		
No. of samples analysed	: 44		



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Dilani Fernando	Laboratory Coordinator	Melbourne Inorganics, Springvale, VIC
Xing Lin	Senior Organic Chemist	Melbourne Inorganics, Springvale, VIC
Xing Lin	Senior Organic Chemist	Melbourne Organics, Springvale, VIC



General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Key :
 Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot
 CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.
 LOR = Limit of reporting
 RPD = Relative Percentage Difference
 # = Indicates failed QC

Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EG005(ED093)T: Total Metals by ICP-AES (QC Lot: 4331738)									
EM2208326-001	Anonymous	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.0	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	91	102	11.2	0% - 20%
		EG005T: Molybdenum	7439-98-7	2	mg/kg	<5	<5	0.0	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	156	146	7.0	0% - 20%
		EG005T: Silver	7440-22-4	2	mg/kg	<2	<2	0.0	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	34	34	0.0	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	59	52	13.2	0% - 50%
		EG005T: Lead	7439-92-1	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Selenium	7782-49-2	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Tin	7440-31-5	5	mg/kg	<10	<10	0.0	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	89	82	7.3	0% - 50%
EM2208326-012	Anonymous	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.0	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	111	106	4.8	0% - 20%
		EG005T: Molybdenum	7439-98-7	2	mg/kg	<5	<5	0.0	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	160	155	3.2	0% - 20%
		EG005T: Silver	7440-22-4	2	mg/kg	<2	<2	0.0	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	37	27	30.7	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	58	50	15.3	0% - 50%
		EG005T: Lead	7439-92-1	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Selenium	7782-49-2	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Tin	7440-31-5	5	mg/kg	<10	<10	0.0	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	94	87	7.3	0% - 50%
EG005(ED093)T: Total Metals by ICP-AES (QC Lot: 4331741)									



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EG005(ED093)T: Total Metals by ICP-AES (QC Lot: 4331741) - continued									
EM2208379-009	SX_OB_20220508_00_06_ SS_Primary_ALS	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.0	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	82	79	3.7	0% - 50%
		EG005T: Molybdenum	7439-98-7	2	mg/kg	<5	<5	0.0	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	165	137	18.9	0% - 20%
		EG005T: Silver	7440-22-4	2	mg/kg	<2	<2	0.0	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	20	18	12.2	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	57	51	11.2	0% - 50%
		EG005T: Lead	7439-92-1	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Selenium	7782-49-2	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Tin	7440-31-5	5	mg/kg	<10	<10	0.0	No Limit
EG005T: Zinc	7440-66-6	5	mg/kg	104	90	13.4	0% - 20%		
EM2208379-020	SX_OB_20220508_19_51_ SS_Triplicate_ALS	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.0	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	98	97	1.9	0% - 50%
		EG005T: Molybdenum	7439-98-7	2	mg/kg	<5	<5	0.0	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	160	157	1.9	0% - 20%
		EG005T: Silver	7440-22-4	2	mg/kg	<2	<2	0.0	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	17	14	14.9	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	62	52	18.2	0% - 50%
		EG005T: Lead	7439-92-1	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Selenium	7782-49-2	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Tin	7440-31-5	5	mg/kg	<10	<10	0.0	No Limit
EG005T: Zinc	7440-66-6	5	mg/kg	90	87	2.6	0% - 50%		
EA001: pH in soil using 0.01M CaCl extract (QC Lot: 4335935)									
EM2208326-001	Anonymous	EA001: pH (CaCl2)	----	0.1	pH Unit	7.7	7.6	0.0	0% - 20%
EM2208326-012	Anonymous	EA001: pH (CaCl2)	----	0.1	pH Unit	7.6	7.6	0.0	0% - 20%
EA001: pH in soil using 0.01M CaCl extract (QC Lot: 4335936)									
EM2208379-009	SX_OB_20220508_00_06_ SS_Primary_ALS	EA001: pH (CaCl2)	----	0.1	pH Unit	7.8	7.9	0.0	0% - 20%
EM2208379-020	SX_OB_20220508_19_51_ SS_Triplicate_ALS	EA001: pH (CaCl2)	----	0.1	pH Unit	7.7	7.8	0.0	0% - 20%
EA055: Moisture Content (Dried @ 105-110°C) (QC Lot: 4333635)									
EM2208326-001	Anonymous	EA055: Moisture Content	----	0.1	%	28.0	29.3	4.3	0% - 20%
EM2208326-013	Anonymous	EA055: Moisture Content	----	0.1	%	28.8	27.2	5.7	0% - 20%
EA055: Moisture Content (Dried @ 105-110°C) (QC Lot: 4333636)									
EM2208379-009	SX_OB_20220508_00_06_ SS_Primary_ALS	EA055: Moisture Content	----	0.1	%	29.2	29.2	0.0	0% - 20%
EM2208379-021	SX_IB_20220509_00_07_S S_Primary_ALS	EA055: Moisture Content	----	0.1	%	27.0	24.6	9.4	0% - 20%



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EG035T: Total Recoverable Mercury by FIMS (QC Lot: 4331739)									
EM2208326-001	Anonymous	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EM2208326-012	Anonymous	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EG035T: Total Recoverable Mercury by FIMS (QC Lot: 4331740)									
EM2208379-009	SX_OB_20220508_00_06_ SS_Primary_ALS	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EM2208379-020	SX_OB_20220508_19_51_ SS_Triplicate_ALS	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EG048: Hexavalent Chromium (Alkaline Digest) (QC Lot: 4333544)									
EM2208326-001	Anonymous	EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	1.9	1.1	54.9	No Limit
EM2208326-012	Anonymous	EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	1.4	<1.0	32.6	No Limit
EG048: Hexavalent Chromium (Alkaline Digest) (QC Lot: 4333545)									
EM2208379-009	SX_OB_20220508_00_06_ SS_Primary_ALS	EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<1.0	<1.0	0.0	No Limit
EM2208379-020	SX_OB_20220508_19_51_ SS_Triplicate_ALS	EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<1.0	<1.0	0.0	No Limit
EK026SF: Total CN by Segmented Flow Analyser (QC Lot: 4334629)									
EM2208326-006	Anonymous	EK026SF: Total Cyanide	57-12-5	1	mg/kg	<5	<5	0.0	No Limit
EM2208278-001	Anonymous	EK026SF: Total Cyanide	57-12-5	1	mg/kg	<1	<1	0.0	No Limit
EK026SF: Total CN by Segmented Flow Analyser (QC Lot: 4334631)									
EM2208379-005	SX_OB_20220507_16_17_ SS_Primary_ALS	EK026SF: Total Cyanide	57-12-5	1	mg/kg	<5	<5	0.0	No Limit
EM2208379-016	SX_IB_20220508_11_55_S S_Primary_ALS	EK026SF: Total Cyanide	57-12-5	1	mg/kg	<5	<5	0.0	No Limit
EK040T: Fluoride Total (QC Lot: 4334007)									
EM2208326-001	Anonymous	EK040T: Fluoride	16984-48-8	40	mg/kg	130	120	9.8	No Limit
EM2208326-012	Anonymous	EK040T: Fluoride	16984-48-8	40	mg/kg	130	120	10.7	No Limit
EK040T: Fluoride Total (QC Lot: 4334010)									
EM2208379-009	SX_OB_20220508_00_06_ SS_Primary_ALS	EK040T: Fluoride	16984-48-8	40	mg/kg	120	130	0.0	No Limit
EM2208379-020	SX_OB_20220508_19_51_ SS_Triplicate_ALS	EK040T: Fluoride	16984-48-8	40	mg/kg	<100	<100	0.0	No Limit
EP066: Polychlorinated Biphenyls (PCB) (QC Lot: 4331625)									
EM2208379-001	SX_IB_20220507_08_04_S S_Primary_ALS	EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EM2208379-011	SX_IB_20220508_04_15_S S_Primary_ALS	EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EP066: Polychlorinated Biphenyls (PCB) (QC Lot: 4331627)									
EM2208326-001	Anonymous	EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EM2208326-013	Anonymous	EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP074A: Monocyclic Aromatic Hydrocarbons (QC Lot: 4328202)									
EM2208379-001	SX_IB_20220507_08_04_S S_Primary_ALS	EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.0	No Limit
		EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
EM2208379-011	SX_IB_20220508_04_15_S S_Primary_ALS	EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.0	No Limit
		EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
EP074A: Monocyclic Aromatic Hydrocarbons (QC Lot: 4328203)									
EM2208379-012	SX_OB_20220508_07_42_ SS_Primary_ALS	EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.0	No Limit
		EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
EP074H: Naphthalene (QC Lot: 4328202)									
EM2208379-001	SX_IB_20220507_08_04_S S_Primary_ALS	EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.0	No Limit
EM2208379-011	SX_IB_20220508_04_15_S S_Primary_ALS	EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.0	No Limit
EP074H: Naphthalene (QC Lot: 4328203)									
EM2208379-012	SX_OB_20220508_07_42_ SS_Primary_ALS	EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.0	No Limit
EP074I: Volatile Halogenated Compounds (QC Lot: 4328202)									
EM2208379-001	SX_IB_20220507_08_04_S S_Primary_ALS	EP074-UT: 1,1-Dichloroethene	75-35-4	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: cis-1,2-Dichloroethene	156-59-2	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,1,1-Trichloroethane	71-55-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Carbon Tetrachloride	56-23-5	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,1,1,2-Tetrachloroethane	630-20-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP074I: Volatile Halogenated Compounds (QC Lot: 4328202) - continued									
EM2208379-001	SX_IB_20220507_08_04_S S_Primary_ALS	EP074-UT: 1.2.4-Trichlorobenzene	120-82-1	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Vinyl chloride	75-01-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: trans-1.2-Dichloroethene	156-60-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chloroform	67-66-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.2-Dichloroethane	107-06-2	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Trichloroethene	79-01-6	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Tetrachloroethene	127-18-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.2.2-Tetrachloroethane	79-34-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Hexachlorobutadiene	87-68-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chlorobenzene	108-90-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.4-Dichlorobenzene	106-46-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.2-Dichlorobenzene	95-50-1	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.2-Trichloroethane	79-00-5	0.04	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.5	<0.5	0.0	No Limit
EM2208379-011	SX_IB_20220508_04_15_S S_Primary_ALS	EP074-UT: 1.1-Dichloroethene	75-35-4	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: cis-1.2-Dichloroethene	156-59-2	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.1-Trichloroethane	71-55-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Carbon Tetrachloride	56-23-5	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.1.2-Tetrachloroethane	630-20-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.2.4-Trichlorobenzene	120-82-1	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Vinyl chloride	75-01-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: trans-1.2-Dichloroethene	156-60-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chloroform	67-66-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.2-Dichloroethane	107-06-2	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Trichloroethene	79-01-6	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Tetrachloroethene	127-18-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.2.2-Tetrachloroethane	79-34-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Hexachlorobutadiene	87-68-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chlorobenzene	108-90-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.4-Dichlorobenzene	106-46-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: 1.2-Dichlorobenzene	95-50-1	0.02	mg/kg	<0.50	<0.50	0.0	No Limit		
EP074-UT: 1.1.2-Trichloroethane	79-00-5	0.04	mg/kg	<0.50	<0.50	0.0	No Limit		
EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.5	<0.5	0.0	No Limit		
EP074I: Volatile Halogenated Compounds (QC Lot: 4328203)									
EM2208379-012	SX_OB_20220508_07_42_ SS_Primary_ALS	EP074-UT: 1.1-Dichloroethene	75-35-4	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: cis-1.2-Dichloroethene	156-59-2	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.1-Trichloroethane	71-55-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP074I: Volatile Halogenated Compounds (QC Lot: 4328203) - continued									
EM2208379-012	SX_OB_20220508_07_42_S SS_Primary_ALS	EP074-UT: Carbon Tetrachloride	56-23-5	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.1.2-Tetrachloroethane	630-20-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.2.4-Trichlorobenzene	120-82-1	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Vinyl chloride	75-01-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: trans-1.2-Dichloroethene	156-60-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chloroform	67-66-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.2-Dichloroethane	107-06-2	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Trichloroethene	79-01-6	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Tetrachloroethene	127-18-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.2.2-Tetrachloroethane	79-34-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Hexachlorobutadiene	87-68-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chlorobenzene	108-90-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.4-Dichlorobenzene	106-46-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.2-Dichlorobenzene	95-50-1	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.2-Trichloroethane	79-00-5	0.04	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.5	<0.5	0.0	No Limit		
EP075A: Phenolic Compounds (Halogenated) (QC Lot: 4331624)									
EM2208379-001	SX_IB_20220507_08_04_S S_Primary_ALS	EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.5.6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: 2.4.5-Trichlorophenol	95-95-4	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.4.6-Trichlorophenol	88-06-2	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.4.5 & 2.3.4.6-Tetrachlorophenol	4901-51-3/58-9 0-2	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
EM2208379-011	SX_IB_20220508_04_15_S S_Primary_ALS	EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.5.6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: 2.4.5-Trichlorophenol	95-95-4	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.4.6-Trichlorophenol	88-06-2	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.4.5 & 2.3.4.6-Tetrachlorophenol	4901-51-3/58-9 0-2	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<1.0	<1.0	0.0	No Limit		



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP075A: Phenolic Compounds (Halogenated) (QC Lot: 4331629)									
EM2208326-001	Anonymous	EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.5.6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: 2.4.5-Trichlorophenol	95-95-4	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.4.6-Trichlorophenol	88-06-2	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.4.5 & 2.3.4.6-Tetrachlorophenol	4901-51-3/58-9 0-2	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
EM2208326-013	Anonymous	EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<1.0	<1.0	0.0	No Limit
		EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.5.6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: 2.4.5-Trichlorophenol	95-95-4	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.4.6-Trichlorophenol	88-06-2	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
EM2208379-001	SX_IB_20220507_08_04_S S_Primary_ALS	EP075-EM: 2.3.4.5 & 2.3.4.6-Tetrachlorophenol	4901-51-3/58-9 0-2	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<1.0	<1.0	0.0	No Limit
		EP075-EM: Phenol	108-95-2	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2.4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2.4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 2-Methyl-4.6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	0.0	No Limit
EM2208379-011	SX_IB_20220508_04_15_S S_Primary_ALS	EP075-EM: Dinoseb	88-85-7	5	mg/kg	<20	<20	0.0	No Limit
		EP075-EM: 2-Cyclohexyl-4.6-Dinitrophenol	131-89-5	5	mg/kg	<20	<20	0.0	No Limit
		EP075-EM: Phenol	108-95-2	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2.4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2.4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP075A: Phenolic Compounds (Non-halogenated) (QC Lot: 4331624) - continued									
EM2208379-011	SX_IB_20220508_04_15_S S_Primary_ALS	EP075-EM: 2-Methyl-4.6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: Dinoseb	88-85-7	5	mg/kg	<20	<20	0.0	No Limit
		EP075-EM: 2-Cyclohexyl-4.6-Dinitrophenol	131-89-5	5	mg/kg	<20	<20	0.0	No Limit
EP075A: Phenolic Compounds (Non-halogenated) (QC Lot: 4331629)									
EM2208326-001	Anonymous	EP075-EM: Phenol	108-95-2	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2.4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2.4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 2-Methyl-4.6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: Dinoseb	88-85-7	5	mg/kg	<20	<20	0.0	No Limit
EM2208326-013	Anonymous	EP075-EM: Phenol	108-95-2	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2.4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2.4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 2-Methyl-4.6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: Dinoseb	88-85-7	5	mg/kg	<20	<20	0.0	No Limit
EP075B: Polynuclear Aromatic Hydrocarbons (QC Lot: 4331624)	EM2208379-001 SX_IB_20220507_08_04_S S_Primary_ALS	EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP075B: Polynuclear Aromatic Hydrocarbons (QC Lot: 4331624) - continued									
EM2208379-001	SX_IB_20220507_08_04_S S_Primary_ALS	EP075-EM: Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	<1.0	0.0	No Limit
EM2208379-011	SX_IB_20220508_04_15_S S_Primary_ALS	EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Indeno(1,2,3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	<1.0	0.0	No Limit		
EP075B: Polynuclear Aromatic Hydrocarbons (QC Lot: 4331629)									
EM2208326-001	Anonymous	EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Indeno(1,2,3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	<1.0	0.0	No Limit		
EM2208326-013	Anonymous	EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP075B: Polynuclear Aromatic Hydrocarbons (QC Lot: 4331629) - continued									
EM2208326-013	Anonymous	EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Dibenzo(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	<1.0	0.0	No Limit
EP075I: Organochlorine Pesticides (QC Lot: 4331624)									
EM2208379-001	SX_IB_20220507_08_04_S S_Primary_ALS	EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4,4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
EM2208379-011	SX_IB_20220508_04_15_S S_Primary_ALS	EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.05	<0.05	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP075I: Organochlorine Pesticides (QC Lot: 4331624) - continued									
EM2208379-011	SX_IB_20220508_04_15_S S_Primary_ALS	EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
EP075-EM: 4,4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	0.0	No Limit		
EP075I: Organochlorine Pesticides (QC Lot: 4331629)									
EM2208326-001	Anonymous	EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.05	<0.05	0.0	No Limit		
EP075-EM: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit		
EP075-EM: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit		
EP075-EM: 4,4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	0.0	No Limit		
EM2208326-013	Anonymous	EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.05	<0.05	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP075: Organochlorine Pesticides (QC Lot: 4331629) - continued									
EM2208326-013	Anonymous	EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
EP075-EM: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit		
EP075-EM: 4,4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	0.0	No Limit		
EP080/071: Total Petroleum Hydrocarbons (QC Lot: 4328202)									
EM2208379-001	SX_IB_20220507_08_04_S S_Primary_ALS	EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<20	<20	0.0	No Limit
EM2208379-011	SX_IB_20220508_04_15_S S_Primary_ALS	EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<20	<20	0.0	No Limit
EP080/071: Total Petroleum Hydrocarbons (QC Lot: 4328203)									
EM2208379-012	SX_OB_20220508_07_42_ SS_Primary_ALS	EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<20	<20	0.0	No Limit
EP080/071: Total Petroleum Hydrocarbons (QC Lot: 4331626)									
EM2208379-001	SX_IB_20220507_08_04_S S_Primary_ALS	EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EM2208379-011	SX_IB_20220508_04_15_S S_Primary_ALS	EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EP080/071: Total Petroleum Hydrocarbons (QC Lot: 4331628)									
EM2208326-001	Anonymous	EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP080/071: Total Petroleum Hydrocarbons (QC Lot: 4331628) - continued									
EM2208326-001	Anonymous	EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EM2208326-013	Anonymous	EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 4328202)									
EM2208379-001	SX_IB_20220507_08_04_S S_Primary_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<20	<20	0.0	No Limit
		EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<20	<20	0.0	No Limit
EM2208379-011	SX_IB_20220508_04_15_S S_Primary_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<20	<20	0.0	No Limit
		EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<20	<20	0.0	No Limit
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 4328203)									
EM2208379-012	SX_OB_20220508_07_42_ SS_Primary_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<20	<20	0.0	No Limit
		EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<20	<20	0.0	No Limit
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 4331626)									
EM2208379-001	SX_IB_20220507_08_04_S S_Primary_ALS	EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EM2208379-011	SX_IB_20220508_04_15_S S_Primary_ALS	EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 4331628)									
EM2208326-001	Anonymous	EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EM2208326-013	Anonymous	EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4330281)									
EM2208326-001	Anonymous	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4330281) - continued									
EM2208326-001	Anonymous	EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EM2208326-013	Anonymous	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit		
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4333202)									
EM2208379-001	SX_IB_20220507_08_04_S S_Primary_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit		
EM2208379-011	SX_IB_20220508_04_15_S S_Primary_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit		
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4330281)									
EM2208326-001	Anonymous	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTriDA)	72629-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<5 µg/kg	<0.005	0.0	No Limit
EM2208326-013	Anonymous	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4330281) - continued									
EM2208326-013	Anonymous	EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<5 µg/kg	<0.005	0.0	No Limit
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4333202)									
EM2208379-001	SX_IB_20220507_08_04_S S_Primary_ALS	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<5 µg/kg	<0.005	0.0	No Limit
EM2208379-011	SX_IB_20220508_04_15_S S_Primary_ALS	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<5 µg/kg	<0.005	0.0	No Limit
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4330281)									
EM2208326-001	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4330281) - continued									
EM2208326-001	Anonymous	EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EM2208326-013	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4333202)									
EM2208379-001	SX_IB_20220507_08_04_S S_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EM2208379-011	SX_IB_20220508_04_15_S S_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4333202) - continued									
EM2208379-011	SX_IB_20220508_04_15_S S_Primary_ALS	EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4330281)									
EM2208326-001	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EM2208326-013	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4333202)									
EM2208379-001	SX_IB_20220507_08_04_S S_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EM2208379-011	SX_IB_20220508_04_15_S S_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit



Sub-Matrix: **SOIL** Laboratory Duplicate (DUP) Report

Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4333202) - continued									
EM2208379-011	SX_IB_20220508_04_15_S S_Primary_ALS	EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231P: PFAS Sums (QC Lot: 4330281)									
EM2208326-001	Anonymous	EP231X: Sum of PFAS	----	0.0002	mg/kg	<50.0 µg/kg	<0.0500	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
EM2208326-013	Anonymous	EP231X: Sum of PFAS	----	0.0002	mg/kg	<50.0 µg/kg	<0.0500	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
EP231P: PFAS Sums (QC Lot: 4333202)									
EM2208379-001	SX_IB_20220507_08_04_S S_Primary_ALS	EP231X: Sum of PFAS	----	0.0002	mg/kg	<50.0 µg/kg	<0.0500	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
EM2208379-011	SX_IB_20220508_04_15_S S_Primary_ALS	EP231X: Sum of PFAS	----	0.0002	mg/kg	<50.0 µg/kg	<0.0500	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit

Sub-Matrix: **WATER** Laboratory Duplicate (DUP) Report

Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4334576)									
EM2208326-015	Anonymous	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EM2208326-023	Anonymous	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit

EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4334587)



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4334587) - continued									
EM2208379-001	SX_IB_20220507_08_04_S S_Primary_ALS	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4337349)									
EM2208379-008	SX_OB_20220507_20_23_ SS_Triplicate_ALS	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EM2208379-018	SX_IB_20220508_16_16_S S_Triplicate_ALS	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4337352)									
EM2208379-029	SX_OB_20220507_16_20_ SS_Triplicate_ALS	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EM2208379-041	SX_OB_20220508_19_51_ SS_Triplicate_ALS	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4337779)									
EM2208367-008	Anonymous	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4337779) - continued									
EM2208367-008	Anonymous	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4334576)									
EM2208326-015	Anonymous	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2208326-023	Anonymous	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4334587)	SX_IB_20220507_08_04_S S_Primary_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit		



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)	
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4337349)										
EM2208379-008	SX_OB_20220507_20_23_SS_Triplicate_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit	
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit	
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit	
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit	
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit	
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit	
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit	
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit	
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit	
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit	
EM2208379-018	SX_IB_20220508_16_16_SS_Triplicate_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit	
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit	
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit	
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit	
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit	
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit	
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit	
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit	
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit	
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit	
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4337352)	EM2208379-029	SX_OB_20220507_16_20_SS_Triplicate_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
			EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
			EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
			EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
			EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
			EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
			EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
			EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
			EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
			EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2208379-041	SX_OB_20220508_19_51_SS_Triplicate_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit	
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit	



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4337352) - continued									
EM2208379-041	SX_OB_20220508_19_51_ SS_Triplicate_ALS	EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit		
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4337779)									
EM2208367-008	Anonymous	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit		
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4334576)									
EM2208326-015	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2208326-023	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4334576) - continued									
EM2208326-023	Anonymous	EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4334587)									
EM2208379-001	SX_IB_20220507_08_04_S S_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4337349)									
EM2208379-008	SX_OB_20220507_20_23_ SS_Triplicate_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4337349) - continued									
EM2208379-018	SX_IB_20220508_16_16_S S_Triplicate_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4337352)									
EM2208379-029	SX_OB_20220507_16_20_ SS_Triplicate_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2208379-041	SX_OB_20220508_19_51_ SS_Triplicate_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4337352) - continued									
EM2208379-041	SX_OB_20220508_19_51_ SS_Triplicate_ALS	EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4337779)									
EM2208367-008	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4334576)									
EM2208326-015	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2208326-023	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4334587)									
EM2208379-001	SX_IB_20220507_08_04_S S_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4334587) - continued									
EM2208379-001	SX_IB_20220507_08_04_S S_Primary_ALS	EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4337349)									
EM2208379-008	SX_OB_20220507_20_23_ SS_Triplicate_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2208379-018	SX_IB_20220508_16_16_S S_Triplicate_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4337352)									
EM2208379-029	SX_OB_20220507_16_20_ SS_Triplicate_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2208379-041	SX_OB_20220508_19_51_ SS_Triplicate_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4337779)									
EM2208367-008	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4337779) - continued									
EM2208367-008	Anonymous	EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231P: PFAS Sums (QC Lot: 4334576)									
EM2208326-015	Anonymous	EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit
EM2208326-023	Anonymous	EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit
EP231P: PFAS Sums (QC Lot: 4334587)									
EM2208379-001	SX_IB_20220507_08_04_S S_Primary_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.10	<0.10	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.05	<0.05	0.0	No Limit
EP231P: PFAS Sums (QC Lot: 4337349)									
EM2208379-008	SX_OB_20220507_20_23_ SS_Triplicate_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.10	<0.10	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.05	<0.05	0.0	No Limit
EM2208379-018	SX_IB_20220508_16_16_S S_Triplicate_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.10	<0.10	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.05	<0.05	0.0	No Limit
EP231P: PFAS Sums (QC Lot: 4337352)									
EM2208379-029	SX_OB_20220507_16_20_ SS_Triplicate_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.10	<0.10	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.05	<0.05	0.0	No Limit
EM2208379-041	SX_OB_20220508_19_51_ SS_Triplicate_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.10	<0.10	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit

Page : 29 of 53
 Work Order : EM2208379
 Client : AGON ENVIRONMENTAL PTY LTD
 Project : JC0927



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231P: PFAS Sums (QC Lot: 4337352) - continued									
EM2208379-041	SX_OB_20220508_19_51_ SS_Triplicate_ALS	EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.05	<0.05	0.0	No Limit
EP231P: PFAS Sums (QC Lot: 4337779)									
EM2208367-008	Anonymous	EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763- 23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit



Method Blank (MB) and Laboratory Control Sample (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Sample (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: **SOIL**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
EG005(ED093)T: Total Metals by ICP-AES (QCLot: 4331738)									
EG005T: Arsenic	7440-38-2	5	mg/kg	<5	123 mg/kg	81.9	70.0	130	
EG005T: Cadmium	7440-43-9	1	mg/kg	<1	1.23 mg/kg	53.7	50.0	130	
EG005T: Chromium	7440-47-3	2	mg/kg	<2	20.2 mg/kg	85.4	70.0	130	
EG005T: Copper	7440-50-8	5	mg/kg	<5	55.9 mg/kg	80.2	70.0	130	
EG005T: Lead	7439-92-1	5	mg/kg	<5	62.4 mg/kg	86.0	70.0	130	
EG005T: Molybdenum	7439-98-7	2	mg/kg	<2	2.19 mg/kg	75.6	70.0	130	
EG005T: Nickel	7440-02-0	2	mg/kg	<2	15.4 mg/kg	84.5	70.0	130	
EG005T: Selenium	7782-49-2	5	mg/kg	<5	----	----	----	----	
EG005T: Silver	7440-22-4	2	mg/kg	<2	2.9 mg/kg	74.3	70.0	130	
EG005T: Tin	7440-31-5	5	mg/kg	<5	5.33 mg/kg	91.2	70.0	130	
EG005T: Zinc	7440-66-6	5	mg/kg	<5	162 mg/kg	71.1	70.0	130	
EG005(ED093)T: Total Metals by ICP-AES (QCLot: 4331741)									
EG005T: Arsenic	7440-38-2	5	mg/kg	<5	123 mg/kg	77.4	70.0	130	
EG005T: Cadmium	7440-43-9	1	mg/kg	<1	1.23 mg/kg	51.8	50.0	130	
EG005T: Chromium	7440-47-3	2	mg/kg	<2	20.2 mg/kg	81.7	70.0	130	
EG005T: Copper	7440-50-8	5	mg/kg	<5	55.9 mg/kg	78.6	70.0	130	
EG005T: Lead	7439-92-1	5	mg/kg	<5	62.4 mg/kg	81.4	70.0	130	
EG005T: Molybdenum	7439-98-7	2	mg/kg	<2	2.19 mg/kg	71.6	70.0	130	
EG005T: Nickel	7440-02-0	2	mg/kg	<2	15.4 mg/kg	80.2	70.0	130	
EG005T: Selenium	7782-49-2	5	mg/kg	<5	----	----	----	----	
EG005T: Silver	7440-22-4	2	mg/kg	<2	2.9 mg/kg	70.1	70.0	130	
EG005T: Tin	7440-31-5	5	mg/kg	<5	5.33 mg/kg	90.3	70.0	130	
EG005T: Zinc	7440-66-6	5	mg/kg	<5	162 mg/kg	124	70.0	130	
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel) (QCLot: 4332462)									
EN60-DIa-P: Final pH	----	0.1	pH Unit	7.1	----	----	----	----	
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel) (QCLot: 4333676)									
EN60-DIa-P: Final pH	----	0.1	pH Unit	7.1	----	----	----	----	
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel) (QCLot: 4334813)									
EN60-DIa-P: Final pH	----	0.1	pH Unit	7.1	----	----	----	----	
EA001: pH in soil using 0.01M CaCl extract (QCLot: 4335935)									
EA001: pH (CaCl2)	----	----	pH Unit	----	4 pH Unit	101	98.8	101	
				----	7 pH Unit	100	99.3	101	
EA001: pH in soil using 0.01M CaCl extract (QCLot: 4335936)									



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report			
					Spike Concentration	Spike Recovery (%)	Acceptable Limits (%)	
						LCS	Low	High
EA001: pH in soil using 0.01M CaCl extract (QCLot: 4335936) - continued								
EA001: pH (CaCl2)	----	----	pH Unit	----	4 pH Unit	100	98.8	101
				----	7 pH Unit	100	99.3	101
EG035T: Total Recoverable Mercury by FIMS (QCLot: 4331739)								
EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	0.64 mg/kg	77.4	70.0	130
EG035T: Total Recoverable Mercury by FIMS (QCLot: 4331740)								
EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	0.64 mg/kg	75.4	70.0	130
EG048: Hexavalent Chromium (Alkaline Digest) (QCLot: 4333544)								
EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<0.5	20 mg/kg	83.8	70.0	130
EG048: Hexavalent Chromium (Alkaline Digest) (QCLot: 4333545)								
EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<0.5	20 mg/kg	83.7	70.0	130
EK026SF: Total CN by Segmented Flow Analyser (QCLot: 4334629)								
EK026SF: Total Cyanide	57-12-5	1	mg/kg	<1	20 mg/kg	83.3	70.0	130
EK026SF: Total CN by Segmented Flow Analyser (QCLot: 4334631)								
EK026SF: Total Cyanide	57-12-5	1	mg/kg	<1	20 mg/kg	74.7	70.0	130
EK040T: Fluoride Total (QCLot: 4334007)								
EK040T: Fluoride	16984-48-8	40	mg/kg	<40	400 mg/kg	82.2	75.2	110
EK040T: Fluoride Total (QCLot: 4334010)								
EK040T: Fluoride	16984-48-8	40	mg/kg	<40	400 mg/kg	79.4	75.2	110
EP066: Polychlorinated Biphenyls (PCB) (QCLot: 4331625)								
EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	1 mg/kg	90.3	67.4	136
EP066: Polychlorinated Biphenyls (PCB) (QCLot: 4331627)								
EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	1 mg/kg	103	67.4	136
EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 4328202)								
EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	2.1 mg/kg	71.2	69.2	116
EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	2.1 mg/kg	73.0	67.7	116
EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	2.1 mg/kg	73.5	66.6	115
EP074-UT: meta- & para-Xylene	108-38-3	0.5	mg/kg	<0.5	4.2 mg/kg	73.5	65.2	112
	106-42-3							
EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	2.1 mg/kg	80.9	69.4	111
EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	2.1 mg/kg	79.2	68.4	110
EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 4328203)								
EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	2.1 mg/kg	85.8	69.2	116
EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	2.1 mg/kg	85.9	67.7	116
EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	2.1 mg/kg	82.4	66.6	115
EP074-UT: meta- & para-Xylene	108-38-3	0.5	mg/kg	<0.5	4.2 mg/kg	80.8	65.2	112
	106-42-3							
EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	2.1 mg/kg	87.2	69.4	111



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 4328203) - continued									
EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	2.1 mg/kg	85.3	68.4	110	
EP074H: Naphthalene (QCLot: 4328202)									
EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	0.6 mg/kg	85.8	72.3	114	
EP074H: Naphthalene (QCLot: 4328203)									
EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	0.6 mg/kg	92.4	72.3	114	
EP074I: Volatile Halogenated Compounds (QCLot: 4328202)									
EP074-UT: Vinyl chloride	75-01-4	0.02	mg/kg	<0.02	0.1 mg/kg	68.9	47.0	138	
EP074-UT: 1.1-Dichloroethene	75-35-4	0.01	mg/kg	<0.01	0.1 mg/kg	58.8	57.6	125	
EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.4	2.1 mg/kg	82.5	72.3	115	
EP074-UT: trans-1.2-Dichloroethene	156-60-5	0.02	mg/kg	<0.02	0.1 mg/kg	67.8	60.5	122	
EP074-UT: cis-1.2-Dichloroethene	156-59-2	0.01	mg/kg	<0.01	0.1 mg/kg	77.9	70.3	112	
EP074-UT: Chloroform	67-66-3	0.02	mg/kg	<0.02	0.1 mg/kg	80.4	66.6	115	
EP074-UT: 1.1.1-Trichloroethane	71-55-6	0.01	mg/kg	<0.01	0.1 mg/kg	65.6	64.4	122	
EP074-UT: Carbon Tetrachloride	56-23-5	0.01	mg/kg	<0.01	0.1 mg/kg	62.5	58.4	127	
EP074-UT: 1.2-Dichloroethane	107-06-2	0.02	mg/kg	<0.02	0.1 mg/kg	83.2	72.9	114	
EP074-UT: Trichloroethene	79-01-6	0.02	mg/kg	<0.02	0.1 mg/kg	67.6	64.7	115	
EP074-UT: 1.1.2-Trichloroethane	79-00-5	0.04	mg/kg	<0.04	0.1 mg/kg	88.0	72.6	116	
EP074-UT: Tetrachloroethene	127-18-4	0.02	mg/kg	<0.02	0.1 mg/kg	68.6	60.0	119	
EP074-UT: 1.1.1.2-Tetrachloroethane	630-20-6	0.01	mg/kg	<0.01	0.1 mg/kg	84.6	71.8	116	
EP074-UT: 1.1.2.2-Tetrachloroethane	79-34-5	0.02	mg/kg	<0.02	0.1 mg/kg	94.8	66.1	116	
EP074-UT: Hexachlorobutadiene	87-68-3	0.02	mg/kg	<0.02	0.1 mg/kg	69.0	39.8	128	
EP074-UT: Chlorobenzene	108-90-7	0.02	mg/kg	<0.02	0.1 mg/kg	77.7	70.3	113	
EP074-UT: 1.4-Dichlorobenzene	106-46-7	0.02	mg/kg	<0.02	0.1 mg/kg	78.0	62.6	113	
EP074-UT: 1.2-Dichlorobenzene	95-50-1	0.02	mg/kg	<0.02	0.1 mg/kg	81.4	70.8	110	
EP074-UT: 1.2.4-Trichlorobenzene	120-82-1	0.01	mg/kg	<0.01	0.1 mg/kg	74.8	48.4	120	
EP074I: Volatile Halogenated Compounds (QCLot: 4328203)									
EP074-UT: Vinyl chloride	75-01-4	0.02	mg/kg	<0.02	0.1 mg/kg	107	47.0	138	
EP074-UT: 1.1-Dichloroethene	75-35-4	0.01	mg/kg	<0.01	0.1 mg/kg	80.2	57.6	125	
EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.4	2.1 mg/kg	88.7	72.3	115	
EP074-UT: trans-1.2-Dichloroethene	156-60-5	0.02	mg/kg	<0.02	0.1 mg/kg	83.2	60.5	122	
EP074-UT: cis-1.2-Dichloroethene	156-59-2	0.01	mg/kg	<0.01	0.1 mg/kg	85.6	70.3	112	
EP074-UT: Chloroform	67-66-3	0.02	mg/kg	<0.02	0.1 mg/kg	89.8	66.6	115	
EP074-UT: 1.1.1-Trichloroethane	71-55-6	0.01	mg/kg	<0.01	0.1 mg/kg	82.1	64.4	122	
EP074-UT: Carbon Tetrachloride	56-23-5	0.01	mg/kg	<0.01	0.1 mg/kg	79.8	58.4	127	
EP074-UT: 1.2-Dichloroethane	107-06-2	0.02	mg/kg	<0.02	0.1 mg/kg	97.1	72.9	114	
EP074-UT: Trichloroethene	79-01-6	0.02	mg/kg	<0.02	0.1 mg/kg	81.6	64.7	115	
EP074-UT: 1.1.2-Trichloroethane	79-00-5	0.04	mg/kg	<0.04	0.1 mg/kg	93.3	72.6	116	
EP074-UT: Tetrachloroethene	127-18-4	0.02	mg/kg	<0.02	0.1 mg/kg	79.8	60.0	119	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
EP074I: Volatile Halogenated Compounds (QCLot: 4328203) - continued									
EP074-UT: 1.1.1.2-Tetrachloroethane	630-20-6	0.01	mg/kg	<0.01	0.1 mg/kg	90.4	71.8	116	
EP074-UT: 1.1.2.2-Tetrachloroethane	79-34-5	0.02	mg/kg	<0.02	0.1 mg/kg	94.4	66.1	116	
EP074-UT: Hexachlorobutadiene	87-68-3	0.02	mg/kg	<0.02	0.1 mg/kg	71.4	39.8	128	
EP074-UT: Chlorobenzene	108-90-7	0.02	mg/kg	<0.02	0.1 mg/kg	90.0	70.3	113	
EP074-UT: 1.4-Dichlorobenzene	106-46-7	0.02	mg/kg	<0.02	0.1 mg/kg	86.6	62.6	113	
EP074-UT: 1.2-Dichlorobenzene	95-50-1	0.02	mg/kg	<0.02	0.1 mg/kg	90.6	70.8	110	
EP074-UT: 1.2.4-Trichlorobenzene	120-82-1	0.01	mg/kg	<0.01	0.1 mg/kg	80.0	48.4	120	
EP075A: Phenolic Compounds (Halogenated) (QCLot: 4331624)									
EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.03	2 mg/kg	102	74.5	126	
EP075-EM: 2.4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.03	2 mg/kg	104	72.7	126	
EP075-EM: 2.6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.03	2 mg/kg	104	73.5	132	
EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<0.03	2 mg/kg	118	72.8	128	
EP075-EM: 2.4.5-Trichlorophenol	95-95-4	0.05	mg/kg	<0.05	2 mg/kg	82.9	73.3	134	
EP075-EM: 2.4.6-Trichlorophenol	88-06-2	0.05	mg/kg	<0.05	2 mg/kg	83.9	72.4	128	
EP075-EM: 2.3.5.6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	2 mg/kg	86.0	69.4	126	
EP075-EM: 2.3.4.5 & 2.3.4.6-Tetrachlorophenol	4901-51-3/5 8-90-2	0.05	mg/kg	<0.05	4 mg/kg	88.2	71.9	128	
EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<0.2	4 mg/kg	100	54.4	135	
EP075A: Phenolic Compounds (Halogenated) (QCLot: 4331629)									
EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.03	2 mg/kg	90.0	74.5	126	
EP075-EM: 2.4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.03	2 mg/kg	92.9	72.7	126	
EP075-EM: 2.6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.03	2 mg/kg	92.9	73.5	132	
EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<0.03	2 mg/kg	95.8	72.8	128	
EP075-EM: 2.4.5-Trichlorophenol	95-95-4	0.05	mg/kg	<0.05	2 mg/kg	85.4	73.3	134	
EP075-EM: 2.4.6-Trichlorophenol	88-06-2	0.05	mg/kg	<0.05	2 mg/kg	86.0	72.4	128	
EP075-EM: 2.3.5.6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	2 mg/kg	72.3	69.4	126	
EP075-EM: 2.3.4.5 & 2.3.4.6-Tetrachlorophenol	4901-51-3/5 8-90-2	0.05	mg/kg	<0.05	4 mg/kg	85.5	71.9	128	
EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<0.2	4 mg/kg	67.8	54.4	135	
EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4331624)									
EP075-EM: Phenol	108-95-2	1	mg/kg	<1	2 mg/kg	114	71.5	130	
EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	2 mg/kg	97.8	73.4	129	
EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	4 mg/kg	96.7	74.3	129	
EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	2 mg/kg	92.4	70.9	133	
EP075-EM: 2.4-Dimethylphenol	105-67-9	1	mg/kg	<1	2 mg/kg	105	71.8	132	
EP075-EM: 2.4-Dinitrophenol	51-28-5	5	mg/kg	<5	10 mg/kg	66.9	41.0	156	
EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	10 mg/kg	87.7	65.3	134	
EP075-EM: 2-Methyl-4.6-dinitrophenol	8071-51-0	5	mg/kg	<5	10 mg/kg	80.8	43.6	128	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report				
					Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4331624) - continued									
EP075-EM: Dinoseb	88-85-7	5	mg/kg	<5	10 mg/kg	98.6	62.0	128	
EP075-EM: 2-Cyclohexyl-4.6-Dinitrophenol	131-89-5	5	mg/kg	<5	10 mg/kg	93.6	34.5	137	
EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4331629)									
EP075-EM: Phenol	108-95-2	1	mg/kg	<1	2 mg/kg	90.8	71.5	130	
EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	2 mg/kg	89.3	73.4	129	
EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	4 mg/kg	89.3	74.3	129	
EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	2 mg/kg	93.4	70.9	133	
EP075-EM: 2.4-Dimethylphenol	105-67-9	1	mg/kg	<1	2 mg/kg	91.2	71.8	132	
EP075-EM: 2.4-Dinitrophenol	51-28-5	5	mg/kg	<5	10 mg/kg	43.4	41.0	156	
EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	10 mg/kg	92.9	65.3	134	
EP075-EM: 2-Methyl-4.6-dinitrophenol	8071-51-0	5	mg/kg	<5	10 mg/kg	78.3	43.6	128	
EP075-EM: Dinoseb	88-85-7	5	mg/kg	<5	10 mg/kg	86.5	62.0	128	
EP075-EM: 2-Cyclohexyl-4.6-Dinitrophenol	131-89-5	5	mg/kg	<5	10 mg/kg	69.6	34.5	137	
EP075B: Polynuclear Aromatic Hydrocarbons (QCLot: 4331624)									
EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	2 mg/kg	97.8	73.0	131	
EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	2 mg/kg	90.4	76.3	130	
EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	2 mg/kg	87.8	72.0	135	
EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	2 mg/kg	95.2	74.4	131	
EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	2 mg/kg	98.5	73.3	130	
EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	2 mg/kg	97.6	78.4	127	
EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	2 mg/kg	93.7	75.3	132	
EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	2 mg/kg	94.8	75.4	130	
EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	2 mg/kg	94.2	69.6	133	
EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	2 mg/kg	95.2	75.0	133	
EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	4 mg/kg	99.4	75.8	133	
EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	2 mg/kg	98.2	65.1	130	
EP075-EM: Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	2 mg/kg	96.2	72.1	134	
EP075-EM: Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	2 mg/kg	95.2	72.9	135	
EP075-EM: Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	2 mg/kg	98.6	71.3	134	
EP075B: Polynuclear Aromatic Hydrocarbons (QCLot: 4331629)									
EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	2 mg/kg	93.5	73.0	131	
EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	2 mg/kg	83.7	76.3	130	
EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	2 mg/kg	85.9	72.0	135	
EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	2 mg/kg	88.5	74.4	131	
EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	2 mg/kg	89.8	73.3	130	
EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	2 mg/kg	89.4	78.4	127	
EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	2 mg/kg	89.9	75.3	132	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
EP075B: Polynuclear Aromatic Hydrocarbons (QCLot: 4331629) - continued									
EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	2 mg/kg	90.4	75.4	130	
EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	2 mg/kg	89.7	69.6	133	
EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	2 mg/kg	90.7	75.0	133	
EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	4 mg/kg	89.3	75.8	133	
EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	2 mg/kg	89.5	65.1	130	
EP075-EM: Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	2 mg/kg	91.6	72.1	134	
EP075-EM: Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	2 mg/kg	92.0	72.9	135	
EP075-EM: Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	2 mg/kg	90.8	71.3	134	
EP075I: Organochlorine Pesticides (QCLot: 4331624)									
EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.03	2 mg/kg	102	71.0	129	
EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.03	2 mg/kg	109	74.8	126	
EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.03	2 mg/kg	108	75.7	130	
EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.03	2 mg/kg	103	70.8	130	
EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.03	2 mg/kg	103	76.5	134	
EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.03	2 mg/kg	107	75.5	131	
EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.03	2 mg/kg	109	76.8	130	
EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.03	2 mg/kg	88.9	73.6	130	
EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	2 mg/kg	93.8	75.0	133	
EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	2 mg/kg	94.9	75.3	131	
EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.03	2 mg/kg	99.2	69.4	134	
EP075-EM: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	2 mg/kg	109	71.0	132	
EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.03	2 mg/kg	100	78.0	133	
EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.03	2 mg/kg	81.8	69.0	143	
EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.03	2 mg/kg	96.3	55.7	145	
EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.03	2 mg/kg	96.0	71.4	135	
EP075-EM: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	2 mg/kg	98.3	74.8	134	
EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.03	2 mg/kg	104	70.2	135	
EP075-EM: 4,4'-DDT	50-29-3	0.05	mg/kg	<0.05	2 mg/kg	93.2	77.7	133	
EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.03	2 mg/kg	101	63.6	135	
EP075I: Organochlorine Pesticides (QCLot: 4331629)									
EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.03	2 mg/kg	90.5	71.0	129	
EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.03	2 mg/kg	90.5	74.8	126	
EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.03	2 mg/kg	94.3	75.7	130	
EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.03	2 mg/kg	92.3	70.8	130	
EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.03	2 mg/kg	92.2	76.5	134	
EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.03	2 mg/kg	90.2	75.5	131	
EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.03	2 mg/kg	93.5	76.8	130	
EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.03	2 mg/kg	89.7	73.6	130	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
EP075I: Organochlorine Pesticides (QCLot: 4331629) - continued									
EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	2 mg/kg	91.1	75.0	133	
EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	2 mg/kg	91.4	75.3	131	
EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.03	2 mg/kg	91.2	69.4	134	
EP075-EM: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	2 mg/kg	90.7	71.0	132	
EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.03	2 mg/kg	90.2	78.0	133	
EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.03	2 mg/kg	104	69.0	143	
EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.03	2 mg/kg	84.7	55.7	145	
EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.03	2 mg/kg	90.8	71.4	135	
EP075-EM: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	2 mg/kg	90.0	74.8	134	
EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.03	2 mg/kg	90.0	70.2	135	
EP075-EM: 4,4'-DDT	50-29-3	0.05	mg/kg	<0.05	2 mg/kg	88.9	77.7	133	
EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.03	2 mg/kg	93.5	63.6	135	
EP080/071: Total Petroleum Hydrocarbons (QCLot: 4328202)									
EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<10	39.6 mg/kg	64.2	61.1	119	
EP080/071: Total Petroleum Hydrocarbons (QCLot: 4328203)									
EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<10	39.6 mg/kg	78.6	61.1	119	
EP080/071: Total Petroleum Hydrocarbons (QCLot: 4331626)									
EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	670 mg/kg	100	74.4	129	
EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	2860 mg/kg	101	81.0	123	
EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	1490 mg/kg	94.4	81.8	121	
EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	5020 mg/kg	99.2	70.0	130	
EP080/071: Total Petroleum Hydrocarbons (QCLot: 4331628)									
EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	670 mg/kg	105	74.4	129	
EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	2860 mg/kg	103	81.0	123	
EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	1490 mg/kg	98.4	81.8	121	
EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	5020 mg/kg	102	70.0	130	
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4328202)									
EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	48.9 mg/kg	69.6	59.9	119	
EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTE X	10	mg/kg	<10	----	----	----	----	
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4328203)									
EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	48.9 mg/kg	76.9	59.9	119	
EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTE X	10	mg/kg	<10	----	----	----	----	
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4331626)									
EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	1000 mg/kg	95.3	75.4	132	
EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	3770 mg/kg	104	80.8	120	
EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	250 mg/kg	107	73.3	136	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
				Result	Spike	Spike Recovery (%)	Acceptable Limits (%)	
					Concentration	LCS	Low	High
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4331626) - continued								
EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	5020 mg/kg	103	70.0	130
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4331628)								
EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	1000 mg/kg	110	75.4	132
EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	3770 mg/kg	103	80.8	120
EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	250 mg/kg	97.6	73.3	136
EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	5020 mg/kg	104	70.0	130
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4330281)								
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	0.00111 mg/kg	97.7	72.0	128
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	0.00118 mg/kg	96.4	73.0	123
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	0.0014 mg/kg	75.2	67.0	130
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	0.00119 mg/kg	84.5	70.0	132
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	0.00116 mg/kg	86.3	68.0	136
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<0.0002	0.00121 mg/kg	82.7	59.0	134
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4333202)								
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	0.00111 mg/kg	92.0	72.0	128
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	0.00118 mg/kg	89.4	73.0	123
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	0.0014 mg/kg	68.2	67.0	130
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	0.00119 mg/kg	97.7	70.0	132
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	0.00116 mg/kg	87.2	68.0	136
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<0.0002	0.00121 mg/kg	97.3	59.0	134
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4330281)								
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	0.00625 mg/kg	90.5	71.0	135
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	0.00125 mg/kg	91.3	69.0	132
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	87.7	70.0	132
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	92.8	71.0	131
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	90.1	69.0	133
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	92.0	72.0	129
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	0.00125 mg/kg	85.0	69.0	133
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	90.1	64.0	136
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	95.0	69.0	135
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	87.0	66.0	139
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	95.4	69.0	133
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4333202)								
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	0.00625 mg/kg	99.7	71.0	135
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	0.00125 mg/kg	96.2	69.0	132
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	93.1	70.0	132
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	91.4	71.0	131
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	94.5	69.0	133



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4333202) - continued									
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	86.9	72.0	129	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	0.00125 mg/kg	96.7	69.0	133	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	85.5	64.0	136	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	102	69.0	135	
EP231X: Perfluorotridecanoic acid (PFTriDA)	72629-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	104	66.0	139	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	94.6	69.0	133	
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4330281)									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	88.1	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	0.00312 mg/kg	97.4	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	83.0	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	90.2	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	97.1	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	103	63.0	144	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	91.6	61.0	139	
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4333202)									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	88.6	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	0.00312 mg/kg	111	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	91.2	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	90.1	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	94.3	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	101	63.0	144	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	83.2	61.0	139	
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4330281)									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	0.00117 mg/kg	91.4	62.0	145	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	0.00119 mg/kg	84.4	64.0	140	
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	0.0012 mg/kg	97.9	65.0	137	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	0.00121 mg/kg	103	70.0	130	
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4333202)									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	0.00117 mg/kg	93.2	62.0	145	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	0.00119 mg/kg	96.2	64.0	140	
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	0.0012 mg/kg	102	65.0	137	



Sub-Matrix: **SOIL**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report				
					Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4333202) - continued									
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	0.00121 mg/kg	103	70.0	130	
EP231P: PFAS Sums (QCLot: 4330281)									
EP231X: Sum of PFAS	----	0.0002	mg/kg	<0.0002	----	----	----	----	
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	
EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	----	----	----	----	
EP231P: PFAS Sums (QCLot: 4333202)									
EP231X: Sum of PFAS	----	0.0002	mg/kg	<0.0002	----	----	----	----	
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	
EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	----	----	----	----	

Sub-Matrix: **WATER**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report				
					Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4334576)									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.222 µg/L	98.5	72.0	130	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.235 µg/L	118	71.0	127	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.228 µg/L	112	68.0	131	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.25 µg/L	114	69.0	134	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.232 µg/L	95.9	65.0	140	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.241 µg/L	102	53.0	142	
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4334587)									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.222 µg/L	88.9	72.0	130	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.235 µg/L	102	71.0	127	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.228 µg/L	89.4	68.0	131	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.25 µg/L	108	69.0	134	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.232 µg/L	110	65.0	140	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.241 µg/L	114	53.0	142	
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4337349)									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.222 µg/L	94.9	72.0	130	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.235 µg/L	102	71.0	127	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.228 µg/L	95.2	68.0	131	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.25 µg/L	96.8	69.0	134	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.232 µg/L	90.5	65.0	140	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.241 µg/L	91.7	53.0	142	
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4337352)									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.222 µg/L	98.2	72.0	130	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.235 µg/L	100.0	71.0	127	



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
				Result	Spike	Spike Recovery (%)	Acceptable Limits (%)	
					Concentration	LCS	Low	High
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4337352) - continued								
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.228 µg/L	92.0	68.0	131
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.25 µg/L	102	69.0	134
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.232 µg/L	92.1	65.0	140
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.241 µg/L	97.1	53.0	142
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4337779)								
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.222 µg/L	91.1	72.0	130
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.235 µg/L	93.7	71.0	127
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.228 µg/L	95.3	68.0	131
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.25 µg/L	97.3	69.0	134
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.232 µg/L	98.6	65.0	140
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.241 µg/L	95.4	53.0	142
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4334576)								
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	1.25 µg/L	91.4	73.0	129
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.25 µg/L	93.8	72.0	129
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.25 µg/L	101	72.0	129
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.25 µg/L	99.2	72.0	130
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.25 µg/L	90.2	71.0	133
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.25 µg/L	93.6	69.0	130
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.25 µg/L	100	71.0	129
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.25 µg/L	87.9	69.0	133
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.25 µg/L	98.9	72.0	134
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.25 µg/L	85.6	65.0	144
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	0.625 µg/L	105	71.0	132
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4334587)								
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	1.25 µg/L	88.9	73.0	129
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.25 µg/L	77.3	72.0	129
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.25 µg/L	116	72.0	129
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.25 µg/L	98.1	72.0	130
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.25 µg/L	88.6	71.0	133
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.25 µg/L	97.2	69.0	130
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.25 µg/L	91.7	71.0	129
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.25 µg/L	69.6	69.0	133
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.25 µg/L	107	72.0	134
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.25 µg/L	89.7	65.0	144
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	0.625 µg/L	127	71.0	132
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4337349)								
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	1.25 µg/L	102	73.0	129
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.25 µg/L	104	72.0	129



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4337349) - continued									
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.25 µg/L	103	72.0	129	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.25 µg/L	102	72.0	130	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.25 µg/L	98.5	71.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.25 µg/L	98.8	69.0	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.25 µg/L	108	71.0	129	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.25 µg/L	95.2	69.0	133	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.25 µg/L	104	72.0	134	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.25 µg/L	95.7	65.0	144	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	0.625 µg/L	104	71.0	132	
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4337352)									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	1.25 µg/L	91.8	73.0	129	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.25 µg/L	103	72.0	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.25 µg/L	86.8	72.0	129	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.25 µg/L	94.8	72.0	130	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.25 µg/L	94.6	71.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.25 µg/L	101	69.0	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.25 µg/L	88.6	71.0	129	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.25 µg/L	95.0	69.0	133	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.25 µg/L	97.6	72.0	134	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.25 µg/L	91.3	65.0	144	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	0.625 µg/L	91.0	71.0	132	
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4337779)									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	1.25 µg/L	97.6	73.0	129	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.25 µg/L	101	72.0	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.25 µg/L	102	72.0	129	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.25 µg/L	97.7	72.0	130	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.25 µg/L	92.0	71.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.25 µg/L	96.5	69.0	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.25 µg/L	104	71.0	129	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.25 µg/L	87.3	69.0	133	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.25 µg/L	102	72.0	134	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.25 µg/L	83.9	65.0	144	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	0.625 µg/L	97.0	71.0	132	
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4334576)									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.25 µg/L	98.6	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	0.625 µg/L	94.2	68.0	141	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	0.625 µg/L	100	70.0	130	



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4334576) - continued									
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	0.625 µg/L	101	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	0.625 µg/L	89.0	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.25 µg/L	104	65.0	136	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.25 µg/L	84.9	61.0	135	
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4334587)									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.25 µg/L	103	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	0.625 µg/L	109	68.0	141	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	0.625 µg/L	107	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	0.625 µg/L	96.4	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	0.625 µg/L	105	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.25 µg/L	118	65.0	136	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.25 µg/L	102	61.0	135	
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4337349)									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.25 µg/L	96.0	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	0.625 µg/L	116	68.0	141	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	0.625 µg/L	93.5	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	0.625 µg/L	99.0	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	0.625 µg/L	101	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.25 µg/L	120	65.0	136	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.25 µg/L	97.3	61.0	135	
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4337352)									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.25 µg/L	94.4	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	0.625 µg/L	101	68.0	141	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	0.625 µg/L	95.2	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	0.625 µg/L	87.5	70.0	130	



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4337352) - continued									
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	0.625 µg/L	103	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.25 µg/L	117	65.0	136	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.25 µg/L	101	61.0	135	
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4337779)									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.25 µg/L	101	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	0.625 µg/L	112	68.0	141	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	0.625 µg/L	98.8	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	0.625 µg/L	84.0	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	0.625 µg/L	96.8	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.25 µg/L	103	65.0	136	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.25 µg/L	93.4	61.0	135	
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4334576)									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.234 µg/L	105	63.0	143	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.238 µg/L	103	64.0	140	
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.24 µg/L	99.3	67.0	138	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.242 µg/L	86.0	70.0	130	
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4334587)									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.234 µg/L	89.2	63.0	143	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.238 µg/L	115	64.0	140	
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.24 µg/L	110	67.0	138	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.242 µg/L	76.3	70.0	130	
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4337349)									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.234 µg/L	103	63.0	143	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.238 µg/L	101	64.0	140	
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.24 µg/L	118	67.0	138	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.242 µg/L	92.6	70.0	130	
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4337352)									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.234 µg/L	99.0	63.0	143	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.238 µg/L	103	64.0	140	
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.24 µg/L	106	67.0	138	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.242 µg/L	79.1	70.0	130	



Sub-Matrix: **WATER**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4337779)									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.234 µg/L	98.4	63.0	143	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.238 µg/L	97.8	64.0	140	
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.24 µg/L	115	67.0	138	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.242 µg/L	91.6	70.0	130	
EP231P: PFAS Sums (QCLot: 4334576)									
EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----	
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----	
EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----	
EP231P: PFAS Sums (QCLot: 4334587)									
EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----	
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----	
EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----	
EP231P: PFAS Sums (QCLot: 4337349)									
EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----	
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----	
EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----	
EP231P: PFAS Sums (QCLot: 4337352)									
EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----	
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----	
EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----	
EP231P: PFAS Sums (QCLot: 4337779)									
EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----	
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----	
EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----	

Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: **SOIL**

Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
				Concentration	MS	Low	High
EG005(ED093)T: Total Metals by ICP-AES (QCLot: 4331738)							



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
Laboratory sample ID		Sample ID	Method: Compound	CAS Number	Spike Concentration	SpikeRecovery(%) MS	Acceptable Limits (%) Low High
EG005(ED093)T: Total Metals by ICP-AES (QCLot: 4331738) - continued							
EM2208326-002	Anonymous	EG005T: Arsenic	7440-38-2	50 mg/kg	90.8	78.0	124
		EG005T: Cadmium	7440-43-9	50 mg/kg	89.8	79.7	116
		EG005T: Chromium	7440-47-3	50 mg/kg	84.2	79.0	121
		EG005T: Copper	7440-50-8	250 mg/kg	94.3	80.0	120
		EG005T: Lead	7439-92-1	250 mg/kg	86.1	80.0	120
		EG005T: Nickel	7440-02-0	50 mg/kg	100.0	78.0	120
		EG005T: Zinc	7440-66-6	250 mg/kg	85.1	80.0	120
EG005(ED093)T: Total Metals by ICP-AES (QCLot: 4331741)							
EM2208379-010	SX_IB_20220508_00_13_SS_Primary_ALS	EG005T: Arsenic	7440-38-2	50 mg/kg	92.8	78.0	124
		EG005T: Cadmium	7440-43-9	50 mg/kg	90.9	79.7	116
		EG005T: Chromium	7440-47-3	50 mg/kg	102	79.0	121
		EG005T: Copper	7440-50-8	250 mg/kg	96.3	80.0	120
		EG005T: Lead	7439-92-1	250 mg/kg	88.8	80.0	120
		EG005T: Nickel	7440-02-0	50 mg/kg	91.7	78.0	120
		EG005T: Zinc	7440-66-6	250 mg/kg	83.3	80.0	120
EG035T: Total Recoverable Mercury by FIMS (QCLot: 4331739)							
EM2208326-002	Anonymous	EG035T: Mercury	7439-97-6	0.5 mg/kg	95.7	76.0	116
EG035T: Total Recoverable Mercury by FIMS (QCLot: 4331740)							
EM2208379-010	SX_IB_20220508_00_13_SS_Primary_ALS	EG035T: Mercury	7439-97-6	0.5 mg/kg	96.5	76.0	116
EG048: Hexavalent Chromium (Alkaline Digest) (QCLot: 4333544)							
EM2208326-002	Anonymous	EG048G: Hexavalent Chromium	18540-29-9	20 mg/kg	87.7	58.0	114
EM2208326-002	Anonymous	EG048G: Hexavalent Chromium	18540-29-9	20 mg/kg	108	58.0	114
EG048: Hexavalent Chromium (Alkaline Digest) (QCLot: 4333545)							
EM2208379-010	SX_IB_20220508_00_13_SS_Primary_ALS	EG048G: Hexavalent Chromium	18540-29-9	20 mg/kg	90.3	58.0	114
EM2208379-010	SX_IB_20220508_00_13_SS_Primary_ALS	EG048G: Hexavalent Chromium	18540-29-9	20 mg/kg	106	58.0	114
EK026SF: Total CN by Segmented Flow Analyser (QCLot: 4334629)							
EM2208278-002	Anonymous	EK026SF: Total Cyanide	57-12-5	20 mg/kg	86.3	70.0	130
EK026SF: Total CN by Segmented Flow Analyser (QCLot: 4334631)							
EM2208379-006	SX_OB_20220507_16_20_SS_Triplicate_ALS	EK026SF: Total Cyanide	57-12-5	20 mg/kg	87.5	70.0	130
EK040T: Fluoride Total (QCLot: 4334007)							
EM2208326-002	Anonymous	EK040T: Fluoride	16984-48-8	400 mg/kg	101	70.0	130
EK040T: Fluoride Total (QCLot: 4334010)							
EM2208379-010	SX_IB_20220508_00_13_SS_Primary_ALS	EK040T: Fluoride	16984-48-8	400 mg/kg	70.5	70.0	130
EP066: Polychlorinated Biphenyls (PCB) (QCLot: 4331625)							
EM2208379-003	SX_OB_20220507_08_17_SS_Duplicate_ALS	EP066-EM: Total Polychlorinated biphenyls	----	1 mg/kg	92.8	59.6	152



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike Concentration	SpikeRecovery(%) MS	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP066: Polychlorinated Biphenyls (PCB) (QCLot: 4331627)							
EM2208326-003	Anonymous	EP066-EM: Total Polychlorinated biphenyls	----	1 mg/kg	90.7	59.6	152
EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 4328202)							
EM2208379-002	SX_OB_20220507_08_16_SS_Primary_ALS	EP074-UT: Benzene	71-43-2	2 mg/kg	83.5	53.7	130
		EP074-UT: Toluene	108-88-3	2 mg/kg	80.8	55.1	124
EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 4328203)							
EM2208379-013	SX_OB_20220508_07_45_SS_Duplicate_ALS	EP074-UT: Benzene	71-43-2	2 mg/kg	81.0	53.7	130
		EP074-UT: Toluene	108-88-3	2 mg/kg	78.8	55.1	124
EP074I: Volatile Halogenated Compounds (QCLot: 4328202)							
EM2208379-002	SX_OB_20220507_08_16_SS_Primary_ALS	EP074-UT: 1,1-Dichloroethene	75-35-4	2 mg/kg	95.9	38.4	145
		EP074-UT: Trichloroethene	79-01-6	2 mg/kg	74.8	48.1	128
		EP074-UT: Chlorobenzene	108-90-7	2 mg/kg	74.4	55.5	122
EP074I: Volatile Halogenated Compounds (QCLot: 4328203)							
EM2208379-013	SX_OB_20220508_07_45_SS_Duplicate_ALS	EP074-UT: 1,1-Dichloroethene	75-35-4	2 mg/kg	86.8	38.4	145
		EP074-UT: Trichloroethene	79-01-6	2 mg/kg	72.6	48.1	128
		EP074-UT: Chlorobenzene	108-90-7	2 mg/kg	73.1	55.5	122
EP075A: Phenolic Compounds (Halogenated) (QCLot: 4331624)							
EM2208379-002	SX_OB_20220507_08_16_SS_Primary_ALS	EP075-EM: 2-Chlorophenol	95-57-8	3 mg/kg	94.8	44.0	143
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	3 mg/kg	114	41.5	139
		EP075-EM: Pentachlorophenol	87-86-5	3 mg/kg	87.8	10.0	144
EP075A: Phenolic Compounds (Halogenated) (QCLot: 4331629)							
EM2208326-002	Anonymous	EP075-EM: 2-Chlorophenol	95-57-8	3 mg/kg	91.3	44.0	143
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	3 mg/kg	95.5	41.5	139
		EP075-EM: Pentachlorophenol	87-86-5	3 mg/kg	22.4	10.0	144
EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4331624)							
EM2208379-002	SX_OB_20220507_08_16_SS_Primary_ALS	EP075-EM: Phenol	108-95-2	3 mg/kg	109	44.2	134
		EP075-EM: 2-Nitrophenol	88-75-5	3 mg/kg	84.3	34.2	129
EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4331629)							
EM2208326-002	Anonymous	EP075-EM: Phenol	108-95-2	3 mg/kg	92.5	44.2	134
		EP075-EM: 2-Nitrophenol	88-75-5	3 mg/kg	87.1	34.2	129
EP075B: Polynuclear Aromatic Hydrocarbons (QCLot: 4331624)							
EM2208379-002	SX_OB_20220507_08_16_SS_Primary_ALS	EP075-EM: Acenaphthene	83-32-9	3 mg/kg	78.1	42.6	138
		EP075-EM: Pyrene	129-00-0	3 mg/kg	86.1	37.8	152
EP075B: Polynuclear Aromatic Hydrocarbons (QCLot: 4331629)							
EM2208326-002	Anonymous	EP075-EM: Acenaphthene	83-32-9	3 mg/kg	70.1	42.6	138
		EP075-EM: Pyrene	129-00-0	3 mg/kg	89.6	37.8	152



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP080/071: Total Petroleum Hydrocarbons (QCLot: 4328202)							
EM2208379-002	SX_OB_20220507_08_16_SS_Primary_ALS	EP074-UT: C6 - C9 Fraction	----	28 mg/kg	66.2	42.3	111
EP080/071: Total Petroleum Hydrocarbons (QCLot: 4328203)							
EM2208379-013	SX_OB_20220508_07_45_SS_Duplicate_ALS	EP074-UT: C6 - C9 Fraction	----	28 mg/kg	77.7	42.3	111
EP080/071: Total Petroleum Hydrocarbons (QCLot: 4331626)							
EM2208379-004	SX_OB_20220507_11_53_SS_Primary_ALS	EP071-EM: C10 - C14 Fraction	----	670 mg/kg	97.0	71.3	126
		EP071-EM: C15 - C28 Fraction	----	2860 mg/kg	98.1	75.1	123
		EP071-EM: C29 - C36 Fraction	----	1490 mg/kg	91.4	78.1	120
		EP071-EM: C10 - C36 Fraction (sum)	----	5020 mg/kg	96.1	70.0	130
EP080/071: Total Petroleum Hydrocarbons (QCLot: 4331628)							
EM2208326-004	Anonymous	EP071-EM: C10 - C14 Fraction	----	670 mg/kg	105	71.3	126
		EP071-EM: C15 - C28 Fraction	----	2860 mg/kg	102	75.1	123
		EP071-EM: C29 - C36 Fraction	----	1490 mg/kg	96.9	78.1	120
		EP071-EM: C10 - C36 Fraction (sum)	----	5020 mg/kg	101	70.0	130
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4328202)							
EM2208379-002	SX_OB_20220507_08_16_SS_Primary_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	33 mg/kg	61.1	39.9	109
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4328203)							
EM2208379-013	SX_OB_20220508_07_45_SS_Duplicate_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	33 mg/kg	75.3	39.9	109
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4331626)							
EM2208379-004	SX_OB_20220507_11_53_SS_Primary_ALS	EP071-EM: >C10 - C16 Fraction	----	1000 mg/kg	92.2	71.5	130
		EP071-EM: >C16 - C34 Fraction	----	3770 mg/kg	101	76.9	119
		EP071-EM: >C34 - C40 Fraction	----	250 mg/kg	105	65.3	139
		EP071-EM: >C10 - C40 Fraction (sum)	----	5020 mg/kg	99.5	70.0	130
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4331628)							
EM2208326-004	Anonymous	EP071-EM: >C10 - C16 Fraction	----	1000 mg/kg	109	71.5	130
		EP071-EM: >C16 - C34 Fraction	----	3770 mg/kg	101	76.9	119
		EP071-EM: >C34 - C40 Fraction	----	250 mg/kg	96.7	65.3	139
		EP071-EM: >C10 - C40 Fraction (sum)	----	5020 mg/kg	103	70.0	130
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4330281)							
EM2208326-002	Anonymous	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.00111 mg/kg	91.4	72.0	128
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.00118 mg/kg	84.1	73.0	123
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.00114 mg/kg	92.5	67.0	130
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.00119 mg/kg	95.9	70.0	132
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.00116 mg/kg	87.7	68.0	136
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.00121 mg/kg	105	59.0	134
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4333202)							
EM2208379-002	SX_OB_20220507_08_16_SS_Primary_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.00111 mg/kg	89.8	72.0	128



Sub-Matrix: SOIL

				Matrix Spike (MS) Report					
				Spike	SpikeRecovery(%)	Acceptable Limits (%)			
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High		
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4333202) - continued									
EM2208379-002	SX_OB_20220507_08_16_SS_Primary_ALS	EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.00118 mg/kg	73.0	73.0	123		
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.00114 mg/kg	88.4	67.0	130		
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.00119 mg/kg	85.2	70.0	132		
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.00116 mg/kg	102	68.0	136		
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.00121 mg/kg	129	59.0	134		
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4330281)									
EM2208326-002	Anonymous	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.00625 mg/kg	97.1	71.0	135		
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.00125 mg/kg	99.4	69.0	132		
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.00125 mg/kg	102	70.0	132		
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.00125 mg/kg	84.4	71.0	131		
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.00125 mg/kg	90.2	69.0	133		
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.00125 mg/kg	91.2	72.0	129		
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.00125 mg/kg	96.8	69.0	133		
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.00125 mg/kg	89.0	64.0	136		
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.00125 mg/kg	91.5	69.0	135		
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.00125 mg/kg	85.4	66.0	139		
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.00312 mg/kg	90.9	69.0	133		
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4333202)									
EM2208379-002	SX_OB_20220507_08_16_SS_Primary_ALS	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.00625 mg/kg	90.0	71.0	135		
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.00125 mg/kg	89.6	69.0	132		
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.00125 mg/kg	97.0	70.0	132		
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.00125 mg/kg	87.1	71.0	131		
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.00125 mg/kg	89.0	69.0	133		
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.00125 mg/kg	83.4	72.0	129		
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.00125 mg/kg	93.3	69.0	133		
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.00125 mg/kg	87.4	64.0	136		
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.00125 mg/kg	97.5	69.0	135		
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.00125 mg/kg	84.3	66.0	139		
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.00312 mg/kg	93.6	69.0	133		
		EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4330281)							
		EM2208326-002	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.00125 mg/kg	97.1	67.0	137
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8			0.00312 mg/kg	100	70.0	130		
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2			0.00312 mg/kg	89.7	70.0	130		
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7			0.00312 mg/kg	94.1	70.0	130		
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2			0.00312 mg/kg	98.0	70.0	130		



Sub-Matrix: **SOIL**

				Matrix Spike (MS) Report			
				Spike Concentration	SpikeRecovery(%) MS	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4330281) - continued							
EM2208326-002	Anonymous	EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.00125 mg/kg	94.4	63.0	144
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.00125 mg/kg	90.0	61.0	139
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4333202)							
EM2208379-002	SX_OB_20220507_08_16_SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.00125 mg/kg	91.6	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.00312 mg/kg	92.8	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.00312 mg/kg	91.2	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.00312 mg/kg	87.4	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.00312 mg/kg	98.5	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.00125 mg/kg	106	63.0	144
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.00125 mg/kg	93.0	61.0	139
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4330281)							
EM2208326-002	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.00117 mg/kg	100	62.0	145
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.00119 mg/kg	92.8	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0012 mg/kg	106	65.0	137
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.00121 mg/kg	94.8	70.0	130
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4333202)							
EM2208379-002	SX_OB_20220507_08_16_SS_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.00117 mg/kg	90.5	62.0	145
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.00119 mg/kg	88.4	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0012 mg/kg	103	65.0	137
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.00121 mg/kg	79.1	70.0	130

Sub-Matrix: **WATER**

				Matrix Spike (MS) Report			
				Spike Concentration	SpikeRecovery(%) MS	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4334576)							
EM2208326-016	Anonymous	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.222 µg/L	91.7	72.0	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.235 µg/L	113	71.0	127
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.228 µg/L	107	68.0	131
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.238 µg/L	122	69.0	134
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.232 µg/L	90.5	65.0	140
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.241 µg/L	86.7	53.0	142
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4334587)							



Sub-Matrix: WATER

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4334587) - continued							
EM2208379-002	SX_OB_20220507_08_16_SS_Primary_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.222 µg/L	93.2	72.0	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.235 µg/L	90.6	71.0	127
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.228 µg/L	94.2	68.0	131
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.238 µg/L	107	69.0	134
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.232 µg/L	102	65.0	140
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.241 µg/L	123	53.0	142
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4337349)							
EM2208379-009	SX_OB_20220508_00_06_SS_Primary_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.222 µg/L	98.0	72.0	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.235 µg/L	89.9	71.0	127
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.228 µg/L	94.2	68.0	131
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.238 µg/L	93.7	69.0	134
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.232 µg/L	97.6	65.0	140
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.241 µg/L	106	53.0	142
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4337352)							
EM2208379-032	SX_OB_20220508_00_06_SS_Primary_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.222 µg/L	102	72.0	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.235 µg/L	98.0	71.0	127
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.228 µg/L	107	68.0	131
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.238 µg/L	103	69.0	134
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.232 µg/L	99.1	65.0	140
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.241 µg/L	88.6	53.0	142
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4334576)							
EM2208326-016	Anonymous	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	1.25 µg/L	85.8	73.0	129
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.25 µg/L	90.2	72.0	129
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.25 µg/L	104	72.0	129
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.25 µg/L	100	72.0	130
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.25 µg/L	93.5	71.0	133
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.25 µg/L	95.2	69.0	130
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.25 µg/L	99.6	71.0	129
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.25 µg/L	84.2	69.0	133
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.25 µg/L	86.5	72.0	134
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.25 µg/L	67.8	65.0	144
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.625 µg/L	95.1	71.0	132
		EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4334587)					
EM2208379-002	SX_OB_20220507_08_16_SS_Primary_ALS	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	1.25 µg/L	86.1	73.0	129
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.25 µg/L	82.9	72.0	129
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.25 µg/L	119	72.0	129
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.25 µg/L	96.7	72.0	130
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.25 µg/L	89.9	71.0	133



Sub-Matrix: WATER

				Matrix Spike (MS) Report					
				Spike	SpikeRecovery(%)	Acceptable Limits (%)			
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High		
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4334587) - continued									
EM2208379-002	SX_OB_20220507_08_16_SS_Primary_ALS	EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.25 µg/L	98.3	69.0	130		
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.25 µg/L	95.4	71.0	129		
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.25 µg/L	69.7	69.0	133		
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.25 µg/L	103	72.0	134		
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.25 µg/L	90.2	65.0	144		
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.625 µg/L	120	71.0	132		
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4337349)									
EM2208379-009	SX_OB_20220508_00_06_SS_Primary_ALS	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	1.25 µg/L	101	73.0	129		
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.25 µg/L	103	72.0	129		
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.25 µg/L	106	72.0	129		
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.25 µg/L	103	72.0	130		
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.25 µg/L	101	71.0	133		
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.25 µg/L	94.6	69.0	130		
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.25 µg/L	106	71.0	129		
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.25 µg/L	95.1	69.0	133		
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.25 µg/L	108	72.0	134		
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.25 µg/L	97.7	65.0	144		
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.625 µg/L	103	71.0	132		
		EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4337352)							
EM2208379-032	SX_OB_20220508_00_06_SS_Primary_ALS	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	1.25 µg/L	85.4	73.0	129		
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.25 µg/L	104	72.0	129		
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.25 µg/L	94.6	72.0	129		
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.25 µg/L	105	72.0	130		
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.25 µg/L	103	71.0	133		
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.25 µg/L	109	69.0	130		
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.25 µg/L	89.0	71.0	129		
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.25 µg/L	95.6	69.0	133		
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.25 µg/L	89.8	72.0	134		
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.25 µg/L	75.4	65.0	144		
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.625 µg/L	# 66.9	71.0	132		
		EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4334576)							
		EM2208326-016	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.25 µg/L	98.9	67.0	137
				EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.625 µg/L	95.0	68.0	141
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2			0.625 µg/L	82.7	70.0	130		
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7			0.625 µg/L	92.8	70.0	130		



Sub-Matrix: WATER

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4334576) - continued							
EM2208326-016	Anonymous	EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.625 µg/L	84.6	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.25 µg/L	103	65.0	136
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.25 µg/L	88.7	61.0	135
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4334587)							
EM2208379-002	SX_OB_20220507_08_16_SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.25 µg/L	115	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.625 µg/L	126	68.0	141
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.625 µg/L	99.7	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.625 µg/L	100	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.625 µg/L	107	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.25 µg/L	106	65.0	136
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.25 µg/L	116	61.0	135
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4337349)							
EM2208379-009	SX_OB_20220508_00_06_SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.25 µg/L	96.7	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.625 µg/L	139	68.0	141
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.625 µg/L	124	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.625 µg/L	102	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.625 µg/L	111	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.25 µg/L	119	65.0	136
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.25 µg/L	102	61.0	135
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4337352)							
EM2208379-032	SX_OB_20220508_00_06_SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.25 µg/L	93.6	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.625 µg/L	78.6	68.0	141
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.625 µg/L	# 67.5	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.625 µg/L	71.8	70.0	130



Sub-Matrix: WATER

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4337352) - continued							
EM2208379-032	SX_OB_20220508_00_06_SS_Primary_ALS	EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.625 µg/L	# 68.6	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.25 µg/L	87.0	65.0	136
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.25 µg/L	71.9	61.0	135
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4334576)							
EM2208326-016	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.234 µg/L	99.9	63.0	143
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.238 µg/L	106	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.24 µg/L	99.6	67.0	138
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.242 µg/L	70.7	70.0	130
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4334587)							
EM2208379-002	SX_OB_20220507_08_16_SS_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.234 µg/L	94.4	63.0	143
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.238 µg/L	111	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.24 µg/L	121	67.0	138
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.242 µg/L	# 67.2	70.0	130
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4337349)							
EM2208379-009	SX_OB_20220508_00_06_SS_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.234 µg/L	97.4	63.0	143
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.238 µg/L	100	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.24 µg/L	98.0	67.0	138
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.242 µg/L	73.6	70.0	130
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4337352)							
EM2208379-032	SX_OB_20220508_00_06_SS_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.234 µg/L	99.9	63.0	143
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.238 µg/L	110	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.24 µg/L	106	67.0	138
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.242 µg/L	# 69.4	70.0	130

QA/QC Compliance Assessment to assist with Quality Review

Work Order	: EM2208379	Page	: 1 of 26
Client	: AGON ENVIRONMENTAL PTY LTD	Laboratory	: Environmental Division Melbourne
Contact	: DAVID LAWSON	Telephone	: +61-3-8549 9600
Project	: JC0927	Date Samples Received	: 09-May-2022
Site	: 20220509043641-ALS-21	Issue Date	: 16-May-2022
Sampler	: WOH + BC - AGON AV+ HK - EP Risk	No. of samples received	: 44
Order number	: ----	No. of samples analysed	: 44

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

Summary of Outliers

Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO** Method Blank value outliers occur.
- **NO** Duplicate outliers occur.
- **NO** Laboratory Control outliers occur.
- Matrix Spike outliers exist - please see following pages for full details.
- Surrogate recovery outliers exist for all regular sample matrices - please see following pages for full details.

Outliers : Analysis Holding Time Compliance

- **NO** Analysis Holding Time Outliers exist.

Outliers : Frequency of Quality Control Samples

- **NO** Quality Control Sample Frequency Outliers exist.



Outliers : Quality Control Samples

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: **WATER**

Compound Group Name	Laboratory Sample ID	Client Sample ID	Analyte	CAS Number	Data	Limits	Comment
Matrix Spike (MS) Recoveries							
EP231B: Perfluoroalkyl Carboxylic Acids	EM2208379--032	SX_OB_20220508_00_06_SS	Perfluorotetradecanoic acid (PFTeDA)	376-06-7	66.9 %	71.0-132%	Recovery less than lower data quality objective
EP231C: Perfluoroalkyl Sulfonamides	EM2208379--032	SX_OB_20220508_00_06_SS	N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	67.5 %	70.0-130%	Recovery less than lower data quality objective
EP231C: Perfluoroalkyl Sulfonamides	EM2208379--032	SX_OB_20220508_00_06_SS	N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	68.6 %	70.0-130%	Recovery less than lower data quality objective
EP231D: (n:2) Fluorotelomer Sulfonic Acids	EM2208379--002	SX_OB_20220507_08_16_SS	10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	67.2 %	70.0-130%	Recovery less than lower data quality objective
EP231D: (n:2) Fluorotelomer Sulfonic Acids	EM2208379--032	SX_OB_20220508_00_06_SS	10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	69.4 %	70.0-130%	Recovery less than lower data quality objective

Regular Sample Surrogates

Sub-Matrix: **SOIL**

Compound Group Name	Laboratory Sample ID	Client Sample ID	Analyte	CAS Number	Data	Limits	Comment
Samples Submitted							
EP075T: Base/Neutral Extractable Surrogates (Waste C	EM2208379-020	SX_OB_20220508_19_51_SS	1,2-Dichlorobenzene-D4	2199-69-1	59.8 %	61.0-124 %	Recovery less than lower data quality objective

Analysis Holding Time Compliance

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results.

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for **VOC in soils** vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **SOIL**

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis		
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EA001: pH in soil using 0.01M CaCl extract								
Soil Glass Jar - Unpreserved (EA001) SX_IB_20220507_08_04_SS_Primary_ALS, SX_OB_20220507_08_17_SS_Duplicate_ALS, SX_OB_20220507_16_17_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS,	SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_OB_20220507_20_23_SS_Triplicate_ALS	07-May-2022	13-May-2022	14-May-2022	✓	13-May-2022	13-May-2022	✓
Soil Glass Jar - Unpreserved (EA001) SX_IB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS, SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS,	SX_IB_20220508_00_13_SS_Primary_ALS, SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS	08-May-2022	13-May-2022	15-May-2022	✓	13-May-2022	13-May-2022	✓
Soil Glass Jar - Unpreserved (EA001) SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS,	09-May-2022	13-May-2022	16-May-2022	✓	13-May-2022	13-May-2022	✓
EA055: Moisture Content (Dried @ 105-110°C)								
Soil Glass Jar - Unpreserved (EA055) SX_IB_20220507_08_04_SS_Primary_ALS, SX_OB_20220507_08_17_SS_Duplicate_ALS, SX_OB_20220507_16_17_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS,	SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_OB_20220507_20_23_SS_Triplicate_ALS	07-May-2022	----	----	----	12-May-2022	21-May-2022	✓
Soil Glass Jar - Unpreserved (EA055) SX_OB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS, SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS,	SX_IB_20220508_00_13_SS_Primary_ALS, SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS	08-May-2022	----	----	----	12-May-2022	22-May-2022	✓
Soil Glass Jar - Unpreserved (EA055) SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS,	09-May-2022	----	----	----	12-May-2022	23-May-2022	✓



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EG005(ED093)T: Total Metals by ICP-AES								
Soil Glass Jar - Unpreserved (EG005T) SX_IB_20220507_08_04_SS_Primary_ALS, SX_OB_20220507_08_17_SS_Duplicate_ALS, SX_OB_20220507_16_17_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS,	SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_OB_20220507_20_23_SS_Triplicate_ALS	07-May-2022	13-May-2022	03-Nov-2022	✓	13-May-2022	03-Nov-2022	✓
Soil Glass Jar - Unpreserved (EG005T) SX_IB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS, SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS,	SX_IB_20220508_00_13_SS_Primary_ALS, SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS	08-May-2022	13-May-2022	04-Nov-2022	✓	13-May-2022	04-Nov-2022	✓
Soil Glass Jar - Unpreserved (EG005T) SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS,	09-May-2022	13-May-2022	05-Nov-2022	✓	13-May-2022	05-Nov-2022	✓
EG035T: Total Recoverable Mercury by FIMS								
Soil Glass Jar - Unpreserved (EG035T) SX_IB_20220507_08_04_SS_Primary_ALS, SX_OB_20220507_08_17_SS_Duplicate_ALS, SX_OB_20220507_16_17_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS,	SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_OB_20220507_20_23_SS_Triplicate_ALS	07-May-2022	13-May-2022	04-Jun-2022	✓	13-May-2022	04-Jun-2022	✓
Soil Glass Jar - Unpreserved (EG035T) SX_OB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS, SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS,	SX_IB_20220508_00_13_SS_Primary_ALS, SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS	08-May-2022	13-May-2022	05-Jun-2022	✓	13-May-2022	05-Jun-2022	✓
Soil Glass Jar - Unpreserved (EG035T) SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS,	09-May-2022	13-May-2022	06-Jun-2022	✓	13-May-2022	06-Jun-2022	✓



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EG048: Hexavalent Chromium (Alkaline Digest)								
Soil Glass Jar - Unpreserved (EG048G) SX_IB_20220507_08_04_SS_Primary_ALS, SX_IB_20220507_08_17_SS_Duplicate_ALS, SX_IB_20220507_16_17_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS,	SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_OB_20220507_20_23_SS_Triplicate_ALS	07-May-2022	12-May-2022	04-Jun-2022	✓	13-May-2022	19-May-2022	✓
Soil Glass Jar - Unpreserved (EG048G) SX_IB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS, SX_IB_20220508_07_45_SS_Duplicate_ALS, SX_IB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS,	SX_IB_20220508_00_13_SS_Primary_ALS, SX_IB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_IB_20220508_19_51_SS_Triplicate_ALS	08-May-2022	12-May-2022	05-Jun-2022	✓	13-May-2022	19-May-2022	✓
Soil Glass Jar - Unpreserved (EG048G) SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS,	09-May-2022	12-May-2022	06-Jun-2022	✓	13-May-2022	19-May-2022	✓
EK026SF: Total CN by Segmented Flow Analyser								
Soil Glass Jar - Unpreserved (EK026SF) SX_IB_20220507_08_04_SS_Primary_ALS, SX_IB_20220507_08_17_SS_Duplicate_ALS, SX_IB_20220507_16_17_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS,	SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_OB_20220507_20_23_SS_Triplicate_ALS	07-May-2022	12-May-2022	21-May-2022	✓	13-May-2022	26-May-2022	✓
Soil Glass Jar - Unpreserved (EK026SF) SX_IB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS, SX_IB_20220508_07_45_SS_Duplicate_ALS, SX_IB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS,	SX_IB_20220508_00_13_SS_Primary_ALS, SX_IB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_IB_20220508_19_51_SS_Triplicate_ALS	08-May-2022	12-May-2022	22-May-2022	✓	13-May-2022	26-May-2022	✓
Soil Glass Jar - Unpreserved (EK026SF) SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS,	09-May-2022	12-May-2022	23-May-2022	✓	13-May-2022	26-May-2022	✓



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EK040T: Fluoride Total								
Soil Glass Jar - Unpreserved (EK040T) SX_IB_20220507_08_04_SS_Primary_ALS, SX_IB_20220507_08_17_SS_Duplicate_ALS, SX_IB_20220507_16_17_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS,	SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_OB_20220507_20_23_SS_Triplicate_ALS	07-May-2022	12-May-2022	04-Jun-2022	✓	16-May-2022	04-Jun-2022	✓
Soil Glass Jar - Unpreserved (EK040T) SX_IB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS, SX_IB_20220508_07_45_SS_Duplicate_ALS, SX_IB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS,	SX_IB_20220508_00_13_SS_Primary_ALS, SX_IB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_IB_20220508_19_51_SS_Triplicate_ALS	08-May-2022	12-May-2022	05-Jun-2022	✓	16-May-2022	05-Jun-2022	✓
Soil Glass Jar - Unpreserved (EK040T) SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS,	09-May-2022	12-May-2022	06-Jun-2022	✓	16-May-2022	06-Jun-2022	✓
EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60a-P) SX_IB_20220507_08_04_SS_Primary_ALS, SX_IB_20220507_08_17_SS_Duplicate_ALS, SX_IB_20220507_16_17_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS	SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS,	07-May-2022	11-May-2022	03-Nov-2022	✓	----	----	----
Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60a-P) SX_IB_20220507_20_23_SS_Triplicate_ALS		07-May-2022	12-May-2022	03-Nov-2022	✓	----	----	----
Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60a-P) SX_OB_20220508_00_06_SS_Primary_ALS, SX_OB_20220508_04_15_SS_Primary_ALS, SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_OB_20220508_19_39_SS_Primary_ALS,	SX_IB_20220508_00_13_SS_Primary_ALS, SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS	08-May-2022	12-May-2022	04-Nov-2022	✓	----	----	----
Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60a-P) SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS,	09-May-2022	12-May-2022	05-Nov-2022	✓	----	----	----



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60-DIa-P)								
SX_IB_20220507_08_04_SS_Primary_ALS, SX_OB_20220507_08_17_SS_Duplicate_ALS, SX_OB_20220507_16_17_SS_Primary_ALS,	SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS	07-May-2022	11-May-2022	03-Nov-2022	✓	----	----	----
Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60-DIa-P)								
SX_OB_20220507_16_20_SS_Triplicate_ALS	SX_OB_20220507_20_23_SS_Triplicate_ALS	07-May-2022	12-May-2022	03-Nov-2022	✓	----	----	----
Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60-DIa-P)								
SX_OB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS, SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS,	SX_IB_20220508_00_13_SS_Primary_ALS, SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS	08-May-2022	12-May-2022	04-Nov-2022	✓	----	----	----
Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60-DIa-P)								
SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS,	09-May-2022	12-May-2022	05-Nov-2022	✓	----	----	----
EP066: Polychlorinated Biphenyls (PCB)								
Soil Glass Jar - Unpreserved (EP066-EM)								
SX_IB_20220507_08_04_SS_Primary_ALS, SX_OB_20220507_08_17_SS_Duplicate_ALS, SX_OB_20220507_16_17_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS,	SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_OB_20220507_20_23_SS_Triplicate_ALS	07-May-2022	12-May-2022	21-May-2022	✓	12-May-2022	21-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP066-EM)								
SX_OB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS, SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS,	SX_IB_20220508_00_13_SS_Primary_ALS, SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS	08-May-2022	12-May-2022	22-May-2022	✓	12-May-2022	21-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP066-EM)								
SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS,	09-May-2022	12-May-2022	23-May-2022	✓	12-May-2022	21-Jun-2022	✓



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP074A: Monocyclic Aromatic Hydrocarbons								
Soil Glass Jar - Unpreserved (EP074-UT) SX_IB_20220507_08_04_SS_Primary_ALS, SX_IB_20220507_08_17_SS_Duplicate_ALS, SX_IB_20220507_16_17_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS,	SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_OB_20220507_20_23_SS_Triplicate_ALS	07-May-2022	10-May-2022	14-May-2022	✓	10-May-2022	14-May-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_OB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS	SX_IB_20220508_00_13_SS_Primary_ALS,	08-May-2022	10-May-2022	15-May-2022	✓	10-May-2022	15-May-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS	SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS,	08-May-2022	10-May-2022	15-May-2022	✓	13-May-2022	15-May-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS,	09-May-2022	10-May-2022	16-May-2022	✓	13-May-2022	16-May-2022	✓
EP074H: Naphthalene								
Soil Glass Jar - Unpreserved (EP074-UT) SX_IB_20220507_08_04_SS_Primary_ALS, SX_IB_20220507_08_17_SS_Duplicate_ALS, SX_IB_20220507_16_17_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS,	SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_OB_20220507_20_23_SS_Triplicate_ALS	07-May-2022	10-May-2022	14-May-2022	✓	10-May-2022	14-May-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_OB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS	SX_IB_20220508_00_13_SS_Primary_ALS,	08-May-2022	10-May-2022	15-May-2022	✓	10-May-2022	15-May-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS	SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS,	08-May-2022	10-May-2022	15-May-2022	✓	13-May-2022	15-May-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS,	09-May-2022	10-May-2022	16-May-2022	✓	13-May-2022	16-May-2022	✓



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP074I: Volatile Halogenated Compounds								
Soil Glass Jar - Unpreserved (EP074-UT)								
SX_IB_20220507_08_04_SS_Primary_ALS, SX_OB_20220507_08_17_SS_Duplicate_ALS, SX_OB_20220507_16_17_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS,	SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_OB_20220507_20_23_SS_Triplicate_ALS	07-May-2022	10-May-2022	14-May-2022	✓	10-May-2022	14-May-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT)								
SX_OB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS	SX_IB_20220508_00_13_SS_Primary_ALS,	08-May-2022	10-May-2022	15-May-2022	✓	10-May-2022	15-May-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT)								
SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS	SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS,	08-May-2022	10-May-2022	15-May-2022	✓	13-May-2022	15-May-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT)								
SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS,	09-May-2022	10-May-2022	16-May-2022	✓	13-May-2022	16-May-2022	✓
EP075A: Phenolic Compounds (Halogenated)								
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_IB_20220507_08_04_SS_Primary_ALS, SX_OB_20220507_08_17_SS_Duplicate_ALS, SX_OB_20220507_16_17_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS,	SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_OB_20220507_20_23_SS_Triplicate_ALS	07-May-2022	12-May-2022	21-May-2022	✓	12-May-2022	21-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_OB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS, SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS,	SX_IB_20220508_00_13_SS_Primary_ALS, SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS	08-May-2022	12-May-2022	22-May-2022	✓	12-May-2022	21-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS,	09-May-2022	12-May-2022	23-May-2022	✓	12-May-2022	21-Jun-2022	✓



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP075A: Phenolic Compounds (Non-halogenated)								
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_IB_20220507_08_04_SS_Primary_ALS, SX_IB_20220507_08_17_SS_Duplicate_ALS, SX_OB_20220507_16_17_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS,	SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_OB_20220507_20_23_SS_Triplicate_ALS	07-May-2022	12-May-2022	21-May-2022	✓	12-May-2022	21-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_OB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS, SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS,	SX_IB_20220508_00_13_SS_Primary_ALS, SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS	08-May-2022	12-May-2022	22-May-2022	✓	12-May-2022	21-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS,	09-May-2022	12-May-2022	23-May-2022	✓	12-May-2022	21-Jun-2022	✓
EP075B: Polynuclear Aromatic Hydrocarbons								
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_IB_20220507_08_04_SS_Primary_ALS, SX_OB_20220507_08_17_SS_Duplicate_ALS, SX_OB_20220507_16_17_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS,	SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_OB_20220507_20_23_SS_Triplicate_ALS	07-May-2022	12-May-2022	21-May-2022	✓	12-May-2022	21-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_OB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS, SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS,	SX_IB_20220508_00_13_SS_Primary_ALS, SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS	08-May-2022	12-May-2022	22-May-2022	✓	12-May-2022	21-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS,	09-May-2022	12-May-2022	23-May-2022	✓	12-May-2022	21-Jun-2022	✓



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP075I: Organochlorine Pesticides								
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_IB_20220507_08_04_SS_Primary_ALS, SX_OB_20220507_08_17_SS_Duplicate_ALS, SX_OB_20220507_16_17_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS,	SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_OB_20220507_20_23_SS_Triplicate_ALS	07-May-2022	12-May-2022	21-May-2022	✓	12-May-2022	21-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_OB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS, SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS,	SX_IB_20220508_00_13_SS_Primary_ALS, SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS	08-May-2022	12-May-2022	22-May-2022	✓	12-May-2022	21-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS,	09-May-2022	12-May-2022	23-May-2022	✓	12-May-2022	21-Jun-2022	✓



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP080/071: Total Petroleum Hydrocarbons								
Soil Glass Jar - Unpreserved (EP074-UT) SX_IB_20220507_08_04_SS_Primary_ALS, SX_OB_20220507_08_17_SS_Duplicate_ALS, SX_OB_20220507_16_17_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS,	SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_OB_20220507_20_23_SS_Triplicate_ALS	07-May-2022	10-May-2022	14-May-2022	✓	10-May-2022	14-May-2022	✓
Soil Glass Jar - Unpreserved (EP071-EM) SX_IB_20220507_08_04_SS_Primary_ALS, SX_OB_20220507_08_17_SS_Duplicate_ALS, SX_OB_20220507_16_17_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS,	SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_OB_20220507_20_23_SS_Triplicate_ALS	07-May-2022	12-May-2022	21-May-2022	✓	12-May-2022	21-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_OB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS	SX_IB_20220508_00_13_SS_Primary_ALS,	08-May-2022	10-May-2022	15-May-2022	✓	10-May-2022	15-May-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS	SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS,	08-May-2022	10-May-2022	15-May-2022	✓	13-May-2022	15-May-2022	✓
Soil Glass Jar - Unpreserved (EP071-EM) SX_OB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS, SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS,	SX_IB_20220508_00_13_SS_Primary_ALS, SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS	08-May-2022	12-May-2022	22-May-2022	✓	12-May-2022	21-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS,	09-May-2022	10-May-2022	16-May-2022	✓	13-May-2022	16-May-2022	✓
Soil Glass Jar - Unpreserved (EP071-EM) SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS,	09-May-2022	12-May-2022	23-May-2022	✓	12-May-2022	21-Jun-2022	✓



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions								
Soil Glass Jar - Unpreserved (EP074-UT) SX_IB_20220507_08_04_SS_Primary_ALS, SX_OB_20220507_08_17_SS_Duplicate_ALS, SX_OB_20220507_16_17_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS,	SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_OB_20220507_20_23_SS_Triplicate_ALS	07-May-2022	10-May-2022	14-May-2022	✓	10-May-2022	14-May-2022	✓
Soil Glass Jar - Unpreserved (EP071-EM) SX_IB_20220507_08_04_SS_Primary_ALS, SX_OB_20220507_08_17_SS_Duplicate_ALS, SX_OB_20220507_16_17_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS,	SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_OB_20220507_20_23_SS_Triplicate_ALS	07-May-2022	12-May-2022	21-May-2022	✓	12-May-2022	21-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_OB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS	SX_IB_20220508_00_13_SS_Primary_ALS,	08-May-2022	10-May-2022	15-May-2022	✓	10-May-2022	15-May-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS	SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS,	08-May-2022	10-May-2022	15-May-2022	✓	13-May-2022	15-May-2022	✓
Soil Glass Jar - Unpreserved (EP071-EM) SX_OB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS, SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS,	SX_IB_20220508_00_13_SS_Primary_ALS, SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS	08-May-2022	12-May-2022	22-May-2022	✓	12-May-2022	21-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS,	09-May-2022	10-May-2022	16-May-2022	✓	13-May-2022	16-May-2022	✓
Soil Glass Jar - Unpreserved (EP071-EM) SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS,	09-May-2022	12-May-2022	23-May-2022	✓	12-May-2022	21-Jun-2022	✓



Matrix: SOIL

Evaluation: ✖ = Holding time breach ; ✔ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP231A: Perfluoroalkyl Sulfonic Acids								
HDPE Soil Jar (EP231X) SX_IB_20220507_08_04_SS_Primary_ALS, SX_OB_20220507_08_17_SS_Duplicate_ALS, SX_OB_20220507_16_17_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS,	SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_OB_20220507_20_23_SS_Triplicate_ALS	07-May-2022	12-May-2022	03-Nov-2022	✔	13-May-2022	21-Jun-2022	✔
HDPE Soil Jar (EP231X) SX_IB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS, SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS,	SX_IB_20220508_00_13_SS_Primary_ALS, SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS	08-May-2022	12-May-2022	04-Nov-2022	✔	13-May-2022	21-Jun-2022	✔
HDPE Soil Jar (EP231X) SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS,	09-May-2022	11-May-2022	05-Nov-2022	✔	11-May-2022	20-Jun-2022	✔
EP231B: Perfluoroalkyl Carboxylic Acids								
HDPE Soil Jar (EP231X) SX_IB_20220507_08_04_SS_Primary_ALS, SX_OB_20220507_08_17_SS_Duplicate_ALS, SX_OB_20220507_16_17_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS,	SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_OB_20220507_20_23_SS_Triplicate_ALS	07-May-2022	12-May-2022	03-Nov-2022	✔	13-May-2022	21-Jun-2022	✔
HDPE Soil Jar (EP231X) SX_OB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS, SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS,	SX_IB_20220508_00_13_SS_Primary_ALS, SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS	08-May-2022	12-May-2022	04-Nov-2022	✔	13-May-2022	21-Jun-2022	✔
HDPE Soil Jar (EP231X) SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS,	09-May-2022	11-May-2022	05-Nov-2022	✔	11-May-2022	20-Jun-2022	✔



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP231C: Perfluoroalkyl Sulfonamides								
HDPE Soil Jar (EP231X) SX_IB_20220507_08_04_SS_Primary_ALS, SX_OB_20220507_08_17_SS_Duplicate_ALS, SX_OB_20220507_16_17_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS,	SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_OB_20220507_20_23_SS_Triplicate_ALS	07-May-2022	12-May-2022	03-Nov-2022	✓	13-May-2022	21-Jun-2022	✓
HDPE Soil Jar (EP231X) SX_IB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS, SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS,	SX_IB_20220508_00_13_SS_Primary_ALS, SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS	08-May-2022	12-May-2022	04-Nov-2022	✓	13-May-2022	21-Jun-2022	✓
HDPE Soil Jar (EP231X) SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS,	09-May-2022	11-May-2022	05-Nov-2022	✓	11-May-2022	20-Jun-2022	✓
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
HDPE Soil Jar (EP231X) SX_IB_20220507_08_04_SS_Primary_ALS, SX_OB_20220507_08_17_SS_Duplicate_ALS, SX_OB_20220507_16_17_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS,	SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_OB_20220507_20_23_SS_Triplicate_ALS	07-May-2022	12-May-2022	03-Nov-2022	✓	13-May-2022	21-Jun-2022	✓
HDPE Soil Jar (EP231X) SX_OB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS, SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS,	SX_IB_20220508_00_13_SS_Primary_ALS, SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS	08-May-2022	12-May-2022	04-Nov-2022	✓	13-May-2022	21-Jun-2022	✓
HDPE Soil Jar (EP231X) SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS,	09-May-2022	11-May-2022	05-Nov-2022	✓	11-May-2022	20-Jun-2022	✓



Matrix: **SOIL**

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP231P: PFAS Sums								
HDPE Soil Jar (EP231X) SX_IB_20220507_08_04_SS_Primary_ALS, SX_IB_20220507_08_17_SS_Duplicate_ALS, SX_IB_20220507_16_17_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS,	SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_OB_20220507_20_23_SS_Triplicate_ALS	07-May-2022	12-May-2022	03-Nov-2022	✓	13-May-2022	21-Jun-2022	✓
HDPE Soil Jar (EP231X) SX_IB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS, SX_IB_20220508_07_45_SS_Duplicate_ALS, SX_IB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS,	SX_IB_20220508_00_13_SS_Primary_ALS, SX_IB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_IB_20220508_19_51_SS_Triplicate_ALS	08-May-2022	12-May-2022	04-Nov-2022	✓	13-May-2022	21-Jun-2022	✓
HDPE Soil Jar (EP231X) SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS	SX_OB_20220509_00_10_SS_Primary_ALS,	09-May-2022	11-May-2022	05-Nov-2022	✓	11-May-2022	20-Jun-2022	✓

Matrix: **WATER**

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis		
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation



Matrix: WATER

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis				
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation		
EP231A: Perfluoroalkyl Sulfonic Acids									
HDPE (no PTFE) (EP231X)									
SX_IB_20220508_08_15_SR_Rinsate_ALS,	SX_IB_20220508_08_18_SB_Blank_ALS	08-May-2022	13-May-2022	04-Nov-2022	✓	13-May-2022	04-Nov-2022	✓	
HDPE (no PTFE) (EP231X)									
SX_IB_20220507_08_04_SS_Primary_ALS, SX_OB_20220507_08_17_SS_Duplicate_ALS, SX_OB_20220507_16_17_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS, SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS	SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_IB_20220507_08_04_SS_Primary_ALS, SX_OB_20220507_08_17_SS_Duplicate_ALS, SX_OB_20220507_16_17_SS_Primary_ALS,	11-May-2022	12-May-2022	07-Nov-2022	✓	12-May-2022	07-Nov-2022	✓	
HDPE (no PTFE) (EP231X)									
SX_OB_20220507_20_23_SS_Triplicate_ALS		12-May-2022	12-May-2022	08-Nov-2022	✓	12-May-2022	08-Nov-2022	✓	
HDPE (no PTFE) (EP231X)									
SX_OB_20220507_20_23_SS_Triplicate_ALS, SX_IB_20220508_00_13_SS_Primary_ALS, SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS, SX_OB_20220509_00_10_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_IB_20220508_00_13_SS_Primary_ALS, SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS, SX_OB_20220509_00_10_SS_Primary_ALS,	SX_OB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS, SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS, SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS, SX_OB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS, SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS, SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS	12-May-2022	13-May-2022	08-Nov-2022	✓	13-May-2022	08-Nov-2022	✓	



Matrix: **WATER**

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis				
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation		
EP231B: Perfluoroalkyl Carboxylic Acids									
HDPE (no PTFE) (EP231X)									
SX_IB_20220508_08_15_SR_Rinsate_ALS,	SX_IB_20220508_08_18_SB_Blank_ALS	08-May-2022	13-May-2022	04-Nov-2022	✓	13-May-2022	04-Nov-2022	✓	
HDPE (no PTFE) (EP231X)									
SX_IB_20220507_08_04_SS_Primary_ALS, SX_OB_20220507_08_17_SS_Duplicate_ALS, SX_OB_20220507_16_17_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS, SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS	SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_IB_20220507_08_04_SS_Primary_ALS, SX_OB_20220507_08_17_SS_Duplicate_ALS, SX_OB_20220507_16_17_SS_Primary_ALS,	11-May-2022	12-May-2022	07-Nov-2022	✓	12-May-2022	07-Nov-2022	✓	
HDPE (no PTFE) (EP231X)									
SX_OB_20220507_20_23_SS_Triplicate_ALS		12-May-2022	12-May-2022	08-Nov-2022	✓	12-May-2022	08-Nov-2022	✓	
HDPE (no PTFE) (EP231X)									
SX_OB_20220507_20_23_SS_Triplicate_ALS, SX_IB_20220508_00_13_SS_Primary_ALS, SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS, SX_OB_20220509_00_10_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_IB_20220508_00_13_SS_Primary_ALS, SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS, SX_OB_20220509_00_10_SS_Primary_ALS,	SX_OB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS, SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS, SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS, SX_OB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS, SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS, SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS	12-May-2022	13-May-2022	08-Nov-2022	✓	13-May-2022	08-Nov-2022	✓	



Matrix: **WATER**

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis				
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation		
EP231C: Perfluoroalkyl Sulfonamides									
HDPE (no PTFE) (EP231X)									
SX_IB_20220508_08_15_SR_Rinsate_ALS,	SX_IB_20220508_08_18_SB_Blank_ALS	08-May-2022	13-May-2022	04-Nov-2022	✓	13-May-2022	04-Nov-2022	✓	
HDPE (no PTFE) (EP231X)									
SX_IB_20220507_08_04_SS_Primary_ALS, SX_OB_20220507_08_17_SS_Duplicate_ALS, SX_OB_20220507_16_17_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS, SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS	SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_IB_20220507_08_04_SS_Primary_ALS, SX_OB_20220507_08_17_SS_Duplicate_ALS, SX_OB_20220507_16_17_SS_Primary_ALS,	11-May-2022	12-May-2022	07-Nov-2022	✓	12-May-2022	07-Nov-2022	✓	
HDPE (no PTFE) (EP231X)									
SX_OB_20220507_20_23_SS_Triplicate_ALS		12-May-2022	12-May-2022	08-Nov-2022	✓	12-May-2022	08-Nov-2022	✓	
HDPE (no PTFE) (EP231X)									
SX_OB_20220507_20_23_SS_Triplicate_ALS, SX_IB_20220508_00_13_SS_Primary_ALS, SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS, SX_OB_20220509_00_10_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_IB_20220508_00_13_SS_Primary_ALS, SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS, SX_OB_20220509_00_10_SS_Primary_ALS,	SX_OB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS, SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS, SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS, SX_OB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS, SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS, SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS	12-May-2022	13-May-2022	08-Nov-2022	✓	13-May-2022	08-Nov-2022	✓	



Matrix: **WATER**

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis				
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation		
EP231D: (n:2) Fluorotelomer Sulfonic Acids									
HDPE (no PTFE) (EP231X)									
SX_IB_20220508_08_15_SR_Rinsate_ALS,	SX_IB_20220508_08_18_SB_Blank_ALS	08-May-2022	13-May-2022	04-Nov-2022	✓	13-May-2022	04-Nov-2022	✓	
HDPE (no PTFE) (EP231X)									
SX_IB_20220507_08_04_SS_Primary_ALS, SX_OB_20220507_08_17_SS_Duplicate_ALS, SX_OB_20220507_16_17_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS, SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS	SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_IB_20220507_08_04_SS_Primary_ALS, SX_OB_20220507_08_17_SS_Duplicate_ALS, SX_OB_20220507_16_17_SS_Primary_ALS,	11-May-2022	12-May-2022	07-Nov-2022	✓	12-May-2022	07-Nov-2022	✓	
HDPE (no PTFE) (EP231X)									
SX_OB_20220507_20_23_SS_Triplicate_ALS		12-May-2022	12-May-2022	08-Nov-2022	✓	12-May-2022	08-Nov-2022	✓	
HDPE (no PTFE) (EP231X)									
SX_OB_20220507_20_23_SS_Triplicate_ALS, SX_IB_20220508_00_13_SS_Primary_ALS, SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS, SX_OB_20220509_00_10_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_IB_20220508_00_13_SS_Primary_ALS, SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS, SX_OB_20220509_00_10_SS_Primary_ALS,	SX_OB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS, SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS, SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS, SX_OB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS, SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS, SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS	12-May-2022	13-May-2022	08-Nov-2022	✓	13-May-2022	08-Nov-2022	✓	



Matrix: WATER

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis				
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation		
EP231P: PFAS Sums									
HDPE (no PTFE) (EP231X)									
SX_IB_20220508_08_15_SR_Rinsate_ALS,	SX_IB_20220508_08_18_SB_Blank_ALS	08-May-2022	13-May-2022	04-Nov-2022	✓	13-May-2022	04-Nov-2022	✓	
HDPE (no PTFE) (EP231X)									
SX_IB_20220507_08_04_SS_Primary_ALS, SX_OB_20220507_08_17_SS_Duplicate_ALS, SX_OB_20220507_16_17_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS, SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_IB_20220507_20_15_SS_Primary_ALS	SX_OB_20220507_08_16_SS_Primary_ALS, SX_OB_20220507_11_53_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_IB_20220507_08_04_SS_Primary_ALS, SX_OB_20220507_08_17_SS_Duplicate_ALS, SX_OB_20220507_16_17_SS_Primary_ALS,	11-May-2022	12-May-2022	07-Nov-2022	✓	12-May-2022	07-Nov-2022	✓	
HDPE (no PTFE) (EP231X)									
SX_OB_20220507_20_23_SS_Triplicate_ALS		12-May-2022	12-May-2022	08-Nov-2022	✓	12-May-2022	08-Nov-2022	✓	
HDPE (no PTFE) (EP231X)									
SX_OB_20220507_20_23_SS_Triplicate_ALS, SX_IB_20220508_00_13_SS_Primary_ALS, SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS, SX_OB_20220509_00_10_SS_Primary_ALS, SX_OB_20220507_16_20_SS_Triplicate_ALS, SX_IB_20220508_00_13_SS_Primary_ALS, SX_OB_20220508_07_42_SS_Primary_ALS, SX_IB_20220508_11_55_SS_Primary_ALS, SX_IB_20220508_16_16_SS_Triplicate_ALS, SX_OB_20220508_19_51_SS_Triplicate_ALS, SX_OB_20220509_00_10_SS_Primary_ALS,	SX_OB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS, SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS, SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS, SX_OB_20220508_00_06_SS_Primary_ALS, SX_IB_20220508_04_15_SS_Primary_ALS, SX_OB_20220508_07_45_SS_Duplicate_ALS, SX_OB_20220508_16_00_SS_Primary_ALS, SX_IB_20220508_19_39_SS_Primary_ALS, SX_IB_20220509_00_07_SS_Primary_ALS, SX_IB_20220509_04_04_SS_Primary_ALS	12-May-2022	13-May-2022	08-Nov-2022	✓	13-May-2022	08-Nov-2022	✓	



Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **SOIL**

Evaluation: * = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
Laboratory Duplicates (DUP)							
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	4	33	12.12	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Moisture Content	EA055	4	33	12.12	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	4	33	12.12	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	4	35	11.43	10.00	✓	NEPM 2013 B3 & ALS QC Standard
pH in soil using a 0.01M CaCl2 extract	EA001	4	40	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	4	33	12.12	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	4	40	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	4	33	12.12	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	4	33	12.12	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	4	33	12.12	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	4	33	12.12	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	3	21	14.29	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Laboratory Control Samples (LCS)							
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	4	33	12.12	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	2	33	6.06	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	2	35	5.71	5.00	✓	NEPM 2013 B3 & ALS QC Standard
pH in soil using a 0.01M CaCl2 extract	EA001	4	40	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	2	33	6.06	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	2	40	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	2	33	6.06	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	2	33	6.06	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	2	33	6.06	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	2	33	6.06	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	2	21	9.52	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Method Blanks (MB)							
Deionised Water Leach - Plastic Leaching Vessel	EN60-DIa-P	3	34	8.82	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	2	33	6.06	5.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	2	33	6.06	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	2	35	5.71	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	2	33	6.06	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	2	40	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	2	33	6.06	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	2	33	6.06	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	2	33	6.06	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	2	33	6.06	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	2	21	9.52	5.00	✓	NEPM 2013 B3 & ALS QC Standard



Matrix: **SOIL** Evaluation: * = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
Analytical Methods							
Matrix Spikes (MS)							
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	4	33	12.12	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	2	33	6.06	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	2	35	5.71	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	2	33	6.06	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	2	40	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	2	33	6.06	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	2	33	6.06	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	2	33	6.06	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	2	33	6.06	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	2	21	9.52	5.00	✓	NEPM 2013 B3 & ALS QC Standard

Matrix: **WATER** Evaluation: * = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
Analytical Methods							
Laboratory Duplicates (DUP)							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	8	73	10.96	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Laboratory Control Samples (LCS)							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	5	73	6.85	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Method Blanks (MB)							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	5	73	6.85	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Matrix Spikes (MS)							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	4	73	5.48	5.00	✓	NEPM 2013 B3 & ALS QC Standard



Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

Analytical Methods	Method	Matrix	Method Descriptions
pH in soil using a 0.01M CaCl ₂ extract	EA001	SOIL	In house: Referenced to Rayment and Lyons 4B3 (mod.) or 4B4 (mod.) 10 g of soil is mixed with 50 mL of 0.01M CaCl ₂ and tumbled end over end for 1 hour. pH is measured from the continuous suspension. This method is compliant with NEPM Schedule B(3).
Moisture Content	EA055	SOIL	In house: A gravimetric procedure based on weight loss over a 12 hour drying period at 105-110 degrees C. This method is compliant with NEPM Schedule B(3).
Total Metals by ICP-AES	EG005T	SOIL	In house: Referenced to APHA 3120; USEPA SW 846 - 6010. Metals are determined following an appropriate acid digestion of the soil. The ICPAES technique ionises samples in a plasma, emitting a characteristic spectrum based on metals present. Intensities at selected wavelengths are compared against those of matrix matched standards. This method is compliant with NEPM Schedule B(3)
Total Mercury by FIMS	EG035T	SOIL	In house: Referenced to APHA 3112 Hg - B (Flow-injection (SnCl ₂) (Cold Vapour generation) AAS) FIM-AAS is an automated flameless atomic absorption technique. Mercury in solids are determined following an appropriate acid digestion. Ionic mercury is reduced online to atomic mercury vapour by SnCl ₂ which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM Schedule B(3)
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	SOIL	In house: Referenced to USEPA SW846, Method 3060. Hexavalent chromium is extracted by alkaline digestion. The digest is determined by photometrically by automatic discrete analyser, following pH adjustment. The instrument uses colour development using dephenylcarbazide. Each run of samples is measured against a five-point calibration curve. This method is compliant with NEPM Schedule B(3)
Total Cyanide by Segmented Flow Analyser	EK026SF	SOIL	In house: Referenced to APHA 4500-CN C / ASTM D7511 / ISO 14403. Caustic leachates of soil samples are introduced into an automated segmented flow analyser. Complex bound cyanide is decomposed in a continuously flowing stream, at a pH of 3.8, by the effect of UV light. A UV-B lamp (312 nm) and a decomposition spiral of borosilicate glass are used to filter out UV light with a wavelength of less than 290 nm thus preventing the conversion of thiocyanate into cyanide. The hydrogen cyanide present at a pH of 3.8 is separated by gas dialysis. The hydrogen cyanide is then determined photometrically, based on the reaction of cyanide with chloramine-T to form cyanogen chloride. This then reacts with 4-pyridine carboxylic acid and 1,3-dimethylbarbituric acid to give a red colour which is measured at 600 nm. This method is compliant with NEPM Schedule B(3).
Total Fluoride	EK040T	SOIL	(In-house) Total fluoride is determined by ion specific electrode (ISE) in a solution obtained after a Sodium Carbonate / Potassium Carbonate fusion dissolution.
PCB - VIC EPA 448.3 Screen	EP066-EM	SOIL	In house: Referenced to USEPA SW 846 - 8270 Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This method is compliant with NEPM Schedule B(3).
TRH - Semivolatile Fraction	EP071-EM	SOIL	In house: Referenced to USEPA SW 846 - 8015A Sample extracts are analysed by Capillary GC/FID and quantified against alkane standards over the range C10 - C40.
Volatile Organic Compounds - Ultra-trace	EP074-UT	SOIL	In house: Referenced to USEPA SW 846 - 8260 Extracts are analysed by Purge and Trap, Capillary GC/MS in partial SIM/Scan mode. Quantification is by comparison against an established multi-point calibration curves. This method is compliant with NEPM Schedule B(3).



Analytical Methods	Method	Matrix	Method Descriptions
Volatile Organic Compounds - Ultra-trace - Summations	EP074-UT-SUM	SOIL	Summation of MAHs and VHCs
Semivolatile Organic Compounds - Waste Classification	EP075-EM	SOIL	In house: Referenced to USEPA SW 846 - 8270 Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This technique is compliant with NEPM Schedule B(3).
SVOC - Waste Classification (Sums)	EP075-EM-SUM	SOIL	Summations for EP075 (EM variation)
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	SOIL	In-house: Analysis of fresh and saline waters by Solid Phase Extraction (SPE) followed by LC-Electrospray-MS-MS, Negative Mode using MRM and internal standard quantitation. Isotopically labelled analogues of target analytes used as internal standards and surrogates are added to the sample container. The entire contents are transferred to a solid phase extraction (SPE) cartridge. The sample container is successively rinsed with aliquots of the elution solvent. The eluted extract is combined with an equal volume of reagent water and a portion is filtered for analysis. Method procedures and data quality objectives conform to US DoD QSM 5.3, table B-15 requirements.
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	WATER	In-house: Analysis of fresh and saline waters by Solid Phase Extraction (SPE) followed by LC-Electrospray-MS-MS, Negative Mode using MRM and internal standard quantitation. Isotopically labelled analogues of target analytes used as internal standards and surrogates are added to the sample container. The entire contents are transferred to a solid phase extraction (SPE) cartridge. The sample container is successively rinsed with aliquots of the elution solvent. The eluted extract is combined with an equal volume of reagent water and a portion is filtered for analysis. Method procedures and data quality objectives conform to US DoD QSM 5.3, table B-15 requirements.

Preparation Methods	Method	Matrix	Method Descriptions
NaOH leach for CN in Soils	CN-PR	SOIL	In house: APHA 4500 CN. Samples are extracted by end-over-end tumbling with NaOH.
pH in soil using a 0.01M CaCl ₂ extract	EA001-PR	SOIL	In house: Referenced to Rayment and Lyons 4B1, 10 g of soil is mixed with 50 mL of 0.01M CaCl ₂ and tumbled end over end for 1 hour. pH is measured from the continuous suspension. This method is compliant with NEPM Schedule B(3).
Alkaline digestion for Hexavalent Chromium	EG048PR	SOIL	In house: Referenced to USEPA SW846, Method 3060A.
Total Fluoride	EK040T-PR	SOIL	In house: Samples are fused with Sodium Carbonate / Potassium Carbonate flux.
ASLP for Non & Semivolatile Analytes - Plastic Leaching Vessel	EN60a-P	SOIL	In house QWI-EN/60 referenced to AS4439.3 Preparation of Leachates.
Deionised Water Leach - Plastic Leaching Vessel	EN60-DIa-P	SOIL	In house QWI-EN/60 referenced to AS4439.3 Preparation of Leachates
Hot Block Digest for metals in soils sediments and sludges	EN69	SOIL	In house: Referenced to USEPA 200.2. Hot Block Acid Digestion 1.0g of sample is heated with Nitric and Hydrochloric acids, then cooled. Peroxide is added and samples heated and cooled again before being filtered and bulked to volume for analysis. Digest is appropriate for determination of selected metals in sludge, sediments, and soils. This method is compliant with NEPM Schedule B(3).
Methanolic Extraction of Soils - Ultra-trace.	ORG16-UT	SOIL	In house: Referenced to USEPA SW 846 - 5030A. 5g of solid is shaken with surrogate and 10mL methanol prior to analysis by Purge and Trap - GC/MS.
Tumbler Extraction of Solids - VIC EPA Screen	ORG17-EM	SOIL	In house: Mechanical agitation (tumbler). 10g of sample, Na ₂ SO ₄ and surrogate are extracted with 30mL 1:1 DCM/Acetone by end over end tumble. The solvent is decanted, dehydrated and concentrated (by KD) to the desired volume for analysis.



<i>Preparation Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
QuEChERS Extraction of Solids	ORG71	SOIL	In house: Sequential extractions with Acetonitrile/Methanol by shaking. Extraction efficiency aided by the addition of salts under acidic conditions. Where relevant, interferences from co-extracted organics are removed with dispersive clean-up media (dSPE). The extract is either diluted or concentrated and exchanged into the analytical solvent.
Solid Phase Extraction (SPE) for PFAS in water	ORG72	SOIL	In-house: Isotopically labelled analogues of target analytes used as internal standards and surrogates are added to the sample container. The entire contents are transferred to a solid phase extraction (SPE) cartridge. The sample container is successively rinsed with aliquots of the elution solvent. The eluted extract is combined with an equal volume of reagent water and a portion is filtered for analysis. Method procedures conform to US DoD QSM 5.3, table B-15 requirements.
Solid Phase Extraction (SPE) for PFAS in water	ORG72	WATER	In-house: Isotopically labelled analogues of target analytes used as internal standards and surrogates are added to the sample container. The entire contents are transferred to a solid phase extraction (SPE) cartridge. The sample container is successively rinsed with aliquots of the elution solvent. The eluted extract is combined with an equal volume of reagent water and a portion is filtered for analysis. Method procedures conform to US DoD QSM 5.3, table B-15 requirements.

CHAIN OF CUSTODY DOCUMENTATION



Australian Laboratory Services Pty Ltd

CLIENT: Agon Environmental
 ADDRESS / OFFICE: Melbourne
 PROJECT MANAGER (PM): Craig Trimbur
 PROJECT ID: JC0927

SAMPLER: WOH + TG
 MOBILE 1: +61 400 826 907 (Craig Trimbur)
 MOBILE 2: +61 490 411 004 (David Lawson)
 EMAIL REPORT TO: Labreports.TST@agonenviro.com.au agonenvironmental@esdat.com.au
 motherhublabresults1@wqtp.com.au

SITE: 20220510042710-ALS-12 P.O. NO.:
 RESULTS REQUIRED (Date): 5 days QUOTE NO.: ME-150-19 WGTP

EMAIL INVOICE TO: (if different to report) Labreports.TST@agonenviro.com.au agonenvironmental@esdat.com.au

FOR LABORATORY USE ONLY
 COOLER: SEALED (if appropriate)
 IBC: yes no N/A
 SAMPLE TEMPERATURE:
 SHUTTED: yes No

COMMENTS / SPECIAL HANDLING / STORAGE OR DISPOSAL:

ANALYSIS REQUIRED including SUITES (note - suite codes must be listed to attract suite prices)

SAMPLE INFORMATION (note: S = Soil, W = Water) CONTAINER INFORMATION

ALS ID	SAMPLE ID	MATRIX	DATE	Time	Type / Code	Total bottles
1	SX_OB_20220509_08_03_SS_Primary_ALS	S	9/05/2022	08:03	Bucket	1
2	SX_IB_20220509_08_07_SS_Primary_ALS	S	9/05/2022	08:07	Bucket	1
3	SX_IB_20220509_08_09_SS_Duplicate_ALS	S	9/05/2022	08:09	Bucket	1
4	SX_IB_20220509_12_20_SS_Primary_ALS	S	9/05/2022	12:20	Bucket	1
5	SX_IB_20220509_15_52_SS_Primary_ALS	S	9/05/2022	15:52	Bucket	1
6	SX_OB_20220509_16_03_SS_Triplicate_ALS	S	9/05/2022	16:03	Bucket	1
7	SX_IB_20220509_20_01_SS_Primary_ALS	S	9/05/2022	20:01	Bucket	1
8	SX_IB_20220509_20_08_SS_Triplicate_ALS	S	9/05/2022	20:08	Bucket	1
9	SX_OB_20220510_00_01_SS_Primary_ALS	S	10/05/2022	00:01	Bucket	1
10	SX_IB_20220510_04_04_SS_Primary_ALS	S	10/05/2022	04:04	Bucket	1

Spot Sample Prep	P-16 plus Cr	PFAS 28 Extended suite	ASLP PFAS - Extended Suite (Lab to determine pH)	DL Leadhate PFAS - Extended Suite	Notes:
X	X	X	X	X	
X	X	X	X	X	
X	X	X	X	X	
X	X	X	X	X	
X	X	X	X	X	
X	X	X	X	X	
X	X	X	X	X	
X	X	X	X	X	
X	X	X	X	X	
X	X	X	X	X	

Environmental Division
 Melbourne
 Work Order Reference
EM2208523



Telephone : +61-3-8549 9600

RELINQUISHED BY: Name: <i>Hannah Kennedy</i> Of: <i>EP RISK</i>		RECEIVED BY: Name: <i>[Signature]</i> Of: <i>[Signature]</i>		METHOD OF SHIPMENT: Con' Note No: Transport Co:
Date: <i>10/5/22</i>	Date: <i>10/9</i>	Date: <i>11-05</i>		
Time:	Time:	Time:		

Water Container Codes: P = Unpreserved Plastic; N = Nitric Preserved Plastic; ORC = Nitric Preserved ORC; SH = Sodium Hydroxide/Cd Preserved; S = Sodium Hydroxide Preserved Plastic; AG = Amber Glass Unpreserved;
 V = VOA Vial HCl Preserved; VS = VOA Vial Sulphuric Preserved; SG = Sulfuric Preserved Amber Glass; H = HCl preserved Plastic; HS = HCl preserved Speciation bottle; SP = Sulfuric Preserved Plastic; F = Formaldehyde Preserved Glass;
 Z = Zinc Acetate Preserved Bottle; E = EDTA Preserved Bottles; ST = Sterile Bottle; ASS = Plastic Bad for Acid Sulphate Soils; B = Unpreserved Bag.

CERTIFICATE OF ANALYSIS

Work Order : EM2208523 Client : AGON ENVIRONMENTAL PTY LTD Contact : DAVID LAWSON Address : D1.1 63-85 TURNER STREET PORT MELBOURNE 3207 Telephone : ---- Project : JC0927 Order number : ---- C-O-C number : 20220510042710-ALS-12 Sampler : WOH+TG Site : 20220510042710-ALS-12 Quote number : EN/150/19 -WGTP -Bulk Sample Quote No. of samples received : 20 No. of samples analysed : 20	Page : 1 of 27 Laboratory : Environmental Division Melbourne Contact : Josh Alexander Address : 4 Westall Rd Springvale VIC Australia 3171 Telephone : +61-3-8549 9600 Date Samples Received : 10-May-2022 11:55 Date Analysis Commenced : 11-May-2022 Issue Date : 17-May-2022 18:08
---	--



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Dilani Fernando	Laboratory Coordinator	Melbourne Inorganics, Springvale, VIC
Nikki Stepniewski	Senior Inorganic Instrument Chemist	Melbourne Inorganics, Springvale, VIC
Xing Lin	Senior Organic Chemist	Melbourne Inorganics, Springvale, VIC
Xing Lin	Senior Organic Chemist	Melbourne Organics, Springvale, VIC



General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contract for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.
LOR = Limit of reporting
^ = This result is computed from individual analyte detections at or above the level of reporting
ø = ALS is not NATA accredited for these tests.
~ = Indicates an estimated value.

- EP231X: Poor matrix spike recovery for sample EM2208315-007 due to sample matrix interference.
- Benzo(a)pyrene Toxicity Equivalent Quotient (TEQ) per the NEPM (2013) is the sum total of the concentration of the eight carcinogenic PAHs multiplied by their Toxicity Equivalence Factor (TEF) relative to Benzo(a)pyrene. TEF values are provided in brackets as follows: Benz(a)anthracene (0.1), Chrysene (0.01), Benzo(b+j) & Benzo(k)fluoranthene (0.1), Benzo(a)pyrene (1.0), Indeno(1.2.3.cd)pyrene (0.1), Dibenz(a,h)anthracene (1.0), Benzo(g,h,i)perylene (0.01). Less than LOR results for 'TEQ Zero' are treated as zero, for 'TEQ 1/2LOR' are treated as half the reported LOR, and for 'TEQ LOR' are treated as being equal to the reported LOR. Note: TEQ 1/2LOR and TEQ LOR will calculate as 0.6mg/Kg and 1.2mg/Kg respectively for samples with non-detects for all of the eight TEQ PAHs.
- EP231X - Per- and Polyfluoroalkyl Substances (PFAS): Samples received in 20ml or 125ml bottles have been tested in accordance with the QSM5.3 compliant, NATA accredited method. 60mL or 250mL bottles have been tested to the legacy QSM 5.1 aligned, NATA accredited method.
- EP074-UT: Where reported, Total Xylenes is the sum of the reported concentrations of m&p-Xylene and o-Xylene at or above the LOR.
- EP074-WF: Where reported, Sum of trichlorobenzenes is the sum of the reported concentrations of 1,2,3-Trichlorobenzene and 1,2,4-Trichlorobenzene, and 1,3,5-Trichlorobenzene at or above the LOR.
- EP231: Stable isotope enriched internal standards are added to samples prior to extraction. Target compounds have a direct analogous internal standard with the exception of PFPeS, PFHpA, PFDS, PFTrDA and 10:2 FTS. These compounds use an internal standard that is chemically related and has a retention time close to that of the target compound. The DQO for internal standard response is 50-150% of that established at initial calibration. PFOS is quantified using a certified, traceable standard consisting of linear and branched PFOS isomers. These practices are in line with recommendations in the National Environmental Management Plan for PFAS (Australian HEPA) and also conform to QSM 5.3 (US DoD) requirements.
- EN60: Where leachable PFAS analysis is requested, centrifugation rather than pressure filtration is used as the default approach for removal of particulates, in line with AS 4439.3.
- EN60-DI: Where leachable PFAS analysis is requested, centrifugation rather than pressure filtration is used as the default approach for removal of particulates, in line with AS 4439.3.



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_OB_20220509_08_03_SS_Primary_ALS	SX_IB_20220509_08_07_SS_Primary_ALS	SX_IB_20220509_08_09_SS_Duplicate_ALS	SX_IB_20220509_12_20_SS_Primary_ALS	SX_IB_20220509_15_52_SS_Primary_ALS
Sampling date / time				09-May-2022 08:03	09-May-2022 08:07	09-May-2022 08:09	09-May-2022 12:20	09-May-2022 15:52
Compound	CAS Number	LOR	Unit	EM2208523-001	EM2208523-002	EM2208523-003	EM2208523-004	EM2208523-005
				Result	Result	Result	Result	Result
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_OB_20220509_08_03_SS_Primary_ALS	SX_IB_20220509_08_07_SS_Primary_ALS	SX_IB_20220509_08_09_SS_Duplicate_ALS	SX_IB_20220509_12_20_SS_Primary_ALS	SX_IB_20220509_15_52_SS_Primary_ALS
Sampling date / time				09-May-2022 08:03	09-May-2022 08:07	09-May-2022 08:09	09-May-2022 12:20	09-May-2022 15:52
Compound	CAS Number	LOR	Unit	EM2208523-001	EM2208523-002	EM2208523-003	EM2208523-004	EM2208523-005
				Result	Result	Result	Result	Result
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	86.9	83.8	94.9	87.8	86.1
13C8-PFOA	----	0.02	%	100.0	96.5	106	99.2	94.8



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_OB_20220509_16_03_SS_Triplicate_ALS	SX_IB_20220509_20_01_SS_Primary_ALS	SX_IB_20220509_20_08_SS_Triplicate_ALS	SX_OB_20220510_00_01_SS_Primary_ALS	SX_IB_20220510_04_04_SS_Primary_ALS
Sampling date / time				09-May-2022 16:03	09-May-2022 20:01	09-May-2022 20:08	09-May-2022 00:01	09-May-2022 04:04
Compound	CAS Number	LOR	Unit	EM2208523-006	EM2208523-007	EM2208523-008	EM2208523-009	EM2208523-010
				Result	Result	Result	Result	Result
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_OB_20220509_16_03_SS_Triplicate_ALS	SX_IB_20220509_20_01_SS_Primary_ALS	SX_IB_20220509_20_08_SS_Triplicate_ALS	SX_OB_20220510_00_01_SS_Primary_ALS	SX_IB_20220510_04_04_SS_Primary_ALS
Sampling date / time				09-May-2022 16:03	09-May-2022 20:01	09-May-2022 20:08	09-May-2022 00:01	09-May-2022 04:04
Compound	CAS Number	LOR	Unit	EM2208523-006	EM2208523-007	EM2208523-008	EM2208523-009	EM2208523-010
				Result	Result	Result	Result	Result
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	85.2	90.8	94.3	85.7	91.4
13C8-PFOA	----	0.02	%	102	98.8	101	98.6	100



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_OB_20220509_08_03_SS_Primary_ALS	SX_IB_20220509_08_07_SS_Primary_ALS	SX_IB_20220509_08_09_SS_Duplicate_ALS	SX_IB_20220509_12_20_SS_Primary_ALS	SX_IB_20220509_15_52_SS_Primary_ALS
Sampling date / time				09-May-2022 08:03	09-May-2022 08:07	09-May-2022 08:09	09-May-2022 12:20	09-May-2022 15:52
Compound	CAS Number	LOR	Unit	EM2208523-011	EM2208523-012	EM2208523-013	EM2208523-014	EM2208523-015
				Result	Result	Result	Result	Result
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_OB_20220509_08_03_SS_Primary_ALS	SX_IB_20220509_08_07_SS_Primary_ALS	SX_IB_20220509_08_09_SS_Duplicate_ALS	SX_IB_20220509_12_20_SS_Primary_ALS	SX_IB_20220509_15_52_SS_Primary_ALS
Sampling date / time				09-May-2022 08:03	09-May-2022 08:07	09-May-2022 08:09	09-May-2022 12:20	09-May-2022 15:52
Compound	CAS Number	LOR	Unit	EM2208523-011	EM2208523-012	EM2208523-013	EM2208523-014	EM2208523-015
				Result	Result	Result	Result	Result
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	84.6	101	90.3	89.6	89.2
13C8-PFOA	----	0.02	%	104	101	110	102	95.8



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_OB_20220509_16_03_SS_Triplicate_ALS	SX_IB_20220509_20_01_SS_Primary_ALS	SX_IB_20220509_20_08_SS_Triplicate_ALS	SX_OB_20220510_00_01_SS_Primary_ALS	SX_IB_20220510_04_04_SS_Primary_ALS
Sampling date / time				09-May-2022 16:03	09-May-2022 20:01	09-May-2022 20:08	09-May-2022 00:01	09-May-2022 04:04
Compound	CAS Number	LOR	Unit	EM2208523-016	EM2208523-017	EM2208523-018	EM2208523-019	EM2208523-020
				Result	Result	Result	Result	Result
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_OB_20220509_16_03_SS_Triplicate_ALS	SX_IB_20220509_20_01_SS_Primary_ALS	SX_IB_20220509_20_08_SS_Triplicate_ALS	SX_OB_20220510_00_01_SS_Primary_ALS	SX_IB_20220510_04_04_SS_Primary_ALS
Sampling date / time				09-May-2022 16:03	09-May-2022 20:01	09-May-2022 20:08	09-May-2022 00:01	09-May-2022 04:04
Compound	CAS Number	LOR	Unit	EM2208523-016	EM2208523-017	EM2208523-018	EM2208523-019	EM2208523-020
				Result	Result	Result	Result	Result
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	98.5	91.1	92.2	89.6	92.0
13C8-PFOA	----	0.02	%	98.9	99.2	104	104	101



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_OB_20220509_08_03_SS_Primary_ALS	SX_IB_20220509_08_07_SS_Primary_ALS	SX_IB_20220509_08_09_SS_Duplicate_ALS	SX_IB_20220509_12_20_SS_Primary_ALS	SX_IB_20220509_15_52_SS_Primary_ALS
Sampling date / time				09-May-2022 08:03	09-May-2022 08:07	09-May-2022 08:09	09-May-2022 12:20	09-May-2022 15:52	
Compound	CAS Number	LOR	Unit	EM2208523-001	EM2208523-002	EM2208523-003	EM2208523-004	EM2208523-005	
				Result	Result	Result	Result	Result	
EA001: pH in soil using 0.01M CaCl extract									
pH (CaCl ₂)	----	0.1	pH Unit	7.8	7.7	7.8	7.7	7.8	
EA055: Moisture Content (Dried @ 105-110°C)									
Moisture Content	----	1.0	%	33.0	26.6	28.4	26.1	29.0	
EG005(ED093)T: Total Metals by ICP-AES									
Arsenic	7440-38-2	5	mg/kg	24	37	33	22	31	
Cadmium	7440-43-9	1	mg/kg	<1	<1	<1	<1	<1	
Chromium	7440-47-3	5	mg/kg	119	104	103	97	94	
Copper	7440-50-8	5	mg/kg	69	64	58	54	58	
Lead	7439-92-1	5	mg/kg	<5	<5	<5	<5	<5	
Molybdenum	7439-98-7	5	mg/kg	<5	<5	<5	<5	<5	
Nickel	7440-02-0	5	mg/kg	174	180	167	161	164	
Selenium	7782-49-2	5	mg/kg	<5	<5	<5	<5	<5	
Silver	7440-22-4	2	mg/kg	<2	<2	<2	<2	<2	
Tin	7440-31-5	10	mg/kg	<10	<10	<10	<10	<10	
Zinc	7440-66-6	5	mg/kg	109	100	90	85	91	
EG035T: Total Recoverable Mercury by FIMS									
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	
EG048: Hexavalent Chromium (Alkaline Digest)									
Hexavalent Chromium	18540-29-9	1.0	mg/kg	<1.0	1.8	1.9	1.6	1.4	
EK026SF: Total CN by Segmented Flow Analyser									
Total Cyanide	57-12-5	5	mg/kg	<5	<5	<5	<5	<5	
EK040T: Fluoride Total									
Fluoride	16984-48-8	100	mg/kg	170	190	250	190	170	
EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)									
Initial pH	----	0.1	pH Unit	8.9	9.3	9.2	9.2	9.2	
After HCl pH	----	0.1	pH Unit	1.6	1.5	1.5	1.4	1.4	
Extraction Fluid pH	----	0.1	pH Unit	5	5	5	5	5	
Final pH	----	0.1	pH Unit	5.1	5.1	5.1	5.1	5.1	
EP066: Polychlorinated Biphenyls (PCB)									
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	
EP074A: Monocyclic Aromatic Hydrocarbons									
Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	<0.2	<0.2	<0.2	
Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5	



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_OB_20220509_08_03_SS_Primary_ALS	SX_IB_20220509_08_07_SS_Primary_ALS	SX_IB_20220509_08_09_SS_Duplicate_ALS	SX_IB_20220509_12_20_SS_Primary_ALS	SX_IB_20220509_15_52_SS_Primary_ALS
Sampling date / time				09-May-2022 08:03	09-May-2022 08:07	09-May-2022 08:09	09-May-2022 12:20	09-May-2022 15:52	
Compound	CAS Number	LOR	Unit	EM2208523-001	EM2208523-002	EM2208523-003	EM2208523-004	EM2208523-005	
				Result	Result	Result	Result	Result	
EP074A: Monocyclic Aromatic Hydrocarbons - Continued									
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5	
meta- & para-Xylene	108-38-3	106-42-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	
Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5	
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5	
[^] Sum of monocyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5	
[^] Total Xylenes	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5	
EP074H: Naphthalene									
Naphthalene	91-20-3	1	mg/kg	<1	<1	<1	<1	<1	
EP074I: Volatile Halogenated Compounds									
Vinyl chloride	75-01-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50	
1,1-Dichloroethene	75-35-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50	
Methylene chloride	75-09-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5	
trans-1,2-Dichloroethene	156-60-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50	
cis-1,2-Dichloroethene	156-59-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50	
Chloroform	67-66-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50	
1,1,1-Trichloroethane	71-55-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50	
Carbon Tetrachloride	56-23-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50	
1,2-Dichloroethane	107-06-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50	
Trichloroethene	79-01-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50	
1,1,2-Trichloroethane	79-00-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50	
Tetrachloroethene	127-18-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50	
1,1,1,2-Tetrachloroethane	630-20-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50	
1,1,1,2,2-Tetrachloroethane	79-34-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50	
Hexachlorobutadiene	87-68-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50	
Chlorobenzene	108-90-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50	
1,4-Dichlorobenzene	106-46-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50	
1,2-Dichlorobenzene	95-50-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50	
1,2,4-Trichlorobenzene	120-82-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50	
[^] Sum of volatile chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50	
[^] Sum of other chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50	
EP075A: Phenolic Compounds (Halogenated)									
2-Chlorophenol	95-57-8	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50	
2,4-Dichlorophenol	120-83-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50	



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220509_08_03_SS_Primary_ALS	SX_IB_20220509_08_07_SS_Primary_ALS	SX_IB_20220509_08_09_SS_Duplicate_ALS	SX_IB_20220509_12_20_SS_Primary_ALS	SX_IB_20220509_15_52_SS_Primary_ALS
Sampling date / time				09-May-2022 08:03	09-May-2022 08:07	09-May-2022 08:09	09-May-2022 12:20	09-May-2022 15:52
Compound	CAS Number	LOR	Unit	EM2208523-001	EM2208523-002	EM2208523-003	EM2208523-004	EM2208523-005
				Result	Result	Result	Result	Result
EP075A: Phenolic Compounds (Halogenated) - Continued								
2,6-Dichlorophenol	87-65-0	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
4-Chloro-3-methylphenol	59-50-7	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,5-Trichlorophenol	95-95-4	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,6-Trichlorophenol	88-06-2	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-90-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Pentachlorophenol	87-86-5	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
^ Sum of Phenols (halogenated)	----	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
EP075A: Phenolic Compounds (Non-halogenated)								
Phenol	108-95-2	1	mg/kg	<1	<1	<1	<1	<1
2-Methylphenol	95-48-7	1	mg/kg	<1	<1	<1	<1	<1
3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	<1	<1	<1
2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	<5	<5	<5
4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	<5	<5	<5
2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	<5	<5	<5
Dinoseb	88-85-7	20	mg/kg	<20	<20	<20	<20	<20
2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	20	mg/kg	<20	<20	<20	<20	<20
^ Sum of Phenols (non-halogenated)	----	20	mg/kg	<20	<20	<20	<20	<20
EP075B: Polynuclear Aromatic Hydrocarbons								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220509_08_03_SS_Primary_ALS	SX_IB_20220509_08_07_SS_Primary_ALS	SX_IB_20220509_08_09_SS_Duplicate_ALS	SX_IB_20220509_12_20_SS_Primary_ALS	SX_IB_20220509_15_52_SS_Primary_ALS
Sampling date / time				09-May-2022 08:03	09-May-2022 08:07	09-May-2022 08:09	09-May-2022 12:20	09-May-2022 15:52
Compound	CAS Number	LOR	Unit	EM2208523-001	EM2208523-002	EM2208523-003	EM2208523-004	EM2208523-005
				Result	Result	Result	Result	Result
EP075B: Polynuclear Aromatic Hydrocarbons - Continued								
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	0.6	0.6	0.6	0.6	0.6
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	1.2	1.2	1.2	1.2	1.2
EP075I: Organochlorine Pesticides								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
Endosulfan 1	959-98-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan 2	33213-65-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4,4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Methoxychlor	72-43-5	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Sum of organochlorine pesticides	----	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.30	mg/kg	<0.30	<0.30	<0.30	<0.30	<0.30
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Chlordane	57-74-9	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_OB_20220509_08_03_SS_Primary_ALS	SX_IB_20220509_08_07_SS_Primary_ALS	SX_IB_20220509_08_09_SS_Duplicate_ALS	SX_IB_20220509_12_20_SS_Primary_ALS	SX_IB_20220509_15_52_SS_Primary_ALS
Sampling date / time				09-May-2022 08:03	09-May-2022 08:07	09-May-2022 08:09	09-May-2022 12:20	09-May-2022 15:52	
Compound	CAS Number	LOR	Unit	EM2208523-001	EM2208523-002	EM2208523-003	EM2208523-004	EM2208523-005	
				Result	Result	Result	Result	Result	
EP075I: Organochlorine Pesticides - Continued									
^ Sum of other organochlorine pesticides				----	0.03	mg/kg	<0.03	<0.03	<0.03
EP080/071: Total Petroleum Hydrocarbons									
C6 - C9 Fraction				----	20	mg/kg	<20	<20	<20
C10 - C14 Fraction				----	50	mg/kg	<50	<50	<50
C6 - C10 Fraction				C6_C10	20	mg/kg	<20	<20	<20
C15 - C28 Fraction				----	100	mg/kg	<100	<100	<100
C29 - C36 Fraction				----	100	mg/kg	<100	<100	<100
^ C10 - C36 Fraction (sum)				----	50	mg/kg	<50	<50	<50
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions									
>C10 - C16 Fraction				----	50	mg/kg	<50	<50	<50
>C16 - C34 Fraction				----	100	mg/kg	<100	<100	<100
>C34 - C40 Fraction				----	100	mg/kg	<100	<100	<100
^ >C10 - C40 Fraction (sum)				----	50	mg/kg	<50	<50	<50
>C10 - C16 Fraction minus Naphthalene (F2)				----	50	mg/kg	<50	<50	<50
C6 - C10 Fraction minus BTEX (F1)				C6_C10-BTEX	20	mg/kg	<20	<20	<20
EP231A: Perfluoroalkyl Sulfonic Acids									
Perfluorobutane sulfonic acid (PFBS)				375-73-5	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluoropentane sulfonic acid (PFPeS)				2706-91-4	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorohexane sulfonic acid (PFHxS)				355-46-4	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluoroheptane sulfonic acid (PFHpS)				375-92-8	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorooctane sulfonic acid (PFOS)				1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorodecane sulfonic acid (PFDS)				335-77-3	5.0	µg/kg	<5.0	<5.0	<5.0
EP231B: Perfluoroalkyl Carboxylic Acids									
Perfluorobutanoic acid (PFBA)				375-22-4	5	µg/kg	<5	<5	<5
Perfluoropentanoic acid (PFPeA)				2706-90-3	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorohexanoic acid (PFHxA)				307-24-4	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluoroheptanoic acid (PFHpA)				375-85-9	5.0	µg/kg	<5.0	<5.0	<5.0



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_OB_20220509_08_03_SS_Primary_ALS	SX_IB_20220509_08_07_SS_Primary_ALS	SX_IB_20220509_08_09_SS_Duplicate_ALS	SX_IB_20220509_12_20_SS_Primary_ALS	SX_IB_20220509_15_52_SS_Primary_ALS
Sampling date / time				09-May-2022 08:03	09-May-2022 08:07	09-May-2022 08:09	09-May-2022 12:20	09-May-2022 15:52	
Compound	CAS Number	LOR	Unit	EM2208523-001	EM2208523-002	EM2208523-003	EM2208523-004	EM2208523-005	
				Result	Result	Result	Result	Result	
EP231B: Perfluoroalkyl Carboxylic Acids - Continued									
Perfluorooctanoic acid (PFOA)	335-67-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorononanoic acid (PFNA)	375-95-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorodecanoic acid (PFDA)	335-76-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorododecanoic acid (PFDoDA)	307-55-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
EP231C: Perfluoroalkyl Sulfonamides									
Perfluorooctane sulfonamide (FOSA)	754-91-6	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
EP231D: (n:2) Fluorotelomer Sulfonic Acids									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_OB_20220509_08_03_SS_Primary_ALS	SX_IB_20220509_08_07_SS_Primary_ALS	SX_IB_20220509_08_09_SS_Duplicate_ALS	SX_IB_20220509_12_20_SS_Primary_ALS	SX_IB_20220509_15_52_SS_Primary_ALS
Sampling date / time				09-May-2022 08:03	09-May-2022 08:07	09-May-2022 08:09	09-May-2022 12:20	09-May-2022 15:52	
Compound	CAS Number	LOR	Unit	EM2208523-001	EM2208523-002	EM2208523-003	EM2208523-004	EM2208523-005	
				Result	Result	Result	Result	Result	
EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued									
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
EP231P: PFAS Sums									
Sum of PFAS	----	50.0	µg/kg	<50.0	<50.0	<50.0	<50.0	<50.0	
Sum of PFHxS and PFOS	355-46-4/1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Sum of PFAS (WA DER List)	----	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
EP066S: PCB Surrogate									
Decachlorobiphenyl	2051-24-3	0.1	%	111	112	114	104	76.6	
EP074S: VOC Surrogates (Ultra-Trace)									
1,2-Dichloroethane-D4	17060-07-0	0.1	%	93.7	85.2	92.7	92.6	84.0	
Toluene-D8	2037-26-5	0.1	%	88.6	80.8	86.6	88.8	80.1	
4-Bromofluorobenzene	460-00-4	0.1	%	99.7	93.9	100	99.6	91.3	
EP075S: Acid Extractable Surrogates (Waste Classification)									
Phenol-d6	13127-88-3	0.025	%	100	107	106	102	77.6	
2-Chlorophenol-D4	93951-73-6	0.025	%	90.3	97.5	94.4	92.4	70.5	
2,4,6-Tribromophenol	118-79-6	0.025	%	89.4	91.8	88.7	86.8	62.9	
EP075T: Base/Neutral Extractable Surrogates (Waste Classification)									
Nitrobenzene-D5	4165-60-0	0.025	%	101	97.9	99.8	91.4	70.6	
1,2-Dichlorobenzene-D4	2199-69-1	0.025	%	92.3	94.2	91.7	88.0	68.4	
2-Fluorobiphenyl	321-60-8	0.025	%	105	107	104	102	80.1	
Anthracene-d10	1719-06-8	0.025	%	98.4	99.5	97.4	94.8	72.3	
4-Terphenyl-d14	1718-51-0	0.025	%	106	106	104	97.5	76.4	
EP231S: PFAS Surrogate									
13C4-PFOS	----	0.0002	%	106	96.2	105	93.4	98.2	
13C8-PFOA	----	0.0002	%	99.8	102	96.6	99.0	96.3	



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220509_16_03_SS_Triplicate_ALS	SX_IB_20220509_20_01_SS_Primary_ALS	SX_IB_20220509_20_08_SS_Triplicate_ALS	SX_OB_20220510_00_01_SS_Primary_ALS	SX_IB_20220510_04_04_SS_Primary_ALS
Sampling date / time				09-May-2022 16:03	09-May-2022 20:01	09-May-2022 20:08	09-May-2022 00:01	09-May-2022 04:04
Compound	CAS Number	LOR	Unit	EM2208523-006	EM2208523-007	EM2208523-008	EM2208523-009	EM2208523-010
				Result	Result	Result	Result	Result
EA001: pH in soil using 0.01M CaCl extract								
pH (CaCl2)	----	0.1	pH Unit	7.9	7.8	7.8	7.8	7.7
EA055: Moisture Content (Dried @ 105-110°C)								
Moisture Content	----	1.0	%	31.7	24.4	25.9	29.4	28.4
EG005(ED093)T: Total Metals by ICP-AES								
Arsenic	7440-38-2	5	mg/kg	22	23	27	21	53
Cadmium	7440-43-9	1	mg/kg	<1	<1	<1	<1	<1
Chromium	7440-47-3	5	mg/kg	98	97	101	96	114
Copper	7440-50-8	5	mg/kg	68	58	56	68	57
Lead	7439-92-1	5	mg/kg	<5	<5	<5	<5	<5
Molybdenum	7439-98-7	5	mg/kg	<5	<5	<5	<5	<5
Nickel	7440-02-0	5	mg/kg	183	180	169	169	160
Selenium	7782-49-2	5	mg/kg	<5	<5	<5	<5	<5
Silver	7440-22-4	2	mg/kg	<2	<2	<2	<2	<2
Tin	7440-31-5	10	mg/kg	<10	<10	<10	<10	<10
Zinc	7440-66-6	5	mg/kg	114	94	95	106	97
EG035T: Total Recoverable Mercury by FIMS								
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
EG048: Hexavalent Chromium (Alkaline Digest)								
Hexavalent Chromium	18540-29-9	1.0	mg/kg	<1.0	1.4	1.3	<1.0	1.7
EK026SF: Total CN by Segmented Flow Analyser								
Total Cyanide	57-12-5	5	mg/kg	<5	<5	<5	<5	<5
EK040T: Fluoride Total								
Fluoride	16984-48-8	100	mg/kg	240	220	230	200	190
EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Initial pH	----	0.1	pH Unit	8.9	9.2	9.2	9.0	9.1
After HCl pH	----	0.1	pH Unit	1.5	1.5	1.5	1.4	1.4
Extraction Fluid pH	----	0.1	pH Unit	5	5	5	5	5
Final pH	----	0.1	pH Unit	5.1	5.1	5.1	5.1	5.1
EP066: Polychlorinated Biphenyls (PCB)								
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
EP074A: Monocyclic Aromatic Hydrocarbons								
Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	<0.2	<0.2	<0.2



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220509_16_03_SS_Triplicate_ALS	SX_IB_20220509_20_01_SS_Primary_ALS	SX_IB_20220509_20_08_SS_Triplicate_ALS	SX_OB_20220510_00_01_SS_Primary_ALS	SX_IB_20220510_04_04_SS_Primary_ALS
Sampling date / time				09-May-2022 16:03	09-May-2022 20:01	09-May-2022 20:08	09-May-2022 00:01	09-May-2022 04:04
Compound	CAS Number	LOR	Unit	EM2208523-006	EM2208523-007	EM2208523-008	EM2208523-009	EM2208523-010
				Result	Result	Result	Result	Result
EP074A: Monocyclic Aromatic Hydrocarbons - Continued								
Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of monocyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Total Xylenes	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
EP074H: Naphthalene								
Naphthalene	91-20-3	1	mg/kg	<1	<1	<1	<1	<1
EP074I: Volatile Halogenated Compounds								
Vinyl chloride	75-01-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethene	75-35-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Methylene chloride	75-09-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
trans-1,2-Dichloroethene	156-60-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	156-59-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroform	67-66-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1-Trichloroethane	71-55-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Carbon Tetrachloride	56-23-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloroethane	107-06-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Trichloroethene	79-01-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2-Trichloroethane	79-00-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene	127-18-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1,2-Tetrachloroethane	630-20-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2,2-Tetrachloroethane	79-34-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Hexachlorobutadiene	87-68-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chlorobenzene	108-90-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dichlorobenzene	106-46-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichlorobenzene	95-50-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2,4-Trichlorobenzene	120-82-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of volatile chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of other chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
EP075A: Phenolic Compounds (Halogenated)								



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220509_16_03_SS_Triplicate_ALS	SX_IB_20220509_20_01_SS_Primary_ALS	SX_IB_20220509_20_08_SS_Triplicate_ALS	SX_OB_20220510_00_01_SS_Primary_ALS	SX_IB_20220510_04_04_SS_Primary_ALS
Sampling date / time				09-May-2022 16:03	09-May-2022 20:01	09-May-2022 20:08	09-May-2022 00:01	09-May-2022 04:04
Compound	CAS Number	LOR	Unit	EM2208523-006	EM2208523-007	EM2208523-008	EM2208523-009	EM2208523-010
				Result	Result	Result	Result	Result
EP075A: Phenolic Compounds (Halogenated) - Continued								
2-Chlorophenol	95-57-8	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,4-Dichlorophenol	120-83-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,6-Dichlorophenol	87-65-0	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
4-Chloro-3-methylphenol	59-50-7	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,5-Trichlorophenol	95-95-4	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,6-Trichlorophenol	88-06-2	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-90-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Pentachlorophenol	87-86-5	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
^ Sum of Phenols (halogenated)	----	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
EP075A: Phenolic Compounds (Non-halogenated)								
Phenol	108-95-2	1	mg/kg	<1	<1	<1	<1	<1
2-Methylphenol	95-48-7	1	mg/kg	<1	<1	<1	<1	<1
3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	<1	<1	<1
2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	<5	<5	<5
4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	<5	<5	<5
2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	<5	<5	<5
Dinoseb	88-85-7	20	mg/kg	<20	<20	<20	<20	<20
2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	20	mg/kg	<20	<20	<20	<20	<20
^ Sum of Phenols (non-halogenated)	----	20	mg/kg	<20	<20	<20	<20	<20
EP075B: Polynuclear Aromatic Hydrocarbons								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220509_16_03_SS_Triplicate_ALS	SX_IB_20220509_20_01_SS_Primary_ALS	SX_IB_20220509_20_08_SS_Triplicate_ALS	SX_OB_20220510_00_01_SS_Primary_ALS	SX_IB_20220510_04_04_SS_Primary_ALS
Sampling date / time				09-May-2022 16:03	09-May-2022 20:01	09-May-2022 20:08	09-May-2022 00:01	09-May-2022 04:04
Compound	CAS Number	LOR	Unit	EM2208523-006	EM2208523-007	EM2208523-008	EM2208523-009	EM2208523-010
				Result	Result	Result	Result	Result
EP075B: Polynuclear Aromatic Hydrocarbons - Continued								
Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	0.6	0.6	0.6	0.6	0.6
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	1.2	1.2	1.2	1.2	1.2
EP075I: Organochlorine Pesticides								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
Endosulfan 1	959-98-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan 2	33213-65-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Methoxychlor	72-43-5	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Sum of organochlorine pesticides	----	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220509_16_03_SS_Triplicate_ALS	SX_IB_20220509_20_01_SS_Primary_ALS	SX_IB_20220509_20_08_SS_Triplicate_ALS	SX_OB_20220510_00_01_SS_Primary_ALS	SX_IB_20220510_04_04_SS_Primary_ALS
Sampling date / time				09-May-2022 16:03	09-May-2022 20:01	09-May-2022 20:08	09-May-2022 00:01	09-May-2022 04:04
Compound	CAS Number	LOR	Unit	EM2208523-006	EM2208523-007	EM2208523-008	EM2208523-009	EM2208523-010
				Result	Result	Result	Result	Result
EP075I: Organochlorine Pesticides - Continued								
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.30	mg/kg	<0.30	<0.30	<0.30	<0.30	<0.30
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Chlordane	57-74-9	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10
^ Sum of other organochlorine pesticides	----	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
EP080/071: Total Petroleum Hydrocarbons								
C6 - C9 Fraction	----	20	mg/kg	<20	<20	<20	<20	<20
C10 - C14 Fraction	----	50	mg/kg	<50	<50	<50	<50	<50
C6 - C10 Fraction	C6_C10	20	mg/kg	<20	<20	<20	<20	<20
C15 - C28 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
C29 - C36 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
^ C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	<50	<50	<50
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions								
>C10 - C16 Fraction	----	50	mg/kg	<50	<50	<50	<50	<50
>C16 - C34 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
>C34 - C40 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	<50	<50	<50
>C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	<50	<50	<50	<50	<50
C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	20	mg/kg	<20	<20	<20	<20	<20
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorodecane sulfonic acid (PFDS)	335-77-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220509_16_03_SS_Triplicate_ALS	SX_IB_20220509_20_01_SS_Primary_ALS	SX_IB_20220509_20_08_SS_Triplicate_ALS	SX_OB_20220510_00_01_SS_Primary_ALS	SX_IB_20220510_04_04_SS_Primary_ALS
Sampling date / time				09-May-2022 16:03	09-May-2022 20:01	09-May-2022 20:08	09-May-2022 00:01	09-May-2022 04:04
Compound	CAS Number	LOR	Unit	EM2208523-006	EM2208523-007	EM2208523-008	EM2208523-009	EM2208523-010
				Result	Result	Result	Result	Result
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	5	µg/kg	<5	<5	<5	<5	<5
Perfluoropentanoic acid (PFPeA)	2706-90-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorohexanoic acid (PFHxA)	307-24-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroheptanoic acid (PFHpA)	375-85-9	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorooctanoic acid (PFOA)	335-67-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorononanoic acid (PFNA)	375-95-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorodecanoic acid (PFDA)	335-76-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorododecanoic acid (PFDoDA)	307-55-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
EP231D: (n:2) Fluorotelomer Sulfonic Acids								



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220509_16_03_SS_Triplicate_ALS	SX_IB_20220509_20_01_SS_Primary_ALS	SX_IB_20220509_20_08_SS_Triplicate_ALS	SX_OB_20220510_00_01_SS_Primary_ALS	SX_IB_20220510_04_04_SS_Primary_ALS
Sampling date / time				09-May-2022 16:03	09-May-2022 20:01	09-May-2022 20:08	09-May-2022 00:01	09-May-2022 04:04
Compound	CAS Number	LOR	Unit	EM2208523-006	EM2208523-007	EM2208523-008	EM2208523-009	EM2208523-010
				Result	Result	Result	Result	Result
EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
EP231P: PFAS Sums								
Sum of PFAS	----	50.0	µg/kg	<50.0	<50.0	<50.0	<50.0	<50.0
Sum of PFHxS and PFOS	355-46-4/1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Sum of PFAS (WA DER List)	----	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
EP066S: PCB Surrogate								
Decachlorobiphenyl	2051-24-3	0.1	%	111	108	111	102	101
EP074S: VOC Surrogates (Ultra-Trace)								
1,2-Dichloroethane-D4	17060-07-0	0.1	%	91.0	90.0	79.1	85.1	86.0
Toluene-D8	2037-26-5	0.1	%	86.2	86.8	74.1	82.8	83.3
4-Bromofluorobenzene	460-00-4	0.1	%	101	100	86.9	95.3	96.4
EP075S: Acid Extractable Surrogates (Waste Classification)								
Phenol-d6	13127-88-3	0.025	%	105	101	109	96.0	105
2-Chlorophenol-D4	93951-73-6	0.025	%	95.5	90.6	97.6	86.5	92.3
2,4,6-Tribromophenol	118-79-6	0.025	%	90.6	86.9	92.7	82.7	83.3
EP075T: Base/Neutral Extractable Surrogates (Waste Classification)								
Nitrobenzene-D5	4165-60-0	0.025	%	99.1	99.9	104	93.6	95.5
1,2-Dichlorobenzene-D4	2199-69-1	0.025	%	91.6	89.2	94.4	83.8	85.5
2-Fluorobiphenyl	321-60-8	0.025	%	106	105	108	99.3	100
Anthracene-d10	1719-06-8	0.025	%	98.8	95.8	101	91.9	92.9
4-Terphenyl-d14	1718-51-0	0.025	%	106	99.1	105	97.9	99.1
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.0002	%	90.6	99.4	102	107	98.4
13C8-PFOA	----	0.0002	%	101	102	91.4	110	105



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220509_08_03_SS_Primary_ALS	SX_IB_20220509_08_07_SS_Primary_ALS	SX_IB_20220509_08_09_SS_Duplicate_ALS	SX_IB_20220509_12_20_SS_Primary_ALS	SX_IB_20220509_15_52_SS_Primary_ALS
Sampling date / time				09-May-2022 08:03	09-May-2022 08:07	09-May-2022 08:09	09-May-2022 12:20	09-May-2022 15:52
Compound	CAS Number	LOR	Unit	EM2208523-011	EM2208523-012	EM2208523-013	EM2208523-014	EM2208523-015
				Result	Result	Result	Result	Result
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Final pH	----	0.1	pH Unit	9.1	9.5	9.5	9.6	9.5



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220509_16_03_SS_Triplicate_ALS	SX_IB_20220509_20_01_SS_Primary_ALS	SX_IB_20220509_20_08_SS_Triplicate_ALS	SX_OB_20220510_00_01_SS_Primary_ALS	SX_IB_20220510_04_04_SS_Primary_ALS
Sampling date / time				09-May-2022 16:03	09-May-2022 20:01	09-May-2022 20:08	09-May-2022 00:01	09-May-2022 04:04
Compound	CAS Number	LOR	Unit	EM2208523-016	EM2208523-017	EM2208523-018	EM2208523-019	EM2208523-020
				Result	Result	Result	Result	Result
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Final pH	----	0.1	pH Unit	9.4	9.6	9.6	9.2	9.4



Surrogate Control Limits

Sub-Matrix: ASLP LEACHATE		Recovery Limits (%)	
Compound	CAS Number	Low	High
EP231S: PFAS Surrogate			
13C4-PFOS	----	65	140
13C8-PFOA	----	71	133

Sub-Matrix: DI WATER LEACHATE		Recovery Limits (%)	
Compound	CAS Number	Low	High
EP231S: PFAS Surrogate			
13C4-PFOS	----	65	140
13C8-PFOA	----	71	133

Sub-Matrix: SOIL		Recovery Limits (%)	
Compound	CAS Number	Low	High
EP066S: PCB Surrogate			
Decachlorobiphenyl	2051-24-3	41	122
EP074S: VOC Surrogates (Ultra-Trace)			
1,2-Dichloroethane-D4	17060-07-0	59	119
Toluene-D8	2037-26-5	55	117
4-Bromofluorobenzene	460-00-4	59	123
EP075S: Acid Extractable Surrogates (Waste Classification)			
Phenol-d6	13127-88-3	63	134
2-Chlorophenol-D4	93951-73-6	60	125
2,4,6-Tribromophenol	118-79-6	54	129
EP075T: Base/Neutral Extractable Surrogates (Waste Classification)			
Nitrobenzene-D5	4165-60-0	63	131
1,2-Dichlorobenzene-D4	2199-69-1	61	124
2-Fluorobiphenyl	321-60-8	69	131
Anthracene-d10	1719-06-8	70	133
4-Terphenyl-d14	1718-51-0	59	141
EP231S: PFAS Surrogate			
13C4-PFOS	----	68	136
13C8-PFOA	----	69	133

QUALITY CONTROL REPORT

Work Order	: EM2208523	Page	: 1 of 27
Client	: AGON ENVIRONMENTAL PTY LTD	Laboratory	: Environmental Division Melbourne
Contact	: DAVID LAWSON	Contact	: Josh Alexander
Address	: D1.1 63-85 TURNER STREET PORT MELBOURNE 3207	Address	: 4 Westall Rd Springvale VIC Australia 3171
Telephone	: ----	Telephone	: +61-3-8549 9600
Project	: JC0927	Date Samples Received	: 10-May-2022
Order number	: ----	Date Analysis Commenced	: 11-May-2022
C-O-C number	: 20220510042710-ALS-12	Issue Date	: 17-May-2022
Sampler	: WOH+TG		
Site	: 20220510042710-ALS-12		
Quote number	: EN/150/19 -WGTP -Bulk Sample Quote		
No. of samples received	: 20		
No. of samples analysed	: 20		



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Dilani Fernando	Laboratory Coordinator	Melbourne Inorganics, Springvale, VIC
Nikki Stepniewski	Senior Inorganic Instrument Chemist	Melbourne Inorganics, Springvale, VIC
Xing Lin	Senior Organic Chemist	Melbourne Inorganics, Springvale, VIC
Xing Lin	Senior Organic Chemist	Melbourne Organics, Springvale, VIC



General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Key :
 Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot
 CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.
 LOR = Limit of reporting
 RPD = Relative Percentage Difference
 # = Indicates failed QC

Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EG005(ED093)T: Total Metals by ICP-AES (QC Lot: 4337660)									
EM2208523-001	SX_OB_20220509_08_03_ SS_Primary_ALS	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.0	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	119	119	0.0	0% - 20%
		EG005T: Molybdenum	7439-98-7	2	mg/kg	<5	<5	0.0	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	174	196	11.6	0% - 20%
		EG005T: Silver	7440-22-4	2	mg/kg	<2	<2	0.0	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	24	22	7.2	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	69	67	3.9	0% - 50%
		EG005T: Lead	7439-92-1	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Selenium	7782-49-2	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Tin	7440-31-5	5	mg/kg	<10	<10	0.0	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	109	117	6.8	0% - 20%
EM2208523-010	SX_IB_20220510_04_04_S S_Primary_ALS	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.0	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	114	114	0.0	0% - 20%
		EG005T: Molybdenum	7439-98-7	2	mg/kg	<5	<5	0.0	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	160	170	5.9	0% - 20%
		EG005T: Silver	7440-22-4	2	mg/kg	<2	<2	0.0	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	53	46	14.3	0% - 50%
		EG005T: Copper	7440-50-8	5	mg/kg	57	56	2.8	0% - 50%
		EG005T: Lead	7439-92-1	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Selenium	7782-49-2	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Tin	7440-31-5	5	mg/kg	<10	<10	0.0	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	97	100	2.4	0% - 50%



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EA001: pH in soil using 0.01M CaCl extract (QC Lot: 4338896)									
EM2208397-001	Anonymous	EA001: pH (CaCl2)	----	0.1	pH Unit	8.9	8.9	0.0	0% - 20%
EM2208448-003	Anonymous	EA001: pH (CaCl2)	----	0.1	pH Unit	7.9	7.9	0.0	0% - 20%
EA001: pH in soil using 0.01M CaCl extract (QC Lot: 4338897)									
EM2208523-005	SX_IB_20220509_15_52_S S_Primary_ALS	EA001: pH (CaCl2)	----	0.1	pH Unit	7.8	7.9	0.0	0% - 20%
EM2208544-006	Anonymous	EA001: pH (CaCl2)	----	0.1	pH Unit	7.8	7.7	0.0	0% - 20%
EA055: Moisture Content (Dried @ 105-110°C) (QC Lot: 4337906)									
EM2208523-001	SX_OB_20220509_08_03_ SS_Primary_ALS	EA055: Moisture Content	----	0.1	%	33.0	32.5	1.6	0% - 20%
EM2208544-001	Anonymous	EA055: Moisture Content	----	0.1	%	29.0	26.0	11.0	0% - 20%
EG035T: Total Recoverable Mercury by FIMS (QC Lot: 4337661)									
EM2208523-001	SX_OB_20220509_08_03_ SS_Primary_ALS	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EM2208523-010	SX_IB_20220510_04_04_S S_Primary_ALS	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EG048: Hexavalent Chromium (Alkaline Digest) (QC Lot: 4336917)									
EM2208523-001	SX_OB_20220509_08_03_ SS_Primary_ALS	EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<1.0	<1.0	0.0	No Limit
EM2208523-010	SX_IB_20220510_04_04_S S_Primary_ALS	EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	1.7	1.7	0.0	No Limit
EK026SF: Total CN by Segmented Flow Analyser (QC Lot: 4337553)									
EM2208523-009	SX_OB_20220510_00_01_ SS_Primary_ALS	EK026SF: Total Cyanide	57-12-5	1	mg/kg	<5	<5	0.0	No Limit
EM2208472-007	Anonymous	EK026SF: Total Cyanide	57-12-5	1	mg/kg	<1	<1	0.0	No Limit
EK040T: Fluoride Total (QC Lot: 4336911)									
EM2208523-001	SX_OB_20220509_08_03_ SS_Primary_ALS	EK040T: Fluoride	16984-48-8	40	mg/kg	170	180	0.0	No Limit
EM2208523-010	SX_IB_20220510_04_04_S S_Primary_ALS	EK040T: Fluoride	16984-48-8	40	mg/kg	190	170	13.8	No Limit
EP066: Polychlorinated Biphenyls (PCB) (QC Lot: 4335079)									
EM2208523-001	SX_OB_20220509_08_03_ SS_Primary_ALS	EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EM2208544-001	Anonymous	EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EP074A: Monocyclic Aromatic Hydrocarbons (QC Lot: 4331622)									
EM2208523-001	SX_OB_20220509_08_03_ SS_Primary_ALS	EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.0	No Limit
		EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)	
EP074A: Monocyclic Aromatic Hydrocarbons (QC Lot: 4331622) - continued										
EM2208523-001	SX_OB_20220509_08_03_ SS_Primary_ALS	EP074-UT: meta- & para-Xylene	108-38-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit	
			106-42-3							
		EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit	
		EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.0	No Limit	
EP074H: Naphthalene (QC Lot: 4331622)										
EM2208523-001	SX_OB_20220509_08_03_ SS_Primary_ALS	EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.0	No Limit	
EP074I: Volatile Halogenated Compounds (QC Lot: 4331622)										
EM2208523-001	SX_OB_20220509_08_03_ SS_Primary_ALS	EP074-UT: 1.1-Dichloroethene	75-35-4	0.01	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: cis-1.2-Dichloroethene	156-59-2	0.01	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: 1.1.1-Trichloroethane	71-55-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: Carbon Tetrachloride	56-23-5	0.01	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: 1.1.1.2-Tetrachloroethane	630-20-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: 1.2.4-Trichlorobenzene	120-82-1	0.01	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: Vinyl chloride	75-01-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: trans-1.2-Dichloroethene	156-60-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: Chloroform	67-66-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: 1.2-Dichloroethane	107-06-2	0.02	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: Trichloroethene	79-01-6	0.02	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: Tetrachloroethene	127-18-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: 1.1.2.2-Tetrachloroethane	79-34-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: Hexachlorobutadiene	87-68-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: Chlorobenzene	108-90-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: 1.4-Dichlorobenzene	106-46-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: 1.2-Dichlorobenzene	95-50-1	0.02	mg/kg	<0.50	<0.50	0.0	No Limit	
EP074-UT: 1.1.2-Trichloroethane	79-00-5	0.04	mg/kg	<0.50	<0.50	0.0	No Limit			
EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.5	<0.5	0.0	No Limit			
EP075A: Phenolic Compounds (Halogenated) (QC Lot: 4335081)										
EM2208523-001	SX_OB_20220509_08_03_ SS_Primary_ALS	EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP075-EM: 2.4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP075-EM: 2.6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<1.00	<1.00	0.0	No Limit	
		EP075-EM: 2.3.5.6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	0.0	No Limit	
		EP075-EM: 2.4.5-Trichlorophenol	95-95-4	0.05	mg/kg	<1.00	<1.00	0.0	No Limit	
		EP075-EM: 2.4.6-Trichlorophenol	88-06-2	0.05	mg/kg	<1.00	<1.00	0.0	No Limit	
		EP075-EM: 2.3.4.5 & 2.3.4.6-Tetrachlorophenol	4901-51-3/58-9 0-2	0.05	mg/kg	<0.05	<0.05	0.0	No Limit	
		EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<1.0	<1.0	0.0	No Limit	



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP075A: Phenolic Compounds (Halogenated) (QC Lot: 4335081) - continued									
EM2208544-001	Anonymous	EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2,4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2,6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: 2,4,5-Trichlorophenol	95-95-4	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2,4,6-Trichlorophenol	88-06-2	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-9 0-2	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<1.0	<1.0	0.0	No Limit		
EP075A: Phenolic Compounds (Non-halogenated) (QC Lot: 4335081)									
EM2208523-001	SX_OB_20220509_08_03_ SS_Primary_ALS	EP075-EM: Phenol	108-95-2	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: Dinoseb	88-85-7	5	mg/kg	<20	<20	0.0	No Limit
EP075-EM: 2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	5	mg/kg	<20	<20	0.0	No Limit		
EM2208544-001	Anonymous	EP075-EM: Phenol	108-95-2	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: Dinoseb	88-85-7	5	mg/kg	<20	<20	0.0	No Limit
EP075-EM: 2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	5	mg/kg	<20	<20	0.0	No Limit		
EP075B: Polynuclear Aromatic Hydrocarbons (QC Lot: 4335081)									
EM2208523-001	SX_OB_20220509_08_03_ SS_Primary_ALS	EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP075B: Polynuclear Aromatic Hydrocarbons (QC Lot: 4335081) - continued									
EM2208523-001	SX_OB_20220509_08_03_ SS_Primary_ALS	EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	<1.0	0.0	No Limit
EM2208544-001	Anonymous	EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	<1.0	0.0	No Limit
EP075I: Organochlorine Pesticides (QC Lot: 4335081)									
EM2208523-001	SX_OB_20220509_08_03_ SS_Primary_ALS	EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP075I: Organochlorine Pesticides (QC Lot: 4335081) - continued									
EM2208523-001	SX_OB_20220509_08_03_ SS_Primary_ALS	EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4.4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4.4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4.4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
EM2208544-001	Anonymous	EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4.4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
EP075-EM: 4.4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit		
EP075-EM: 4.4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	0.0	No Limit		
EP080/071: Total Petroleum Hydrocarbons (QC Lot: 4331622)									
EM2208523-001	SX_OB_20220509_08_03_ SS_Primary_ALS	EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<20	<20	0.0	No Limit
EP080/071: Total Petroleum Hydrocarbons (QC Lot: 4335080)									
EM2208523-001	SX_OB_20220509_08_03_ SS_Primary_ALS	EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EM2208544-001	Anonymous	EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP080/071: Total Petroleum Hydrocarbons (QC Lot: 4335080) - continued									
EM2208544-001	Anonymous	EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 4331622)									
EM2208523-001	SX_OB_20220509_08_03_ SS_Primary_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<20	<20	0.0	No Limit
		EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<20	<20	0.0	No Limit
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 4335080)									
EM2208523-001	SX_OB_20220509_08_03_ SS_Primary_ALS	EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EM2208544-001	Anonymous	EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4335997)									
EM2208315-006	Anonymous	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
EM2208523-009	SX_OB_20220510_00_01_ SS_Primary_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4335997)									
EM2208315-006	Anonymous	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit



Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4335997) - continued									
EM2208315-006	Anonymous	EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	<0.001	0.0	No Limit
EM2208523-009	SX_OB_20220510_00_01_ SS_Primary_ALS	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<5 µg/kg	<0.005	0.0	No Limit		
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4335997)									
EM2208315-006	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
EM2208523-009	SX_OB_20220510_00_01_ SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4335997) - continued									
EM2208523-009	SX_OB_20220510_00_01_ SS_Primary_ALS	EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4335997)									
EM2208315-006	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
EM2208523-009	SX_OB_20220510_00_01_ SS_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231P: PFAS Sums (QC Lot: 4335997)									
EM2208315-006	Anonymous	EP231X: Sum of PFAS	----	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
EM2208523-009	SX_OB_20220510_00_01_ SS_Primary_ALS	EP231X: Sum of PFAS	----	0.0002	mg/kg	<50.0 µg/kg	<0.0500	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit

Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4338806)									
EM2207410-009	Anonymous	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	0.01	0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	0.06	0.05	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EM2208681-002	Anonymous	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4338806) - continued									
EM2208681-002	Anonymous	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4338815)									
EM2207410-001	Anonymous	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	0.01	0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	0.04	0.04	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EM2208748-001	Anonymous	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	0.13	0.13	0.0	0% - 50%
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	1.30	1.28	1.3	0% - 20%
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4338806)									
EM2207410-009	Anonymous	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit
		EM2208681-002	Anonymous	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3			0.02	µg/L	<0.02	<0.02	0.0	No Limit
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4			0.02	µg/L	<0.02	<0.02	0.0	No Limit
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9			0.02	µg/L	<0.02	<0.02	0.0	No Limit
EP231X: Perfluorononanoic acid (PFNA)	375-95-1			0.02	µg/L	<0.02	<0.02	0.0	No Limit
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2			0.02	µg/L	<0.02	<0.02	0.0	No Limit
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8			0.02	µg/L	<0.02	<0.02	0.0	No Limit
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1			0.02	µg/L	<0.02	<0.02	0.0	No Limit
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8			0.02	µg/L	<0.02	<0.02	0.0	No Limit
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7			0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4			0.1	µg/L	<0.1	<0.1	0.0	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4338815)									
EM2207410-001	Anonymous	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit
EM2208748-001	Anonymous	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	0.05	0.05	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	0.02	0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4338806)									
EM2207410-009	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2208681-002	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4338806) - continued									
EM2208681-002	Anonymous	EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4338815)									
EM2207410-001	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2208748-001	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	0.22	0.24	11.6	0% - 50%
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4338806)									
EM2207410-009	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4338806) - continued									
EM2207410-009	Anonymous	EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2208681-002	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4338815)									
EM2207410-001	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2208748-001	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231P: PFAS Sums (QC Lot: 4338806)									
EM2207410-009	Anonymous	EP231X: Sum of PFAS	----	0.01	µg/L	0.07	0.06	15.4	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	0.07	0.06	15.4	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	0.07	0.06	15.4	No Limit
EM2208681-002	Anonymous	EP231X: Sum of PFAS	----	0.01	µg/L	<0.10	<0.10	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.05	<0.05	0.0	No Limit
EP231P: PFAS Sums (QC Lot: 4338815)									
EM2207410-001	Anonymous	EP231X: Sum of PFAS	----	0.01	µg/L	0.05	0.05	0.0	No Limit

Page : 15 of 27
 Work Order : EM2208523
 Client : AGON ENVIRONMENTAL PTY LTD
 Project : JC0927



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231P: PFAS Sums (QC Lot: 4338815) - continued									
EM2207410-001	Anonymous	EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	0.05	0.05	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	0.05	0.05	0.0	No Limit
EM2208748-001	Anonymous	EP231X: Sum of PFAS	----	0.01	µg/L	1.72	1.72	0.0	0% - 20%
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	1.43	1.41	1.4	0% - 20%
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	1.50	1.48	1.3	0% - 20%



Method Blank (MB) and Laboratory Control Sample (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Sample (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: **SOIL**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
				Result	Spike Concentration	Spike Recovery (%) LCS	Acceptable Limits (%) Low High	
EG005(ED093)T: Total Metals by ICP-AES (QCLot: 4337660)								
EG005T: Arsenic	7440-38-2	5	mg/kg	<5	123 mg/kg	98.8	70.0	130
EG005T: Cadmium	7440-43-9	1	mg/kg	<1	1.23 mg/kg	54.6	50.0	130
EG005T: Chromium	7440-47-3	2	mg/kg	<2	20.2 mg/kg	96.0	70.0	130
EG005T: Copper	7440-50-8	5	mg/kg	<5	55.9 mg/kg	90.7	70.0	130
EG005T: Lead	7439-92-1	5	mg/kg	<5	62.4 mg/kg	86.6	70.0	130
EG005T: Molybdenum	7439-98-7	2	mg/kg	<2	2.19 mg/kg	84.8	70.0	130
EG005T: Nickel	7440-02-0	2	mg/kg	<2	15.4 mg/kg	90.6	70.0	130
EG005T: Selenium	7782-49-2	5	mg/kg	<5	----	----	----	----
EG005T: Silver	7440-22-4	2	mg/kg	<2	2.9 mg/kg	73.2	70.0	130
EG005T: Tin	7440-31-5	5	mg/kg	<5	5.33 mg/kg	83.6	70.0	130
EG005T: Zinc	7440-66-6	5	mg/kg	<5	162 mg/kg	72.4	70.0	130
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel) (QCLot: 4337731)								
EN60-DIa-P: Final pH	----	0.1	pH Unit	7.2	----	----	----	----
EA001: pH in soil using 0.01M CaCl extract (QCLot: 4338896)								
EA001: pH (CaCl2)	----	----	pH Unit	----	4 pH Unit 7 pH Unit	100 100	98.8 99.3	101 101
EA001: pH in soil using 0.01M CaCl extract (QCLot: 4338897)								
EA001: pH (CaCl2)	----	----	pH Unit	----	4 pH Unit 7 pH Unit	100 100	98.8 99.3	101 101
EG035T: Total Recoverable Mercury by FIMS (QCLot: 4337661)								
EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	0.64 mg/kg	99.2	70.0	130
EG048G: Hexavalent Chromium (Alkaline Digest) (QCLot: 4336917)								
EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<0.5	20 mg/kg	112	70.0	130
EK026SF: Total CN by Segmented Flow Analyser (QCLot: 4337553)								
EK026SF: Total Cyanide	57-12-5	1	mg/kg	<1	20 mg/kg	80.1	70.0	130
EK040T: Fluoride Total (QCLot: 4336911)								
EK040T: Fluoride	16984-48-8	40	mg/kg	<40	400 mg/kg	75.2	75.2	110
EP066: Polychlorinated Biphenyls (PCB) (QCLot: 4335079)								
EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	1 mg/kg	96.9	67.4	136
EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 4331622)								
EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	2.1 mg/kg	105	69.2	116
EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	2.1 mg/kg	100	67.7	116
EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	2.1 mg/kg	96.9	66.6	115



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 4331622) - continued									
EP074-UT: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	4.2 mg/kg	94.2	65.2	112	
EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	2.1 mg/kg	101	69.4	111	
EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	2.1 mg/kg	98.4	68.4	110	
EP074H: Naphthalene (QCLot: 4331622)									
EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	0.6 mg/kg	101	72.3	114	
EP074I: Volatile Halogenated Compounds (QCLot: 4331622)									
EP074-UT: Vinyl chloride	75-01-4	0.02	mg/kg	<0.02	0.1 mg/kg	128	47.0	138	
EP074-UT: 1,1-Dichloroethene	75-35-4	0.01	mg/kg	<0.01	0.1 mg/kg	109	57.6	125	
EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.4	2.1 mg/kg	108	72.3	115	
EP074-UT: trans-1,2-Dichloroethene	156-60-5	0.02	mg/kg	<0.02	0.1 mg/kg	105	60.5	122	
EP074-UT: cis-1,2-Dichloroethene	156-59-2	0.01	mg/kg	<0.01	0.1 mg/kg	104	70.3	112	
EP074-UT: Chloroform	67-66-3	0.02	mg/kg	<0.02	0.1 mg/kg	106	66.6	115	
EP074-UT: 1,1,1-Trichloroethane	71-55-6	0.01	mg/kg	<0.01	0.1 mg/kg	105	64.4	122	
EP074-UT: Carbon Tetrachloride	56-23-5	0.01	mg/kg	<0.01	0.1 mg/kg	102	58.4	127	
EP074-UT: 1,2-Dichloroethane	107-06-2	0.02	mg/kg	<0.02	0.1 mg/kg	114	72.9	114	
EP074-UT: Trichloroethene	79-01-6	0.02	mg/kg	<0.02	0.1 mg/kg	101	64.7	115	
EP074-UT: 1,1,2-Trichloroethane	79-00-5	0.04	mg/kg	<0.04	0.1 mg/kg	109	72.6	116	
EP074-UT: Tetrachloroethene	127-18-4	0.02	mg/kg	<0.02	0.1 mg/kg	96.0	60.0	119	
EP074-UT: 1,1,1,2-Tetrachloroethane	630-20-6	0.01	mg/kg	<0.01	0.1 mg/kg	105	71.8	116	
EP074-UT: 1,1,2,2-Tetrachloroethane	79-34-5	0.02	mg/kg	<0.02	0.1 mg/kg	111	66.1	116	
EP074-UT: Hexachlorobutadiene	87-68-3	0.02	mg/kg	<0.02	0.1 mg/kg	85.4	39.8	128	
EP074-UT: Chlorobenzene	108-90-7	0.02	mg/kg	<0.02	0.1 mg/kg	102	70.3	113	
EP074-UT: 1,4-Dichlorobenzene	106-46-7	0.02	mg/kg	<0.02	0.1 mg/kg	101	62.6	113	
EP074-UT: 1,2-Dichlorobenzene	95-50-1	0.02	mg/kg	<0.02	0.1 mg/kg	104	70.8	110	
EP074-UT: 1,2,4-Trichlorobenzene	120-82-1	0.01	mg/kg	<0.01	0.1 mg/kg	90.6	48.4	120	
EP075A: Phenolic Compounds (Halogenated) (QCLot: 4335081)									
EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.03	2 mg/kg	95.8	74.5	126	
EP075-EM: 2,4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.03	2 mg/kg	97.3	72.7	126	
EP075-EM: 2,6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.03	2 mg/kg	97.9	73.5	132	
EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<0.03	2 mg/kg	104	72.8	128	
EP075-EM: 2,4,5-Trichlorophenol	95-95-4	0.05	mg/kg	<0.05	2 mg/kg	93.2	73.3	134	
EP075-EM: 2,4,6-Trichlorophenol	88-06-2	0.05	mg/kg	<0.05	2 mg/kg	91.2	72.4	128	
EP075-EM: 2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	2 mg/kg	91.3	69.4	126	
EP075-EM: 2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/5 8-90-2	0.05	mg/kg	<0.05	4 mg/kg	92.1	71.9	128	
EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<0.2	4 mg/kg	98.0	54.4	135	
EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4335081)									



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4335081) - continued									
EP075-EM: Phenol	108-95-2	1	mg/kg	<1	2 mg/kg	101	71.5	130	
EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	2 mg/kg	97.2	73.4	129	
EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	4 mg/kg	95.9	74.3	129	
EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	2 mg/kg	88.9	70.9	133	
EP075-EM: 2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	2 mg/kg	99.4	71.8	132	
EP075-EM: 2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	10 mg/kg	56.9	41.0	156	
EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	10 mg/kg	88.8	65.3	134	
EP075-EM: 2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	10 mg/kg	80.9	43.6	128	
EP075-EM: Dinoseb	88-85-7	5	mg/kg	<5	10 mg/kg	91.4	62.0	128	
EP075-EM: 2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	5	mg/kg	<5	10 mg/kg	85.8	34.5	137	
EP075B: Polynuclear Aromatic Hydrocarbons (QCLot: 4335081)									
EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	2 mg/kg	96.7	73.0	131	
EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	2 mg/kg	97.1	76.3	130	
EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	2 mg/kg	95.7	72.0	135	
EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	2 mg/kg	101	74.4	131	
EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	2 mg/kg	103	73.3	130	
EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	2 mg/kg	102	78.4	127	
EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	2 mg/kg	99.3	75.3	132	
EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	2 mg/kg	99.9	75.4	130	
EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	2 mg/kg	99.2	69.6	133	
EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	2 mg/kg	100	75.0	133	
EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	4 mg/kg	104	75.8	133	
EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	2 mg/kg	103	65.1	130	
EP075-EM: Indeno(1,2,3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	2 mg/kg	107	72.1	134	
EP075-EM: Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	2 mg/kg	107	72.9	135	
EP075-EM: Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	2 mg/kg	107	71.3	134	
EP075I: Organochlorine Pesticides (QCLot: 4335081)									
EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.03	2 mg/kg	101	71.0	129	
EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.03	2 mg/kg	108	74.8	126	
EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.03	2 mg/kg	106	75.7	130	
EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.03	2 mg/kg	103	70.8	130	
EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.03	2 mg/kg	104	76.5	134	
EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.03	2 mg/kg	105	75.5	131	
EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.03	2 mg/kg	105	76.8	130	
EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.03	2 mg/kg	93.5	73.6	130	
EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	2 mg/kg	96.4	75.0	133	
EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	2 mg/kg	97.3	75.3	131	
EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.03	2 mg/kg	101	69.4	134	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
				Result	Spike Concentration	Spike Recovery (%)	Acceptable Limits (%)	
					LCS	Low	High	
EP075I: Organochlorine Pesticides (QCLot: 4335081) - continued								
EP075-EM: 4.4'-DDE	72-55-9	0.05	mg/kg	<0.05	2 mg/kg	105	71.0	132
EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.03	2 mg/kg	101	78.0	133
EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.03	2 mg/kg	93.2	69.0	143
EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.03	2 mg/kg	99.9	55.7	145
EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.03	2 mg/kg	98.9	71.4	135
EP075-EM: 4.4'-DDD	72-54-8	0.05	mg/kg	<0.05	2 mg/kg	98.6	74.8	134
EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.03	2 mg/kg	104	70.2	135
EP075-EM: 4.4'-DDT	50-29-3	0.05	mg/kg	<0.05	2 mg/kg	98.2	77.7	133
EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.03	2 mg/kg	100	63.6	135
EP080/071: Total Petroleum Hydrocarbons (QCLot: 4331622)								
EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<10	39.6 mg/kg	96.6	61.1	119
EP080/071: Total Petroleum Hydrocarbons (QCLot: 4335080)								
EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	670 mg/kg	103	74.4	129
EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	2860 mg/kg	106	81.0	123
EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	1490 mg/kg	97.5	81.8	121
EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	5020 mg/kg	103	70.0	130
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4331622)								
EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	48.9 mg/kg	95.6	59.9	119
EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<10	----	----	----	----
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4335080)								
EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	1000 mg/kg	101	75.4	132
EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	3770 mg/kg	108	80.8	120
EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	250 mg/kg	106	73.3	136
EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	5020 mg/kg	106	70.0	130
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4335997)								
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	0.00111 mg/kg	85.0	72.0	128
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	0.00118 mg/kg	121	73.0	123
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	0.0014 mg/kg	87.1	67.0	130
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	0.00119 mg/kg	125	70.0	132
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	0.00116 mg/kg	86.6	68.0	136
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<0.0002	0.00121 mg/kg	83.5	59.0	134
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4335997)								
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	0.00625 mg/kg	84.6	71.0	135
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	0.00125 mg/kg	89.3	69.0	132
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	110	70.0	132
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	96.9	71.0	131
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	96.1	69.0	133



Sub-Matrix: **SOIL**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report				
					Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	High
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4335997) - continued									
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	90.2	72.0	129	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	0.00125 mg/kg	92.2	69.0	133	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	76.7	64.0	136	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	92.6	69.0	135	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	79.8	66.0	139	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	98.0	69.0	133	
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4335997)									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	85.8	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	0.00312 mg/kg	96.4	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	97.0	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	101	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	97.4	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	87.5	63.0	144	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	86.0	61.0	139	
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4335997)									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	0.00117 mg/kg	96.2	62.0	145	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	0.00119 mg/kg	104	64.0	140	
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	0.0012 mg/kg	97.2	65.0	137	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	0.00121 mg/kg	77.1	70.0	130	
EP231P: PFAS Sums (QCLot: 4335997)									
EP231X: Sum of PFAS	----	0.0002	mg/kg	<0.0002	----	----	----	----	
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	
EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	----	----	----	----	

Sub-Matrix: **WATER**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report				
					Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	High
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4338806)									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.222 µg/L	99.3	72.0	130	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.235 µg/L	106	71.0	127	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.228 µg/L	106	68.0	131	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.25 µg/L	102	69.0	134	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.232 µg/L	101	65.0	140	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.241 µg/L	101	53.0	142	



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4338815)									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.222 µg/L	98.4	72.0	130	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.235 µg/L	110	71.0	127	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.228 µg/L	114	68.0	131	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.25 µg/L	118	69.0	134	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.232 µg/L	100	65.0	140	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.241 µg/L	97.8	53.0	142	
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4338806)									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	1.25 µg/L	91.2	73.0	129	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.25 µg/L	101	72.0	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.25 µg/L	98.0	72.0	129	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.25 µg/L	101	72.0	130	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.25 µg/L	100	71.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.25 µg/L	91.5	69.0	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.25 µg/L	107	71.0	129	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.25 µg/L	107	69.0	133	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.25 µg/L	96.2	72.0	134	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.25 µg/L	94.7	65.0	144	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	0.625 µg/L	84.6	71.0	132	
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4338815)									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	1.25 µg/L	93.2	73.0	129	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.25 µg/L	108	72.0	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.25 µg/L	108	72.0	129	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.25 µg/L	96.3	72.0	130	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.25 µg/L	91.7	71.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.25 µg/L	90.8	69.0	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.25 µg/L	94.4	71.0	129	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.25 µg/L	90.3	69.0	133	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.25 µg/L	101	72.0	134	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.25 µg/L	80.5	65.0	144	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	0.625 µg/L	97.6	71.0	132	
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4338806)									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.25 µg/L	110	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	0.625 µg/L	110	68.0	141	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	0.625 µg/L	102	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	0.625 µg/L	108	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	0.625 µg/L	94.1	70.0	130	



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report			
					Spike Concentration	Spike Recovery (%)	Acceptable Limits (%)	
						LCS	Low	High
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4338806) - continued								
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.25 µg/L	110	65.0	136
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.25 µg/L	103	61.0	135
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4338815)								
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.25 µg/L	113	67.0	137
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	0.625 µg/L	137	68.0	141
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	0.625 µg/L	101	70.0	130
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	0.625 µg/L	98.3	70.0	130
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	0.625 µg/L	99.5	70.0	130
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.25 µg/L	103	65.0	136
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.25 µg/L	88.6	61.0	135
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4338806)								
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.234 µg/L	103	63.0	143
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.238 µg/L	100	64.0	140
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.24 µg/L	106	67.0	138
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.242 µg/L	95.5	70.0	130
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4338815)								
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.234 µg/L	104	63.0	143
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.238 µg/L	98.8	64.0	140
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.24 µg/L	102	67.0	138
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.242 µg/L	81.1	70.0	130
EP231P: PFAS Sums (QCLot: 4338806)								
EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----
EP231P: PFAS Sums (QCLot: 4338815)								
EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----



The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: SOIL

Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Matrix Spike (MS) Report			
				Spike Concentration	Spike Recovery (%) MS	Acceptable Limits (%)	
				Low	High		
EG005(ED093)T: Total Metals by ICP-AES (QCLot: 4337660)							
EM2208523-002	SX_IB_20220509_08_07_SS_Primary_ALS	EG005T: Arsenic	7440-38-2	50 mg/kg	81.7	78.0	124
		EG005T: Cadmium	7440-43-9	50 mg/kg	87.6	79.7	116
		EG005T: Chromium	7440-47-3	50 mg/kg	110	79.0	121
		EG005T: Copper	7440-50-8	250 mg/kg	92.5	80.0	120
		EG005T: Lead	7439-92-1	250 mg/kg	88.3	80.0	120
		EG005T: Nickel	7440-02-0	50 mg/kg	108	78.0	120
		EG005T: Zinc	7440-66-6	250 mg/kg	82.2	80.0	120
EG035T: Total Recoverable Mercury by FIMS (QCLot: 4337661)							
EM2208523-002	SX_IB_20220509_08_07_SS_Primary_ALS	EG035T: Mercury	7439-97-6	0.5 mg/kg	103	76.0	116
EG048: Hexavalent Chromium (Alkaline Digest) (QCLot: 4336917)							
EM2208523-002	SX_IB_20220509_08_07_SS_Primary_ALS	EG048G: Hexavalent Chromium	18540-29-9	20 mg/kg	98.5	58.0	114
EM2208523-002	SX_IB_20220509_08_07_SS_Primary_ALS	EG048G: Hexavalent Chromium	18540-29-9	20 mg/kg	104	58.0	114
EK026SF: Total CN by Segmented Flow Analyser (QCLot: 4337553)							
EM2208523-001	SX_OB_20220509_08_03_SS_Primary_ALS	EK026SF: Total Cyanide	57-12-5	20 mg/kg	83.0	70.0	130
EK040T: Fluoride Total (QCLot: 4336911)							
EM2208523-002	SX_IB_20220509_08_07_SS_Primary_ALS	EK040T: Fluoride	16984-48-8	400 mg/kg	70.4	70.0	130
EP066: Polychlorinated Biphenyls (PCB) (QCLot: 4335079)							
EM2208523-003	SX_IB_20220509_08_09_SS_Duplicate_ALS	EP066-EM: Total Polychlorinated biphenyls	----	1 mg/kg	91.9	59.6	152
EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 4331622)							
EM2208523-002	SX_IB_20220509_08_07_SS_Primary_ALS	EP074-UT: Benzene	71-43-2	2 mg/kg	101	53.7	130
		EP074-UT: Toluene	108-88-3	2 mg/kg	97.2	55.1	124
EP074I: Volatile Halogenated Compounds (QCLot: 4331622)							
EM2208523-002	SX_IB_20220509_08_07_SS_Primary_ALS	EP074-UT: 1,1-Dichloroethene	75-35-4	2 mg/kg	109	38.4	145
		EP074-UT: Trichloroethene	79-01-6	2 mg/kg	89.0	48.1	128
		EP074-UT: Chlorobenzene	108-90-7	2 mg/kg	90.2	55.5	122
EP075A: Phenolic Compounds (Halogenated) (QCLot: 4335081)							
EM2208523-002	SX_IB_20220509_08_07_SS_Primary_ALS	EP075-EM: 2-Chlorophenol	95-57-8	3 mg/kg	107	44.0	143
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	3 mg/kg	112	41.5	139
		EP075-EM: Pentachlorophenol	87-86-5	3 mg/kg	103	10.0	144
EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4335081)							
EM2208523-002	SX_IB_20220509_08_07_SS_Primary_ALS	EP075-EM: Phenol	108-95-2	3 mg/kg	111	44.2	134
		EP075-EM: 2-Nitrophenol	88-75-5	3 mg/kg	98.1	34.2	129
EP075B: Polynuclear Aromatic Hydrocarbons (QCLot: 4335081)							
EM2208523-002	SX_IB_20220509_08_07_SS_Primary_ALS	EP075-EM: Acenaphthene	83-32-9	3 mg/kg	100	42.6	138



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP075B: Polynuclear Aromatic Hydrocarbons (QCLot: 4335081) - continued							
EM2208523-002	SX_IB_20220509_08_07_SS_Primary_ALS	EP075-EM: Pyrene	129-00-0	3 mg/kg	108	37.8	152
EP080/071: Total Petroleum Hydrocarbons (QCLot: 4331622)							
EM2208523-002	SX_IB_20220509_08_07_SS_Primary_ALS	EP074-UT: C6 - C9 Fraction	----	28 mg/kg	83.9	42.3	111
EP080/071: Total Petroleum Hydrocarbons (QCLot: 4335080)							
EM2208523-004	SX_IB_20220509_12_20_SS_Primary_ALS	EP071-EM: C10 - C14 Fraction	----	670 mg/kg	104	71.3	126
		EP071-EM: C15 - C28 Fraction	----	2860 mg/kg	104	75.1	123
		EP071-EM: C29 - C36 Fraction	----	1490 mg/kg	95.8	78.1	120
		EP071-EM: C10 - C36 Fraction (sum)	----	5020 mg/kg	101	70.0	130
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4331622)							
EM2208523-002	SX_IB_20220509_08_07_SS_Primary_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	33 mg/kg	82.1	39.9	109
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4335080)							
EM2208523-004	SX_IB_20220509_12_20_SS_Primary_ALS	EP071-EM: >C10 - C16 Fraction	----	1000 mg/kg	101	71.5	130
		EP071-EM: >C16 - C34 Fraction	----	3770 mg/kg	106	76.9	119
		EP071-EM: >C34 - C40 Fraction	----	250 mg/kg	105	65.3	139
		EP071-EM: >C10 - C40 Fraction (sum)	----	5020 mg/kg	105	70.0	130
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4335997)							
EM2208315-007	Anonymous	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.00111 mg/kg	106	72.0	128
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.00118 mg/kg	112	73.0	123
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.00114 mg/kg	112	67.0	130
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.00119 mg/kg	126	70.0	132
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.00116 mg/kg	91.2	68.0	136
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.00121 mg/kg	95.6	59.0	134
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4335997)							
EM2208315-007	Anonymous	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.00625 mg/kg	91.3	71.0	135
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.00125 mg/kg	91.8	69.0	132
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.00125 mg/kg	115	70.0	132
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.00125 mg/kg	104	71.0	131
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.00125 mg/kg	95.8	69.0	133
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.00125 mg/kg	91.8	72.0	129
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.00125 mg/kg	97.4	69.0	133
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.00125 mg/kg	89.7	64.0	136
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.00125 mg/kg	86.1	69.0	135
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.00125 mg/kg	85.5	66.0	139
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.00312 mg/kg	102	69.0	133
		EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4335997)					
EM2208315-007	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.00125 mg/kg	92.0	67.0	137



Sub-Matrix: **SOIL**

				Matrix Spike (MS) Report			
				Spike Concentration	SpikeRecovery(%) MS	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4335997) - continued							
EM2208315-007	Anonymous	EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.00312 mg/kg	91.2	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.00312 mg/kg	102	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.00312 mg/kg	104	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.00312 mg/kg	98.9	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.00125 mg/kg	81.3	63.0	144
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.00125 mg/kg	94.7	61.0	139
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4335997)							
EM2208315-007	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.00117 mg/kg	98.9	62.0	145
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.00119 mg/kg	106	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0012 mg/kg	103	65.0	137
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.00121 mg/kg	# 63.4	70.0	130

Sub-Matrix: **WATER**

				Matrix Spike (MS) Report			
				Spike Concentration	SpikeRecovery(%) MS	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4338806)							
EM2208523-011	SX_OB_20220509_08_03_SS_Primary_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.222 µg/L	96.8	72.0	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.235 µg/L	98.9	71.0	127
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.228 µg/L	106	68.0	131
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.238 µg/L	113	69.0	134
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.232 µg/L	91.8	65.0	140
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.241 µg/L	87.9	53.0	142
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4338815)							
EM2208523-001	SX_OB_20220509_08_03_SS_Primary_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.222 µg/L	99.0	72.0	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.235 µg/L	109	71.0	127
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.228 µg/L	115	68.0	131
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.238 µg/L	123	69.0	134
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.232 µg/L	103	65.0	140
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.241 µg/L	101	53.0	142
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4338806)							
EM2208523-011	SX_OB_20220509_08_03_SS_Primary_ALS	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	1.25 µg/L	92.8	73.0	129
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.25 µg/L	108	72.0	129
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.25 µg/L	102	72.0	129
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.25 µg/L	105	72.0	130



Sub-Matrix: WATER

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4338806) - continued							
EM2208523-011	SX_OB_20220509_08_03_SS_Primary_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.25 µg/L	94.8	71.0	133
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.25 µg/L	90.4	69.0	130
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.25 µg/L	98.2	71.0	129
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.25 µg/L	96.6	69.0	133
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.25 µg/L	92.6	72.0	134
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.25 µg/L	91.9	65.0	144
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.625 µg/L	96.5	71.0	132
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4338815)							
EM2208523-001	SX_OB_20220509_08_03_SS_Primary_ALS	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	1.25 µg/L	91.6	73.0	129
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.25 µg/L	109	72.0	129
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.25 µg/L	114	72.0	129
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.25 µg/L	97.4	72.0	130
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.25 µg/L	95.2	71.0	133
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.25 µg/L	89.5	69.0	130
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.25 µg/L	88.6	71.0	129
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.25 µg/L	84.3	69.0	133
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.25 µg/L	97.1	72.0	134
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.25 µg/L	79.0	65.0	144
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.625 µg/L	108	71.0	132
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4338806)							
EM2208523-011	SX_OB_20220509_08_03_SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.25 µg/L	100	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.625 µg/L	117	68.0	141
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.625 µg/L	103	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.625 µg/L	98.2	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.625 µg/L	94.3	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.25 µg/L	96.5	65.0	136
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.25 µg/L	89.6	61.0	135
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4338815)							
EM2208523-001	SX_OB_20220509_08_03_SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.25 µg/L	93.9	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.625 µg/L	129	68.0	141
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.625 µg/L	108	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.625 µg/L	101	70.0	130



Sub-Matrix: WATER

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4338815) - continued							
EM2208523-001	SX_OB_20220509_08_03_SS_Primary_ALS	EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.625 µg/L	100	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.25 µg/L	87.6	65.0	136
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.25 µg/L	99.3	61.0	135
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4338806)							
EM2208523-011	SX_OB_20220509_08_03_SS_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.234 µg/L	96.2	63.0	143
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.238 µg/L	99.2	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.24 µg/L	99.8	67.0	138
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.242 µg/L	83.0	70.0	130
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4338815)							
EM2208523-001	SX_OB_20220509_08_03_SS_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.234 µg/L	95.5	63.0	143
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.238 µg/L	103	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.24 µg/L	101	67.0	138
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.242 µg/L	85.0	70.0	130

QA/QC Compliance Assessment to assist with Quality Review

Work Order	: EM2208523	Page	: 1 of 13
Client	: AGON ENVIRONMENTAL PTY LTD	Laboratory	: Environmental Division Melbourne
Contact	: DAVID LAWSON	Telephone	: +61-3-8549 9600
Project	: JC0927	Date Samples Received	: 10-May-2022
Site	: 20220510042710-ALS-12	Issue Date	: 17-May-2022
Sampler	: WOH+TG	No. of samples received	: 20
Order number	: ----	No. of samples analysed	: 20

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

Summary of Outliers

Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO** Method Blank value outliers occur.
- **NO** Duplicate outliers occur.
- **NO** Laboratory Control outliers occur.
- Matrix Spike outliers exist - please see following pages for full details.
- For all regular sample matrices, **NO** surrogate recovery outliers occur.

Outliers : Analysis Holding Time Compliance

- **NO** Analysis Holding Time Outliers exist.

Outliers : Frequency of Quality Control Samples

- **NO** Quality Control Sample Frequency Outliers exist.



Outliers : Quality Control Samples

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: **SOIL**

Compound Group Name	Laboratory Sample ID	Client Sample ID	Analyte	CAS Number	Data	Limits	Comment
Matrix Spike (MS) Recoveries							
EP231D: (n:2) Fluorotelomer Sulfonic Acids	EM2208315--007	Anonymous	10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	63.4 %	70.0-130%	Recovery less than lower data quality objective

Analysis Holding Time Compliance

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results.

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **SOIL**

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EA001: pH in soil using 0.01M CaCl extract								
Soil Glass Jar - Unpreserved (EA001) SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS,	SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS	09-May-2022	16-May-2022	16-May-2022	✓	16-May-2022	16-May-2022	✓
EA055: Moisture Content (Dried @ 105-110°C)								
Soil Glass Jar - Unpreserved (EA055) SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS,	SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS	09-May-2022	----	----	----	13-May-2022	23-May-2022	✓
EG005(ED093)T: Total Metals by ICP-AES								
Soil Glass Jar - Unpreserved (EG005T) SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS,	SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS	09-May-2022	16-May-2022	05-Nov-2022	✓	16-May-2022	05-Nov-2022	✓



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EG035T: Total Recoverable Mercury by FIMS								
Soil Glass Jar - Unpreserved (EG035T) SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS,	SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS	09-May-2022	16-May-2022	06-Jun-2022	✓	17-May-2022	06-Jun-2022	✓
EG048: Hexavalent Chromium (Alkaline Digest)								
Soil Glass Jar - Unpreserved (EG048G) SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS,	SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS	09-May-2022	14-May-2022	06-Jun-2022	✓	16-May-2022	21-May-2022	✓
EK026SF: Total CN by Segmented Flow Analyser								
Soil Glass Jar - Unpreserved (EK026SF) SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS,	SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS	09-May-2022	13-May-2022	23-May-2022	✓	14-May-2022	27-May-2022	✓
EK040T: Fluoride Total								
Soil Glass Jar - Unpreserved (EK040T) SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS,	SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS	09-May-2022	13-May-2022	06-Jun-2022	✓	17-May-2022	06-Jun-2022	✓
EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60a-P) SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS,	SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS	09-May-2022	13-May-2022	05-Nov-2022	✓	----	----	----
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60-DIa-P) SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS,	SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS	09-May-2022	13-May-2022	05-Nov-2022	✓	----	----	----



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP066: Polychlorinated Biphenyls (PCB)								
Soil Glass Jar - Unpreserved (EP066-EM)								
SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS,	SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS	09-May-2022	13-May-2022	23-May-2022	✓	13-May-2022	22-Jun-2022	✓
EP074A: Monocyclic Aromatic Hydrocarbons								
Soil Glass Jar - Unpreserved (EP074-UT)								
SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS,	SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS	09-May-2022	11-May-2022	16-May-2022	✓	13-May-2022	16-May-2022	✓
EP074H: Naphthalene								
Soil Glass Jar - Unpreserved (EP074-UT)								
SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS,	SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS	09-May-2022	11-May-2022	16-May-2022	✓	13-May-2022	16-May-2022	✓
EP074I: Volatile Halogenated Compounds								
Soil Glass Jar - Unpreserved (EP074-UT)								
SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS,	SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS	09-May-2022	11-May-2022	16-May-2022	✓	13-May-2022	16-May-2022	✓
EP075A: Phenolic Compounds (Halogenated)								
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS,	SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS	09-May-2022	13-May-2022	23-May-2022	✓	13-May-2022	22-Jun-2022	✓
EP075A: Phenolic Compounds (Non-halogenated)								
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS,	SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS	09-May-2022	13-May-2022	23-May-2022	✓	13-May-2022	22-Jun-2022	✓



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP075B: Polynuclear Aromatic Hydrocarbons								
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS,	SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS	09-May-2022	13-May-2022	23-May-2022	✓	13-May-2022	22-Jun-2022	✓
EP075I: Organochlorine Pesticides								
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS,	SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS	09-May-2022	13-May-2022	23-May-2022	✓	13-May-2022	22-Jun-2022	✓
EP080/071: Total Petroleum Hydrocarbons								
Soil Glass Jar - Unpreserved (EP074-UT)								
SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS,	SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS	09-May-2022	11-May-2022	16-May-2022	✓	13-May-2022	16-May-2022	✓
Soil Glass Jar - Unpreserved (EP071-EM)								
SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS,	SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS	09-May-2022	13-May-2022	23-May-2022	✓	13-May-2022	22-Jun-2022	✓
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions								
Soil Glass Jar - Unpreserved (EP074-UT)								
SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS,	SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS	09-May-2022	11-May-2022	16-May-2022	✓	13-May-2022	16-May-2022	✓
Soil Glass Jar - Unpreserved (EP071-EM)								
SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS,	SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS	09-May-2022	13-May-2022	23-May-2022	✓	13-May-2022	22-Jun-2022	✓



Matrix: **SOIL**

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP231A: Perfluoroalkyl Sulfonic Acids								
HDPE Soil Jar (EP231X) SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS,	SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS	09-May-2022	13-May-2022	05-Nov-2022	✓	13-May-2022	22-Jun-2022	✓
EP231B: Perfluoroalkyl Carboxylic Acids								
HDPE Soil Jar (EP231X) SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS,	SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS	09-May-2022	13-May-2022	05-Nov-2022	✓	13-May-2022	22-Jun-2022	✓
EP231C: Perfluoroalkyl Sulfonamides								
HDPE Soil Jar (EP231X) SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS,	SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS	09-May-2022	13-May-2022	05-Nov-2022	✓	13-May-2022	22-Jun-2022	✓
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
HDPE Soil Jar (EP231X) SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS,	SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS	09-May-2022	13-May-2022	05-Nov-2022	✓	13-May-2022	22-Jun-2022	✓
EP231P: PFAS Sums								
HDPE Soil Jar (EP231X) SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS,	SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS	09-May-2022	13-May-2022	05-Nov-2022	✓	13-May-2022	22-Jun-2022	✓

Matrix: **WATER**

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis		
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation



Matrix: **WATER** Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP231A: Perfluoroalkyl Sulfonic Acids								
HDPE (no PTFE) (EP231X)								
SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS, SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS,	SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS, SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS	13-May-2022	14-May-2022	09-Nov-2022	✓	14-May-2022	09-Nov-2022	✓
EP231B: Perfluoroalkyl Carboxylic Acids								
HDPE (no PTFE) (EP231X)								
SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS, SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS,	SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS, SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS	13-May-2022	14-May-2022	09-Nov-2022	✓	14-May-2022	09-Nov-2022	✓
EP231C: Perfluoroalkyl Sulfonamides								
HDPE (no PTFE) (EP231X)								
SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS, SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS,	SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS, SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS	13-May-2022	14-May-2022	09-Nov-2022	✓	14-May-2022	09-Nov-2022	✓



Matrix: **WATER** Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
HDPE (no PTFE) (EP231X)								
SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS, SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS,	SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS, SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS	13-May-2022	14-May-2022	09-Nov-2022	✓	14-May-2022	09-Nov-2022	✓
EP231P: PFAS Sums								
HDPE (no PTFE) (EP231X)								
SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS, SX_OB_20220509_08_03_SS_Primary_ALS, SX_IB_20220509_08_09_SS_Duplicate_ALS, SX_IB_20220509_15_52_SS_Primary_ALS, SX_IB_20220509_20_01_SS_Primary_ALS, SX_OB_20220510_00_01_SS_Primary_ALS,	SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS, SX_IB_20220509_08_07_SS_Primary_ALS, SX_IB_20220509_12_20_SS_Primary_ALS, SX_OB_20220509_16_03_SS_Triplicate_ALS, SX_IB_20220509_20_08_SS_Triplicate_ALS, SX_IB_20220510_04_04_SS_Primary_ALS	13-May-2022	14-May-2022	09-Nov-2022	✓	14-May-2022	09-Nov-2022	✓



Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **SOIL**

Evaluation: * = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
Analytical Methods							
Laboratory Duplicates (DUP)							
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Moisture Content	EA055	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
pH in soil using a 0.01M CaCl2 extract	EA001	4	40	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	1	10	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Laboratory Control Samples (LCS)							
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
pH in soil using a 0.01M CaCl2 extract	EA001	4	40	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	1	10	10.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Method Blanks (MB)							
Deionised Water Leach - Plastic Leaching Vessel	EN60-DIa-P	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	1	10	10.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard



Matrix: **SOIL** Evaluation: * = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Regular	Actual	Expected	Evaluation	
Analytical Methods							
Matrix Spikes (MS)							
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	1	10	10.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard

Matrix: **WATER** Evaluation: * = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Regular	Actual	Expected	Evaluation	
Analytical Methods							
Laboratory Duplicates (DUP)							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	4	27	14.81	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Laboratory Control Samples (LCS)							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	2	27	7.41	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Method Blanks (MB)							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	2	27	7.41	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Matrix Spikes (MS)							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	2	27	7.41	5.00	✓	NEPM 2013 B3 & ALS QC Standard



Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

Analytical Methods	Method	Matrix	Method Descriptions
pH in soil using a 0.01M CaCl ₂ extract	EA001	SOIL	In house: Referenced to Rayment and Lyons 4B3 (mod.) or 4B4 (mod.) 10 g of soil is mixed with 50 mL of 0.01M CaCl ₂ and tumbled end over end for 1 hour. pH is measured from the continuous suspension. This method is compliant with NEPM Schedule B(3).
Moisture Content	EA055	SOIL	In house: A gravimetric procedure based on weight loss over a 12 hour drying period at 105-110 degrees C. This method is compliant with NEPM Schedule B(3).
Total Metals by ICP-AES	EG005T	SOIL	In house: Referenced to APHA 3120; USEPA SW 846 - 6010. Metals are determined following an appropriate acid digestion of the soil. The ICPAES technique ionises samples in a plasma, emitting a characteristic spectrum based on metals present. Intensities at selected wavelengths are compared against those of matrix matched standards. This method is compliant with NEPM Schedule B(3)
Total Mercury by FIMS	EG035T	SOIL	In house: Referenced to APHA 3112 Hg - B (Flow-injection (SnCl ₂) (Cold Vapour generation) AAS) FIM-AAS is an automated flameless atomic absorption technique. Mercury in solids are determined following an appropriate acid digestion. Ionic mercury is reduced online to atomic mercury vapour by SnCl ₂ which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM Schedule B(3)
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	SOIL	In house: Referenced to USEPA SW846, Method 3060. Hexavalent chromium is extracted by alkaline digestion. The digest is determined by photometrically by automatic discrete analyser, following pH adjustment. The instrument uses colour development using dephenylcarbazide. Each run of samples is measured against a five-point calibration curve. This method is compliant with NEPM Schedule B(3)
Total Cyanide by Segmented Flow Analyser	EK026SF	SOIL	In house: Referenced to APHA 4500-CN C / ASTM D7511 / ISO 14403. Caustic leachates of soil samples are introduced into an automated segmented flow analyser. Complex bound cyanide is decomposed in a continuously flowing stream, at a pH of 3.8, by the effect of UV light. A UV-B lamp (312 nm) and a decomposition spiral of borosilicate glass are used to filter out UV light with a wavelength of less than 290 nm thus preventing the conversion of thiocyanate into cyanide. The hydrogen cyanide present at a pH of 3.8 is separated by gas dialysis. The hydrogen cyanide is then determined photometrically, based on the reaction of cyanide with chloramine-T to form cyanogen chloride. This then reacts with 4-pyridine carboxylic acid and 1,3-dimethylbarbituric acid to give a red colour which is measured at 600 nm. This method is compliant with NEPM Schedule B(3).
Total Fluoride	EK040T	SOIL	(In-house) Total fluoride is determined by ion specific electrode (ISE) in a solution obtained after a Sodium Carbonate / Potassium Carbonate fusion dissolution.
PCB - VIC EPA 448.3 Screen	EP066-EM	SOIL	In house: Referenced to USEPA SW 846 - 8270 Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This method is compliant with NEPM Schedule B(3).
TRH - Semivolatile Fraction	EP071-EM	SOIL	In house: Referenced to USEPA SW 846 - 8015A Sample extracts are analysed by Capillary GC/FID and quantified against alkane standards over the range C10 - C40.
Volatile Organic Compounds - Ultra-trace	EP074-UT	SOIL	In house: Referenced to USEPA SW 846 - 8260 Extracts are analysed by Purge and Trap, Capillary GC/MS in partial SIM/Scan mode. Quantification is by comparison against an established multi-point calibration curves. This method is compliant with NEPM Schedule B(3).



Analytical Methods	Method	Matrix	Method Descriptions
Volatile Organic Compounds - Ultra-trace - Summations	EP074-UT-SUM	SOIL	Summation of MAHs and VHCs
Semivolatile Organic Compounds - Waste Classification	EP075-EM	SOIL	In house: Referenced to USEPA SW 846 - 8270 Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This technique is compliant with NEPM Schedule B(3).
SVOC - Waste Classification (Sums)	EP075-EM-SUM	SOIL	Summations for EP075 (EM variation)
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	SOIL	In-house: Analysis of fresh and saline waters by Solid Phase Extraction (SPE) followed by LC-Electrospray-MS-MS, Negative Mode using MRM and internal standard quantitation. Isotopically labelled analogues of target analytes used as internal standards and surrogates are added to the sample container. The entire contents are transferred to a solid phase extraction (SPE) cartridge. The sample container is successively rinsed with aliquots of the elution solvent. The eluted extract is combined with an equal volume of reagent water and a portion is filtered for analysis. Method procedures and data quality objectives conform to US DoD QSM 5.3, table B-15 requirements.

Preparation Methods	Method	Matrix	Method Descriptions
NaOH leach for CN in Soils	CN-PR	SOIL	In house: APHA 4500 CN. Samples are extracted by end-over-end tumbling with NaOH.
pH in soil using a 0.01M CaCl ₂ extract	EA001-PR	SOIL	In house: Referenced to Rayment and Lyons 4B1, 10 g of soil is mixed with 50 mL of 0.01M CaCl ₂ and tumbled end over end for 1 hour. pH is measured from the continuous suspension. This method is compliant with NEPM Schedule B(3).
Alkaline digestion for Hexavalent Chromium	EG048PR	SOIL	In house: Referenced to USEPA SW846, Method 3060A.
Total Fluoride	EK040T-PR	SOIL	In house: Samples are fused with Sodium Carbonate / Potassium Carbonate flux.
ASLP for Non & Semivolatile Analytes - Plastic Leaching Vessel	EN60a-P	SOIL	In house QWI-EN/60 referenced to AS4439.3 Preparation of Leachates.
Deionised Water Leach - Plastic Leaching Vessel	EN60-DIa-P	SOIL	In house QWI-EN/60 referenced to AS4439.3 Preparation of Leachates
Hot Block Digest for metals in soils sediments and sludges	EN69	SOIL	In house: Referenced to USEPA 200.2. Hot Block Acid Digestion 1.0g of sample is heated with Nitric and Hydrochloric acids, then cooled. Peroxide is added and samples heated and cooled again before being filtered and bulked to volume for analysis. Digest is appropriate for determination of selected metals in sludge, sediments, and soils. This method is compliant with NEPM Schedule B(3).
Methanolic Extraction of Soils - Ultra-trace.	ORG16-UT	SOIL	In house: Referenced to USEPA SW 846 - 5030A. 5g of solid is shaken with surrogate and 10mL methanol prior to analysis by Purge and Trap - GC/MS.
Tumbler Extraction of Solids - VIC EPA Screen	ORG17-EM	SOIL	In house: Mechanical agitation (tumbler). 10g of sample, Na ₂ SO ₄ and surrogate are extracted with 30mL 1:1 DCM/Acetone by end over end tumble. The solvent is decanted, dehydrated and concentrated (by KD) to the desired volume for analysis.
QuEChERS Extraction of Solids	ORG71	SOIL	In house: Sequential extractions with Acetonitrile/Methanol by shaking. Extraction efficiency aided by the addition of salts under acidic conditions. Where relevant, interferences from co-extracted organics are removed with dispersive clean-up media (dSPE). The extract is either diluted or concentrated and exchanged into the analytical solvent.

Page : 13 of 13
Work Order : EM2208523
Client : AGON ENVIRONMENTAL PTY LTD
Project : JC0927



<i>Preparation Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
Solid Phase Extraction (SPE) for PFAS in water	ORG72	SOIL	In-house: Isotopically labelled analogues of target analytes used as internal standards and surrogates are added to the sample container. The entire contents are transferred to a solid phase extraction (SPE) cartridge. The sample container is successively rinsed with aliquots of the elution solvent. The eluted extract is combined with an equal volume of reagent water and a portion is filtered for analysis. Method procedures conform to US DoD QSM 5.3, table B-15 requirements.