

# TBM Spoil Waste Categorisation Report

<b>TBM Spoil Waste Cat Report No:</b>	<b>B06.0220220504191655_02</b>	<b>This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u></b>
---------------------------------------	--------------------------------	---

## 1. Motherhub Summary

Source TBM/Bin at Pivot	2	Source Geological Domain	1
Approx. Source Tunnel Chainage From	35	Approx. Source Tunnel Chainage To	62
Approx. Rings From	17	Approx. Rings To	29
Foaming Agent	TamSoil 287AC	Water Source	Potable (City West Water)
For BSF Holding Bay No:	B06.02	Start of Filling From (Time / date)	20/04/2022
Tonnes Put in Holding Bay No:	7887.79	Finish of Filling (Time / Date)	23/04/2022
Classified Volume (LCM)	4000	Spoil Classification Decision	NPIW Containment
Sampling Ratio (samples per LCM)	1: 133.33	Approx. Bank Cubic Meters (BCM)	5160.63

## 2. Agon Spoil Classification Decision

Spoil Categorisation Decision (State Yes or No in each Row)	
NPIW Containment - 2020/476 (SO 9042848)	Yes
NPIW Landfill - 2019/404 (SO 9038429)	Yes
PIW-Category C - 2019/405 (SO 9038560)	No
PIW-Category B - 2019/406 (SO 9038561)	No
PIW-Category A	No

## 3. Agon Spoil Classification Assessment

### 3.1 Applicable Samples

Table 3.1 - 1 lists the applicable sample numbers for this spoil. These have been determined from:

- The date / time bay filling was started
- The date / time bay filling was finished
- The ID of the first truck that deposited spoil in the bay and the date / time that it was filled at Pivot
- The ID of the last truck that deposited spoil in the bay and the date / time it was filled at Pivot
- The sample ID that was associated with the first truck – noting that a time window to be associated with each sample is half the time interval between its sampling time and the time of the preceding and the following samples. For example, if samples were collected at 8am, noon and 4 pm, the time window for the noon sample is between 10 am and 2 pm. That is this sample “belongs” to all truck loaded in this time window

# TBM Spoil Waste Categorisation Report

<b>TBM Spoil Waste Cat Report No:</b>	B06.0220220504191655_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
---------------------------------------	-------------------------	--

Table 3.1 - Applicable Sample ID's

*Table 3.1 - 1 Applicable Sample ID's*

Applicable Spoil Sample ID's		
SX_IB_20220420_08_27_SS_Primary_EUF	SX_IB_20220421_00_12_SS_Primary_ALS	SX_IB_20220421_23_58_SS_Primary_EUF
SX_IB_20220420_08_36_SS_Duplicate_ALS	SX_IB_20220421_03_56_SS_Primary_EUF	SX_IB_20220422_00_01_SS_Primary_ALS
SX_IB_20220420_08_36_SS_Primary_ALS	SX_IB_20220421_12_06_SS_Primary_ALS	SX_IB_20220422_04_12_SS_Primary_EUF
SX_IB_20220420_08_38_SS_Triplicate_EUF	SX_IB_20220421_15_47_SS_Primary_EUF	SX_IB_20220422_08_26_SS_Primary_ALS
SX_IB_20220420_12_03_SS_Primary_EUF	SX_IB_20220421_15_48_SS_Duplicate_EUF	SX_IB_20220422_20_10_SS_Primary_EUF
SX_IB_20220420_12_11_SS_Primary_ALS	SX_IB_20220421_15_48_SS_Triplicate_ALS	SX_IB_20220422_20_13_SS_Duplicate_EUF
SX_IB_20220420_15_46_SS_Primary_ALS	SX_IB_20220421_19_59_SS_Primary_ALS	SX_IB_20220422_20_14_SS_Triplicate_ALS
SX_IB_20220420_20_10_SS_Primary_EUF	SX_IB_20220421_20_03_SS_Primary_EUF	SX_IB_20220423_04_01_SS_Primary_ALS
SX_IB_20220420_20_14_SS_Duplicate_EUF	SX_IB_20220421_20_05_SS_Duplicate_EUF	SX_IB_20220423_04_02_SS_Duplicate_ALS
SX_IB_20220420_20_16_SS_Triplicate_ALS	SX_IB_20220421_20_06_SS_Triplicate_ALS	SX_IB_20220423_04_03_SS_Triplicate_EUF
Total Sample Numbers	30	Ratio Acceptable
Primary Sample Numbers	18	Yes
Classified Volume (LCM)	4000 m <sup>3</sup>	
Volume: Sample Number Ratio (Samples per LCM)	1: 133.33	

# TBM Spoil Waste Categorisation Report

<b>TBM Spoil Waste Cat Report No:</b>	<b>B06.0220220504191655_02</b>	<b>This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u></b>
---------------------------------------	--------------------------------	---

## 3.2 Data Quality Compliance with SAQP

Table 3.2-1 evaluates the compliance of the data quality for this spoil – by reference to the criteria in the SAQP (Yes / No).

*Table 3.2 - 1 Evaluation of Quality of Data for this Spoil*

DQI	Field Consideration	Laboratory Consideration	Overall Data Quality Acceptability
Precision	Yes	Yes	Yes
Accuracy	Yes	Yes	Yes
Representativeness	Yes	Yes	Yes
Completeness	Yes	Yes	Yes
Comparability	Yes	Yes	Yes

# TBM Spoil Waste Categorisation Report

<b>TBM Spoil Waste Cat Report No:</b>	<b>B06.0220220504191655_02</b>	<b>This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u></b>
---------------------------------------	--------------------------------	---

## 3.3 Selection of the Spoil Sample Testing Regime

*Table 3.3 - 1 Selection of the Spoil Sample Testing Regime*

	(State Yes or No in each Row)
<p>A. Is testing all spoil samples taken required for spoil in this Holding Bay, because prior to this Holding Bay, less than 10 Holding Bays of spoil have been tested from this Domain</p> <p>If the answer is Yes, go to E. If the answer is No, go to B.</p>	<b>Yes</b>
<p>B. If the answer to A is No (i.e., 10 or more Holding Bays of spoil have been tested from this Domain), do trends in the maximum data values from the previous 10 bays indicate that results are trending at &lt;75% of the containment criteria?</p> <p>If the answer is Yes, go to C. If the answer is No, go to D.</p>	<b>NA</b>
<p>C. If the answer to B is Yes, then was <b>testing</b> of spoil for this Holding Bay reduced to two primary samples per bay plus QC samples (Minimum Testing Regime) as allowed by the SAQP (See SAQP Section 6.2.7)?</p>	<b>NA</b>
<p>D. If the answer to B is No, then was the default testing regime implemented for all samples collected for the spoil in this Holding Bay (as required by the SAQP)?</p>	<b>NA</b>
<p>E. Based on the answers to Questions A to D above, was the default testing regime (as defined in the SAQP) applied to the spoil in this Holding Bay?</p>	<b>Yes</b>
<p>F. Based on the answers to Questions A to D above, was the Minimum testing Regime (as defined in the SAQP) applied to the spoil in this Holding Bay?</p>	<b>No</b>

# TBM Spoil Waste Categorisation Report

<b>TBM Spoil Waste Cat Report No:</b>	B06.0220220504191655_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
---------------------------------------	-------------------------	--

## 3.4 Spoil Compliance with SAQP Criteria for Containment Cell

Table 3.4 - 1 Spoil Compliance with SAQP Criteria for Containment Cell

<b>Need for IWRG 621.1 or 655.1 Testing</b>	
A. Is Spoil in this Holding Bay from a Zone of Exception or Anomalous and required testing for IWRG 621.1?	<b>No</b>
B. Is IWRG 621.1 testing required for spoil in this Holding Bay, because prior to this Holding Bay, less than 10 Holding Bays of spoil have been tested from this Domain?	<b>Yes</b>
C. Is IWRG 621.1 testing required for spoil in this Holding Bay, because the moving 95% UCL values for the previous 10 consecutive Holding Bays of spoil from this Domain are not below TCO?	<b>No</b>
D. Is testing pursuant to IWRG 655.1 required for spoil in this Holding Bay, because the spoil comes from Exception Zone 3 (See SAQP Section 5.4)?	<b>No</b>
E. Has spoil testing for IWRG 621.1 Parameters been triggered by results of spoil water tests for previous Holding Bays of spoil from this geological domain?	<b>No</b>
<b>Outcome from IWRG 621.1 testing (if needed)</b>	
F. If Yes to one or more Questions A, B, C or E, (and not NOC< applicable background concentrations) then do test results for IWRG 621.1 (see Table 3.4-2) prohibit NPIW Containment as a spoil Classification Outcome? If no to all of Questions A, B, C and E, then respond NA to this question.	<b>No</b>
<b>Outcome from IWRG 655.1 testing (if needed)</b>	
G. If Yes to Questions D, then do test results for IWRG 655.1 (see Table 3.4-3) permit NPIW Containment as a spoil Classification Outcome? If no to Question D, respond NA to this question	<b>NA</b>
<b>Outcome from PFAS Testing</b>	
H. Do test results for PFAS (see Table 3.4-4 below) permit NPIW Containment as a spoil Classification Outcome?	<b>Yes</b>
<b><i>If Yes to either or both of Question E or F, then Spoil is Not Suitable for Containment; Go to Section 3.5. Otherwise, it is Suitable for Containment</i></b>	
<b>Notes:</b>	
<ol style="list-style-type: none"> <li>1. Criteria taken from EPA Grandfathered Classifications for TBM Spoil (2020/476 (SO 9042848)), and from the EPA approved EMP for Hi Quality's Containment Cell</li> </ol>	

# TBM Spoil Waste Categorisation Report

<b>TBM Spoil Waste Cat Report No:</b>	B06.0220220504191655_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
---------------------------------------	-------------------------	--

Table 3.4 - 2 IWRG 621.1 Parameter Concentration Statistics & Spoil Suitability for Containment

IWRG 621.1 Exceedance Test Results												
Chemical	Unit	LOR	No. of samples	No. of primary samples	Sample: LCM Ratio	No > LOR	Min	Mean	95% UCL on Mean	Max	Limiting Criteria for NPIW Containment	Comment
Arsenic	mg/kg	2	30*	18	1 : 133.33	30	16	25.83	28.38	52	20	NPIW-Containment - considered to be naturally occurring chemical, see comment 1 (Section 4)
Zinc	mg/kg	5	30*	18	1 : 133.33	30	74	115.1	126.1	260	200	NPIW-Containment
Nickel	mg/kg	5	30*	18	1 : 133.33	30	124	171.9	180.2	220	60	NPIW-Containment - considered to be naturally occurring chemical, see comment 1 (Section 4)
Fluoride	mg/kg	100	30*	18	1 : 133.33	19	<100	171	N/A	630	450	NPIW-Containment - considered to be naturally occurring chemical, see comment 1 (Section 4)

“\*” - Ratio used for categorisation of spoil is samples to LCM due to spoil not being from a zone of exception. (See Section 4)

# TBM Spoil Waste Categorisation Report

<b>TBM Spoil Waste Cat Report No:</b>	<b>B06.0220220504191655_02</b>	<b>This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u></b>
---------------------------------------	--------------------------------	---

Table 3.4 – 3 IWRG 655.1 (WASS) Parameter Concentration Statistics & Spoil Suitability for Containment

IWRG 655.1 Test Results											
Chemical	Unit	LOR	No. of primary samples	Sample: LCM Ratio	No > LOR	Min	Mean	95% UCL on Mean	Max	Limiting Criteria for NPIW Containment	Comment
pHF	pH									5	
pHFox	pH									5	
Delta pH										2	
%S	%									0.03%	
Mol H+ /tonne	Mol/tonne									18	

# TBM Spoil Waste Categorisation Report

<b>TBM Spoil Waste Cat Report No:</b>	B06.0220220504191655_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
---------------------------------------	-------------------------	--

Table 3.4 - 4 PFAS Parameter Concentrations & Spoil Suitability for Containment

PFAS Test Results											
Chemical	Unit	LOR	No. of Samples	No. of primary samples	No > LOR	Min	Mean	95% UCL on Mean	Max	Upper Limiting Criteria for NPIW Containment	Spoil Category for PFAS
Total PFAS Concentrations											
Total PFOS	ug/kg	5	30*	18	0	N/A	N/A	N/A	<5	N/A	NPIW-Containment
Total PFOA	ug/kg	5	30*	18	0	N/A	N/A	N/A	<5	N/A	NPIW-Containment
Total PFHxS	ug/kg	5	30*	18	0	N/A	N/A	N/A	<5	N/A	NPIW-Containment
ASLP (pH= 5) PFAS Concentrations											
PFOA	ug/L	0.01	30*	18	0	N/A	N/A	N/A	<0.01	56	NPIW-Containment
PFOS+PFHxS	ug/L	0.01	30*	18	0	N/A	N/A	N/A	<0.01	7	NPIW-Containment
ASLP (pH= 7) PFAS Concentrations											
PFOA	ug/L	0.01	30*	18	0	N/A	N/A	N/A	<0.01	56	NPIW-Containment
PFOS+PFHxS	ug/L	0.01	30*	18	0	N/A	N/A	N/A	<0.01	7	NPIW-Containment

“\*” - Ratio used for categorisation of spoil is samples to LCM due to spoil not being from a zone of exception. (See Section 4)



# TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	B06.0220220504191655_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

---

## 3.5 Waste Classification for Spoil Not Suitable for Containment Cell

This Section 3.5 and the Tables 3.5-1 to 3.5-3 only apply if the spoil is classified in Section 3.4 as not suitable for the Containment Cell. If the spoil is classified in Section 3.4 as not suitable for the Containment Cell, then Tables 3.5-1 and 3.5-2 contain no data and no assessment.

Table 3.5 - 1 below contains the statistics for IWRG 621.1 Parameter concentrations, and Agon's assessment of their implications for the spoil waste category

Table 3.5 - 2 below contains the statistics for IWRG 655.1 Parameter concentrations, and Agon's assessment of their implications for the spoil waste category

Table 3.5 - 3 below contains the statistics for PFAS concentration, and Agon's assessment of their implications for the spoil waste category

# TBM Spoil Waste Categorisation Report

<b>TBM Spoil Waste Cat Report No:</b>	B06.0220220504191655_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
---------------------------------------	-------------------------	--

Table 3.5 - 1 IWRG 621.1 Parameter Concentration Statistics & Waste Classifications

IWRG 621.1 Exceedance Test Results													
Chemical	Unit	LOR	No. of primary samples	Sample: LCM Ratio	No > LOR	Min	Mean	95% UCL on Mean	Max	Limiting Criteria for NPIW	Limiting Criteria for Cat C	Limiting Criteria for Cat B	Comment
Arsenic	mg/kg												
Copper	mg/kg												
Chromium (Hexavalent)	mg/kg												
Nickel	mg/kg												
Fluoride	mg/kg												

# TBM Spoil Waste Categorisation Report

<b>TBM Spoil Waste Cat Report No:</b>	<b>B06.0220220504191655_02</b>	<b>This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u></b>
---	--------------------------------	---

Table 3.5 – 2 IWRG 655.1 (WASS) Parameter Concentration Statistics & Waste Classification

IWRG 655.1 Test Results											
Chemical	Unit	LOR	No. of primary samples	Sample: LCM Ratio	No > LOR	Min	Mean	95% UCL on Mean	Max	Limiting Criteria for NPIW Containment	Comment
pHF	pH									5	
pHFox	pH									5	
Delta pH										2	
%S	%									0.03%	
Mol H+ /tonne	Mol/tonne									18	

# TBM Spoil Waste Categorisation Report

<b>TBM Spoil Waste Cat Report No:</b>	<b>B06.0220220504191655_02</b>	<b>This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u></b>
---------------------------------------	--------------------------------	---

Table 3.5 - 3 PFAS Parameter Concentrations and Waste Classifications

PFAS Test Results													
Chemical	Unit	LOR	No. of primary samples	No > LOR	Min	Mean	95% UCL on Mean	Max	Upper Limiting Criteria for NPIW Containment	Upper Limiting Criteria for NPIW Landfill	Upper Limiting Criteria for PIW Cat C	Upper Limiting Criteria for PIW Cat B	Spoil Category for PFAS
Total PFAS Concentrations													
Total PFOS	ug/kg												
Total PFOA	ug/kg												
Total PFHxS	ug/kg												
ASLP (pH= 5) PFAS Concentrations													
PFOA	ug/L												
PFOS+PFHxS	ug/L												
ASLP (pH= 7) PFAS Concentrations													
PFOA	ug/L												
PFOS+PFHxS	ug/L												

# TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	B06.0220220504191655_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

## 4. Comments and Limitations

Comments and Limitations	
1.	<p>Naturally Occurring Chemicals listed in IWRG 621.1 that are within the Background range despite being reported at concentrations that would otherwise categorise the material as PIW:</p> <ol style="list-style-type: none"> <li>1. Technical discussion around the naturally occurring metal concentrations found in soils beneath the WGTP is detailed in <i>Golder (2017b) – Technical Report B, Appendix E – Environmental characterisation of spoil (natural soil and rock)</i>. The report indicates that elevated metals (including arsenic, nickel, copper, chromium (CrVI), zinc and mercury) were considered to be associated with natural enrichment instead of anthropogenic contamination.               <ol style="list-style-type: none"> <li>a. <b>Arsenic</b> – <i>Golder (2017b) – Technical Report B, Appendix E section 6.2 Arsenic enrichment in the residual soil of the upper Older Volcanics (Tvo1)</i> found that while the soil of the upper Older Volcanics sub-unit contains arsenic, the arsenic is not characteristic of the wider sub unit (i.e the rock) or the lower sub-unit (soil or rock). The concentration of arsenic therefore appears to be related to the chemical and biological weather of the unit over time. This is further supported by:                   <ol style="list-style-type: none"> <li>i. The residual soil of the sub-unit being characterised by iron-oxide staining and containing goethite. Goethite is an iron oxyhydroxide mineral, which can contain elevated concentrations of arsenic.</li> </ol> <p>Golder therefore concluded that based on the broad vertical distribution of arsenic and the presence of arsenic throughout the greater project area, arsenic results in Upper Older Volcanics soil are not likely to be associated with anthropogenic contamination.</p> </li> <li>b. <b>Nickel</b> – <i>Golder (2017b) – Technical Report B, Appendix E section 6.3 Nickel enrichment within the upper Older Volcanics</i> found that                   <ol style="list-style-type: none"> <li>i. Nickel is known to be enriched within olivine and pyroxene basalt minerals, leading to nickel enrichment of soils weathered from basalt (Martini and Chesworth, 2013).</li> <li>ii. The reported mean nickel concentrations within the Older Volcanics (Tvo) were comparable to results reported within soils derived from basalt in Auckland and basalt rock of Finland (ARC, 2001; Koljonen, 1992), Older Volcanics observed in the Melbourne Metro Project (Golder, 1026a) and Newer Volcanics basalt of the Westenra Plains (Birch, 2003).</li> <li>iii. Enriched nickel concentrations corresponded with enriched cobalt (all units) and iron (except tertiary volcanics (Tvo2) soil) indicating that the nickel is likely associated with geochemical enrichment rather than added contamination.</li> </ol> </li> </ol> </li> </ol>

# TBM Spoil Waste Categorisation Report

<b>TBM Spoil Waste Cat Report No:</b>	<b>B06.0220220504191655_02</b>	<b>This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u></b>
---	--------------------------------	---

	<p style="margin-left: 40px;">iv. Enriched nickel concentrations also corresponded with enriched copper (Two soil and rock) and zinc (all units) indicating that the nickel is likely associated with geochemical enrichment rather than added contamination. Golder therefore concluded that the nickel is likely associated with geochemical enrichment rather than added contamination.</p> <p>The Golder study found that based on review of the depth, site history and the geochemical association of elements, the reported elevated concentrations of arsenic and nickel are considered representative of geogenic conditions and are not expected to be associated with contamination.</p> <p>2. Previous reviews of the presence of <b>Fluoride</b> in soil data outlined on the SAQP (Rev 5) were undertaken by AJJV (2019). The AJJV review of the consolidated data set identified:</p> <p style="margin-left: 40px;">Samples which reported elevated fluoride concentrations were found to be within the range the ambient background from the parent or similar material in the Victorian Soil Database:</p> <ul style="list-style-type: none"> <li>i. Newer Volcanics Group – Maximum 820 mg/kg</li> <li>ii. Older Volcanics – Maximum 600 mg/kg</li> <li>iii. Sub-Basaltic Alluvium – Maximum 240 mg/kg</li> </ul> <p style="margin-left: 40px;">In addition, the 95% UCLs calculated for Newer Volcanics Group and Older Volcanics, was 322.7 mg/kg and 225.1 mg/kg respectively, both of these values are below the 450mg/kg upper limit for spoil to be disposed of to the containment cell.</p> <p>A review of the Agon data for spoil reported in this data set shows:</p> <ul style="list-style-type: none"> <li>• A similar ratio of test results &gt; LOR compared to the overall data set;</li> <li>• If a ½ LOR is substituted for results reported as &lt;LOR (of 100mg/kg), then like the AJJV 95% UCL, the calculation is less than the 450mg/kg upper limit for spoil to be disposed of to the containment cell.</li> </ul> <p>The results also show that there are no synthetic compounds reported above the laboratory LOR, another indication that anthropogenic contamination is not present.</p>
2.	Test result outcomes can lead to two classification possibilities; however, the classification decision follows the preference of the waste management hierarchy.
3.	Spoil is not from a “Zone of Exception”. Zone of exception applies a sampling ratio of only Primary Samples to LCM to categorise spoil as per the SAQP revision 5. Sample to categorised volume ratio in zones of exception is to be as per IWRG702 with 1 primary spoil sample categorising a maximum 250 m3 of spoil.
4.	Loose Cubic metres (LCM) to mass (tonnes) conversion ratio used is 1 LCM:1.6 tonnes
5.	This report has been prepared in accordance with industry recognised standards and procedures current at the time of the work. The report presents the results of the assessment based on the quoted scope of works (unless otherwise agreed in writing) for the specific purposes of

# TBM Spoil Waste Categorisation Report

<b>TBM Spoil Waste Cat Report No:</b>	<b>B06.0220220504191655_02</b>	<b>This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u></b>
---	--------------------------------	---

	the engagement by the Client. No warranties expressed or implied, are offered to any third parties and no liability will be accepted for use of this report by third parties.
6.	All information provided by third parties has been assumed to be correct and complete. Agon does not assume any liability for misrepresentation of information by third parties or for matters not visible, accessible or present on the subject site.
7.	Opinions and judgements expressed herein are based on Agon's understanding of current regulatory standards and should not be construed as legal opinions. No responsibility is accepted for use of any part of this report in any other context or for any other purpose or by third parties other than those listed above.
8.	This report should be read in full.

# TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	B06.0220220504191655_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

---

## 5. Attachments

ATTACHMENT A: TABULATED RESULTS

ATTACHMENT B: 95% UCL AVE CALCULATIONS

ATTACHMENT C: LABORATORY CERTIFICATES



# TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	B06.0220220504191655_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

---

ATTACHMENT A: TABULATED RESULTS

	Metals							
	Arsenic	Cadmium	Copper	Chromium (III+VI)	Chromium (hexavalent)	Lead	Mercury	Molybdenum
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
EQL	2	0.4	5	5	1	5	0.1	5
EPA PFAS Classification - Tunnel Zone - 2019/404 (SO 9038429) Threshold								
EPA PFAS Classification - Tunnel Zone - 2019/405 (SO 9038560) Threshold								
EPA PFAS Classification - Tunnel Zone - 2019/406 (SO 9038561) Threshold								
EPA PFAS Classification - Tunnel Zone - No option for disposal threshold								
EPA Victoria IWRG621 Category B Leached Upper Limits								
EPA Victoria IWRG621 Category B Upper Limits	2,000	400	20,000		2,000	6,000	300	4,000
EPA Victoria IWRG621 Category C Leached Upper Limits								
EPA Victoria IWRG621 Category C Upper Limits	500	100	5,000		500	1,500	75	1,000
EPA Victoria IWRG621 Fill Upper Limits	20	3	100		1	300	1	40

Location Code	Field ID	Sample Code	Date	Lab Report Number	Lab Name	Sample Type	Parent Sample	Arsenic	Cadmium	Copper	Chromium (III+VI)	Chromium (hexavalent)	Lead	Mercury	Molybdenum
B06.02	SX_IB_20220420_08_27_SS_Primary_EUF	M22-Ap0042744	20/04/2022	881696	MGT	Normal		23	<0.4	74	160	<1	<5	<0.1	<5
B06.02	SX_IB_20220420_08_27_SS_Primary_EUF	M22-Ap0042757	20/04/2022	881696	MGT	Normal									
B06.02	SX_IB_20220420_08_27_SS_Primary_EUF	M22-Ap0042768	20/04/2022	881696	MGT	Normal									
B06.02	SX_IB_20220420_08_36_SS_Duplicate_ALS	EM2207126002	20/04/2022	EM2207126	ALSE-Melbourne	Field_D	EM2207126001	24	<1	57	104	<1.0	<5	<0.1	<5
B06.02	SX_IB_20220420_08_36_SS_Duplicate_ALS	EM2207126013	20/04/2022	EM2207126	ALSE-Melbourne	Field_D	EM2207126012								
B06.02	SX_IB_20220420_08_36_SS_Primary_ALS	EM2207126001	20/04/2022	EM2207126	ALSE-Melbourne	Normal		28	<1	63	112	<1.0	<5	<0.1	<5
B06.02	SX_IB_20220420_08_36_SS_Primary_ALS	EM2207126012	20/04/2022	EM2207126	ALSE-Melbourne	Normal									
B06.02	SX_IB_20220420_08_38_SS_Triplicate_EUF	M22-Ap0042745	20/04/2022	881696	MGT	Interlab_D	EM2207126001	32	<0.4	70	150	<1	5.0	<0.1	<5
B06.02	SX_IB_20220420_08_38_SS_Triplicate_EUF	M22-Ap0042758	20/04/2022	881696	MGT	Interlab_D	EM2207126001								
B06.02	SX_IB_20220420_08_38_SS_Triplicate_EUF	M22-Ap0042769	20/04/2022	881696	MGT	Interlab_D	EM2207126012								
B06.02	SX_IB_20220420_12_03_SS_Primary_EUF	M22-Ap0042746	20/04/2022	881696	MGT	Normal		21	<0.4	95	120	<1	<5	<0.1	<5
B06.02	SX_IB_20220420_12_03_SS_Primary_EUF	M22-Ap0042759	20/04/2022	881696	MGT	Normal									
B06.02	SX_IB_20220420_12_03_SS_Primary_EUF	M22-Ap0042770	20/04/2022	881696	MGT	Normal									
B06.02	SX_IB_20220420_12_11_SS_Primary_ALS	EM2207126004	20/04/2022	EM2207126	ALSE-Melbourne	Normal		20	<1	70	102	<1.0	<5	<0.1	<5
B06.02	SX_IB_20220420_12_11_SS_Primary_ALS	EM2207126015	20/04/2022	EM2207126	ALSE-Melbourne	Normal									
B06.02	SX_IB_20220420_15_46_SS_Primary_ALS	EM2207126005	20/04/2022	EM2207126	ALSE-Melbourne	Normal		23	<1	62	90	<1.0	<5	<0.1	<5
B06.02	SX_IB_20220420_15_46_SS_Primary_ALS	EM2207126016	20/04/2022	EM2207126	ALSE-Melbourne	Normal									
B06.02	SX_IB_20220420_20_10_SS_Primary_EUF	M22-Ap0042752	20/04/2022	881696	MGT	Normal		27	<0.4	67	140	<1	11	<0.1	<5
B06.02	SX_IB_20220420_20_10_SS_Primary_EUF	M22-Ap0042763	20/04/2022	881696	MGT	Normal									
B06.02	SX_IB_20220420_20_10_SS_Primary_EUF	M22-Ap0042774	20/04/2022	881696	MGT	Normal									
B06.02	SX_IB_20220420_20_14_SS_Duplicate_EUF	M22-Ap0042753	20/04/2022	881696	MGT	Field_D	M22-Ap0042752	26	<0.4	70	130	<1	5.2	<0.1	<5
B06.02	SX_IB_20220420_20_14_SS_Duplicate_EUF	M22-Ap0042764	20/04/2022	881696	MGT	Field_D	M22-Ap0042763								
B06.02	SX_IB_20220420_20_14_SS_Duplicate_EUF	M22-Ap0042775	20/04/2022	881696	MGT	Field_D	M22-Ap0042774								
B06.02	SX_IB_20220420_20_16_SS_Triplicate_ALS	EM2207126007	20/04/2022	EM2207126	ALSE-Melbourne	Interlab_D	M22-Ap0042752	19	<1	72	93	<1.0	<5	<0.1	<5
B06.02	SX_IB_20220420_20_16_SS_Triplicate_ALS	EM2207126018	20/04/2022	EM2207126	ALSE-Melbourne	Interlab_D	M22-Ap0042774								
B06.02	SX_IB_20220421_00_12_SS_Primary_ALS	EM2207126010	21/04/2022	EM2207126	ALSE-Melbourne	Normal		30	<1	67	125	<1.0	5	<0.1	<5
B06.02	SX_IB_20220421_00_12_SS_Primary_ALS	EM2207126021	21/04/2022	EM2207126	ALSE-Melbourne	Normal									
B06.02	SX_IB_20220421_03_56_SS_Primary_EUF	M22-Ap0042755	21/04/2022	881696	MGT	Normal		20	<0.4	74	140	<1	5.2	<0.1	<5
B06.02	SX_IB_20220421_03_56_SS_Primary_EUF	M22-Ap0042766	21/04/2022	881696	MGT	Normal									
B06.02	SX_IB_20220421_03_56_SS_Primary_EUF	M22-Ap0042777	21/04/2022	881696	MGT	Normal									
B06.02	SX_IB_20220421_12_06_SS_Primary_ALS	EM2207227003	21/04/2022	EM2207227	ALSE-Melbourne	Normal		22	1	50	105	<1.0	<5	<0.1	<5
B06.02	SX_IB_20220421_12_06_SS_Primary_ALS	EM2207227013	21/04/2022	EM2207227	ALSE-Melbourne	Normal									
B06.02	SX_IB_20220421_15_47_SS_Primary_EUF	M22-Ap0045373	21/04/2022	882063	MGT	Normal		39	<0.4	72	160	<1	6.7	<0.1	<5
B06.02	SX_IB_20220421_15_47_SS_Primary_EUF	M22-Ap0045386	21/04/2022	882063	MGT	Normal									
B06.02	SX_IB_20220421_15_47_SS_Primary_EUF	M22-Ap0045397	21/04/2022	882063	MGT	Normal									
B06.02	SX_IB_20220421_15_48_SS_Duplicate_EUF	M22-Ap0045374	21/04/2022	882063	MGT	Field_D	M22-Ap0045373	22	<0.4	64	130	<1	<5	<0.1	<5
B06.02	SX_IB_20220421_15_48_SS_Duplicate_EUF	M22-Ap0045387	21/04/2022	882063	MGT	Field_D	M22-Ap0045386								
B06.02	SX_IB_20220421_15_48_SS_Duplicate_EUF	M22-Ap0045398	21/04/2022	882063	MGT	Field_D	M22-Ap0045397								
B06.02	SX_IB_20220421_15_48_SS_Triplicate_ALS	EM2207227005	21/04/2022	EM2207227	ALSE-Melbourne	Interlab_D	M22-Ap0045373	20	1	60	111	<1.0	<5	<0.1	<5
B06.02	SX_IB_20220421_15_48_SS_Triplicate_ALS	EM2207227015	21/04/2022	EM2207227	ALSE-Melbourne	Interlab_D	M22-Ap0045397								
B06.02	SX_IB_20220421_19_59_SS_Primary_ALS	EM2207227006	21/04/2022	EM2207227	ALSE-Melbourne	Normal		16	<1	47	80	<1.0	<5	<0.1	<5
B06.02	SX_IB_20220421_19_59_SS_Primary_ALS	EM2207227016	21/04/2022	EM2207227	ALSE-Melbourne	Normal									
B06.02	SX_IB_20220421_20_03_SS_Primary_EUF	M22-Ap0045376	21/04/2022	882063	MGT	Normal		26	<0.4	80	150	<1	5.6	<0.1	<5
B06.02	SX_IB_20220421_20_03_SS_Primary_EUF	M22-Ap0045389	21/04/2022	882063	MGT	Normal									
B06.02	SX_IB_20220421_20_03_SS_Primary_EUF	M22-Ap0045400	21/04/2022	882063	MGT	Normal									
B06.02	SX_IB_20220421_20_05_SS_Duplicate_EUF	M22-Ap0045377	21/04/2022	882063	MGT	Field_D	M22-Ap0045376	23	<0.4	68	130	<1	<5	<0.1	<5
B06.02	SX_IB_20220421_20_05_SS_Duplicate_EUF	M22-Ap0045390	21/04/2022	882063	MGT	Field_D	M22-Ap0045389								
B06.02	SX_IB_20220421_20_05_SS_Duplicate_EUF	M22-Ap0045401	21/04/2022	882063	MGT	Field_D	M22-Ap0045400								
B06.02	SX_IB_20220421_20_06_SS_Triplicate_ALS	EM2207227007	21/04/2022	EM2207227	ALSE-Melbourne	Interlab_D	M22-Ap0045376	17	1	58	102	<1.0	<5	<0.1	<5
B06.02	SX_IB_20220421_20_06_SS_Triplicate_ALS	EM2207227017	21/04/2022	EM2207227	ALSE-Melbourne	Interlab_D	M22-Ap0045400								
B06.02	SX_IB_20220421_23_58_SS_Primary_EUF	M22-Ap0045378	21/04/2022	882063	MGT	Normal		22	<0.4	73	130	<1	<5	<0.1	<5
B06.02	SX_IB_20220421_23_58_SS_Primary_EUF	M22-Ap0045391	21/04/2022	882063	MGT	Normal									
B06.02	SX_IB_20220421_23_58_SS_Primary_EUF	M22-Ap0045402	21/04/2022	882063	MGT	Normal									

							Metals							
							Arsenic	Cadmium	Copper	Chromium (III+VI)	Chromium (hexavalent)	Lead	Mercury	Molybdenum
							mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
B06.02	SX_IB_20220422_00_01_SS_Primary_ALS	EM2207227009	21/04/2022	EM2207227	ALSE-Melbourne	Normal	17	1	49	84	<1.0	<5	<0.1	<5
B06.02	SX_IB_20220422_00_01_SS_Primary_ALS	EM2207227019	21/04/2022	EM2207227	ALSE-Melbourne	Normal								
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF	M22-Ap0045380	22/04/2022	882063	MGT	Normal	27	<0.4	59	120	<1	<5	<0.1	<5
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF	M22-Ap0045393	22/04/2022	882063	MGT	Normal								
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF	M22-Ap0045404	22/04/2022	882063	MGT	Normal								
B06.02	SX_IB_20220422_08_26_SS_Primary_ALS	EM2207302003	22/04/2022	EM2207302	ALSE-Melbourne	Normal	25	2	60	97	<1.0	<5	<0.1	<5
B06.02	SX_IB_20220422_08_26_SS_Primary_ALS	EM2207302016	22/04/2022	EM2207302	ALSE-Melbourne	Normal								
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF	M22-Ap0047341	22/04/2022	882266	MGT	Normal	31	<0.4	58	140	<1	<5	<0.1	<5
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF	M22-Ap0047351	22/04/2022	882266	MGT	Normal								
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF	M22-Ap0047361	22/04/2022	882266	MGT	Normal								
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF	M22-Ap0047342	22/04/2022	882266	MGT	Field_D	52	<0.4	71	160	<1	6.0	<0.1	<5
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF	M22-Ap0047352	22/04/2022	882266	MGT	Field_D								
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF	M22-Ap0047362	22/04/2022	882266	MGT	Field_D								
B06.02	SX_IB_20220422_20_14_SS_Triplicate_ALS	EM2207302009	22/04/2022	EM2207302	ALSE-Melbourne	Interlab_D	22	1	60	112	<1.0	<5	<0.1	<5
B06.02	SX_IB_20220422_20_14_SS_Triplicate_ALS	EM2207302020	22/04/2022	EM2207302	ALSE-Melbourne	Interlab_D								
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	EM2207302012	23/04/2022	EM2207302	ALSE-Melbourne	Normal	32	2	67	111	<1.0	<5	<0.1	<5
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	EM2207302023	23/04/2022	EM2207302	ALSE-Melbourne	Normal								
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS	EM2207302013	23/04/2022	EM2207302	ALSE-Melbourne	Field_D	25	1	64	108	<1.0	<5	<0.1	<5
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS	EM2207302024	23/04/2022	EM2207302	ALSE-Melbourne	Field_D								
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	M22-Ap0047345	23/04/2022	882266	MGT	Interlab_D	44	<0.4	65	140	<1	7.0	<0.1	<5
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	M22-Ap0047355	23/04/2022	882266	MGT	Interlab_D								
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	M22-Ap0047365	23/04/2022	882266	MGT	Interlab_D								



		PAH																					
		Nickel	Selenium	Silver	Tin	Zinc	PAHs (Vic EPA List)	Benzo(b+j+k)fluoranthene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene TEQ calc (Zero)	Benzo(a)pyrene TEQ (LOR)	Benzo(a)pyrene TEQ calc (Half)	Benzo(a) pyrene	Benzo(b+j)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
B06.02	SX_IB_20220422_00_01_SS_Primary_ALS	124	<5	<2	<10	74	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5
B06.02	SX_IB_20220422_00_01_SS_Primary_ALS																						
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF	160	<2	<2	<10	110			<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF																						
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF																						
B06.02	SX_IB_20220422_08_26_SS_Primary_ALS	191	<5	<2	<10	103	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5
B06.02	SX_IB_20220422_08_26_SS_Primary_ALS																						
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF	180	<2	<2	<10	120			<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF																						
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF																						
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF	210	<2	<2	<10	150			<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF																						
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF																						
B06.02	SX_IB_20220422_20_14_SS_Triplicate_ALS	162	<5	<2	<10	99	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5
B06.02	SX_IB_20220422_20_14_SS_Triplicate_ALS																						
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	178	<5	<2	<10	109	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS																						
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS	159	<5	<2	<10	106	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS																						
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	170	<2	<2	<10	120			<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF																						
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF																						



		BTEX											TRH									
		Fluorene	Indeno(1,2,3-c-d)pyrene	Naphthalene	Phenanthrene	Pyrene	PAHs (Sum of total)	Benzene	Ethylbenzene	Toluene	Xylene (o)	Xylene (m & p)	Xylene Total	C6-C10	C6-C10 (F1 minus BTEX)	C10-C16	C10-C16 (F2 minus Naphthalene)	C16-C34	C34-C40	C10-C40 (Sum of total)	C6-C9	C10-C14
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
B06.02	SX_IB_20220422_00_01_SS_Primary_ALS	<0.5	<0.5	<0.5	<0.5	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50
B06.02	SX_IB_20220422_00_01_SS_Primary_ALS																					
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	58	58	<100	<100	<100	<20	50
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF																					
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF																					
B06.02	SX_IB_20220422_08_26_SS_Primary_ALS	<0.5	<0.5	<0.5	<0.5	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50
B06.02	SX_IB_20220422_08_26_SS_Primary_ALS																					
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF																					
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF																					
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF																					
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF																					
B06.02	SX_IB_20220422_20_14_SS_Triplicate_ALS	<0.5	<0.5	<0.5	<0.5	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<70	<50	<100	<100	<50	<20	<60
B06.02	SX_IB_20220422_20_14_SS_Triplicate_ALS																					
B06.02	SX_IB_20220422_20_14_SS_Triplicate_ALS	<0.5	<0.5	<0.5	<0.5	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS																					
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS	<0.5	<0.5	<0.5	<0.5	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS																					
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF																					
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF																					





TPH		Organochlorine Pesticides																			
	C15-C28	C29-C36	+C10-C36 (Sum of total)	Aldrin	Dieldrin	Aldrin + Dieldrin	DDD	DDT	4,4-DDE	DDT+DDE+DDD	Endosulfan I	Endosulfan II	Endrin	Endrin ketone	Endrin aldehyde	Endosulfan sulphate	Chlordane	Chlordane (cis)	Chlordane (trans)	Hexachlorobenzene	Heptachlor
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
B06.02	SX_IB_20220422_00_01_SS_Primary_ALS	<100	<100	<50	<0.05	<0.05	<0.30	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.10	<0.03	<0.03	<0.05	<0.05
B06.02	SX_IB_20220422_00_01_SS_Primary_ALS																				
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF	<50	<50	50	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1			<0.05	<0.05
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF																				
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF																				
B06.02	SX_IB_20220422_08_26_SS_Primary_ALS	<100	<100	<50	<0.05	<0.05	<0.30	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.10	<0.03	<0.03	<0.05	<0.05
B06.02	SX_IB_20220422_08_26_SS_Primary_ALS																				
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF	<50	<50	<50	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1			<0.05	<0.05
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF																				
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF																				
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF	<50	<50	<50	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1			<0.05	<0.05
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF																				
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF																				
B06.02	SX_IB_20220422_20_14_SS_Triplicate_ALS	<100	<100	<50	<0.05	<0.05	<0.30	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.10	<0.03	<0.03	<0.05	<0.05
B06.02	SX_IB_20220422_20_14_SS_Triplicate_ALS																				
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<100	<100	<50	<0.05	<0.05	<0.30	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.10	<0.03	<0.03	<0.05	<0.05
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS																				
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS	<100	<100	<50	<0.05	<0.05	<0.30	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.10	<0.03	<0.03	<0.05	<0.05
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS																				
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	<50	<50	<50	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1			<0.05	<0.05
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF																				
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF																				



		Heptachlor epoxide	p-BHC	o-BHC	p-BHC	p-BHC (Lindane)	Methoxychlor	Toxaphene	Organochlorine pesticides EPAVc	Other organochlorine pesticides EPAVc	p-Chlorophenol	p,p'-Dichlorophenol	p,p',o-Trichlorophenol	p,p',p'-Trichlorophenol	p,p'-Dichlorophenol	4-chloro-3-methylphenol	Pentachlorophenol	2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4,6-Dinitro-2-methylphenol	Tetrachlorophenols	2,3,5,6-Tetrachlorophenol	Cresol Total	
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
B06.02	SX_IB_20220422_00_01_SS_Primary_ALS	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03		
B06.02	SX_IB_20220422_00_01_SS_Primary_ALS																						
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10		<0.5	
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF																						
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF																						
B06.02	SX_IB_20220422_08_26_SS_Primary_ALS	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03		
B06.02	SX_IB_20220422_08_26_SS_Primary_ALS																						
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10		<0.5	
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF																						
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF																						
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10		<0.5	
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF																						
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF																						
B06.02	SX_IB_20220422_20_14_SS_Triplicate_ALS	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03		
B06.02	SX_IB_20220422_20_14_SS_Triplicate_ALS																						
B06.02	SX_IB_20220422_20_14_SS_Triplicate_ALS	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03		
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS																						
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03		
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS																						
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10		<0.5	
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF																						
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF																						



		Phenols																				
		4,6-Dinitro-o-cyclohexyl phenol	Phenols (halogenated) EPAVic	Phenols (non-halogenated) EPAVic	2,4-Dimethylphenol	2-Methylphenol	2-Nitrophenol	2,4-Dinitrophenol	3&4-Methylphenol (m&p-creso)	4-Nitrophenol	Di-noseb	Phenol	Phenols (Total Halogenated)	Phenols (Total Non Halogenated)	10:2 Fluorotelomer sulfonic acid (10:2 FTS)	8:2 Fluorotelomer sulfonic acid (8:2 FTS)	6:2 Fluorotelomer sulfonic acid (6:2 FTS)	4:2 Fluorotelomer sulfonic acid (4:2 FTS)				
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg		
B06.02	SX_IB_20220422_00_01_SS_Primary_ALS	<20	<1.00	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050
B06.02	SX_IB_20220422_00_01_SS_Primary_ALS														<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF	<20			<0.5	<0.2	<1	<5	<0.4	<5	<20	<0.5	<1	<20	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF														<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF														<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001
B06.02	SX_IB_20220422_08_26_SS_Primary_ALS	<20	<1.00	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050
B06.02	SX_IB_20220422_08_26_SS_Primary_ALS														<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF	<20			<0.5	<0.2	<1	<5	<0.4	<5	<20	<0.5	<1	<20	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF														<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF														<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF	<20			<0.5	<0.2	<1	<5	<0.4	<5	<20	<0.5	<1	<20	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF														<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF														<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001
B06.02	SX_IB_20220422_20_14_SS_Triplicate_ALS	<20	<1.00	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050
B06.02	SX_IB_20220422_20_14_SS_Triplicate_ALS														<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050
B06.02	SX_IB_20220422_20_14_SS_Triplicate_ALS	<20	<1.00	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS														<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS														<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS	<20	<1.00	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS														<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	<20			<0.5	<0.2	<1	<5	<0.4	<5	<20	<0.5	<1	<20	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF														<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF														<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001



		N-Ethyl perfluorooctane sulfonamide (NEFOSA)		N-ethyl-perfluorooctanesulfonamid oacetic acid (NEFOSAA)		N-ethylperfluorooctanesulfon amidoethanol (NEFOSE)		N-Methyl perfluorooctane sulfonamide (NMeFOSA)		N-methylperfluorooctane sulfonamidoacetic acid (NMeFOSAA)		N-Methylperfluorooctanesulf onamidoethanol (N-MeFOSE)		Perfluorobutanoic acid (PFBA)		Perfluorobutane sulfonic acid (PFBS)		Perfluorodecanoic acid (PFDA)		Perfluorododecanoic acid (PFDoDA)		Perfluorodecanesulfonic		
		mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L
B06.02	SX_IB_20220422_00_01_SS_Primary_ALS	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.00005	<0.00005	<0.0100	<0.00005	<0.0050	<0.0001	<0.005	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.00002	<0.00002
B06.02	SX_IB_20220422_00_01_SS_Primary_ALS	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.0001		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF		<0.005		<0.01		<0.005		<0.005		<0.01		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005	
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001
B06.02	SX_IB_20220422_08_26_SS_Primary_ALS	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.00005	<0.0100	<0.00005	<0.0050	<0.0001	<0.005	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.00002
B06.02	SX_IB_20220422_08_26_SS_Primary_ALS	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.0001		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF		<0.005		<0.01		<0.005		<0.005		<0.01		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005	
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF		<0.005		<0.01		<0.005		<0.005		<0.01		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005	
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001
B06.02	SX_IB_20220422_20_14_SS_Triplicate_ALS	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.00005	<0.0100	<0.00005	<0.0050	<0.0001	<0.005	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.00002
B06.02	SX_IB_20220422_20_14_SS_Triplicate_ALS	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.0001		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.00005	<0.0100	<0.00005	<0.0050	<0.0001	<0.005	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.00002
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.0001		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.00005	<0.0100	<0.00005	<0.0050	<0.0001	<0.005	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.00002
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.0001		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF		<0.005		<0.01		<0.005		<0.005		<0.01		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005	
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001





		PFOS/PFOA																				
		Perfluoroheptanoic acid (PFHpA)		Perfluoroheptane sulfonic acid (PFHpS)		Perfluorohexanoic acid (PFHxA)		Perfluorononanoic acid (PFNA)		Perfluorononanesulfonic acid (PFNS)(trace)		Perfluorooctanoic acid (PFOA)		Perfluorooctane sulfonamide (PFOSA)		Perfluoropentanoic acid (PFPeA)		Perfluoropentane sulfonic acid (PFPeS)		Perfluoropropanesulfonic acid (PPFS)		
		mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg
B06.02	SX_IB_20220422_00_01_SS_Primary_ALS	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050
B06.02	SX_IB_20220422_00_01_SS_Primary_ALS		<0.00002		<0.00002		<0.00002		<0.00002				<0.00001		<0.00005		<0.00002		<0.00002		<0.00002	
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF	<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00005		<0.00001		<0.00001		<0.00001	<0.00001
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00005		<0.00001		<0.00001		<0.00001	<0.00001
B06.02	SX_IB_20220422_08_26_SS_Primary_ALS	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050		<0.00001	<0.0050	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	
B06.02	SX_IB_20220422_08_26_SS_Primary_ALS		<0.00002		<0.00002		<0.00002		<0.00002				<0.00001		<0.00005		<0.00002		<0.00002		<0.00002	
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF	<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00005		<0.00001		<0.00001		<0.00001	<0.00001
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00005		<0.00001		<0.00001		<0.00001	<0.00001
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF	<0.005		<0.005		<0.005		<0.005		<0.005	<0.005		<0.005		<0.005		<0.005		<0.005		<0.005	<0.005
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00005		<0.00001		<0.00001		<0.00001	<0.00001
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00005		<0.00001		<0.00001		<0.00001	<0.00001
B06.02	SX_IB_20220422_20_14_SS_Triplicate_ALS	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050		<0.00001	<0.0050	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	
B06.02	SX_IB_20220422_20_14_SS_Triplicate_ALS		<0.00002		<0.00002		<0.00002		<0.00002				<0.00001		<0.00005		<0.00002		<0.00002		<0.00002	
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050		<0.00001	<0.0050	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS		<0.00002		<0.00002		<0.00002		<0.00002				<0.00001		<0.00005		<0.00002		<0.00002		<0.00002	
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050		<0.00001	<0.0050	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS		<0.00002		<0.00002		<0.00002		<0.00002				<0.00001		<0.00005		<0.00002		<0.00002		<0.00002	
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	<0.005		<0.005		<0.005		<0.005		<0.005	<0.005		<0.005		<0.005		<0.005		<0.005		<0.005	<0.005
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00005		<0.00001		<0.00001		<0.00001	<0.00001
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00005		<0.00001		<0.00001		<0.00001	<0.00001



		Perfluorotetradecanoic acid (PFTeDA)		Perfluorotridecanoic acid (PFTrDA)		Perfluoroundecanoic acid (PFUnDA)		Perfluorooctanesulfonic acid (PFOS)		Perfluorohexane sulfonic acid (PFHxS)		Sum of PFHxS and PFOS		Sum of US EPA PFAS (PFOS + PFOA)*		Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*		Sum of PFAS		Sum of PFAS		1,1-dichloroethane	1,1-dichloroethene	1,1,2,2-tetrachloroethane
		mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/kg	mg/kg	mg/kg
B06.02	SX_IB_20220422_00_01_SS_Primary_ALS	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050					<0.00010	<0.0500			<0.50		
B06.02	SX_IB_20220422_00_01_SS_Primary_ALS	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050					<0.00010	<0.0500			<0.50		
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005	<0.00010	<0.0500			<0.50	<0.50	<0.50
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF	<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00010	<0.0500					
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF	<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00010	<0.0500					
B06.02	SX_IB_20220422_08_26_SS_Primary_ALS	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050					<0.00010	<0.0500			<0.50		
B06.02	SX_IB_20220422_08_26_SS_Primary_ALS	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050					<0.00010	<0.0500			<0.50		
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005	<0.00010	<0.0500			<0.50	<0.50	<0.50
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF	<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00010	<0.0500					
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF	<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00010	<0.0500					
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005	<0.00010	<0.0500			<0.50	<0.50	<0.50
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF	<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00010	<0.0500					
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF	<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00010	<0.0500					
B06.02	SX_IB_20220422_20_14_SS_Triplicate_ALS	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050					<0.00010	<0.0500			<0.50		
B06.02	SX_IB_20220422_20_14_SS_Triplicate_ALS	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050					<0.00010	<0.0500			<0.50		
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050					<0.00010	<0.0500			<0.50		
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050					<0.00010	<0.0500			<0.50		
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050					<0.00010	<0.0500			<0.50		
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050					<0.00010	<0.0500			<0.50		
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005	<0.00010	<0.0500			<0.50	<0.50	<0.50
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00010	<0.0500					
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00010	<0.0500					



Chlorinated Hydrocarbons

		1,2-dichloroethane	1,2-dichloropropane	1,3-dichloropropane	Bromochloromethane	1,1,1,2-tetrachloroethane	Bromodichloromethane	1,1,1-trichloroethane	Chloroform	1,1,1,2-tetrachloroethane	Chloromethane	cis-1,3-dichloropropene	Dibromomethane	Dichloromethane	Hexachlorobutadiene	Other chlorinated hydrocarbons EPAVc	Trichloroethene	Chlorinated hydrocarbons EPAVc	cis-1,2-dichloroethene	1,1,2-trichloroethane	trans-1,3-dichloropropene	Vinyl chloride
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
B06.02	SX_IB_20220422_00_01_SS_Primary_ALS	<0.50				<0.50		<0.50	<0.50	<0.50				<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
B06.02	SX_IB_20220422_00_01_SS_Primary_ALS																					
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF																					
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF																					
B06.02	SX_IB_20220422_08_26_SS_Primary_ALS	<0.50				<0.50		<0.50	<0.50	<0.50				<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
B06.02	SX_IB_20220422_08_26_SS_Primary_ALS																					
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF																					
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF																					
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF																					
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF																					
B06.02	SX_IB_20220422_20_14_SS_Triplicate_ALS	<0.50				<0.50		<0.50	<0.50	<0.50				<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
B06.02	SX_IB_20220422_20_14_SS_Triplicate_ALS																					
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<0.50				<0.50		<0.50	<0.50	<0.50				<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS																					
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS	<0.50				<0.50		<0.50	<0.50	<0.50				<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS																					
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF																					
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF																					



								NA		PCBs								Inorg				
		Bromoform mg/kg	Carbon tetrachloride mg/kg	Chlorodibromomethane mg/kg	Chloroethane mg/kg	trans-1,2-dichloroethene mg/kg	Tetrachloroethene mg/kg	Sum of WA DWER PFAS (n=10) <sup>a</sup> UG/KG	Moisture Content µg/L	%	Arochlor 1232 mg/kg	Arochlor 1242 mg/kg	Arochlor 1248 mg/kg	Arochlor 1254 mg/kg	Arochlor 1221 mg/kg	Arochlor 1260 mg/kg	Arochlor 1016 mg/kg	PCBs (Sum of total) mg/kg	pH (after HCL) -	pH (Final) -	pH (Initial) -	pH of Leaching Fluid -
B06.02	SX_IB_20220422_00_01_SS_Primary_ALS		<0.50			<0.50	<0.50	<10.0	<0.05	18.5								<0.1	1.5	5.1	9.3	5.0
B06.02	SX_IB_20220422_00_01_SS_Primary_ALS								<0.05											9.5		
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10			<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1					
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF							<0.05												5.1		5.1
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF							<0.05												8.8		6.2
B06.02	SX_IB_20220422_08_26_SS_Primary_ALS		<0.50			<0.50	<0.50	<10.0	<0.05	31.4								<0.1	1.5	5.1	9.2	5.0
B06.02	SX_IB_20220422_08_26_SS_Primary_ALS								<0.05											9.2		
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10			<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1					
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF							<0.05												5.2		5.1
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF							<0.05												9.2		6.2
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10			<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1					
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF							<0.05												5.2		5.1
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF							<0.05												9.3		6.2
B06.02	SX_IB_20220422_20_14_SS_Triplicate_ALS		<0.50			<0.50	<0.50	<10.0	<0.05	34.5								<0.1	1.5	5.2	10.0	5.0
B06.02	SX_IB_20220422_20_14_SS_Triplicate_ALS								<0.05											10.3		
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS		<0.50			<0.50	<0.50	<10.0	<0.05	32.4								<0.1	1.7	5.1	10.7	5.0
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS								<0.05											10.0		
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS		<0.50			<0.50	<0.50	<10.0	<0.05	32.3								<0.1	1.5	5.1	9.4	5.0
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS								<0.05											9.7		
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10			<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1					
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF							<0.05												5.1		5.1
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF							<0.05												8.9		6.2





anics		Halogenated Benzenes									Halogenated Hydrocarbons						MAH			
pH (aqueous extract)	Fluoride	Moisture Content (dried @ 103°C)	Cyanide Total	1,2,4-trichlorobenzene	1,2-dichlorobenzene	1,3-dichlorobenzene	1,4-dichlorobenzene	Bromobenzene	4-chlorotoluene	Chlorobenzene	Iodomethane	Bromomethane	1,2-dibromoethane	Dichlorodifluoromethane	Trichlorofluoromethane	Total MAH	Monocyclic aromatic hydrocarbons EPA/Vic	1,3,5-trimethylbenzene	Styrene	Isopropylbenzene
-	mg/kg	%	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
B06.02	SX_IB_20220422_00_01_SS_Primary_ALS	210	<5	<0.50	<0.50		<0.50			<0.50							<0.5		<0.5	
B06.02	SX_IB_20220422_00_01_SS_Primary_ALS																			
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF	8.3	<100	30	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF																			
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF																			
B06.02	SX_IB_20220422_08_26_SS_Primary_ALS	200	<5	<0.50	<0.50		<0.50			<0.50							<0.5		<0.5	
B06.02	SX_IB_20220422_08_26_SS_Primary_ALS																			
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF	9.5	<100	33	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF																			
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF																			
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF	9.7	<100	35	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF																			
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF																			
B06.02	SX_IB_20220422_20_14_SS_Triplicate_ALS	170	<5	<0.50	<0.50		<0.50			<0.50							<0.5		<0.5	
B06.02	SX_IB_20220422_20_14_SS_Triplicate_ALS																			
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	200	<5	<0.50	<0.50		<0.50			<0.50							<0.5		<0.5	
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS																			
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS	190	<5	<0.50	<0.50		<0.50			<0.50							<0.5		<0.5	
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS																			
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	9.2	<100	33	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF																			
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF																			

	Solvents						SPOCAS
	1,2,4-trimethylbenzene	4-Methyl-2-pentanone	Acetone	Allyl chloride	Carbon disulfide	Methyl Ethyl ketone	pH (CaCl2)
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	-
EQL	0.5	0.5	0.5	0.5	0.5	0.5	0.1
EPA PFAS Classification - Tunnel Zone - 2019/404 (SO 9038429) Threshold							
EPA PFAS Classification - Tunnel Zone - 2019/405 (SO 9038560) Threshold							
EPA PFAS Classification - Tunnel Zone - 2019/406 (SO 9038561) Threshold							
EPA PFAS Classification - Tunnel Zone - No option for disposal threshold							
EPA Victoria IWRG621 Category B Leached Upper Limits							
EPA Victoria IWRG621 Category B Upper Limits							
EPA Victoria IWRG621 Category C Leached Upper Limits							
EPA Victoria IWRG621 Category C Upper Limits							
EPA Victoria IWRG621 Fill Upper Limits							

Location Code	Field ID							
B06.02	SX_IB_20220420_08_27_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
B06.02	SX_IB_20220420_08_27_SS_Primary_EUF							
B06.02	SX_IB_20220420_08_27_SS_Primary_EUF							
B06.02	SX_IB_20220420_08_36_SS_Duplicate_ALS							8.1
B06.02	SX_IB_20220420_08_36_SS_Duplicate_ALS							
B06.02	SX_IB_20220420_08_36_SS_Primary_ALS							7.8
B06.02	SX_IB_20220420_08_36_SS_Primary_ALS							
B06.02	SX_IB_20220420_08_38_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
B06.02	SX_IB_20220420_08_38_SS_Triplicate_EUF							
B06.02	SX_IB_20220420_08_38_SS_Triplicate_EUF							
B06.02	SX_IB_20220420_12_03_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
B06.02	SX_IB_20220420_12_03_SS_Primary_EUF							
B06.02	SX_IB_20220420_12_03_SS_Primary_EUF							
B06.02	SX_IB_20220420_12_11_SS_Primary_ALS							7.8
B06.02	SX_IB_20220420_12_11_SS_Primary_ALS							
B06.02	SX_IB_20220420_15_46_SS_Primary_ALS							7.9
B06.02	SX_IB_20220420_15_46_SS_Primary_ALS							
B06.02	SX_IB_20220420_20_10_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
B06.02	SX_IB_20220420_20_10_SS_Primary_EUF							
B06.02	SX_IB_20220420_20_10_SS_Primary_EUF							
B06.02	SX_IB_20220420_20_14_SS_Duplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
B06.02	SX_IB_20220420_20_14_SS_Duplicate_EUF							
B06.02	SX_IB_20220420_20_14_SS_Duplicate_EUF							
B06.02	SX_IB_20220420_20_16_SS_Triplicate_ALS							7.9
B06.02	SX_IB_20220420_20_16_SS_Triplicate_ALS							
B06.02	SX_IB_20220421_00_12_SS_Primary_ALS							7.9
B06.02	SX_IB_20220421_00_12_SS_Primary_ALS							
B06.02	SX_IB_20220421_03_56_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
B06.02	SX_IB_20220421_03_56_SS_Primary_EUF							
B06.02	SX_IB_20220421_03_56_SS_Primary_EUF							
B06.02	SX_IB_20220421_12_06_SS_Primary_ALS							9.8
B06.02	SX_IB_20220421_12_06_SS_Primary_ALS							
B06.02	SX_IB_20220421_15_47_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
B06.02	SX_IB_20220421_15_47_SS_Primary_EUF							
B06.02	SX_IB_20220421_15_47_SS_Primary_EUF							
B06.02	SX_IB_20220421_15_48_SS_Duplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
B06.02	SX_IB_20220421_15_48_SS_Duplicate_EUF							
B06.02	SX_IB_20220421_15_48_SS_Duplicate_EUF							
B06.02	SX_IB_20220421_15_48_SS_Triplicate_ALS							7.7
B06.02	SX_IB_20220421_15_48_SS_Triplicate_ALS							
B06.02	SX_IB_20220421_15_48_SS_Triplicate_ALS							
B06.02	SX_IB_20220421_19_59_SS_Primary_ALS							7.8
B06.02	SX_IB_20220421_19_59_SS_Primary_ALS							
B06.02	SX_IB_20220421_20_03_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
B06.02	SX_IB_20220421_20_03_SS_Primary_EUF							
B06.02	SX_IB_20220421_20_03_SS_Primary_EUF							
B06.02	SX_IB_20220421_20_05_SS_Duplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
B06.02	SX_IB_20220421_20_05_SS_Duplicate_EUF							
B06.02	SX_IB_20220421_20_05_SS_Duplicate_EUF							
B06.02	SX_IB_20220421_20_06_SS_Triplicate_ALS							7.8
B06.02	SX_IB_20220421_20_06_SS_Triplicate_ALS							
B06.02	SX_IB_20220421_23_58_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
B06.02	SX_IB_20220421_23_58_SS_Primary_EUF							
B06.02	SX_IB_20220421_23_58_SS_Primary_EUF							

		Solvents					SPOCAS	
		1,2,4-trimethylbenzene mg/kg	4-Methyl-2-pentanone mg/kg	Acetone mg/kg	Allyl chloride mg/kg	Carbon disulfide mg/kg	Methyl Ethyl Ketone mg/kg	pH (CaCl2)
B06.02	SX_IB_20220422_00_01_SS_Primary_ALS							7.8
B06.02	SX_IB_20220422_00_01_SS_Primary_ALS							
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF							
B06.02	SX_IB_20220422_04_12_SS_Primary_EUF							
B06.02	SX_IB_20220422_08_26_SS_Primary_ALS							7.8
B06.02	SX_IB_20220422_08_26_SS_Primary_ALS							
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF							
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF							
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF							
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF							
B06.02	SX_IB_20220422_20_14_SS_Triplicate_ALS							9.2
B06.02	SX_IB_20220422_20_14_SS_Triplicate_ALS							
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS							9.7
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS							
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS							8.3
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS							
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF							
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF							





							Metals									
							Arsenic	Cadmium	Copper	Chromium (III+VI)	Chromium (hexavalent)	Lead	Mercury	Molybdenum	Nickel	Selenium
							mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
D02.01	SX_OB_20220422_08_13_SS_Triplicate_EUF	22/04/2022	882266	MGT	Interlab_D	EM2207302001										
RPD																
D02.01	SX_OB_20220422_08_12_SS_Primary_ALS	22/04/2022	EM2207302	ALSE-Melbourne	Normal											
D02.01	SX_OB_20220422_08_12_SS_Duplicate_ALS	22/04/2022	EM2207302	ALSE-Melbourne	Field_D	EM2207302014										
RPD																
D02.01	SX_OB_20220422_08_12_SS_Primary_ALS	22/04/2022	EM2207302	ALSE-Melbourne	Normal											
D02.01	SX_OB_20220422_08_13_SS_Triplicate_EUF	22/04/2022	882266	MGT	Interlab_D	EM2207302014										
RPD																
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	23/04/2022	EM2207302	ALSE-Melbourne	Normal		32	2	67	111	<1.0	<5	<0.1	<5	178	<5
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS	23/04/2022	EM2207302	ALSE-Melbourne	Field_D	EM2207302012	25	1	64	108	<1.0	<5	<0.1	<5	159	<5
RPD							25	67	5	3	0	0	0	0	11	0
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	23/04/2022	EM2207302	ALSE-Melbourne	Normal		32	2	67	111	<1.0	<5	<0.1	<5	178	<5
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	23/04/2022	882266	MGT	Interlab_D	EM2207302012	44	<0.4	65	140	<1	7.0	<0.1	<5	170	<2
RPD							32	133	3	23	0	33	0	0	5	0
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	23/04/2022	EM2207302	ALSE-Melbourne	Normal		32	2	67	111	<1.0	<5	<0.1	<5	178	<5
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	23/04/2022	882266	MGT	Interlab_D	EM2207302012										
RPD																
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	23/04/2022	EM2207302	ALSE-Melbourne	Normal											
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS	23/04/2022	EM2207302	ALSE-Melbourne	Field_D	EM2207302023										
RPD																
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	23/04/2022	EM2207302	ALSE-Melbourne	Normal											
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	23/04/2022	882266	MGT	Interlab_D	EM2207302023										
RPD																

\*RPDs have only been considered where a concentration is greater than 1 times the EQL.

\*\*Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multiplier range are: 81 (1 - 10 x EQL); 50 (10 - 30 x EQL); 30 (> 30 x EQL))

\*\*\*Interlab Duplicates are matched on a per compound basis as methods vary between laboratories. Any methods in the row header relate to those used in the primary laboratory

Table with columns for chemical elements (Silver, Tin, Zinc, PAHs, etc.) and rows for various sampling locations (e.g., B06.02, B05.02) with associated field IDs. The PAH section includes concentrations for various polycyclic aromatic hydrocarbons like Fluoranthene, Fluorene, and Indeno(1,2,3-c,d)pyrene.





		PAH																				
		Silver mg/kg	Tin mg/kg	Zinc mg/kg	PAHs (Vic EPA List) mg/kg	Benzo(b+j+k)fluoranthene mg/kg	Acenaphthene mg/kg	Acenaphthylene mg/kg	Anthracene mg/kg	Benz(a)anthracene mg/kg	Benzo(a)pyrene TEQ calc (Zero) mg/kg	Benzo(a)pyrene TEQ (LOR) mg/kg	Benzo(a)pyrene TEQ calc (Half) mg/kg	Benzo(a)pyrene mg/kg	Benzo(b+j)fluoranthene mg/kg	Benzo(g,h,i)perylene mg/kg	Benzo(k)fluoranthene mg/kg	Chrysene mg/kg	Dibenz(a,h)anthracene mg/kg	Fluoranthene mg/kg	Fluorene mg/kg	Indeno(1,2,3-c,d)pyrene mg/kg
D02.01	SX_OB_20220422_08_13_SS_Triplicate_EUF																					
RPD																						
D02.01	SX_OB_20220422_08_12_SS_Primary_ALS																					
D02.01	SX_OB_20220422_08_12_SS_Duplicate_ALS																					
RPD																						
D02.01	SX_OB_20220422_08_12_SS_Primary_ALS																					
D02.01	SX_OB_20220422_08_13_SS_Triplicate_EUF																					
RPD																						
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<2	<10	109	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5	<0.5
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS	<2	<10	106	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5	<0.5
RPD		0	0	3	0	0	0	0	0	0	0	0	0	0		0		0	0	0	0	0
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<2	<10	109	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5	<0.5
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	<2	<10	120			<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD		0	0	10			0	0	0	0	0	0	0	0		0		0	0	0	0	0
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<2	<10	109	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5	<0.5
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF																					
RPD																						
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS																					
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS																					
RPD																						
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS																					
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF																					
RPD																						

\*RPDs have only been considered where a concentration is greater than 1 times the EQL.  
 \*\*Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multip  
 \*\*\*Interlab Duplicates are matched on a per compound basis as methods vary between laboratorie





		PAHs				BTEX						TRH						TPH					
		Naphthalene	Phenanthrene	Pyrene	PAHs (Sum of total)	Benzene	Ethylbenzene	Toluene	Xylene (o)	Xylene (m & p)	Xylene Total	C6-C10	C6-C10 (F1 minus BTEX)	C10-C16	C10-C16 (F2 minus Naphthalene)	C16-C34	C34-C40	C10-C40 (Sum of total)	C6-C9	C10-C14	C15-C28	C29-C36	
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	
D02.01	SX_OB_20220422_08_13_SS_Triplicate_EUF																						
	RPD																						
D02.01	SX_OB_20220422_08_12_SS_Primary_ALS																						
D02.01	SX_OB_20220422_08_12_SS_Duplicate_ALS																						
	RPD																						
D02.01	SX_OB_20220422_08_12_SS_Primary_ALS																						
D02.01	SX_OB_20220422_08_13_SS_Triplicate_EUF																						
	RPD																						
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<0.5	<0.5	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50	<100	<100	
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS	<0.5	<0.5	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50	<100	<100	
	RPD	0	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<0.5	<0.5	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50	<100	<100	
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20	<50	<50	
	RPD	0	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<0.5	<0.5	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50	<100	<100	
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF																						
	RPD																						
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS																						
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS																						
	RPD																						
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS																						
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF																						
	RPD																						

\*RPDs have only been considered where a concentration is greater than 1 times the EQL.  
 \*\*Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multip  
 \*\*\*Interlab Duplicates are matched on a per compound basis as methods vary between laboratorie





		Organochlorine Pesticides																				
		+C10-C36 (Sum of total)	Aldrin	Dieldrin	Aldrin + Dieldrin	DDD	DDT	4,4-DDE	DDT+DDE+DDD	Endosulfan I	Endosulfan II	Endrin	Endrin ketone	Endrin aldehyde	Endosulfan sulphate	Chlordane	Chlordane (cis)	Chlordane (trans)	Hexachlorobenzene	Heptachlor	Heptachlor epoxide	p-BHC
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
D02.01	SX_OB_20220422_08_13_SS_Triplicate_EUF																					
RPD																						
D02.01	SX_OB_20220422_08_12_SS_Primary_ALS																					
D02.01	SX_OB_20220422_08_12_SS_Duplicate_ALS																					
RPD																						
D02.01	SX_OB_20220422_08_12_SS_Primary_ALS																					
D02.01	SX_OB_20220422_08_13_SS_Triplicate_EUF																					
RPD																						
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<50	<0.05	<0.05	<0.30	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		<0.05	<0.05	<0.10	<0.03	<0.03	<0.05	<0.05	<0.05	<0.05
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS	<50	<0.05	<0.05	<0.30	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		<0.05	<0.05	<0.10	<0.03	<0.03	<0.05	<0.05	<0.05	<0.05
RPD		0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<50	<0.05	<0.05	<0.30	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		<0.05	<0.05	<0.10	<0.03	<0.03	<0.05	<0.05	<0.05	<0.05
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	<50	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1			<0.05	<0.05	<0.05	<0.05
RPD		0	0	0	0	0	0	0	0	0	0	0		0	0	0			0	0	0	0
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<50	<0.05	<0.05	<0.30	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		<0.05	<0.05	<0.10	<0.03	<0.03	<0.05	<0.05	<0.05	<0.05
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF																					
RPD																						
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS																					
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS																					
RPD																						
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS																					
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF																					
RPD																						

\*RPDs have only been considered where a concentration is greater than 1 times the EQL.  
 \*\*Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multip  
 \*\*\*Interlab Duplicates are matched on a per compound basis as methods vary between laboratorie







		Phenols																					
		p-BHC	p-BHC	p-BHC (Lindane)	Methoxychlor	Toxaphene	Organochlorine pesticides EPAVIC	Other organochlorine pesticides EPAVIC	2-Chlorophenol	2,4-Dichlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,6-Dichlorophenol	4-chloro-3-methylphenol	Pentachlorophenol	2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4,6-Dinitro-2-methylphenol	Tetrachlorophenols	2,3,5,6-Tetrachlorophenol	Cresol Total	4,6-Dinitro-o-cyclohexyl phenol	Phenols (halogenated) EPAVIC	
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
D02.01	SX_OB_20220422_08_13_SS_Triplicate_EUF																						
	RPD																						
D02.01	SX_OB_20220422_08_12_SS_Primary_ALS																						
D02.01	SX_OB_20220422_08_12_SS_Duplicate_ALS																						
	RPD																						
D02.01	SX_OB_20220422_08_12_SS_Primary_ALS																						
D02.01	SX_OB_20220422_08_13_SS_Triplicate_EUF																						
	RPD																						
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<0.05	<0.05	<0.05	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03		<20	<1.00	
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS	<0.05	<0.05	<0.05	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03		<20	<1.00	
	RPD	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0		0		0	0	
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<0.05	<0.05	<0.05	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03		<20	<1.00	
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	<0.05	<0.05	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10		<0.5	<20		
	RPD	0	0	0	0		0	0	0	0	0	0	0	0	0		0			<0.5	<20		
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<0.05	<0.05	<0.05	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03		<20	<1.00	
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF																						
	RPD																						
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS																						
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS																						
	RPD																						
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS																						
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF																						
	RPD																						

\*RPDs have only been considered where a concentration is greater than 1 times the EQL.  
 \*\*Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multip  
 \*\*\*Interlab Duplicates are matched on a per compound basis as methods vary between laboratorie

EQL	Phenols (non-halogenated) EPAVic	2,4-Dimethylphenol	2-Methylphenol	2-Nitrophenol	2,4-Dinitrophenol	3&4-Methylphenol (m&p-creso)	4-Nitrophenol	Dinoseb	Phenol	Phenols (Total Halogenated)	Phenols (Total Non Halogenated)	10:2 Fluorotelomer sulfonic acid (10:2 FTS)		8:2 Fluorotelomer sulfonic acid (8:2 FTS)		6:2 Fluorotelomer sulfonic acid (6:2 FTS)		4:2 Fluorotelomer sulfonic acid (4:2 FTS)		N-Ethyl perfluorooctane sulfonamide (NEFOSA)	
												mg/kg	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg
20	20	0.5	0.2	1	5	0.4	5	20	0.5	1	20	0.00001	0.005	0.00001	0.005	0.00005	0.01	0.00001	0.005	0.00005	0.005
	Location Code	Field ID																			
	B06.02	SX_IB_20220420_20_10_SS_Primary_EUF																			
	B06.02	SX_IB_20220420_20_14_SS_Duplicate_EUF																			
	RPD																				
	B06.02	SX_IB_20220420_20_10_SS_Primary_EUF																			
	B06.02	SX_IB_20220420_20_16_SS_Triplicate_ALS																			
	RPD																				
	B06.02	SX_IB_20220420_20_10_SS_Primary_EUF																			
	B06.02	SX_IB_20220420_20_14_SS_Duplicate_EUF																			
	RPD																				
	B06.02	SX_IB_20220420_20_10_SS_Primary_EUF																			
	B06.02	SX_IB_20220420_20_16_SS_Triplicate_ALS																			
	RPD																				
	B05.02	SX_OB_20220420_15_57_SS_Primary_EUF																			
	B05.02	SX_OB_20220420_15_57_SS_Duplicate_EUF																			
	RPD																				
	B05.02	SX_OB_20220420_15_57_SS_Primary_EUF																			
	B05.02	SX_OB_20220420_15_59_SS_Triplicate_ALS																			
	RPD																				
	B05.02	SX_OB_20220420_15_57_SS_Primary_EUF																			
	B05.02	SX_OB_20220420_15_57_SS_Duplicate_EUF																			
	RPD																				
	B05.02	SX_OB_20220420_15_57_SS_Primary_EUF																			
	B05.02	SX_OB_20220420_15_57_SS_Duplicate_EUF																			
	RPD																				
	B05.02	SX_OB_20220420_15_57_SS_Primary_EUF																			
	B05.02	SX_OB_20220420_15_59_SS_Triplicate_ALS																			
	RPD																				
	B06.02	SX_IB_20220420_08_36_SS_Primary_ALS																			
	B06.02	SX_IB_20220420_08_36_SS_Duplicate_ALS																			
	RPD																				
	B06.02	SX_IB_20220420_08_36_SS_Primary_ALS																			
	B06.02	SX_IB_20220420_08_38_SS_Triplicate_EUF																			
	RPD																				
	B06.02	SX_IB_20220420_08_36_SS_Primary_ALS																			
	B06.02	SX_IB_20220420_08_38_SS_Triplicate_EUF																			
	RPD																				
	B06.02	SX_IB_20220420_08_36_SS_Primary_ALS																			
	B06.02	SX_IB_20220420_08_36_SS_Duplicate_ALS																			
	RPD																				
	B06.02	SX_IB_20220420_08_36_SS_Primary_ALS																			
	B06.02	SX_IB_20220420_08_38_SS_Triplicate_EUF																			
	RPD																				
	B06.02	SX_IB_20220421_15_47_SS_Primary_EUF																			
	B06.02	SX_IB_20220421_15_48_SS_Duplicate_EUF																			
	RPD																				
	B06.02	SX_IB_20220421_15_47_SS_Primary_EUF																			
	B06.02	SX_IB_20220421_15_48_SS_Triplicate_ALS																			
	RPD																				
	B06.02	SX_IB_20220421_15_47_SS_Primary_EUF																			
	B06.02	SX_IB_20220421_15_48_SS_Duplicate_EUF																			
	RPD																				
	B06.02	SX_IB_20220421_15_47_SS_Primary_EUF																			
	B06.02	SX_IB_20220421_15_48_SS_Triplicate_ALS																			
	RPD																				
	B06.02	SX_IB_20220421_20_03_SS_Primary_EUF																			
	B06.02	SX_IB_20220421_20_05_SS_Duplicate_EUF																			



		Phenols (non-halogenated)	2,4-Dimethylphenol	2-Methylphenol	2-Nitrophenol	2,4-Dinitrophenol	3,4-Methylphenol (m&p-creso)	4-Nitrophenol	Dinoseb	Phenol	Phenols (Total Halogenated)	Phenols (Total Non Halogenated)	10:2 Fluorotelomer sulfonic acid (10:2 FTS)	8:2 Fluorotelomer sulfonic acid (8:2 FTS)	6:2 Fluorotelomer sulfonic acid (6:2 FTS)	4:2 Fluorotelomer sulfonic acid (4:2 FTS)	N-Ethyl perfluorooctane sulfonamide (NEFOSA)						
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg		
D02.01	SX_OB_20220422_08_13_SS_Triplicate_EUF												<0.00001	<0.00001	<0.00005	<0.00001	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005		
RPD													0	0	0	0	0	0	0	0	0		
D02.01	SX_OB_20220422_08_12_SS_Primary_ALS												<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005		
D02.01	SX_OB_20220422_08_12_SS_Duplicate_ALS												<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005		
RPD													0	0	0	0	0	0	0	0	0		
D02.01	SX_OB_20220422_08_12_SS_Primary_ALS												<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005		
D02.01	SX_OB_20220422_08_13_SS_Triplicate_EUF												<0.00001	<0.00001	<0.00005	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00005		
RPD													0	0	0	0	0	0	0	0	0		
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	
RPD		0	0	0	0	0	0	0	0	0			0	0	0	0	0	0	0	0	0	0	0
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.0050
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF		<0.5	<0.2	<1	<5	<0.4	<5	<20	<0.5	<1	<20	<0.005	<0.005	<0.005	<0.01	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
RPD			0	0	0	0	0	0	0	0			0	0	0	0	0	0	0	0	0	0	0
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<20	<1	<1	<1	<5	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.0050
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF												<0.00001	<0.00001	<0.00005	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00005
RPD													0	0	0	0	0	0	0	0	0	0	0
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS												<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS												<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
RPD													0	0	0	0	0	0	0	0	0	0	0
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS												<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF												<0.00001	<0.00001	<0.00005	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00005
RPD													0	0	0	0	0	0	0	0	0	0	0

\*RPDs have only been considered where a concentration is greater than 1 times the EQL.  
 \*\*Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multip  
 \*\*\*Interlab Duplicates are matched on a per compound basis as methods vary between laboratorie

EQL	N-ethyl-perfluorooctanesulfonamide acetic acid (NEFOSAA)		N-ethylperfluorooctanesulfonamide (NEFOSE)		N-Methyl perfluorooctane sulfonamide (NMeFOSA)		N-methylperfluorooctane sulfonamide acetic acid (NMeFOAAA)		N-Methylperfluorooctanesulfonamide (NMeFOSE)		Perfluorobutanoic acid (PFBA)		Perfluorobutane sulfonic acid (PFBS)		Perfluorodecanoic acid (PFDA)		Perfluorododecanoic acid (PFDDaDA)		Perfluorodecane sulfonic acid (PFDS)		Perfluoroheptanoic acid	
	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg
EQL	0.00005	0.01	0.00005	0.005	0.00005	0.005	0.00005	0.01	0.00005	0.005	0.00005	0.005	0.00001	0.005	0.00001	0.005	0.00001	0.005	0.00001	0.005	0.00001	0.00001
Location Code	Field ID																					
B06.02	SX_IB_20220420_20_10_SS_Primary_EUF																					
B06.02	SX_IB_20220420_20_14_SS_Duplicate_EUF																					
RPD																						
B06.02	SX_IB_20220420_20_10_SS_Primary_EUF																					
B06.02	SX_IB_20220420_20_16_SS_Triplicate_ALS																					
RPD																						
B06.02	SX_IB_20220420_20_10_SS_Primary_EUF																					
B06.02	SX_IB_20220420_20_14_SS_Duplicate_EUF																					
RPD																						
B06.02	SX_IB_20220420_20_10_SS_Primary_EUF																					
B06.02	SX_IB_20220420_20_14_SS_Duplicate_EUF																					
RPD																						
B06.02	SX_IB_20220420_20_10_SS_Primary_EUF																					
B06.02	SX_IB_20220420_20_16_SS_Triplicate_ALS																					
RPD																						
B05.02	SX_OB_20220420_15_57_SS_Primary_EUF																					
B05.02	SX_OB_20220420_15_57_SS_Duplicate_EUF																					
RPD																						
B05.02	SX_OB_20220420_15_57_SS_Primary_EUF																					
B05.02	SX_OB_20220420_15_59_SS_Triplicate_ALS																					
RPD																						
B05.02	SX_OB_20220420_15_57_SS_Primary_EUF																					
B05.02	SX_OB_20220420_15_57_SS_Duplicate_EUF																					
RPD																						
B05.02	SX_OB_20220420_15_57_SS_Primary_EUF																					
B05.02	SX_OB_20220420_15_57_SS_Duplicate_EUF																					
RPD																						
B05.02	SX_OB_20220420_15_57_SS_Primary_EUF																					
B05.02	SX_OB_20220420_15_59_SS_Triplicate_ALS																					
RPD																						
B06.02	SX_IB_20220420_08_36_SS_Primary_ALS																					
B06.02	SX_IB_20220420_08_36_SS_Duplicate_ALS																					
RPD																						
B06.02	SX_IB_20220420_08_36_SS_Primary_ALS																					
B06.02	SX_IB_20220420_08_38_SS_Triplicate_EUF																					
RPD																						
B06.02	SX_IB_20220420_08_36_SS_Primary_ALS																					
B06.02	SX_IB_20220420_08_38_SS_Triplicate_EUF																					
RPD																						
B06.02	SX_IB_20220420_08_36_SS_Primary_ALS																					
B06.02	SX_IB_20220420_08_36_SS_Duplicate_ALS																					
RPD																						
B06.02	SX_IB_20220420_08_36_SS_Primary_ALS																					
B06.02	SX_IB_20220420_08_38_SS_Triplicate_EUF																					
RPD																						
B06.02	SX_IB_20220421_15_47_SS_Primary_EUF																					
B06.02	SX_IB_20220421_15_48_SS_Duplicate_EUF																					
RPD																						
B06.02	SX_IB_20220421_15_47_SS_Primary_EUF																					
B06.02	SX_IB_20220421_15_48_SS_Triplicate_ALS																					
RPD																						
B06.02	SX_IB_20220421_15_47_SS_Primary_EUF																					
B06.02	SX_IB_20220421_15_48_SS_Duplicate_EUF																					
RPD																						
B06.02	SX_IB_20220421_15_47_SS_Primary_EUF																					
B06.02	SX_IB_20220421_15_48_SS_Triplicate_ALS																					
RPD																						
B06.02	SX_IB_20220421_20_03_SS_Primary_EUF																					
B06.02	SX_IB_20220421_20_05_SS_Duplicate_EUF																					



		N-ethyl-perfluorooctanesulfonamide (NEFOSAA)		N-ethylperfluorooctanesulfonamide (NEFOSE)		N-Methyl perfluorooctane sulfonamide (NMeFOSA)		N-methylperfluorooctane sulfonamidoacetic acid (NMeFOSAA)		N-Methylperfluorooctanesulfonamidoethanol (N-MeFOSE)		Perfluorobutanoic acid (PFBA)		Perfluorobutane sulfonic acid (PFBS)		Perfluorodecanoic acid (PFDA)		Perfluorododecanoic acid (PFDoDA)		Perfluorodecanesulfonic acid (PFDS)		Perfluoroheptanoic acid		
		mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L
D02.01	SX_OB_20220422_08_13_SS_Triplicate_EUF	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001
RPD		0		0		0		0		0		0		0		0		0		0		0		0
D02.01	SX_OB_20220422_08_12_SS_Primary_ALS	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.0001		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002
D02.01	SX_OB_20220422_08_12_SS_Duplicate_ALS	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.0001		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002
RPD		0		0		0		0		0		0		0		0		0		0		0		0
D02.01	SX_OB_20220422_08_12_SS_Primary_ALS	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.0001		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002
D02.01	SX_OB_20220422_08_13_SS_Triplicate_EUF	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001
RPD		0		0		0		0		0		0		0		0		0		0		0		0
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.0001	<0.005	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.0001	<0.005	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002
RPD		0		0		0		0		0		0		0		0		0		0		0		0
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.0001	<0.005	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	<0.00005	<0.01	<0.00005	<0.005	<0.00005	<0.005	<0.00005	<0.01	<0.00005	<0.005	<0.0001	<0.005	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002
RPD		0		0		0		0		0		0		0		0		0		0		0		0
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.0001	<0.005	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001
RPD		0		0		0		0		0		0		0		0		0		0		0		0
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.0001		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.0001		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002
RPD		0		0		0		0		0		0		0		0		0		0		0		0
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.0001		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001
RPD		0		0		0		0		0		0		0		0		0		0		0		0

\*RPDs have only been considered where a concentration is greater than 1 times the EQL.  
 \*\*Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multip  
 \*\*\*Interlab Duplicates are matched on a per compound basis as methods vary between laboratorie







		PFOS/PFOA																			
		(PFHpA)	Perfluoroheptane sulfonic acid (PFHpS)	Perfluorohexanoic acid (PFHxA)	Perfluorononanoic acid (PFNA)	Perfluorononanesulfonic acid (PFNS)(trace)	Perfluorooctanoic acid (PFOA)	Perfluorooctane sulfonamide (PFOSA)	Perfluoropentanoic acid (PFPeA)	Perfluoropentane sulfonic acid (PFPeS)	Perfluoropropanesulfonic acid (PFPrS)	Perfluorotetradecanoic acid (PFTeDA)									
		mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	
D02.01	SX_OB_20220422_08_13_SS_Triplicate_EUF		<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	
RPD			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
D02.01	SX_OB_20220422_08_12_SS_Primary_ALS		<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	
D02.01	SX_OB_20220422_08_12_SS_Duplicate_ALS		<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	
RPD			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
D02.01	SX_OB_20220422_08_12_SS_Primary_ALS		<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	
D02.01	SX_OB_20220422_08_13_SS_Triplicate_EUF		<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	
RPD			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	
RPD			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	
RPD			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	
RPD			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	
RPD			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	<0.00002	
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	
RPD			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

\*RPDs have only been considered where a concentration is greater than 1 times the EQL.  
 \*\*Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multip  
 \*\*\*Interlab Duplicates are matched on a per compound basis as methods vary between laboratorie





		Perfluorotridecanoic acid (PFTDA)		Perfluoroundecanoic acid (PFUnDA)		Perfluorooctanesulfonic acid (PFOS)		Perfluorohexane sulfonic acid (PFHxS)		Sum of PFHxS and PFOS		Sum of US EPA PFAS (PFOS + PFOA)*		Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*		Sum of PFAS		1,1-dichloroethane	1,1-dichloroethene	1,2,3-trichloropropane	1,2-dichloroethane	1,2-dichloropropane	
		mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg						mg/kg
D02.01	SX_OB_20220422_08_13_SS_Triplicate_EUF	<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.0001							
RPD		0		0		0		0		0		0		0		0							
D02.01	SX_OB_20220422_08_12_SS_Primary_ALS	<0.00002		<0.00002		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00010							
D02.01	SX_OB_20220422_08_12_SS_Duplicate_ALS	<0.00002		<0.00002		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00010							
RPD		0		0		0		0		0		0		0		0							
D02.01	SX_OB_20220422_08_12_SS_Primary_ALS	<0.00002		<0.00002		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00010							
D02.01	SX_OB_20220422_08_13_SS_Triplicate_EUF	<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.0001							
RPD		0		0		0		0		0		0		0		0							
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050					<0.00010	<0.0500		<0.50		<0.50		
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050					<0.00010	<0.0500		<0.50		<0.50		
RPD		0	0	0	0	0	0	0	0	0	0				0	0		0	0	0	0	0	0
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050					<0.00010	<0.0500		<0.50		<0.50		
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF		<0.005		<0.005		<0.005		<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.05	<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD			0		0		0		0		0				0	0		0	0	0	0	0	0
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050					<0.00010	<0.0500		<0.50		<0.50		
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.0001							
RPD		0		0		0		0		0		0		0		0							
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<0.00002		<0.00002		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00010							
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS	<0.00002		<0.00002		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00010							
RPD		0		0		0		0		0		0		0		0							
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS	<0.00002		<0.00002		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00010							
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.0001							
RPD		0		0		0		0		0		0		0		0							

\*RPDs have only been considered where a concentration is greater than 1 times the EQL.  
 \*\*Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multip  
 \*\*\*Interlab Duplicates are matched on a per compound basis as methods vary between laboratorie







		Chlorinated Hydrocarbons																				
		1,3-dichloropropane	Bromochloromethane	1,1,1,2-tetrachloroethane	Bromodichloromethane	1,1,1-trichloroethane	Chloroform	1,1,1,2-tetrachloroethane	Chloromethane	cis-1,3-dichloropropene	Dibromomethane	Dichloromethane	Hexachlorobutadiene	Other chlorinated hydrocarbons EPAVc	Trichloroethene	Chlorinated hydrocarbons EPAVc	cis-1,2-dichloroethene	1,1,2-trichloroethane	trans-1,3-dichloropropene	Vinyl chloride	Bromoform	Carbon tetrachloride
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
D02.01	SX_OB_20220422_08_13_SS_Triplicate_EUF																					
RPD																						
D02.01	SX_OB_20220422_08_12_SS_Primary_ALS																					
D02.01	SX_OB_20220422_08_12_SS_Duplicate_ALS																					
RPD																						
D02.01	SX_OB_20220422_08_12_SS_Primary_ALS																					
D02.01	SX_OB_20220422_08_13_SS_Triplicate_EUF																					
RPD																						
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS			<0.50		<0.50	<0.50	<0.50				<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50		<0.50		<0.50
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS			<0.50		<0.50	<0.50	<0.50				<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50		<0.50		<0.50
RPD				0		0	0	0				0	0	0	0	0	0	0		0		0
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS			<0.50		<0.50	<0.50	<0.50				<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50		<0.50		<0.50
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD				0		0	0	0				0	0	0	0	0	0	0		0		0
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS			<0.50		<0.50	<0.50	<0.50				<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50		<0.50		<0.50
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF																					
RPD																						
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS																					
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS																					
RPD																						
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS																					
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF																					
RPD																						

\*RPDs have only been considered where a concentration is greater than 1 times the EQL.  
 \*\*Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multip  
 \*\*\*Interlab Duplicates are matched on a per compound basis as methods vary between laboratorie

		NA						PCBs								Inorganics					
Chlorodibromomethane	Chloroethane	trans-1,2-dichloroethene	Tetrachloroethene	Sum of WA DWER PFAS (n=10)*	Moisture Content	Arochlor 1232	Arochlor 1242	Arochlor 1248	Arochlor 1254	Arochlor 1221	Arochlor 1260	Arochlor 1016	PCBs (sum of total)	pH (after HCl)	pH (Final)	pH (Initial)	pH of Leaching Fluid	pH (aqueous extract)	Fluoride		
mg/kg	mg/kg	mg/kg	mg/kg	UG/KG	%	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	-	-	-	-	-	mg/kg		
EQL	0.5	0.5	0.5	0.5	0.05	1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	100		
Location Code	Field ID																				
B06.02	SX_IB_20220420_20_10_SS_Primary_EUF																				
B06.02	SX_IB_20220420_20_14_SS_Duplicate_EUF																				
RPD																					
B06.02	SX_IB_20220420_20_10_SS_Primary_EUF																				
B06.02	SX_IB_20220420_20_16_SS_Triplicate_ALS																				
RPD																					
B06.02	SX_IB_20220420_20_10_SS_Primary_EUF																				
B06.02	SX_IB_20220420_20_14_SS_Duplicate_EUF																				
RPD																					
B06.02	SX_IB_20220420_20_10_SS_Primary_EUF																				
B06.02	SX_IB_20220420_20_14_SS_Duplicate_EUF																				
RPD																					
B06.02	SX_IB_20220420_20_10_SS_Primary_EUF																				
B06.02	SX_IB_20220420_20_16_SS_Triplicate_ALS																				
RPD																					
B05.02	SX_OB_20220420_15_57_SS_Primary_EUF																				
B05.02	SX_OB_20220420_15_57_SS_Duplicate_EUF																				
RPD																					
B05.02	SX_OB_20220420_15_57_SS_Primary_EUF																				
B05.02	SX_OB_20220420_15_59_SS_Triplicate_ALS																				
RPD																					
B05.02	SX_OB_20220420_15_57_SS_Primary_EUF																				
B05.02	SX_OB_20220420_15_57_SS_Duplicate_EUF																				
RPD																					
B05.02	SX_OB_20220420_15_57_SS_Primary_EUF																				
B05.02	SX_OB_20220420_15_57_SS_Duplicate_EUF																				
RPD																					
B05.02	SX_OB_20220420_15_57_SS_Primary_EUF																				
B05.02	SX_OB_20220420_15_59_SS_Triplicate_ALS																				
RPD																					
B06.02	SX_IB_20220420_08_36_SS_Primary_ALS																				
B06.02	SX_IB_20220420_08_36_SS_Duplicate_ALS																				
RPD																					
B06.02	SX_IB_20220420_08_36_SS_Primary_ALS																				
B06.02	SX_IB_20220420_08_38_SS_Triplicate_EUF																				
RPD																					
B06.02	SX_IB_20220420_08_36_SS_Primary_ALS																				
B06.02	SX_IB_20220420_08_38_SS_Triplicate_EUF																				
RPD																					
B06.02	SX_IB_20220420_08_36_SS_Primary_ALS																				
B06.02	SX_IB_20220420_08_36_SS_Duplicate_ALS																				
RPD																					
B06.02	SX_IB_20220420_08_36_SS_Primary_ALS																				
B06.02	SX_IB_20220420_08_38_SS_Triplicate_EUF																				
RPD																					
B06.02	SX_IB_20220421_15_47_SS_Primary_EUF																				
B06.02	SX_IB_20220421_15_48_SS_Duplicate_EUF																				
RPD																					
B06.02	SX_IB_20220421_15_47_SS_Primary_EUF																				
B06.02	SX_IB_20220421_15_48_SS_Triplicate_ALS																				
RPD																					
B06.02	SX_IB_20220421_15_47_SS_Primary_EUF																				
B06.02	SX_IB_20220421_15_48_SS_Duplicate_EUF																				
RPD																					
B06.02	SX_IB_20220421_15_47_SS_Primary_EUF																				
B06.02	SX_IB_20220421_15_48_SS_Triplicate_ALS																				
RPD																					
B06.02	SX_IB_20220421_20_03_SS_Primary_EUF																				
B06.02	SX_IB_20220421_20_05_SS_Duplicate_EUF																				



						NA		PCBs								Inorganics					
		Chlorodibromomethane	Chloroethane	trans-1,2-dichloroethene	Tetrachloroethene	Sum of WA DWER PFAS (n=10)*	Moisture Content	Arochlor 1232	Arochlor 1242	Arochlor 1248	Arochlor 1254	Arochlor 1221	Arochlor 1260	Arochlor 1016	PCBs (sum of total)	pH (after HCl)	pH (Final)	pH (Initial)	pH of Leaching Fluid	pH (aqueous extract)	Fluoride
		mg/kg	mg/kg	mg/kg	mg/kg	UG/KG	µg/L	%	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	-	-	-	-	-	mg/kg
D02.01	SX_OB_20220422_08_13_SS_Triplicate_EUF					<0.05											5.2		5.1		
RPD						0											0		2		
D02.01	SX_OB_20220422_08_12_SS_Primary_ALS						<0.05										9.4				
D02.01	SX_OB_20220422_08_12_SS_Duplicate_ALS						<0.05										9.4				
RPD						0											0				
D02.01	SX_OB_20220422_08_12_SS_Primary_ALS						<0.05										9.4				
D02.01	SX_OB_20220422_08_13_SS_Triplicate_EUF					<0.05											7.6		6.2		
RPD																	21				
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS			<0.50	<0.50	<10.0	<0.05	32.4							<0.1	1.7	5.1	10.7	5.0		200
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS			<0.50	<0.50	<10.0	<0.05	32.3							<0.1	1.5	5.1	9.4	5.0		190
RPD				0	0	0	0	0						0	12	0	13	0			5
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS			<0.50	<0.50	<10.0	<0.05	32.4							<0.1	1.7	5.1	10.7	5.0		200
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	<10			<0.1	<0.1	<0.1	<0.1	<0.1	<0.1						9.2	<100
RPD				0	0	0								0							67
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS			<0.50	<0.50	<10.0	<0.05	32.4							<0.1	1.7	5.1	10.7	5.0		200
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF					<0.05											5.1		5.1		
RPD						0											0		2		
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS						<0.05										10.0				
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS						<0.05										9.7				
RPD						0											3				
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS						<0.05										10.0				
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF					<0.05											8.9		6.2		
RPD																	12				

\*RPDs have only been considered where a concentration is greater than 1 times the EQL.  
 \*\*Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multip  
 \*\*\*Interlab Duplicates are matched on a per compound basis as methods vary between laboratorie





		Halogenated Benzenes							Halogenated Hydrocarbons					MAH								
		Moisture Content (dried @ 103°C)	Cyanide Total	1,2,4-trichlorobenzene	1,2-dichlorobenzene	1,3-dichlorobenzene	1,4-dichlorobenzene	Bromobenzene	4-chlorotoluene	Chlorobenzene	Iodomethane	Bromomethane	1,2-dibromoethane	Dichlorodifluoromethane	Trichlorofluoromethane	Total MAH	Monocyclic aromatic hydrocarbons EPAVc	1,3,5-trimethylbenzene	Styrene	Iso propylbenzene	1,2,4-trimethylbenzene	4-Methyl-2-pentanone
		%	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
D02.01	SX_OB_20220422_08_13_SS_Triplicate_EUF																					
	RPD																					
D02.01	SX_OB_20220422_08_12_SS_Primary_ALS																					
D02.01	SX_OB_20220422_08_12_SS_Duplicate_ALS																					
	RPD																					
D02.01	SX_OB_20220422_08_12_SS_Primary_ALS																					
D02.01	SX_OB_20220422_08_13_SS_Triplicate_EUF																					
	RPD																					
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS		<5	<0.50	<0.50		<0.50			<0.50						<0.5		<0.5				
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS		<5	<0.50	<0.50		<0.50			<0.50						<0.5		<0.5				
	RPD		0	0	0		0			0						0		0				
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS		<5	<0.50	<0.50		<0.50			<0.50						<0.5		<0.5				
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	33	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	RPD		0	0	0		0			0							0					
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS		<5	<0.50	<0.50		<0.50			<0.50						<0.5		<0.5				
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF																					
	RPD																					
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS																					
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS																					
	RPD																					
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS																					
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF																					
	RPD																					

\*RPDs have only been considered where a concentration is greater than 1 times the EQL.  
 \*\*Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multip  
 \*\*\*Interlab Duplicates are matched on a per compound basis as methods vary between laboratorie

	Solvents				SPOCAS
	Acetone	Allyl chloride	Carbon disulfide	Methyl Ethyl ketone	pH (CaCl2)
	mg/kg	mg/kg	mg/kg	mg/kg	-
EQL	0.5	0.5	0.5	0.5	0.1

Location Code	Field ID					
B06.02	SX_IB_20220420_20_10_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	
B06.02	SX_IB_20220420_20_14_SS_Duplicate_EUF	<0.5	<0.5	<0.5	<0.5	
RPD		0	0	0	0	
B06.02	SX_IB_20220420_20_10_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	
B06.02	SX_IB_20220420_20_16_SS_Triplicate_ALS					7.9
RPD						
B06.02	SX_IB_20220420_20_10_SS_Primary_EUF					
B06.02	SX_IB_20220420_20_14_SS_Duplicate_EUF					
RPD						
B06.02	SX_IB_20220420_20_10_SS_Primary_EUF					
B06.02	SX_IB_20220420_20_14_SS_Duplicate_EUF					
RPD						
B06.02	SX_IB_20220420_20_10_SS_Primary_EUF					
B06.02	SX_IB_20220420_20_16_SS_Triplicate_ALS					
RPD						
B05.02	SX_OB_20220420_15_57_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	
B05.02	SX_OB_20220420_15_57_SS_Duplicate_EUF	<0.5	<0.5	<0.5	<0.5	
RPD		0	0	0	0	
B05.02	SX_OB_20220420_15_57_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	
B05.02	SX_OB_20220420_15_59_SS_Triplicate_ALS					8.0
RPD						
B05.02	SX_OB_20220420_15_57_SS_Primary_EUF					
B05.02	SX_OB_20220420_15_57_SS_Duplicate_EUF					
RPD						
B05.02	SX_OB_20220420_15_57_SS_Primary_EUF					
B05.02	SX_OB_20220420_15_57_SS_Duplicate_EUF					
RPD						
B05.02	SX_OB_20220420_15_57_SS_Primary_EUF					
B05.02	SX_OB_20220420_15_59_SS_Triplicate_ALS					
RPD						
B06.02	SX_IB_20220420_08_36_SS_Primary_ALS					7.8
B06.02	SX_IB_20220420_08_36_SS_Duplicate_ALS					8.1
RPD						4
B06.02	SX_IB_20220420_08_36_SS_Primary_ALS					7.8
B06.02	SX_IB_20220420_08_38_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	
RPD						
B06.02	SX_IB_20220420_08_36_SS_Primary_ALS					7.8
B06.02	SX_IB_20220420_08_38_SS_Triplicate_EUF					
RPD						
B06.02	SX_IB_20220420_08_36_SS_Primary_ALS					
B06.02	SX_IB_20220420_08_36_SS_Duplicate_ALS					
RPD						
B06.02	SX_IB_20220420_08_36_SS_Primary_ALS					
B06.02	SX_IB_20220420_08_38_SS_Triplicate_EUF					
RPD						
B06.02	SX_IB_20220421_15_47_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	
B06.02	SX_IB_20220421_15_48_SS_Duplicate_EUF	<0.5	<0.5	<0.5	<0.5	
RPD		0	0	0	0	
B06.02	SX_IB_20220421_15_47_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	
B06.02	SX_IB_20220421_15_48_SS_Triplicate_ALS					7.7
RPD						
B06.02	SX_IB_20220421_15_47_SS_Primary_EUF					
B06.02	SX_IB_20220421_15_48_SS_Duplicate_EUF					
RPD						
B06.02	SX_IB_20220421_15_47_SS_Primary_EUF					
B06.02	SX_IB_20220421_15_48_SS_Duplicate_EUF					
RPD						
B06.02	SX_IB_20220421_15_47_SS_Primary_EUF					
B06.02	SX_IB_20220421_15_48_SS_Triplicate_ALS					
RPD						
B06.02	SX_IB_20220421_20_03_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	
B06.02	SX_IB_20220421_20_05_SS_Duplicate_EUF	<0.5	<0.5	<0.5	<0.5	



		Solvents				SPOCAS
		Acetone	Allyl chloride	Carbon disulfide	Methyl Ethyl ketone	pH (CaCl2)
		mg/kg	mg/kg	mg/kg	mg/kg	-
RPD		0	0	0	0	
B06.02	SX_IB_20220421_20_03_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	
B06.02	SX_IB_20220421_20_06_SS_Triplicate_ALS					7.8
RPD						
B06.02	SX_IB_20220421_20_03_SS_Primary_EUF					
B06.02	SX_IB_20220421_20_05_SS_Duplicate_EUF					
RPD						
B06.02	SX_IB_20220421_20_03_SS_Primary_EUF					
B06.02	SX_IB_20220421_20_05_SS_Duplicate_EUF					
RPD						
B06.02	SX_IB_20220421_20_03_SS_Primary_EUF					
B06.02	SX_IB_20220421_20_06_SS_Triplicate_ALS					
RPD						
D02.01	SX_OB_20220421_08_11_SS_Primary_ALS					7.6
D02.01	SX_OB_20220421_08_12_SS_Duplicate_ALS					7.7
RPD						1
D02.01	SX_OB_20220421_08_11_SS_Primary_ALS					7.6
D02.01	SX_OB_20220421_08_13_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	
RPD						
D02.01	SX_OB_20220421_08_11_SS_Primary_ALS					7.6
D02.01	SX_OB_20220421_08_13_SS_Triplicate_EUF					
RPD						
D02.01	SX_OB_20220421_08_11_SS_Primary_ALS					
D02.01	SX_OB_20220421_08_12_SS_Duplicate_ALS					
RPD						
D02.01	SX_OB_20220421_08_11_SS_Primary_ALS					
D02.01	SX_OB_20220421_08_13_SS_Triplicate_EUF					
RPD						
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF	<0.5	<0.5	<0.5	<0.5	
RPD		0	0	0	0	
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	
B06.02	SX_IB_20220422_20_14_SS_Triplicate_ALS					9.2
RPD						
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF					
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF					
RPD						
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF					
B06.02	SX_IB_20220422_20_13_SS_Duplicate_EUF					
RPD						
B06.02	SX_IB_20220422_20_10_SS_Primary_EUF					
B06.02	SX_IB_20220422_20_14_SS_Triplicate_ALS					
RPD						
D02.01	SX_OB_20220422_16_23_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	
D02.01	SX_OB_20220422_16_26_SS_Duplicate_EUF	<0.5	<0.5	<0.5	<0.5	
RPD		0	0	0	0	
D02.01	SX_OB_20220422_16_23_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	
D02.01	SX_OB_20220422_16_28_SS_Triplicate_ALS					7.9
RPD						
D02.01	SX_OB_20220422_16_23_SS_Primary_EUF					
D02.01	SX_OB_20220422_16_26_SS_Duplicate_EUF					
RPD						
D02.01	SX_OB_20220422_16_23_SS_Primary_EUF					
D02.01	SX_OB_20220422_16_26_SS_Duplicate_EUF					
RPD						
D02.01	SX_OB_20220422_16_23_SS_Primary_EUF					
D02.01	SX_OB_20220422_16_28_SS_Triplicate_ALS					
RPD						
D02.01	SX_OB_20220422_08_12_SS_Primary_ALS					7.8
D02.01	SX_OB_20220422_08_12_SS_Duplicate_ALS					8.0
RPD						3
D02.01	SX_OB_20220422_08_12_SS_Primary_ALS					7.8
D02.01	SX_OB_20220422_08_13_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	
RPD						
D02.01	SX_OB_20220422_08_12_SS_Primary_ALS					7.8

		Solvents				SPOCAS
		Acetone	Allyl chloride	Carbon disulfide	Methyl Ethyl Ketone	pH (CaCl2)
		mg/kg	mg/kg	mg/kg	mg/kg	-
D02.01	SX_OB_20220422_08_13_SS_Triplicate_EUF					
RPD						
D02.01	SX_OB_20220422_08_12_SS_Primary_ALS					
D02.01	SX_OB_20220422_08_12_SS_Duplicate_ALS					
RPD						
D02.01	SX_OB_20220422_08_12_SS_Primary_ALS					
D02.01	SX_OB_20220422_08_13_SS_Triplicate_EUF					
RPD						
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS					9.7
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS					8.3
RPD						
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS					9.7
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	
RPD						
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS					9.7
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF					
RPD						
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS					
B06.02	SX_IB_20220423_04_02_SS_Duplicate_ALS					
RPD						
B06.02	SX_IB_20220423_04_01_SS_Primary_ALS					
B06.02	SX_IB_20220423_04_03_SS_Triplicate_EUF					
RPD						

\*RPDs have only been considered where a concentration is greater than 1 times the EQL.  
 \*\*Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multip  
 \*\*\*Interlab Duplicates are matched on a per compound basis as methods vary between laboratorie

# TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	B06.0220220504191655_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

---

ATTACHMENT B: 95% UCL AVE CALCULATIONS

A	B	C	D	E	F	G	H	I	J	K	L
1	<b>UCL Statistics for Data Sets with Non-Detects</b>										
2											
3	User Selected Options										
4	Date/Time of Computation		ProUCL 5.113/05/2022 3:04:37 PM								
5	From File		WorkSheet.xls								
6	Full Precision		OFF								
7	Confidence Coefficient		95%								
8	Number of Bootstrap Operations		2000								
9											
10											
11	<b>Arsenic</b>										
12											
13	<b>General Statistics</b>										
14	Total Number of Observations			30		Number of Distinct Observations			18		
15						Number of Missing Observations			0		
16	Minimum			16		Mean			25.83		
17	Maximum			52		Median			23.5		
18	SD			7.94		Std. Error of Mean			1.45		
19	Coefficient of Variation			0.307		Skewness			1.715		
20											
21	<b>Normal GOF Test</b>										
22	Shapiro Wilk Test Statistic			0.849		<b>Shapiro Wilk GOF Test</b>					
23	5% Shapiro Wilk Critical Value			0.927		Data Not Normal at 5% Significance Level					
24	Lilliefors Test Statistic			0.175		<b>Lilliefors GOF Test</b>					
25	5% Lilliefors Critical Value			0.159		Data Not Normal at 5% Significance Level					
26	<b>Data Not Normal at 5% Significance Level</b>										
27											
28	<b>Assuming Normal Distribution</b>										
29	<b>95% Normal UCL</b>					<b>95% UCLs (Adjusted for Skewness)</b>					
30	95% Student's-t UCL			28.3		95% Adjusted-CLT UCL (Chen-1995)			28.7		
31						95% Modified-t UCL (Johnson-1978)			28.37		
32											
33	<b>Gamma GOF Test</b>										
34	A-D Test Statistic			0.749		<b>Anderson-Darling Gamma GOF Test</b>					
35	5% A-D Critical Value			0.745		Data Not Gamma Distributed at 5% Significance Level					
36	K-S Test Statistic			0.133		<b>Kolmogorov-Smirnov Gamma GOF Test</b>					
37	5% K-S Critical Value			0.16		Detected data appear Gamma Distributed at 5% Significance Level					
38	<b>Detected data follow Appr. Gamma Distribution at 5% Significance Level</b>										
39											
40	<b>Gamma Statistics</b>										
41	k hat (MLE)			13.29		k star (bias corrected MLE)			11.99		
42	Theta hat (MLE)			1.943		Theta star (bias corrected MLE)			2.155		
43	nu hat (MLE)			797.5		nu star (bias corrected)			719.1		
44	MLE Mean (bias corrected)			25.83		MLE Sd (bias corrected)			7.462		
45						Approximate Chi Square Value (0.05)			657.9		
46	Adjusted Level of Significance			0.041		Adjusted Chi Square Value			654.5		
47											
48	<b>Assuming Gamma Distribution</b>										
49	95% Approximate Gamma UCL (use when n>=50)			28.24		95% Adjusted Gamma UCL (use when n<50)			28.38		
50											
51	<b>Lognormal GOF Test</b>										
52	Shapiro Wilk Test Statistic			0.946		<b>Shapiro Wilk Lognormal GOF Test</b>					
53	5% Shapiro Wilk Critical Value			0.927		Data appear Lognormal at 5% Significance Level					
54	Lilliefors Test Statistic			0.114		<b>Lilliefors Lognormal GOF Test</b>					
55	5% Lilliefors Critical Value			0.159		Data appear Lognormal at 5% Significance Level					
56	<b>Data appear Lognormal at 5% Significance Level</b>										
57											
58	<b>Lognormal Statistics</b>										
59	Minimum of Logged Data			2.773		Mean of logged Data			3.214		
60	Maximum of Logged Data			3.951		SD of logged Data			0.27		

A	B	C	D	E	F	G	H	I	J	K	L	
61												
62	<b>Assuming Lognormal Distribution</b>											
63	95% H-UCL			28.22					90% Chebyshev (MVUE) UCL			29.63
64	95% Chebyshev (MVUE) UCL			31.38					97.5% Chebyshev (MVUE) UCL			33.81
65	99% Chebyshev (MVUE) UCL			38.59								
66												
67	<b>Nonparametric Distribution Free UCL Statistics</b>											
68	<b>Data appear to follow a Discernible Distribution at 5% Significance Level</b>											
69												
70	<b>Nonparametric Distribution Free UCLs</b>											
71	95% CLT UCL			28.22					95% Jackknife UCL			28.3
72	95% Standard Bootstrap UCL			28.21					95% Bootstrap-t UCL			28.95
73	95% Hall's Bootstrap UCL			29.49					95% Percentile Bootstrap UCL			28.2
74	95% BCA Bootstrap UCL			28.63								
75	90% Chebyshev(Mean, Sd) UCL			30.18					95% Chebyshev(Mean, Sd) UCL			32.15
76	97.5% Chebyshev(Mean, Sd) UCL			34.89					99% Chebyshev(Mean, Sd) UCL			40.26
77												
78	<b>Suggested UCL to Use</b>											
79	95% Adjusted Gamma UCL			28.38								
80												
81	When a data set follows an approximate (e.g., normal) distribution passing one of the GOF test											
82	When applicable, it is suggested to use a UCL based upon a distribution (e.g., gamma) passing both GOF tests in ProUCL											
83												
84	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
85	Recommendations are based upon data size, data distribution, and skewness.											
86	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
87	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
88												
89												
90	<b>Nickel</b>											
91												
92	<b>General Statistics</b>											
93	Total Number of Observations			30					Number of Distinct Observations			19
94									Number of Missing Observations			0
95	Minimum			124					Mean			171.9
96	Maximum			220					Median			170
97	SD			26.65					Std. Error of Mean			4.865
98	Coefficient of Variation			0.155					Skewness			0.126
99												
100	<b>Normal GOF Test</b>											
101	Shapiro Wilk Test Statistic			0.96					<b>Shapiro Wilk GOF Test</b>			
102	5% Shapiro Wilk Critical Value			0.927					Data appear Normal at 5% Significance Level			
103	Lilliefors Test Statistic			0.129					<b>Lilliefors GOF Test</b>			
104	5% Lilliefors Critical Value			0.159					Data appear Normal at 5% Significance Level			
105	<b>Data appear Normal at 5% Significance Level</b>											
106												
107	<b>Assuming Normal Distribution</b>											
108	<b>95% Normal UCL</b>					<b>95% UCLs (Adjusted for Skewness)</b>						
109	95% Student's-t UCL			180.2					95% Adjusted-CLT UCL (Chen-1995)			180.1
110									95% Modified-t UCL (Johnson-1978)			180.2
111												
112	<b>Gamma GOF Test</b>											
113	A-D Test Statistic			0.31					<b>Anderson-Darling Gamma GOF Test</b>			
114	5% A-D Critical Value			0.744					Detected data appear Gamma Distributed at 5% Significance Level			
115	K-S Test Statistic			0.109					<b>Kolmogorov-Smirnov Gamma GOF Test</b>			
116	5% K-S Critical Value			0.16					Detected data appear Gamma Distributed at 5% Significance Level			
117	<b>Detected data appear Gamma Distributed at 5% Significance Level</b>											

A	B	C	D	E	F	G	H	I	J	K	L
118											
119	<b>Gamma Statistics</b>										
120	k hat (MLE)		42.56	k star (bias corrected MLE)		38.32					
121	Theta hat (MLE)		4.04	Theta star (bias corrected MLE)		4.486					
122	nu hat (MLE)		2553	nu star (bias corrected)		2299					
123	MLE Mean (bias corrected)		171.9	MLE Sd (bias corrected)		27.77					
124				Approximate Chi Square Value (0.05)		2189					
125	Adjusted Level of Significance		0.041	Adjusted Chi Square Value		2183					
126											
127	<b>Assuming Gamma Distribution</b>										
128	95% Approximate Gamma UCL (use when n>=50))		180.6	95% Adjusted Gamma UCL (use when n<50)		181.1					
129											
130	<b>Lognormal GOF Test</b>										
131	Shapiro Wilk Test Statistic		0.96	<b>Shapiro Wilk Lognormal GOF Test</b>							
132	5% Shapiro Wilk Critical Value		0.927	Data appear Lognormal at 5% Significance Level							
133	Lilliefors Test Statistic		0.0988	<b>Lilliefors Lognormal GOF Test</b>							
134	5% Lilliefors Critical Value		0.159	Data appear Lognormal at 5% Significance Level							
135	<b>Data appear Lognormal at 5% Significance Level</b>										
136											
137	<b>Lognormal Statistics</b>										
138	Minimum of Logged Data		4.82	Mean of logged Data		5.135					
139	Maximum of Logged Data		5.394	SD of logged Data		0.157					
140											
141	<b>Assuming Lognormal Distribution</b>										
142	95% H-UCL		181	90% Chebyshev (MVUE) UCL		186.8					
143	95% Chebyshev (MVUE) UCL		193.6	97.5% Chebyshev (MVUE) UCL		202.9					
144	99% Chebyshev (MVUE) UCL		221.3								
145											
146	<b>Nonparametric Distribution Free UCL Statistics</b>										
147	<b>Data appear to follow a Discernible Distribution at 5% Significance Level</b>										
148											
149	<b>Nonparametric Distribution Free UCLs</b>										
150	95% CLT UCL		179.9	95% Jackknife UCL		180.2					
151	95% Standard Bootstrap UCL		179.5	95% Bootstrap-t UCL		180.3					
152	95% Hall's Bootstrap UCL		180.2	95% Percentile Bootstrap UCL		179.8					
153	95% BCA Bootstrap UCL		179.2								
154	90% Chebyshev(Mean, Sd) UCL		186.5	95% Chebyshev(Mean, Sd) UCL		193.1					
155	97.5% Chebyshev(Mean, Sd) UCL		202.3	99% Chebyshev(Mean, Sd) UCL		220.3					
156											
157	<b>Suggested UCL to Use</b>										
158	95% Student's-t UCL		180.2								
159											
160	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.										
161	Recommendations are based upon data size, data distribution, and skewness.										
162	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).										
163	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.										
164											
165											
166	<b>Zinc</b>										
167											
168	<b>General Statistics</b>										
169	Total Number of Observations		30	Number of Distinct Observations		19					
170				Number of Missing Observations		0					
171	Minimum		74	Mean		115.1					
172	Maximum		260	Median		109.5					
173	SD		35.41	Std. Error of Mean		6.465					
174	Coefficient of Variation		0.308	Skewness		2.396					
175											
176	<b>Normal GOF Test</b>										
177	Shapiro Wilk Test Statistic		0.792	<b>Shapiro Wilk GOF Test</b>							
178	5% Shapiro Wilk Critical Value		0.927	Data Not Normal at 5% Significance Level							
179	Lilliefors Test Statistic		0.178	<b>Lilliefors GOF Test</b>							
180	5% Lilliefors Critical Value		0.159	Data Not Normal at 5% Significance Level							
181	<b>Data Not Normal at 5% Significance Level</b>										

A	B	C	D	E	F	G	H	I	J	K	L
182											
183	<b>Assuming Normal Distribution</b>										
184	<b>95% Normal UCL</b>					<b>95% UCLs (Adjusted for Skewness)</b>					
185	95% Student's-t UCL		126.1			95% Adjusted-CLT UCL (Chen-1995)				128.7	
186						95% Modified-t UCL (Johnson-1978)				126.5	
187											
188	<b>Gamma GOF Test</b>										
189	A-D Test Statistic		0.634			<b>Anderson-Darling Gamma GOF Test</b>					
190	5% A-D Critical Value		0.745			Detected data appear Gamma Distributed at 5% Significance Level					
191	K-S Test Statistic		0.136			<b>Kolmogorov-Smirnov Gamma GOF Test</b>					
192	5% K-S Critical Value		0.16			Detected data appear Gamma Distributed at 5% Significance Level					
193	<b>Detected data appear Gamma Distributed at 5% Significance Level</b>										
194											
195	<b>Gamma Statistics</b>										
196	k hat (MLE)		13.98			k star (bias corrected MLE)				12.6	
197	Theta hat (MLE)		8.232			Theta star (bias corrected MLE)				9.131	
198	nu hat (MLE)		838.7			nu star (bias corrected)				756.1	
199	MLE Mean (bias corrected)		115.1			MLE Sd (bias corrected)				32.41	
200						Approximate Chi Square Value (0.05)				693.3	
201	Adjusted Level of Significance		0.041			Adjusted Chi Square Value				689.9	
202											
203	<b>Assuming Gamma Distribution</b>										
204	95% Approximate Gamma UCL (use when n>=50)		125.5			95% Adjusted Gamma UCL (use when n<50)				126.1	
205											
206	<b>Lognormal GOF Test</b>										
207	Shapiro Wilk Test Statistic		0.928			<b>Shapiro Wilk Lognormal GOF Test</b>					
208	5% Shapiro Wilk Critical Value		0.927			Data appear Lognormal at 5% Significance Level					
209	Lilliefors Test Statistic		0.116			<b>Lilliefors Lognormal GOF Test</b>					
210	5% Lilliefors Critical Value		0.159			Data appear Lognormal at 5% Significance Level					
211	<b>Data appear Lognormal at 5% Significance Level</b>										
212											
213	<b>Lognormal Statistics</b>										
214	Minimum of Logged Data		4.304			Mean of logged Data				4.709	
215	Maximum of Logged Data		5.561			SD of logged Data				0.262	
216											
217	<b>Assuming Lognormal Distribution</b>										
218	95% H-UCL		125.3			90% Chebyshev (MVUE) UCL				131.4	
219	95% Chebyshev (MVUE) UCL		138.9			97.5% Chebyshev (MVUE) UCL				149.4	
220	99% Chebyshev (MVUE) UCL		170								
221											
222	<b>Nonparametric Distribution Free UCL Statistics</b>										
223	<b>Data appear to follow a Discernible Distribution at 5% Significance Level</b>										
224											
225	<b>Nonparametric Distribution Free UCLs</b>										
226	95% CLT UCL		125.7			95% Jackknife UCL				126.1	
227	95% Standard Bootstrap UCL		125.4			95% Bootstrap-t UCL				130.1	
228	95% Hall's Bootstrap UCL		170			95% Percentile Bootstrap UCL				126.1	
229	95% BCA Bootstrap UCL		129.2								
230	90% Chebyshev(Mean, Sd) UCL		134.5			95% Chebyshev(Mean, Sd) UCL				143.2	
231	97.5% Chebyshev(Mean, Sd) UCL		155.4			99% Chebyshev(Mean, Sd) UCL				179.4	
232											
233	<b>Suggested UCL to Use</b>										
234	95% Adjusted Gamma UCL		126.1								
235											
236	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.										
237	Recommendations are based upon data size, data distribution, and skewness.										
238	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).										
239	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.										
240											

# TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	B06.0220220504191655_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

---

ATTACHMENT C: LABORATORY CERTIFICATES





# CHAIN OF CUSTODY RECORD

Sydney Laboratory  
Unit F3 B/F 18 Mars Road Lane Cove NSW 2055  
02 9300 8400 EnvsSampleSW@eurofins.com

Brisbane Laboratory  
Unit 1/21 Smallwood Place Mirania QLD 4172  
07 3302 4800 EnvsSampleQLD@eurofins.com

Perth Laboratory  
Unit 2/31 Leach Highway Newdale WA 6105  
08 9251 9600 EnvsSampleWA@eurofins.com

Melbourne Laboratory  
6 Mentrey Road Dandenong South VIC 3175  
03 6264 5000 EnvsSampleVic@eurofins.com

Company	<b>AGON Environmental - Tunnel Spoil Testing</b>	Project #	<b>JC8927</b>	Project Manager	<b>Craig Trimbur</b>	Sampler(s)	Hannah - EP Risk Louis - EP Risk					
Address	<b>Unit H76, 63-85 Turner St, Port Melbourne VIC 3207</b>	Project Name	<b>WGTP-Tunnel Ref: 20220421041419-Eurofin-21</b>	EDD Format	<b>Edat</b>	Handed over by						
Contact Name	<b>Craig Trimbur David Lawson</b>	Special Instructions	When making an enquiry please specify 'Ref: #', 'Threat', 'SUITE' or 'method' to assist with processing.					Email for Invoice	finance@agonenviro.com.au LabReports.TST@agonenviro.com.au			
Phone No	<b>+61 400 828 907 (Craig) +61 480 411 004 (David)</b>	Special Instructions	Please provide an interim lab report if finalised report has not been provided by 14 days from sample receipt. Please provide eSRN along with other sample receipt documentation.					Email for Results	LabReports.TST@agonenviro.com.au agonenvironmental@edat.com.au motherhublabresults@wgtp.com.au Anni.Kaur@agile-analytics.com.au			
Purchase Order		Containers	Change container type & size if necessary.		Required Turnaround Time (TAT)	Default will be 5 days from lab receipt.						
Quote ID No	<b>Agon WGTP TST</b>	Spot Sample Preparation	Sulfide Wt% (As, Cd, Cr, Cu, Ni, Pb, Ag, Sn, Mo, Se, Zn) / Cd+Cr Total Fluoride / H		50mL Plastic	25mL Plastic	125mL Plastic	20mL Amber Glass	40mL VOA Vial	50mL PFAS Bottle Jar (Glass or HDPE)	Other (specify AS664, WA Code/Name)	Sample Comments / Dangerous Goods Hazard Warning
	Client Sample ID	Sampled Date/Time (dd/mm/yyyy hh:mm)	Matrix (S, W)	Sulfide Wt% (As, Cd, Cr, Cu, Ni, Pb, Ag, Sn, Mo, Se, Zn) / Cd+Cr Total Fluoride / H	PFAS Extended Suite - 0.1 - 5µg/g	ASLP PH 5 - PFAS 0.01-0.05 µg/l	ASLP Reagent - PFAS 0.01-0.05 µg/l					
1	SX_IB_20220420_08_27_SS_Primary_EUF	20.04.22 8:27	S	X	X	X	X					
2	SX_IB_20220420_08_38_SS_Triplicate_EUF	20.04.22 8:38	S	X	X	X	X					
3	SX_IB_20220420_12_53_SS_Primary_EUF	20.04.22 12:03	S	X	X	X	X					
4	SX_OB_20220420_15_57_SS_Primary_EUF	20.04.22 15:57	S	X	X	X	X					
5	SX_OB_20220420_15_57_SS_Duplicate_EUF	20.04.22 15:57	S	X	X	X	X					
6	SX_IB_20220420_16_53_SR_Rinsate_EUF	20.04.22 16:13	W			X						
7	SX_IB_20220420_16_14_1B_Blank_EUF	20.04.22 16:14	W			X						
8	SX_OB_20220420_20_09_SS_Primary_EUF	20.04.22 20:0	S	X	X	X	X					
9	SX_IB_20220420_20_10_SS_Primary_EUF	20.04.22 20:10	S	X	X	X	X					
10	SX_IB_20220420_20_14_SS_Duplicate_EUF	20.04.22 20:14	S	X	X	X	X					
11	SX_OB_20220421_00_16_SS_Primary_EUF	21.04.22 00:16	S	X	X	X	X					
12	SX_IB_20220421_03_56_SS_Primary_EUF	21.04.22 00:16	S	X	X	X	X					
13	SX_OB_20220421_03_58_SS_Primary_EUF	21.04.22 00:16	S	X	X	X	X					
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
Total Counts				11	11	13	11	11				

881696

## Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

**Melbourne**

6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261 Site # 1254

**Sydney**

179 Magowar Road  
Girraween NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**

1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Newcastle**

4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448  
NATA # 1261 Site # 25079

## Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

**Perth**

46-48 Banksia Road  
Welshpool WA 6106  
Phone : +61 8 6253 4444  
NATA # 2377 Site # 2370

## Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

**Auckland**

35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**

43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

## Sample Receipt Advice

**Company name:** Agon Environmental Pty Ltd - VIC  
**Contact name:** Agon Lab Reports (Spoil Project)  
**Project name:** 20220421041419-Eurofin-21  
**Project ID:** JC0927  
**Turnaround time:** 5 Day  
**Date/Time received:** Apr 21, 2022 10:25 AM  
**Eurofins reference:** 881696

## Sample Information

- ✓ A detailed list of analytes logged into our LIMS, is included in the attached summary table.
- ✓ All samples have been received as described on the above COC.
- ✓ COC has been completed correctly.
- ✗ Attempt to chill was evident.
- ✓ Appropriately preserved sample containers have been used.
- ✓ All samples were received in good condition.
- ✓ Samples have been provided with adequate time to commence analysis in accordance with the relevant holding times.
- ✓ Appropriate sample containers have been used.
- ✓ Sample containers for volatile analysis received with zero headspace.
- ✗ Split sample sent to requested external lab.
- ✗ Some samples have been subcontracted.
- N/A Custody Seals intact (if used).

## Notes

## Contact

If you have any questions with respect to these samples, please contact your Analytical Services Manager:

**Michael Cassidy on phone : +61 3 8564 5000 or by email: MichaelCassidy@eurofins.com**

Results will be delivered electronically via email to Agon Lab Reports (Spoil Project) - labreports.TST@agonenviro.com.au.

*Note: A copy of these results will also be delivered to the general Agon Environmental Pty Ltd - VIC email address.*



# Environment Testing

## Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261 Site # 1254

**Sydney**  
179 Magowar Road  
Girraween NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448  
NATA # 1261 Site # 25079

## Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

**Perth**  
46-48 Banksia Road  
Welshpool WA 6106  
Phone : +61 8 6253 4444  
NATA # 2377 Site # 2370

## Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

web: www.eurofins.com.au  
email: EnviroSales@eurofins.com

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220421041419-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 881696  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 21, 2022 10:25 AM  
**Due:** Apr 29, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	SX_IB_20220420_08_27_SS_Primary_EUF	Apr 20, 2022	8:27AM	Soil	M22-Ap0042744		X	X	X
2	SX_IB_20220420_08_38_SS_Triplicate_EUF	Apr 20, 2022	8:38AM	Soil	M22-Ap0042745		X	X	X
3	SX_IB_20220420_12_03_SS_Primary_EUF	Apr 20, 2022	12:03PM	Soil	M22-Ap0042746		X	X	X
4	SX_OB_20220420_15_57_S	Apr 20, 2022	3:57PM	Soil	M22-Ap0042747		X	X	X



# Environment Testing

## Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261 Site # 1254

**Sydney**  
179 Magowar Road  
Girraween NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448  
NATA # 1261 Site # 25079

## Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

**Perth**  
46-48 Banksia Road  
Welshpool WA 6106  
Phone : +61 8 6253 4444  
NATA # 2377 Site # 2370

## Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

web: www.eurofins.com.au  
email: EnviroSales@eurofins.com

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220421041419-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 881696  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 21, 2022 10:25 AM  
**Due:** Apr 29, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	S_Primary_EUF								
5	SX_OB_20220420_15_57_S_S_Duplicate_EUF	Apr 20, 2022	3:57PM	Soil	M22-Ap0042748		X	X	X
6	SX_IB_20220420_16_13_SR_Rinsate_EUF	Apr 20, 2022	4:13PM	Water	M22-Ap0042749			X	
7	SX_IB_20220420_16_14_SB_Blank_EUF	Apr 20, 2022	4:14PM	Water	M22-Ap0042750			X	
8	SX_OB_20220420_20_09_S	Apr 20, 2022	8:09PM	Soil	M22-Ap0042751		X	X	X

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220421041419-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 881696  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 21, 2022 10:25 AM  
**Due:** Apr 29, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	420_20_09_S S_Primary_EU F				Ap0042751				
9	SX_IB_202204 20_20_10_SS _Primary_EUF	Apr 20, 2022	8:10PM	Soil	M22- Ap0042752		X	X	X
10	SX_IB_202204 20_20_14_SS _Duplicate_EU F	Apr 20, 2022	8:14PM	Soil	M22- Ap0042753		X	X	X
11	SX_OB_20220 421_00_16_S S_Primary_EU F	Apr 21, 2022	12:16AM	Soil	M22- Ap0042754		X	X	X



# Environment Testing

## Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261 Site # 1254

**Sydney**  
179 Magowar Road  
Girraween NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448  
NATA # 1261 Site # 25079

## Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

**Perth**  
46-48 Banksia Road  
Welshpool WA 6106  
Phone : +61 8 6253 4444  
NATA # 2377 Site # 2370

## Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

web: www.eurofins.com.au  
email: EnviroSales@eurofins.com

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220421041419-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 881696  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 21, 2022 10:25 AM  
**Due:** Apr 29, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
12	SX_IB_20220421_03_56_SS_Primary_EUF	Apr 21, 2022	3:56AM	Soil	M22-Ap0042755		X	X	X
13	SX_OB_20220421_03_58_S_S_Primary_EUF	Apr 21, 2022	3:58AM	Soil	M22-Ap0042756		X	X	X
14	SX_IB_20220420_08_27_SS_Primary_EUF	Apr 20, 2022	8:27AM	AUS Leachate - pH 5.0	M22-Ap0042757	X		X	
15	SX_IB_20220420_08_38_SS_Triplicate_EUF	Apr 20, 2022	8:38AM	AUS Leachate - pH 5.0	M22-Ap0042758	X		X	

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220421041419-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 881696  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 21, 2022 10:25 AM  
**Due:** Apr 29, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
16	SX_IB_20220420_12_03_SS_Primary_EUF	Apr 20, 2022	12:03PM	AUS Leachate - pH 5.0	M22-Ap0042759	X		X	
17	SX_OB_20220420_15_57_S_Primary_EUF	Apr 20, 2022	3:57PM	AUS Leachate - pH 5.0	M22-Ap0042760	X		X	
18	SX_OB_20220420_15_57_S_Duplicate_EUF	Apr 20, 2022	3:57PM	AUS Leachate - pH 5.0	M22-Ap0042761	X		X	
19	SX_OB_20220420_20_09_S_Primary_EU	Apr 20, 2022	8:09PM	AUS Leachate - pH 5.0	M22-Ap0042762	X		X	



# Environment Testing

## Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261 Site # 1254

**Sydney**  
179 Magowar Road  
Girraween NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448  
NATA # 1261 Site # 25079

## Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

**Perth**  
46-48 Banksia Road  
Welshpool WA 6106  
Phone : +61 8 6253 4444  
NATA # 2377 Site # 2370

## Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

web: www.eurofins.com.au  
email: EnviroSales@eurofins.com

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220421041419-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 881696  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 21, 2022 10:25 AM  
**Due:** Apr 29, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	F								
20	SX_IB_202204_20_20_10_SS_Primary_EUF	Apr 20, 2022	8:10PM	AUS Leachate - pH 5.0	M22-Ap0042763	X		X	
21	SX_IB_202204_20_20_14_SS_Duplicate_EUF	Apr 20, 2022	8:14PM	AUS Leachate - pH 5.0	M22-Ap0042764	X		X	
22	SX_OB_20220421_00_16_SS_Primary_EUF	Apr 21, 2022	12:16AM	AUS Leachate - pH 5.0	M22-Ap0042765	X		X	
23	SX_IB_20220421_03_56_SS	Apr 21, 2022	3:56AM	AUS Leachate - pH 5.0	M22-Ap0042766	X		X	





# Environment Testing

## Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261 Site # 1254

**Sydney**  
179 Magowar Road  
Girraween NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448  
NATA # 1261 Site # 25079

## Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

**Perth**  
46-48 Banksia Road  
Welshpool WA 6106  
Phone : +61 8 6253 4444  
NATA # 2377 Site # 2370

## Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

web: www.eurofins.com.au  
email: EnviroSales@eurofins.com

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220421041419-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 881696  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 21, 2022 10:25 AM  
**Due:** Apr 29, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	21_03_56_SS _Primary_EUF			- pH 5.0	Ap0042766				
24	SX_OB_20220 421_03_58_S S_Primary_EU F	Apr 21, 2022	3:58AM	AUS Leachate - pH 5.0	M22- Ap0042767	X		X	
25	SX_IB_202204 20_08_27_SS _Primary_EUF	Apr 20, 2022	8:27AM	AUS Leachate - Reagent Water	M22- Ap0042768	X		X	
26	SX_IB_202204 20_08_38_SS _Triplicate_EU F	Apr 20, 2022	8:38AM	AUS Leachate - Reagent Water	M22- Ap0042769	X		X	
27	SX_IB_202204	Apr 20, 2022	12:03PM	AUS Leachate	M22-	X		X	



# Environment Testing

## Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261 Site # 1254

**Sydney**  
179 Magowar Road  
Girraween NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448  
NATA # 1261 Site # 25079

## Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

**Perth**  
46-48 Banksia Road  
Welshpool WA 6106  
Phone : +61 8 6253 4444  
NATA # 2377 Site # 2370

## Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

web: www.eurofins.com.au  
email: EnviroSales@eurofins.com

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220421041419-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 881696  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 21, 2022 10:25 AM  
**Due:** Apr 29, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	20_12_03_SS _Primary_EUF			- Reagent Water	Ap0042770				
28	SX_OB_20220 420_15_57_S S_Primary_EU F	Apr 20, 2022	3:57PM	AUS Leachate - Reagent Water	M22- Ap0042771	X		X	
29	SX_OB_20220 420_15_57_S S_Duplicate_E UF	Apr 20, 2022	3:57PM	AUS Leachate - Reagent Water	M22- Ap0042772	X		X	
30	SX_OB_20220 420_20_09_S S_Primary_EU F	Apr 20, 2022	8:09PM	AUS Leachate - Reagent Water	M22- Ap0042773	X		X	

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
**Project Name:** 20220421041419-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 881696  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 21, 2022 10:25 AM  
**Due:** Apr 29, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
31	SX_IB_20220420_20_10_SS_Primary_EUF	Apr 20, 2022	8:10PM	AUS Leachate - Reagent Water	M22-Ap0042774	X		X	
32	SX_IB_20220420_20_14_SS_Duplicate_EUF	Apr 20, 2022	8:14PM	AUS Leachate - Reagent Water	M22-Ap0042775	X		X	
33	SX_OB_20220421_00_16_SS_Primary_EUF	Apr 21, 2022	12:16AM	AUS Leachate - Reagent Water	M22-Ap0042776	X		X	
34	SX_IB_20220421_03_56_SS_Primary_EUF	Apr 21, 2022	3:56AM	AUS Leachate - Reagent Water	M22-Ap0042777	X		X	



# Environment Testing

## Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261 Site # 1254

**Sydney**  
179 Magowar Road  
Girraween NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448  
NATA # 1261 Site # 25079

## Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

**Perth**  
46-48 Banksia Road  
Welshpool WA 6106  
Phone : +61 8 6253 4444  
NATA # 2377 Site # 2370

## Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

web: www.eurofins.com.au  
email: EnviroSales@eurofins.com

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220421041419-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 881696  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 21, 2022 10:25 AM  
**Due:** Apr 29, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
35	SX_OB_20220421_03_58_S_S_Primary_EU_F	Apr 21, 2022	3:58AM	AUS Leachate - Reagent Water	M22-Ap0042778	X		X	
<b>Test Counts</b>						22	11	35	11

Agon Environmental Pty Ltd - VIC  
3/224 Glen Osmond Road  
Fullarton  
SA 5063



NATA Accredited  
Accreditation Number 1261  
Site Number 1254

Accredited for compliance with ISO/IEC 17025 – Testing  
NATA is a signatory to the ILAC Mutual Recognition  
Arrangement for the mutual recognition of the  
equivalence of testing, medical testing, calibration,  
inspection, proficiency testing scheme providers and  
reference materials producers reports and certificates.

Attention: **Agon Lab Reports (Spoil Project)**

Report **881696-L**  
Project name **20220421041419-Eurofin-21**  
Project ID **JC0927**  
Received Date **Apr 21, 2022**

Client Sample ID			SX_IB_202204 20_08_27_SS Primary_EUF	SX_IB_202204 20_08_38_SS Triplicate_EUF	SX_IB_202204 20_12_03_SS Primary_EUF	SX_OB_20220 420_15_57_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- Ap0042757	M22- Ap0042758	M22- Ap0042759	M22- Ap0042760
Date Sampled			Apr 20, 2022	Apr 20, 2022	Apr 20, 2022	Apr 20, 2022
Test/Reference	LOR	Unit				
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.1	5.1	5.1	5.1
pH (off)	0.1	pH Units	5.2	5.2	5.2	5.1
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	76	65	73	89
13C5-PFPeA (surr.)	1	%	84	64	72	90
13C5-PFHxA (surr.)	1	%	61	53	57	82
13C4-PFHpA (surr.)	1	%	61	52	57	73
13C8-PFOA (surr.)	1	%	22	22	17	67
13C5-PFNA (surr.)	1	%	55	59	62	55
13C6-PFDA (surr.)	1	%	46	37	39	45
13C2-PFUnDA (surr.)	1	%	64	56	65	54
13C2-PFDoDA (surr.)	1	%	90	61	73	68
13C2-PFTeDA (surr.)	1	%	84	43	56	35
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05

Client Sample ID			SX_IB_202204_20_08_27_SS_Primary_EUF	SX_IB_202204_20_08_38_SS_Triplicate_EUF	SX_IB_202204_20_12_03_SS_Primary_EUF	SX_OB_202204_20_15_57_SS_Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22-Ap0042757	M22-Ap0042758	M22-Ap0042759	M22-Ap0042760
Date Sampled			Apr 20, 2022	Apr 20, 2022	Apr 20, 2022	Apr 20, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl sulfonamido substances</b>						
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	94	77	81	75
D3-N-MeFOSA (surr.)	1	%	52	35	26	18
D5-N-EtFOSA (surr.)	1	%	92	56	44	26
D7-N-MeFOSE (surr.)	1	%	115	123	150	60
D9-N-EtFOSE (surr.)	1	%	79	68	82	55
D5-N-EtFOSAA (surr.)	1	%	83	79	68	66
D3-N-MeFOSAA (surr.)	1	%	84	111	80	117
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	68	56	62	88
18O2-PFHxS (surr.)	1	%	126	91	94	133
13C8-PFOS (surr.)	1	%	101	102	97	113
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	152	100	146	112
13C2-6:2 FTSA (surr.)	1	%	131	99	119	114
13C2-8:2 FTSA (surr.)	1	%	90	66	73	89
13C2-10:2 FTSA (surr.)	1	%	44	34	83	64
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_20220 420_15_57_SS Duplicate_EUF	SX_OB_20220 420_20_09_SS Primary_EUF	SX_IB_202204 20_20_10_SS Primary_EUF	SX_IB_202204 20_20_14_SS Duplicate_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- Ap0042761	M22- Ap0042762	M22- Ap0042763	M22- Ap0042764
Date Sampled			Apr 20, 2022	Apr 20, 2022	Apr 20, 2022	Apr 20, 2022
Test/Reference	LOR	Unit				
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.1	5.1	5.1	5.1
pH (off)	0.1	pH Units	5.1	5.1	5.1	5.1
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	82	71	77	91
13C5-PFPeA (surr.)	1	%	69	78	72	98
13C5-PFHxA (surr.)	1	%	69	64	56	78
13C4-PFHpA (surr.)	1	%	63	62	54	78
13C8-PFOA (surr.)	1	%	55	51	16	24
13C5-PFNA (surr.)	1	%	62	51	61	67
13C6-PFDA (surr.)	1	%	45	37	42	66
13C2-PFUnDA (surr.)	1	%	59	55	56	91
13C2-PFDoDA (surr.)	1	%	69	71	80	94
13C2-PFTTeDA (surr.)	1	%	50	53	39	90
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	79	75	80	109
D3-N-MeFOSA (surr.)	1	%	31	25	18	34
D5-N-EtFOSA (surr.)	1	%	51	41	34	53
D7-N-MeFOSE (surr.)	1	%	80	50	82	145
D9-N-EtFOSE (surr.)	1	%	91	70	109	144
D5-N-EtFOSAA (surr.)	1	%	70	103	109	106
D3-N-MeFOSAA (surr.)	1	%	86	79	97	88

Client Sample ID			<a href="#">SX_OB_20220420_15_57_SS_Duplicate_EUF</a>	<a href="#">SX_OB_20220420_20_09_SS_Primary_EUF</a>	<a href="#">SX_IB_20220420_20_10_SS_Primary_EUF</a>	<a href="#">SX_IB_20220420_20_14_SS_Duplicate_EUF</a>
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22-Ap0042761	M22-Ap0042762	M22-Ap0042763	M22-Ap0042764
Date Sampled			Apr 20, 2022	Apr 20, 2022	Apr 20, 2022	Apr 20, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	71	66	52	83
18O2-PFHxS (surr.)	1	%	96	101	84	116
13C8-PFOS (surr.)	1	%	101	89	99	118
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	102	93	127	144
13C2-6:2 FTSA (surr.)	1	%	100	90	109	150
13C2-8:2 FTSA (surr.)	1	%	65	68	75	108
13C2-10:2 FTSA (surr.)	1	%	52	60	34	64
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			<a href="#">SX_OB_20220421_00_16_SS_Primary_EUF</a>	<a href="#">SX_IB_20220421_03_56_SS_Primary_EUF</a>	<a href="#">SX_OB_20220421_03_58_SS_Primary_EUF</a>	<a href="#">SX_IB_20220420_08_27_SS_Primary_EUF</a>
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - Reagent Water
Eurofins Sample No.			M22-Ap0042765	M22-Ap0042766	M22-Ap0042767	M22-Ap0042768
Date Sampled			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022	Apr 20, 2022
Test/Reference	LOR	Unit				
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0	1.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.1	5.1	5.1	6.3
pH (off)	0.1	pH Units	5.2	5.1	5.1	9.1



Client Sample ID			SX_OB_20220 421_00_16_SS _Primary_EUF	SX_IB_202204 21_03_56_SS _Primary_EUF	SX_OB_20220 421_03_58_SS _Primary_EUF	SX_IB_202204 20_08_27_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- Ap0042765	M22- Ap0042766	M22- Ap0042767	M22- Ap0042768
Date Sampled			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022	Apr 20, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	79	85	104	64
13C5-PFPeA (surr.)	1	%	79	89	117	73
13C5-PFHxA (surr.)	1	%	70	72	102	35
13C4-PFHpA (surr.)	1	%	65	73	87	60
13C8-PFOA (surr.)	1	%	58	18	77	60
13C5-PFNA (surr.)	1	%	53	63	72	52
13C6-PFDA (surr.)	1	%	43	53	47	50
13C2-PFUnDA (surr.)	1	%	62	79	66	36
13C2-PFDoDA (surr.)	1	%	67	83	75	30
13C2-PFTTeDA (surr.)	1	%	52	56	52	10
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	88	99	89	49
D3-N-MeFOSA (surr.)	1	%	25	42	25	20
D5-N-EtFOSA (surr.)	1	%	39	74	40	18
D7-N-MeFOSE (surr.)	1	%	84	119	99	22
D9-N-EtFOSE (surr.)	1	%	100	156	137	10
D5-N-EtFOSAA (surr.)	1	%	109	76	56	17
D3-N-MeFOSAA (surr.)	1	%	92	79	73	20
<b>Perfluoroalkyl sulfonic acids (PFSAs)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01

<b>Client Sample ID</b>			<a href="#">SX_OB_20220421_00_16_SS_Primary_EUF</a>	<a href="#">SX_IB_20220421_03_56_SS_Primary_EUF</a>	<a href="#">SX_OB_20220421_03_58_SS_Primary_EUF</a>	<a href="#">SX_IB_20220420_08_27_SS_Primary_EUF</a>
<b>Sample Matrix</b>			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - Reagent Water
<b>Eurofins Sample No.</b>			M22-Ap0042765	M22-Ap0042766	M22-Ap0042767	M22-Ap0042768
<b>Date Sampled</b>			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022	Apr 20, 2022
<b>Test/Reference</b>	LOR	Unit				
<b>Perfluoroalkyl sulfonic acids (PFSA)s</b>						
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	76	74	113	59
18O2-PFHxS (surr.)	1	%	107	119	131	63
13C8-PFOS (surr.)	1	%	105	118	138	50
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)s</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	105	130	131	54
13C2-6:2 FTSA (surr.)	1	%	94	136	126	33
13C2-8:2 FTSA (surr.)	1	%	78	102	82	21
13C2-10:2 FTSA (surr.)	1	%	60	56	60	25
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

<b>Client Sample ID</b>			<a href="#">SX_IB_20220420_08_38_SS_Triplicate_EUF</a>	<a href="#">SX_IB_20220420_12_03_SS_Primary_EUF</a>	<a href="#">SX_OB_20220420_15_57_SS_Primary_EUF</a>	<a href="#">SX_OB_20220420_15_57_SS_Duplicate_EUF</a>
<b>Sample Matrix</b>			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
<b>Eurofins Sample No.</b>			M22-Ap0042769	M22-Ap0042770	M22-Ap0042771	M22-Ap0042772
<b>Date Sampled</b>			Apr 20, 2022	Apr 20, 2022	Apr 20, 2022	Apr 20, 2022
<b>Test/Reference</b>	LOR	Unit				
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	6.3	6.3	6.3	6.3
pH (off)	0.1	pH Units	9.0	9.0	8.8	8.8
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01

Client Sample ID			SX_IB_202204 20_08_38_SS Triplicate_EUF	SX_IB_202204 20_12_03_SS Primary_EUF	SX_OB_20220 420_15_57_SS Primary_EUF	SX_OB_20220 420_15_57_SS Duplicate_EU F
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- Ap0042769	M22- Ap0042770	M22- Ap0042771	M22- Ap0042772
Date Sampled			Apr 20, 2022	Apr 20, 2022	Apr 20, 2022	Apr 20, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	72	67	68	52
13C5-PFPeA (surr.)	1	%	87	75	81	61
13C5-PFHxA (surr.)	1	%	43	29	68	54
13C4-PFHpA (surr.)	1	%	65	57	60	50
13C8-PFOA (surr.)	1	%	68	59	57	47
13C5-PFNA (surr.)	1	%	51	48	51	40
13C6-PFDA (surr.)	1	%	57	47	54	44
13C2-PFUnDA (surr.)	1	%	35	36	35	26
13C2-PFDoDA (surr.)	1	%	25	26	23	16
13C2-PFTeDA (surr.)	1	%	18	14	11	89
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	41	43	43	38
D3-N-MeFOSA (surr.)	1	%	15	17	18	17
D5-N-EtFOSA (surr.)	1	%	15	15	18	15
D7-N-MeFOSE (surr.)	1	%	19	15	16	11
D9-N-EtFOSE (surr.)	1	%	21	14	21	12
D5-N-EtFOSAA (surr.)	1	%	15	16	14	10
D3-N-MeFOSAA (surr.)	1	%	22	20	22	11
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	64	55	79	70
18O2-PFHxS (surr.)	1	%	70	60	68	65
13C8-PFOS (surr.)	1	%	56	52	54	54

<b>Client Sample ID</b>			<a href="#">SX_IB_202204_20_08_38_SS_Triplicate_EUF</a>	<a href="#">SX_IB_202204_20_12_03_SS_Primary_EUF</a>	<a href="#">SX_OB_20220_420_15_57_SS_Primary_EUF</a>	<a href="#">SX_OB_20220_420_15_57_SS_Duplicate_EUF</a>
<b>Sample Matrix</b>			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
<b>Eurofins Sample No.</b>			M22-Ap0042769	M22-Ap0042770	M22-Ap0042771	M22-Ap0042772
<b>Date Sampled</b>			Apr 20, 2022	Apr 20, 2022	Apr 20, 2022	Apr 20, 2022
<b>Test/Reference</b>	LOR	Unit				
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	51	46	28	22
13C2-6:2 FTSA (surr.)	1	%	36	32	31	21
13C2-8:2 FTSA (surr.)	1	%	25	27	18	17
13C2-10:2 FTSA (surr.)	1	%	32	25	21	15
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

<b>Client Sample ID</b>			<a href="#">SX_OB_20220_420_20_09_SS_Primary_EUF</a>	<a href="#">SX_IB_202204_20_20_10_SS_Primary_EUF</a>	<a href="#">SX_IB_202204_20_20_14_SS_Duplicate_EUF</a>	<a href="#">SX_OB_20220_421_00_16_SS_Primary_EUF</a>
<b>Sample Matrix</b>			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
<b>Eurofins Sample No.</b>			M22-Ap0042773	M22-Ap0042774	M22-Ap0042775	M22-Ap0042776
<b>Date Sampled</b>			Apr 20, 2022	Apr 20, 2022	Apr 20, 2022	Apr 21, 2022
<b>Test/Reference</b>	LOR	Unit				
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	6.3	6.3	6.3	6.3
pH (off)	0.1	pH Units	8.9	9.0	9.1	8.9
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	59	66	58	63

Client Sample ID			SX_OB_20220420_20_09_SS_Primary_EUF	SX_IB_20220420_20_10_SS_Primary_EUF	SX_IB_20220420_20_14_SS_Duplicate_EUF	SX_OB_20220421_00_16_SS_Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22-Ap0042773	M22-Ap0042774	M22-Ap0042775	M22-Ap0042776
Date Sampled			Apr 20, 2022	Apr 20, 2022	Apr 20, 2022	Apr 21, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
13C5-PFPeA (surr.)	1	%	66	80	69	80
13C5-PFHxA (surr.)	1	%	58	39	24	70
13C4-PFHpA (surr.)	1	%	54	65	52	65
13C8-PFOA (surr.)	1	%	55	78	55	71
13C5-PFNA (surr.)	1	%	47	58	42	62
13C6-PFDA (surr.)	1	%	43	54	32	58
13C2-PFUnDA (surr.)	1	%	31	51	33	34
13C2-PFDoDA (surr.)	1	%	24	34	22	29
13C2-PFTeDA (surr.)	1	%	89	162	82	108
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	43	56	41	50
D3-N-MeFOSA (surr.)	1	%	27	38	20	26
D5-N-EtFOSA (surr.)	1	%	19	32	14	20
D7-N-MeFOSE (surr.)	1	%	12	21	13	17
D9-N-EtFOSE (surr.)	1	%	11	21	38	20
D5-N-EtFOSAA (surr.)	1	%	15	17	15	9.0
D3-N-MeFOSAA (surr.)	1	%	17	23	14	19
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	69	77	55	82
18O2-PFHxS (surr.)	1	%	62	80	53	73
13C8-PFOS (surr.)	1	%	46	58	41	62

<b>Client Sample ID</b>			<a href="#">SX_OB_20220420_20_09_SS_Primary_EUF</a>	<a href="#">SX_IB_20220420_20_10_SS_Primary_EUF</a>	<a href="#">SX_IB_20220420_20_14_SS_Duplicate_EUF</a>	<a href="#">SX_OB_20220421_00_16_SS_Primary_EUF</a>
<b>Sample Matrix</b>			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
<b>Eurofins Sample No.</b>			M22-Ap0042773	M22-Ap0042774	M22-Ap0042775	M22-Ap0042776
<b>Date Sampled</b>			Apr 20, 2022	Apr 20, 2022	Apr 20, 2022	Apr 21, 2022
<b>Test/Reference</b>	LOR	Unit				
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	23	61	60	27
13C2-6:2 FTSA (surr.)	1	%	27	56	43	30
13C2-8:2 FTSA (surr.)	1	%	21	32	20	26
13C2-10:2 FTSA (surr.)	1	%	18	27	24	24
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

<b>Client Sample ID</b>			<a href="#">SX_IB_20220421_03_56_SS_Primary_EUF</a>	<a href="#">SX_OB_20220421_03_58_SS_Primary_EUF</a>
<b>Sample Matrix</b>			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
<b>Eurofins Sample No.</b>			M22-Ap0042777	M22-Ap0042778
<b>Date Sampled</b>			Apr 21, 2022	Apr 21, 2022
<b>Test/Reference</b>	LOR	Unit		
<b>AUS Leaching Procedure</b>				
Leachate Fluid <sup>C01</sup>		comment	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	6.3	6.3
pH (off)	0.1	pH Units	9.0	8.8
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>				
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	72	50
13C5-PFPeA (surr.)	1	%	89	61

Client Sample ID			SX_IB_202204 21_03_56_SS Primary_EUF	SX_OB_20220 421_03_58_SS _Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- Ap0042777	M22- Ap0042778
Date Sampled			Apr 21, 2022	Apr 21, 2022
Test/Reference	LOR	Unit		
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>				
13C5-PFHxA (surr.)	1	%	41	51
13C4-PFHpA (surr.)	1	%	73	48
13C8-PFOA (surr.)	1	%	70	45
13C5-PFNA (surr.)	1	%	63	40
13C6-PFDA (surr.)	1	%	49	41
13C2-PFUnDA (surr.)	1	%	41	26
13C2-PFDoDA (surr.)	1	%	31	17
13C2-PFTEdA (surr.)	1	%	24	15
<b>Perfluoroalkyl sulfonamido substances</b>				
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	46	41
D3-N-MeFOSA (surr.)	1	%	15	25
D5-N-EtFOSA (surr.)	1	%	13	19
D7-N-MeFOSE (surr.)	1	%	21	11
D9-N-EtFOSE (surr.)	1	%	23	10
D5-N-EtFOSAA (surr.)	1	%	27	24
D3-N-MeFOSAA (surr.)	1	%	24	11
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>				
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	62	69
18O2-PFHxS (surr.)	1	%	72	62
13C8-PFOS (surr.)	1	%	63	55
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>				
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01

<b>Client Sample ID</b>			<b>SX_IB_202204 21_03_56_SS_ Primary_EUF</b>	<b>SX_OB_20220 421_03_58_SS _Primary_EUF</b>
<b>Sample Matrix</b>			<b>AUS Leachate - Reagent Water</b>	<b>AUS Leachate - Reagent Water</b>
<b>Eurofins Sample No.</b>			<b>M22- Ap0042777</b>	<b>M22- Ap0042778</b>
<b>Date Sampled</b>			<b>Apr 21, 2022</b>	<b>Apr 21, 2022</b>
Test/Reference	LOR	Unit		
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>				
13C2-4:2 FTSA (surr.)	1	%	61	21
13C2-6:2 FTSA (surr.)	1	%	35	20
13C2-8:2 FTSA (surr.)	1	%	30	17
13C2-10:2 FTSA (surr.)	1	%	24	13
<b>PFASs Summations</b>				
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1



**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
AUS Leaching Procedure			
pH (initial) - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Melbourne	Apr 22, 2022	0 Days
pH (Leachate fluid) - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Melbourne	Apr 22, 2022	0 Days
pH (off) - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Melbourne	Apr 22, 2022	0 Days
Per- and Polyfluoroalkyl Substances (PFASs)			
Perfluoroalkyl carboxylic acids (PFCAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 22, 2022	28 Days
Perfluoroalkyl sulfonamido substances - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 22, 2022	28 Days
Perfluoroalkyl sulfonic acids (PFSAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 22, 2022	28 Days
n:2 Fluorotelomer sulfonic acids (n:2 FTSAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 22, 2022	28 Days
PFASs Summations - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 21, 2022	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 21, 2022 10:25 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	881696	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220421041419-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	SX_IB_20220420_08_27_SS_Primary_EUF	Apr 20, 2022	8:27AM	Soil	M22-Ap0042744		X	X	X
2	SX_IB_20220420_08_38_SS_Triplicate_EUF	Apr 20, 2022	8:38AM	Soil	M22-Ap0042745		X	X	X
3	SX_IB_20220420_12_03_SS_Primary_EUF	Apr 20, 2022	12:03PM	Soil	M22-Ap0042746		X	X	X
4	SX_OB_20220420_15_57_S	Apr 20, 2022	3:57PM	Soil	M22-Ap0042747		X	X	X

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220421041419-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 881696  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 21, 2022 10:25 AM  
**Due:** Apr 29, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	S_Primary_EUF								
5	SX_OB_20220420_15_57_S_S_Duplicate_EUF	Apr 20, 2022	3:57PM	Soil	M22-Ap0042748		X	X	X
6	SX_IB_20220420_16_13_SR_Rinsate_EUF	Apr 20, 2022	4:13PM	Water	M22-Ap0042749			X	
7	SX_IB_20220420_16_14_SB_Blank_EUF	Apr 20, 2022	4:14PM	Water	M22-Ap0042750			X	
8	SX_OB_20220420_20_09_S	Apr 20, 2022	8:09PM	Soil	M22-Ap0042751		X	X	X

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220421041419-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 881696  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 21, 2022 10:25 AM  
**Due:** Apr 29, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	420_20_09_S S_Primary_EU F				Ap0042751				
9	SX_IB_202204 20_20_10_SS _Primary_EUF	Apr 20, 2022	8:10PM	Soil	M22- Ap0042752		X	X	X
10	SX_IB_202204 20_20_14_SS _Duplicate_EU F	Apr 20, 2022	8:14PM	Soil	M22- Ap0042753		X	X	X
11	SX_OB_20220 421_00_16_S S_Primary_EU F	Apr 21, 2022	12:16AM	Soil	M22- Ap0042754		X	X	X

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220421041419-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 881696  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 21, 2022 10:25 AM  
**Due:** Apr 29, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
12	SX_IB_20220421_03_56_SS_Primary_EUF	Apr 21, 2022	3:56AM	Soil	M22-Ap0042755		X	X	X
13	SX_OB_20220421_03_58_S_S_Primary_EUF	Apr 21, 2022	3:58AM	Soil	M22-Ap0042756		X	X	X
14	SX_IB_20220420_08_27_SS_Primary_EUF	Apr 20, 2022	8:27AM	AUS Leachate - pH 5.0	M22-Ap0042757	X		X	
15	SX_IB_20220420_08_38_SS_Triplicate_EUF	Apr 20, 2022	8:38AM	AUS Leachate - pH 5.0	M22-Ap0042758	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 21, 2022 10:25 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	881696	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220421041419-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
16	SX_IB_20220420_12_03_SS_Primary_EUF	Apr 20, 2022	12:03PM	AUS Leachate - pH 5.0	M22-Ap0042759	X		X	
17	SX_OB_20220420_15_57_S_Primary_EUF	Apr 20, 2022	3:57PM	AUS Leachate - pH 5.0	M22-Ap0042760	X		X	
18	SX_OB_20220420_15_57_S_Duplicate_EUF	Apr 20, 2022	3:57PM	AUS Leachate - pH 5.0	M22-Ap0042761	X		X	
19	SX_OB_20220420_20_09_S_Primary_EU	Apr 20, 2022	8:09PM	AUS Leachate - pH 5.0	M22-Ap0042762	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 21, 2022 10:25 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	881696	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220421041419-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	F								
20	SX_IB_20220420_20_10_SS_Primary_EUF	Apr 20, 2022	8:10PM	AUS Leachate - pH 5.0	M22-Ap0042763	X		X	
21	SX_IB_20220420_20_14_SS_Duplicate_EUF	Apr 20, 2022	8:14PM	AUS Leachate - pH 5.0	M22-Ap0042764	X		X	
22	SX_OB_20220421_00_16_SS_Primary_EUF	Apr 21, 2022	12:16AM	AUS Leachate - pH 5.0	M22-Ap0042765	X		X	
23	SX_IB_20220421_03_56_SS	Apr 21, 2022	3:56AM	AUS Leachate - pH 5.0	M22-Ap0042766	X		X	

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
**Project Name:** 20220421041419-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 881696  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 21, 2022 10:25 AM  
**Due:** Apr 29, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	21_03_56_SS _Primary_EUF			- pH 5.0	Ap0042766				
24	SX_OB_20220 421_03_58_S S_Primary_EU F	Apr 21, 2022	3:58AM	AUS Leachate - pH 5.0	M22- Ap0042767	X		X	
25	SX_IB_202204 20_08_27_SS _Primary_EUF	Apr 20, 2022	8:27AM	AUS Leachate - Reagent Water	M22- Ap0042768	X		X	
26	SX_IB_202204 20_08_38_SS _Triplicate_EU F	Apr 20, 2022	8:38AM	AUS Leachate - Reagent Water	M22- Ap0042769	X		X	
27	SX_IB_202204	Apr 20, 2022	12:03PM	AUS Leachate	M22-	X		X	



**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220421041419-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 881696  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 21, 2022 10:25 AM  
**Due:** Apr 29, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	20_12_03_SS _Primary_EUF			- Reagent Water	Ap0042770				
28	SX_OB_20220 420_15_57_S S_Primary_EU F	Apr 20, 2022	3:57PM	AUS Leachate - Reagent Water	M22- Ap0042771	X		X	
29	SX_OB_20220 420_15_57_S S_Duplicate_E UF	Apr 20, 2022	3:57PM	AUS Leachate - Reagent Water	M22- Ap0042772	X		X	
30	SX_OB_20220 420_20_09_S S_Primary_EU F	Apr 20, 2022	8:09PM	AUS Leachate - Reagent Water	M22- Ap0042773	X		X	

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
**Project Name:** 20220421041419-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 881696  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 21, 2022 10:25 AM  
**Due:** Apr 29, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
31	SX_IB_20220420_20_10_SS_Primary_EUF	Apr 20, 2022	8:10PM	AUS Leachate - Reagent Water	M22-Ap0042774	X		X	
32	SX_IB_20220420_20_14_SS_Duplicate_EUF	Apr 20, 2022	8:14PM	AUS Leachate - Reagent Water	M22-Ap0042775	X		X	
33	SX_OB_20220421_00_16_SS_Primary_EUF	Apr 21, 2022	12:16AM	AUS Leachate - Reagent Water	M22-Ap0042776	X		X	
34	SX_IB_20220421_03_56_SS_Primary_EUF	Apr 21, 2022	3:56AM	AUS Leachate - Reagent Water	M22-Ap0042777	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 21, 2022 10:25 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	881696	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220421041419-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
35	SX_OB_20220421_03_58_S_S_Primary_EU_F	Apr 21, 2022	3:58AM	AUS Leachate - Reagent Water	M22-Ap0042778	X		X	
<b>Test Counts</b>						22	11	35	11

## Internal Quality Control Review and Glossary

### General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer that may have an impact on the results.
- This report replaces any interim results previously issued.

### Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

### Units

<b>mg/kg:</b> milligrams per kilogram	<b>mg/L:</b> milligrams per litre	<b>µg/L:</b> micrograms per litre
<b>ppm:</b> parts per million	<b>ppb:</b> parts per billion	<b>%:</b> Percentage
<b>org/100 mL:</b> Organisms per 100 millilitres	<b>NTU:</b> Nephelometric Turbidity Units	<b>MPN/100 mL:</b> Most Probable Number of organisms per 100 millilitres

### Terms

<b>APHA</b>	American Public Health Association
<b>COC</b>	Chain of Custody
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>CRM</b>	Certified Reference Material (ISO17034) - reported as percent recovery.
<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>LOR</b>	Limit of Reporting.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>SRA</b>	Sample Receipt Advice
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>TBTO</b>	Tributyltin oxide ( <i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment however free tributyltin was measured and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits.
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>TEQ</b>	Toxic Equivalency Quotient or Total Equivalence
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.4
<b>US EPA</b>	United States Environmental Protection Agency
<b>WA DWER</b>	Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

### QC - Acceptance Criteria

The acceptance criteria should be used as a guide only and may be different when site specific Sampling Analysis and Quality Plan (SAQP) have been implemented

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR: No Limit

Results between 10-20 times the LOR: RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

NOTE: pH duplicates are reported as a range not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.4 where no positive PFAS results have been reported have been reviewed and no data was affected.

### QC Data General Comments

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery the term "INT" appears against that analyte.
- For Matrix Spikes and LCS results a dash "-" in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
<b>Method Blank</b>						
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA)	ug/L	< 0.05		0.05	Pass	
Perfluoropentanoic acid (PFPeA)	ug/L	< 0.01		0.01	Pass	
Perfluorohexanoic acid (PFHxA)	ug/L	< 0.01		0.01	Pass	
Perfluoroheptanoic acid (PFHpA)	ug/L	< 0.01		0.01	Pass	
Perfluorooctanoic acid (PFOA)	ug/L	< 0.01		0.01	Pass	
Perfluorononanoic acid (PFNA)	ug/L	< 0.01		0.01	Pass	
Perfluorodecanoic acid (PFDA)	ug/L	< 0.01		0.01	Pass	
Perfluoroundecanoic acid (PFUnDA)	ug/L	< 0.01		0.01	Pass	
Perfluorododecanoic acid (PFDoDA)	ug/L	< 0.01		0.01	Pass	
Perfluorotridecanoic acid (PFTTrDA)	ug/L	< 0.01		0.01	Pass	
Perfluorotetradecanoic acid (PFTeDA)	ug/L	< 0.01		0.01	Pass	
<b>Method Blank</b>						
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA)	ug/L	< 0.05		0.05	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	ug/L	< 0.05		0.05	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	ug/L	< 0.05		0.05	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	ug/L	< 0.05		0.05	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	ug/L	< 0.05		0.05	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	ug/L	< 0.05		0.05	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	ug/L	< 0.05		0.05	Pass	
<b>Method Blank</b>						
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>						
Perfluorobutanesulfonic acid (PFBS)	ug/L	< 0.01		0.01	Pass	
Perfluorononanesulfonic acid (PFNS)	ug/L	< 0.01		0.01	Pass	
Perfluoropropanesulfonic acid (PFPrS)	ug/L	< 0.01		0.01	Pass	
Perfluoropentanesulfonic acid (PFPeS)	ug/L	< 0.01		0.01	Pass	
Perfluorohexanesulfonic acid (PFHxS)	ug/L	< 0.01		0.01	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	ug/L	< 0.01		0.01	Pass	
Perfluorooctanesulfonic acid (PFOS)	ug/L	< 0.01		0.01	Pass	
Perfluorodecanesulfonic acid (PFDS)	ug/L	< 0.01		0.01	Pass	
<b>Method Blank</b>						
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	ug/L	< 0.01		0.01	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	ug/L	< 0.05		0.05	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	ug/L	< 0.01		0.01	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	ug/L	< 0.01		0.01	Pass	
<b>LCS - % Recovery</b>						
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA)	%	94		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	90		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	88		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	89		50-150	Pass	
Perfluorooctanoic acid (PFOA)	%	91		50-150	Pass	
Perfluorononanoic acid (PFNA)	%	91		50-150	Pass	
Perfluorodecanoic acid (PFDA)	%	85		50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	%	99		50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	%	128		50-150	Pass	
Perfluorotridecanoic acid (PFTTrDA)	%	120		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	%	116		50-150	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code	
<b>LCS - % Recovery</b>								
<b>Perfluoroalkyl sulfonamido substances</b>								
Perfluorooctane sulfonamide (FOSA)	%	106			50-150	Pass		
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	%	142			50-150	Pass		
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	%	110			50-150	Pass		
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	%	102			50-150	Pass		
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	%	105			50-150	Pass		
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	%	104			50-150	Pass		
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	%	66			50-150	Pass		
<b>LCS - % Recovery</b>								
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>								
Perfluorobutanesulfonic acid (PFBS)	%	86			50-150	Pass		
Perfluorononanesulfonic acid (PFNS)	%	79			50-150	Pass		
Perfluoropropanesulfonic acid (PFPrS)	%	107			50-150	Pass		
Perfluoropentanesulfonic acid (PFPeS)	%	106			50-150	Pass		
Perfluorohexanesulfonic acid (PFHxS)	%	85			50-150	Pass		
Perfluoroheptanesulfonic acid (PFHpS)	%	88			50-150	Pass		
Perfluorooctanesulfonic acid (PFOS)	%	94			50-150	Pass		
Perfluorodecanesulfonic acid (PFDS)	%	67			50-150	Pass		
<b>LCS - % Recovery</b>								
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>								
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	%	111			50-150	Pass		
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	%	114			50-150	Pass		
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	%	139			50-150	Pass		
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	%	100			50-150	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
<b>Duplicate</b>								
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>								
				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-Ap0042757	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-Ap0042757	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-Ap0042757	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-Ap0042757	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-Ap0042757	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-Ap0042757	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-Ap0042757	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-Ap0042757	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-Ap0042757	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotridecanoic acid (PFTrDA)	M22-Ap0042757	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-Ap0042757	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
<b>Duplicate</b>								
<b>Perfluoroalkyl sulfonamido substances</b>								
				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-Ap0042757	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-Ap0042757	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-Ap0042757	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-Ap0042757	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-Ap0042757	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-Ap0042757	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-Ap0042757	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSAs)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-Ap0042757	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-Ap0042757	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-Ap0042757	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-Ap0042757	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-Ap0042757	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-Ap0042757	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-Ap0042757	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-Ap0042757	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-Ap0042757	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-Ap0042757	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-Ap0042757	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-Ap0042757	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
Perfluoroalkyl carboxylic acids (PFCAs)				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-Ap0042767	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-Ap0042767	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-Ap0042767	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-Ap0042767	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-Ap0042767	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-Ap0042767	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-Ap0042767	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-Ap0042767	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-Ap0042767	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotridecanoic acid (PFTrDA)	M22-Ap0042767	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-Ap0042767	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-Ap0042767	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-Ap0042767	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-Ap0042767	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-Ap0042767	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-Ap0042767	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-Ap0042767	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-Ap0042767	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-Ap0042767	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-Ap0042767	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-Ap0042767	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-Ap0042767	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-Ap0042767	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-Ap0042767	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-Ap0042767	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-Ap0042767	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-Ap0042767	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-Ap0042767	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-Ap0042767	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-Ap0042767	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
Perfluoroalkyl carboxylic acids (PFCA)				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-Ap0042772	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-Ap0042772	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-Ap0042772	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-Ap0042772	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-Ap0042772	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-Ap0042772	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-Ap0042772	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-Ap0042772	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-Ap0042772	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotridecanoic acid (PFTTrDA)	M22-Ap0042772	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-Ap0042772	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass



Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-Ap0042772	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-Ap0042772	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-Ap0042772	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-Ap0042772	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-Ap0042772	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-Ap0042772	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-Ap0042772	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-Ap0042772	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-Ap0042772	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-Ap0042772	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-Ap0042772	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-Ap0042772	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-Ap0042772	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-Ap0042772	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-Ap0042772	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-Ap0042772	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-Ap0042772	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-Ap0042772	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-Ap0042772	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass

**Comments**
**Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	No
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Qualifier Codes/Comments**

Code	Description
C01	Leachate Fluid Key: 1 - pH 5.0; 2 - pH 2.9; 3 - pH 9.2; 4 - Reagent (DI) water; 5 - Client sample, 6 - other
N11	Isotope dilution is used for calibration of each native compound for which an exact labelled analogue is available (Isotope Dilution Quantitation). The isotopically labelled analogues allow identification and recovery correction of the concentration of the associated native PFAS compounds.
N15	Where the native PFAS compound does not have labelled analogue then the quantification is made using the Extracted Internal Standard Analyte with the closest retention time to the analyte and no recovery correction has been made (Internal Standard Quantitation).

**Authorised by:**

Catherine Wilson	Analytical Services Manager
Joseph Edouard	Senior Analyst (VIC)
Scott Beddoes	Senior Analyst (NSW)



**Glenn Jackson**  
General Manager

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Agon Environmental Pty Ltd - VIC  
3/224 Glen Osmond Road  
Fullarton  
SA 5063



NATA Accredited  
Accreditation Number 1261  
Site Number 1254

Accredited for compliance with ISO/IEC 17025 – Testing  
NATA is a signatory to the ILAC Mutual Recognition  
Arrangement for the mutual recognition of the  
equivalence of testing, medical testing, calibration,  
inspection, proficiency testing scheme providers and  
reference materials producers reports and certificates.

Attention: **Agon Lab Reports (Spoil Project)**

Report **881696-S**  
Project name **20220421041419-Eurofin-21**  
Project ID **JC0927**  
Received Date **Apr 21, 2022**

Client Sample ID			SX_IB_202204 20_08_27_SS Primary_EUF	SX_IB_202204 20_08_38_SS Triplicate_EUF	SX_IB_202204 20_12_03_SS Primary_EUF	SX_IB_202204 20_12_03_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0042744	M22- Ap0042745	M22- Ap0042746	M22- Ap0042747
Date Sampled			Apr 20, 2022	Apr 20, 2022	Apr 20, 2022	Apr 20, 2022
Test/Reference	LOR	Unit				
<b>Total Recoverable Hydrocarbons</b>						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
Naphthalene <sup>N02</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) <sup>N04</sup>	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
<b>Volatile Organics</b>						
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
<b>Volatile Organics</b>						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_IB_202204 20_08_27_SS Primary_EUF	SX_IB_202204 20_08_38_SS Triplicate_EUF	SX_IB_202204 20_12_03_SS Primary_EUF	SX_IB_202204 20_12_03_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0042744	M22- Ap0042745	M22- Ap0042746	M22- Ap0042747
Date Sampled			Apr 20, 2022	Apr 20, 2022	Apr 20, 2022	Apr 20, 2022
Test/Reference	LOR	Unit				
<b>Volatile Organics</b>						
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1,2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1,3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1,2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1,3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	136	133	128	76
Toluene-d8 (surr.)	1	%	107	107	103	79
<b>Polycyclic Aromatic Hydrocarbons</b>						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_IB_202204 20_08_27_SS Primary_EUF	SX_IB_202204 20_08_38_SS TriPLICATE_EUF	SX_IB_202204 20_12_03_SS Primary_EUF	SX_OB_20220 420_15_57_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0042744	M22- Ap0042745	M22- Ap0042746	M22- Ap0042747
Date Sampled			Apr 20, 2022	Apr 20, 2022	Apr 20, 2022	Apr 20, 2022
Test/Reference	LOR	Unit				
<b>Polycyclic Aromatic Hydrocarbons</b>						
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1,2,3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	50	54	67	72
p-Terphenyl-d14 (surr.)	1	%	73	73	80	100
<b>Organochlorine Pesticides</b>						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	73	73	53	100
Tetrachloro-m-xylene (surr.)	1	%	76	81	93	105

Client Sample ID			SX_IB_202204 20_08_27_SS Primary_EUF	SX_IB_202204 20_08_38_SS Triplicate_EUF	SX_IB_202204 20_12_03_SS Primary_EUF	SX_OB_20220 420_15_57_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0042744	M22- Ap0042745	M22- Ap0042746	M22- Ap0042747
Date Sampled			Apr 20, 2022	Apr 20, 2022	Apr 20, 2022	Apr 20, 2022
Test/Reference	LOR	Unit				
<b>Polychlorinated Biphenyls</b>						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	73	73	53	100
Tetrachloro-m-xylene (surr.)	1	%	76	81	93	105
<b>Phenols (Halogenated)</b>						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1
<b>Phenols (non-Halogenated)</b>						
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	103	99	110	66
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20
<b>Chromium (hexavalent)</b>						
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1	< 1
<b>Cyanide (total)</b>						
Cyanide (total)	5	mg/kg	< 5	< 5	< 5	< 5
<b>Fluoride (Total)</b>						
Fluoride (Total)	100	mg/kg	< 100	< 100	630	440
<b>pH (1:5 Aqueous extract at 25°C as rec.)</b>						
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	9.3	8.9	8.8	6.9
<b>% Moisture</b>						
% Moisture	1	%	31	30	29	31
<b>Heavy Metals</b>						
Arsenic	2	mg/kg	23	32	21	36
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	160	150	120	140
Copper	5	mg/kg	74	70	95	62
Lead	5	mg/kg	< 5	5.0	< 5	6.5
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202204 20_08_27_SS Primary_EUF	SX_IB_202204 20_08_38_SS Triplicate_EUF	SX_IB_202204 20_12_03_SS Primary_EUF	SX_OB_20220 420_15_57_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0042744	M22- Ap0042745	M22- Ap0042746	M22- Ap0042747
Date Sampled			Apr 20, 2022	Apr 20, 2022	Apr 20, 2022	Apr 20, 2022
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Molybdenum	5	mg/kg	< 5	< 5	< 5	< 5
Nickel	5	mg/kg	220	220	210	170
Selenium	2	mg/kg	< 2	< 2	2.5	< 2
Silver	2	mg/kg	< 2	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10	< 10
Zinc	5	mg/kg	140	140	260	120
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTeDA) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	75	76	75	73
13C5-PFPeA (surr.)	1	%	78	80	78	79
13C5-PFHxA (surr.)	1	%	65	70	69	69
13C4-PFHpA (surr.)	1	%	63	69	66	70
13C8-PFOA (surr.)	1	%	58	62	67	65
13C5-PFNA (surr.)	1	%	67	57	60	75
13C6-PFDA (surr.)	1	%	51	63	55	58
13C2-PFUnDA (surr.)	1	%	82	74	74	77
13C2-PFDoDA (surr.)	1	%	67	71	71	69
13C2-PFTeDA (surr.)	1	%	77	75	81	71
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	71	79	73	83
D3-N-MeFOSA (surr.)	1	%	75	76	74	78
D5-N-EtFOSA (surr.)	1	%	83	87	89	91
D7-N-MeFOSE (surr.)	1	%	77	70	63	74
D9-N-EtFOSE (surr.)	1	%	75	82	76	81
D5-N-EtFOSAA (surr.)	1	%	96	87	98	80
D3-N-MeFOSAA (surr.)	1	%	95	80	94	133

Client Sample ID			SX_IB_202204 20_08_27_SS Primary_EUF	SX_IB_202204 20_08_38_SS TriPLICATE_EUF	SX_IB_202204 20_12_03_SS Primary_EUF	SX_OB_20220 420_15_57_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0042744	M22- Ap0042745	M22- Ap0042746	M22- Ap0042747
Date Sampled			Apr 20, 2022	Apr 20, 2022	Apr 20, 2022	Apr 20, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	57	61	55	66
18O2-PFHxS (surr.)	1	%	76	56	66	53
13C8-PFOS (surr.)	1	%	78	59	57	63
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	82	79	82	78
13C2-6:2 FTSA (surr.)	1	%	51	51	54	51
13C2-8:2 FTSA (surr.)	1	%	92	90	86	109
13C2-10:2 FTSA (surr.)	1	%	148	81	83	120
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50	< 50

Client Sample ID			SX_OB_20220 420_15_57_SS _Duplicate_EU F	SX_OB_20220 420_20_09_SS _Primary_EUF	SX_IB_202204 20_20_10_SS _Primary_EUF	SX_IB_202204 20_20_14_SS _Duplicate_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0042748	M22- Ap0042751	M22- Ap0042752	M22- Ap0042753
Date Sampled			Apr 20, 2022	Apr 20, 2022	Apr 20, 2022	Apr 20, 2022
Test/Reference	LOR	Unit				
<b>Total Recoverable Hydrocarbons</b>						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
Naphthalene <sup>N02</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) <sup>N04</sup>	20	mg/kg	< 20	< 20	< 20	< 20



Client Sample ID			SX_OB_20220 420_15_57_SS Duplicate_EUF	SX_OB_20220 420_20_09_SS Primary_EUF	SX_IB_202204 20_20_10_SS Primary_EUF	SX_IB_202204 20_20_14_SS Duplicate_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0042748	M22- Ap0042751	M22- Ap0042752	M22- Ap0042753
Date Sampled			Apr 20, 2022	Apr 20, 2022	Apr 20, 2022	Apr 20, 2022
Test/Reference	LOR	Unit				
<b>Total Recoverable Hydrocarbons</b>						
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
<b>Volatile Organics</b>						
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
<b>Volatile Organics</b>						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_OB_20220 420_15_57_SS Duplicate_EU F	SX_OB_20220 420_20_09_SS Primary_EUF	SX_IB_202204 20_20_10_SS Primary_EUF	SX_IB_202204 20_20_14_SS Duplicate_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0042748	M22- Ap0042751	M22- Ap0042752	M22- Ap0042753
Date Sampled			Apr 20, 2022	Apr 20, 2022	Apr 20, 2022	Apr 20, 2022
Test/Reference	LOR	Unit				
<b>Volatile Organics</b>						
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	81	58	56	59
Toluene-d8 (surr.)	1	%	84	52	65	62
<b>Polycyclic Aromatic Hydrocarbons</b>						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	58	139	51	51
p-Terphenyl-d14 (surr.)	1	%	73	62	77	60

Client Sample ID			SX_OB_20220 420_15_57_SS Duplicate_EU F	SX_OB_20220 420_20_09_SS Primary_EUF	SX_IB_202204 20_20_10_SS Primary_EUF	SX_IB_202204 20_20_14_SS Duplicate_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0042748	M22- Ap0042751	M22- Ap0042752	M22- Ap0042753
Date Sampled			Apr 20, 2022	Apr 20, 2022	Apr 20, 2022	Apr 20, 2022
Test/Reference	LOR	Unit				
<b>Organochlorine Pesticides</b>						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	72	59	81	69
Tetrachloro-m-xylene (surr.)	1	%	95	76	94	86
<b>Polychlorinated Biphenyls</b>						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	72	59	81	69
Tetrachloro-m-xylene (surr.)	1	%	95	76	94	86
<b>Phenols (Halogenated)</b>						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1

Client Sample ID			SX_OB_20220 420_15_57_SS Duplicate_EU F	SX_OB_20220 420_20_09_SS Primary_EUF	SX_IB_202204 20_20_10_SS Primary_EUF	SX_IB_202204 20_20_14_SS Duplicate_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0042748	M22- Ap0042751	M22- Ap0042752	M22- Ap0042753
Date Sampled			Apr 20, 2022	Apr 20, 2022	Apr 20, 2022	Apr 20, 2022
Test/Reference	LOR	Unit				
<b>Phenols (non-Halogenated)</b>						
2-Cyclohexyl-4.6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4.6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2.4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2.4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	78	69	85	60
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20
<b>Chromium (hexavalent)</b>						
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1	< 1
<b>Cyanide (total)</b>						
Cyanide (total)	5	mg/kg	< 5	< 5	< 5	< 5
<b>Fluoride (Total)</b>						
Fluoride (Total)	100	mg/kg	570	< 100	420	< 100
<b>pH (1:5 Aqueous extract at 25°C as rec.)</b>						
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	7.7	7.3	8.6	9.0
<b>% Moisture</b>						
% Moisture	1	%	29	31	30	29
<b>Heavy Metals</b>						
Arsenic	2	mg/kg	35	33	27	26
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	130	140	140	130
Copper	5	mg/kg	59	59	67	70
Lead	5	mg/kg	6.2	6.1	11	5.2
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Molybdenum	5	mg/kg	< 5	< 5	< 5	< 5
Nickel	5	mg/kg	160	160	170	170
Selenium	2	mg/kg	< 2	< 2	< 2	< 2
Silver	2	mg/kg	< 2	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10	< 10
Zinc	5	mg/kg	120	110	120	120
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTrDA) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	73	73	74	74
13C5-PFPeA (surr.)	1	%	81	79	85	85
13C5-PFHxA (surr.)	1	%	70	69	69	68

Client Sample ID			SX_OB_20220 420_15_57_SS Duplicate_EU F	SX_OB_20220 420_20_09_SS Primary_EUF	SX_IB_202204 20_20_10_SS Primary_EUF	SX_IB_202204 20_20_14_SS Duplicate_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0042748	M22- Ap0042751	M22- Ap0042752	M22- Ap0042753
Date Sampled			Apr 20, 2022	Apr 20, 2022	Apr 20, 2022	Apr 20, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
13C4-PFHpA (surr.)	1	%	70	66	68	69
13C8-PFOA (surr.)	1	%	68	71	61	65
13C5-PFNA (surr.)	1	%	65	79	76	81
13C6-PFDA (surr.)	1	%	64	62	52	58
13C2-PFUnDA (surr.)	1	%	64	76	72	74
13C2-PFDoDA (surr.)	1	%	74	65	73	75
13C2-PFTeDA (surr.)	1	%	75	72	73	69
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	74	71	72	79
D3-N-MeFOSA (surr.)	1	%	78	70	80	73
D5-N-EtFOSA (surr.)	1	%	90	90	93	93
D7-N-MeFOSE (surr.)	1	%	64	80	73	74
D9-N-EtFOSE (surr.)	1	%	89	79	81	76
D5-N-EtFOSAA (surr.)	1	%	77	105	90	99
D3-N-MeFOSAA (surr.)	1	%	87	128	92	81
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	67	66	55	57
18O2-PFHxS (surr.)	1	%	78	64	68	70
13C8-PFOS (surr.)	1	%	96	53	51	52
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	81	80	84	82
13C2-6:2 FTSA (surr.)	1	%	58	58	51	52

Client Sample ID			SX_OB_20220 420_15_57_SS _Duplicate_EUF	SX_OB_20220 420_20_09_SS _Primary_EUF	SX_IB_202204 20_20_10_SS _Primary_EUF	SX_IB_202204 20_20_14_SS _Duplicate_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0042748	M22- Ap0042751	M22- Ap0042752	M22- Ap0042753
Date Sampled			Apr 20, 2022	Apr 20, 2022	Apr 20, 2022	Apr 20, 2022
Test/Reference	LOR	Unit				
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
13C2-8:2 FTSA (surr.)	1	%	99	98	92	98
13C2-10:2 FTSA (surr.)	1	%	146	96	82	85
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50	< 50

Client Sample ID			SX_OB_20220 421_00_16_SS _Primary_EUF	SX_IB_202204 21_03_56_SS _Primary_EUF	SX_OB_20220 421_03_58_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0042754	M22- Ap0042755	M22- Ap0042756
Date Sampled			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022
Test/Reference	LOR	Unit			
<b>Total Recoverable Hydrocarbons</b>					
TRH C6-C9	20	mg/kg	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50
Naphthalene <sup>N02</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) <sup>N04</sup>	20	mg/kg	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>	50	mg/kg	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100
<b>Volatile Organics</b>					
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
<b>Volatile Organics</b>					
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_OB_20220 421_00_16_SS _Primary_EUF	SX_IB_202204 21_03_56_SS _Primary_EUF	SX_OB_20220 421_03_58_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0042754	M22- Ap0042755	M22- Ap0042756
Date Sampled			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022
Test/Reference	LOR	Unit			
Volatile Organics					
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	55	55	78
Toluene-d8 (surr.)	1	%	67	57	69

Client Sample ID			SX_OB_20220 421_00_16_SS _Primary_EUF	SX_IB_202204 21_03_56_SS _Primary_EUF	SX_OB_20220 421_03_58_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0042754	M22- Ap0042755	M22- Ap0042756
Date Sampled			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022
Test/Reference	LOR	Unit			
<b>Polycyclic Aromatic Hydrocarbons</b>					
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Indeno(1,2,3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	57	53	57
p-Terphenyl-d14 (surr.)	1	%	55	64	56
<b>Organochlorine Pesticides</b>					
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1



Client Sample ID			SX_OB_20220 421_00_16_SS _Primary_EUF	SX_IB_202204 21_03_56_SS _Primary_EUF	SX_OB_20220 421_03_58_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0042754	M22- Ap0042755	M22- Ap0042756
Date Sampled			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022
Test/Reference	LOR	Unit			
<b>Organochlorine Pesticides</b>					
Dibutylchlorendate (surr.)	1	%	123	64	56
Tetrachloro-m-xylene (surr.)	1	%	72	114	86
<b>Polychlorinated Biphenyls</b>					
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	123	64	56
Tetrachloro-m-xylene (surr.)	1	%	72	114	86
<b>Phenols (Halogenated)</b>					
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1
<b>Phenols (non-Halogenated)</b>					
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20	< 20	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	37	58	53
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20
<b>Chromium (hexavalent)</b>					
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1
Cyanide (total)	5	mg/kg	< 5	< 5	< 5
Fluoride (Total)	100	mg/kg	< 100	< 100	< 100
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	8.9	9.0	7.9
% Moisture	1	%	31	35	30

Client Sample ID			SX_OB_20220 421_00_16_SS _Primary_EUF	SX_IB_202204 21_03_56_SS _Primary_EUF	SX_OB_20220 421_03_58_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0042754	M22- Ap0042755	M22- Ap0042756
Date Sampled			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022
Test/Reference	LOR	Unit			
<b>Heavy Metals</b>					
Arsenic	2	mg/kg	39	20	35
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	150	140	140
Copper	5	mg/kg	69	74	67
Lead	5	mg/kg	6.0	5.2	5.6
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Molybdenum	5	mg/kg	< 5	< 5	< 5
Nickel	5	mg/kg	190	190	180
Selenium	2	mg/kg	< 2	< 2	< 2
Silver	2	mg/kg	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10
Zinc	5	mg/kg	140	130	140
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>					
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTeDA) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	69	71	74
13C5-PFPeA (surr.)	1	%	75	79	86
13C5-PFHxA (surr.)	1	%	66	64	71
13C4-PFHpA (surr.)	1	%	65	65	67
13C8-PFOA (surr.)	1	%	63	61	67
13C5-PFNA (surr.)	1	%	63	60	89
13C6-PFDA (surr.)	1	%	67	53	48
13C2-PFUnDA (surr.)	1	%	67	72	72
13C2-PFDoDA (surr.)	1	%	66	73	60
13C2-PFTeDA (surr.)	1	%	67	69	75
<b>Perfluoroalkyl sulfonamido substances</b>					
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	68	69	77
D3-N-MeFOSA (surr.)	1	%	75	70	77

Client Sample ID			SX_OB_20220 421_00_16_SS _Primary_EUF	SX_IB_202204 21_03_56_SS _Primary_EUF	SX_OB_20220 421_03_58_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0042754	M22- Ap0042755	M22- Ap0042756
Date Sampled			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022
Test/Reference	LOR	Unit			
<b>Perfluoroalkyl sulfonamido substances</b>					
D5-N-EtFOSA (surr.)	1	%	82	81	91
D7-N-MeFOSE (surr.)	1	%	74	60	71
D9-N-EtFOSE (surr.)	1	%	76	83	81
D5-N-EtFOSAA (surr.)	1	%	99	142	98
D3-N-MeFOSAA (surr.)	1	%	126	85	78
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>					
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	63	53	65
18O2-PFHxS (surr.)	1	%	54	65	65
13C8-PFOS (surr.)	1	%	82	50	58
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>					
1H,1H,2H,2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
1H,1H,2H,2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10
1H,1H,2H,2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
1H,1H,2H,2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	74	77	86
13C2-6:2 FTSA (surr.)	1	%	61	56	52
13C2-8:2 FTSA (surr.)	1	%	90	92	112
13C2-10:2 FTSA (surr.)	1	%	106	82	119
<b>PFASs Summations</b>					
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
IWRG 621 WGTP Suite			
Total Recoverable Hydrocarbons - 1999 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40	Melbourne	Apr 22, 2022	14 Days
Total Recoverable Hydrocarbons - 2013 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40	Melbourne	Apr 22, 2022	14 Days
Total Recoverable Hydrocarbons - 2013 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40	Melbourne	Apr 22, 2022	14 Days
Volatile Organics - Method: USEPA 8260 - MGT 350A Volatile Organics by GCMS	Melbourne	Apr 22, 2022	7 Days
Volatile Organics - Method: LTM-ORG-2150 VOCs in Soils Liquid and other Aqueous Matrices (USEPA 8260)	Melbourne	Apr 22, 2022	7 Days
Polycyclic Aromatic Hydrocarbons - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Melbourne	Apr 22, 2022	14 Days
Organochlorine Pesticides - Method: LTM-ORG-2220 OCP & PCB in Soil and Water (USEPA 8270)	Melbourne	Apr 22, 2022	14 Days
Polychlorinated Biphenyls - Method: LTM-ORG-2220 OCP & PCB in Soil and Water (USEPA 8082)	Melbourne	Apr 22, 2022	28 Days
Phenols (Halogenated) - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Melbourne	Apr 22, 2022	14 Days
Phenols (non-Halogenated) - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Melbourne	Apr 22, 2022	14 Days
Chromium (hexavalent) - Method: LTM-INO-4100 Hexavalent Chromium by Spectrometric detection	Melbourne	Apr 22, 2022	28 Days
Cyanide (total) - Method: LTM-INO-4020 Total Free WAD Cyanide by CFA	Melbourne	Apr 22, 2022	14 Days
Fluoride (Total) - Method: LTM-INO-4150 Determination of Total Fluoride PART A – CIC - Method: LTM-INO-4150 Determination of Total Fluoride PART B – ISE	Melbourne	Apr 23, 2022	28 Days
pH (1:5 Aqueous extract at 25°C as rec.) - Method: LTM-GEN-7090 pH in soil by ISE	Melbourne	Apr 22, 2022	7 Days
Metals IWRG 621 : Metals M12 - Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS	Melbourne	Apr 22, 2022	28 Days
% Moisture - Method: LTM-GEN-7080 Moisture	Melbourne	Apr 21, 2022	14 Days
Per- and Polyfluoroalkyl Substances (PFASs)			
Perfluoroalkyl carboxylic acids (PFCAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 22, 2022	28 Days
Perfluoroalkyl sulfonamido substances - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 22, 2022	28 Days
Perfluoroalkyl sulfonic acids (PFSAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 22, 2022	28 Days
n:2 Fluorotelomer sulfonic acids (n:2 FTSAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 22, 2022	28 Days
PFASs Summations - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 21, 2022	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 21, 2022 10:25 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	881696	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220421041419-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	SX_IB_20220420_08_27_SS_Primary_EUF	Apr 20, 2022	8:27AM	Soil	M22-Ap0042744		X	X	X
2	SX_IB_20220420_08_38_SS_Triplicate_EUF	Apr 20, 2022	8:38AM	Soil	M22-Ap0042745		X	X	X
3	SX_IB_20220420_12_03_SS_Primary_EUF	Apr 20, 2022	12:03PM	Soil	M22-Ap0042746		X	X	X
4	SX_OB_20220420_15_57_S	Apr 20, 2022	3:57PM	Soil	M22-Ap0042747		X	X	X

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 21, 2022 10:25 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	881696	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220421041419-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	S_Primary_EUF								
5	SX_OB_20220420_15_57_S_S_Duplicate_EUF	Apr 20, 2022	3:57PM	Soil	M22-Ap0042748		X	X	X
6	SX_IB_20220420_16_13_SR_Rinsate_EUF	Apr 20, 2022	4:13PM	Water	M22-Ap0042749			X	
7	SX_IB_20220420_16_14_SB_Blank_EUF	Apr 20, 2022	4:14PM	Water	M22-Ap0042750			X	
8	SX_OB_20220420_20_09_S	Apr 20, 2022	8:09PM	Soil	M22-Ap0042751		X	X	X

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220421041419-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 881696  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 21, 2022 10:25 AM  
**Due:** Apr 29, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	420_20_09_S S_Primary_EU F				Ap0042751				
9	SX_IB_202204 20_20_10_SS _Primary_EUF	Apr 20, 2022	8:10PM	Soil	M22- Ap0042752		X	X	X
10	SX_IB_202204 20_20_14_SS _Duplicate_EU F	Apr 20, 2022	8:14PM	Soil	M22- Ap0042753		X	X	X
11	SX_OB_20220 421_00_16_S S_Primary_EU F	Apr 21, 2022	12:16AM	Soil	M22- Ap0042754		X	X	X

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220421041419-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 881696  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 21, 2022 10:25 AM  
**Due:** Apr 29, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
12	SX_IB_20220421_03_56_SS_Primary_EUF	Apr 21, 2022	3:56AM	Soil	M22-Ap0042755		X	X	X
13	SX_OB_20220421_03_58_S_S_Primary_EUF	Apr 21, 2022	3:58AM	Soil	M22-Ap0042756		X	X	X
14	SX_IB_20220420_08_27_SS_Primary_EUF	Apr 20, 2022	8:27AM	AUS Leachate - pH 5.0	M22-Ap0042757	X		X	
15	SX_IB_20220420_08_38_SS_Triplicate_EUF	Apr 20, 2022	8:38AM	AUS Leachate - pH 5.0	M22-Ap0042758	X		X	



**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220421041419-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 881696  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 21, 2022 10:25 AM  
**Due:** Apr 29, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
16	SX_IB_20220420_12_03_SS_Primary_EUF	Apr 20, 2022	12:03PM	AUS Leachate - pH 5.0	M22-Ap0042759	X		X	
17	SX_OB_20220420_15_57_S_Primary_EUF	Apr 20, 2022	3:57PM	AUS Leachate - pH 5.0	M22-Ap0042760	X		X	
18	SX_OB_20220420_15_57_S_Duplicate_EUF	Apr 20, 2022	3:57PM	AUS Leachate - pH 5.0	M22-Ap0042761	X		X	
19	SX_OB_20220420_20_09_S_Primary_EU	Apr 20, 2022	8:09PM	AUS Leachate - pH 5.0	M22-Ap0042762	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 21, 2022 10:25 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	881696	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220421041419-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	F								
20	SX_IB_20220420_20_10_SS_Primary_EUF	Apr 20, 2022	8:10PM	AUS Leachate - pH 5.0	M22-Ap0042763	X		X	
21	SX_IB_20220420_20_14_SS_Duplicate_EUF	Apr 20, 2022	8:14PM	AUS Leachate - pH 5.0	M22-Ap0042764	X		X	
22	SX_OB_20220421_00_16_SS_Primary_EUF	Apr 21, 2022	12:16AM	AUS Leachate - pH 5.0	M22-Ap0042765	X		X	
23	SX_IB_20220421_03_56_SS	Apr 21, 2022	3:56AM	AUS Leachate - pH 5.0	M22-Ap0042766	X		X	

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220421041419-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 881696  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 21, 2022 10:25 AM  
**Due:** Apr 29, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	21_03_56_SS _Primary_EUF			- pH 5.0	Ap0042766				
24	SX_OB_20220 421_03_58_S S_Primary_EU F	Apr 21, 2022	3:58AM	AUS Leachate - pH 5.0	M22- Ap0042767	X		X	
25	SX_IB_202204 20_08_27_SS _Primary_EUF	Apr 20, 2022	8:27AM	AUS Leachate - Reagent Water	M22- Ap0042768	X		X	
26	SX_IB_202204 20_08_38_SS _Triplicate_EU F	Apr 20, 2022	8:38AM	AUS Leachate - Reagent Water	M22- Ap0042769	X		X	
27	SX_IB_202204	Apr 20, 2022	12:03PM	AUS Leachate	M22-	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 21, 2022 10:25 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	881696	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220421041419-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	20_12_03_SS _Primary_EUF			- Reagent Water	Ap0042770				
28	SX_OB_20220 420_15_57_S S_Primary_EU F	Apr 20, 2022	3:57PM	AUS Leachate - Reagent Water	M22- Ap0042771	X		X	
29	SX_OB_20220 420_15_57_S S_Duplicate_E UF	Apr 20, 2022	3:57PM	AUS Leachate - Reagent Water	M22- Ap0042772	X		X	
30	SX_OB_20220 420_20_09_S S_Primary_EU F	Apr 20, 2022	8:09PM	AUS Leachate - Reagent Water	M22- Ap0042773	X		X	

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
**Project Name:** 20220421041419-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 881696  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 21, 2022 10:25 AM  
**Due:** Apr 29, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
31	SX_IB_20220420_20_10_SS_Primary_EUF	Apr 20, 2022	8:10PM	AUS Leachate - Reagent Water	M22-Ap0042774	X		X	
32	SX_IB_20220420_20_14_SS_Duplicate_EUF	Apr 20, 2022	8:14PM	AUS Leachate - Reagent Water	M22-Ap0042775	X		X	
33	SX_OB_20220421_00_16_SS_Primary_EUF	Apr 21, 2022	12:16AM	AUS Leachate - Reagent Water	M22-Ap0042776	X		X	
34	SX_IB_20220421_03_56_SS_Primary_EUF	Apr 21, 2022	3:56AM	AUS Leachate - Reagent Water	M22-Ap0042777	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 21, 2022 10:25 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	881696	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220421041419-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
35	SX_OB_20220421_03_58_S_S_Primary_EU_F	Apr 21, 2022	3:58AM	AUS Leachate - Reagent Water	M22-Ap0042778	X		X	
<b>Test Counts</b>						22	11	35	11

**Internal Quality Control Review and Glossary**
**General**

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer that may have an impact on the results.
- This report replaces any interim results previously issued.

**Holding Times**

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

**Units**

<b>mg/kg:</b> milligrams per kilogram	<b>mg/L:</b> milligrams per litre	<b>µg/L:</b> micrograms per litre
<b>ppm:</b> parts per million	<b>ppb:</b> parts per billion	<b>%:</b> Percentage
<b>org/100 mL:</b> Organisms per 100 millilitres	<b>NTU:</b> Nephelometric Turbidity Units	<b>MPN/100 mL:</b> Most Probable Number of organisms per 100 millilitres

**Terms**

<b>APHA</b>	American Public Health Association
<b>COC</b>	Chain of Custody
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>CRM</b>	Certified Reference Material (ISO17034) - reported as percent recovery.
<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>LOR</b>	Limit of Reporting.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>SRA</b>	Sample Receipt Advice
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>TBTO</b>	Tributyltin oxide ( <i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment however free tributyltin was measured and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits.
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>TEQ</b>	Toxic Equivalency Quotient or Total Equivalence
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.4
<b>US EPA</b>	United States Environmental Protection Agency
<b>WA DWER</b>	Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

**QC - Acceptance Criteria**

The acceptance criteria should be used as a guide only and may be different when site specific Sampling Analysis and Quality Plan (SAQP) have been implemented

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR: No Limit

Results between 10-20 times the LOR: RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

NOTE: pH duplicates are reported as a range not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.4 where no positive PFAS results have been reported have been reviewed and no data was affected.

**QC Data General Comments**

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery the term "INT" appears against that analyte.
- For Matrix Spikes and LCS results a dash "-" in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Method Blank</b>							
<b>Total Recoverable Hydrocarbons</b>							
TRH C6-C9	mg/kg	< 20			20	Pass	
TRH C10-C14	mg/kg	< 20			20	Pass	
TRH C15-C28	mg/kg	< 50			50	Pass	
TRH C29-C36	mg/kg	< 50			50	Pass	
Naphthalene	mg/kg	< 0.5			0.5	Pass	
TRH C6-C10	mg/kg	< 20			20	Pass	
TRH >C10-C16	mg/kg	< 50			50	Pass	
TRH >C16-C34	mg/kg	< 100			100	Pass	
TRH >C34-C40	mg/kg	< 100			100	Pass	
<b>Method Blank</b>							
<b>Volatile Organics</b>							
Hexachlorobutadiene	mg/kg	< 0.5			0.5	Pass	
<b>Method Blank</b>							
<b>Volatile Organics</b>							
1.1-Dichloroethane	mg/kg	< 0.5			0.5	Pass	
1.2.4-Trichlorobenzene	mg/kg	< 0.5			0.5	Pass	
1.1-Dichloroethene	mg/kg	< 0.5			0.5	Pass	
1.1.1-Trichloroethane	mg/kg	< 0.5			0.5	Pass	
1.1.1.2-Tetrachloroethane	mg/kg	< 0.5			0.5	Pass	
1.1.2-Trichloroethane	mg/kg	< 0.5			0.5	Pass	
1.1.2.2-Tetrachloroethane	mg/kg	< 0.5			0.5	Pass	
1.2-Dibromoethane	mg/kg	< 0.5			0.5	Pass	
1.2-Dichlorobenzene	mg/kg	< 0.5			0.5	Pass	
1.2-Dichloroethane	mg/kg	< 0.5			0.5	Pass	
1.2-Dichloropropane	mg/kg	< 0.5			0.5	Pass	
1.2.3-Trichloropropane	mg/kg	< 0.5			0.5	Pass	
1.2.4-Trimethylbenzene	mg/kg	< 0.5			0.5	Pass	
1.3-Dichlorobenzene	mg/kg	< 0.5			0.5	Pass	
1.3-Dichloropropane	mg/kg	< 0.5			0.5	Pass	
1.3.5-Trimethylbenzene	mg/kg	< 0.5			0.5	Pass	
1.4-Dichlorobenzene	mg/kg	< 0.5			0.5	Pass	
2-Butanone (MEK)	mg/kg	< 0.5			0.5	Pass	
2-Propanone (Acetone)	mg/kg	< 0.5			0.5	Pass	
4-Chlorotoluene	mg/kg	< 0.5			0.5	Pass	
4-Methyl-2-pentanone (MIBK)	mg/kg	< 0.5			0.5	Pass	
Allyl chloride	mg/kg	< 0.5			0.5	Pass	
Benzene	mg/kg	< 0.1			0.1	Pass	
Bromobenzene	mg/kg	< 0.5			0.5	Pass	
Bromochloromethane	mg/kg	< 0.5			0.5	Pass	
Bromodichloromethane	mg/kg	< 0.5			0.5	Pass	
Bromoform	mg/kg	< 0.5			0.5	Pass	
Bromomethane	mg/kg	< 0.5			0.5	Pass	
Carbon disulfide	mg/kg	< 0.5			0.5	Pass	
Carbon Tetrachloride	mg/kg	< 0.5			0.5	Pass	
Chlorobenzene	mg/kg	< 0.5			0.5	Pass	
Chloroethane	mg/kg	< 0.5			0.5	Pass	
Chloroform	mg/kg	< 0.5			0.5	Pass	
Chloromethane	mg/kg	< 0.5			0.5	Pass	
cis-1.2-Dichloroethene	mg/kg	< 0.5			0.5	Pass	
cis-1.3-Dichloropropene	mg/kg	< 0.5			0.5	Pass	



Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Dibromochloromethane	mg/kg	< 0.5			0.5	Pass	
Dibromomethane	mg/kg	< 0.5			0.5	Pass	
Dichlorodifluoromethane	mg/kg	< 0.5			0.5	Pass	
Ethylbenzene	mg/kg	< 0.1			0.1	Pass	
Iodomethane	mg/kg	< 0.5			0.5	Pass	
Isopropyl benzene (Cumene)	mg/kg	< 0.5			0.5	Pass	
m&p-Xylenes	mg/kg	< 0.2			0.2	Pass	
Methylene Chloride	mg/kg	< 0.5			0.5	Pass	
o-Xylene	mg/kg	< 0.1			0.1	Pass	
Styrene	mg/kg	< 0.5			0.5	Pass	
Tetrachloroethene	mg/kg	< 0.5			0.5	Pass	
Toluene	mg/kg	< 0.1			0.1	Pass	
trans-1.2-Dichloroethene	mg/kg	< 0.5			0.5	Pass	
trans-1.3-Dichloropropene	mg/kg	< 0.5			0.5	Pass	
Trichloroethene	mg/kg	< 0.5			0.5	Pass	
Trichlorofluoromethane	mg/kg	< 0.5			0.5	Pass	
Vinyl chloride	mg/kg	< 0.5			0.5	Pass	
Xylenes - Total*	mg/kg	< 0.3			0.3	Pass	
<b>Method Blank</b>							
<b>Polycyclic Aromatic Hydrocarbons</b>							
Acenaphthene	mg/kg	< 0.5			0.5	Pass	
Acenaphthylene	mg/kg	< 0.5			0.5	Pass	
Anthracene	mg/kg	< 0.5			0.5	Pass	
Benz(a)anthracene	mg/kg	< 0.5			0.5	Pass	
Benzo(a)pyrene	mg/kg	< 0.5			0.5	Pass	
Benzo(b&j)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Benzo(g,h,i)perylene	mg/kg	< 0.5			0.5	Pass	
Benzo(k)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Chrysene	mg/kg	< 0.5			0.5	Pass	
Dibenz(a,h)anthracene	mg/kg	< 0.5			0.5	Pass	
Fluoranthene	mg/kg	< 0.5			0.5	Pass	
Fluorene	mg/kg	< 0.5			0.5	Pass	
Indeno(1.2.3-cd)pyrene	mg/kg	< 0.5			0.5	Pass	
Naphthalene	mg/kg	< 0.5			0.5	Pass	
Phenanthrene	mg/kg	< 0.5			0.5	Pass	
Pyrene	mg/kg	< 0.5			0.5	Pass	
<b>Method Blank</b>							
<b>Organochlorine Pesticides</b>							
Chlordanes - Total	mg/kg	< 0.1			0.1	Pass	
4.4'-DDD	mg/kg	< 0.05			0.05	Pass	
4.4'-DDE	mg/kg	< 0.05			0.05	Pass	
4.4'-DDT	mg/kg	< 0.05			0.05	Pass	
a-HCH	mg/kg	< 0.05			0.05	Pass	
Aldrin	mg/kg	< 0.05			0.05	Pass	
b-HCH	mg/kg	< 0.05			0.05	Pass	
d-HCH	mg/kg	< 0.05			0.05	Pass	
Dieldrin	mg/kg	< 0.05			0.05	Pass	
Endosulfan I	mg/kg	< 0.05			0.05	Pass	
Endosulfan II	mg/kg	< 0.05			0.05	Pass	
Endosulfan sulphate	mg/kg	< 0.05			0.05	Pass	
Endrin	mg/kg	< 0.05			0.05	Pass	
Endrin aldehyde	mg/kg	< 0.05			0.05	Pass	
Endrin ketone	mg/kg	< 0.05			0.05	Pass	
g-HCH (Lindane)	mg/kg	< 0.05			0.05	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Heptachlor	mg/kg	< 0.05			0.05	Pass	
Heptachlor epoxide	mg/kg	< 0.05			0.05	Pass	
Hexachlorobenzene	mg/kg	< 0.05			0.05	Pass	
Methoxychlor	mg/kg	< 0.05			0.05	Pass	
Toxaphene	mg/kg	< 0.5			0.5	Pass	
<b>Method Blank</b>							
<b>Polychlorinated Biphenyls</b>							
Aroclor-1016	mg/kg	< 0.1			0.1	Pass	
Aroclor-1221	mg/kg	< 0.1			0.1	Pass	
Aroclor-1232	mg/kg	< 0.1			0.1	Pass	
Aroclor-1242	mg/kg	< 0.1			0.1	Pass	
Aroclor-1248	mg/kg	< 0.1			0.1	Pass	
Aroclor-1254	mg/kg	< 0.1			0.1	Pass	
Aroclor-1260	mg/kg	< 0.1			0.1	Pass	
Total PCB*	mg/kg	< 0.1			0.1	Pass	
<b>Method Blank</b>							
<b>Phenols (Halogenated)</b>							
2-Chlorophenol	mg/kg	< 0.5			0.5	Pass	
2,4-Dichlorophenol	mg/kg	< 0.5			0.5	Pass	
2,4,5-Trichlorophenol	mg/kg	< 1			1	Pass	
2,4,6-Trichlorophenol	mg/kg	< 1			1	Pass	
2,6-Dichlorophenol	mg/kg	< 0.5			0.5	Pass	
4-Chloro-3-methylphenol	mg/kg	< 1			1	Pass	
Pentachlorophenol	mg/kg	< 1			1	Pass	
Tetrachlorophenols - Total	mg/kg	< 10			10	Pass	
<b>Method Blank</b>							
<b>Phenols (non-Halogenated)</b>							
2-Cyclohexyl-4,6-dinitrophenol	mg/kg	< 20			20	Pass	
2-Methyl-4,6-dinitrophenol	mg/kg	< 5			5	Pass	
2-Nitrophenol	mg/kg	< 1			1.0	Pass	
2,4-Dimethylphenol	mg/kg	< 0.5			0.5	Pass	
2,4-Dinitrophenol	mg/kg	< 5			5	Pass	
2-Methylphenol (o-Cresol)	mg/kg	< 0.2			0.2	Pass	
3&4-Methylphenol (m&p-Cresol)	mg/kg	< 0.4			0.4	Pass	
4-Nitrophenol	mg/kg	< 5			5	Pass	
Dinoseb	mg/kg	< 20			20	Pass	
Phenol	mg/kg	< 0.5			0.5	Pass	
<b>Method Blank</b>							
Chromium (hexavalent)	mg/kg	< 1			1	Pass	
Cyanide (total)	mg/kg	< 5			5	Pass	
Fluoride (Total)	mg/kg	< 100			100	Pass	
<b>Method Blank</b>							
<b>Heavy Metals</b>							
Arsenic	mg/kg	< 2			2	Pass	
Cadmium	mg/kg	< 0.4			0.4	Pass	
Chromium	mg/kg	< 5			5	Pass	
Copper	mg/kg	< 5			5	Pass	
Lead	mg/kg	< 5			5	Pass	
Mercury	mg/kg	< 0.1			0.1	Pass	
Molybdenum	mg/kg	< 5			5	Pass	
Nickel	mg/kg	< 5			5	Pass	
Selenium	mg/kg	< 2			2	Pass	
Silver	mg/kg	< 2			2	Pass	
Tin	mg/kg	< 10			10	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Zinc	mg/kg	< 5			5	Pass	
<b>Method Blank</b>							
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>							
Perfluorobutanoic acid (PFBA)	ug/kg	< 5			5	Pass	
Perfluoropentanoic acid (PFPeA)	ug/kg	< 5			5	Pass	
Perfluorohexanoic acid (PFHxA)	ug/kg	< 5			5	Pass	
Perfluoroheptanoic acid (PFHpA)	ug/kg	< 5			5	Pass	
Perfluorooctanoic acid (PFOA)	ug/kg	< 5			5	Pass	
Perfluorononanoic acid (PFNA)	ug/kg	< 5			5	Pass	
Perfluorodecanoic acid (PFDA)	ug/kg	< 5			5	Pass	
Perfluoroundecanoic acid (PFUnDA)	ug/kg	< 5			5	Pass	
Perfluorododecanoic acid (PFDoDA)	ug/kg	< 5			5	Pass	
Perfluorotridecanoic acid (PFTrDA)	ug/kg	< 5			5	Pass	
Perfluorotetradecanoic acid (PFTeDA)	ug/kg	< 5			5	Pass	
<b>Method Blank</b>							
<b>Perfluoroalkyl sulfonamido substances</b>							
Perfluorooctane sulfonamide (FOSA)	ug/kg	< 5			5	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	ug/kg	< 5			5	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	ug/kg	< 5			5	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	ug/kg	< 5			5	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	ug/kg	< 5			5	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	ug/kg	< 10			10	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	ug/kg	< 10			10	Pass	
<b>Method Blank</b>							
<b>Perfluoroalkyl sulfonic acids (PFSAs)</b>							
Perfluorobutanesulfonic acid (PFBS)	ug/kg	< 5			5	Pass	
Perfluorononanesulfonic acid (PFNS)	ug/kg	< 5			5	Pass	
Perfluoropropanesulfonic acid (PFPrS)	ug/kg	< 5			5	Pass	
Perfluoropentanesulfonic acid (PFPeS)	ug/kg	< 5			5	Pass	
Perfluorohexanesulfonic acid (PFHxS)	ug/kg	< 5			5	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	ug/kg	< 5			5	Pass	
Perfluorooctanesulfonic acid (PFOS)	ug/kg	< 5			5	Pass	
Perfluorodecanesulfonic acid (PFDS)	ug/kg	< 5			5	Pass	
<b>Method Blank</b>							
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>							
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	ug/kg	< 5			5	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	ug/kg	< 10			10	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	ug/kg	< 5			5	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	ug/kg	< 5			5	Pass	
<b>LCS - % Recovery</b>							
<b>Total Recoverable Hydrocarbons</b>							
TRH C6-C9	%	92			70-130	Pass	
TRH C10-C14	%	101			70-130	Pass	
Naphthalene	%	86			70-130	Pass	
TRH C6-C10	%	92			70-130	Pass	
TRH >C10-C16	%	99			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Volatile Organics</b>							
1.1-Dichloroethene	%	85			70-130	Pass	
1.1.1-Trichloroethane	%	82			70-130	Pass	
1.2-Dichlorobenzene	%	81			70-130	Pass	
1.2-Dichloroethane	%	94			70-130	Pass	
Benzene	%	80			70-130	Pass	
Ethylbenzene	%	80			70-130	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
m&p-Xylenes	%	78			70-130	Pass	
Toluene	%	83			70-130	Pass	
Trichloroethene	%	79			70-130	Pass	
Xylenes - Total*	%	78			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Polycyclic Aromatic Hydrocarbons</b>							
Acenaphthene	%	96			70-130	Pass	
Acenaphthylene	%	92			70-130	Pass	
Anthracene	%	72			70-130	Pass	
Benz(a)anthracene	%	94			70-130	Pass	
Benzo(a)pyrene	%	91			70-130	Pass	
Benzo(b&j)fluoranthene	%	104			70-130	Pass	
Benzo(g,h,i)perylene	%	86			70-130	Pass	
Benzo(k)fluoranthene	%	81			70-130	Pass	
Chrysene	%	101			70-130	Pass	
Dibenz(a,h)anthracene	%	82			70-130	Pass	
Fluoranthene	%	89			70-130	Pass	
Fluorene	%	87			70-130	Pass	
Indeno(1,2,3-cd)pyrene	%	73			70-130	Pass	
Naphthalene	%	92			70-130	Pass	
Phenanthrene	%	74			70-130	Pass	
Pyrene	%	91			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Organochlorine Pesticides</b>							
Chlordanes - Total	%	94			70-130	Pass	
4,4'-DDD	%	106			70-130	Pass	
4,4'-DDE	%	96			70-130	Pass	
4,4'-DDT	%	85			70-130	Pass	
a-HCH	%	77			70-130	Pass	
Aldrin	%	97			70-130	Pass	
b-HCH	%	94			70-130	Pass	
d-HCH	%	99			70-130	Pass	
Dieldrin	%	93			70-130	Pass	
Endosulfan I	%	95			70-130	Pass	
Endosulfan II	%	105			70-130	Pass	
Endosulfan sulphate	%	87			70-130	Pass	
Endrin	%	106			70-130	Pass	
Endrin aldehyde	%	120			70-130	Pass	
Endrin ketone	%	95			70-130	Pass	
g-HCH (Lindane)	%	79			70-130	Pass	
Heptachlor	%	90			70-130	Pass	
Heptachlor epoxide	%	96			70-130	Pass	
Hexachlorobenzene	%	88			70-130	Pass	
Methoxychlor	%	113			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Polychlorinated Biphenyls</b>							
Aroclor-1260	%	105			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Phenols (Halogenated)</b>							
2-Chlorophenol	%	98			25-140	Pass	
2,4-Dichlorophenol	%	94			25-140	Pass	
2,4,5-Trichlorophenol	%	82			25-140	Pass	
2,4,6-Trichlorophenol	%	90			25-140	Pass	
2,6-Dichlorophenol	%	89			25-140	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
4-Chloro-3-methylphenol	%	116			25-140	Pass	
Pentachlorophenol	%	59			25-140	Pass	
Tetrachlorophenols - Total	%	62			25-140	Pass	
<b>LCS - % Recovery</b>							
<b>Phenols (non-Halogenated)</b>							
2-Cyclohexyl-4,6-dinitrophenol	%	32			25-140	Pass	
2-Methyl-4,6-dinitrophenol	%	52			25-140	Pass	
2-Nitrophenol	%	87			25-140	Pass	
2,4-Dimethylphenol	%	110			25-140	Pass	
2,4-Dinitrophenol	%	53			25-140	Pass	
2-Methylphenol (o-Cresol)	%	101			25-140	Pass	
3&4-Methylphenol (m&p-Cresol)	%	128			25-140	Pass	
4-Nitrophenol	%	78			25-140	Pass	
Dinoseb	%	58			25-140	Pass	
Phenol	%	117			25-140	Pass	
<b>LCS - % Recovery</b>							
Chromium (hexavalent)	%	98			70-130	Pass	
Cyanide (total)	%	70			70-130	Pass	
Fluoride (Total)	%	73			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Heavy Metals</b>							
Arsenic	%	104			80-120	Pass	
Cadmium	%	110			80-120	Pass	
Chromium	%	109			80-120	Pass	
Copper	%	106			80-120	Pass	
Lead	%	111			80-120	Pass	
Mercury	%	105			80-120	Pass	
Molybdenum	%	106			80-120	Pass	
Nickel	%	108			80-120	Pass	
Selenium	%	105			80-120	Pass	
Silver	%	110			80-120	Pass	
Tin	%	103			80-120	Pass	
Zinc	%	105			80-120	Pass	
<b>LCS - % Recovery</b>							
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>							
Perfluorobutanoic acid (PFBA)	%	112			50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	125			50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	108			50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	112			50-150	Pass	
Perfluorooctanoic acid (PFOA)	%	125			50-150	Pass	
Perfluorononanoic acid (PFNA)	%	133			50-150	Pass	
Perfluorodecanoic acid (PFDA)	%	148			50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	%	116			50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	%	122			50-150	Pass	
Perfluorotridecanoic acid (PFTrDA)	%	118			50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	%	125			50-150	Pass	
<b>LCS - % Recovery</b>							
<b>Perfluoroalkyl sulfonamido substances</b>							
Perfluorooctane sulfonamide (FOSA)	%	116			50-150	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	%	124			50-150	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	%	121			50-150	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	%	101			50-150	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	%	114			50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	%	104			50-150	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	%	118			50-150	Pass		
<b>LCS - % Recovery</b>								
<b>Perfluoroalkyl sulfonic acids (PFSA's)</b>								
Perfluorobutanesulfonic acid (PFBS)	%	110			50-150	Pass		
Perfluorononanesulfonic acid (PFNS)	%	132			50-150	Pass		
Perfluoropropanesulfonic acid (PFPrS)	%	114			50-150	Pass		
Perfluoropentanesulfonic acid (PFPeS)	%	99			50-150	Pass		
Perfluorohexanesulfonic acid (PFHxS)	%	105			50-150	Pass		
Perfluoroheptanesulfonic acid (PFHpS)	%	67			50-150	Pass		
Perfluorooctanesulfonic acid (PFOS)	%	135			50-150	Pass		
Perfluorodecanesulfonic acid (PFDS)	%	133			50-150	Pass		
<b>LCS - % Recovery</b>								
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA's)</b>								
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	%	124			50-150	Pass		
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	%	96			50-150	Pass		
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	%	126			50-150	Pass		
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	%	97			50-150	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
<b>Spike - % Recovery</b>								
<b>Total Recoverable Hydrocarbons</b>				Result 1				
TRH C6-C9	M22-Ap0043089	NCP	%	105		70-130	Pass	
TRH C10-C14	M22-Ap0035286	NCP	%	108		70-130	Pass	
Naphthalene	M22-Ap0043089	NCP	%	98		70-130	Pass	
TRH C6-C10	M22-Ap0043089	NCP	%	105		70-130	Pass	
TRH >C10-C16	M22-Ap0035286	NCP	%	115		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Volatile Organics</b>				Result 1				
1.1-Dichloroethene	M22-Ap0043089	NCP	%	72		70-130	Pass	
1.1.1-Trichloroethane	M22-Ap0043089	NCP	%	77		70-130	Pass	
1.2-Dichlorobenzene	M22-Ap0043089	NCP	%	86		70-130	Pass	
1.2-Dichloroethane	M22-Ap0043089	NCP	%	84		70-130	Pass	
Benzene	M22-Ap0043089	NCP	%	77		70-130	Pass	
Ethylbenzene	M22-Ap0043089	NCP	%	85		70-130	Pass	
m&p-Xylenes	M22-Ap0043089	NCP	%	83		70-130	Pass	
o-Xylene	M22-Ap0043089	NCP	%	83		70-130	Pass	
Toluene	M22-Ap0043089	NCP	%	85		70-130	Pass	
Trichloroethene	M22-Ap0043089	NCP	%	79		70-130	Pass	
Xylenes - Total*	M22-Ap0043089	NCP	%	83		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Polycyclic Aromatic Hydrocarbons</b>				Result 1				
Acenaphthene	M22-Ap0038471	NCP	%	99		70-130	Pass	
Acenaphthylene	M22-Ap0038471	NCP	%	105		70-130	Pass	
Anthracene	M22-Ap0038471	NCP	%	77		70-130	Pass	
Benz(a)anthracene	M22-Ap0038471	NCP	%	104		70-130	Pass	
Benzo(a)pyrene	M22-Ap0038471	NCP	%	99		70-130	Pass	
Benzo(b&j)fluoranthene	M22-Ap0038471	NCP	%	82		70-130	Pass	
Benzo(g,h,i)perylene	M22-Ap0038471	NCP	%	120		70-130	Pass	
Benzo(k)fluoranthene	M22-Ap0038471	NCP	%	93		70-130	Pass	
Chrysene	M22-Ap0038471	NCP	%	112		70-130	Pass	
Dibenz(a,h)anthracene	M22-Ap0038471	NCP	%	99		70-130	Pass	
Fluoranthene	M22-Ap0038471	NCP	%	103		70-130	Pass	
Fluorene	M22-Ap0038471	NCP	%	99		70-130	Pass	
Indeno(1,2,3-cd)pyrene	M22-Ap0038471	NCP	%	94		70-130	Pass	
Naphthalene	M22-Ap0038471	NCP	%	103		70-130	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Phenanthrene	M22-Ap0038471	NCP	%	80		70-130	Pass	
Pyrene	M22-Ap0038471	NCP	%	111		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Organochlorine Pesticides</b>				Result 1				
Chlordanes - Total	M22-Ap0023712	NCP	%	93		70-130	Pass	
4.4'-DDD	M22-Ap0023712	NCP	%	104		70-130	Pass	
4.4'-DDE	M22-Ap0023712	NCP	%	95		70-130	Pass	
4.4'-DDT	M22-Ap0023712	NCP	%	97		70-130	Pass	
a-HCH	M22-Ap0023712	NCP	%	80		70-130	Pass	
Aldrin	M22-Ap0023712	NCP	%	95		70-130	Pass	
b-HCH	M22-Ap0023712	NCP	%	94		70-130	Pass	
d-HCH	M22-Ap0023712	NCP	%	97		70-130	Pass	
Dieldrin	M22-Ap0023712	NCP	%	104		70-130	Pass	
Endosulfan I	M22-Ap0023712	NCP	%	95		70-130	Pass	
Endosulfan II	M22-Ap0023712	NCP	%	100		70-130	Pass	
Endosulfan sulphate	M22-Ap0023712	NCP	%	95		70-130	Pass	
Endrin	M22-Ap0023712	NCP	%	103		70-130	Pass	
Endrin aldehyde	M22-Ap0023712	NCP	%	92		70-130	Pass	
Endrin ketone	M22-Ap0023712	NCP	%	101		70-130	Pass	
g-HCH (Lindane)	M22-Ap0023712	NCP	%	82		70-130	Pass	
Heptachlor	M22-Ap0023712	NCP	%	96		70-130	Pass	
Heptachlor epoxide	M22-Ap0023712	NCP	%	98		70-130	Pass	
Hexachlorobenzene	M22-Ap0023712	NCP	%	93		70-130	Pass	
Methoxychlor	M22-Ap0023712	NCP	%	124		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Polychlorinated Biphenyls</b>				Result 1				
Aroclor-1016	M22-Ap0019109	NCP	%	89		70-130	Pass	
Aroclor-1260	M22-Ap0019109	NCP	%	99		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Phenols (Halogenated)</b>				Result 1				
2-Chlorophenol	M22-Ap0038471	NCP	%	46		30-130	Pass	
2.4-Dichlorophenol	M22-Ap0038471	NCP	%	41		30-130	Pass	
2.4.5-Trichlorophenol	M22-Ap0038471	NCP	%	40		30-130	Pass	
2.4.6-Trichlorophenol	M22-Ap0038471	NCP	%	31		30-130	Pass	
2.6-Dichlorophenol	M22-Ap0038471	NCP	%	42		30-130	Pass	
4-Chloro-3-methylphenol	M22-Ap0038471	NCP	%	35		30-130	Pass	
Pentachlorophenol	M22-Ap0038471	NCP	%	83		30-130	Pass	
Tetrachlorophenols - Total	M22-Ap0038471	NCP	%	37		30-130	Pass	
<b>Spike - % Recovery</b>								
<b>Phenols (non-Halogenated)</b>				Result 1				
2-Cyclohexyl-4.6-dinitrophenol	M22-Ap0038471	NCP	%	43		30-130	Pass	
2-Methyl-4.6-dinitrophenol	M22-Ap0038471	NCP	%	42		30-130	Pass	
2-Nitrophenol	M22-Ap0038471	NCP	%	39		30-130	Pass	
2.4-Dimethylphenol	M22-Ap0038471	NCP	%	33		30-130	Pass	
2.4-Dinitrophenol	M22-Ap0038471	NCP	%	53		30-130	Pass	
2-Methylphenol (o-Cresol)	M22-Ap0038471	NCP	%	37		30-130	Pass	
3&4-Methylphenol (m&p-Cresol)	M22-Ap0038471	NCP	%	46		30-130	Pass	
4-Nitrophenol	M22-Ap0038471	NCP	%	37		30-130	Pass	
Dinoseb	M22-Ap0038471	NCP	%	34		30-130	Pass	
Phenol	M22-Ap0038471	NCP	%	42		30-130	Pass	
<b>Spike - % Recovery</b>								
				Result 1				
Chromium (hexavalent)	M22-Ap0043090	NCP	%	92		70-130	Pass	
<b>Spike - % Recovery</b>								

Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
				Result 1				
Fluoride (Total)	M22-Ap0042747	CP	%	70		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Heavy Metals</b>				Result 1				
Arsenic	M22-Ap0042756	CP	%	107		75-125	Pass	
Cadmium	M22-Ap0042756	CP	%	119		75-125	Pass	
Chromium	M22-Ap0042756	CP	%	125		75-125	Pass	
Copper	M22-Ap0042756	CP	%	118		75-125	Pass	
Lead	M22-Ap0042756	CP	%	115		75-125	Pass	
Mercury	M22-Ap0042756	CP	%	110		75-125	Pass	
Molybdenum	M22-Ap0042756	CP	%	110		75-125	Pass	
Nickel	M22-Ap0042756	CP	%	83		75-125	Pass	
Selenium	M22-Ap0042756	CP	%	94		75-125	Pass	
Silver	M22-Ap0042756	CP	%	122		75-125	Pass	
Tin	M22-Ap0042756	CP	%	119		75-125	Pass	
Zinc	M22-Ap0042756	CP	%	83		75-125	Pass	
<b>Spike - % Recovery</b>								
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>				Result 1				
Perfluorobutanoic acid (PFBA)	M22-Ap0042756	CP	%	112		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	M22-Ap0042756	CP	%	124		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	M22-Ap0042756	CP	%	107		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	M22-Ap0042756	CP	%	115		50-150	Pass	
Perfluorooctanoic acid (PFOA)	M22-Ap0042756	CP	%	120		50-150	Pass	
Perfluorononanoic acid (PFNA)	M22-Ap0042756	CP	%	120		50-150	Pass	
Perfluorodecanoic acid (PFDA)	M22-Ap0042756	CP	%	114		50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	M22-Ap0042756	CP	%	114		50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	M22-Ap0042756	CP	%	113		50-150	Pass	
Perfluorotridecanoic acid (PFTriDA)	M22-Ap0042756	CP	%	113		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	M22-Ap0042756	CP	%	117		50-150	Pass	
<b>Spike - % Recovery</b>								
<b>Perfluoroalkyl sulfonamido substances</b>				Result 1				
Perfluorooctane sulfonamide (FOSA)	M22-Ap0042756	CP	%	107		50-150	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-Ap0042756	CP	%	136		50-150	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-Ap0042756	CP	%	133		50-150	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-Ap0042756	CP	%	91		50-150	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-Ap0042756	CP	%	116		50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-Ap0042756	CP	%	102		50-150	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-Ap0042756	CP	%	145		50-150	Pass	
<b>Spike - % Recovery</b>								
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>				Result 1				
Perfluorobutanesulfonic acid (PFBS)	M22-Ap0042756	CP	%	105		50-150	Pass	
Perfluorononanesulfonic acid (PFNS)	M22-Ap0042756	CP	%	133		50-150	Pass	
Perfluoropropanesulfonic acid (PFPrS)	M22-Ap0042756	CP	%	105		50-150	Pass	



Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Perfluoropentanesulfonic acid (PFPeS)	M22-Ap0042756	CP	%	95			50-150	Pass	
Perfluorohexanesulfonic acid (PFHxS)	M22-Ap0042756	CP	%	101			50-150	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	M22-Ap0042756	CP	%	104			50-150	Pass	
Perfluorooctanesulfonic acid (PFOS)	M22-Ap0042756	CP	%	103			50-150	Pass	
Perfluorodecanesulfonic acid (PFDS)	M22-Ap0042756	CP	%	120			50-150	Pass	
<b>Spike - % Recovery</b>									
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>				Result 1					
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-Ap0042756	CP	%	118			50-150	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-Ap0042756	CP	%	113			50-150	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-Ap0042756	CP	%	114			50-150	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-Ap0042756	CP	%	116			50-150	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Duplicate</b>									
				Result 1	Result 2	RPD			
Chromium (hexavalent)	M22-Ap0040023	NCP	mg/kg	< 1	< 1	<1	30%	Pass	
<b>Duplicate</b>									
				Result 1	Result 2	RPD			
Fluoride (Total)	M22-Ap0042748	CP	mg/kg	570	470	19	30%	Pass	
pH (1:5 Aqueous extract at 25°C as rec.)	M22-Ap0042748	CP	pH Units	7.7	7.7	pass	30%	Pass	
<b>Duplicate</b>									
<b>Total Recoverable Hydrocarbons</b>				Result 1	Result 2	RPD			
TRH C6-C9	M22-Ap0042754	CP	mg/kg	< 20	< 20	<1	30%	Pass	
TRH C10-C14	M22-Ap0042754	CP	mg/kg	< 20	< 20	<1	30%	Pass	
TRH C15-C28	M22-Ap0042754	CP	mg/kg	< 50	< 50	<1	30%	Pass	
TRH C29-C36	M22-Ap0042754	CP	mg/kg	< 50	< 50	<1	30%	Pass	
Naphthalene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
TRH C6-C10	M22-Ap0042754	CP	mg/kg	< 20	< 20	<1	30%	Pass	
TRH >C10-C16	M22-Ap0042754	CP	mg/kg	< 50	< 50	<1	30%	Pass	
TRH >C16-C34	M22-Ap0042754	CP	mg/kg	< 100	< 100	<1	30%	Pass	
TRH >C34-C40	M22-Ap0042754	CP	mg/kg	< 100	< 100	<1	30%	Pass	
<b>Duplicate</b>									
<b>Volatile Organics</b>				Result 1	Result 2	RPD			
Hexachlorobutadiene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
<b>Duplicate</b>									
<b>Volatile Organics</b>				Result 1	Result 2	RPD			
1.1-Dichloroethane	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2.4-Trichlorobenzene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1-Dichloroethene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1.1-Trichloroethane	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1.1.2-Tetrachloroethane	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1.2-Trichloroethane	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1.2.2-Tetrachloroethane	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2-Dibromoethane	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2-Dichlorobenzene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	

Duplicate								
Volatile Organics				Result 1	Result 2	RPD		
1.2-Dichloroethane	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2-Dichloropropane	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2.3-Trichloropropane	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2.4-Trimethylbenzene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.3-Dichlorobenzene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.3-Dichloropropane	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.3.5-Trimethylbenzene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.4-Dichlorobenzene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2-Butanone (MEK)	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2-Propanone (Acetone)	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Chlorotoluene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Methyl-2-pentanone (MIBK)	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Allyl chloride	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzene	M22-Ap0042754	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Bromobenzene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromochloromethane	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromodichloromethane	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromoform	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromomethane	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Carbon disulfide	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Carbon Tetrachloride	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chlorobenzene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloroethane	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloroform	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloromethane	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
cis-1.2-Dichloroethene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
cis-1.3-Dichloropropene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibromochloromethane	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibromomethane	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dichlorodifluoromethane	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Ethylbenzene	M22-Ap0042754	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Iodomethane	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Isopropyl benzene (Cumene)	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
m&p-Xylenes	M22-Ap0042754	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Methylene Chloride	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
o-Xylene	M22-Ap0042754	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Styrene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Tetrachloroethene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Toluene	M22-Ap0042754	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
trans-1.2-Dichloroethene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
trans-1.3-Dichloropropene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Trichloroethene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Trichlorofluoromethane	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Vinyl chloride	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Xylenes - Total*	M22-Ap0042754	CP	mg/kg	< 0.3	< 0.3	<1	30%	Pass
Duplicate								
Polycyclic Aromatic Hydrocarbons				Result 1	Result 2	RPD		
Acenaphthene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Acenaphthylene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Anthracene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benz(a)anthracene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(a)pyrene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(b&j)fluoranthene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(g,h,i)perylene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass

<b>Duplicate</b>								
<b>Polycyclic Aromatic Hydrocarbons</b>				Result 1	Result 2	RPD		
Benzo(k)fluoranthene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chrysene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibenz(a,h)anthracene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Fluoranthene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Fluorene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Indeno(1.2.3-cd)pyrene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Naphthalene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Phenanthrene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Pyrene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
<b>Duplicate</b>								
<b>Organochlorine Pesticides</b>				Result 1	Result 2	RPD		
Chlordanes - Total	M22-Ap0042754	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
4,4'-DDD	M22-Ap0042754	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
4,4'-DDE	M22-Ap0042754	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
4,4'-DDT	M22-Ap0042754	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
a-HCH	M22-Ap0042754	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Aldrin	M22-Ap0042754	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
b-HCH	M22-Ap0042754	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
d-HCH	M22-Ap0042754	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Dieldrin	M22-Ap0042754	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan I	M22-Ap0042754	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan II	M22-Ap0042754	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan sulphate	M22-Ap0042754	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin	M22-Ap0042754	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin aldehyde	M22-Ap0042754	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin ketone	M22-Ap0042754	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
g-HCH (Lindane)	M22-Ap0042754	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Heptachlor	M22-Ap0042754	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Heptachlor epoxide	M22-Ap0042754	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Hexachlorobenzene	M22-Ap0042754	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Methoxychlor	M22-Ap0042754	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Toxaphene	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
<b>Duplicate</b>								
<b>Polychlorinated Biphenyls</b>				Result 1	Result 2	RPD		
Aroclor-1016	M22-Ap0042754	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1221	M22-Ap0042754	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1232	M22-Ap0042754	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1242	M22-Ap0042754	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1248	M22-Ap0042754	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1254	M22-Ap0042754	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1260	M22-Ap0042754	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Total PCB*	M22-Ap0042754	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
<b>Duplicate</b>								
<b>Phenols (Halogenated)</b>				Result 1	Result 2	RPD		
2-Chlorophenol	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2,4-Dichlorophenol	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2,4,5-Trichlorophenol	M22-Ap0042754	CP	mg/kg	< 1	< 1	<1	30%	Pass
2,4,6-Trichlorophenol	M22-Ap0042754	CP	mg/kg	< 1	< 1	<1	30%	Pass
2,6-Dichlorophenol	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Chloro-3-methylphenol	M22-Ap0042754	CP	mg/kg	< 1	< 1	<1	30%	Pass
Pentachlorophenol	M22-Ap0042754	CP	mg/kg	< 1	< 1	<1	30%	Pass
Tetrachlorophenols - Total	M22-Ap0042754	CP	mg/kg	< 10	< 10	<1	30%	Pass

<b>Duplicate</b>								
<b>Phenols (non-Halogenated)</b>				Result 1	Result 2	RPD		
2-Cyclohexyl-4,6-dinitrophenol	M22-Ap0042754	CP	mg/kg	< 20	< 20	<1	30%	Pass
2-Methyl-4,6-dinitrophenol	M22-Ap0042754	CP	mg/kg	< 5	< 5	<1	30%	Pass
2-Nitrophenol	M22-Ap0042754	CP	mg/kg	< 1	< 1	<1	30%	Pass
2,4-Dimethylphenol	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2,4-Dinitrophenol	M22-Ap0042754	CP	mg/kg	< 5	< 5	<1	30%	Pass
2-Methylphenol (o-Cresol)	M22-Ap0042754	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
3&4-Methylphenol (m&p-Cresol)	M22-Ap0042754	CP	mg/kg	< 0.4	< 0.4	<1	30%	Pass
4-Nitrophenol	M22-Ap0042754	CP	mg/kg	< 5	< 5	<1	30%	Pass
Dinoseb	M22-Ap0042754	CP	mg/kg	< 20	< 20	<1	30%	Pass
Phenol	M22-Ap0042754	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
<b>Duplicate</b>								
				Result 1	Result 2	RPD		
Cyanide (total)	M22-Ap0042754	CP	mg/kg	< 5	< 5	<1	30%	Pass
% Moisture	M22-Ap0042754	CP	%	31	31	2.0	30%	Pass
<b>Duplicate</b>								
<b>Heavy Metals</b>				Result 1	Result 2	RPD		
Arsenic	M22-Ap0042754	CP	mg/kg	39	38	1.0	30%	Pass
Cadmium	M22-Ap0042754	CP	mg/kg	< 0.4	< 0.4	<1	30%	Pass
Chromium	M22-Ap0042754	CP	mg/kg	150	140	1.0	30%	Pass
Copper	M22-Ap0042754	CP	mg/kg	69	73	7.0	30%	Pass
Lead	M22-Ap0042754	CP	mg/kg	6.0	5.6	7.0	30%	Pass
Mercury	M22-Ap0042754	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Molybdenum	M22-Ap0042754	CP	mg/kg	< 5	< 5	<1	30%	Pass
Nickel	M22-Ap0042754	CP	mg/kg	190	200	4.0	30%	Pass
Silver	M22-Ap0042754	CP	mg/kg	< 2	< 2	<1	30%	Pass
Tin	M22-Ap0042754	CP	mg/kg	< 10	< 10	<1	30%	Pass
Zinc	M22-Ap0042754	CP	mg/kg	140	160	14	30%	Pass
<b>Duplicate</b>								
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-Ap0042754	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-Ap0042754	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-Ap0042754	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-Ap0042754	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-Ap0042754	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-Ap0042754	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-Ap0042754	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-Ap0042754	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-Ap0042754	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorotridecanoic acid (PFTrDA)	M22-Ap0042754	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-Ap0042754	CP	ug/kg	< 5	< 5	<1	30%	Pass
<b>Duplicate</b>								
<b>Perfluoroalkyl sulfonamido substances</b>				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-Ap0042754	CP	ug/kg	< 5	< 5	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-Ap0042754	CP	ug/kg	< 5	< 5	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-Ap0042754	CP	ug/kg	< 5	< 5	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-Ap0042754	CP	ug/kg	< 5	< 5	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-Ap0042754	CP	ug/kg	< 5	< 5	<1	30%	Pass

<b>Duplicate</b>								
<b>Perfluoroalkyl sulfonamido substances</b>				Result 1	Result 2	RPD		
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-Ap0042754	CP	ug/kg	< 10	< 10	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-Ap0042754	CP	ug/kg	< 10	< 10	<1	30%	Pass
<b>Duplicate</b>								
<b>Perfluoroalkyl sulfonic acids (PFSAs)</b>				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-Ap0042754	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-Ap0042754	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-Ap0042754	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-Ap0042754	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-Ap0042754	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-Ap0042754	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-Ap0042754	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-Ap0042754	CP	ug/kg	< 5	< 5	<1	30%	Pass
<b>Duplicate</b>								
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-Ap0042754	CP	ug/kg	< 5	< 5	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-Ap0042754	CP	ug/kg	< 10	< 10	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-Ap0042754	CP	ug/kg	< 5	< 5	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-Ap0042754	CP	ug/kg	< 5	< 5	<1	30%	Pass
<b>Duplicate</b>								
				Result 1	Result 2	RPD		
% Moisture	M22-Ap0042756	CP	%	30	31	3.0	30%	Pass
<b>Duplicate</b>								
<b>Heavy Metals</b>				Result 1	Result 2	RPD		
Arsenic	M22-Ap0042756	CP	mg/kg	35	36	2.0	30%	Pass
Cadmium	M22-Ap0042756	CP	mg/kg	< 0.4	< 0.4	<1	30%	Pass
Chromium	M22-Ap0042756	CP	mg/kg	140	140	2.0	30%	Pass
Copper	M22-Ap0042756	CP	mg/kg	67	69	3.0	30%	Pass
Lead	M22-Ap0042756	CP	mg/kg	5.6	5.7	2.0	30%	Pass
Mercury	M22-Ap0042756	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Molybdenum	M22-Ap0042756	CP	mg/kg	< 5	< 5	<1	30%	Pass
Nickel	M22-Ap0042756	CP	mg/kg	180	180	2.0	30%	Pass
Selenium	M22-Ap0042756	CP	mg/kg	< 2	< 2	<1	30%	Pass
Silver	M22-Ap0042756	CP	mg/kg	< 2	< 2	<1	30%	Pass
Tin	M22-Ap0042756	CP	mg/kg	< 10	< 10	<1	30%	Pass
Zinc	M22-Ap0042756	CP	mg/kg	140	140	3.0	30%	Pass

**Comments**
**Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	No
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Qualifier Codes/Comments**

Code	Description
N01	F2 is determined by arithmetically subtracting the "naphthalene" value from the ">C10-C16" value. The naphthalene value used in this calculation is obtained from volatiles (Purge & Trap analysis).
N02	Where we have reported both volatile (P&T GCMS) and semivolatile (GCMS) naphthalene data, results may not be identical. Provided correct sample handling protocols have been followed, any observed differences in results are likely to be due to procedural differences within each methodology. Results determined by both techniques have passed all QAQC acceptance criteria, and are entirely technically valid.
N04	F1 is determined by arithmetically subtracting the "Total BTEX" value from the "C6-C10" value. The "Total BTEX" value is obtained by summing the concentrations of BTEX analytes. The "C6-C10" value is obtained by quantitating against a standard of mixed aromatic/aliphatic analytes.
N07	Please note:- These two PAH isomers closely co-elute using the most contemporary analytical methods and both the reported concentration (and the TEQ) apply specifically to the total of the two co-eluting PAHs
N11	Isotope dilution is used for calibration of each native compound for which an exact labelled analogue is available (Isotope Dilution Quantitation). The isotopically labelled analogues allow identification and recovery correction of the concentration of the associated native PFAS compounds.
N15	Where the native PFAS compound does not have labelled analogue then the quantification is made using the Extracted Internal Standard Analyte with the closest retention time to the analyte and no recovery correction has been made (Internal Standard Quantitation).

**Authorised by:**

Catherine Wilson	Analytical Services Manager
Scott Beddoes	Senior Analyst (NSW)
Joseph Edouard	Senior Analyst (VIC)
Mary Makarios	Senior Analyst (NSW)
Caitlin Breeze	Senior Analyst (VIC)



**Glenn Jackson**  
General Manager

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

**Agon Environmental Pty Ltd - VIC**  
**3/224 Glen Osmond Road**  
**Fullarton**  
**SA 5063**



**NATA Accredited**  
**Accreditation Number 1261**  
**Site Number 1254**

Accredited for compliance with ISO/IEC 17025 – Testing  
 NATA is a signatory to the ILAC Mutual Recognition  
 Arrangement for the mutual recognition of the  
 equivalence of testing, medical testing, calibration,  
 inspection, proficiency testing scheme providers and  
 reference materials producers reports and certificates.

**Attention:** **Agon Lab Reports (Spoil Project)**

**Report** **881696-W**  
 Project name **20220421041419-Eurofin-21**  
 Project ID **JC0927**  
 Received Date **Apr 21, 2022**

Client Sample ID			SX_IB_202204 20_16_13_SR_ Rinsate_EUF	SX_IB_202204 20_16_14_SB_ Blank_EUF
Sample Matrix			Water	Water
Eurofins Sample No.			M22- Ap0042749	M22- Ap0042750
Date Sampled			Apr 20, 2022	Apr 20, 2022
Test/Reference	LOR	Unit		
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>				
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	103	102
13C5-PFPeA (surr.)	1	%	88	106
13C5-PFHxA (surr.)	1	%	102	98
13C4-PFHpA (surr.)	1	%	79	78
13C8-PFOA (surr.)	1	%	74	74
13C5-PFNA (surr.)	1	%	74	85
13C6-PFDA (surr.)	1	%	55	70
13C2-PFUnDA (surr.)	1	%	37	66
13C2-PFDoDA (surr.)	1	%	40	76
13C2-PFTeDA (surr.)	1	%	35	66
<b>Perfluoroalkyl sulfonamido substances</b>				
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	47	63

Client Sample ID			SX_IB_202204 20_16_13_SR_ Rinsate_EUF	SX_IB_202204 20_16_14_SB_ Blank_EUF
Sample Matrix			Water	Water
Eurofins Sample No.			M22- Ap0042749	M22- Ap0042750
Date Sampled			Apr 20, 2022	Apr 20, 2022
Test/Reference	LOR	Unit		
<b>Perfluoroalkyl sulfonamido substances</b>				
D3-N-MeFOSA (surr.)	1	%	30	30
D5-N-EtFOSA (surr.)	1	%	25	26
D7-N-MeFOSE (surr.)	1	%	36	59
D9-N-EtFOSE (surr.)	1	%	29	50
D5-N-EtFOSAA (surr.)	1	%	49	69
D3-N-MeFOSAA (surr.)	1	%	53	59
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>				
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	90	91
18O2-PFHxS (surr.)	1	%	92	100
13C8-PFOS (surr.)	1	%	76	80
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>				
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	69	69
13C2-6:2 FTSA (surr.)	1	%	63	72
13C2-8:2 FTSA (surr.)	1	%	74	86
13C2-10:2 FTSA (surr.)	1	%	37	84
<b>PFASs Summations</b>				
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1



**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
Per- and Polyfluoroalkyl Substances (PFASs)			
Perfluoroalkyl carboxylic acids (PFCAs)	Melbourne	Apr 21, 2022	28 Days
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			
Perfluoroalkyl sulfonamido substances	Melbourne	Apr 21, 2022	28 Days
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			
Perfluoroalkyl sulfonic acids (PFSAs)	Melbourne	Apr 21, 2022	28 Days
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			
n:2 Fluorotelomer sulfonic acids (n:2 FTSAs)	Melbourne	Apr 21, 2022	28 Days
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			
PFASs Summations	Melbourne	Apr 21, 2022	
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 21, 2022 10:25 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	881696	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220421041419-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	SX_IB_20220420_08_27_SS_Primary_EUF	Apr 20, 2022	8:27AM	Soil	M22-Ap0042744		X	X	X
2	SX_IB_20220420_08_38_SS_Triplicate_EUF	Apr 20, 2022	8:38AM	Soil	M22-Ap0042745		X	X	X
3	SX_IB_20220420_12_03_SS_Primary_EUF	Apr 20, 2022	12:03PM	Soil	M22-Ap0042746		X	X	X
4	SX_OB_20220420_15_57_S	Apr 20, 2022	3:57PM	Soil	M22-Ap0042747		X	X	X

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220421041419-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 881696  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 21, 2022 10:25 AM  
**Due:** Apr 29, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	S_Primary_EUF								
5	SX_OB_20220420_15_57_S_S_Duplicate_EUF	Apr 20, 2022	3:57PM	Soil	M22-Ap0042748		X	X	X
6	SX_IB_20220420_16_13_SR_Rinsate_EUF	Apr 20, 2022	4:13PM	Water	M22-Ap0042749			X	
7	SX_IB_20220420_16_14_SB_Blank_EUF	Apr 20, 2022	4:14PM	Water	M22-Ap0042750			X	
8	SX_OB_20220420_20_09_S	Apr 20, 2022	8:09PM	Soil	M22-Ap0042751		X	X	X

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220421041419-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 881696  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 21, 2022 10:25 AM  
**Due:** Apr 29, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	420_20_09_S S_Primary_EU F				Ap0042751				
9	SX_IB_202204 20_20_10_SS _Primary_EUF	Apr 20, 2022	8:10PM	Soil	M22- Ap0042752		X	X	X
10	SX_IB_202204 20_20_14_SS _Duplicate_EU F	Apr 20, 2022	8:14PM	Soil	M22- Ap0042753		X	X	X
11	SX_OB_20220 421_00_16_S S_Primary_EU F	Apr 21, 2022	12:16AM	Soil	M22- Ap0042754		X	X	X

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220421041419-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 881696  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 21, 2022 10:25 AM  
**Due:** Apr 29, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
12	SX_IB_20220421_03_56_SS_Primary_EUF	Apr 21, 2022	3:56AM	Soil	M22-Ap0042755		X	X	X
13	SX_OB_20220421_03_58_S_S_Primary_EUF	Apr 21, 2022	3:58AM	Soil	M22-Ap0042756		X	X	X
14	SX_IB_20220420_08_27_SS_Primary_EUF	Apr 20, 2022	8:27AM	AUS Leachate - pH 5.0	M22-Ap0042757	X		X	
15	SX_IB_20220420_08_38_SS_Triplicate_EUF	Apr 20, 2022	8:38AM	AUS Leachate - pH 5.0	M22-Ap0042758	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 21, 2022 10:25 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	881696	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220421041419-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
16	SX_IB_20220420_12_03_SS_Primary_EUF	Apr 20, 2022	12:03PM	AUS Leachate - pH 5.0	M22-Ap0042759	X		X	
17	SX_OB_20220420_15_57_S_Primary_EUF	Apr 20, 2022	3:57PM	AUS Leachate - pH 5.0	M22-Ap0042760	X		X	
18	SX_OB_20220420_15_57_S_Duplicate_EUF	Apr 20, 2022	3:57PM	AUS Leachate - pH 5.0	M22-Ap0042761	X		X	
19	SX_OB_20220420_20_09_S_Primary_EU	Apr 20, 2022	8:09PM	AUS Leachate - pH 5.0	M22-Ap0042762	X		X	

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220421041419-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 881696  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 21, 2022 10:25 AM  
**Due:** Apr 29, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	F								
20	SX_IB_202204_20_20_10_SS_Primary_EUF	Apr 20, 2022	8:10PM	AUS Leachate - pH 5.0	M22-Ap0042763	X		X	
21	SX_IB_202204_20_20_14_SS_Duplicate_EUF	Apr 20, 2022	8:14PM	AUS Leachate - pH 5.0	M22-Ap0042764	X		X	
22	SX_OB_20220421_00_16_SS_Primary_EUF	Apr 21, 2022	12:16AM	AUS Leachate - pH 5.0	M22-Ap0042765	X		X	
23	SX_IB_20220421_03_56_SS	Apr 21, 2022	3:56AM	AUS Leachate - pH 5.0	M22-Ap0042766	X		X	

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
**Project Name:** 20220421041419-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 881696  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 21, 2022 10:25 AM  
**Due:** Apr 29, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	21_03_56_SS _Primary_EUF			- pH 5.0	Ap0042766				
24	SX_OB_20220 421_03_58_S S_Primary_EU F	Apr 21, 2022	3:58AM	AUS Leachate - pH 5.0	M22- Ap0042767	X		X	
25	SX_IB_202204 20_08_27_SS _Primary_EUF	Apr 20, 2022	8:27AM	AUS Leachate - Reagent Water	M22- Ap0042768	X		X	
26	SX_IB_202204 20_08_38_SS _Triplicate_EU F	Apr 20, 2022	8:38AM	AUS Leachate - Reagent Water	M22- Ap0042769	X		X	
27	SX_IB_202204	Apr 20, 2022	12:03PM	AUS Leachate	M22-	X		X	



**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220421041419-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 881696  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 21, 2022 10:25 AM  
**Due:** Apr 29, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	20_12_03_SS _Primary_EUF			- Reagent Water	Ap0042770				
28	SX_OB_20220 420_15_57_S S_Primary_EU F	Apr 20, 2022	3:57PM	AUS Leachate - Reagent Water	M22- Ap0042771	X		X	
29	SX_OB_20220 420_15_57_S S_Duplicate_E UF	Apr 20, 2022	3:57PM	AUS Leachate - Reagent Water	M22- Ap0042772	X		X	
30	SX_OB_20220 420_20_09_S S_Primary_EU F	Apr 20, 2022	8:09PM	AUS Leachate - Reagent Water	M22- Ap0042773	X		X	

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
**Project Name:** 20220421041419-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 881696  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 21, 2022 10:25 AM  
**Due:** Apr 29, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
31	SX_IB_20220420_20_10_SS_Primary_EUF	Apr 20, 2022	8:10PM	AUS Leachate - Reagent Water	M22-Ap0042774	X		X	
32	SX_IB_20220420_20_14_SS_Duplicate_EUF	Apr 20, 2022	8:14PM	AUS Leachate - Reagent Water	M22-Ap0042775	X		X	
33	SX_OB_20220421_00_16_SS_Primary_EUF	Apr 21, 2022	12:16AM	AUS Leachate - Reagent Water	M22-Ap0042776	X		X	
34	SX_IB_20220421_03_56_SS_Primary_EUF	Apr 21, 2022	3:56AM	AUS Leachate - Reagent Water	M22-Ap0042777	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 21, 2022 10:25 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	881696	<b>Due:</b>	Apr 29, 2022
<b>Project Name:</b>	20220421041419-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
35	SX_OB_20220421_03_58_S_S_Primary_EU_F	Apr 21, 2022	3:58AM	AUS Leachate - Reagent Water	M22-Ap0042778	X		X	
<b>Test Counts</b>						22	11	35	11

## Internal Quality Control Review and Glossary

### General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer that may have an impact on the results.
- This report replaces any interim results previously issued.

### Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

### Units

<b>mg/kg:</b> milligrams per kilogram	<b>mg/L:</b> milligrams per litre	<b>µg/L:</b> micrograms per litre
<b>ppm:</b> parts per million	<b>ppb:</b> parts per billion	<b>%:</b> Percentage
<b>org/100 mL:</b> Organisms per 100 millilitres	<b>NTU:</b> Nephelometric Turbidity Units	<b>MPN/100 mL:</b> Most Probable Number of organisms per 100 millilitres

### Terms

<b>APHA</b>	American Public Health Association
<b>COC</b>	Chain of Custody
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>CRM</b>	Certified Reference Material (ISO17034) - reported as percent recovery.
<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>LOR</b>	Limit of Reporting.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>SRA</b>	Sample Receipt Advice
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>TBTO</b>	Tributyltin oxide ( <i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment however free tributyltin was measured and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits.
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>TEQ</b>	Toxic Equivalency Quotient or Total Equivalence
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.4
<b>US EPA</b>	United States Environmental Protection Agency
<b>WA DWER</b>	Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

### QC - Acceptance Criteria

The acceptance criteria should be used as a guide only and may be different when site specific Sampling Analysis and Quality Plan (SAQP) have been implemented

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR: No Limit

Results between 10-20 times the LOR: RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

NOTE: pH duplicates are reported as a range not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.4 where no positive PFAS results have been reported have been reviewed and no data was affected.

### QC Data General Comments

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery the term "INT" appears against that analyte.
- For Matrix Spikes and LCS results a dash "-" in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
<b>Method Blank</b>						
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA)	ug/L	< 0.05		0.05	Pass	
Perfluoropentanoic acid (PFPeA)	ug/L	< 0.01		0.01	Pass	
Perfluorohexanoic acid (PFHxA)	ug/L	< 0.01		0.01	Pass	
Perfluoroheptanoic acid (PFHpA)	ug/L	< 0.01		0.01	Pass	
Perfluorooctanoic acid (PFOA)	ug/L	< 0.01		0.01	Pass	
Perfluorononanoic acid (PFNA)	ug/L	< 0.01		0.01	Pass	
Perfluorodecanoic acid (PFDA)	ug/L	< 0.01		0.01	Pass	
Perfluoroundecanoic acid (PFUnDA)	ug/L	< 0.01		0.01	Pass	
Perfluorododecanoic acid (PFDoDA)	ug/L	< 0.01		0.01	Pass	
Perfluorotridecanoic acid (PFTTrDA)	ug/L	< 0.01		0.01	Pass	
Perfluorotetradecanoic acid (PFTeDA)	ug/L	< 0.01		0.01	Pass	
<b>Method Blank</b>						
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA)	ug/L	< 0.05		0.05	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	ug/L	< 0.05		0.05	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	ug/L	< 0.05		0.05	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	ug/L	< 0.05		0.05	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	ug/L	< 0.05		0.05	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	ug/L	< 0.05		0.05	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	ug/L	< 0.05		0.05	Pass	
<b>Method Blank</b>						
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>						
Perfluorobutanesulfonic acid (PFBS)	ug/L	< 0.01		0.01	Pass	
Perfluorononanesulfonic acid (PFNS)	ug/L	< 0.01		0.01	Pass	
Perfluoropropanesulfonic acid (PFPrS)	ug/L	< 0.01		0.01	Pass	
Perfluoropentanesulfonic acid (PFPeS)	ug/L	< 0.01		0.01	Pass	
Perfluorohexanesulfonic acid (PFHxS)	ug/L	< 0.01		0.01	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	ug/L	< 0.01		0.01	Pass	
Perfluorooctanesulfonic acid (PFOS)	ug/L	< 0.01		0.01	Pass	
Perfluorodecanesulfonic acid (PFDS)	ug/L	< 0.01		0.01	Pass	
<b>Method Blank</b>						
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	ug/L	< 0.01		0.01	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	ug/L	< 0.05		0.05	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	ug/L	< 0.01		0.01	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	ug/L	< 0.01		0.01	Pass	
<b>LCS - % Recovery</b>						
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA)	%	149		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	119		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	120		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	107		50-150	Pass	
Perfluorooctanoic acid (PFOA)	%	105		50-150	Pass	
Perfluorononanoic acid (PFNA)	%	109		50-150	Pass	
Perfluorodecanoic acid (PFDA)	%	112		50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	%	91		50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	%	120		50-150	Pass	
Perfluorotridecanoic acid (PFTTrDA)	%	146		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	%	90		50-150	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code	
<b>LCS - % Recovery</b>								
<b>Perfluoroalkyl sulfonamido substances</b>								
Perfluorooctane sulfonamide (FOSA)	%	141			50-150	Pass		
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	%	138			50-150	Pass		
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	%	147			50-150	Pass		
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	%	146			50-150	Pass		
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	%	114			50-150	Pass		
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	%	106			50-150	Pass		
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	%	131			50-150	Pass		
<b>LCS - % Recovery</b>								
<b>Perfluoroalkyl sulfonic acids (PFSA's)</b>								
Perfluorobutanesulfonic acid (PFBS)	%	114			50-150	Pass		
Perfluorononanesulfonic acid (PFNS)	%	101			50-150	Pass		
Perfluoropropanesulfonic acid (PFPrS)	%	120			50-150	Pass		
Perfluoropentanesulfonic acid (PFPeS)	%	101			50-150	Pass		
Perfluorohexanesulfonic acid (PFHxS)	%	102			50-150	Pass		
Perfluoroheptanesulfonic acid (PFHpS)	%	109			50-150	Pass		
Perfluorooctanesulfonic acid (PFOS)	%	114			50-150	Pass		
Perfluorodecanesulfonic acid (PFDS)	%	69			50-150	Pass		
<b>LCS - % Recovery</b>								
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA's)</b>								
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	%	123			50-150	Pass		
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	%	150			50-150	Pass		
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	%	121			50-150	Pass		
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	%	137			50-150	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
<b>Spike - % Recovery</b>								
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>								
Perfluorobutanoic acid (PFBA)	M22-Ap0040632	NCP	%	132		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	M22-Ap0040632	NCP	%	114		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	M22-Ap0040632	NCP	%	100		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	M22-Ap0040632	NCP	%	90		50-150	Pass	
Perfluorooctanoic acid (PFOA)	M22-Ap0040632	NCP	%	86		50-150	Pass	
Perfluorononanoic acid (PFNA)	M22-Ap0040632	NCP	%	95		50-150	Pass	
Perfluorodecanoic acid (PFDA)	M22-Ap0040632	NCP	%	87		50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	M22-Ap0040632	NCP	%	113		50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	M22-Ap0040632	NCP	%	104		50-150	Pass	
Perfluorotridecanoic acid (PFTrDA)	M22-Ap0040632	NCP	%	145		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	M22-Ap0040632	NCP	%	98		50-150	Pass	
<b>Spike - % Recovery</b>								
<b>Perfluoroalkyl sulfonamido substances</b>								
Perfluorooctane sulfonamide (FOSA)	M22-Ap0040632	NCP	%	127		50-150	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-Ap0040632	NCP	%	105		50-150	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-Ap0040632	NCP	%	148		50-150	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-Ap0040632	NCP	%	134		50-150	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-Ap0040632	NCP	%	118		50-150	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-Ap0040632	NCP	%	78			50-150	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-Ap0040632	NCP	%	103			50-150	Pass	
<b>Spike - % Recovery</b>									
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>				Result 1					
Perfluorobutanesulfonic acid (PFBS)	M22-Ap0040632	NCP	%	97			50-150	Pass	
Perfluorononanesulfonic acid (PFNS)	M22-Ap0040632	NCP	%	77			50-150	Pass	
Perfluoropropanesulfonic acid (PFPrS)	M22-Ap0040632	NCP	%	102			50-150	Pass	
Perfluoropentanesulfonic acid (PFPeS)	M22-Ap0040632	NCP	%	83			50-150	Pass	
Perfluorohexanesulfonic acid (PFHxS)	M22-Ap0040632	NCP	%	86			50-150	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	M22-Ap0040632	NCP	%	97			50-150	Pass	
Perfluorooctanesulfonic acid (PFOS)	M22-Ap0040632	NCP	%	93			50-150	Pass	
Perfluorodecanesulfonic acid (PFDS)	M22-Ap0040632	NCP	%	51			50-150	Pass	
<b>Spike - % Recovery</b>									
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>				Result 1					
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-Ap0040632	NCP	%	105			50-150	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-Ap0040632	NCP	%	138			50-150	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-Ap0040632	NCP	%	108			50-150	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-Ap0040632	NCP	%	112			50-150	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Duplicate</b>									
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>				Result 1	Result 2	RPD			
Perfluorobutanoic acid (PFBA)	M22-Ap0040631	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
Perfluoropentanoic acid (PFPeA)	M22-Ap0040631	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorohexanoic acid (PFHxA)	M22-Ap0040631	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluoroheptanoic acid (PFHpA)	M22-Ap0040631	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorooctanoic acid (PFOA)	M22-Ap0040631	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorononanoic acid (PFNA)	M22-Ap0040631	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorodecanoic acid (PFDA)	M22-Ap0040631	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluoroundecanoic acid (PFUnDA)	M22-Ap0040631	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorododecanoic acid (PFDoDA)	M22-Ap0040631	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorotridecanoic acid (PFTTrDA)	M22-Ap0040631	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorotetradecanoic acid (PFTEDA)	M22-Ap0040631	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-Ap0040631	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-Ap0040631	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-Ap0040631	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-Ap0040631	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-Ap0040631	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-Ap0040631	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-Ap0040631	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-Ap0040631	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-Ap0040631	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-Ap0040631	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-Ap0040631	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-Ap0040631	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-Ap0040631	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-Ap0040631	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-Ap0040631	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-Ap0040631	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-Ap0040631	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-Ap0040631	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-Ap0040631	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass



**Comments**
**Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	No
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Qualifier Codes/Comments**

Code	Description
N11	Isotope dilution is used for calibration of each native compound for which an exact labelled analogue is available (Isotope Dilution Quantitation). The isotopically labelled analogues allow identification and recovery correction of the concentration of the associated native PFAS compounds.
N15	Where the native PFAS compound does not have labelled analogue then the quantification is made using the Extracted Internal Standard Analyte with the closest retention time to the analyte and no recovery correction has been made (Internal Standard Quantitation).

**Authorised by:**

Catherine Wilson	Analytical Services Manager
Joseph Edouard	Senior Analyst (VIC)



**Glenn Jackson**  
**General Manager**

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.



# CHAIN OF CUSTODY RECORD

Sydney Laboratory  
Line F 3 64 F 16 Mars Road Law Cove NSW 1509 2006  
07 956 9240 Ewings@sydneylab.com.au

Brisbane Laboratory  
Line 1 21 Oakwood Place Marjorie QLD 4172  
20 289 4078 Ewings@brisbanelab.com.au

Perth Laboratory  
Line 2 21 Leach Highway Kewdale WA 6105  
08 921 5900 Ewings@perthlab.com.au

Melbourne Laboratory  
6 Monty Road Gardenvale South VIC 3175  
03 954 5000 Ewings@melbournelab.com.au

Company		Project No		Project Manager		Craig Trimbur		Sampler(s)	
AGON Environmental - Tunnel Spoil Testing		JC0927		EDD Formast		Esdat		Hannah EP Risk Martha AGON	
Address		Project Name		EDD Format		Esdat		Handed over by	
Unit H76, 63-65 Turner St, Port Melbourne VIC 3207		WGTP-Tunnel Ref: 20220422074731-Eurofin-8		E-Com - Eurofin-8				[Signature]	
Contact Name		Special Directions		Containers		Required Turnaround Time (TAT)		Email for Invoice	
Craig Trimbur David Lawson		Please provide an interim lab report if finalised report has not been provided by 14 days from sample receipt. Please provide eSRN along with other sample receipt documentation.		500mL Plastic 300mL Plastic 150mL Plastic 200mL Amber Glass 40mL VOA vial 500mL PFA/SS Bottle Jar (Glass or HDPE) Other (Address As Ref. WA CodeName)		+Surcharge will apply Overnight (reporting by 9am)* Same day* 1 day* 2 days* 3 days* Other*		finance@agonenviro.com.au LabReports.TST@agonenviro.com.au	
Purchase Order		Quote ID No		Email for Results		Sample Comments / Dangerous Goods Hazard Warning			
		Agon WGTP TST		LabReports.TST@agonenviro.com.au agonenvironmental@esdat.com.au motherlabresults1@wgtp.com.au Amrit.Kaur@ggle-analytics.com.au					
No	Client Sample ID	Sampled Date/Time	Matrix	Substrate	Substrate	Substrate	Substrate	Substrate	Substrate
1	SX_OB_20220421_08_03_Primary_EUF	21.04.22 8:03	S	X	X	X	X	X	1
2	SX_OB_20220421_08_19_SS_Triplicate_EUF	21.04.22 8:03	S	X	X	X	X	X	1
3	SX_OB_20220421_12_20_SS_Primary_EUF	21.04.22 12:20	S	X	X	X	X	X	1
4	SX_IB_20220421_16_47_SS_Primary_EUF	21.04.22 16:47	S	X	X	X	X	X	1
5	SX_IB_20220421_18_48_SS_Duplicate_EUF	21.04.22 18:48	S	X	X	X	X	X	1
6	SX_OB_20220421_19_49_SS_Primary_EUF	21.04.22 19:49	S	X	X	X	X	X	1
7	SX_IB_20220421_20_03_SS_Primary_EUF	21.04.22 20:03	S	X	X	X	X	X	1
8	SX_IB_20220421_20_05_SS_Duplicate_EUF	21.04.22 20:05	S	X	X	X	X	X	1
9	SX_IB_20220421_23_09_SS_Primary_EUF	21.04.22 23:09	S	X	X	X	X	X	1
10	SX_OB_20220422_04_02_SS_Primary_EUF	22.04.22 04:02	S	X	X	X	X	X	1
11	SX_IB_20220422_04_12_SS_Primary_EUF	22.04.22 04:12	S	X	X	X	X	X	1
12	SX_OB_20220422_06_51_SR_Rinsate_EUF	22.04.22 06:51:00	W			X			1
13	SX_OB_20220422_08_57_SB_Blank_EUF	22.04.22 08:57:00	W			X			1
14									1
15									1
16									1
17									1
18									1
19									1
20									1
21									1
22									1
23									1
24									1
25									1
26									1
27									1

12:05 PM  
Courier  
Venuka . P  
22/4/22 12:05 PM  
18.8  
10.4  
18.4

882063  
Jake

## Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

**Melbourne**

6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261 Site # 1254

**Sydney**

179 Magowar Road  
Girraween NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**

1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Newcastle**

4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448  
NATA # 1261 Site # 25079

## Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

**Perth**

46-48 Banksia Road  
Welshpool WA 6106  
Phone : +61 8 6253 4444  
NATA # 2377 Site # 2370

## Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

**Auckland**

35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**

43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

## Sample Receipt Advice

**Company name:** Agon Environmental Pty Ltd - VIC  
**Contact name:** Agon Lab Reports (Spoil Project)  
**Project name:** 20220422074731-Eurofin-6  
**Project ID:** JC0927  
**Turnaround time:** 5 Day  
**Date/Time received:** Apr 22, 2022 12:05 PM  
**Eurofins reference:** 882063

## Sample Information

- ✓ A detailed list of analytes logged into our LIMS, is included in the attached summary table.
- ✓ All samples have been received as described on the above COC.
- ✓ COC has been completed correctly.
- ✗ Attempt to chill was evident.
- ✓ Appropriately preserved sample containers have been used.
- ✓ All samples were received in good condition.
- ✓ Samples have been provided with adequate time to commence analysis in accordance with the relevant holding times.
- ✓ Appropriate sample containers have been used.
- ✓ Sample containers for volatile analysis received with zero headspace.
- ✗ Split sample sent to requested external lab.
- ✗ Some samples have been subcontracted.
- N/A Custody Seals intact (if used).

## Notes

## Contact

If you have any questions with respect to these samples, please contact your Analytical Services Manager:

**Michael Cassidy on phone : +61 3 8564 5000 or by email: MichaelCassidy@eurofins.com**

Results will be delivered electronically via email to Agon Lab Reports (Spoil Project) - labreports.TST@agonenviro.com.au.

*Note: A copy of these results will also be delivered to the general Agon Environmental Pty Ltd - VIC email address.*



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261 Site # 1254

**Sydney**  
179 Magowar Road  
Girraween NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448  
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

**Perth**  
46-48 Banksia Road  
Welsphool WA 6106  
Phone : +61 8 6253 4444  
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

web: www.eurofins.com.au  
email: EnviroSales@eurofins.com

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220422074731-Eurofin-6  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882063  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 22, 2022 12:05 PM  
**Due:** May 2, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	SX_OB_20220421_08_03_S_S_Primary_EU_F	Apr 21, 2022	8:03AM	Soil	M22-Ap0045370		X	X	X
2	SX_OB_20220421_08_13_S_S_Triplicate_EU_F	Apr 21, 2022	8:13AM	Soil	M22-Ap0045371		X	X	X
3	SX_OB_20220421_12_20_S_S_Primary_EU_F	Apr 21, 2022	12:20PM	Soil	M22-Ap0045372		X	X	X



# Environment Testing

## Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261 Site # 1254

**Sydney**  
179 Magowar Road  
Girraween NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448  
NATA # 1261 Site # 25079

## Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

**Perth**  
46-48 Banksia Road  
Welshpool WA 6106  
Phone : +61 8 6253 4444  
NATA # 2377 Site # 2370

## Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

web: www.eurofins.com.au  
email: EnviroSales@eurofins.com

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063

**Project Name:** 20220422074731-Eurofin-6  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882063  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 22, 2022 12:05 PM  
**Due:** May 2, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
4	SX_IB_20220421_15_47_SS_Primary_EUF	Apr 21, 2022	3:47PM	Soil	M22-Ap0045373		X	X	X
5	SX_IB_20220421_15_48_SS_Duplicate_EUF	Apr 21, 2022	3:48PM	Soil	M22-Ap0045374		X	X	X
6	SX_OB_20220421_19_49_SS_Primary_EUF	Apr 21, 2022	7:49PM	Soil	M22-Ap0045375		X	X	X
7	SX_IB_20220421_20_03_SS_Primary_EUF	Apr 21, 2022	8:03PM	Soil	M22-Ap0045376		X	X	X

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220422074731-Eurofin-6  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882063  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 22, 2022 12:05 PM  
**Due:** May 2, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
8	SX_IB_20220421_20_05_SS_Duplicate_EU_F	Apr 21, 2022	8:05PM	Soil	M22-Ap0045377		X	X	X
9	SX_IB_20220421_23_58_SS_Primary_EUF	Apr 21, 2022	11:58PM	Soil	M22-Ap0045378		X	X	X
10	SX_OB_20220422_04_02_SS_Primary_EU_F	Apr 22, 2022	4:02AM	Soil	M22-Ap0045379		X	X	X
11	SX_IB_20220422_04_12_SS_Primary_EUF	Apr 22, 2022	4:12AM	Soil	M22-Ap0045380		X	X	X

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
**Project Name:** 20220422074731-Eurofin-6  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882063  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 22, 2022 12:05 PM  
**Due:** May 2, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
12	SX_OB_20220422_06_51_S_R_Rinsate_EU_F	Apr 22, 2022	6:51AM	Water	M22-Ap0045381			X	
13	SX_OB_20220422_06_57_S_B_Blank_EUF	Apr 22, 2022	6:57AM	Water	M22-Ap0045382			X	
14	SX_OB_20220421_08_03_S_S_Primary_EU_F	Apr 21, 2022	8:03AM	AUS Leachate - pH 5.0	M22-Ap0045383	X		X	
15	SX_OB_20220421_08_13_S_S_Triplicate_E	Apr 21, 2022	8:13AM	AUS Leachate - pH 5.0	M22-Ap0045384	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 22, 2022 12:05 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882063	<b>Due:</b>	May 2, 2022
<b>Project Name:</b>	20220422074731-Eurofin-6	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	UF								
16	SX_OB_20220421_12_20_SS_Primary_EUF	Apr 21, 2022	12:20PM	AUS Leachate - pH 5.0	M22-Ap0045385	X		X	
17	SX_IB_20220421_15_47_SS_Primary_EUF	Apr 21, 2022	3:47PM	AUS Leachate - pH 5.0	M22-Ap0045386	X		X	
18	SX_IB_20220421_15_48_SS_Duplicate_EUF	Apr 21, 2022	3:48PM	AUS Leachate - pH 5.0	M22-Ap0045387	X		X	
19	SX_OB_20220421_19_49_S	Apr 21, 2022	7:49PM	AUS Leachate - pH 5.0	M22-Ap0045388	X		X	



<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 22, 2022 12:05 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882063	<b>Due:</b>	May 2, 2022
<b>Project Name:</b>	20220422074731-Eurofin-6	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	S_Primary_EU F								
20	SX_IB_202204 21_20_03_SS _Primary_EUF	Apr 21, 2022	8:03PM	AUS Leachate - pH 5.0	M22- Ap0045389	X		X	
21	SX_IB_202204 21_20_05_SS _Duplicate_EU F	Apr 21, 2022	8:05PM	AUS Leachate - pH 5.0	M22- Ap0045390	X		X	
22	SX_IB_202204 21_23_58_SS _Primary_EUF	Apr 21, 2022	11:58PM	AUS Leachate - pH 5.0	M22- Ap0045391	X		X	
23	SX_OB_20220 422_04_02_S	Apr 22, 2022	4:02AM	AUS Leachate - pH 5.0	M22- Ap0045392	X		X	

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
**Project Name:** 20220422074731-Eurofin-6  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882063  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 22, 2022 12:05 PM  
**Due:** May 2, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	422_04_02_S S_Primary_EU F			- pH 5.0	Ap0045392				
24	SX_IB_202204 22_04_12_SS _Primary_EUF	Apr 22, 2022	4:12AM	AUS Leachate - pH 5.0	M22- Ap0045393	X		X	
25	SX_OB_20220 421_08_03_S S_Primary_EU F	Apr 21, 2022	8:03AM	AUS Leachate - Reagent Water	M22- Ap0045394	X		X	
26	SX_OB_20220 421_08_13_S S_Triplicate_E UF	Apr 21, 2022	8:13AM	AUS Leachate - Reagent Water	M22- Ap0045395	X		X	

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
**Project Name:** 20220422074731-Eurofin-6  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882063  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 22, 2022 12:05 PM  
**Due:** May 2, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
27	SX_OB_20220421_12_20_S_S_Primary_EU F	Apr 21, 2022	12:20PM	AUS Leachate - Reagent Water	M22-Ap0045396	X		X	
28	SX_IB_20220421_15_47_SS_Primary_EUF	Apr 21, 2022	3:47PM	AUS Leachate - Reagent Water	M22-Ap0045397	X		X	
29	SX_IB_20220421_15_48_SS_Duplicate_EU F	Apr 21, 2022	3:48PM	AUS Leachate - Reagent Water	M22-Ap0045398	X		X	
30	SX_OB_20220421_19_49_S_S_Primary_EU	Apr 21, 2022	7:49PM	AUS Leachate - Reagent Water	M22-Ap0045399	X		X	



# Environment Testing

## Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261 Site # 1254

**Sydney**  
179 Magowar Road  
Girraween NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448  
NATA # 1261 Site # 25079

## Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

**Perth**  
46-48 Banksia Road  
Welsphool WA 6106  
Phone : +61 8 6253 4444  
NATA # 2377 Site # 2370

## Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

web: www.eurofins.com.au  
email: EnviroSales@eurofins.com

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063

**Project Name:** 20220422074731-Eurofin-6  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882063  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 22, 2022 12:05 PM  
**Due:** May 2, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	F								
31	SX_IB_20220421_20_03_SS_Primary_EUF	Apr 21, 2022	8:03PM	AUS Leachate - Reagent Water	M22-Ap0045400	X		X	
32	SX_IB_20220421_20_05_SS_Duplicate_EUF	Apr 21, 2022	8:05PM	AUS Leachate - Reagent Water	M22-Ap0045401	X		X	
33	SX_IB_20220421_23_58_SS_Primary_EUF	Apr 21, 2022	11:58PM	AUS Leachate - Reagent Water	M22-Ap0045402	X		X	
34	SX_OB_20220422_04_02_S_S_Primary_EU	Apr 22, 2022	4:02AM	AUS Leachate - Reagent Water	M22-Ap0045403	X		X	



# Environment Testing

## Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261 Site # 1254

**Sydney**  
179 Magowar Road  
Girraween NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448  
NATA # 1261 Site # 25079

## Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

**Perth**  
46-48 Banksia Road  
Welshpool WA 6106  
Phone : +61 8 6253 4444  
NATA # 2377 Site # 2370

## Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

web: www.eurofins.com.au  
email: EnviroSales@eurofins.com

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220422074731-Eurofin-6  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882063  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 22, 2022 12:05 PM  
**Due:** May 2, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	F								
35	SX_IB_20220422_04_12_SS_Primary_EUF	Apr 22, 2022	4:12AM	AUS Leachate - Reagent Water	M22-Ap0045404	X		X	
<b>Test Counts</b>						22	11	35	11

Agon Environmental Pty Ltd - VIC  
3/224 Glen Osmond Road  
Fullarton  
SA 5063



NATA Accredited  
Accreditation Number 1261  
Site Number 1254

Accredited for compliance with ISO/IEC 17025 – Testing  
NATA is a signatory to the ILAC Mutual Recognition  
Arrangement for the mutual recognition of the  
equivalence of testing, medical testing, calibration,  
inspection, proficiency testing scheme providers and  
reference materials producers reports and certificates.

Attention: **Agon Lab Reports (Spoil Project)**

Report **882063-L**  
Project name **20220422074731-Eurofin-6**  
Project ID **JC0927**  
Received Date **Apr 22, 2022**

Client Sample ID			SX_OB_20220 421_08_03_SS _Primary_EUF	SX_OB_20220 421_08_13_SS _Triplicate_EU F	SX_OB_20220 421_12_20_SS _Primary_EUF	SX_IB_202204 21_15_47_SS_ _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- Ap0045383	M22- Ap0045384	M22- Ap0045385	M22- Ap0045386
Date Sampled			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022	Apr 21, 2022
Test/Reference	LOR	Unit				
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.1	5.1	5.1	5.1
pH (off)	0.1	pH Units	5.4	5.3	5.2	5.3
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	80	89	86	87
13C5-PFPeA (surr.)	1	%	88	102	94	85
13C5-PFHxA (surr.)	1	%	77	87	86	78
13C4-PFHpA (surr.)	1	%	72	81	81	74
13C8-PFOA (surr.)	1	%	78	84	92	60
13C5-PFNA (surr.)	1	%	70	66	70	69
13C6-PFDA (surr.)	1	%	71	61	68	61
13C2-PFUnDA (surr.)	1	%	56	59	63	48
13C2-PFDoDA (surr.)	1	%	65	57	60	41
13C2-PFTTeDA (surr.)	1	%	65	50	55	33

Client Sample ID			SX_OB_20220 421_08_03_SS _Primary_EUF	SX_OB_20220 421_08_13_SS _TriPLICATE_EU F	SX_OB_20220 421_12_20_SS _Primary_EUF	SX_IB_202204 21_15_47_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- Ap0045383	M22- Ap0045384	M22- Ap0045385	M22- Ap0045386
Date Sampled			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022	Apr 21, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	66	71	83	59
D3-N-MeFOSA (surr.)	1	%	55	48	57	29
D5-N-EtFOSA (surr.)	1	%	77	55	71	33
D7-N-MeFOSE (surr.)	1	%	68	86	91	69
D9-N-EtFOSE (surr.)	1	%	77	76	94	69
D5-N-EtFOSAA (surr.)	1	%	15	17	18	13
D3-N-MeFOSAA (surr.)	1	%	20	11	12	19
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	82	90	92	65
18O2-PFHxS (surr.)	1	%	102	98	96	88
13C8-PFOS (surr.)	1	%	90	81	96	73
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	56	64	63	89
13C2-6:2 FTSA (surr.)	1	%	68	74	82	74
13C2-8:2 FTSA (surr.)	1	%	63	62	78	81
13C2-10:2 FTSA (surr.)	1	%	76	72	97	50
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202204 21_15_48_SS Duplicate_EUF	SX_OB_20220 421_19_49_SS Primary_EUF	SX_IB_202204 21_20_03_SS Primary_EUF	SX_IB_202204 21_20_05_SS Duplicate_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- Ap0045387	M22- Ap0045388	M22- Ap0045389	M22- Ap0045390
Date Sampled			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022	Apr 21, 2022
Test/Reference	LOR	Unit				
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.1	5.1	5.1	5.1
pH (off)	0.1	pH Units	5.2	5.3	5.2	5.1
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	91	89	88	84
13C5-PFPeA (surr.)	1	%	96	93	95	90
13C5-PFHxA (surr.)	1	%	89	90	80	80
13C4-PFHpA (surr.)	1	%	86	83	80	77
13C8-PFOA (surr.)	1	%	78	89	60	66
13C5-PFNA (surr.)	1	%	83	75	74	80
13C6-PFDA (surr.)	1	%	86	67	78	83
13C2-PFUnDA (surr.)	1	%	76	54	64	61
13C2-PFDoDA (surr.)	1	%	72	45	61	61
13C2-PFTeDA (surr.)	1	%	65	32	40	53
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	97	65	71	68
D3-N-MeFOSA (surr.)	1	%	70	22	18	33
D5-N-EtFOSA (surr.)	1	%	82	28	24	40
D7-N-MeFOSE (surr.)	1	%	87	58	71	69
D9-N-EtFOSE (surr.)	1	%	105	65	66	77
D5-N-EtFOSAA (surr.)	1	%	19	12	13	10
D3-N-MeFOSAA (surr.)	1	%	14	17	12	15



Client Sample ID			SX_IB_202204_21_15_48_SS_Duplicate_EUF	SX_OB_202204_21_19_49_SS_Primary_EUF	SX_IB_202204_21_20_03_SS_Primary_EUF	SX_IB_202204_21_20_05_SS_Duplicate_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22-Ap0045387	M22-Ap0045388	M22-Ap0045389	M22-Ap0045390
Date Sampled			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022	Apr 21, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	70	94	65	70
18O2-PFHxS (surr.)	1	%	105	91	100	90
13C8-PFOS (surr.)	1	%	96	87	89	92
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	93	70	98	94
13C2-6:2 FTSA (surr.)	1	%	88	78	91	87
13C2-8:2 FTSA (surr.)	1	%	86	76	100	94
13C2-10:2 FTSA (surr.)	1	%	98	48	93	75
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202204_21_23_58_SS_Primary_EUF	SX_OB_202204_22_04_02_SS_Primary_EUF	SX_IB_202204_22_04_12_SS_Primary_EUF	SX_OB_202204_21_08_03_SS_Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - Reagent Water
Eurofins Sample No.			M22-Ap0045391	M22-Ap0045392	M22-Ap0045393	M22-Ap0045394
Date Sampled			Apr 21, 2022	Apr 22, 2022	Apr 22, 2022	Apr 21, 2022
Test/Reference	LOR	Unit				
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0	1.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.1	5.1	5.1	6.2
pH (off)	0.1	pH Units	5.1	5.1	5.1	6.4

Client Sample ID			SX_IB_202204 21_23_58_SS Primary_EUF	SX_OB_20220 422_04_02_SS _Primary_EUF	SX_IB_202204 22_04_12_SS _Primary_EUF	SX_OB_20220 421_08_03_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- Ap0045391	M22- Ap0045392	M22- Ap0045393	M22- Ap0045394
Date Sampled			Apr 21, 2022	Apr 22, 2022	Apr 22, 2022	Apr 21, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	85	83	85	73
13C5-PFPeA (surr.)	1	%	94	86	86	81
13C5-PFHxA (surr.)	1	%	86	86	82	75
13C4-PFHpA (surr.)	1	%	80	76	81	67
13C8-PFOA (surr.)	1	%	79	75	67	79
13C5-PFNA (surr.)	1	%	73	64	78	67
13C6-PFDA (surr.)	1	%	76	65	83	66
13C2-PFUnDA (surr.)	1	%	68	48	73	58
13C2-PFDoDA (surr.)	1	%	65	43	74	51
13C2-PFTTeDA (surr.)	1	%	55	34	58	35
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	81	61	83	74
D3-N-MeFOSA (surr.)	1	%	51	44	26	22
D5-N-EtFOSA (surr.)	1	%	62	51	33	25
D7-N-MeFOSE (surr.)	1	%	86	51	65	53
D9-N-EtFOSE (surr.)	1	%	89	69	77	58
D5-N-EtFOSAA (surr.)	1	%	10	15	16	19
D3-N-MeFOSAA (surr.)	1	%	15	13	17	12
<b>Perfluoroalkyl sulfonic acids (PFSAs)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01

Client Sample ID			SX_IB_202204 21_23_58_SS Primary_EUF	SX_OB_20220 422_04_02_SS _Primary_EUF	SX_IB_202204 22_04_12_SS _Primary_EUF	SX_OB_20220 421_08_03_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- Ap0045391	M22- Ap0045392	M22- Ap0045393	M22- Ap0045394
Date Sampled			Apr 21, 2022	Apr 22, 2022	Apr 22, 2022	Apr 21, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>						
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	72	92	62	84
18O2-PFHxS (surr.)	1	%	91	86	99	91
13C8-PFOS (surr.)	1	%	98	76	106	90
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	90	59	85	57
13C2-6:2 FTSA (surr.)	1	%	93	68	86	65
13C2-8:2 FTSA (surr.)	1	%	78	59	108	77
13C2-10:2 FTSA (surr.)	1	%	91	51	68	72
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_20220 421_08_13_SS TriPLICATE_EU F	SX_OB_20220 421_12_20_SS _Primary_EUF	SX_IB_202204 21_15_47_SS _Primary_EUF	SX_IB_202204 21_15_48_SS Duplicate_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- Ap0045395	M22- Ap0045396	M22- Ap0045397	M22- Ap0045398
Date Sampled			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022	Apr 21, 2022
Test/Reference	LOR	Unit				
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	6.2	6.2	6.2	6.2
pH (off)	0.1	pH Units	7.7	8.4	8.7	8.7
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01

Client Sample ID			SX_OB_20220 421_08_13_SS TriPLICATE_EU F	SX_OB_20220 421_12_20_SS Primary_EUF	SX_IB_202204 21_15_47_SS Primary_EUF	SX_IB_202204 21_15_48_SS Duplicate_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- Ap0045395	M22- Ap0045396	M22- Ap0045397	M22- Ap0045398
Date Sampled			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022	Apr 21, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	80	81	82	72
13C5-PFPeA (surr.)	1	%	81	81	80	71
13C5-PFHxA (surr.)	1	%	83	84	77	67
13C4-PFHpA (surr.)	1	%	77	76	72	65
13C8-PFOA (surr.)	1	%	82	80	58	53
13C5-PFNA (surr.)	1	%	72	71	73	59
13C6-PFDA (surr.)	1	%	68	66	77	64
13C2-PFUnDA (surr.)	1	%	64	64	70	64
13C2-PFDoDA (surr.)	1	%	63	63	86	64
13C2-PFTeDA (surr.)	1	%	44	45	69	60
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	73	73	86	74
D3-N-MeFOSA (surr.)	1	%	24	35	58	35
D5-N-EtFOSA (surr.)	1	%	26	42	72	42
D7-N-MeFOSE (surr.)	1	%	64	80	82	86
D9-N-EtFOSE (surr.)	1	%	58	75	97	77
D5-N-EtFOSAA (surr.)	1	%	12	11	13	14
D3-N-MeFOSAA (surr.)	1	%	19	22	14	11
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	89	85	69	68
18O2-PFHxS (surr.)	1	%	91	93	80	92
13C8-PFOS (surr.)	1	%	90	98	106	94

<b>Client Sample ID</b>			<a href="#">SX_OB_20220421_08_13_SS_Triplicate_EUF</a>	<a href="#">SX_OB_20220421_12_20_SS_Primary_EUF</a>	<a href="#">SX_IB_20220421_15_47_SS_Primary_EUF</a>	<a href="#">SX_IB_20220421_15_48_SS_Duplicate_EUF</a>
<b>Sample Matrix</b>			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
<b>Eurofins Sample No.</b>			M22-Ap0045395	M22-Ap0045396	M22-Ap0045397	M22-Ap0045398
<b>Date Sampled</b>			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022	Apr 21, 2022
Test/Reference	LOR	Unit				
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	65	63	99	88
13C2-6:2 FTSA (surr.)	1	%	75	73	81	80
13C2-8:2 FTSA (surr.)	1	%	81	67	139	138
13C2-10:2 FTSA (surr.)	1	%	81	82	81	90
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

<b>Client Sample ID</b>			<a href="#">SX_OB_20220421_19_49_SS_Primary_EUF</a>	<a href="#">SX_IB_20220421_20_03_SS_Primary_EUF</a>	<a href="#">SX_IB_20220421_20_05_SS_Duplicate_EUF</a>	<a href="#">SX_IB_20220421_23_58_SS_Primary_EUF</a>
<b>Sample Matrix</b>			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
<b>Eurofins Sample No.</b>			M22-Ap0045399	M22-Ap0045400	M22-Ap0045401	M22-Ap0045402
<b>Date Sampled</b>			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022	Apr 21, 2022
Test/Reference	LOR	Unit				
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	6.2	6.2	6.2	6.2
pH (off)	0.1	pH Units	9.0	8.9	8.8	8.9
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	74	75	80	77

Client Sample ID			SX_OB_20220421_19_49_SS_Primary_EUF	SX_IB_20220421_20_03_SS_Primary_EUF	SX_IB_20220421_20_05_SS_Duplicate_EUF	SX_IB_20220421_23_58_SS_Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22-Ap0045399	M22-Ap0045400	M22-Ap0045401	M22-Ap0045402
Date Sampled			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022	Apr 21, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
13C5-PFPeA (surr.)	1	%	80	66	74	72
13C5-PFHxA (surr.)	1	%	75	70	70	76
13C4-PFHpA (surr.)	1	%	68	69	70	70
13C8-PFOA (surr.)	1	%	74	51	55	60
13C5-PFNA (surr.)	1	%	63	68	63	61
13C6-PFDA (surr.)	1	%	63	74	70	68
13C2-PFUnDA (surr.)	1	%	60	68	64	69
13C2-PFDoDA (surr.)	1	%	56	76	69	66
13C2-PFTeDA (surr.)	1	%	55	60	69	54
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	72	87	76	72
D3-N-MeFOSA (surr.)	1	%	30	52	33	28
D5-N-EtFOSA (surr.)	1	%	33	66	43	34
D7-N-MeFOSE (surr.)	1	%	55	66	76	58
D9-N-EtFOSE (surr.)	1	%	66	87	78	66
D5-N-EtFOSAA (surr.)	1	%	12	11	11	13
D3-N-MeFOSAA (surr.)	1	%	16	17	11	11
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	86	65	67	72
18O2-PFHxS (surr.)	1	%	88	90	85	94
13C8-PFOS (surr.)	1	%	88	97	89	87

<b>Client Sample ID</b>			<a href="#">SX_OB_20220421_19_49_SS_Primary_EUF</a>	<a href="#">SX_IB_20220421_20_03_SS_Primary_EUF</a>	<a href="#">SX_IB_20220421_20_05_SS_Duplicate_EUF</a>	<a href="#">SX_IB_20220421_23_58_SS_Primary_EUF</a>
<b>Sample Matrix</b>			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
<b>Eurofins Sample No.</b>			M22-Ap0045399	M22-Ap0045400	M22-Ap0045401	M22-Ap0045402
<b>Date Sampled</b>			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022	Apr 21, 2022
<b>Test/Reference</b>	LOR	Unit				
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	61	96	98	88
13C2-6:2 FTSA (surr.)	1	%	63	79	77	73
13C2-8:2 FTSA (surr.)	1	%	71	131	117	92
13C2-10:2 FTSA (surr.)	1	%	72	99	68	65
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

<b>Client Sample ID</b>			<a href="#">SX_OB_20220422_04_02_SS_Primary_EUF</a>	<a href="#">SX_IB_20220422_04_12_SS_Primary_EUF</a>
<b>Sample Matrix</b>			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
<b>Eurofins Sample No.</b>			M22-Ap0045403	M22-Ap0045404
<b>Date Sampled</b>			Apr 22, 2022	Apr 22, 2022
<b>Test/Reference</b>	LOR	Unit		
<b>AUS Leaching Procedure</b>				
Leachate Fluid <sup>C01</sup>		comment	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	6.2	6.2
pH (off)	0.1	pH Units	8.8	8.8
<b>Perfluoroalkyl carboxylic acids (PFCA)</b>				
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	77	78
13C5-PFPeA (surr.)	1	%	81	92

Client Sample ID			SX_OB_20220 422_04_02_SS _Primary_EUF	SX_IB_202204 22_04_12_SS _Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- Ap0045403	M22- Ap0045404
Date Sampled			Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit		
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>				
13C5-PFHxA (surr.)	1	%	77	73
13C4-PFHpA (surr.)	1	%	68	71
13C8-PFOA (surr.)	1	%	81	55
13C5-PFNA (surr.)	1	%	70	66
13C6-PFDA (surr.)	1	%	63	69
13C2-PFUnDA (surr.)	1	%	61	66
13C2-PFDoDA (surr.)	1	%	59	64
13C2-PFTeDA (surr.)	1	%	50	54
<b>Perfluoroalkyl sulfonamido substances</b>				
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	67	70
D3-N-MeFOSA (surr.)	1	%	23	33
D5-N-EtFOSA (surr.)	1	%	29	38
D7-N-MeFOSE (surr.)	1	%	42	66
D9-N-EtFOSE (surr.)	1	%	68	72
D5-N-EtFOSAA (surr.)	1	%	13	11
D3-N-MeFOSAA (surr.)	1	%	17	12
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>				
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	86	62
18O2-PFHxS (surr.)	1	%	86	92
13C8-PFOS (surr.)	1	%	83	98
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>				
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01



<b>Client Sample ID</b>			<b>SX_OB_20220422_04_02_SS_Primary_EUF</b>	<b>SX_IB_20220422_04_12_SS_Primary_EUF</b>
<b>Sample Matrix</b>			<b>AUS Leachate - Reagent Water</b>	<b>AUS Leachate - Reagent Water</b>
<b>Eurofins Sample No.</b>			<b>M22-Ap0045403</b>	<b>M22-Ap0045404</b>
<b>Date Sampled</b>			<b>Apr 22, 2022</b>	<b>Apr 22, 2022</b>
Test/Reference	LOR	Unit		
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>				
13C2-4:2 FTSA (surr.)	1	%	56	101
13C2-6:2 FTSA (surr.)	1	%	63	79
13C2-8:2 FTSA (surr.)	1	%	75	92
13C2-10:2 FTSA (surr.)	1	%	67	104
<b>PFASs Summations</b>				
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
AUS Leaching Procedure			
pH (initial) - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Melbourne	Apr 26, 2022	0 Days
pH (Leachate fluid) - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Melbourne	Apr 26, 2022	0 Days
pH (off) - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Melbourne	Apr 26, 2022	0 Days
Per- and Polyfluoroalkyl Substances (PFASs)			
Perfluoroalkyl carboxylic acids (PFCAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 26, 2022	28 Days
Perfluoroalkyl sulfonamido substances - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 26, 2022	28 Days
Perfluoroalkyl sulfonic acids (PFASs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 26, 2022	28 Days
n:2 Fluorotelomer sulfonic acids (n:2 FTSAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 26, 2022	28 Days
PFASs Summations - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 22, 2022	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 22, 2022 12:05 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882063	<b>Due:</b>	May 2, 2022
<b>Project Name:</b>	20220422074731-Eurofin-6	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	SX_OB_20220421_08_03_S_S_Primary_EU_F	Apr 21, 2022	8:03AM	Soil	M22-Ap0045370		X	X	X
2	SX_OB_20220421_08_13_S_S_Triplicate_EU_F	Apr 21, 2022	8:13AM	Soil	M22-Ap0045371		X	X	X
3	SX_OB_20220421_12_20_S_S_Primary_EU_F	Apr 21, 2022	12:20PM	Soil	M22-Ap0045372		X	X	X

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
**Project Name:** 20220422074731-Eurofin-6  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882063  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 22, 2022 12:05 PM  
**Due:** May 2, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
4	SX_IB_20220421_15_47_SS_Primary_EUF	Apr 21, 2022	3:47PM	Soil	M22-Ap0045373		X	X	X
5	SX_IB_20220421_15_48_SS_Duplicate_EUF	Apr 21, 2022	3:48PM	Soil	M22-Ap0045374		X	X	X
6	SX_OB_20220421_19_49_SS_Primary_EUF	Apr 21, 2022	7:49PM	Soil	M22-Ap0045375		X	X	X
7	SX_IB_20220421_20_03_SS_Primary_EUF	Apr 21, 2022	8:03PM	Soil	M22-Ap0045376		X	X	X

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
**Project Name:** 20220422074731-Eurofin-6  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882063  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 22, 2022 12:05 PM  
**Due:** May 2, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
8	SX_IB_20220421_20_05_SS_Duplicate_EUF	Apr 21, 2022	8:05PM	Soil	M22-Ap0045377		X	X	X
9	SX_IB_20220421_23_58_SS_Primary_EUF	Apr 21, 2022	11:58PM	Soil	M22-Ap0045378		X	X	X
10	SX_OB_20220422_04_02_SS_Primary_EUF	Apr 22, 2022	4:02AM	Soil	M22-Ap0045379		X	X	X
11	SX_IB_20220422_04_12_SS_Primary_EUF	Apr 22, 2022	4:12AM	Soil	M22-Ap0045380		X	X	X

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 22, 2022 12:05 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882063	<b>Due:</b>	May 2, 2022
<b>Project Name:</b>	20220422074731-Eurofin-6	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
12	SX_OB_20220422_06_51_S_R_Rinsate_EU_F	Apr 22, 2022	6:51AM	Water	M22-Ap0045381			X	
13	SX_OB_20220422_06_57_S_B_Blank_EUF	Apr 22, 2022	6:57AM	Water	M22-Ap0045382			X	
14	SX_OB_20220421_08_03_S_S_Primary_EU_F	Apr 21, 2022	8:03AM	AUS Leachate - pH 5.0	M22-Ap0045383	X		X	
15	SX_OB_20220421_08_13_S_S_Triplicate_E	Apr 21, 2022	8:13AM	AUS Leachate - pH 5.0	M22-Ap0045384	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 22, 2022 12:05 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882063	<b>Due:</b>	May 2, 2022
<b>Project Name:</b>	20220422074731-Eurofin-6	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	UF								
16	SX_OB_20220421_12_20_S_S_Primary_EUF	Apr 21, 2022	12:20PM	AUS Leachate - pH 5.0	M22-Ap0045385	X		X	
17	SX_IB_20220421_15_47_SS_Primary_EUF	Apr 21, 2022	3:47PM	AUS Leachate - pH 5.0	M22-Ap0045386	X		X	
18	SX_IB_20220421_15_48_SS_Duplicate_EUF	Apr 21, 2022	3:48PM	AUS Leachate - pH 5.0	M22-Ap0045387	X		X	
19	SX_OB_20220421_19_49_S	Apr 21, 2022	7:49PM	AUS Leachate - pH 5.0	M22-Ap0045388	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 22, 2022 12:05 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882063	<b>Due:</b>	May 2, 2022
<b>Project Name:</b>	20220422074731-Eurofin-6	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	S_Primary_EU F								
20	SX_IB_202204 21_20_03_SS _Primary_EUF	Apr 21, 2022	8:03PM	AUS Leachate - pH 5.0	M22- Ap0045389	X		X	
21	SX_IB_202204 21_20_05_SS _Duplicate_EU F	Apr 21, 2022	8:05PM	AUS Leachate - pH 5.0	M22- Ap0045390	X		X	
22	SX_IB_202204 21_23_58_SS _Primary_EUF	Apr 21, 2022	11:58PM	AUS Leachate - pH 5.0	M22- Ap0045391	X		X	
23	SX_OB_20220 422_04_02_S	Apr 22, 2022	4:02AM	AUS Leachate - pH 5.0	M22- Ap0045392	X		X	



**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220422074731-Eurofin-6  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882063  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 22, 2022 12:05 PM  
**Due:** May 2, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	422_04_02_S S_Primary_EU F			- pH 5.0	Ap0045392				
24	SX_IB_202204 22_04_12_SS _Primary_EUF	Apr 22, 2022	4:12AM	AUS Leachate - pH 5.0	M22- Ap0045393	X		X	
25	SX_OB_20220 421_08_03_S S_Primary_EU F	Apr 21, 2022	8:03AM	AUS Leachate - Reagent Water	M22- Ap0045394	X		X	
26	SX_OB_20220 421_08_13_S S_Triplicate_E UF	Apr 21, 2022	8:13AM	AUS Leachate - Reagent Water	M22- Ap0045395	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 22, 2022 12:05 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882063	<b>Due:</b>	May 2, 2022
<b>Project Name:</b>	20220422074731-Eurofin-6	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
27	SX_OB_20220421_12_20_S_S_Primary_EU F	Apr 21, 2022	12:20PM	AUS Leachate - Reagent Water	M22-Ap0045396	X		X	
28	SX_IB_20220421_15_47_SS_Primary_EUF	Apr 21, 2022	3:47PM	AUS Leachate - Reagent Water	M22-Ap0045397	X		X	
29	SX_IB_20220421_15_48_SS_Duplicate_EU F	Apr 21, 2022	3:48PM	AUS Leachate - Reagent Water	M22-Ap0045398	X		X	
30	SX_OB_20220421_19_49_S_S_Primary_EU	Apr 21, 2022	7:49PM	AUS Leachate - Reagent Water	M22-Ap0045399	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 22, 2022 12:05 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882063	<b>Due:</b>	May 2, 2022
<b>Project Name:</b>	20220422074731-Eurofin-6	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	F								
31	SX_IB_20220421_20_03_SS_Primary_EUF	Apr 21, 2022	8:03PM	AUS Leachate - Reagent Water	M22-Ap0045400	X		X	
32	SX_IB_20220421_20_05_SS_Duplicate_EUF	Apr 21, 2022	8:05PM	AUS Leachate - Reagent Water	M22-Ap0045401	X		X	
33	SX_IB_20220421_23_58_SS_Primary_EUF	Apr 21, 2022	11:58PM	AUS Leachate - Reagent Water	M22-Ap0045402	X		X	
34	SX_OB_20220422_04_02_S_S_Primary_EU	Apr 22, 2022	4:02AM	AUS Leachate - Reagent Water	M22-Ap0045403	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 22, 2022 12:05 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882063	<b>Due:</b>	May 2, 2022
<b>Project Name:</b>	20220422074731-Eurofin-6	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFAS)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	F								
35	SX_IB_202204_22_04_12_SS_Primary_EUF	Apr 22, 2022	4:12AM	AUS Leachate - Reagent Water	M22-Ap0045404	X		X	
<b>Test Counts</b>						22	11	35	11

## Internal Quality Control Review and Glossary

### General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer that may have an impact on the results.
- This report replaces any interim results previously issued.

### Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

### Units

<b>mg/kg:</b> milligrams per kilogram	<b>mg/L:</b> milligrams per litre	<b>µg/L:</b> micrograms per litre
<b>ppm:</b> parts per million	<b>ppb:</b> parts per billion	<b>%:</b> Percentage
<b>org/100 mL:</b> Organisms per 100 millilitres	<b>NTU:</b> Nephelometric Turbidity Units	<b>MPN/100 mL:</b> Most Probable Number of organisms per 100 millilitres

### Terms

<b>APHA</b>	American Public Health Association
<b>COC</b>	Chain of Custody
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>CRM</b>	Certified Reference Material (ISO17034) - reported as percent recovery.
<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>LOR</b>	Limit of Reporting.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>SRA</b>	Sample Receipt Advice
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>TBTO</b>	Tributyltin oxide ( <i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment however free tributyltin was measured and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits.
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>TEQ</b>	Toxic Equivalency Quotient or Total Equivalence
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.4
<b>US EPA</b>	United States Environmental Protection Agency
<b>WA DWER</b>	Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

### QC - Acceptance Criteria

The acceptance criteria should be used as a guide only and may be different when site specific Sampling Analysis and Quality Plan (SAQP) have been implemented

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR: No Limit

Results between 10-20 times the LOR: RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

NOTE: pH duplicates are reported as a range not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.4 where no positive PFAS results have been reported have been reviewed and no data was affected.

### QC Data General Comments

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery the term "INT" appears against that analyte.
- For Matrix Spikes and LCS results a dash "-" in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
<b>Method Blank</b>						
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA)	ug/L	< 0.05		0.05	Pass	
Perfluoropentanoic acid (PFPeA)	ug/L	< 0.01		0.01	Pass	
Perfluorohexanoic acid (PFHxA)	ug/L	< 0.01		0.01	Pass	
Perfluoroheptanoic acid (PFHpA)	ug/L	< 0.01		0.01	Pass	
Perfluorooctanoic acid (PFOA)	ug/L	< 0.01		0.01	Pass	
Perfluorononanoic acid (PFNA)	ug/L	< 0.01		0.01	Pass	
Perfluorodecanoic acid (PFDA)	ug/L	< 0.01		0.01	Pass	
Perfluoroundecanoic acid (PFUnDA)	ug/L	< 0.01		0.01	Pass	
Perfluorododecanoic acid (PFDoDA)	ug/L	< 0.01		0.01	Pass	
Perfluorotridecanoic acid (PFTTrDA)	ug/L	< 0.01		0.01	Pass	
Perfluorotetradecanoic acid (PFTeDA)	ug/L	< 0.01		0.01	Pass	
<b>Method Blank</b>						
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA)	ug/L	< 0.05		0.05	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	ug/L	< 0.05		0.05	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	ug/L	< 0.05		0.05	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	ug/L	< 0.05		0.05	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	ug/L	< 0.05		0.05	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	ug/L	< 0.05		0.05	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	ug/L	< 0.05		0.05	Pass	
<b>Method Blank</b>						
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>						
Perfluorobutanesulfonic acid (PFBS)	ug/L	< 0.01		0.01	Pass	
Perfluorononanesulfonic acid (PFNS)	ug/L	< 0.01		0.01	Pass	
Perfluoropropanesulfonic acid (PFPrS)	ug/L	< 0.01		0.01	Pass	
Perfluoropentanesulfonic acid (PFPeS)	ug/L	< 0.01		0.01	Pass	
Perfluorohexanesulfonic acid (PFHxS)	ug/L	< 0.01		0.01	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	ug/L	< 0.01		0.01	Pass	
Perfluorooctanesulfonic acid (PFOS)	ug/L	< 0.01		0.01	Pass	
Perfluorodecanesulfonic acid (PFDS)	ug/L	< 0.01		0.01	Pass	
<b>Method Blank</b>						
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	ug/L	< 0.01		0.01	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	ug/L	< 0.05		0.05	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	ug/L	< 0.01		0.01	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	ug/L	< 0.01		0.01	Pass	
<b>LCS - % Recovery</b>						
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA)	%	74		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	113		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	84		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	77		50-150	Pass	
Perfluorooctanoic acid (PFOA)	%	88		50-150	Pass	
Perfluorononanoic acid (PFNA)	%	83		50-150	Pass	
Perfluorodecanoic acid (PFDA)	%	97		50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	%	92		50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	%	95		50-150	Pass	
Perfluorotridecanoic acid (PFTTrDA)	%	112		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	%	92		50-150	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code	
<b>LCS - % Recovery</b>								
<b>Perfluoroalkyl sulfonamido substances</b>								
Perfluorooctane sulfonamide (FOSA)	%	111			50-150	Pass		
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	%	112			50-150	Pass		
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	%	83			50-150	Pass		
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	%	99			50-150	Pass		
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	%	89			50-150	Pass		
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	%	79			50-150	Pass		
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	%	95			50-150	Pass		
<b>LCS - % Recovery</b>								
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>								
Perfluorobutanesulfonic acid (PFBS)	%	85			50-150	Pass		
Perfluorononanesulfonic acid (PFNS)	%	81			50-150	Pass		
Perfluoropropanesulfonic acid (PFPrS)	%	94			50-150	Pass		
Perfluoropentanesulfonic acid (PFPeS)	%	92			50-150	Pass		
Perfluorohexanesulfonic acid (PFHxS)	%	77			50-150	Pass		
Perfluoroheptanesulfonic acid (PFHpS)	%	88			50-150	Pass		
Perfluorooctanesulfonic acid (PFOS)	%	86			50-150	Pass		
Perfluorodecanesulfonic acid (PFDS)	%	84			50-150	Pass		
<b>LCS - % Recovery</b>								
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>								
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	%	98			50-150	Pass		
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	%	131			50-150	Pass		
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	%	98			50-150	Pass		
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	%	76			50-150	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
<b>Duplicate</b>								
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>								
				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-Ap0045383	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-Ap0045383	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-Ap0045383	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-Ap0045383	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-Ap0045383	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-Ap0045383	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-Ap0045383	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-Ap0045383	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-Ap0045383	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotridecanoic acid (PFTrDA)	M22-Ap0045383	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-Ap0045383	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
<b>Duplicate</b>								
<b>Perfluoroalkyl sulfonamido substances</b>								
				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-Ap0045383	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-Ap0045383	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-Ap0045383	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-Ap0045383	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-Ap0045383	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-Ap0045383	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-Ap0045383	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSAs)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-Ap0045383	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-Ap0045383	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-Ap0045383	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-Ap0045383	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-Ap0045383	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-Ap0045383	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-Ap0045383	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-Ap0045383	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-Ap0045383	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-Ap0045383	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-Ap0045383	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-Ap0045383	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
Perfluoroalkyl carboxylic acids (PFCAs)				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-Ap0045393	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-Ap0045393	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-Ap0045393	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-Ap0045393	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-Ap0045393	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-Ap0045393	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-Ap0045393	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-Ap0045393	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-Ap0045393	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotridecanoic acid (PFTrDA)	M22-Ap0045393	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-Ap0045393	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass



<b>Duplicate</b>								
<b>Perfluoroalkyl sulfonamido substances</b>				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-Ap0045393	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-Ap0045393	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-Ap0045393	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-Ap0045393	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-Ap0045393	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-Ap0045393	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-Ap0045393	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
<b>Duplicate</b>								
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-Ap0045393	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-Ap0045393	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-Ap0045393	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-Ap0045393	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-Ap0045393	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-Ap0045393	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-Ap0045393	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-Ap0045393	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
<b>Duplicate</b>								
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-Ap0045393	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-Ap0045393	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-Ap0045393	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-Ap0045393	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
<b>Duplicate</b>								
<b>Perfluoroalkyl carboxylic acids (PFCA)</b>				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-Ap0045397	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-Ap0045397	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-Ap0045397	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-Ap0045397	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-Ap0045397	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-Ap0045397	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-Ap0045397	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-Ap0045397	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-Ap0045397	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotridecanoic acid (PFTTrDA)	M22-Ap0045397	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-Ap0045397	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-Ap0045397	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-Ap0045397	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-Ap0045397	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-Ap0045397	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-Ap0045397	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-Ap0045397	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-Ap0045397	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-Ap0045397	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-Ap0045397	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-Ap0045397	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-Ap0045397	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-Ap0045397	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-Ap0045397	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-Ap0045397	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-Ap0045397	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-Ap0045397	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-Ap0045397	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-Ap0045397	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-Ap0045397	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass

**Comments**
**Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	No
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Qualifier Codes/Comments**

Code	Description
C01	Leachate Fluid Key: 1 - pH 5.0; 2 - pH 2.9; 3 - pH 9.2; 4 - Reagent (DI) water; 5 - Client sample, 6 - other
N11	Isotope dilution is used for calibration of each native compound for which an exact labelled analogue is available (Isotope Dilution Quantitation). The isotopically labelled analogues allow identification and recovery correction of the concentration of the associated native PFAS compounds.
N15	Where the native PFAS compound does not have labelled analogue then the quantification is made using the Extracted Internal Standard Analyte with the closest retention time to the analyte and no recovery correction has been made (Internal Standard Quantitation).

**Authorised by:**

Callum McEwan	Analytical Services Manager
Mary Makarios	Senior Analyst (NSW)
Joseph Edouard	Senior Analyst (VIC)



**Glenn Jackson**  
General Manager

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Agon Environmental Pty Ltd - VIC  
3/224 Glen Osmond Road  
Fullarton  
SA 5063



NATA Accredited  
Accreditation Number 1261  
Site Number 1254

Accredited for compliance with ISO/IEC 17025 – Testing  
NATA is a signatory to the ILAC Mutual Recognition  
Arrangement for the mutual recognition of the  
equivalence of testing, medical testing, calibration,  
inspection, proficiency testing scheme providers and  
reference materials producers reports and certificates.

Attention: **Agon Lab Reports (Spoil Project)**

Report **882063-S**  
Project name **20220422074731-Eurofin-6**  
Project ID **JC0927**  
Received Date **Apr 22, 2022**

Client Sample ID			SX_OB_20220 421_08_03_SS _Primary_EUF	SX_OB_20220 421_08_13_SS _Triplicate_EU F	SX_OB_20220 421_12_20_SS _Primary_EUF	SX_IB_202204 21_15_47_SS_ _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0045370	M22- Ap0045371	M22- Ap0045372	M22- Ap0045373
Date Sampled			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022	Apr 21, 2022
Test/Reference	LOR	Unit				
<b>Total Recoverable Hydrocarbons</b>						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
Naphthalene <sup>N02</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) <sup>N04</sup>	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
<b>Volatile Organics</b>						
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
<b>Volatile Organics</b>						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_OB_20220 421_08_03_SS _Primary_EUF	SX_OB_20220 421_08_13_SS _TriPLICATE_EU F	SX_OB_20220 421_12_20_SS _Primary_EUF	SX_IB_202204 21_15_47_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0045370	M22- Ap0045371	M22- Ap0045372	M22- Ap0045373
Date Sampled			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022	Apr 21, 2022
Test/Reference	LOR	Unit				
<b>Volatile Organics</b>						
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	75	63	72	81
Toluene-d8 (surr.)	1	%	73	53	64	76
<b>Polycyclic Aromatic Hydrocarbons</b>						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_OB_20220 421_08_03_SS _Primary_EUF	SX_OB_20220 421_08_13_SS _Triplicate_EU F	SX_OB_20220 421_12_20_SS _Primary_EUF	SX_IB_202204 21_15_47_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0045370	M22- Ap0045371	M22- Ap0045372	M22- Ap0045373
Date Sampled			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022	Apr 21, 2022
Test/Reference	LOR	Unit				
<b>Polycyclic Aromatic Hydrocarbons</b>						
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	85	99	116	116
p-Terphenyl-d14 (surr.)	1	%	54	140	136	127
<b>Organochlorine Pesticides</b>						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchloroendate (surr.)	1	%	64	80	147	85
Tetrachloro-m-xylene (surr.)	1	%	75	97	134	123

Client Sample ID			SX_OB_20220 421_08_03_SS _Primary_EUF	SX_OB_20220 421_08_13_SS _Triplicate_EU F	SX_OB_20220 421_12_20_SS _Primary_EUF	SX_IB_202204 21_15_47_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0045370	M22- Ap0045371	M22- Ap0045372	M22- Ap0045373
Date Sampled			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022	Apr 21, 2022
Test/Reference	LOR	Unit				
<b>Polychlorinated Biphenyls</b>						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchloroendate (surr.)	1	%	64	80	147	85
Tetrachloro-m-xylene (surr.)	1	%	75	97	134	123
<b>Phenols (Halogenated)</b>						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1
<b>Phenols (non-Halogenated)</b>						
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	31	85	43	35
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20
<b>Chromium (hexavalent)</b>						
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1	< 1
<b>Cyanide (total)</b>						
Cyanide (total)	5	mg/kg	< 5	< 5	< 5	< 5
<b>Fluoride (Total)</b>						
Fluoride (Total)	100	mg/kg	< 100	< 100	< 100	< 100
<b>pH (1:5 Aqueous extract at 25°C as rec.)</b>						
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	7.8	8.2	8.0	8.7
<b>% Moisture</b>						
% Moisture	1	%	27	33	32	29
<b>Heavy Metals</b>						
Arsenic	2	mg/kg	55	56	58	39
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	110	130	150	160
Copper	5	mg/kg	51	58	69	72
Lead	5	mg/kg	5.2	6.2	5.7	6.7
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_20220 421_08_03_SS _Primary_EUF	SX_OB_20220 421_08_13_SS _Triplicate_EU F	SX_OB_20220 421_12_20_SS _Primary_EUF	SX_IB_202204 21_15_47_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0045370	M22- Ap0045371	M22- Ap0045372	M22- Ap0045373
Date Sampled			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022	Apr 21, 2022
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Molybdenum	5	mg/kg	< 5	< 5	< 5	< 5
Nickel	5	mg/kg	170	180	220	200
Selenium	2	mg/kg	4.3	< 2	< 2	< 2
Silver	2	mg/kg	< 2	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10	< 10
Zinc	5	mg/kg	120	140	140	140
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTrDA) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	76	83	79	79
13C5-PFPeA (surr.)	1	%	88	87	87	87
13C5-PFHxA (surr.)	1	%	76	81	76	75
13C4-PFHpA (surr.)	1	%	76	74	79	71
13C8-PFOA (surr.)	1	%	76	76	73	73
13C5-PFNA (surr.)	1	%	51	63	67	63
13C6-PFDA (surr.)	1	%	66	67	71	67
13C2-PFUnDA (surr.)	1	%	74	84	81	79
13C2-PFDoDA (surr.)	1	%	68	72	62	62
13C2-PFTeDA (surr.)	1	%	81	87	82	79
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	81	88	87	83
D3-N-MeFOSA (surr.)	1	%	86	86	84	77
D5-N-EtFOSA (surr.)	1	%	92	106	107	97
D7-N-MeFOSE (surr.)	1	%	69	73	65	74
D9-N-EtFOSE (surr.)	1	%	88	93	86	67
D5-N-EtFOSAA (surr.)	1	%	110	112	101	97
D3-N-MeFOSAA (surr.)	1	%	138	125	98	121



Client Sample ID			SX_OB_20220 421_08_03_SS _Primary_EUF	SX_OB_20220 421_08_13_SS _TriPLICATE_EU F	SX_OB_20220 421_12_20_SS _Primary_EUF	SX_IB_202204 21_15_47_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0045370	M22- Ap0045371	M22- Ap0045372	M22- Ap0045373
Date Sampled			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022	Apr 21, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	73	74	75	62
18O2-PFHxS (surr.)	1	%	56	74	61	47
13C8-PFOS (surr.)	1	%	59	64	65	57
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	95	51	88	104
13C2-6:2 FTSA (surr.)	1	%	94	58	99	108
13C2-8:2 FTSA (surr.)	1	%	140	121	138	138
13C2-10:2 FTSA (surr.)	1	%	145	133	102	100
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50	< 50

Client Sample ID			SX_IB_202204 21_15_48_SS Duplicate_EUF	SX_OB_20220 421_19_49_SS _Primary_EUF	SX_IB_202204 21_20_03_SS _Primary_EUF	SX_IB_202204 21_20_05_SS Duplicate_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0045374	M22- Ap0045375	M22- Ap0045376	M22- Ap0045377
Date Sampled			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022	Apr 21, 2022
Test/Reference	LOR	Unit				
<b>Total Recoverable Hydrocarbons</b>						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
Naphthalene <sup>N02</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) <sup>N04</sup>	20	mg/kg	< 20	< 20	< 20	< 20

Client Sample ID			SX_IB_202204 21_15_48_SS Duplicate_EUF	SX_OB_20220 421_19_49_SS _Primary_EUF	SX_IB_202204 21_20_03_SS _Primary_EUF	SX_IB_202204 21_20_05_SS Duplicate_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0045374	M22- Ap0045375	M22- Ap0045376	M22- Ap0045377
Date Sampled			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022	Apr 21, 2022
Test/Reference	LOR	Unit				
<b>Total Recoverable Hydrocarbons</b>						
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
<b>Volatile Organics</b>						
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
<b>Volatile Organics</b>						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_IB_202204 21_15_48_SS Duplicate_EUF	SX_OB_20220 421_19_49_SS _Primary_EUF	SX_IB_202204 21_20_03_SS _Primary_EUF	SX_IB_202204 21_20_05_SS Duplicate_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0045374	M22- Ap0045375	M22- Ap0045376	M22- Ap0045377
Date Sampled			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022	Apr 21, 2022
Test/Reference	LOR	Unit				
<b>Volatile Organics</b>						
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1,2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1,3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	77	78	70	65
Toluene-d8 (surr.)	1	%	72	80	67	62
<b>Polycyclic Aromatic Hydrocarbons</b>						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1,2,3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	98	92	80	81
p-Terphenyl-d14 (surr.)	1	%	109	108	81	93

Client Sample ID			SX_IB_202204 21_15_48_SS Duplicate_EUF	SX_OB_20220 421_19_49_SS _Primary_EUF	SX_IB_202204 21_20_03_SS _Primary_EUF	SX_IB_202204 21_20_05_SS Duplicate_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0045374	M22- Ap0045375	M22- Ap0045376	M22- Ap0045377
Date Sampled			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022	Apr 21, 2022
Test/Reference	LOR	Unit				
<b>Organochlorine Pesticides</b>						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4.4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4.4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4.4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchloroendate (surr.)	1	%	131	108	76	90
Tetrachloro-m-xylene (surr.)	1	%	125	119	76	93
<b>Polychlorinated Biphenyls</b>						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchloroendate (surr.)	1	%	131	108	76	90
Tetrachloro-m-xylene (surr.)	1	%	125	119	76	93
<b>Phenols (Halogenated)</b>						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1

Client Sample ID			SX_IB_202204 21_15_48_SS Duplicate_EUF	SX_OB_20220 421_19_49_SS _Primary_EUF	SX_IB_202204 21_20_03_SS _Primary_EUF	SX_IB_202204 21_20_05_SS _Duplicate_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0045374	M22- Ap0045375	M22- Ap0045376	M22- Ap0045377
Date Sampled			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022	Apr 21, 2022
Test/Reference	LOR	Unit				
<b>Phenols (non-Halogenated)</b>						
2-Cyclohexyl-4.6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4.6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2.4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2.4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	31	35	int	78
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20
<b>Chromium (hexavalent)</b>						
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1	< 1
<b>Cyanide (total)</b>						
Cyanide (total)	5	mg/kg	< 5	< 5	< 5	< 5
<b>Fluoride (Total)</b>						
Fluoride (Total)	100	mg/kg	< 100	< 100	140	< 100
<b>pH (1:5 Aqueous extract at 25°C as rec.)</b>						
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	8.7	7.8	8.5	8.3
<b>% Moisture</b>						
% Moisture	1	%	33	31	34	33
<b>Heavy Metals</b>						
Arsenic	2	mg/kg	22	55	26	23
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	130	160	150	130
Copper	5	mg/kg	64	82	80	68
Lead	5	mg/kg	< 5	5.6	5.6	< 5
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Molybdenum	5	mg/kg	< 5	< 5	< 5	< 5
Nickel	5	mg/kg	170	240	210	180
Selenium	2	mg/kg	< 2	< 2	< 2	< 2
Silver	2	mg/kg	< 2	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10	< 10
Zinc	5	mg/kg	120	160	150	120
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTTrDA) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	78	78	81	84
13C5-PFPeA (surr.)	1	%	78	87	90	83
13C5-PFHxA (surr.)	1	%	75	74	78	78

Client Sample ID			SX_IB_202204 21_15_48_SS Duplicate_EUF	SX_OB_20220 421_19_49_SS Primary_EUF	SX_IB_202204 21_20_03_SS Primary_EUF	SX_IB_202204 21_20_05_SS Duplicate_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0045374	M22- Ap0045375	M22- Ap0045376	M22- Ap0045377
Date Sampled			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022	Apr 21, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
13C4-PFHpA (surr.)	1	%	75	73	73	72
13C8-PFOA (surr.)	1	%	75	73	70	73
13C5-PFNA (surr.)	1	%	54	58	53	65
13C6-PFDA (surr.)	1	%	71	71	71	69
13C2-PFUnDA (surr.)	1	%	71	77	76	75
13C2-PFDoDA (surr.)	1	%	72	63	70	80
13C2-PFTeDA (surr.)	1	%	73	75	99	91
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	90	85	78	81
D3-N-MeFOSA (surr.)	1	%	79	90	102	100
D5-N-EtFOSA (surr.)	1	%	96	101	107	114
D7-N-MeFOSE (surr.)	1	%	74	67	66	71
D9-N-EtFOSE (surr.)	1	%	71	76	82	77
D5-N-EtFOSAA (surr.)	1	%	95	109	130	89
D3-N-MeFOSAA (surr.)	1	%	132	130	116	125
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	59	72	64	69
18O2-PFHxS (surr.)	1	%	57	66	67	72
13C8-PFOS (surr.)	1	%	58	56	57	63
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	100	98	101	52
13C2-6:2 FTSA (surr.)	1	%	87	106	101	62

Client Sample ID			SX_IB_202204 21_15_48_SS Duplicate_EUF	SX_OB_20220 421_19_49_SS Primary_EUF	SX_IB_202204 21_20_03_SS Primary_EUF	SX_IB_202204 21_20_05_SS Duplicate_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0045374	M22- Ap0045375	M22- Ap0045376	M22- Ap0045377
Date Sampled			Apr 21, 2022	Apr 21, 2022	Apr 21, 2022	Apr 21, 2022
Test/Reference	LOR	Unit				
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
13C2-8:2 FTSA (surr.)	1	%	148	148	131	123
13C2-10:2 FTSA (surr.)	1	%	131	108	120	117
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50	< 50

Client Sample ID			SX_IB_202204 21_23_58_SS Primary_EUF	SX_OB_20220 422_04_02_SS Primary_EUF	SX_IB_202204 22_04_12_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0045378	M22- Ap0045379	M22- Ap0045380
Date Sampled			Apr 21, 2022	Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit			
<b>Total Recoverable Hydrocarbons</b>					
TRH C6-C9	20	mg/kg	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	50
TRH C15-C28	50	mg/kg	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	50
Naphthalene <sup>N02</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) <sup>N04</sup>	20	mg/kg	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	58
TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>	50	mg/kg	< 50	< 50	58
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100
<b>Volatile Organics</b>					
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
<b>Volatile Organics</b>					
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_IB_202204 21_23_58_SS Primary_EUF	SX_OB_20220 422_04_02_SS Primary_EUF	SX_IB_202204 22_04_12_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0045378	M22- Ap0045379	M22- Ap0045380
Date Sampled			Apr 21, 2022	Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit			
<b>Volatile Organics</b>					
1,3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1,3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1,3,5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1,4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
cis-1,2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
cis-1,3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1
trans-1,2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
trans-1,3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	78	73	70
Toluene-d8 (surr.)	1	%	70	68	73



Client Sample ID			SX_IB_202204 21_23_58_SS Primary_EUF	SX_OB_20220 422_04_02_SS Primary_EUF	SX_IB_202204 22_04_12_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0045378	M22- Ap0045379	M22- Ap0045380
Date Sampled			Apr 21, 2022	Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit			
<b>Polycyclic Aromatic Hydrocarbons</b>					
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Indeno(1,2,3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	77	88	100
p-Terphenyl-d14 (surr.)	1	%	123	103	124
<b>Organochlorine Pesticides</b>					
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202204 21_23_58_SS Primary_EUF	SX_OB_20220 422_04_02_SS Primary_EUF	SX_IB_202204 22_04_12_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0045378	M22- Ap0045379	M22- Ap0045380
Date Sampled			Apr 21, 2022	Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit			
<b>Organochlorine Pesticides</b>					
Dibutylchlorendate (surr.)	1	%	80	83	100
Tetrachloro-m-xylene (surr.)	1	%	88	96	109
<b>Polychlorinated Biphenyls</b>					
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	80	83	100
Tetrachloro-m-xylene (surr.)	1	%	88	96	109
<b>Phenols (Halogenated)</b>					
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1
<b>Phenols (non-Halogenated)</b>					
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20	< 20	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	int	82	74
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20
<b>Chromium (hexavalent)</b>					
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1
Cyanide (total)	5	mg/kg	< 5	< 5	< 5
Fluoride (Total)	100	mg/kg	150	< 100	< 100
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	8.4	8.0	8.3
% Moisture	1	%	34	31	30

Client Sample ID			SX_IB_202204 21_23_58_SS Primary_EUF	SX_OB_20220 422_04_02_SS Primary_EUF	SX_IB_202204 22_04_12_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0045378	M22- Ap0045379	M22- Ap0045380
Date Sampled			Apr 21, 2022	Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit			
<b>Heavy Metals</b>					
Arsenic	2	mg/kg	22	40	27
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	130	130	120
Copper	5	mg/kg	73	60	59
Lead	5	mg/kg	< 5	6.6	< 5
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Molybdenum	5	mg/kg	< 5	< 5	< 5
Nickel	5	mg/kg	190	170	160
Selenium	2	mg/kg	< 2	< 2	< 2
Silver	2	mg/kg	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10
Zinc	5	mg/kg	140	110	110
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>					
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTeDA) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	79	78	81
13C5-PFPeA (surr.)	1	%	92	89	88
13C5-PFHxA (surr.)	1	%	75	77	78
13C4-PFHpA (surr.)	1	%	75	79	69
13C8-PFOA (surr.)	1	%	76	75	74
13C5-PFNA (surr.)	1	%	52	51	59
13C6-PFDA (surr.)	1	%	61	69	63
13C2-PFUnDA (surr.)	1	%	98	73	66
13C2-PFDoDA (surr.)	1	%	69	58	72
13C2-PFTeDA (surr.)	1	%	80	70	81
<b>Perfluoroalkyl sulfonamido substances</b>					
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	84	85	86
D3-N-MeFOSA (surr.)	1	%	88	81	84

Client Sample ID			SX_IB_202204 21_23_58_SS Primary_EUF	SX_OB_20220 422_04_02_SS Primary_EUF	SX_IB_202204 22_04_12_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0045378	M22- Ap0045379	M22- Ap0045380
Date Sampled			Apr 21, 2022	Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit			
<b>Perfluoroalkyl sulfonamido substances</b>					
D5-N-EtFOSA (surr.)	1	%	94	107	107
D7-N-MeFOSE (surr.)	1	%	69	67	63
D9-N-EtFOSE (surr.)	1	%	79	84	83
D5-N-EtFOSAA (surr.)	1	%	78	85	107
D3-N-MeFOSAA (surr.)	1	%	143	124	132
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>					
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	65	73	63
18O2-PFHxS (surr.)	1	%	75	66	72
13C8-PFOS (surr.)	1	%	51	64	52
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>					
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	102	95	101
13C2-6:2 FTSA (surr.)	1	%	107	99	111
13C2-8:2 FTSA (surr.)	1	%	132	119	147
13C2-10:2 FTSA (surr.)	1	%	144	116	63
<b>PFASs Summations</b>					
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
IWRG 621 WGTP Suite			
Total Recoverable Hydrocarbons - 1999 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40	Melbourne	Apr 26, 2022	14 Days
Total Recoverable Hydrocarbons - 2013 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40	Melbourne	Apr 26, 2022	14 Days
Total Recoverable Hydrocarbons - 2013 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40	Melbourne	Apr 26, 2022	14 Days
Volatile Organics - Method: USEPA 8260 - MGT 350A Volatile Organics by GCMS	Melbourne	Apr 26, 2022	7 Days
Volatile Organics - Method: LTM-ORG-2150 VOCs in Soils Liquid and other Aqueous Matrices (USEPA 8260)	Melbourne	Apr 26, 2022	7 Days
Polycyclic Aromatic Hydrocarbons - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Melbourne	Apr 26, 2022	14 Days
Organochlorine Pesticides - Method: LTM-ORG-2220 OCP & PCB in Soil and Water (USEPA 8270)	Melbourne	Apr 26, 2022	14 Days
Polychlorinated Biphenyls - Method: LTM-ORG-2220 OCP & PCB in Soil and Water (USEPA 8082)	Melbourne	Apr 26, 2022	28 Days
Phenols (Halogenated) - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Melbourne	Apr 26, 2022	14 Days
Phenols (non-Halogenated) - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Melbourne	Apr 26, 2022	14 Days
Chromium (hexavalent) - Method: LTM-INO-4100 Hexavalent Chromium by Spectrometric detection	Melbourne	Apr 26, 2022	28 Days
Cyanide (total) - Method: LTM-INO-4020 Total Free WAD Cyanide by CFA	Melbourne	Apr 27, 2022	14 Days
Fluoride (Total) - Method: LTM-INO-4150 Determination of Total Fluoride PART A – CIC	Melbourne	Apr 27, 2022	28 Days
pH (1:5 Aqueous extract at 25°C as rec.) - Method: LTM-GEN-7090 pH in soil by ISE	Melbourne	Apr 26, 2022	7 Days
Metals IWRG 621 : Metals M12 - Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS	Melbourne	Apr 26, 2022	28 Days
% Moisture - Method: LTM-GEN-7080 Moisture	Melbourne	Apr 22, 2022	14 Days
Per- and Polyfluoroalkyl Substances (PFASs)			
Perfluoroalkyl carboxylic acids (PFCAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 26, 2022	28 Days
Perfluoroalkyl sulfonamido substances - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 26, 2022	28 Days
Perfluoroalkyl sulfonic acids (PFASs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 26, 2022	28 Days
n:2 Fluorotelomer sulfonic acids (n:2 FTSAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 26, 2022	28 Days
PFASs Summations - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 22, 2022	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 22, 2022 12:05 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882063	<b>Due:</b>	May 2, 2022
<b>Project Name:</b>	20220422074731-Eurofin-6	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	SX_OB_20220421_08_03_S_S_Primary_EU_F	Apr 21, 2022	8:03AM	Soil	M22-Ap0045370		X	X	X
2	SX_OB_20220421_08_13_S_S_Triplicate_EU_F	Apr 21, 2022	8:13AM	Soil	M22-Ap0045371		X	X	X
3	SX_OB_20220421_12_20_S_S_Primary_EU_F	Apr 21, 2022	12:20PM	Soil	M22-Ap0045372		X	X	X

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 22, 2022 12:05 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882063	<b>Due:</b>	May 2, 2022
<b>Project Name:</b>	20220422074731-Eurofin-6	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
4	SX_IB_20220421_15_47_SS_Primary_EUF	Apr 21, 2022	3:47PM	Soil	M22-Ap0045373		X	X	X
5	SX_IB_20220421_15_48_SS_Duplicate_EUF	Apr 21, 2022	3:48PM	Soil	M22-Ap0045374		X	X	X
6	SX_OB_20220421_19_49_SS_Primary_EUF	Apr 21, 2022	7:49PM	Soil	M22-Ap0045375		X	X	X
7	SX_IB_20220421_20_03_SS_Primary_EUF	Apr 21, 2022	8:03PM	Soil	M22-Ap0045376		X	X	X

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220422074731-Eurofin-6  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882063  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 22, 2022 12:05 PM  
**Due:** May 2, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
8	SX_IB_20220421_20_05_SS_Duplicate_EU_F	Apr 21, 2022	8:05PM	Soil	M22-Ap0045377		X	X	X
9	SX_IB_20220421_23_58_SS_Primary_EUF	Apr 21, 2022	11:58PM	Soil	M22-Ap0045378		X	X	X
10	SX_OB_20220422_04_02_SS_Primary_EU_F	Apr 22, 2022	4:02AM	Soil	M22-Ap0045379		X	X	X
11	SX_IB_20220422_04_12_SS_Primary_EUF	Apr 22, 2022	4:12AM	Soil	M22-Ap0045380		X	X	X



<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 22, 2022 12:05 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882063	<b>Due:</b>	May 2, 2022
<b>Project Name:</b>	20220422074731-Eurofin-6	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
12	SX_OB_20220422_06_51_S R_Rinsate_EU F	Apr 22, 2022	6:51AM	Water	M22- Ap0045381			X	
13	SX_OB_20220422_06_57_S B_Blank_EUF	Apr 22, 2022	6:57AM	Water	M22- Ap0045382			X	
14	SX_OB_20220421_08_03_S S_Primary_EU F	Apr 21, 2022	8:03AM	AUS Leachate - pH 5.0	M22- Ap0045383	X		X	
15	SX_OB_20220421_08_13_S S_Triplicate_E	Apr 21, 2022	8:13AM	AUS Leachate - pH 5.0	M22- Ap0045384	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 22, 2022 12:05 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882063	<b>Due:</b>	May 2, 2022
<b>Project Name:</b>	20220422074731-Eurofin-6	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	UF								
16	SX_OB_20220421_12_20_SS_Primary_EUF	Apr 21, 2022	12:20PM	AUS Leachate - pH 5.0	M22-Ap0045385	X		X	
17	SX_IB_20220421_15_47_SS_Primary_EUF	Apr 21, 2022	3:47PM	AUS Leachate - pH 5.0	M22-Ap0045386	X		X	
18	SX_IB_20220421_15_48_SS_Duplicate_EUF	Apr 21, 2022	3:48PM	AUS Leachate - pH 5.0	M22-Ap0045387	X		X	
19	SX_OB_20220421_19_49_S	Apr 21, 2022	7:49PM	AUS Leachate - pH 5.0	M22-Ap0045388	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 22, 2022 12:05 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882063	<b>Due:</b>	May 2, 2022
<b>Project Name:</b>	20220422074731-Eurofin-6	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	S_Primary_EU F								
20	SX_IB_202204 21_20_03_SS _Primary_EUF	Apr 21, 2022	8:03PM	AUS Leachate - pH 5.0	M22- Ap0045389	X		X	
21	SX_IB_202204 21_20_05_SS _Duplicate_EU F	Apr 21, 2022	8:05PM	AUS Leachate - pH 5.0	M22- Ap0045390	X		X	
22	SX_IB_202204 21_23_58_SS _Primary_EUF	Apr 21, 2022	11:58PM	AUS Leachate - pH 5.0	M22- Ap0045391	X		X	
23	SX_OB_20220 422_04_02_S	Apr 22, 2022	4:02AM	AUS Leachate - pH 5.0	M22- Ap0045392	X		X	

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
**Project Name:** 20220422074731-Eurofin-6  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882063  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 22, 2022 12:05 PM  
**Due:** May 2, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	422_04_02_S S_Primary_EU F			- pH 5.0	Ap0045392				
24	SX_IB_202204 22_04_12_SS _Primary_EUF	Apr 22, 2022	4:12AM	AUS Leachate - pH 5.0	M22- Ap0045393	X		X	
25	SX_OB_20220 421_08_03_S S_Primary_EU F	Apr 21, 2022	8:03AM	AUS Leachate - Reagent Water	M22- Ap0045394	X		X	
26	SX_OB_20220 421_08_13_S S_Triplicate_E UF	Apr 21, 2022	8:13AM	AUS Leachate - Reagent Water	M22- Ap0045395	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 22, 2022 12:05 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882063	<b>Due:</b>	May 2, 2022
<b>Project Name:</b>	20220422074731-Eurofin-6	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
27	SX_OB_20220421_12_20_S_S_Primary_EU F	Apr 21, 2022	12:20PM	AUS Leachate - Reagent Water	M22-Ap0045396	X		X	
28	SX_IB_20220421_15_47_SS_Primary_EUF	Apr 21, 2022	3:47PM	AUS Leachate - Reagent Water	M22-Ap0045397	X		X	
29	SX_IB_20220421_15_48_SS_Duplicate_EU F	Apr 21, 2022	3:48PM	AUS Leachate - Reagent Water	M22-Ap0045398	X		X	
30	SX_OB_20220421_19_49_S_S_Primary_EU	Apr 21, 2022	7:49PM	AUS Leachate - Reagent Water	M22-Ap0045399	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 22, 2022 12:05 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882063	<b>Due:</b>	May 2, 2022
<b>Project Name:</b>	20220422074731-Eurofin-6	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	F								
31	SX_IB_20220421_20_03_SS_Primary_EUF	Apr 21, 2022	8:03PM	AUS Leachate - Reagent Water	M22-Ap0045400	X		X	
32	SX_IB_20220421_20_05_SS_Duplicate_EUF	Apr 21, 2022	8:05PM	AUS Leachate - Reagent Water	M22-Ap0045401	X		X	
33	SX_IB_20220421_23_58_SS_Primary_EUF	Apr 21, 2022	11:58PM	AUS Leachate - Reagent Water	M22-Ap0045402	X		X	
34	SX_OB_20220422_04_02_S_S_Primary_EU	Apr 22, 2022	4:02AM	AUS Leachate - Reagent Water	M22-Ap0045403	X		X	

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220422074731-Eurofin-6  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882063  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 22, 2022 12:05 PM  
**Due:** May 2, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	F								
35	SX_IB_202204_22_04_12_SS_Primary_EUF	Apr 22, 2022	4:12AM	AUS Leachate - Reagent Water	M22-Ap0045404	X		X	
<b>Test Counts</b>						22	11	35	11

## Internal Quality Control Review and Glossary

### General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer that may have an impact on the results.
- This report replaces any interim results previously issued.

### Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

### Units

<b>mg/kg:</b> milligrams per kilogram	<b>mg/L:</b> milligrams per litre	<b>µg/L:</b> micrograms per litre
<b>ppm:</b> parts per million	<b>ppb:</b> parts per billion	<b>%:</b> Percentage
<b>org/100 mL:</b> Organisms per 100 millilitres	<b>NTU:</b> Nephelometric Turbidity Units	<b>MPN/100 mL:</b> Most Probable Number of organisms per 100 millilitres

### Terms

<b>APHA</b>	American Public Health Association
<b>COC</b>	Chain of Custody
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>CRM</b>	Certified Reference Material (ISO17034) - reported as percent recovery.
<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>LOR</b>	Limit of Reporting.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>SRA</b>	Sample Receipt Advice
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>TBTO</b>	Tributyltin oxide ( <i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment however free tributyltin was measured and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits.
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>TEQ</b>	Toxic Equivalency Quotient or Total Equivalence
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.4
<b>US EPA</b>	United States Environmental Protection Agency
<b>WA DWER</b>	Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

### QC - Acceptance Criteria

The acceptance criteria should be used as a guide only and may be different when site specific Sampling Analysis and Quality Plan (SAQP) have been implemented

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR: No Limit

Results between 10-20 times the LOR: RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

NOTE: pH duplicates are reported as a range not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.4 where no positive PFAS results have been reported have been reviewed and no data was affected.

### QC Data General Comments

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery the term "INT" appears against that analyte.
- For Matrix Spikes and LCS results a dash "-" in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.



**Quality Control Results**

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Method Blank</b>							
<b>Total Recoverable Hydrocarbons</b>							
TRH C6-C9	mg/kg	< 20			20	Pass	
TRH C10-C14	mg/kg	< 20			20	Pass	
TRH C15-C28	mg/kg	< 50			50	Pass	
TRH C29-C36	mg/kg	< 50			50	Pass	
Naphthalene	mg/kg	< 0.5			0.5	Pass	
TRH C6-C10	mg/kg	< 20			20	Pass	
TRH >C10-C16	mg/kg	< 50			50	Pass	
TRH >C16-C34	mg/kg	< 100			100	Pass	
TRH >C34-C40	mg/kg	< 100			100	Pass	
<b>Method Blank</b>							
<b>Volatile Organics</b>							
Hexachlorobutadiene	mg/kg	< 0.5			0.5	Pass	
<b>Method Blank</b>							
<b>Volatile Organics</b>							
1.1-Dichloroethane	mg/kg	< 0.5			0.5	Pass	
1.2.4-Trichlorobenzene	mg/kg	< 0.5			0.5	Pass	
1.1-Dichloroethene	mg/kg	< 0.5			0.5	Pass	
1.1.1-Trichloroethane	mg/kg	< 0.5			0.5	Pass	
1.1.1.2-Tetrachloroethane	mg/kg	< 0.5			0.5	Pass	
1.1.2-Trichloroethane	mg/kg	< 0.5			0.5	Pass	
1.1.2.2-Tetrachloroethane	mg/kg	< 0.5			0.5	Pass	
1.2-Dibromoethane	mg/kg	< 0.5			0.5	Pass	
1.2-Dichlorobenzene	mg/kg	< 0.5			0.5	Pass	
1.2-Dichloroethane	mg/kg	< 0.5			0.5	Pass	
1.2-Dichloropropane	mg/kg	< 0.5			0.5	Pass	
1.2.3-Trichloropropane	mg/kg	< 0.5			0.5	Pass	
1.2.4-Trimethylbenzene	mg/kg	< 0.5			0.5	Pass	
1.3-Dichlorobenzene	mg/kg	< 0.5			0.5	Pass	
1.3-Dichloropropane	mg/kg	< 0.5			0.5	Pass	
1.3.5-Trimethylbenzene	mg/kg	< 0.5			0.5	Pass	
1.4-Dichlorobenzene	mg/kg	< 0.5			0.5	Pass	
2-Butanone (MEK)	mg/kg	< 0.5			0.5	Pass	
2-Propanone (Acetone)	mg/kg	< 0.5			0.5	Pass	
4-Chlorotoluene	mg/kg	< 0.5			0.5	Pass	
4-Methyl-2-pentanone (MIBK)	mg/kg	< 0.5			0.5	Pass	
Allyl chloride	mg/kg	< 0.5			0.5	Pass	
Benzene	mg/kg	< 0.1			0.1	Pass	
Bromobenzene	mg/kg	< 0.5			0.5	Pass	
Bromochloromethane	mg/kg	< 0.5			0.5	Pass	
Bromodichloromethane	mg/kg	< 0.5			0.5	Pass	
Bromoform	mg/kg	< 0.5			0.5	Pass	
Bromomethane	mg/kg	< 0.5			0.5	Pass	
Carbon disulfide	mg/kg	< 0.5			0.5	Pass	
Carbon Tetrachloride	mg/kg	< 0.5			0.5	Pass	
Chlorobenzene	mg/kg	< 0.5			0.5	Pass	
Chloroethane	mg/kg	< 0.5			0.5	Pass	
Chloroform	mg/kg	< 0.5			0.5	Pass	
Chloromethane	mg/kg	< 0.5			0.5	Pass	
cis-1.2-Dichloroethene	mg/kg	< 0.5			0.5	Pass	
cis-1.3-Dichloropropene	mg/kg	< 0.5			0.5	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Dibromochloromethane	mg/kg	< 0.5			0.5	Pass	
Dibromomethane	mg/kg	< 0.5			0.5	Pass	
Dichlorodifluoromethane	mg/kg	< 0.5			0.5	Pass	
Ethylbenzene	mg/kg	< 0.1			0.1	Pass	
Iodomethane	mg/kg	< 0.5			0.5	Pass	
Isopropyl benzene (Cumene)	mg/kg	< 0.5			0.5	Pass	
m&p-Xylenes	mg/kg	< 0.2			0.2	Pass	
Methylene Chloride	mg/kg	< 0.5			0.5	Pass	
o-Xylene	mg/kg	< 0.1			0.1	Pass	
Styrene	mg/kg	< 0.5			0.5	Pass	
Tetrachloroethene	mg/kg	< 0.5			0.5	Pass	
Toluene	mg/kg	< 0.1			0.1	Pass	
trans-1.2-Dichloroethene	mg/kg	< 0.5			0.5	Pass	
trans-1.3-Dichloropropene	mg/kg	< 0.5			0.5	Pass	
Trichloroethene	mg/kg	< 0.5			0.5	Pass	
Trichlorofluoromethane	mg/kg	< 0.5			0.5	Pass	
Vinyl chloride	mg/kg	< 0.5			0.5	Pass	
Xylenes - Total*	mg/kg	< 0.3			0.3	Pass	
<b>Method Blank</b>							
<b>Polycyclic Aromatic Hydrocarbons</b>							
Acenaphthene	mg/kg	< 0.5			0.5	Pass	
Acenaphthylene	mg/kg	< 0.5			0.5	Pass	
Anthracene	mg/kg	< 0.5			0.5	Pass	
Benz(a)anthracene	mg/kg	< 0.5			0.5	Pass	
Benzo(a)pyrene	mg/kg	< 0.5			0.5	Pass	
Benzo(b&j)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Benzo(g,h,i)perylene	mg/kg	< 0.5			0.5	Pass	
Benzo(k)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Chrysene	mg/kg	< 0.5			0.5	Pass	
Dibenz(a,h)anthracene	mg/kg	< 0.5			0.5	Pass	
Fluoranthene	mg/kg	< 0.5			0.5	Pass	
Fluorene	mg/kg	< 0.5			0.5	Pass	
Indeno(1.2.3-cd)pyrene	mg/kg	< 0.5			0.5	Pass	
Naphthalene	mg/kg	< 0.5			0.5	Pass	
Phenanthrene	mg/kg	< 0.5			0.5	Pass	
Pyrene	mg/kg	< 0.5			0.5	Pass	
<b>Method Blank</b>							
<b>Organochlorine Pesticides</b>							
Chlordanes - Total	mg/kg	< 0.1			0.1	Pass	
4.4'-DDD	mg/kg	< 0.05			0.05	Pass	
4.4'-DDE	mg/kg	< 0.05			0.05	Pass	
4.4'-DDT	mg/kg	< 0.05			0.05	Pass	
a-HCH	mg/kg	< 0.05			0.05	Pass	
Aldrin	mg/kg	< 0.05			0.05	Pass	
b-HCH	mg/kg	< 0.05			0.05	Pass	
d-HCH	mg/kg	< 0.05			0.05	Pass	
Dieldrin	mg/kg	< 0.05			0.05	Pass	
Endosulfan I	mg/kg	< 0.05			0.05	Pass	
Endosulfan II	mg/kg	< 0.05			0.05	Pass	
Endosulfan sulphate	mg/kg	< 0.05			0.05	Pass	
Endrin	mg/kg	< 0.05			0.05	Pass	
Endrin aldehyde	mg/kg	< 0.05			0.05	Pass	
Endrin ketone	mg/kg	< 0.05			0.05	Pass	
g-HCH (Lindane)	mg/kg	< 0.05			0.05	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Heptachlor	mg/kg	< 0.05			0.05	Pass	
Heptachlor epoxide	mg/kg	< 0.05			0.05	Pass	
Hexachlorobenzene	mg/kg	< 0.05			0.05	Pass	
Methoxychlor	mg/kg	< 0.05			0.05	Pass	
Toxaphene	mg/kg	< 0.5			0.5	Pass	
<b>Method Blank</b>							
<b>Polychlorinated Biphenyls</b>							
Aroclor-1016	mg/kg	< 0.1			0.1	Pass	
Aroclor-1221	mg/kg	< 0.1			0.1	Pass	
Aroclor-1232	mg/kg	< 0.1			0.1	Pass	
Aroclor-1242	mg/kg	< 0.1			0.1	Pass	
Aroclor-1248	mg/kg	< 0.1			0.1	Pass	
Aroclor-1254	mg/kg	< 0.1			0.1	Pass	
Aroclor-1260	mg/kg	< 0.1			0.1	Pass	
Total PCB*	mg/kg	< 0.1			0.1	Pass	
<b>Method Blank</b>							
<b>Phenols (Halogenated)</b>							
2-Chlorophenol	mg/kg	< 0.5			0.5	Pass	
2,4-Dichlorophenol	mg/kg	< 0.5			0.5	Pass	
2,4,5-Trichlorophenol	mg/kg	< 1			1	Pass	
2,4,6-Trichlorophenol	mg/kg	< 1			1	Pass	
2,6-Dichlorophenol	mg/kg	< 0.5			0.5	Pass	
4-Chloro-3-methylphenol	mg/kg	< 1			1	Pass	
Pentachlorophenol	mg/kg	< 1			1	Pass	
Tetrachlorophenols - Total	mg/kg	< 10			10	Pass	
<b>Method Blank</b>							
<b>Phenols (non-Halogenated)</b>							
2-Cyclohexyl-4,6-dinitrophenol	mg/kg	< 20			20	Pass	
2-Methyl-4,6-dinitrophenol	mg/kg	< 5			5	Pass	
2-Nitrophenol	mg/kg	< 1			1.0	Pass	
2,4-Dimethylphenol	mg/kg	< 0.5			0.5	Pass	
2,4-Dinitrophenol	mg/kg	< 5			5	Pass	
2-Methylphenol (o-Cresol)	mg/kg	< 0.2			0.2	Pass	
3&4-Methylphenol (m&p-Cresol)	mg/kg	< 0.4			0.4	Pass	
4-Nitrophenol	mg/kg	< 5			5	Pass	
Dinoseb	mg/kg	< 20			20	Pass	
Phenol	mg/kg	< 0.5			0.5	Pass	
<b>Method Blank</b>							
Chromium (hexavalent)	mg/kg	< 1			1	Pass	
Cyanide (total)	mg/kg	< 5			5	Pass	
Fluoride (Total)	mg/kg	< 100			100	Pass	
<b>Method Blank</b>							
<b>Heavy Metals</b>							
Arsenic	mg/kg	< 2			2	Pass	
Cadmium	mg/kg	< 0.4			0.4	Pass	
Chromium	mg/kg	< 5			5	Pass	
Copper	mg/kg	< 5			5	Pass	
Lead	mg/kg	< 5			5	Pass	
Mercury	mg/kg	< 0.1			0.1	Pass	
Molybdenum	mg/kg	< 5			5	Pass	
Nickel	mg/kg	< 5			5	Pass	
Selenium	mg/kg	< 2			2	Pass	
Silver	mg/kg	< 2			2	Pass	
Tin	mg/kg	< 10			10	Pass	

Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Zinc	mg/kg	< 5		5	Pass	
<b>Method Blank</b>						
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA)	ug/kg	< 5		5	Pass	
Perfluoropentanoic acid (PFPeA)	ug/kg	< 5		5	Pass	
Perfluorohexanoic acid (PFHxA)	ug/kg	< 5		5	Pass	
Perfluoroheptanoic acid (PFHpA)	ug/kg	< 5		5	Pass	
Perfluorooctanoic acid (PFOA)	ug/kg	< 5		5	Pass	
Perfluorononanoic acid (PFNA)	ug/kg	< 5		5	Pass	
Perfluorodecanoic acid (PFDA)	ug/kg	< 5		5	Pass	
Perfluoroundecanoic acid (PFUnDA)	ug/kg	< 5		5	Pass	
Perfluorododecanoic acid (PFDoDA)	ug/kg	< 5		5	Pass	
Perfluorotridecanoic acid (PFTrDA)	ug/kg	< 5		5	Pass	
Perfluorotetradecanoic acid (PFTeDA)	ug/kg	< 5		5	Pass	
<b>Method Blank</b>						
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA)	ug/kg	< 5		5	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	ug/kg	< 5		5	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	ug/kg	< 5		5	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	ug/kg	< 5		5	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	ug/kg	< 5		5	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	ug/kg	< 10		10	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	ug/kg	< 10		10	Pass	
<b>Method Blank</b>						
<b>Perfluoroalkyl sulfonic acids (PFSAs)</b>						
Perfluorobutanesulfonic acid (PFBS)	ug/kg	< 5		5	Pass	
Perfluorononanesulfonic acid (PFNS)	ug/kg	< 5		5	Pass	
Perfluoropropanesulfonic acid (PFPrS)	ug/kg	< 5		5	Pass	
Perfluoropentanesulfonic acid (PFPeS)	ug/kg	< 5		5	Pass	
Perfluorohexanesulfonic acid (PFHxS)	ug/kg	< 5		5	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	ug/kg	< 5		5	Pass	
Perfluorooctanesulfonic acid (PFOS)	ug/kg	< 5		5	Pass	
Perfluorodecanesulfonic acid (PFDS)	ug/kg	< 5		5	Pass	
<b>Method Blank</b>						
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	ug/kg	< 5		5	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	ug/kg	< 10		10	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	ug/kg	< 5		5	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	ug/kg	< 5		5	Pass	
<b>LCS - % Recovery</b>						
<b>Total Recoverable Hydrocarbons</b>						
TRH C6-C9	%	119		70-130	Pass	
TRH C10-C14	%	130		70-130	Pass	
Naphthalene	%	98		70-130	Pass	
TRH C6-C10	%	117		70-130	Pass	
TRH >C10-C16	%	124		70-130	Pass	
<b>LCS - % Recovery</b>						
<b>Volatile Organics</b>						
1.1-Dichloroethene	%	77		70-130	Pass	
1.1.1-Trichloroethane	%	84		70-130	Pass	
1.2-Dichlorobenzene	%	92		70-130	Pass	
1.2-Dichloroethane	%	97		70-130	Pass	
Benzene	%	87		70-130	Pass	
Ethylbenzene	%	80		70-130	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
m&p-Xylenes	%	82			70-130	Pass	
Toluene	%	86			70-130	Pass	
Trichloroethene	%	79			70-130	Pass	
Xylenes - Total*	%	83			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Polycyclic Aromatic Hydrocarbons</b>							
Acenaphthene	%	117			70-130	Pass	
Acenaphthylene	%	86			70-130	Pass	
Anthracene	%	115			70-130	Pass	
Benz(a)anthracene	%	75			70-130	Pass	
Benzo(a)pyrene	%	127			70-130	Pass	
Benzo(b&i)fluoranthene	%	81			70-130	Pass	
Benzo(g,h,i)perylene	%	115			70-130	Pass	
Benzo(k)fluoranthene	%	83			70-130	Pass	
Chrysene	%	86			70-130	Pass	
Dibenz(a,h)anthracene	%	118			70-130	Pass	
Fluoranthene	%	113			70-130	Pass	
Fluorene	%	127			70-130	Pass	
Indeno(1,2,3-cd)pyrene	%	115			70-130	Pass	
Naphthalene	%	116			70-130	Pass	
Phenanthrene	%	105			70-130	Pass	
Pyrene	%	118			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Organochlorine Pesticides</b>							
Chlordanes - Total	%	91			70-130	Pass	
4,4'-DDD	%	123			70-130	Pass	
4,4'-DDE	%	80			70-130	Pass	
4,4'-DDT	%	85			70-130	Pass	
a-HCH	%	76			70-130	Pass	
Aldrin	%	81			70-130	Pass	
b-HCH	%	98			70-130	Pass	
d-HCH	%	96			70-130	Pass	
Dieldrin	%	87			70-130	Pass	
Endosulfan I	%	89			70-130	Pass	
Endosulfan II	%	80			70-130	Pass	
Endosulfan sulphate	%	86			70-130	Pass	
Endrin	%	95			70-130	Pass	
Endrin aldehyde	%	85			70-130	Pass	
Endrin ketone	%	75			70-130	Pass	
g-HCH (Lindane)	%	79			70-130	Pass	
Heptachlor	%	95			70-130	Pass	
Heptachlor epoxide	%	96			70-130	Pass	
Hexachlorobenzene	%	85			70-130	Pass	
Methoxychlor	%	80			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Polychlorinated Biphenyls</b>							
Aroclor-1260	%	78			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Phenols (Halogenated)</b>							
2-Chlorophenol	%	107			25-140	Pass	
2,4-Dichlorophenol	%	115			25-140	Pass	
2,4,5-Trichlorophenol	%	122			25-140	Pass	
2,4,6-Trichlorophenol	%	107			25-140	Pass	
2,6-Dichlorophenol	%	95			25-140	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
4-Chloro-3-methylphenol	%	114			25-140	Pass	
Pentachlorophenol	%	51			25-140	Pass	
Tetrachlorophenols - Total	%	94			25-140	Pass	
<b>LCS - % Recovery</b>							
<b>Phenols (non-Halogenated)</b>							
2-Cyclohexyl-4,6-dinitrophenol	%	67			25-140	Pass	
2-Methyl-4,6-dinitrophenol	%	89			25-140	Pass	
2-Nitrophenol	%	121			25-140	Pass	
2,4-Dimethylphenol	%	118			25-140	Pass	
2,4-Dinitrophenol	%	58			25-140	Pass	
2-Methylphenol (o-Cresol)	%	86			25-140	Pass	
3&4-Methylphenol (m&p-Cresol)	%	43			25-140	Pass	
4-Nitrophenol	%	106			25-140	Pass	
Dinoseb	%	95			25-140	Pass	
Phenol	%	109			25-140	Pass	
<b>LCS - % Recovery</b>							
Chromium (hexavalent)	%	95			70-130	Pass	
Cyanide (total)	%	123			70-130	Pass	
Fluoride (Total)	%	82			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Heavy Metals</b>							
Arsenic	%	105			80-120	Pass	
Cadmium	%	109			80-120	Pass	
Chromium	%	104			80-120	Pass	
Copper	%	101			80-120	Pass	
Lead	%	105			80-120	Pass	
Mercury	%	102			80-120	Pass	
Molybdenum	%	106			80-120	Pass	
Nickel	%	96			80-120	Pass	
Selenium	%	104			80-120	Pass	
Silver	%	110			80-120	Pass	
Tin	%	103			80-120	Pass	
Zinc	%	104			80-120	Pass	
<b>LCS - % Recovery</b>							
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>							
Perfluorobutanoic acid (PFBA)	%	100			50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	101			50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	99			50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	105			50-150	Pass	
Perfluorooctanoic acid (PFOA)	%	103			50-150	Pass	
Perfluorononanoic acid (PFNA)	%	112			50-150	Pass	
Perfluorodecanoic acid (PFDA)	%	89			50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	%	109			50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	%	119			50-150	Pass	
Perfluorotridecanoic acid (PFTrDA)	%	106			50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	%	109			50-150	Pass	
<b>LCS - % Recovery</b>							
<b>Perfluoroalkyl sulfonamido substances</b>							
Perfluorooctane sulfonamide (FOSA)	%	96			50-150	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	%	114			50-150	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	%	132			50-150	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	%	107			50-150	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	%	104			50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	%	107			50-150	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	%	126			50-150	Pass		
<b>LCS - % Recovery</b>								
<b>Perfluoroalkyl sulfonic acids (PFSA's)</b>								
Perfluorobutanesulfonic acid (PFBS)	%	103			50-150	Pass		
Perfluorononanesulfonic acid (PFNS)	%	118			50-150	Pass		
Perfluoropropanesulfonic acid (PFPrS)	%	142			50-150	Pass		
Perfluoropentanesulfonic acid (PFPeS)	%	120			50-150	Pass		
Perfluorohexanesulfonic acid (PFHxS)	%	130			50-150	Pass		
Perfluoroheptanesulfonic acid (PFHpS)	%	54			50-150	Pass		
Perfluorooctanesulfonic acid (PFOS)	%	95			50-150	Pass		
Perfluorodecanesulfonic acid (PFDS)	%	123			50-150	Pass		
<b>LCS - % Recovery</b>								
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA's)</b>								
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	%	104			50-150	Pass		
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	%	108			50-150	Pass		
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	%	97			50-150	Pass		
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	%	105			50-150	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
<b>Spike - % Recovery</b>								
<b>Total Recoverable Hydrocarbons</b>				Result 1				
TRH C6-C9	M22-Ap0047337	NCP	%	101		70-130	Pass	
TRH C10-C14	M22-Ap0043194	NCP	%	122		70-130	Pass	
Naphthalene	M22-Ap0047337	NCP	%	76		70-130	Pass	
TRH C6-C10	M22-Ap0047337	NCP	%	101		70-130	Pass	
TRH >C10-C16	M22-Ap0043194	NCP	%	126		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Volatile Organics</b>				Result 1				
1.1-Dichloroethene	M22-Ap0047337	NCP	%	76		70-130	Pass	
1.1.1-Trichloroethane	M22-Ap0047337	NCP	%	75		70-130	Pass	
1.2-Dichlorobenzene	M22-Ap0047337	NCP	%	93		70-130	Pass	
1.2-Dichloroethane	M22-Ap0047337	NCP	%	87		70-130	Pass	
Benzene	M22-Ap0047337	NCP	%	80		70-130	Pass	
Ethylbenzene	M22-Ap0047337	NCP	%	86		70-130	Pass	
m&p-Xylenes	M22-Ap0047337	NCP	%	83		70-130	Pass	
o-Xylene	M22-Ap0047337	NCP	%	84		70-130	Pass	
Toluene	M22-Ap0047337	NCP	%	78		70-130	Pass	
Trichloroethene	M22-Ap0047337	NCP	%	82		70-130	Pass	
Xylenes - Total*	M22-Ap0047337	NCP	%	84		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Polycyclic Aromatic Hydrocarbons</b>				Result 1				
Acenaphthene	M22-Ap0034145	NCP	%	84		70-130	Pass	
Acenaphthylene	M22-Ap0034145	NCP	%	89		70-130	Pass	
Anthracene	M22-Ap0034145	NCP	%	87		70-130	Pass	
Benz(a)anthracene	M22-Ap0034145	NCP	%	82		70-130	Pass	
Benzo(a)pyrene	M22-Ap0034145	NCP	%	87		70-130	Pass	
Benzo(b&j)fluoranthene	M22-Ap0034145	NCP	%	71		70-130	Pass	
Benzo(g,h,i)perylene	M22-Ap0034145	NCP	%	82		70-130	Pass	
Benzo(k)fluoranthene	M22-Ap0034145	NCP	%	119		70-130	Pass	
Chrysene	M22-Ap0034145	NCP	%	102		70-130	Pass	
Dibenz(a,h)anthracene	M22-Ap0034145	NCP	%	79		70-130	Pass	
Fluoranthene	M22-Ap0034145	NCP	%	75		70-130	Pass	
Fluorene	M22-Ap0034145	NCP	%	85		70-130	Pass	
Indeno(1.2.3-cd)pyrene	M22-Ap0034145	NCP	%	78		70-130	Pass	
Naphthalene	M22-Ap0034145	NCP	%	82		70-130	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1	Acceptance Limits	Pass Limits	Qualifying Code
Phenanthrene	M22-Ap0034145	NCP	%	80	70-130	Pass	
Pyrene	M22-Ap0034145	NCP	%	78	70-130	Pass	
<b>Spike - % Recovery</b>							
<b>Polychlorinated Biphenyls</b>				Result 1			
Aroclor-1016	M22-Ap0035793	NCP	%	100	70-130	Pass	
Aroclor-1260	M22-Ap0035793	NCP	%	117	70-130	Pass	
<b>Spike - % Recovery</b>							
<b>Phenols (Halogenated)</b>				Result 1			
2-Chlorophenol	M22-Ap0034145	NCP	%	79	30-130	Pass	
2,4-Dichlorophenol	M22-Ap0034145	NCP	%	73	30-130	Pass	
2,4,5-Trichlorophenol	M22-Ap0034145	NCP	%	95	30-130	Pass	
2,4,6-Trichlorophenol	M22-Ap0034145	NCP	%	102	30-130	Pass	
2,6-Dichlorophenol	M22-Ap0034145	NCP	%	68	30-130	Pass	
4-Chloro-3-methylphenol	M22-Ap0034145	NCP	%	84	30-130	Pass	
Pentachlorophenol	M22-Ap0034145	NCP	%	44	30-130	Pass	
Tetrachlorophenols - Total	M22-Ap0034145	NCP	%	71	30-130	Pass	
<b>Spike - % Recovery</b>							
<b>Phenols (non-Halogenated)</b>				Result 1			
2-Cyclohexyl-4,6-dinitrophenol	M22-Ap0031241	NCP	%	72	30-130	Pass	
2-Methyl-4,6-dinitrophenol	M22-Ap0031241	NCP	%	63	30-130	Pass	
2-Nitrophenol	M22-Ap0034145	NCP	%	83	30-130	Pass	
2,4-Dimethylphenol	M22-Ap0034145	NCP	%	87	30-130	Pass	
2,4-Dinitrophenol	M22-Ap0031241	NCP	%	53	30-130	Pass	
2-Methylphenol (o-Cresol)	M22-Ap0034145	NCP	%	66	30-130	Pass	
3&4-Methylphenol (m&p-Cresol)	M22-Ap0034145	NCP	%	99	30-130	Pass	
4-Nitrophenol	M22-Ap0034145	NCP	%	62	30-130	Pass	
Dinoseb	M22-Ap0034145	NCP	%	38	30-130	Pass	
Phenol	M22-Ap0034145	NCP	%	74	30-130	Pass	
<b>Spike - % Recovery</b>							
				Result 1			
Chromium (hexavalent)	M22-Ap0045034	NCP	%	78	70-130	Pass	
<b>Spike - % Recovery</b>							
<b>Heavy Metals</b>				Result 1			
Arsenic	M22-Ap0043088	NCP	%	105	75-125	Pass	
Cadmium	M22-Ap0043088	NCP	%	112	75-125	Pass	
Chromium	M22-Ap0043088	NCP	%	98	75-125	Pass	
Copper	M22-Ap0043088	NCP	%	96	75-125	Pass	
Lead	M22-Ap0043088	NCP	%	98	75-125	Pass	
Mercury	M22-Ap0043088	NCP	%	102	75-125	Pass	
Molybdenum	M22-Ap0043088	NCP	%	104	75-125	Pass	
Nickel	M22-Ap0043088	NCP	%	88	75-125	Pass	
Selenium	M22-Ap0043088	NCP	%	99	75-125	Pass	
Silver	M22-Ap0043088	NCP	%	111	75-125	Pass	
Tin	M22-Ap0043088	NCP	%	104	75-125	Pass	
Zinc	M22-Ap0043088	NCP	%	100	75-125	Pass	
<b>Spike - % Recovery</b>							
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>				Result 1			
Perfluorobutanoic acid (PFBA)	M22-Ap0043299	NCP	%	101	50-150	Pass	
Perfluoropentanoic acid (PFPeA)	M22-Ap0043299	NCP	%	102	50-150	Pass	
Perfluorohexanoic acid (PFHxA)	M22-Ap0043299	NCP	%	97	50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	M22-Ap0043299	NCP	%	104	50-150	Pass	
Perfluorooctanoic acid (PFOA)	M22-Ap0043299	NCP	%	118	50-150	Pass	
Perfluorononanoic acid (PFNA)	M22-Ap0043299	NCP	%	136	50-150	Pass	
Perfluorodecanoic acid (PFDA)	M22-Ap0043299	NCP	%	131	50-150	Pass	



Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Perfluoroundecanoic acid (PFUnDA)	M22-Ap0043299	NCP	%	123		50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	M22-Ap0043299	NCP	%	116		50-150	Pass	
Perfluorotridecanoic acid (PFTrDA)	M22-Ap0043299	NCP	%	109		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	M22-Ap0043299	NCP	%	111		50-150	Pass	
<b>Spike - % Recovery</b>								
<b>Perfluoroalkyl sulfonamido substances</b>				Result 1				
Perfluorooctane sulfonamide (FOSA)	M22-Ap0043299	NCP	%	103		50-150	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-Ap0043299	NCP	%	97		50-150	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-Ap0043299	NCP	%	115		50-150	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-Ap0043299	NCP	%	123		50-150	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-Ap0043299	NCP	%	102		50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-Ap0043299	NCP	%	76		50-150	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-Ap0043299	NCP	%	84		50-150	Pass	
<b>Spike - % Recovery</b>								
<b>Perfluoroalkyl sulfonic acids (PFSA's)</b>				Result 1				
Perfluorobutanesulfonic acid (PFBS)	M22-Ap0043299	NCP	%	102		50-150	Pass	
Perfluorononanesulfonic acid (PFNS)	M22-Ap0043299	NCP	%	82		50-150	Pass	
Perfluoropropanesulfonic acid (PFPrS)	M22-Ap0043299	NCP	%	133		50-150	Pass	
Perfluoropentanesulfonic acid (PFPeS)	M22-Ap0043299	NCP	%	93		50-150	Pass	
Perfluorohexanesulfonic acid (PFHxS)	M22-Ap0043299	NCP	%	90		50-150	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	M22-Ap0043299	NCP	%	84		50-150	Pass	
Perfluorooctanesulfonic acid (PFOS)	M22-Ap0043299	NCP	%	120		50-150	Pass	
Perfluorodecanesulfonic acid (PFDS)	M22-Ap0043299	NCP	%	85		50-150	Pass	
<b>Spike - % Recovery</b>								
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA's)</b>				Result 1				
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-Ap0043299	NCP	%	105		50-150	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-Ap0043299	NCP	%	118		50-150	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-Ap0043299	NCP	%	145		50-150	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-Ap0043299	NCP	%	113		50-150	Pass	
<b>Spike - % Recovery</b>								
<b>Organochlorine Pesticides</b>				Result 1				
Chlordanes - Total	M22-Ap0045371	CP	%	98		70-130	Pass	
4.4'-DDD	M22-Ap0045371	CP	%	114		70-130	Pass	
4.4'-DDE	M22-Ap0045371	CP	%	108		70-130	Pass	
4.4'-DDT	M22-Ap0045371	CP	%	87		70-130	Pass	
a-HCH	M22-Ap0045371	CP	%	88		70-130	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Aldrin	M22-Ap0045371	CP	%	113			70-130	Pass	
b-HCH	M22-Ap0045371	CP	%	109			70-130	Pass	
d-HCH	M22-Ap0045371	CP	%	97			70-130	Pass	
Dieldrin	M22-Ap0045371	CP	%	96			70-130	Pass	
Endosulfan I	M22-Ap0045371	CP	%	103			70-130	Pass	
Endosulfan II	M22-Ap0045371	CP	%	94			70-130	Pass	
Endosulfan sulphate	M22-Ap0045371	CP	%	82			70-130	Pass	
Endrin	M22-Ap0045371	CP	%	86			70-130	Pass	
Endrin aldehyde	M22-Ap0045371	CP	%	94			70-130	Pass	
Endrin ketone	M22-Ap0045371	CP	%	86			70-130	Pass	
g-HCH (Lindane)	M22-Ap0045371	CP	%	109			70-130	Pass	
Heptachlor	M22-Ap0045371	CP	%	86			70-130	Pass	
Heptachlor epoxide	M22-Ap0045371	CP	%	103			70-130	Pass	
Hexachlorobenzene	M22-Ap0045371	CP	%	90			70-130	Pass	
Methoxychlor	M22-Ap0045371	CP	%	123			70-130	Pass	
<b>Spike - % Recovery</b>									
				Result 1					
Fluoride (Total)	M22-Ap0045374	CP	%	83			70-130	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Duplicate</b>									
<b>Total Recoverable Hydrocarbons</b>				Result 1	Result 2	RPD			
TRH C6-C9	M22-Ap0047336	NCP	mg/kg	< 20	< 20	<1	30%	Pass	
TRH C10-C14	M22-Ap0043193	NCP	mg/kg	600	460	26	30%	Pass	
TRH C15-C28	M22-Ap0043193	NCP	mg/kg	4200	3300	24	30%	Pass	
TRH C29-C36	M22-Ap0043193	NCP	mg/kg	< 50	< 50	<1	30%	Pass	
Naphthalene	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
TRH C6-C10	M22-Ap0047336	NCP	mg/kg	< 20	< 20	<1	30%	Pass	
TRH >C10-C16	M22-Ap0043193	NCP	mg/kg	1700	1400	24	30%	Pass	
TRH >C16-C34	M22-Ap0043193	NCP	mg/kg	3200	2500	24	30%	Pass	
TRH >C34-C40	M22-Ap0043193	NCP	mg/kg	< 100	< 100	<1	30%	Pass	
<b>Duplicate</b>									
<b>Volatile Organics</b>				Result 1	Result 2	RPD			
Hexachlorobutadiene	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
<b>Duplicate</b>									
<b>Volatile Organics</b>				Result 1	Result 2	RPD			
1.1-Dichloroethane	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2.4-Trichlorobenzene	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1-Dichloroethene	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1.1-Trichloroethane	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1.1.2-Tetrachloroethane	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1.2-Trichloroethane	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1.2.2-Tetrachloroethane	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2-Dibromoethane	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2-Dichlorobenzene	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2-Dichloroethane	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2-Dichloropropane	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2.3-Trichloropropane	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2.4-Trimethylbenzene	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.3-Dichlorobenzene	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.3-Dichloropropane	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.3.5-Trimethylbenzene	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.4-Dichlorobenzene	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
2-Butanone (MEK)	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
2-Propanone (Acetone)	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	

Duplicate								
Volatile Organics				Result 1	Result 2	RPD		
4-Chlorotoluene	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Methyl-2-pentanone (MIBK)	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Allyl chloride	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzene	M22-Ap0047336	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Bromobenzene	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromochloromethane	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromodichloromethane	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromoform	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromomethane	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Carbon disulfide	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Carbon Tetrachloride	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chlorobenzene	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloroethane	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloroform	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloromethane	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
cis-1,2-Dichloroethene	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
cis-1,3-Dichloropropene	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibromochloromethane	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibromomethane	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dichlorodifluoromethane	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Ethylbenzene	M22-Ap0047336	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Iodomethane	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Isopropyl benzene (Cumene)	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
m&p-Xylenes	M22-Ap0047336	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Methylene Chloride	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
o-Xylene	M22-Ap0047336	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Styrene	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Tetrachloroethene	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Toluene	M22-Ap0047336	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
trans-1,2-Dichloroethene	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
trans-1,3-Dichloropropene	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Trichloroethene	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Trichlorofluoromethane	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Vinyl chloride	M22-Ap0047336	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Xylenes - Total*	M22-Ap0047336	NCP	mg/kg	< 0.3	< 0.3	<1	30%	Pass
Duplicate								
Polycyclic Aromatic Hydrocarbons				Result 1	Result 2	RPD		
Acenaphthene	M22-Ap0038470	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Acenaphthylene	M22-Ap0038470	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Anthracene	M22-Ap0038470	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benz(a)anthracene	M22-Ap0038470	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(a)pyrene	M22-Ap0038470	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(b&j)fluoranthene	M22-Ap0038470	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(g,h,i)perylene	M22-Ap0038470	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(k)fluoranthene	M22-Ap0038470	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chrysene	M22-Ap0038470	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibenz(a,h)anthracene	M22-Ap0038470	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Fluoranthene	M22-Ap0038470	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Fluorene	M22-Ap0038470	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Indeno(1,2,3-cd)pyrene	M22-Ap0038470	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Naphthalene	M22-Ap0038470	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Phenanthrene	M22-Ap0038470	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Pyrene	M22-Ap0038470	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass

Duplicate								
Organochlorine Pesticides				Result 1	Result 2	RPD		
Chlordanes - Total	M22-Ap0038470	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
4.4'-DDD	M22-Ap0038470	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
4.4'-DDE	M22-Ap0038470	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
4.4'-DDT	M22-Ap0038470	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
a-HCH	M22-Ap0038470	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Aldrin	M22-Ap0038470	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
b-HCH	M22-Ap0038470	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
d-HCH	M22-Ap0038470	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Dieldrin	M22-Ap0038470	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan I	M22-Ap0038470	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan II	M22-Ap0038470	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan sulphate	M22-Ap0038470	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin	M22-Ap0038470	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin aldehyde	M22-Ap0038470	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin ketone	M22-Ap0038470	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
g-HCH (Lindane)	M22-Ap0038470	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Heptachlor	M22-Ap0038470	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Heptachlor epoxide	M22-Ap0038470	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Hexachlorobenzene	M22-Ap0038470	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Methoxychlor	M22-Ap0038470	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Toxaphene	M22-Ap0038470	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
Polychlorinated Biphenyls				Result 1	Result 2	RPD		
Aroclor-1016	M22-Ap0038470	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1221	M22-Ap0038470	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1232	M22-Ap0038470	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1242	M22-Ap0038470	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1248	M22-Ap0038470	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1254	M22-Ap0038459	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1260	M22-Ap0038459	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Total PCB*	M22-Ap0038459	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Duplicate								
Phenols (Halogenated)				Result 1	Result 2	RPD		
2-Chlorophenol	M22-Ap0038470	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2.4-Dichlorophenol	M22-Ap0038470	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2.4.5-Trichlorophenol	M22-Ap0038470	NCP	mg/kg	< 1	< 1	<1	30%	Pass
2.4.6-Trichlorophenol	M22-Ap0038470	NCP	mg/kg	< 1	< 1	<1	30%	Pass
2.6-Dichlorophenol	M22-Ap0038470	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Chloro-3-methylphenol	M22-Ap0038470	NCP	mg/kg	< 1	< 1	<1	30%	Pass
Pentachlorophenol	M22-Ap0038470	NCP	mg/kg	< 1	< 1	<1	30%	Pass
Tetrachlorophenols - Total	M22-Ap0038470	NCP	mg/kg	< 10	< 10	<1	30%	Pass
Duplicate								
Phenols (non-Halogenated)				Result 1	Result 2	RPD		
2-Cyclohexyl-4.6-dinitrophenol	M22-Ap0038470	NCP	mg/kg	< 20	< 20	<1	30%	Pass
2-Methyl-4.6-dinitrophenol	M22-Ap0038470	NCP	mg/kg	< 5	< 5	<1	30%	Pass
2-Nitrophenol	M22-Ap0038470	NCP	mg/kg	< 1	< 1	<1	30%	Pass
2.4-Dimethylphenol	M22-Ap0038470	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2.4-Dinitrophenol	M22-Ap0038470	NCP	mg/kg	< 5	< 5	<1	30%	Pass
2-Methylphenol (o-Cresol)	M22-Ap0038470	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
3&4-Methylphenol (m&p-Cresol)	M22-Ap0038470	NCP	mg/kg	< 0.4	< 0.4	<1	30%	Pass
4-Nitrophenol	M22-Ap0038470	NCP	mg/kg	< 5	< 5	<1	30%	Pass
Dinoseb	M22-Ap0038470	NCP	mg/kg	< 20	< 20	<1	30%	Pass
Phenol	M22-Ap0038470	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass

Duplicate								
				Result 1	Result 2	RPD		
Fluoride (Total)	M22-Ap0047345	NCP	mg/kg	< 100	< 100	<1	30%	Pass
pH (1:5 Aqueous extract at 25°C as rec.)	B22-Ap0044858	NCP	pH Units	10	10	pass	30%	Pass
% Moisture	M22-Ap0045370	CP	%	27	33	19	30%	Pass
Duplicate								
Heavy Metals				Result 1	Result 2	RPD		
Arsenic	M22-Ap0043088	NCP	mg/kg	< 2	< 2	<1	30%	Pass
Cadmium	M22-Ap0043088	NCP	mg/kg	< 0.4	< 0.4	<1	30%	Pass
Chromium	M22-Ap0043088	NCP	mg/kg	16	17	<1	30%	Pass
Copper	M22-Ap0043088	NCP	mg/kg	39	39	1.0	30%	Pass
Lead	M22-Ap0043088	NCP	mg/kg	< 5	< 5	<1	30%	Pass
Mercury	M22-Ap0043088	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Molybdenum	M22-Ap0043088	NCP	mg/kg	< 5	< 5	<1	30%	Pass
Nickel	M22-Ap0043088	NCP	mg/kg	140	140	1.0	30%	Pass
Selenium	M22-Ap0043088	NCP	mg/kg	< 2	< 2	<1	30%	Pass
Silver	M22-Ap0043088	NCP	mg/kg	< 2	< 2	<1	30%	Pass
Tin	M22-Ap0043088	NCP	mg/kg	< 10	< 10	<1	30%	Pass
Zinc	M22-Ap0043088	NCP	mg/kg	67	69	2.0	30%	Pass
Duplicate								
Perfluoroalkyl carboxylic acids (PFCAs)				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-Ap0047341	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-Ap0047341	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-Ap0047341	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-Ap0047341	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-Ap0047341	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-Ap0047341	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-Ap0047341	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-Ap0047341	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-Ap0047341	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorotridecanoic acid (PFTTrDA)	M22-Ap0047341	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorotetradecanoic acid (PFTtDA)	M22-Ap0047341	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-Ap0047341	NCP	ug/kg	< 5	< 5	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-Ap0047341	NCP	ug/kg	< 5	< 5	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-Ap0047341	NCP	ug/kg	< 5	< 5	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-Ap0047341	NCP	ug/kg	< 5	< 5	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-Ap0047341	NCP	ug/kg	< 5	< 5	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-Ap0047341	NCP	ug/kg	< 10	< 10	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-Ap0047341	NCP	ug/kg	< 10	< 10	<1	30%	Pass

<b>Duplicate</b>								
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-Ap0047341	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-Ap0047341	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-Ap0047341	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-Ap0047341	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-Ap0047341	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-Ap0047341	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-Ap0047341	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-Ap0047341	NCP	ug/kg	< 5	< 5	<1	30%	Pass
<b>Duplicate</b>								
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-Ap0047341	NCP	ug/kg	< 5	< 5	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-Ap0047341	NCP	ug/kg	< 10	< 10	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-Ap0047341	NCP	ug/kg	< 5	< 5	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-Ap0047341	NCP	ug/kg	< 5	< 5	<1	30%	Pass
<b>Duplicate</b>								
				Result 1	Result 2	RPD		
Chromium (hexavalent)	M22-Ap0045377	CP	mg/kg	< 1	< 1	<1	30%	Pass
<b>Duplicate</b>								
				Result 1	Result 2	RPD		
% Moisture	M22-Ap0045380	CP	%	30	31	3.0	30%	Pass

**Comments**
**Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	No
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Qualifier Codes/Comments**

Code	Description
N01	F2 is determined by arithmetically subtracting the "naphthalene" value from the ">C10-C16" value. The naphthalene value used in this calculation is obtained from volatiles (Purge & Trap analysis).
N02	Where we have reported both volatile (P&T GCMS) and semivolatile (GCMS) naphthalene data, results may not be identical. Provided correct sample handling protocols have been followed, any observed differences in results are likely to be due to procedural differences within each methodology. Results determined by both techniques have passed all QAQC acceptance criteria, and are entirely technically valid.
N04	F1 is determined by arithmetically subtracting the "Total BTEX" value from the "C6-C10" value. The "Total BTEX" value is obtained by summing the concentrations of BTEX analytes. The "C6-C10" value is obtained by quantitating against a standard of mixed aromatic/aliphatic analytes.
N07	Please note:- These two PAH isomers closely co-elute using the most contemporary analytical methods and both the reported concentration (and the TEQ) apply specifically to the total of the two co-eluting PAHs
N11	Isotope dilution is used for calibration of each native compound for which an exact labelled analogue is available (Isotope Dilution Quantitation). The isotopically labelled analogues allow identification and recovery correction of the concentration of the associated native PFAS compounds.
N15	Where the native PFAS compound does not have labelled analogue then the quantification is made using the Extracted Internal Standard Analyte with the closest retention time to the analyte and no recovery correction has been made (Internal Standard Quantitation).

**Authorised by:**

Callum McEwan	Analytical Services Manager
Joseph Edouard	Senior Analyst (VIC)
Mary Makarios	Senior Analyst (NSW)
Harry Bacalis	Senior Analyst (NSW)
Linda Chouman	Senior Analyst (NSW)
Scott Beddoes	Senior Analyst (NSW)



**Glenn Jackson**  
General Manager

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Agon Environmental Pty Ltd - VIC  
3/224 Glen Osmond Road  
Fullarton  
SA 5063



**NATA Accredited**  
Accreditation Number 1261  
Site Number 1254

Accredited for compliance with ISO/IEC 17025 – Testing  
NATA is a signatory to the ILAC Mutual Recognition  
Arrangement for the mutual recognition of the  
equivalence of testing, medical testing, calibration,  
inspection, proficiency testing scheme providers and  
reference materials producers reports and certificates.

**Attention:** Agon Lab Reports (Spoil Project)

**Report** 882063-W  
Project name 20220422074731-Eurofin-6  
Project ID JC0927  
Received Date Apr 22, 2022

Client Sample ID			SX_OB_20220 422_06_51_SR _Rinsate_EUF	SX_OB_20220 422_06_57_SB _Blank_EUF
Sample Matrix			Water	Water
Eurofins Sample No.			M22- Ap0045381	M22- Ap0045382
Date Sampled			Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit		
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>				
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	78	77
13C5-PFPeA (surr.)	1	%	92	96
13C5-PFHxA (surr.)	1	%	84	82
13C4-PFHpA (surr.)	1	%	79	79
13C8-PFOA (surr.)	1	%	72	71
13C5-PFNA (surr.)	1	%	72	77
13C6-PFDA (surr.)	1	%	60	48
13C2-PFUnDA (surr.)	1	%	48	43
13C2-PFDoDA (surr.)	1	%	47	39
13C2-PFTeDA (surr.)	1	%	19	18
<b>Perfluoroalkyl sulfonamido substances</b>				
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	58	57



Client Sample ID			SX_OB_20220 422_06_51_SR _Rinsate_EUF	SX_OB_20220 422_06_57_SB _Blank_EUF
Sample Matrix			Water	Water
Eurofins Sample No.			M22- Ap0045381	M22- Ap0045382
Date Sampled			Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit		
<b>Perfluoroalkyl sulfonamido substances</b>				
D3-N-MeFOSA (surr.)	1	%	15	13
D5-N-EtFOSA (surr.)	1	%	17	14
D7-N-MeFOSE (surr.)	1	%	36	37
D9-N-EtFOSE (surr.)	1	%	45	45
D5-N-EtFOSAA (surr.)	1	%	25	18
D3-N-MeFOSAA (surr.)	1	%	22	23
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>				
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	95	94
18O2-PFHxS (surr.)	1	%	85	74
13C8-PFOS (surr.)	1	%	70	71
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>				
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	36	35
13C2-6:2 FTSA (surr.)	1	%	33	36
13C2-8:2 FTSA (surr.)	1	%	38	32
13C2-10:2 FTSA (surr.)	1	%	27	29
<b>PFASs Summations</b>				
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
Per- and Polyfluoroalkyl Substances (PFASs)			
Perfluoroalkyl carboxylic acids (PFCAs)	Melbourne	Apr 22, 2022	28 Days
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			
Perfluoroalkyl sulfonamido substances	Melbourne	Apr 22, 2022	28 Days
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			
Perfluoroalkyl sulfonic acids (PFSAs)	Melbourne	Apr 22, 2022	28 Days
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			
n:2 Fluorotelomer sulfonic acids (n:2 FTSAs)	Melbourne	Apr 22, 2022	28 Days
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			
PFASs Summations	Melbourne	Apr 22, 2022	
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 22, 2022 12:05 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882063	<b>Due:</b>	May 2, 2022
<b>Project Name:</b>	20220422074731-Eurofin-6	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	SX_OB_20220421_08_03_S_S_Primary_EU_F	Apr 21, 2022	8:03AM	Soil	M22-Ap0045370		X	X	X
2	SX_OB_20220421_08_13_S_S_Triplicate_EU_F	Apr 21, 2022	8:13AM	Soil	M22-Ap0045371		X	X	X
3	SX_OB_20220421_12_20_S_S_Primary_EU_F	Apr 21, 2022	12:20PM	Soil	M22-Ap0045372		X	X	X

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
**Project Name:** 20220422074731-Eurofin-6  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882063  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 22, 2022 12:05 PM  
**Due:** May 2, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
4	SX_IB_20220421_15_47_SS_Primary_EUF	Apr 21, 2022	3:47PM	Soil	M22-Ap0045373		X	X	X
5	SX_IB_20220421_15_48_SS_Duplicate_EUF	Apr 21, 2022	3:48PM	Soil	M22-Ap0045374		X	X	X
6	SX_OB_20220421_19_49_SS_Primary_EUF	Apr 21, 2022	7:49PM	Soil	M22-Ap0045375		X	X	X
7	SX_IB_20220421_20_03_SS_Primary_EUF	Apr 21, 2022	8:03PM	Soil	M22-Ap0045376		X	X	X

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220422074731-Eurofin-6  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882063  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 22, 2022 12:05 PM  
**Due:** May 2, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
8	SX_IB_20220421_20_05_SS_Duplicate_EUF	Apr 21, 2022	8:05PM	Soil	M22-Ap0045377		X	X	X
9	SX_IB_20220421_23_58_SS_Primary_EUF	Apr 21, 2022	11:58PM	Soil	M22-Ap0045378		X	X	X
10	SX_OB_20220422_04_02_SS_Primary_EUF	Apr 22, 2022	4:02AM	Soil	M22-Ap0045379		X	X	X
11	SX_IB_20220422_04_12_SS_Primary_EUF	Apr 22, 2022	4:12AM	Soil	M22-Ap0045380		X	X	X

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 22, 2022 12:05 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882063	<b>Due:</b>	May 2, 2022
<b>Project Name:</b>	20220422074731-Eurofin-6	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
12	SX_OB_20220422_06_51_S_R_Rinsate_EU_F	Apr 22, 2022	6:51AM	Water	M22-Ap0045381			X	
13	SX_OB_20220422_06_57_S_B_Blank_EUF	Apr 22, 2022	6:57AM	Water	M22-Ap0045382			X	
14	SX_OB_20220421_08_03_S_S_Primary_EU_F	Apr 21, 2022	8:03AM	AUS Leachate - pH 5.0	M22-Ap0045383	X		X	
15	SX_OB_20220421_08_13_S_S_Triplicate_E	Apr 21, 2022	8:13AM	AUS Leachate - pH 5.0	M22-Ap0045384	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 22, 2022 12:05 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882063	<b>Due:</b>	May 2, 2022
<b>Project Name:</b>	20220422074731-Eurofin-6	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	UF								
16	SX_OB_20220421_12_20_SS_Primary_EUF	Apr 21, 2022	12:20PM	AUS Leachate - pH 5.0	M22-Ap0045385	X		X	
17	SX_IB_20220421_15_47_SS_Primary_EUF	Apr 21, 2022	3:47PM	AUS Leachate - pH 5.0	M22-Ap0045386	X		X	
18	SX_IB_20220421_15_48_SS_Duplicate_EUF	Apr 21, 2022	3:48PM	AUS Leachate - pH 5.0	M22-Ap0045387	X		X	
19	SX_OB_20220421_19_49_S	Apr 21, 2022	7:49PM	AUS Leachate - pH 5.0	M22-Ap0045388	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 22, 2022 12:05 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882063	<b>Due:</b>	May 2, 2022
<b>Project Name:</b>	20220422074731-Eurofin-6	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	S_Primary_EU F								
20	SX_IB_202204 21_20_03_SS _Primary_EUF	Apr 21, 2022	8:03PM	AUS Leachate - pH 5.0	M22- Ap0045389	X		X	
21	SX_IB_202204 21_20_05_SS _Duplicate_EU F	Apr 21, 2022	8:05PM	AUS Leachate - pH 5.0	M22- Ap0045390	X		X	
22	SX_IB_202204 21_23_58_SS _Primary_EUF	Apr 21, 2022	11:58PM	AUS Leachate - pH 5.0	M22- Ap0045391	X		X	
23	SX_OB_20220 422_04_02_S	Apr 22, 2022	4:02AM	AUS Leachate - pH 5.0	M22- Ap0045392	X		X	



**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
**Project Name:** 20220422074731-Eurofin-6  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882063  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 22, 2022 12:05 PM  
**Due:** May 2, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	422_04_02_S S_Primary_EU F			- pH 5.0	Ap0045392				
24	SX_IB_202204 22_04_12_SS _Primary_EUF	Apr 22, 2022	4:12AM	AUS Leachate - pH 5.0	M22- Ap0045393	X		X	
25	SX_OB_20220 421_08_03_S S_Primary_EU F	Apr 21, 2022	8:03AM	AUS Leachate - Reagent Water	M22- Ap0045394	X		X	
26	SX_OB_20220 421_08_13_S S_Triplicate_E UF	Apr 21, 2022	8:13AM	AUS Leachate - Reagent Water	M22- Ap0045395	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 22, 2022 12:05 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882063	<b>Due:</b>	May 2, 2022
<b>Project Name:</b>	20220422074731-Eurofin-6	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
27	SX_OB_20220421_12_20_S_S_Primary_EU F	Apr 21, 2022	12:20PM	AUS Leachate - Reagent Water	M22-Ap0045396	X		X	
28	SX_IB_20220421_15_47_SS_Primary_EUF	Apr 21, 2022	3:47PM	AUS Leachate - Reagent Water	M22-Ap0045397	X		X	
29	SX_IB_20220421_15_48_SS_Duplicate_EU F	Apr 21, 2022	3:48PM	AUS Leachate - Reagent Water	M22-Ap0045398	X		X	
30	SX_OB_20220421_19_49_S_S_Primary_EU	Apr 21, 2022	7:49PM	AUS Leachate - Reagent Water	M22-Ap0045399	X		X	

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063

**Order No.:**  
**Report #:** 882063  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 22, 2022 12:05 PM  
**Due:** May 2, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Project Name:** 20220422074731-Eurofin-6  
**Project ID:** JC0927

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	F								
31	SX_IB_20220421_20_03_SS_Primary_EUF	Apr 21, 2022	8:03PM	AUS Leachate - Reagent Water	M22-Ap0045400	X		X	
32	SX_IB_20220421_20_05_SS_Duplicate_EUF	Apr 21, 2022	8:05PM	AUS Leachate - Reagent Water	M22-Ap0045401	X		X	
33	SX_IB_20220421_23_58_SS_Primary_EUF	Apr 21, 2022	11:58PM	AUS Leachate - Reagent Water	M22-Ap0045402	X		X	
34	SX_OB_20220422_04_02_S_S_Primary_EU	Apr 22, 2022	4:02AM	AUS Leachate - Reagent Water	M22-Ap0045403	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 22, 2022 12:05 PM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882063	<b>Due:</b>	May 2, 2022
<b>Project Name:</b>	20220422074731-Eurofin-6	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	F								
35	SX_IB_202204_22_04_12_SS_Primary_EUF	Apr 22, 2022	4:12AM	AUS Leachate - Reagent Water	M22-Ap0045404	X		X	
<b>Test Counts</b>						22	11	35	11

## Internal Quality Control Review and Glossary

### General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer that may have an impact on the results.
- This report replaces any interim results previously issued.

### Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

### Units

<b>mg/kg:</b> milligrams per kilogram	<b>mg/L:</b> milligrams per litre	<b>µg/L:</b> micrograms per litre
<b>ppm:</b> parts per million	<b>ppb:</b> parts per billion	<b>%:</b> Percentage
<b>org/100 mL:</b> Organisms per 100 millilitres	<b>NTU:</b> Nephelometric Turbidity Units	<b>MPN/100 mL:</b> Most Probable Number of organisms per 100 millilitres

### Terms

<b>APHA</b>	American Public Health Association
<b>COC</b>	Chain of Custody
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>CRM</b>	Certified Reference Material (ISO17034) - reported as percent recovery.
<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>LOR</b>	Limit of Reporting.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>SRA</b>	Sample Receipt Advice
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>TBTO</b>	Tributyltin oxide ( <i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment however free tributyltin was measured and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits.
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>TEQ</b>	Toxic Equivalency Quotient or Total Equivalence
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.4
<b>US EPA</b>	United States Environmental Protection Agency
<b>WA DWER</b>	Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

### QC - Acceptance Criteria

The acceptance criteria should be used as a guide only and may be different when site specific Sampling Analysis and Quality Plan (SAQP) have been implemented

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR: No Limit

Results between 10-20 times the LOR: RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

NOTE: pH duplicates are reported as a range not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.4 where no positive PFAS results have been reported have been reviewed and no data was affected.

### QC Data General Comments

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery the term "INT" appears against that analyte.
- For Matrix Spikes and LCS results a dash "-" in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
<b>Method Blank</b>						
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA)	ug/L	< 0.05		0.05	Pass	
Perfluoropentanoic acid (PFPeA)	ug/L	< 0.01		0.01	Pass	
Perfluorohexanoic acid (PFHxA)	ug/L	< 0.01		0.01	Pass	
Perfluoroheptanoic acid (PFHpA)	ug/L	< 0.01		0.01	Pass	
Perfluorooctanoic acid (PFOA)	ug/L	< 0.01		0.01	Pass	
Perfluorononanoic acid (PFNA)	ug/L	< 0.01		0.01	Pass	
Perfluorodecanoic acid (PFDA)	ug/L	< 0.01		0.01	Pass	
Perfluoroundecanoic acid (PFUnDA)	ug/L	< 0.01		0.01	Pass	
Perfluorododecanoic acid (PFDoDA)	ug/L	< 0.01		0.01	Pass	
Perfluorotridecanoic acid (PFTTrDA)	ug/L	< 0.01		0.01	Pass	
Perfluorotetradecanoic acid (PFTeDA)	ug/L	< 0.01		0.01	Pass	
<b>Method Blank</b>						
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA)	ug/L	< 0.05		0.05	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	ug/L	< 0.05		0.05	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	ug/L	< 0.05		0.05	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	ug/L	< 0.05		0.05	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	ug/L	< 0.05		0.05	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	ug/L	< 0.05		0.05	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	ug/L	< 0.05		0.05	Pass	
<b>Method Blank</b>						
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>						
Perfluorobutanesulfonic acid (PFBS)	ug/L	< 0.01		0.01	Pass	
Perfluorononanesulfonic acid (PFNS)	ug/L	< 0.01		0.01	Pass	
Perfluoropropanesulfonic acid (PFPrS)	ug/L	< 0.01		0.01	Pass	
Perfluoropentanesulfonic acid (PFPeS)	ug/L	< 0.01		0.01	Pass	
Perfluorohexanesulfonic acid (PFHxS)	ug/L	< 0.01		0.01	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	ug/L	< 0.01		0.01	Pass	
Perfluorooctanesulfonic acid (PFOS)	ug/L	< 0.01		0.01	Pass	
Perfluorodecanesulfonic acid (PFDS)	ug/L	< 0.01		0.01	Pass	
<b>Method Blank</b>						
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	ug/L	< 0.01		0.01	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	ug/L	< 0.05		0.05	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	ug/L	< 0.01		0.01	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	ug/L	< 0.01		0.01	Pass	
<b>LCS - % Recovery</b>						
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA)	%	87		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	91		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	84		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	87		50-150	Pass	
Perfluorooctanoic acid (PFOA)	%	91		50-150	Pass	
Perfluorononanoic acid (PFNA)	%	94		50-150	Pass	
Perfluorodecanoic acid (PFDA)	%	85		50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	%	109		50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	%	104		50-150	Pass	
Perfluorotridecanoic acid (PFTTrDA)	%	85		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	%	109		50-150	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code		
<b>LCS - % Recovery</b>									
<b>Perfluoroalkyl sulfonamido substances</b>									
Perfluorooctane sulfonamide (FOSA)	%	100			50-150	Pass			
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	%	125			50-150	Pass			
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	%	128			50-150	Pass			
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	%	92			50-150	Pass			
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	%	100			50-150	Pass			
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	%	77			50-150	Pass			
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	%	89			50-150	Pass			
<b>LCS - % Recovery</b>									
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>									
Perfluorobutanesulfonic acid (PFBS)	%	85			50-150	Pass			
Perfluorononanesulfonic acid (PFNS)	%	83			50-150	Pass			
Perfluoropropanesulfonic acid (PFPrS)	%	109			50-150	Pass			
Perfluoropentanesulfonic acid (PFPeS)	%	97			50-150	Pass			
Perfluorohexanesulfonic acid (PFHxS)	%	96			50-150	Pass			
Perfluoroheptanesulfonic acid (PFHpS)	%	99			50-150	Pass			
Perfluorooctanesulfonic acid (PFOS)	%	87			50-150	Pass			
Perfluorodecanesulfonic acid (PFDS)	%	69			50-150	Pass			
<b>LCS - % Recovery</b>									
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>									
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	%	101			50-150	Pass			
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	%	138			50-150	Pass			
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	%	91			50-150	Pass			
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	%	82			50-150	Pass			
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Duplicate</b>									
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>									
				Result 1	Result 2	RPD			
Perfluorobutanoic acid (PFBA)	M22-Ap0046678	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
Perfluoropentanoic acid (PFPeA)	M22-Ap0046678	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorohexanoic acid (PFHxA)	M22-Ap0046678	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluoroheptanoic acid (PFHpA)	M22-Ap0046678	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorooctanoic acid (PFOA)	M22-Ap0046678	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorononanoic acid (PFNA)	M22-Ap0046678	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorodecanoic acid (PFDA)	M22-Ap0046678	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluoroundecanoic acid (PFUnDA)	M22-Ap0046678	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorododecanoic acid (PFDoDA)	M22-Ap0046678	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorotridecanoic acid (PFTrDA)	M22-Ap0046678	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorotetradecanoic acid (PFTeDA)	M22-Ap0046678	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
<b>Duplicate</b>									
<b>Perfluoroalkyl sulfonamido substances</b>									
				Result 1	Result 2	RPD			
Perfluorooctane sulfonamide (FOSA)	M22-Ap0046678	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-Ap0046678	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-Ap0046678	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-Ap0046678	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-Ap0046678	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass	

<b>Duplicate</b>								
<b>Perfluoroalkyl sulfonamido substances</b>				Result 1	Result 2	RPD		
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-Ap0046678	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-Ap0046678	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
<b>Duplicate</b>								
<b>Perfluoroalkyl sulfonic acids (PFSAs)</b>				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-Ap0046678	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-Ap0046678	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-Ap0046678	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-Ap0046678	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-Ap0046678	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-Ap0046678	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-Ap0046678	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-Ap0046678	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
<b>Duplicate</b>								
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-Ap0046678	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-Ap0046678	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-Ap0046678	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-Ap0046678	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass



**Comments**
**Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	No
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Qualifier Codes/Comments**

Code	Description
N11	Isotope dilution is used for calibration of each native compound for which an exact labelled analogue is available (Isotope Dilution Quantitation). The isotopically labelled analogues allow identification and recovery correction of the concentration of the associated native PFAS compounds.
N15	Where the native PFAS compound does not have labelled analogue then the quantification is made using the Extracted Internal Standard Analyte with the closest retention time to the analyte and no recovery correction has been made (Internal Standard Quantitation).

**Authorised by:**

Callum McEwan	Analytical Services Manager
Joseph Edouard	Senior Analyst (VIC)



**Glenn Jackson**  
**General Manager**

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.



## Callum McEwan

---

**From:** Callum McEwan  
**Sent:** Tuesday, 26 April 2022 10:53 AM  
**To:** Josh Alexander  
**Cc:** Bronwyn Sheen; Harry Bacalis; Adrian Tabacchiera; Mary Makarios; #AU\_CAU001\_EnviroSampleVic; CustomerService CalibreLogistics; Scott Huett; Samples Melbourne  
**Subject:** RE: [EXTERNAL] - RE: Missing Bucket - WGTP TST sample delivery 23/04/2022 - Eurofins

Hi Josh,

Thanks for taking my call earlier and assisting.

We will get this actioned ASAP once received.

Have a nice day.

Kind Regards,

---

**Callum McEwan**  
**Analytical Service Manager – VIC**

Eurofins Environment Testing Australia Pty Ltd  
6 Monterey Road | Dandenong South | VIC 3175 | AUSTRALIA  
T: +61 3 8564 5053 | M: 0428104484  
E: [CallumMcEwan@eurofins.com](mailto:CallumMcEwan@eurofins.com) | W: [www.eurofins.com.au](http://www.eurofins.com.au)

---

**From:** Josh Alexander <josh.alexander@ALSGlobal.com>  
**Sent:** Tuesday, 26 April 2022 10:11 AM  
**To:** Callum McEwan <CallumMcEwan@eurofins.com>  
**Cc:** Bronwyn Sheen <bronwyn.sheen@alsglobal.com>; Harry Bacalis <HarryBacalis@eurofins.com>; Adrian Tabacchiera <AdrianTabacchiera@eurofins.com>; Mary Makarios <MaryMakarios@eurofins.com>; #AU\_CAU001\_EnviroSampleVic <EnviroSampleVic@eurofins.com>; CustomerService CalibreLogistics <customerservice@calibrelogistics.com.au>; Scott Huett <Scott.Huett@ALSGlobal.com>; Samples Melbourne <Samples.Melbourne@alsglobal.com>  
**Subject:** FW: [EXTERNAL] - RE: Missing Bucket - WGTP TST sample delivery 23/04/2022 - Eurofins

**CAUTION: EXTERNAL EMAIL** - Sent from an email domain that is not formally trusted by Eurofins.  
Do not click on links or open attachments unless you recognise the sender and are certain that the content is safe.

Hi Callum,

See below from Dave. Confirmed this is for you and they made a mistake with the ID and wrong bucket.

Just spoke to Harry. We are going to give this sample to the courier delivering today's tunnel spoil and they will drop it off along with your regular batch.

Give me a call if there is anything else you need.

Regards,



right solutions.  
right partner.

Joshua Alexander  
Project Manager – Environmental  
Springvale, Victoria

D: +61 3 8549 9610

M: 0436 924 166

[josh.alexander@alsglobal.com](mailto:josh.alexander@alsglobal.com)

2-4 Westall Road, Springvale VIC 3171

[alsglobal.com](http://alsglobal.com)



---

**From:** David Lawson <[David.Lawson@agonenviro.com.au](mailto:David.Lawson@agonenviro.com.au)>

**Sent:** Tuesday, 26 April 2022 10:04 AM

**To:** Josh Alexander <[josh.alexander@ALSGlobal.com](mailto:josh.alexander@ALSGlobal.com)>

**Subject:** RE: [EXTERNAL] - RE: Missing Bucket - WGTP TST sample delivery 23/04/2022 - Eurofins

Hi Josh,

Sample should be SX\_OB\_20220423\_04\_09\_SS\_Primary\_EUF and should have been sent to Eurofins.


Can you please arrange to have this sample sent to Eurofins for analysis.

WEST GATE TUNNEL PROJECT | CPB | JOHN HOLLAND | View: SX\_OB\_20220423\_04\_09\_SS\_Primary\_EUF

Client	CPS/J JV	TBM No.	OUTBOUND	Bay Number	D02.01
Project	Tunnel Spoil Testing	Digger No.	1.1	<input type="checkbox"/> Sampling at HQ site	
Project No.	1	Bin No.	1 ORANGE	Sampled By	Louis
Water Source	Possible (City West Water)	Chainage	1 - 483 - 484	Comments	
Foaming Agent	TamSoil 287AC	Geology / Domain	4		

Sample ID	Description	QA Sample	Odour / Staining
SX_OB_20220423_04_09_SS_Primary_EUF	Silty clay, some gravel, moist, br		None

Images previously captured in Database



Appologies for the mix up.

Regards,

**David Lawson**  
Environmental Scientist

**Agon Environmental**  
+61 4 9041 1004  
[David.Lawson@agonenviro.com.au](mailto:David.Lawson@agonenviro.com.au)

---


**From:** Josh Alexander <[josh.alexander@ALSGlobal.com](mailto:josh.alexander@ALSGlobal.com)>  
**Sent:** Tuesday, 26 April 2022 9:05 AM  
**To:** David Lawson <[David.Lawson@agonenviro.com.au](mailto:David.Lawson@agonenviro.com.au)>  
**Subject:** FW: [EXTERNAL] - RE: Missing Bucket - WGTP TST sample delivery 23/04/2022 - Eurofins

Hi Dave,

See attached COCs.

Missing eurofins missing sample:  
SX\_OB\_20220423\_04\_09\_SS\_Primary\_EUF

The extra sample we received.





right solutions.  
right partner.

Joshua Alexander  
Project Manager – Environmental  
Springvale, Victoria

D: +61 3 8549 9610

M: 0436 924 166

[josh.alexander@alsglobal.com](mailto:josh.alexander@alsglobal.com)

2-4 Westall Road, Springvale VIC 3171

[alsglobal.com](http://alsglobal.com)



---

**From:** Callum McEwan <[CallumMcEwan@eurofins.com](mailto:CallumMcEwan@eurofins.com)>

**Sent:** Monday, 25 April 2022 9:25 PM

**To:** Josh Alexander <[josh.alexander@ALSGlobal.com](mailto:josh.alexander@ALSGlobal.com)>; Heidi Lettey <[heidi@calibrelogistics.com.au](mailto:heidi@calibrelogistics.com.au)>

**Cc:** Bronwyn Sheen <[bronwyn.sheen@alsglobal.com](mailto:bronwyn.sheen@alsglobal.com)>; Harry Bacalis <[HarryBacalis@eurofins.com](mailto:HarryBacalis@eurofins.com)>; Adrian Tabacchiera <[AdrianTabacchiera@eurofins.com](mailto:AdrianTabacchiera@eurofins.com)>; Mary Makarios <[MaryMakarios@eurofins.com](mailto:MaryMakarios@eurofins.com)>; #AU\_CAU001\_EnviroSampleVic <[EnviroSampleVic@eurofins.com](mailto:EnviroSampleVic@eurofins.com)>; CustomerService CalibreLogistics <[customerservice@calibrelogistics.com.au](mailto:customerservice@calibrelogistics.com.au)>; Scott Huett <[Scott.Huett@ALSGlobal.com](mailto:Scott.Huett@ALSGlobal.com)>; Samples Melbourne <[Samples.Melbourne@alsglobal.com](mailto:Samples.Melbourne@alsglobal.com)>

**Subject:** RE: [EXTERNAL] - RE: Missing Bucket - WGTP TST sample delivery 23/04/2022 - Eurofins

Hi Josh,

Many thanks for the follow up, I'll call you first thing tomorrow and we'll coordinate getting this bucket across.

@Heidi – once the below is confirmed on both our ends, I'll contact yourself to coordinate said pick up and transit to Eurofins please.

Thanks all.

Kind Regards,

---

**Callum McEwan**  
**Analytical Service Manager – VIC**

Eurofins Environment Testing Australia Pty Ltd



6 Monterey Road | Dandenong South | VIC 3175 | AUSTRALIA  
T: +61 3 8564 5053 | M: 0428104484  
E: [CallumMcEwan@eurofins.com](mailto:CallumMcEwan@eurofins.com) | W: [www.eurofins.com.au](http://www.eurofins.com.au)

---

**From:** Josh Alexander <[josh.alexander@ALSGlobal.com](mailto:josh.alexander@ALSGlobal.com)>

**Sent:** Sunday, 24 April 2022 12:50 PM

**To:** Callum McEwan <[CallumMcEwan@eurofins.com](mailto:CallumMcEwan@eurofins.com)>; Heidi Lettey <[heidi@calibrelogistics.com.au](mailto:heidi@calibrelogistics.com.au)>

**Cc:** Bronwyn Sheen <[bronwyn.sheen@alsglobal.com](mailto:bronwyn.sheen@alsglobal.com)>; Harry Bacalis <[HarryBacalis@eurofins.com](mailto:HarryBacalis@eurofins.com)>; Adrian Tabacchiera <[AdrianTabacchiera@eurofins.com](mailto:AdrianTabacchiera@eurofins.com)>; Mary Makarios <[MaryMakarios@eurofins.com](mailto:MaryMakarios@eurofins.com)>; #AU\_CAU001\_EnviroSampleVic <[EnviroSampleVic@eurofins.com](mailto:EnviroSampleVic@eurofins.com)>; CustomerService CalibreLogistics <[customerservice@calibrelogistics.com.au](mailto:customerservice@calibrelogistics.com.au)>; Scott Huett <[Scott.Huett@ALSGlobal.com](mailto:Scott.Huett@ALSGlobal.com)>; Samples Melbourne <[Samples.Melbourne@alsglobal.com](mailto:Samples.Melbourne@alsglobal.com)>

**Subject:** Re: [EXTERNAL] - RE: Missing Bucket - WGTP TST sample delivery 23/04/2022 - Eurofins

**CAUTION:** EXTERNAL EMAIL - Sent from an email domain that is not formally trusted by Eurofins.  
Do not click on links or open attachments unless you recognise the sender and are certain that the content is safe.

Hi Callum,

Yes. We have this sample. It wasn't on our COC but I think the nomenclature has "...\_ALS" which is confusing. We might want to confirm with Agon but I'm pretty sure it should be for you guys since it's on your COC. I think maybe the confusion may have resulted if they made a mistake and wrote \_ALS in the sample ID on the bucket, so the courier gave it to us.

I think we should get it sent to you ASAP Tuesday morning.

Regards,  
Josh

Get [Outlook for Android](#)

---

**From:** Callum McEwan <[CallumMcEwan@eurofins.com](mailto:CallumMcEwan@eurofins.com)>

**Sent:** Saturday, 23 April 2022, 1:41 pm

**To:** Heidi Lettey; Josh Alexander

**Cc:** Bronwyn Sheen; Harry Bacalis; Adrian Tabacchiera; Mary Makarios; #AU\_CAU001\_EnviroSampleVic; CustomerService CalibreLogistics

**Subject:** [EXTERNAL] - RE: Missing Bucket - WGTP TST sample delivery 23/04/2022 - Eurofins

**CAUTION:** This email originated from outside of ALS. Do not click links or open attachments unless you recognize the sender and are sure content is relevant to you.

Hi Heidi,

Thank you for the prompt response and follow up – myself and Eurofins are grateful.

We'll standby until we know more.

Thanks again.

Kind Regards,

---

**Callum McEwan**  
**Analytical Service Manager – VIC**

Eurofins Environment Testing Australia Pty Ltd  
6 Monterey Road | Dandenong South | VIC 3175 | AUSTRALIA  
T: +61 3 8564 5053 | M: 0428104484  
E: [CallumMcEwan@eurofins.com](mailto:CallumMcEwan@eurofins.com) | W: [www.eurofins.com.au](http://www.eurofins.com.au)

---

**From:** Heidi Lettey <[heidi@calibrelogistics.com.au](mailto:heidi@calibrelogistics.com.au)>

**Sent:** Saturday, 23 April 2022 1:37 PM

**To:** Callum McEwan <[CallumMcEwan@eurofins.com](mailto:CallumMcEwan@eurofins.com)>; Josh Alexander <[josh.alexander@ALSGlobal.com](mailto:josh.alexander@ALSGlobal.com)>

**Cc:** Bronwyn Sheen <[bronwyn.sheen@alsglobal.com](mailto:bronwyn.sheen@alsglobal.com)>; Harry Bacalis <[HarryBacalis@eurofins.com](mailto:HarryBacalis@eurofins.com)>; Adrian Tabacchiera <[AdrianTabacchiera@eurofins.com](mailto:AdrianTabacchiera@eurofins.com)>; Mary Makarios <[MaryMakarios@eurofins.com](mailto:MaryMakarios@eurofins.com)>; #AU\_CAU001\_EnviroSampleVic <[EnviroSampleVic@eurofins.com](mailto:EnviroSampleVic@eurofins.com)>; CustomerService CalibreLogistics <[customerservice@calibrelogistics.com.au](mailto:customerservice@calibrelogistics.com.au)>

**Subject:** Re: Missing Bucket - WGTP TST sample delivery 23/04/2022 - Eurofins

**CAUTION:** EXTERNAL EMAIL - Sent from an email domain that is not formally trusted by Eurofins.

Do not click on links or open attachments unless you recognise the sender and are certain that the content is safe.

Hi Callum

I am still trying to get onto the courier company as it is out of their normal hours.

I will update you as soon as I can.

Thank you

Get [Outlook for iOS](#)

---

**From:** Callum McEwan <[CallumMcEwan@eurofins.com](mailto:CallumMcEwan@eurofins.com)>

**Sent:** Saturday, April 23, 2022 1:29:48 PM

**To:** Heidi Lettey <[heidi@calibrelogistics.com.au](mailto:heidi@calibrelogistics.com.au)>; Josh Alexander <[josh.alexander@ALSGlobal.com](mailto:josh.alexander@ALSGlobal.com)>

**Cc:** Bronwyn Sheen <[bronwyn.sheen@alsglobal.com](mailto:bronwyn.sheen@alsglobal.com)>; Harry Bacalis <[HarryBacalis@eurofins.com](mailto:HarryBacalis@eurofins.com)>; Adrian Tabacchiera <[AdrianTabacchiera@eurofins.com](mailto:AdrianTabacchiera@eurofins.com)>; Mary Makarios <[MaryMakarios@eurofins.com](mailto:MaryMakarios@eurofins.com)>; #AU\_CAU001\_EnviroSampleVic <[EnviroSampleVic@eurofins.com](mailto:EnviroSampleVic@eurofins.com)>; CustomerService CalibreLogistics <[customerservice@calibrelogistics.com.au](mailto:customerservice@calibrelogistics.com.au)>

**Subject:** Missing Bucket - WGTP TST sample delivery 23/04/2022 - Eurofins

Hi Heidi & Josh,

Please see below and enclosed – it appears we are missing the last bucket (see marked chain of custody – enclosed).

**@Josh** – Does the ALS Saturday Team possess this bucket? Would you please organise a site sweep / investigation to see if this is so?

**@Heidi / Calibre** – Would you be so kind to you please chase up for your drivers end? Thanks you for taking my call just before, I appreciate the time and effort afforded to this (as does Eurofins).

Looking forward to hearing from you both. My apologies in troubling you on a Saturday!

Kind Regards,

---

**Callum McEwan**  
**Analytical Service Manager – VIC**

Eurofins Environment Testing Australia Pty Ltd  
6 Monterey Road | Dandenong South | VIC 3175 | AUSTRALIA  
T: +61 3 8564 5053 | M: 0428104484  
E: [CallumMcEwan@eurofins.com](mailto:CallumMcEwan@eurofins.com) | W: [www.eurofins.com.au](http://www.eurofins.com.au)

---

**From:** Callum McEwan  
**Sent:** Saturday, 23 April 2022 1:19 PM  
**To:** Brandon Clarke <[Brandon.Clarke@agonenviro.com.au](mailto:Brandon.Clarke@agonenviro.com.au)>; Michael Cassidy <[MichaelCassidy@eurofins.com](mailto:MichaelCassidy@eurofins.com)>  
**Cc:** #AU\_CAU001\_EnviroSampleVic <[EnviroSampleVic@eurofins.com](mailto:EnviroSampleVic@eurofins.com)>; Amrit Kaur (Agile Analytics <[Amrit.Kaur@agile-analytics.com.au](mailto:Amrit.Kaur@agile-analytics.com.au)>; Labreports.TST <[labreports.tst@agonenviro.com.au](mailto:labreports.tst@agonenviro.com.au)>; [motherhublabresults1@wgtp.com.au](mailto:motherhublabresults1@wgtp.com.au); Craig Trimbur <[Craig.Trimbur@eprisk.com.au](mailto:Craig.Trimbur@eprisk.com.au)>; David Lawson <[David.Lawson@agonenviro.com.au](mailto:David.Lawson@agonenviro.com.au)>  
**Subject:** RE: WGTP TST sample delivery 23/04/2022

Hi Brandon,

Many thanks for sending this through.

The Eurofins Sample Receipt Team have noticed however that we're missing "SX\_OB\_20220423\_04\_09\_SS\_Primary\_EUF" from today's bucket delivery – please see enclosed.

We have contacted the courier service provider for investigation on their end – and ALS too to see if the Eurofins bucket was mistakenly placed with ALS delivery today.

As soon as I know more I will update this space. My apologies for any inconvenience this has caused, we will investigate ASAP.

Thank you.

Kind Regards,

---

**Callum McEwan**  
**Analytical Service Manager – VIC**

Eurofins Environment Testing Australia Pty Ltd  
6 Monterey Road | Dandenong South | VIC 3175 | AUSTRALIA  
T: +61 3 8564 5053 | M: 0428104484  
E: [CallumMcEwan@eurofins.com](mailto:CallumMcEwan@eurofins.com) | W: [www.eurofins.com.au](http://www.eurofins.com.au)

---

**From:** Brandon Clarke <[Brandon.Clarke@agonenviro.com.au](mailto:Brandon.Clarke@agonenviro.com.au)>  
**Sent:** Saturday, 23 April 2022 8:50 AM  
**To:** Michael Cassidy <[MichaelCassidy@eurofins.com](mailto:MichaelCassidy@eurofins.com)>  
**Cc:** Callum McEwan <[CallumMcEwan@eurofins.com](mailto:CallumMcEwan@eurofins.com)>; #AU\_CAU001\_EnviroSampleVic <[EnviroSampleVic@eurofins.com](mailto:EnviroSampleVic@eurofins.com)>; Amrit Kaur (Agile Analytics <[Amrit.Kaur@agile-analytics.com.au](mailto:Amrit.Kaur@agile-analytics.com.au)>; Labreports.TST <[labreports.tst@agonenviro.com.au](mailto:labreports.tst@agonenviro.com.au)>; [motherhublabresults1@wgtp.com.au](mailto:motherhublabresults1@wgtp.com.au); Craig Trimbur <[Craig.Trimbur@eprisk.com.au](mailto:Craig.Trimbur@eprisk.com.au)>  
**Subject:** WGTP TST sample delivery 23/04/2022

**CAUTION: EXTERNAL EMAIL** - Sent from an email domain that is not formally trusted by Eurofins.

Do not click on links or open attachments unless you recognise the sender and are certain that the content is safe.

Hi Michael,

Please see attached COC for samples collected at pivot this morning.

Regards,



**Brandon Clarke**

Environmental Consultant  
Hazmat Consultant

**Agon Environmental**

**ADELAIDE | CANBERRA | DARWIN | MELBOURNE**

H76, 63-85 Turner St, Port Melbourne VIC 3207

+61 3 8566 1567

+61 4 8153 1799

[brandon.clarke@agonenviro.com.au](mailto:brandon.clarke@agonenviro.com.au)

[agonenviro.com.au](http://agonenviro.com.au)

---

Disclaimer: The information contained in this e-mail and any attached file is confidential. It is intended solely for the addressee, and may not be used, reproduced, disclosed or distributed without Agon's permission. Agon accepts no liability for loss or damage (whether caused by negligence or not) resulting from the use of any attached files. **Please consider the environment before printing this email.**

## Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

**Melbourne**

6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261 Site # 1254

**Sydney**

179 Magowar Road  
Girraween NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**

1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Newcastle**

4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448  
NATA # 1261 Site # 25079

## Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

**Perth**

46-48 Banksia Road  
Welshpool WA 6106  
Phone : +61 8 6253 4444  
NATA # 2377 Site # 2370

## Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

**Auckland**

35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**

43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

## Sample Receipt Advice

**Company name:** Agon Environmental Pty Ltd - VIC  
**Contact name:** Agon Lab Reports (Spoil Project)  
**Project name:** 20220423042513-Eurofin-21  
**Project ID:** JC0927  
**Turnaround time:** 5 Day  
**Date/Time received:** Apr 23, 2022 9:17 AM  
**Eurofins reference:** 882266

## Sample Information

- ✓ A detailed list of analytes logged into our LIMS, is included in the attached summary table.
- ✓ All samples have been received as described on the above COC.
- ✓ COC has been completed correctly.
- ✗ Attempt to chill was evident.
- ✓ Appropriately preserved sample containers have been used.
- ✓ All samples were received in good condition.
- ✓ Samples have been provided with adequate time to commence analysis in accordance with the relevant holding times.
- ✓ Appropriate sample containers have been used.
- ✓ Sample containers for volatile analysis received with zero headspace.
- ✗ Split sample sent to requested external lab.
- ✗ Some samples have been subcontracted.
- N/A Custody Seals intact (if used).

## Notes

## Contact

If you have any questions with respect to these samples, please contact your Analytical Services Manager:

**Michael Cassidy on phone : +61 3 8564 5000 or by email: MichaelCassidy@eurofins.com**

Results will be delivered electronically via email to Agon Lab Reports (Spoil Project) - labreports.TST@agonenviro.com.au.

*Note: A copy of these results will also be delivered to the general Agon Environmental Pty Ltd - VIC email address.*



# Environment Testing

## Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261 Site # 1254

**Sydney**  
179 Magowar Road  
Girraween NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448  
NATA # 1261 Site # 25079

## Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

**Perth**  
46-48 Banksia Road  
Welshpool WA 6106  
Phone : +61 8 6253 4444  
NATA # 2377 Site # 2370

## Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

web: www.eurofins.com.au  
email: EnviroSales@eurofins.com

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
  
**Project Name:** 20220423042513-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882266  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 23, 2022 9:17 AM  
**Due:** May 3, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	SX_OB_20220422_08_13_S_S_Triplicate_EUF	Apr 22, 2022	8:13AM	Soil	M22-Ap0047336		X	X	X
2	SX_OB_20220422_08_19_S_S_Primary_EUF	Apr 22, 2022	8:19AM	Soil	M22-Ap0047337		X	X	X
3	SX_OB_20220422_12_11_S_S_Primary_EUF	Apr 22, 2022	12:11PM	Soil	M22-Ap0047338		X	X	X

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
**Project Name:** 20220423042513-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882266  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 23, 2022 9:17 AM  
**Due:** May 3, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
4	SX_OB_20220422_16_23_SS_Primary_EU_F	Apr 22, 2022	4:23PM	Soil	M22-Ap0047339		X	X	X
5	SX_OB_20220422_16_26_SS_Duplicate_EU_F	Apr 22, 2022	4:26PM	Soil	M22-Ap0047340		X	X	X
6	SX_IB_20220422_20_10_SS_Primary_EU_F	Apr 22, 2022	10:13AM	Soil	M22-Ap0047341		X	X	X
7	SX_IB_20220422_20_13_SS_Duplicate_EU_F	Apr 22, 2022	8:13PM	Soil	M22-Ap0047342		X	X	X





# Environment Testing

## Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261 Site # 1254

**Sydney**  
179 Magowar Road  
Girraween NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448  
NATA # 1261 Site # 25079

## Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

**Perth**  
46-48 Banksia Road  
Welshpool WA 6106  
Phone : +61 8 6253 4444  
NATA # 2377 Site # 2370

## Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

web: www.eurofins.com.au  
email: EnviroSales@eurofins.com

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
**Project Name:** 20220423042513-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882266  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 23, 2022 9:17 AM  
**Due:** May 3, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	F								
8	SX_OB_20220422_20_17_S_S_Primary_EU_F	Apr 22, 2022	8:17PM	Soil	M22-Ap0047343		X	X	X
9	SX_OB_20220423_00_05_S_S_Primary_EU_F	Apr 23, 2022	12:05AM	Soil	M22-Ap0047344		X	X	X
10	SX_IB_20220423_04_03_SS_Triplicate_EU_F	Apr 23, 2022	12:05AM	Soil	M22-Ap0047345		X	X	X
11	SX_OB_20220	Apr 22, 2022	8:13AM	AUS Leachate	M22-	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 23, 2022 9:17 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882266	<b>Due:</b>	May 3, 2022
<b>Project Name:</b>	20220423042513-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	422_08_13_S S_Triplicate_E UF			- pH 5.0	Ap0047346				
12	SX_OB_20220 422_08_19_S S_Primary_EU F	Apr 22, 2022	8:19AM	AUS Leachate - pH 5.0	M22- Ap0047347	X		X	
13	SX_OB_20220 422_12_11_S S_Primary_EU F	Apr 22, 2022	12:11PM	AUS Leachate - pH 5.0	M22- Ap0047348	X		X	
14	SX_OB_20220 422_16_23_S S_Primary_EU	Apr 22, 2022	4:23PM	AUS Leachate - pH 5.0	M22- Ap0047349	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 23, 2022 9:17 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882266	<b>Due:</b>	May 3, 2022
<b>Project Name:</b>	20220423042513-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	F								
15	SX_OB_20220422_16_26_S_S_Duplicate_EUF	Apr 22, 2022	4:26PM	AUS Leachate - pH 5.0	M22-Ap0047350	X		X	
16	SX_IB_20220422_20_10_SS_Primary_EUF	Apr 22, 2022	10:13AM	AUS Leachate - pH 5.0	M22-Ap0047351	X		X	
17	SX_IB_20220422_20_13_SS_Duplicate_EUF	Apr 22, 2022	8:13PM	AUS Leachate - pH 5.0	M22-Ap0047352	X		X	
18	SX_OB_20220422_20_17_S	Apr 22, 2022	8:17PM	AUS Leachate - pH 5.0	M22-Ap0047353	X		X	

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
**Project Name:** 20220423042513-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882266  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 23, 2022 9:17 AM  
**Due:** May 3, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	S_Primary_EU F								
19	SX_OB_20220 423_00_05_S S_Primary_EU F	Apr 23, 2022	12:05AM	AUS Leachate - pH 5.0	M22- Ap0047354	X		X	
20	SX_IB_202204 23_04_03_SS TriPLICATE_EU F	Apr 23, 2022	12:05AM	AUS Leachate - pH 5.0	M22- Ap0047355	X		X	
21	SX_OB_20220 422_08_13_S S_Triplicate_E UF	Apr 22, 2022	8:13AM	AUS Leachate - Reagent Water	M22- Ap0047356	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 23, 2022 9:17 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882266	<b>Due:</b>	May 3, 2022
<b>Project Name:</b>	20220423042513-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
22	SX_OB_20220422_08_19_S_S_Primary_EU_F	Apr 22, 2022	8:19AM	AUS Leachate - Reagent Water	M22-Ap0047357	X		X	
23	SX_OB_20220422_12_11_S_S_Primary_EU_F	Apr 22, 2022	12:11PM	AUS Leachate - Reagent Water	M22-Ap0047358	X		X	
24	SX_OB_20220422_16_23_S_S_Primary_EU_F	Apr 22, 2022	4:23PM	AUS Leachate - Reagent Water	M22-Ap0047359	X		X	
25	SX_OB_20220422_16_26_S	Apr 22, 2022	4:26PM	AUS Leachate - Reagent	M22-Ap0047360	X		X	



# Environment Testing

## Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261 Site # 1254

**Sydney**  
179 Magowar Road  
Girraween NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448  
NATA # 1261 Site # 25079

## Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

**Perth**  
46-48 Banksia Road  
Welshpool WA 6106  
Phone : +61 8 6253 4444  
NATA # 2377 Site # 2370

## Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

web: www.eurofins.com.au  
email: EnviroSales@eurofins.com

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
**Project Name:** 20220423042513-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882266  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 23, 2022 9:17 AM  
**Due:** May 3, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	S_Duplicate_EUF			Water					
26	SX_IB_20220422_20_10_SS_Primary_EUF	Apr 22, 2022	10:13AM	AUS Leachate - Reagent Water	M22-Ap0047361	X		X	
27	SX_IB_20220422_20_13_SS_Duplicate_EUF	Apr 22, 2022	8:13PM	AUS Leachate - Reagent Water	M22-Ap0047362	X		X	
28	SX_OB_20220422_20_17_SS_Primary_EUF	Apr 22, 2022	8:17PM	AUS Leachate - Reagent Water	M22-Ap0047363	X		X	
29	SX_OB_20220	Apr 23, 2022	12:05AM	AUS Leachate	M22-	X		X	

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063

**Order No.:**  
**Report #:** 882266  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 23, 2022 9:17 AM  
**Due:** May 3, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Project Name:** 20220423042513-Eurofin-21  
**Project ID:** JC0927

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
29	SX_OB_20220423_00_05_S_S_Primary_EU_F	Apr 23, 2022	12:05AM	AUS Leachate - Reagent Water	M22-Ap0047364				
30	SX_IB_20220423_04_03_SS_Triplicate_EU_F	Apr 23, 2022	12:05AM	AUS Leachate - Reagent Water	M22-Ap0047365	X		X	
31	SX_OB_20220423_04_09_S_S_Primary_EU_F	Apr 22, 2022	8:13AM	Soil	M22-Ap0050758		X	X	X
32	SX_OB_20220423_04_09_S	Apr 22, 2022	8:13AM	AUS Leachate - pH 5.0	M22-Ap0050759	X		X	



# Environment Testing

## Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

**Melbourne**  
6 Monterey Road  
Dandenong South VIC 3175  
Phone : +61 3 8564 5000  
NATA # 1261 Site # 1254

**Sydney**  
179 Magowar Road  
Girraween NSW 2066  
Phone : +61 2 9900 8400  
NATA # 1261 Site # 18217

**Brisbane**  
1/21 Smallwood Place  
Murarrie QLD 4172  
Phone : +61 7 3902 4600  
NATA # 1261 Site # 20794

**Newcastle**  
4/52 Industrial Drive  
Mayfield East NSW 2304  
PO Box 60 Wickham 2293  
Phone : +61 2 4968 8448  
NATA # 1261 Site # 25079

## Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

**Perth**  
46-48 Banksia Road  
Welsphool WA 6106  
Phone : +61 8 6253 4444  
NATA # 2377 Site # 2370

## Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

**Auckland**  
35 O'Rorke Road  
Penrose, Auckland 1061  
Phone : +64 9 526 45 51  
IANZ # 1327

**Christchurch**  
43 Detroit Drive  
Rolleston, Christchurch 7675  
Phone : 0800 856 450  
IANZ # 1290

web: www.eurofins.com.au  
email: EnviroSales@eurofins.com

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
**Project Name:** 20220423042513-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882266  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 23, 2022 9:17 AM  
**Due:** May 3, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	S_Primary_EU F								
33	SX_OB_20220 423_04_09_S S_Primary_EU F	Apr 22, 2022	8:13AM	AUS Leachate - Reagent Water	M22- Ap0050760	X		X	
<b>Test Counts</b>						22	11	33	11



Agon Environmental Pty Ltd - VIC  
3/224 Glen Osmond Road  
Fullarton  
SA 5063



NATA Accredited  
Accreditation Number 1261  
Site Number 1254

Accredited for compliance with ISO/IEC 17025 – Testing  
NATA is a signatory to the ILAC Mutual Recognition  
Arrangement for the mutual recognition of the  
equivalence of testing, medical testing, calibration,  
inspection, proficiency testing scheme providers and  
reference materials producers reports and certificates.

Attention: **Agon Lab Reports (Spoil Project)**

Report **882266-L**  
Project name **20220423042513-Eurofin-21**  
Project ID **JC0927**  
Received Date **Apr 23, 2022**

Client Sample ID			SX_OB_20220 422_08_13_SS _TriPLICATE_EU F	SX_OB_20220 422_08_19_SS _Primary_EUF	SX_OB_20220 422_12_11_SS _Primary_EUF	SX_OB_20220 422_16_23_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- Ap0047346	M22- Ap0047347	M22- Ap0047348	M22- Ap0047349
Date Sampled			Apr 22, 2022	Apr 22, 2022	Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit				
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.1	5.1	5.1	5.1
pH (off)	0.1	pH Units	5.2	5.1	5.1	5.1
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	94	92	92	88
13C5-PFPeA (surr.)	1	%	93	105	113	98
13C5-PFHxA (surr.)	1	%	89	91	93	87
13C4-PFHpA (surr.)	1	%	83	88	89	86
13C8-PFOA (surr.)	1	%	103	115	89	104
13C5-PFNA (surr.)	1	%	66	76	85	70
13C6-PFDA (surr.)	1	%	81	86	61	97
13C2-PFUnDA (surr.)	1	%	53	69	50	66
13C2-PFDoDA (surr.)	1	%	50	74	36	59
13C2-PFTTeDA (surr.)	1	%	29	50	33	48

Client Sample ID			SX_OB_20220 422_08_13_SS _TriPLICATE_EU F	SX_OB_20220 422_08_19_SS _Primary_EUF	SX_OB_20220 422_12_11_SS _Primary_EUF	SX_OB_20220 422_16_23_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- Ap0047346	M22- Ap0047347	M22- Ap0047348	M22- Ap0047349
Date Sampled			Apr 22, 2022	Apr 22, 2022	Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	68	79	72	79
D3-N-MeFOSA (surr.)	1	%	64	71	20	29
D5-N-EtFOSA (surr.)	1	%	63	69	17	32
D7-N-MeFOSE (surr.)	1	%	59	48	45	48
D9-N-EtFOSE (surr.)	1	%	42	51	54	45
D5-N-EtFOSAA (surr.)	1	%	58	69	26	58
D3-N-MeFOSAA (surr.)	1	%	64	62	40	61
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	109	116	96	107
18O2-PFHxS (surr.)	1	%	83	88	95	78
13C8-PFOS (surr.)	1	%	79	97	81	94
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	74	66	47	63
13C2-6:2 FTSA (surr.)	1	%	62	57	57	61
13C2-8:2 FTSA (surr.)	1	%	51	63	57	57
13C2-10:2 FTSA (surr.)	1	%	53	58	31	72
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_20220 422_16_26_SS Duplicate_EU F	SX_IB_202204 22_20_10_SS Primary_EUF	SX_IB_202204 22_20_13_SS Duplicate_EUF	SX_OB_20220 422_20_17_SS Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- Ap0047350	M22- Ap0047351	M22- Ap0047352	M22- Ap0047353
Date Sampled			Apr 22, 2022	Apr 22, 2022	Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit				
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.1	5.1	5.1	5.1
pH (off)	0.1	pH Units	5.1	5.2	5.2	5.1
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	86	89	94	95
13C5-PFPeA (surr.)	1	%	94	101	107	111
13C5-PFHxA (surr.)	1	%	84	88	88	94
13C4-PFHpA (surr.)	1	%	77	86	88	90
13C8-PFOA (surr.)	1	%	92	73	106	107
13C5-PFNA (surr.)	1	%	67	90	72	69
13C6-PFDA (surr.)	1	%	76	59	85	83
13C2-PFUnDA (surr.)	1	%	53	55	60	60
13C2-PFDoDA (surr.)	1	%	47	38	75	69
13C2-PFTTeDA (surr.)	1	%	40	18	25	47
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	57	72	77	67
D3-N-MeFOSA (surr.)	1	%	32	27	68	57
D5-N-EtFOSA (surr.)	1	%	35	25	69	59
D7-N-MeFOSE (surr.)	1	%	45	59	53	60
D9-N-EtFOSE (surr.)	1	%	36	54	43	39
D5-N-EtFOSAA (surr.)	1	%	45	28	58	63
D3-N-MeFOSAA (surr.)	1	%	55	40	92	66

Client Sample ID			SX_OB_20220 422_16_26_SS Duplicate_EU F	SX_IB_202204 22_20_10_SS Primary_EUF	SX_IB_202204 22_20_13_SS Duplicate_EUF	SX_OB_20220 422_20_17_SS Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- Ap0047350	M22- Ap0047351	M22- Ap0047352	M22- Ap0047353
Date Sampled			Apr 22, 2022	Apr 22, 2022	Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	105	89	109	116
18O2-PFHxS (surr.)	1	%	72	99	77	83
13C8-PFOS (surr.)	1	%	74	69	93	90
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	62	61	83	79
13C2-6:2 FTSA (surr.)	1	%	53	59	69	59
13C2-8:2 FTSA (surr.)	1	%	51	64	67	68
13C2-10:2 FTSA (surr.)	1	%	53	51	66	64
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_20220 423_00_05_SS Primary_EUF	SX_IB_202204 23_04_03_SS TriPLICATE_EUF	SX_OB_20220 422_08_13_SS TriPLICATE_EU F	SX_OB_20220 422_08_19_SS Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- Ap0047354	M22- Ap0047355	M22- Ap0047356	M22- Ap0047357
Date Sampled			Apr 23, 2022	Apr 23, 2022	Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit				
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	1.0	1.0	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.1	5.1	6.2	6.2
pH (off)	0.1	pH Units	5.1	5.1	7.6	8.4

Client Sample ID			SX_OB_20220 423_00_05_SS _Primary_EUF	SX_IB_202204 23_04_03_SS _Triplicate_EUF	SX_OB_20220 422_08_13_SS _Triplicate_EU F	SX_OB_20220 422_08_19_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- Ap0047354	M22- Ap0047355	M22- Ap0047356	M22- Ap0047357
Date Sampled			Apr 23, 2022	Apr 23, 2022	Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	94	89	87	82
13C5-PFPeA (surr.)	1	%	104	100	102	92
13C5-PFHxA (surr.)	1	%	88	90	98	91
13C4-PFHpA (surr.)	1	%	83	90	98	87
13C8-PFOA (surr.)	1	%	98	87	124	111
13C5-PFNA (surr.)	1	%	72	75	93	76
13C6-PFDA (surr.)	1	%	83	108	123	88
13C2-PFUnDA (surr.)	1	%	59	92	94	69
13C2-PFDoDA (surr.)	1	%	56	99	115	66
13C2-PFTeDA (surr.)	1	%	43	95	72	59
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	63	85	89	75
D3-N-MeFOSA (surr.)	1	%	62	78	96	59
D5-N-EtFOSA (surr.)	1	%	62	92	88	63
D7-N-MeFOSE (surr.)	1	%	46	56	33	40
D9-N-EtFOSE (surr.)	1	%	44	59	48	37
D5-N-EtFOSAA (surr.)	1	%	53	107	105	77
D3-N-MeFOSAA (surr.)	1	%	65	81	97	78
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01

Client Sample ID			SX_OB_20220 423_00_05_SS _Primary_EUF	SX_IB_202204 23_04_03_SS _TriPLICATE_EUF	SX_OB_20220 422_08_13_SS _TriPLICATE_EUF	SX_OB_20220 422_08_19_SS _Primary_EUF
<b>Sample Matrix</b>			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
<b>Eurofins Sample No.</b>			M22- Ap0047354	M22- Ap0047355	M22- Ap0047356	M22- Ap0047357
<b>Date Sampled</b>			Apr 23, 2022	Apr 23, 2022	Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>						
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	111	100	116	112
18O2-PFHxS (surr.)	1	%	77	88	87	81
13C8-PFOS (surr.)	1	%	84	110	121	109
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	72	87	65	54
13C2-6:2 FTSA (surr.)	1	%	57	71	67	56
13C2-8:2 FTSA (surr.)	1	%	54	91	97	65
13C2-10:2 FTSA (surr.)	1	%	51	79	114	69
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_20220 422_12_11_SS _Primary_EUF	SX_OB_20220 422_16_23_SS _Primary_EUF	SX_OB_20220 422_16_26_SS _Duplicate_EUF	SX_IB_202204 22_20_10_SS _Primary_EUF
<b>Sample Matrix</b>			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
<b>Eurofins Sample No.</b>			M22- Ap0047358	M22- Ap0047359	M22- Ap0047360	M22- Ap0047361
<b>Date Sampled</b>			Apr 22, 2022	Apr 22, 2022	Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit				
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	6.2	6.2	6.2	6.2
pH (off)	0.1	pH Units	8.4	8.4	8.5	9.2
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01

Client Sample ID			SX_OB_20220 422_12_11_SS _Primary_EUF	SX_OB_20220 422_16_23_SS _Primary_EUF	SX_OB_20220 422_16_26_SS _Duplicate_EU F	SX_IB_202204 22_20_10_SS _Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- Ap0047358	M22- Ap0047359	M22- Ap0047360	M22- Ap0047361
Date Sampled			Apr 22, 2022	Apr 22, 2022	Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTeDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	85	88	84	88
13C5-PFPeA (surr.)	1	%	91	95	106	89
13C5-PFHxA (surr.)	1	%	92	95	97	92
13C4-PFHpA (surr.)	1	%	87	91	102	92
13C8-PFOA (surr.)	1	%	111	121	125	126
13C5-PFNA (surr.)	1	%	88	88	94	102
13C6-PFDA (surr.)	1	%	111	114	116	123
13C2-PFUnDA (surr.)	1	%	83	90	95	90
13C2-PFDoDA (surr.)	1	%	94	94	121	92
13C2-PFTeDA (surr.)	1	%	74	74	94	52
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	82	89	91	91
D3-N-MeFOSA (surr.)	1	%	69	75	64	84
D5-N-EtFOSA (surr.)	1	%	77	68	66	70
D7-N-MeFOSE (surr.)	1	%	54	60	61	42
D9-N-EtFOSE (surr.)	1	%	47	46	55	44
D5-N-EtFOSAA (surr.)	1	%	98	94	110	93
D3-N-MeFOSAA (surr.)	1	%	94	83	132	73
<b>Perfluoroalkyl sulfonic acids (PFSAs)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	110	119	118	121
18O2-PFHxS (surr.)	1	%	80	99	97	91
13C8-PFOS (surr.)	1	%	113	119	126	133

Client Sample ID			<a href="#">SX_OB_20220422_12_11_SS_Primary_EUF</a>	<a href="#">SX_OB_20220422_16_23_SS_Primary_EUF</a>	<a href="#">SX_OB_20220422_16_26_SS_Duplicate_EUF</a>	<a href="#">SX_IB_20220422_20_10_SS_Primary_EUF</a>
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22-Ap0047358	M22-Ap0047359	M22-Ap0047360	M22-Ap0047361
Date Sampled			Apr 22, 2022	Apr 22, 2022	Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit				
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	58	58	59	80
13C2-6:2 FTSA (surr.)	1	%	55	60	59	69
13C2-8:2 FTSA (surr.)	1	%	80	86	91	98
13C2-10:2 FTSA (surr.)	1	%	96	82	119	80
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			<a href="#">SX_IB_20220422_20_13_SS_Duplicate_EUF</a>	<a href="#">SX_OB_20220422_20_17_SS_Primary_EUF</a>	<a href="#">SX_OB_20220423_00_05_SS_Primary_EUF</a>	<a href="#">SX_IB_20220423_04_03_SS_Triplicate_EUF</a>
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22-Ap0047362	M22-Ap0047363	M22-Ap0047364	M22-Ap0047365
Date Sampled			Apr 22, 2022	Apr 22, 2022	Apr 23, 2022	Apr 23, 2022
Test/Reference	LOR	Unit				
<b>AUS Leaching Procedure</b>						
Leachate Fluid <sup>C01</sup>		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	6.2	6.2	6.2	6.2
pH (off)	0.1	pH Units	9.3	8.7	8.6	8.9
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	87	83	87	81



Client Sample ID			SX_IB_202204 22_20_13_SS Duplicate_EUF	SX_OB_20220 422_20_17_SS Primary_EUF	SX_OB_20220 423_00_05_SS Primary_EUF	SX_IB_202204 23_04_03_SS Triplicate_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- Ap0047362	M22- Ap0047363	M22- Ap0047364	M22- Ap0047365
Date Sampled			Apr 22, 2022	Apr 22, 2022	Apr 23, 2022	Apr 23, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
13C5-PFPeA (surr.)	1	%	98	93	92	75
13C5-PFHxA (surr.)	1	%	96	92	91	83
13C4-PFHpA (surr.)	1	%	100	92	91	84
13C8-PFOA (surr.)	1	%	126	124	121	95
13C5-PFNA (surr.)	1	%	91	81	80	77
13C6-PFDA (surr.)	1	%	125	104	110	105
13C2-PFUnDA (surr.)	1	%	98	84	86	87
13C2-PFDoDA (surr.)	1	%	99	95	89	92
13C2-PFTeDA (surr.)	1	%	90	60	52	53
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	91	83	81	82
D3-N-MeFOSA (surr.)	1	%	104	70	68	74
D5-N-EtFOSA (surr.)	1	%	94	53	61	53
D7-N-MeFOSE (surr.)	1	%	65	34	30	39
D9-N-EtFOSE (surr.)	1	%	49	40	41	43
D5-N-EtFOSAA (surr.)	1	%	104	91	99	89
D3-N-MeFOSAA (surr.)	1	%	130	72	125	121
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	114	115	112	98
18O2-PFHxS (surr.)	1	%	98	84	88	80
13C8-PFOS (surr.)	1	%	132	119	126	111

Client Sample ID			SX_IB_202204_22_20_13_SS_Duplicate_EUF	SX_OB_202204_22_20_17_SS_Primary_EUF	SX_OB_202204_23_00_05_SS_Primary_EUF	SX_IB_202204_23_04_03_SS_Triplicate_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22-Ap0047362	M22-Ap0047363	M22-Ap0047364	M22-Ap0047365
Date Sampled			Apr 22, 2022	Apr 22, 2022	Apr 23, 2022	Apr 23, 2022
Test/Reference	LOR	Unit				
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	70	65	59	75
13C2-6:2 FTSA (surr.)	1	%	65	66	63	71
13C2-8:2 FTSA (surr.)	1	%	85	86	74	74
13C2-10:2 FTSA (surr.)	1	%	105	80	103	84
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_202204_23_04_09_SS_Primary_EUF	SX_OB_202204_23_04_09_SS_Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - Reagent Water
Eurofins Sample No.			M22-Ap0050759	M22-Ap0050760
Date Sampled			Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit		
<b>AUS Leaching Procedure</b>				
Leachate Fluid <sup>C01</sup>		comment	1.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	4.9	5.9
pH (off)	0.1	pH Units	5.0	8.5
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>				
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	98	87
13C5-PFPeA (surr.)	1	%	113	99

Client Sample ID			SX_OB_20220 423_04_09_SS _Primary_EUF	SX_OB_20220 423_04_09_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- Ap0050759	M22- Ap0050760
Date Sampled			Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit		
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>				
13C5-PFHxA (surr.)	1	%	95	92
13C4-PFHpA (surr.)	1	%	98	96
13C8-PFOA (surr.)	1	%	121	116
13C5-PFNA (surr.)	1	%	85	86
13C6-PFDA (surr.)	1	%	108	130
13C2-PFUnDA (surr.)	1	%	84	91
13C2-PFDoDA (surr.)	1	%	74	104
13C2-PFTEDA (surr.)	1	%	74	71
<b>Perfluoroalkyl sulfonamido substances</b>				
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	82	93
D3-N-MeFOSA (surr.)	1	%	125	82
D5-N-EtFOSA (surr.)	1	%	119	76
D7-N-MeFOSE (surr.)	1	%	49	54
D9-N-EtFOSE (surr.)	1	%	55	50
D5-N-EtFOSAA (surr.)	1	%	74	89
D3-N-MeFOSAA (surr.)	1	%	93	101
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>				
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	116	114
18O2-PFHxS (surr.)	1	%	97	91
13C8-PFOS (surr.)	1	%	113	129
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>				
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01

<b>Client Sample ID</b>			<b>SX_OB_20220 423_04_09_SS _Primary_EUF</b>	<b>SX_OB_20220 423_04_09_SS _Primary_EUF</b>
<b>Sample Matrix</b>			<b>AUS Leachate - pH 5.0</b>	<b>AUS Leachate - Reagent Water</b>
<b>Eurofins Sample No.</b>			<b>M22- Ap0050759</b>	<b>M22- Ap0050760</b>
<b>Date Sampled</b>			<b>Apr 22, 2022</b>	<b>Apr 22, 2022</b>
Test/Reference	LOR	Unit		
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>				
13C2-4:2 FTSA (surr.)	1	%	75	65
13C2-6:2 FTSA (surr.)	1	%	71	66
13C2-8:2 FTSA (surr.)	1	%	70	84
13C2-10:2 FTSA (surr.)	1	%	77	113
<b>PFASs Summations</b>				
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
AUS Leaching Procedure			
pH (initial) - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Melbourne	Apr 27, 2022	0 Days
pH (Leachate fluid) - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Melbourne	Apr 27, 2022	0 Days
pH (off) - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Melbourne	Apr 27, 2022	0 Days
Per- and Polyfluoroalkyl Substances (PFASs)			
Perfluoroalkyl carboxylic acids (PFCAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 27, 2022	28 Days
Perfluoroalkyl sulfonamido substances - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 27, 2022	28 Days
Perfluoroalkyl sulfonic acids (PFSAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 27, 2022	28 Days
n:2 Fluorotelomer sulfonic acids (n:2 FTSAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 27, 2022	28 Days
PFASs Summations - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 26, 2022	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 23, 2022 9:17 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882266	<b>Due:</b>	May 3, 2022
<b>Project Name:</b>	20220423042513-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	SX_OB_20220422_08_13_S_S_Triplicate_EUF	Apr 22, 2022	8:13AM	Soil	M22-Ap0047336		X	X	X
2	SX_OB_20220422_08_19_S_S_Primary_EUF	Apr 22, 2022	8:19AM	Soil	M22-Ap0047337		X	X	X
3	SX_OB_20220422_12_11_S_S_Primary_EUF	Apr 22, 2022	12:11PM	Soil	M22-Ap0047338		X	X	X

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 23, 2022 9:17 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882266	<b>Due:</b>	May 3, 2022
<b>Project Name:</b>	20220423042513-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
4	SX_OB_20220422_16_23_SS_Primary_EUF	Apr 22, 2022	4:23PM	Soil	M22-Ap0047339		X	X	X
5	SX_OB_20220422_16_26_SS_Duplicate_EUF	Apr 22, 2022	4:26PM	Soil	M22-Ap0047340		X	X	X
6	SX_IB_20220422_20_10_SS_Primary_EUF	Apr 22, 2022	10:13AM	Soil	M22-Ap0047341		X	X	X
7	SX_IB_20220422_20_13_SS_Duplicate_EUF	Apr 22, 2022	8:13PM	Soil	M22-Ap0047342		X	X	X

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 23, 2022 9:17 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882266	<b>Due:</b>	May 3, 2022
<b>Project Name:</b>	20220423042513-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	F								
8	SX_OB_20220422_20_17_S_S_Primary_EU_F	Apr 22, 2022	8:17PM	Soil	M22-Ap0047343		X	X	X
9	SX_OB_20220423_00_05_S_S_Primary_EU_F	Apr 23, 2022	12:05AM	Soil	M22-Ap0047344		X	X	X
10	SX_IB_20220423_04_03_SS_Triplicate_EU_F	Apr 23, 2022	12:05AM	Soil	M22-Ap0047345		X	X	X
11	SX_OB_20220	Apr 22, 2022	8:13AM	AUS Leachate	M22-	X		X	



<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 23, 2022 9:17 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882266	<b>Due:</b>	May 3, 2022
<b>Project Name:</b>	20220423042513-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	422_08_13_S S_Triplicate_E UF			- pH 5.0	Ap0047346				
12	SX_OB_20220 422_08_19_S S_Primary_EU F	Apr 22, 2022	8:19AM	AUS Leachate - pH 5.0	M22- Ap0047347	X		X	
13	SX_OB_20220 422_12_11_S S_Primary_EU F	Apr 22, 2022	12:11PM	AUS Leachate - pH 5.0	M22- Ap0047348	X		X	
14	SX_OB_20220 422_16_23_S S_Primary_EU	Apr 22, 2022	4:23PM	AUS Leachate - pH 5.0	M22- Ap0047349	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 23, 2022 9:17 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882266	<b>Due:</b>	May 3, 2022
<b>Project Name:</b>	20220423042513-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	F								
15	SX_OB_20220422_16_26_S_S_Duplicate_EUF	Apr 22, 2022	4:26PM	AUS Leachate - pH 5.0	M22-Ap0047350	X		X	
16	SX_IB_20220422_20_10_SS_Primary_EUF	Apr 22, 2022	10:13AM	AUS Leachate - pH 5.0	M22-Ap0047351	X		X	
17	SX_IB_20220422_20_13_SS_Duplicate_EUF	Apr 22, 2022	8:13PM	AUS Leachate - pH 5.0	M22-Ap0047352	X		X	
18	SX_OB_20220422_20_17_S	Apr 22, 2022	8:17PM	AUS Leachate - pH 5.0	M22-Ap0047353	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 23, 2022 9:17 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882266	<b>Due:</b>	May 3, 2022
<b>Project Name:</b>	20220423042513-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	S_Primary_EU F								
19	SX_OB_20220 423_00_05_S S_Primary_EU F	Apr 23, 2022	12:05AM	AUS Leachate - pH 5.0	M22- Ap0047354	X		X	
20	SX_IB_202204 23_04_03_SS TriPLICATE_EU F	Apr 23, 2022	12:05AM	AUS Leachate - pH 5.0	M22- Ap0047355	X		X	
21	SX_OB_20220 422_08_13_S S_Triplicate_E UF	Apr 22, 2022	8:13AM	AUS Leachate - Reagent Water	M22- Ap0047356	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 23, 2022 9:17 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882266	<b>Due:</b>	May 3, 2022
<b>Project Name:</b>	20220423042513-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
22	SX_OB_20220422_08_19_S_S_Primary_EU_F	Apr 22, 2022	8:19AM	AUS Leachate - Reagent Water	M22-Ap0047357	X		X	
23	SX_OB_20220422_12_11_S_S_Primary_EU_F	Apr 22, 2022	12:11PM	AUS Leachate - Reagent Water	M22-Ap0047358	X		X	
24	SX_OB_20220422_16_23_S_S_Primary_EU_F	Apr 22, 2022	4:23PM	AUS Leachate - Reagent Water	M22-Ap0047359	X		X	
25	SX_OB_20220422_16_26_S	Apr 22, 2022	4:26PM	AUS Leachate - Reagent	M22-Ap0047360	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 23, 2022 9:17 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882266	<b>Due:</b>	May 3, 2022
<b>Project Name:</b>	20220423042513-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	S_Duplicate_EUF			Water					
26	SX_IB_20220422_20_10_SS_Primary_EUF	Apr 22, 2022	10:13AM	AUS Leachate - Reagent Water	M22-Ap0047361	X		X	
27	SX_IB_20220422_20_13_SS_Duplicate_EUF	Apr 22, 2022	8:13PM	AUS Leachate - Reagent Water	M22-Ap0047362	X		X	
28	SX_OB_20220422_20_17_SS_Primary_EUF	Apr 22, 2022	8:17PM	AUS Leachate - Reagent Water	M22-Ap0047363	X		X	
29	SX_OB_20220	Apr 23, 2022	12:05AM	AUS Leachate	M22-	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 23, 2022 9:17 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882266	<b>Due:</b>	May 3, 2022
<b>Project Name:</b>	20220423042513-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
29	SX_OB_20220423_00_05_S_S_Primary_EU_F	Apr 23, 2022	12:05AM	AUS Leachate - Reagent Water	M22-Ap0047364				
30	SX_IB_20220423_04_03_SS_Triplicate_EU_F	Apr 23, 2022	12:05AM	AUS Leachate - Reagent Water	M22-Ap0047365	X		X	
31	SX_OB_20220423_04_09_S_S_Primary_EU_F	Apr 22, 2022	8:13AM	Soil	M22-Ap0050758		X	X	X
32	SX_OB_20220423_04_09_S	Apr 22, 2022	8:13AM	AUS Leachate - pH 5.0	M22-Ap0050759	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 23, 2022 9:17 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882266	<b>Due:</b>	May 3, 2022
<b>Project Name:</b>	20220423042513-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	S_Primary_EU F								
33	SX_OB_20220 423_04_09_S S_Primary_EU F	Apr 22, 2022	8:13AM	AUS Leachate - Reagent Water	M22- Ap0050760	X		X	
<b>Test Counts</b>						22	11	33	11

## Internal Quality Control Review and Glossary

### General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer that may have an impact on the results.
- This report replaces any interim results previously issued.

### Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

### Units

<b>mg/kg:</b> milligrams per kilogram	<b>mg/L:</b> milligrams per litre	<b>µg/L:</b> micrograms per litre
<b>ppm:</b> parts per million	<b>ppb:</b> parts per billion	<b>%:</b> Percentage
<b>org/100 mL:</b> Organisms per 100 millilitres	<b>NTU:</b> Nephelometric Turbidity Units	<b>MPN/100 mL:</b> Most Probable Number of organisms per 100 millilitres

### Terms

<b>APHA</b>	American Public Health Association
<b>COC</b>	Chain of Custody
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>CRM</b>	Certified Reference Material (ISO17034) - reported as percent recovery.
<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>LOR</b>	Limit of Reporting.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>SRA</b>	Sample Receipt Advice
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>TBTO</b>	Tributyltin oxide ( <i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment however free tributyltin was measured and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits.
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>TEQ</b>	Toxic Equivalency Quotient or Total Equivalence
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.4
<b>US EPA</b>	United States Environmental Protection Agency
<b>WA DWER</b>	Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

### QC - Acceptance Criteria

The acceptance criteria should be used as a guide only and may be different when site specific Sampling Analysis and Quality Plan (SAQP) have been implemented

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR: No Limit

Results between 10-20 times the LOR: RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

NOTE: pH duplicates are reported as a range not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.4 where no positive PFAS results have been reported have been reviewed and no data was affected.

### QC Data General Comments

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery the term "INT" appears against that analyte.
- For Matrix Spikes and LCS results a dash "-" in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.



**Quality Control Results**

Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
<b>Method Blank</b>						
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA)	ug/L	< 0.05		0.05	Pass	
Perfluoropentanoic acid (PFPeA)	ug/L	< 0.01		0.01	Pass	
Perfluorohexanoic acid (PFHxA)	ug/L	< 0.01		0.01	Pass	
Perfluoroheptanoic acid (PFHpA)	ug/L	< 0.01		0.01	Pass	
Perfluorooctanoic acid (PFOA)	ug/L	< 0.01		0.01	Pass	
Perfluorononanoic acid (PFNA)	ug/L	< 0.01		0.01	Pass	
Perfluorodecanoic acid (PFDA)	ug/L	< 0.01		0.01	Pass	
Perfluoroundecanoic acid (PFUnDA)	ug/L	< 0.01		0.01	Pass	
Perfluorododecanoic acid (PFDoDA)	ug/L	< 0.01		0.01	Pass	
Perfluorotridecanoic acid (PFTTrDA)	ug/L	< 0.01		0.01	Pass	
Perfluorotetradecanoic acid (PFTeDA)	ug/L	< 0.01		0.01	Pass	
<b>Method Blank</b>						
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA)	ug/L	< 0.05		0.05	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	ug/L	< 0.05		0.05	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	ug/L	< 0.05		0.05	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	ug/L	< 0.05		0.05	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	ug/L	< 0.05		0.05	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	ug/L	< 0.05		0.05	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	ug/L	< 0.05		0.05	Pass	
<b>Method Blank</b>						
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>						
Perfluorobutanesulfonic acid (PFBS)	ug/L	< 0.01		0.01	Pass	
Perfluorononanesulfonic acid (PFNS)	ug/L	< 0.01		0.01	Pass	
Perfluoropropanesulfonic acid (PFPrS)	ug/L	< 0.01		0.01	Pass	
Perfluoropentanesulfonic acid (PFPeS)	ug/L	< 0.01		0.01	Pass	
Perfluorohexanesulfonic acid (PFHxS)	ug/L	< 0.01		0.01	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	ug/L	< 0.01		0.01	Pass	
Perfluorooctanesulfonic acid (PFOS)	ug/L	< 0.01		0.01	Pass	
Perfluorodecanesulfonic acid (PFDS)	ug/L	< 0.01		0.01	Pass	
<b>Method Blank</b>						
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	ug/L	< 0.01		0.01	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	ug/L	< 0.05		0.05	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	ug/L	< 0.01		0.01	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	ug/L	< 0.01		0.01	Pass	
<b>LCS - % Recovery</b>						
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA)	%	108		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	122		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	97		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	87		50-150	Pass	
Perfluorooctanoic acid (PFOA)	%	97		50-150	Pass	
Perfluorononanoic acid (PFNA)	%	107		50-150	Pass	
Perfluorodecanoic acid (PFDA)	%	101		50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	%	100		50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	%	110		50-150	Pass	
Perfluorotridecanoic acid (PFTTrDA)	%	126		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	%	104		50-150	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code	
<b>LCS - % Recovery</b>								
<b>Perfluoroalkyl sulfonamido substances</b>								
Perfluorooctane sulfonamide (FOSA)	%	114			50-150	Pass		
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	%	108			50-150	Pass		
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	%	98			50-150	Pass		
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	%	114			50-150	Pass		
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	%	90			50-150	Pass		
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	%	92			50-150	Pass		
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	%	81			50-150	Pass		
<b>LCS - % Recovery</b>								
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>								
Perfluorobutanesulfonic acid (PFBS)	%	93			50-150	Pass		
Perfluorononanesulfonic acid (PFNS)	%	74			50-150	Pass		
Perfluoropropanesulfonic acid (PFPrS)	%	88			50-150	Pass		
Perfluoropentanesulfonic acid (PFPeS)	%	103			50-150	Pass		
Perfluorohexanesulfonic acid (PFHxS)	%	98			50-150	Pass		
Perfluoroheptanesulfonic acid (PFHpS)	%	95			50-150	Pass		
Perfluorooctanesulfonic acid (PFOS)	%	94			50-150	Pass		
Perfluorodecanesulfonic acid (PFDS)	%	51			50-150	Pass		
<b>LCS - % Recovery</b>								
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>								
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	%	112			50-150	Pass		
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	%	57			50-150	Pass		
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	%	105			50-150	Pass		
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	%	79			50-150	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
<b>Duplicate</b>								
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>								
				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-Ap0047348	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-Ap0047348	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-Ap0047348	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-Ap0047348	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-Ap0047348	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-Ap0047348	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-Ap0047348	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-Ap0047348	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-Ap0047348	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotridecanoic acid (PFTrDA)	M22-Ap0047348	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-Ap0047348	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
<b>Duplicate</b>								
<b>Perfluoroalkyl sulfonamido substances</b>								
				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-Ap0047348	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-Ap0047348	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-Ap0047348	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-Ap0047348	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-Ap0047348	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass

<b>Duplicate</b>								
<b>Perfluoroalkyl sulfonamido substances</b>				Result 1	Result 2	RPD		
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-Ap0047348	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-Ap0047348	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
<b>Duplicate</b>								
<b>Perfluoroalkyl sulfonic acids (PFSAs)</b>				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-Ap0047348	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-Ap0047348	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-Ap0047348	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-Ap0047348	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-Ap0047348	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-Ap0047348	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-Ap0047348	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-Ap0047348	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
<b>Duplicate</b>								
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-Ap0047348	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-Ap0047348	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-Ap0047348	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-Ap0047348	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
<b>Duplicate</b>								
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-Ap0047364	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-Ap0047364	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-Ap0047364	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-Ap0047364	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-Ap0047364	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-Ap0047364	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-Ap0047364	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-Ap0047364	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-Ap0047364	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotridecanoic acid (PFTrDA)	M22-Ap0047364	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-Ap0047364	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-Ap0047364	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-Ap0047364	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-Ap0047364	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-Ap0047364	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-Ap0047364	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-Ap0047364	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-Ap0047364	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-Ap0047364	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-Ap0047364	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-Ap0047364	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-Ap0047364	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-Ap0047364	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-Ap0047364	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-Ap0047364	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-Ap0047364	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-Ap0047364	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-Ap0047364	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-Ap0047364	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-Ap0047364	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
Perfluoroalkyl carboxylic acids (PFCA)				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-Ap0050760	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-Ap0050760	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-Ap0050760	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-Ap0050760	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-Ap0050760	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-Ap0050760	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-Ap0050760	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-Ap0050760	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-Ap0050760	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotridecanoic acid (PFTTrDA)	M22-Ap0050760	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-Ap0050760	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-Ap0050760	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-Ap0050760	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-Ap0050760	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-Ap0050760	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-Ap0050760	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-Ap0050760	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-Ap0050760	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-Ap0050760	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-Ap0050760	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-Ap0050760	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-Ap0050760	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-Ap0050760	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-Ap0050760	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-Ap0050760	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-Ap0050760	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-Ap0050760	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-Ap0050760	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-Ap0050760	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-Ap0050760	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass

**Comments**
**Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	No
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Qualifier Codes/Comments**

Code	Description
C01	Leachate Fluid Key: 1 - pH 5.0; 2 - pH 2.9; 3 - pH 9.2; 4 - Reagent (DI) water; 5 - Client sample, 6 - other
N11	Isotope dilution is used for calibration of each native compound for which an exact labelled analogue is available (Isotope Dilution Quantitation). The isotopically labelled analogues allow identification and recovery correction of the concentration of the associated native PFAS compounds.
N15	Where the native PFAS compound does not have labelled analogue then the quantification is made using the Extracted Internal Standard Analyte with the closest retention time to the analyte and no recovery correction has been made (Internal Standard Quantitation).

**Authorised by:**

Catherine Wilson	Analytical Services Manager
Mary Makarios	Senior Analyst (NSW)
Joseph Edouard	Senior Analyst (VIC)
Richard Corner	Senior Analyst (NSW)



**Glenn Jackson**  
General Manager

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Agon Environmental Pty Ltd - VIC  
3/224 Glen Osmond Road  
Fullarton  
SA 5063



NATA Accredited  
Accreditation Number 1261  
Site Number 1254

Accredited for compliance with ISO/IEC 17025 – Testing  
NATA is a signatory to the ILAC Mutual Recognition  
Arrangement for the mutual recognition of the  
equivalence of testing, medical testing, calibration,  
inspection, proficiency testing scheme providers and  
reference materials producers reports and certificates.

Attention: **Agon Lab Reports (Spoil Project)**

Report **882266-S**  
Project name **20220423042513-Eurofin-21**  
Project ID **JC0927**  
Received Date **Apr 23, 2022**

Client Sample ID			SX_OB_20220 422_08_13_SS _TriPLICATE_EU F	SX_OB_20220 422_08_19_SS _Primary_EUF	SX_OB_20220 422_12_11_SS _Primary_EUF	SX_OB_20220 422_16_23_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0047336	M22- Ap0047337	M22- Ap0047338	M22- Ap0047339
Date Sampled			Apr 22, 2022	Apr 22, 2022	Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit				
<b>Total Recoverable Hydrocarbons</b>						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
Naphthalene <sup>N02</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) <sup>N04</sup>	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
<b>Volatile Organics</b>						
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
<b>Volatile Organics</b>						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_OB_20220 422_08_13_SS _TriPLICATE_EU F	SX_OB_20220 422_08_19_SS _Primary_EUF	SX_OB_20220 422_12_11_SS _Primary_EUF	SX_OB_20220 422_16_23_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0047336	M22- Ap0047337	M22- Ap0047338	M22- Ap0047339
Date Sampled			Apr 22, 2022	Apr 22, 2022	Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit				
<b>Volatile Organics</b>						
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1,2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1,3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1,2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1,3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	61	80	94	72
Toluene-d8 (surr.)	1	%	57	72	88	65
<b>Polycyclic Aromatic Hydrocarbons</b>						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5



Client Sample ID			SX_OB_20220 422_08_13_SS _Triuplicate_EU F	SX_OB_20220 422_08_19_SS _Primary_EUF	SX_OB_20220 422_12_11_SS _Primary_EUF	SX_OB_20220 422_16_23_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0047336	M22- Ap0047337	M22- Ap0047338	M22- Ap0047339
Date Sampled			Apr 22, 2022	Apr 22, 2022	Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit				
<b>Polycyclic Aromatic Hydrocarbons</b>						
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	93	88	91	90
p-Terphenyl-d14 (surr.)	1	%	115	84	144	109
<b>Organochlorine Pesticides</b>						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchloroendate (surr.)	1	%	100	93	89	111
Tetrachloro-m-xylene (surr.)	1	%	141	85	130	79

Client Sample ID			SX_OB_20220 422_08_13_SS _TriPLICATE_EU F	SX_OB_20220 422_08_19_SS _Primary_EUF	SX_OB_20220 422_12_11_SS _Primary_EUF	SX_OB_20220 422_16_23_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0047336	M22- Ap0047337	M22- Ap0047338	M22- Ap0047339
Date Sampled			Apr 22, 2022	Apr 22, 2022	Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit				
<b>Polychlorinated Biphenyls</b>						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchloroendate (surr.)	1	%	100	93	89	111
Tetrachloro-m-xylene (surr.)	1	%	141	85	130	79
<b>Phenols (Halogenated)</b>						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1
<b>Phenols (non-Halogenated)</b>						
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	96	100	85	77
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20
<b>Chromium (hexavalent)</b>						
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1	< 1
<b>Cyanide (total)</b>						
Cyanide (total)	5	mg/kg	< 5	< 5	< 5	< 5
<b>Fluoride (Total)</b>						
Fluoride (Total)	100	mg/kg	< 100	< 100	< 100	< 100
<b>pH (1:5 Aqueous extract at 25°C as rec.)</b>						
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	7.5	8.0	7.1	7.3
<b>% Moisture</b>						
% Moisture	1	%	35	32	32	28
<b>Heavy Metals</b>						
Arsenic	2	mg/kg	70	61	75	55
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	170	180	180	160
Copper	5	mg/kg	68	89	63	80
Lead	5	mg/kg	< 5	7.5	9.3	5.8
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_20220 422_08_13_SS _TriPLICATE_EU F	SX_OB_20220 422_08_19_SS _Primary_EUF	SX_OB_20220 422_12_11_SS _Primary_EUF	SX_OB_20220 422_16_23_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0047336	M22- Ap0047337	M22- Ap0047338	M22- Ap0047339
Date Sampled			Apr 22, 2022	Apr 22, 2022	Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Molybdenum	5	mg/kg	< 5	< 5	< 5	< 5
Nickel	5	mg/kg	190	220	200	190
Selenium	2	mg/kg	< 2	< 2	2.7	< 2
Silver	2	mg/kg	< 2	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10	< 10
Zinc	5	mg/kg	130	150	180	130
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTrDA) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	81	76	81	80
13C5-PFPeA (surr.)	1	%	81	79	86	90
13C5-PFHxA (surr.)	1	%	73	72	77	80
13C4-PFHpA (surr.)	1	%	79	69	74	78
13C8-PFOA (surr.)	1	%	80	66	78	75
13C5-PFNA (surr.)	1	%	55	50	53	48
13C6-PFDA (surr.)	1	%	69	75	59	67
13C2-PFUnDA (surr.)	1	%	72	65	84	76
13C2-PFDoDA (surr.)	1	%	64	73	71	68
13C2-PFTeDA (surr.)	1	%	68	79	75	86
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	84	82	97	82
D3-N-MeFOSA (surr.)	1	%	87	84	83	71
D5-N-EtFOSA (surr.)	1	%	104	100	103	111
D7-N-MeFOSE (surr.)	1	%	65	71	65	65
D9-N-EtFOSE (surr.)	1	%	75	74	85	82
D5-N-EtFOSAA (surr.)	1	%	77	54	89	94
D3-N-MeFOSAA (surr.)	1	%	134	118	132	128

Client Sample ID			SX_OB_20220 422_08_13_SS _TriPLICATE_EU F	SX_OB_20220 422_08_19_SS _Primary_EUF	SX_OB_20220 422_12_11_SS _Primary_EUF	SX_OB_20220 422_16_23_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0047336	M22- Ap0047337	M22- Ap0047338	M22- Ap0047339
Date Sampled			Apr 22, 2022	Apr 22, 2022	Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	73	71	71	75
18O2-PFHxS (surr.)	1	%	55	70	71	63
13C8-PFOS (surr.)	1	%	64	76	65	61
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	94	88	100	98
13C2-6:2 FTSA (surr.)	1	%	95	87	55	104
13C2-8:2 FTSA (surr.)	1	%	140	144	111	121
13C2-10:2 FTSA (surr.)	1	%	101	125	118	123
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50	< 50

Client Sample ID			SX_OB_20220 422_16_26_SS _Duplicate_EU F	SX_IB_202204 22_20_10_SS _Primary_EUF	SX_IB_202204 22_20_13_SS _Duplicate_EUF	SX_OB_20220 422_20_17_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0047340	M22- Ap0047341	M22- Ap0047342	M22- Ap0047343
Date Sampled			Apr 22, 2022	Apr 22, 2022	Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit				
<b>Total Recoverable Hydrocarbons</b>						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
Naphthalene <sup>N02</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20

Client Sample ID			SX_OB_20220 422_16_26_SS Duplicate_EU F	SX_IB_202204 22_20_10_SS Primary_EUF	SX_IB_202204 22_20_13_SS Duplicate_EUF	SX_OB_20220 422_20_17_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0047340	M22- Ap0047341	M22- Ap0047342	M22- Ap0047343
Date Sampled			Apr 22, 2022	Apr 22, 2022	Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit				
<b>Total Recoverable Hydrocarbons</b>						
TRH C6-C10 less BTEX (F1) <sup>N04</sup>	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
<b>Volatile Organics</b>						
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
<b>Volatile Organics</b>						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_OB_20220 422_16_26_SS Duplicate_EU F	SX_IB_202204 22_20_10_SS Primary_EUF	SX_IB_202204 22_20_13_SS Duplicate_EUF	SX_OB_20220 422_20_17_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0047340	M22- Ap0047341	M22- Ap0047342	M22- Ap0047343
Date Sampled			Apr 22, 2022	Apr 22, 2022	Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit				
<b>Volatile Organics</b>						
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	80	79	76	80
Toluene-d8 (surr.)	1	%	73	71	69	76
<b>Polycyclic Aromatic Hydrocarbons</b>						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	89	81	91	93
p-Terphenyl-d14 (surr.)	1	%	78	89	124	146

Client Sample ID			SX_OB_20220 422_16_26_SS Duplicate_EU F	SX_IB_202204 22_20_10_SS Primary_EUF	SX_IB_202204 22_20_13_SS Duplicate_EUF	SX_OB_20220 422_20_17_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0047340	M22- Ap0047341	M22- Ap0047342	M22- Ap0047343
Date Sampled			Apr 22, 2022	Apr 22, 2022	Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit				
<b>Organochlorine Pesticides</b>						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	112	78	67	84
Tetrachloro-m-xylene (surr.)	1	%	83	118	119	149
<b>Polychlorinated Biphenyls</b>						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	112	78	67	84
Tetrachloro-m-xylene (surr.)	1	%	83	118	119	149
<b>Phenols (Halogenated)</b>						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1

Client Sample ID			SX_OB_20220 422_16_26_SS Duplicate_EU F	SX_IB_202204 22_20_10_SS Primary_EUF	SX_IB_202204 22_20_13_SS Duplicate_EUF	SX_OB_20220 422_20_17_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0047340	M22- Ap0047341	M22- Ap0047342	M22- Ap0047343
Date Sampled			Apr 22, 2022	Apr 22, 2022	Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit				
<b>Phenols (non-Halogenated)</b>						
2-Cyclohexyl-4.6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4.6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2.4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2.4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	80	115	67	82
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20
<b>Chromium (hexavalent)</b>						
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1	< 1
<b>Cyanide (total)</b>						
Cyanide (total)	5	mg/kg	< 5	< 5	< 5	< 5
<b>Fluoride (Total)</b>						
Fluoride (Total)	100	mg/kg	140	< 100	< 100	< 100
<b>pH (1:5 Aqueous extract at 25°C as rec.)</b>						
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	7.2	9.5	9.7	8.2
<b>% Moisture</b>						
% Moisture	1	%	29	33	35	32
<b>Heavy Metals</b>						
Arsenic	2	mg/kg	59	31	52	51
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	180	140	160	150
Copper	5	mg/kg	110	58	71	67
Lead	5	mg/kg	8.6	< 5	6.0	< 5
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Molybdenum	5	mg/kg	< 5	< 5	< 5	< 5
Nickel	5	mg/kg	280	180	210	210
Selenium	2	mg/kg	< 2	< 2	< 2	< 2
Silver	2	mg/kg	< 2	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10	< 10
Zinc	5	mg/kg	210	120	150	150
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTrDA) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	82	80	80	79
13C5-PFPeA (surr.)	1	%	94	81	85	85
13C5-PFHxA (surr.)	1	%	82	77	75	77



Client Sample ID			SX_OB_20220 422_16_26_SS Duplicate_EU F	SX_IB_202204 22_20_10_SS Primary_EUF	SX_IB_202204 22_20_13_SS Duplicate_EUF	SX_OB_20220 422_20_17_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0047340	M22- Ap0047341	M22- Ap0047342	M22- Ap0047343
Date Sampled			Apr 22, 2022	Apr 22, 2022	Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
13C4-PFHpA (surr.)	1	%	78	74	72	74
13C8-PFOA (surr.)	1	%	73	76	77	74
13C5-PFNA (surr.)	1	%	67	52	68	62
13C6-PFDA (surr.)	1	%	85	72	72	56
13C2-PFUnDA (surr.)	1	%	62	85	68	79
13C2-PFDoDA (surr.)	1	%	80	76	70	70
13C2-PFTeDA (surr.)	1	%	90	97	86	78
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	84	77	85	75
D3-N-MeFOSA (surr.)	1	%	91	83	81	91
D5-N-EtFOSA (surr.)	1	%	110	102	99	100
D7-N-MeFOSE (surr.)	1	%	80	75	68	74
D9-N-EtFOSE (surr.)	1	%	85	87	83	79
D5-N-EtFOSAA (surr.)	1	%	104	74	94	71
D3-N-MeFOSAA (surr.)	1	%	119	104	122	101
<b>Perfluoroalkyl sulfonic acids (PFSA)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	73	76	72	71
18O2-PFHxS (surr.)	1	%	52	63	73	63
13C8-PFOS (surr.)	1	%	64	51	63	66
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	101	52	94	51
13C2-6:2 FTSA (surr.)	1	%	99	136	51	62

Client Sample ID			SX_OB_20220 422_16_26_SS _Duplicate_EUF	SX_IB_202204 22_20_10_SS _Primary_EUF	SX_IB_202204 22_20_13_SS _Duplicate_EUF	SX_OB_20220 422_20_17_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0047340	M22- Ap0047341	M22- Ap0047342	M22- Ap0047343
Date Sampled			Apr 22, 2022	Apr 22, 2022	Apr 22, 2022	Apr 22, 2022
Test/Reference	LOR	Unit				
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
13C2-8:2 FTSA (surr.)	1	%	150	143	146	130
13C2-10:2 FTSA (surr.)	1	%	128	87	79	130
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50	< 50

Client Sample ID			SX_OB_20220 423_00_05_SS _Primary_EUF	SX_IB_202204 23_04_03_SS _Triplicate_EUF	SX_OB_20220 423_04_09_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0047344	M22- Ap0047345	M22- Ap0050758
Date Sampled			Apr 23, 2022	Apr 23, 2022	Apr 22, 2022
Test/Reference	LOR	Unit			
<b>Total Recoverable Hydrocarbons</b>					
TRH C6-C9	20	mg/kg	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50
Naphthalene <sup>N02</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) <sup>N04</sup>	20	mg/kg	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>	50	mg/kg	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100
<b>Volatile Organics</b>					
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
<b>Volatile Organics</b>					
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_OB_20220 423_00_05_SS _Primary_EUF	SX_IB_202204 23_04_03_SS _Triplicate_EUF	SX_OB_20220 423_04_09_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0047344	M22- Ap0047345	M22- Ap0050758
Date Sampled			Apr 23, 2022	Apr 23, 2022	Apr 22, 2022
Test/Reference	LOR	Unit			
Volatile Organics					
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	71	73	69
Toluene-d8 (surr.)	1	%	73	72	75

Client Sample ID			SX_OB_20220 423_00_05_SS _Primary_EUF	SX_IB_202204 23_04_03_SS _Triplicate_EUF	SX_OB_20220 423_04_09_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0047344	M22- Ap0047345	M22- Ap0050758
Date Sampled			Apr 23, 2022	Apr 23, 2022	Apr 22, 2022
Test/Reference	LOR	Unit			
<b>Polycyclic Aromatic Hydrocarbons</b>					
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Indeno(1,2,3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	76	93	52
p-Terphenyl-d14 (surr.)	1	%	142	124	62
<b>Organochlorine Pesticides</b>					
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_20220 423_00_05_SS _Primary_EUF	SX_IB_202204 23_04_03_SS _Triplicate_EUF	SX_OB_20220 423_04_09_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0047344	M22- Ap0047345	M22- Ap0050758
Date Sampled			Apr 23, 2022	Apr 23, 2022	Apr 22, 2022
Test/Reference	LOR	Unit			
<b>Organochlorine Pesticides</b>					
Dibutylchlorendate (surr.)	1	%	56	103	56
Tetrachloro-m-xylene (surr.)	1	%	123	112	60
<b>Polychlorinated Biphenyls</b>					
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	56	103	56
Tetrachloro-m-xylene (surr.)	1	%	123	112	60
<b>Phenols (Halogenated)</b>					
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1
<b>Phenols (non-Halogenated)</b>					
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20	< 20	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	79	87	55
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20
<b>Chromium (hexavalent)</b>					
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1
Cyanide (total)	5	mg/kg	< 5	< 5	< 5
Fluoride (Total)	100	mg/kg	< 100	< 100	< 100
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	8.2	9.2	8.6
% Moisture	1	%	30	33	27

Client Sample ID			SX_OB_20220 423_00_05_SS _Primary_EUF	SX_IB_202204 23_04_03_SS _Triplicate_EUF	SX_OB_20220 423_04_09_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0047344	M22- Ap0047345	M22- Ap0050758
Date Sampled			Apr 23, 2022	Apr 23, 2022	Apr 22, 2022
Test/Reference	LOR	Unit			
<b>Heavy Metals</b>					
Arsenic	2	mg/kg	50	44	36
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	170	140	98
Copper	5	mg/kg	72	65	54
Lead	5	mg/kg	< 5	7.0	< 5
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Molybdenum	5	mg/kg	< 5	< 5	< 5
Nickel	5	mg/kg	210	170	160
Selenium	2	mg/kg	< 2	< 2	< 2
Silver	2	mg/kg	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10
Zinc	5	mg/kg	130	120	98
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>					
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTeDA) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	79	85	80
13C5-PFPeA (surr.)	1	%	83	94	85
13C5-PFHxA (surr.)	1	%	76	81	72
13C4-PFHpA (surr.)	1	%	72	78	71
13C8-PFOA (surr.)	1	%	67	76	76
13C5-PFNA (surr.)	1	%	56	62	101
13C6-PFDA (surr.)	1	%	66	67	70
13C2-PFUnDA (surr.)	1	%	65	80	58
13C2-PFDoDA (surr.)	1	%	68	85	57
13C2-PFTeDA (surr.)	1	%	87	91	71
<b>Perfluoroalkyl sulfonamido substances</b>					
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	78	84	81
D3-N-MeFOSA (surr.)	1	%	83	87	103

Client Sample ID			SX_OB_20220 423_00_05_SS _Primary_EUF	SX_IB_202204 23_04_03_SS _Triplicate_EUF	SX_OB_20220 423_04_09_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- Ap0047344	M22- Ap0047345	M22- Ap0050758
Date Sampled			Apr 23, 2022	Apr 23, 2022	Apr 22, 2022
Test/Reference	LOR	Unit			
<b>Perfluoroalkyl sulfonamido substances</b>					
D5-N-EtFOSA (surr.)	1	%	98	114	97
D7-N-MeFOSE (surr.)	1	%	76	82	85
D9-N-EtFOSE (surr.)	1	%	72	92	89
D5-N-EtFOSAA (surr.)	1	%	87	121	81
D3-N-MeFOSAA (surr.)	1	%	137	125	115
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>					
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	5	ug/kg	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	70	77	73
18O2-PFHxS (surr.)	1	%	66	64	63
13C8-PFOS (surr.)	1	%	65	54	56
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>					
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	10	ug/kg	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N11</sup>	5	ug/kg	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	51	53	89
13C2-6:2 FTSA (surr.)	1	%	95	59	79
13C2-8:2 FTSA (surr.)	1	%	141	127	123
13C2-10:2 FTSA (surr.)	1	%	121	126	101
<b>PFASs Summations</b>					
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
IWRG 621 WGTP Suite			
Total Recoverable Hydrocarbons - 1999 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40	Melbourne	Apr 27, 2022	14 Days
Total Recoverable Hydrocarbons - 2013 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40	Melbourne	Apr 27, 2022	14 Days
Total Recoverable Hydrocarbons - 2013 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40	Melbourne	Apr 27, 2022	14 Days
Volatile Organics - Method: USEPA 8260 - MGT 350A Volatile Organics by GCMS	Melbourne	Apr 27, 2022	7 Days
Volatile Organics - Method: LTM-ORG-2150 VOCs in Soils Liquid and other Aqueous Matrices (USEPA 8260)	Melbourne	Apr 27, 2022	7 Days
Polycyclic Aromatic Hydrocarbons - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Melbourne	Apr 27, 2022	14 Days
Organochlorine Pesticides - Method: LTM-ORG-2220 OCP & PCB in Soil and Water (USEPA 8270)	Melbourne	Apr 27, 2022	14 Days
Polychlorinated Biphenyls - Method: LTM-ORG-2220 OCP & PCB in Soil and Water (USEPA 8082)	Melbourne	Apr 27, 2022	28 Days
Phenols (Halogenated) - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Melbourne	Apr 27, 2022	14 Days
Phenols (non-Halogenated) - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Melbourne	Apr 27, 2022	14 Days
Chromium (hexavalent) - Method: LTM-INO-4100 Hexavalent Chromium by Spectrometric detection	Melbourne	Apr 27, 2022	28 Days
Cyanide (total) - Method: LTM-INO-4020 Total Free WAD Cyanide by CFA	Melbourne	Apr 27, 2022	14 Days
Fluoride (Total) - Method: LTM-INO-4150 Determination of Total Fluoride PART A – CIC	Melbourne	Apr 28, 2022	28 Days
pH (1:5 Aqueous extract at 25°C as rec.) - Method: LTM-GEN-7090 pH in soil by ISE	Melbourne	Apr 27, 2022	7 Days
Metals IWRG 621 : Metals M12 - Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS	Melbourne	Apr 27, 2022	28 Days
% Moisture - Method: LTM-GEN-7080 Moisture	Melbourne	Apr 26, 2022	14 Days
Per- and Polyfluoroalkyl Substances (PFASs)			
Perfluoroalkyl carboxylic acids (PFCAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 27, 2022	28 Days
Perfluoroalkyl sulfonamido substances - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 27, 2022	28 Days
Perfluoroalkyl sulfonic acids (PFASs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 27, 2022	28 Days
n:2 Fluorotelomer sulfonic acids (n:2 FTSAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 27, 2022	28 Days
PFASs Summations - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	Apr 26, 2022	



<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 23, 2022 9:17 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882266	<b>Due:</b>	May 3, 2022
<b>Project Name:</b>	20220423042513-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	SX_OB_20220422_08_13_S_S_Triplicate_EUF	Apr 22, 2022	8:13AM	Soil	M22-Ap0047336		X	X	X
2	SX_OB_20220422_08_19_S_S_Primary_EUF	Apr 22, 2022	8:19AM	Soil	M22-Ap0047337		X	X	X
3	SX_OB_20220422_12_11_S_S_Primary_EUF	Apr 22, 2022	12:11PM	Soil	M22-Ap0047338		X	X	X

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 23, 2022 9:17 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882266	<b>Due:</b>	May 3, 2022
<b>Project Name:</b>	20220423042513-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
4	SX_OB_20220422_16_23_SS_Primary_EU_F	Apr 22, 2022	4:23PM	Soil	M22-Ap0047339		X	X	X
5	SX_OB_20220422_16_26_SS_Duplicate_EU_F	Apr 22, 2022	4:26PM	Soil	M22-Ap0047340		X	X	X
6	SX_IB_20220422_20_10_SS_Primary_EU_F	Apr 22, 2022	10:13AM	Soil	M22-Ap0047341		X	X	X
7	SX_IB_20220422_20_13_SS_Duplicate_EU_F	Apr 22, 2022	8:13PM	Soil	M22-Ap0047342		X	X	X

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 23, 2022 9:17 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882266	<b>Due:</b>	May 3, 2022
<b>Project Name:</b>	20220423042513-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	F								
8	SX_OB_20220422_20_17_S_S_Primary_EU_F	Apr 22, 2022	8:17PM	Soil	M22-Ap0047343		X	X	X
9	SX_OB_20220423_00_05_S_S_Primary_EU_F	Apr 23, 2022	12:05AM	Soil	M22-Ap0047344		X	X	X
10	SX_IB_20220423_04_03_SS_Triplicate_EU_F	Apr 23, 2022	12:05AM	Soil	M22-Ap0047345		X	X	X
11	SX_OB_20220	Apr 22, 2022	8:13AM	AUS Leachate	M22-	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 23, 2022 9:17 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882266	<b>Due:</b>	May 3, 2022
<b>Project Name:</b>	20220423042513-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	422_08_13_S S_Triplicate_E UF			- pH 5.0	Ap0047346				
12	SX_OB_20220 422_08_19_S S_Primary_EU F	Apr 22, 2022	8:19AM	AUS Leachate - pH 5.0	M22- Ap0047347	X		X	
13	SX_OB_20220 422_12_11_S S_Primary_EU F	Apr 22, 2022	12:11PM	AUS Leachate - pH 5.0	M22- Ap0047348	X		X	
14	SX_OB_20220 422_16_23_S S_Primary_EU	Apr 22, 2022	4:23PM	AUS Leachate - pH 5.0	M22- Ap0047349	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 23, 2022 9:17 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882266	<b>Due:</b>	May 3, 2022
<b>Project Name:</b>	20220423042513-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	F								
15	SX_OB_20220422_16_26_S_S_Duplicate_EUF	Apr 22, 2022	4:26PM	AUS Leachate - pH 5.0	M22-Ap0047350	X		X	
16	SX_IB_20220422_20_10_SS_Primary_EUF	Apr 22, 2022	10:13AM	AUS Leachate - pH 5.0	M22-Ap0047351	X		X	
17	SX_IB_20220422_20_13_SS_Duplicate_EUF	Apr 22, 2022	8:13PM	AUS Leachate - pH 5.0	M22-Ap0047352	X		X	
18	SX_OB_20220422_20_17_S	Apr 22, 2022	8:17PM	AUS Leachate - pH 5.0	M22-Ap0047353	X		X	

**Company Name:** Agon Environmental Pty Ltd - VIC  
**Address:** 3/224 Glen Osmond Road  
Fullarton  
SA 5063  
**Project Name:** 20220423042513-Eurofin-21  
**Project ID:** JC0927

**Order No.:**  
**Report #:** 882266  
**Phone:** 08 8338 1009  
**Fax:**

**Received:** Apr 23, 2022 9:17 AM  
**Due:** May 3, 2022  
**Priority:** 5 Day  
**Contact Name:** Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	S_Primary_EU F								
19	SX_OB_20220 423_00_05_S S_Primary_EU F	Apr 23, 2022	12:05AM	AUS Leachate - pH 5.0	M22- Ap0047354	X		X	
20	SX_IB_202204 23_04_03_SS TriPLICATE_EU F	Apr 23, 2022	12:05AM	AUS Leachate - pH 5.0	M22- Ap0047355	X		X	
21	SX_OB_20220 422_08_13_S S_Triplicate_E UF	Apr 22, 2022	8:13AM	AUS Leachate - Reagent Water	M22- Ap0047356	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 23, 2022 9:17 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882266	<b>Due:</b>	May 3, 2022
<b>Project Name:</b>	20220423042513-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
22	SX_OB_20220422_08_19_S_S_Primary_EU_F	Apr 22, 2022	8:19AM	AUS Leachate - Reagent Water	M22-Ap0047357	X		X	
23	SX_OB_20220422_12_11_S_S_Primary_EU_F	Apr 22, 2022	12:11PM	AUS Leachate - Reagent Water	M22-Ap0047358	X		X	
24	SX_OB_20220422_16_23_S_S_Primary_EU_F	Apr 22, 2022	4:23PM	AUS Leachate - Reagent Water	M22-Ap0047359	X		X	
25	SX_OB_20220422_16_26_S	Apr 22, 2022	4:26PM	AUS Leachate - Reagent	M22-Ap0047360	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 23, 2022 9:17 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882266	<b>Due:</b>	May 3, 2022
<b>Project Name:</b>	20220423042513-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	S_Duplicate_EUF			Water					
26	SX_IB_20220422_20_10_SS_Primary_EUF	Apr 22, 2022	10:13AM	AUS Leachate - Reagent Water	M22-Ap0047361	X		X	
27	SX_IB_20220422_20_13_SS_Duplicate_EUF	Apr 22, 2022	8:13PM	AUS Leachate - Reagent Water	M22-Ap0047362	X		X	
28	SX_OB_20220422_20_17_SS_Primary_EUF	Apr 22, 2022	8:17PM	AUS Leachate - Reagent Water	M22-Ap0047363	X		X	
29	SX_OB_20220	Apr 23, 2022	12:05AM	AUS Leachate	M22-	X		X	



<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 23, 2022 9:17 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882266	<b>Due:</b>	May 3, 2022
<b>Project Name:</b>	20220423042513-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
29	SX_OB_20220423_00_05_S_S_Primary_EU_F	Apr 23, 2022	12:05AM	AUS Leachate - Reagent Water	M22-Ap0047364				
30	SX_IB_20220423_04_03_SS_Triplicate_EU_F	Apr 23, 2022	12:05AM	AUS Leachate - Reagent Water	M22-Ap0047365	X		X	
31	SX_OB_20220423_04_09_S_S_Primary_EU_F	Apr 22, 2022	8:13AM	Soil	M22-Ap0050758		X	X	X
32	SX_OB_20220423_04_09_S	Apr 22, 2022	8:13AM	AUS Leachate - pH 5.0	M22-Ap0050759	X		X	

<b>Company Name:</b>	Agon Environmental Pty Ltd - VIC	<b>Order No.:</b>		<b>Received:</b>	Apr 23, 2022 9:17 AM
<b>Address:</b>	3/224 Glen Osmond Road Fullarton SA 5063	<b>Report #:</b>	882266	<b>Due:</b>	May 3, 2022
<b>Project Name:</b>	20220423042513-Eurofin-21	<b>Phone:</b>	08 8338 1009	<b>Priority:</b>	5 Day
<b>Project ID:</b>	JC0927	<b>Fax:</b>		<b>Contact Name:</b>	Agon Lab Reports (Spoil Project)

**Eurofins Analytical Services Manager : Michael Cassidy**

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
<b>Melbourne Laboratory - NATA # 1261 Site # 1254</b>						X	X	X	X
<b>Sydney Laboratory - NATA # 1261 Site # 18217</b>									
<b>Brisbane Laboratory - NATA # 1261 Site # 20794</b>									
<b>Mayfield Laboratory - NATA # 1261 Site # 25079</b>									
<b>Perth Laboratory - NATA # 2377 Site # 2370</b>									
<b>External Laboratory</b>									
	S_Primary_EU F								
33	SX_OB_20220 423_04_09_S S_Primary_EU F	Apr 22, 2022	8:13AM	AUS Leachate - Reagent Water	M22- Ap0050760	X		X	
<b>Test Counts</b>						22	11	33	11

## Internal Quality Control Review and Glossary

### General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer that may have an impact on the results.
- This report replaces any interim results previously issued.

### Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

### Units

<b>mg/kg:</b> milligrams per kilogram	<b>mg/L:</b> milligrams per litre	<b>µg/L:</b> micrograms per litre
<b>ppm:</b> parts per million	<b>ppb:</b> parts per billion	<b>%:</b> Percentage
<b>org/100 mL:</b> Organisms per 100 millilitres	<b>NTU:</b> Nephelometric Turbidity Units	<b>MPN/100 mL:</b> Most Probable Number of organisms per 100 millilitres

### Terms

<b>APHA</b>	American Public Health Association
<b>COC</b>	Chain of Custody
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>CRM</b>	Certified Reference Material (ISO17034) - reported as percent recovery.
<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>LOR</b>	Limit of Reporting.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>SRA</b>	Sample Receipt Advice
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>TBTO</b>	Tributyltin oxide ( <i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment however free tributyltin was measured and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits.
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>TEQ</b>	Toxic Equivalency Quotient or Total Equivalence
<b>QSM</b>	US Department of Defense Quality Systems Manual Version 5.4
<b>US EPA</b>	United States Environmental Protection Agency
<b>WA DWER</b>	Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

### QC - Acceptance Criteria

The acceptance criteria should be used as a guide only and may be different when site specific Sampling Analysis and Quality Plan (SAQP) have been implemented

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR: No Limit

Results between 10-20 times the LOR: RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

NOTE: pH duplicates are reported as a range not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.4 where no positive PFAS results have been reported have been reviewed and no data was affected.

### QC Data General Comments

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery the term "INT" appears against that analyte.
- For Matrix Spikes and LCS results a dash "-" in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Method Blank</b>							
<b>Total Recoverable Hydrocarbons</b>							
TRH C6-C9	mg/kg	< 20			20	Pass	
TRH C10-C14	mg/kg	< 20			20	Pass	
TRH C15-C28	mg/kg	< 50			50	Pass	
TRH C29-C36	mg/kg	< 50			50	Pass	
Naphthalene	mg/kg	< 0.5			0.5	Pass	
TRH C6-C10	mg/kg	< 20			20	Pass	
TRH >C10-C16	mg/kg	< 50			50	Pass	
TRH >C16-C34	mg/kg	< 100			100	Pass	
TRH >C34-C40	mg/kg	< 100			100	Pass	
<b>Method Blank</b>							
<b>Volatile Organics</b>							
Hexachlorobutadiene	mg/kg	< 0.5			0.5	Pass	
<b>Method Blank</b>							
<b>Volatile Organics</b>							
1.1-Dichloroethane	mg/kg	< 0.5			0.5	Pass	
1.2.4-Trichlorobenzene	mg/kg	< 0.5			0.5	Pass	
1.1-Dichloroethene	mg/kg	< 0.5			0.5	Pass	
1.1.1-Trichloroethane	mg/kg	< 0.5			0.5	Pass	
1.1.1.2-Tetrachloroethane	mg/kg	< 0.5			0.5	Pass	
1.1.2-Trichloroethane	mg/kg	< 0.5			0.5	Pass	
1.1.2.2-Tetrachloroethane	mg/kg	< 0.5			0.5	Pass	
1.2-Dibromoethane	mg/kg	< 0.5			0.5	Pass	
1.2-Dichlorobenzene	mg/kg	< 0.5			0.5	Pass	
1.2-Dichloroethane	mg/kg	< 0.5			0.5	Pass	
1.2-Dichloropropane	mg/kg	< 0.5			0.5	Pass	
1.2.3-Trichloropropane	mg/kg	< 0.5			0.5	Pass	
1.2.4-Trimethylbenzene	mg/kg	< 0.5			0.5	Pass	
1.3-Dichlorobenzene	mg/kg	< 0.5			0.5	Pass	
1.3-Dichloropropane	mg/kg	< 0.5			0.5	Pass	
1.3.5-Trimethylbenzene	mg/kg	< 0.5			0.5	Pass	
1.4-Dichlorobenzene	mg/kg	< 0.5			0.5	Pass	
2-Butanone (MEK)	mg/kg	< 0.5			0.5	Pass	
2-Propanone (Acetone)	mg/kg	< 0.5			0.5	Pass	
4-Chlorotoluene	mg/kg	< 0.5			0.5	Pass	
4-Methyl-2-pentanone (MIBK)	mg/kg	< 0.5			0.5	Pass	
Allyl chloride	mg/kg	< 0.5			0.5	Pass	
Benzene	mg/kg	< 0.1			0.1	Pass	
Bromobenzene	mg/kg	< 0.5			0.5	Pass	
Bromochloromethane	mg/kg	< 0.5			0.5	Pass	
Bromodichloromethane	mg/kg	< 0.5			0.5	Pass	
Bromoform	mg/kg	< 0.5			0.5	Pass	
Bromomethane	mg/kg	< 0.5			0.5	Pass	
Carbon disulfide	mg/kg	< 0.5			0.5	Pass	
Carbon Tetrachloride	mg/kg	< 0.5			0.5	Pass	
Chlorobenzene	mg/kg	< 0.5			0.5	Pass	
Chloroethane	mg/kg	< 0.5			0.5	Pass	
Chloroform	mg/kg	< 0.5			0.5	Pass	
Chloromethane	mg/kg	< 0.5			0.5	Pass	
cis-1.2-Dichloroethene	mg/kg	< 0.5			0.5	Pass	
cis-1.3-Dichloropropene	mg/kg	< 0.5			0.5	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Dibromochloromethane	mg/kg	< 0.5			0.5	Pass	
Dibromomethane	mg/kg	< 0.5			0.5	Pass	
Dichlorodifluoromethane	mg/kg	< 0.5			0.5	Pass	
Ethylbenzene	mg/kg	< 0.1			0.1	Pass	
Iodomethane	mg/kg	< 0.5			0.5	Pass	
Isopropyl benzene (Cumene)	mg/kg	< 0.5			0.5	Pass	
m&p-Xylenes	mg/kg	< 0.2			0.2	Pass	
Methylene Chloride	mg/kg	< 0.5			0.5	Pass	
o-Xylene	mg/kg	< 0.1			0.1	Pass	
Styrene	mg/kg	< 0.5			0.5	Pass	
Tetrachloroethene	mg/kg	< 0.5			0.5	Pass	
Toluene	mg/kg	< 0.1			0.1	Pass	
trans-1.2-Dichloroethene	mg/kg	< 0.5			0.5	Pass	
trans-1.3-Dichloropropene	mg/kg	< 0.5			0.5	Pass	
Trichloroethene	mg/kg	< 0.5			0.5	Pass	
Trichlorofluoromethane	mg/kg	< 0.5			0.5	Pass	
Vinyl chloride	mg/kg	< 0.5			0.5	Pass	
Xylenes - Total*	mg/kg	< 0.3			0.3	Pass	
<b>Method Blank</b>							
<b>Polycyclic Aromatic Hydrocarbons</b>							
Acenaphthene	mg/kg	< 0.5			0.5	Pass	
Acenaphthylene	mg/kg	< 0.5			0.5	Pass	
Anthracene	mg/kg	< 0.5			0.5	Pass	
Benz(a)anthracene	mg/kg	< 0.5			0.5	Pass	
Benzo(a)pyrene	mg/kg	< 0.5			0.5	Pass	
Benzo(b&j)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Benzo(g,h,i)perylene	mg/kg	< 0.5			0.5	Pass	
Benzo(k)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Chrysene	mg/kg	< 0.5			0.5	Pass	
Dibenz(a,h)anthracene	mg/kg	< 0.5			0.5	Pass	
Fluoranthene	mg/kg	< 0.5			0.5	Pass	
Fluorene	mg/kg	< 0.5			0.5	Pass	
Indeno(1.2.3-cd)pyrene	mg/kg	< 0.5			0.5	Pass	
Naphthalene	mg/kg	< 0.5			0.5	Pass	
Phenanthrene	mg/kg	< 0.5			0.5	Pass	
Pyrene	mg/kg	< 0.5			0.5	Pass	
<b>Method Blank</b>							
<b>Organochlorine Pesticides</b>							
Chlordanes - Total	mg/kg	< 0.1			0.1	Pass	
4.4'-DDD	mg/kg	< 0.05			0.05	Pass	
4.4'-DDE	mg/kg	< 0.05			0.05	Pass	
4.4'-DDT	mg/kg	< 0.05			0.05	Pass	
a-HCH	mg/kg	< 0.05			0.05	Pass	
Aldrin	mg/kg	< 0.05			0.05	Pass	
b-HCH	mg/kg	< 0.05			0.05	Pass	
d-HCH	mg/kg	< 0.05			0.05	Pass	
Dieldrin	mg/kg	< 0.05			0.05	Pass	
Endosulfan I	mg/kg	< 0.05			0.05	Pass	
Endosulfan II	mg/kg	< 0.05			0.05	Pass	
Endosulfan sulphate	mg/kg	< 0.05			0.05	Pass	
Endrin	mg/kg	< 0.05			0.05	Pass	
Endrin aldehyde	mg/kg	< 0.05			0.05	Pass	
Endrin ketone	mg/kg	< 0.05			0.05	Pass	
g-HCH (Lindane)	mg/kg	< 0.05			0.05	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Heptachlor	mg/kg	< 0.05			0.05	Pass	
Heptachlor epoxide	mg/kg	< 0.05			0.05	Pass	
Hexachlorobenzene	mg/kg	< 0.05			0.05	Pass	
Methoxychlor	mg/kg	< 0.05			0.05	Pass	
Toxaphene	mg/kg	< 0.5			0.5	Pass	
<b>Method Blank</b>							
<b>Polychlorinated Biphenyls</b>							
Aroclor-1016	mg/kg	< 0.1			0.1	Pass	
Aroclor-1221	mg/kg	< 0.1			0.1	Pass	
Aroclor-1232	mg/kg	< 0.1			0.1	Pass	
Aroclor-1242	mg/kg	< 0.1			0.1	Pass	
Aroclor-1248	mg/kg	< 0.1			0.1	Pass	
Aroclor-1254	mg/kg	< 0.1			0.1	Pass	
Aroclor-1260	mg/kg	< 0.1			0.1	Pass	
Total PCB*	mg/kg	< 0.1			0.1	Pass	
<b>Method Blank</b>							
<b>Phenols (Halogenated)</b>							
2-Chlorophenol	mg/kg	< 0.5			0.5	Pass	
2,4-Dichlorophenol	mg/kg	< 0.5			0.5	Pass	
2,4,5-Trichlorophenol	mg/kg	< 1			1	Pass	
2,4,6-Trichlorophenol	mg/kg	< 1			1	Pass	
2,6-Dichlorophenol	mg/kg	< 0.5			0.5	Pass	
4-Chloro-3-methylphenol	mg/kg	< 1			1	Pass	
Pentachlorophenol	mg/kg	< 1			1	Pass	
Tetrachlorophenols - Total	mg/kg	< 10			10	Pass	
<b>Method Blank</b>							
<b>Phenols (non-Halogenated)</b>							
2-Cyclohexyl-4,6-dinitrophenol	mg/kg	< 20			20	Pass	
2-Methyl-4,6-dinitrophenol	mg/kg	< 5			5	Pass	
2-Nitrophenol	mg/kg	< 1			1.0	Pass	
2,4-Dimethylphenol	mg/kg	< 0.5			0.5	Pass	
2,4-Dinitrophenol	mg/kg	< 5			5	Pass	
2-Methylphenol (o-Cresol)	mg/kg	< 0.2			0.2	Pass	
3&4-Methylphenol (m&p-Cresol)	mg/kg	< 0.4			0.4	Pass	
4-Nitrophenol	mg/kg	< 5			5	Pass	
Dinoseb	mg/kg	< 20			20	Pass	
Phenol	mg/kg	< 0.5			0.5	Pass	
<b>Method Blank</b>							
Chromium (hexavalent)	mg/kg	< 1			1	Pass	
Cyanide (total)	mg/kg	< 5			5	Pass	
Fluoride (Total)	mg/kg	< 100			100	Pass	
<b>Method Blank</b>							
<b>Heavy Metals</b>							
Arsenic	mg/kg	< 2			2	Pass	
Cadmium	mg/kg	< 0.4			0.4	Pass	
Chromium	mg/kg	< 5			5	Pass	
Copper	mg/kg	< 5			5	Pass	
Lead	mg/kg	< 5			5	Pass	
Mercury	mg/kg	< 0.1			0.1	Pass	
Molybdenum	mg/kg	< 5			5	Pass	
Nickel	mg/kg	< 5			5	Pass	
Selenium	mg/kg	< 2			2	Pass	
Silver	mg/kg	< 2			2	Pass	
Tin	mg/kg	< 10			10	Pass	

Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Zinc	mg/kg	< 5		5	Pass	
<b>Method Blank</b>						
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA)	ug/kg	< 5		5	Pass	
Perfluoropentanoic acid (PFPeA)	ug/kg	< 5		5	Pass	
Perfluorohexanoic acid (PFHxA)	ug/kg	< 5		5	Pass	
Perfluoroheptanoic acid (PFHpA)	ug/kg	< 5		5	Pass	
Perfluorooctanoic acid (PFOA)	ug/kg	< 5		5	Pass	
Perfluorononanoic acid (PFNA)	ug/kg	< 5		5	Pass	
Perfluorodecanoic acid (PFDA)	ug/kg	< 5		5	Pass	
Perfluoroundecanoic acid (PFUnDA)	ug/kg	< 5		5	Pass	
Perfluorododecanoic acid (PFDoDA)	ug/kg	< 5		5	Pass	
Perfluorotridecanoic acid (PFTrDA)	ug/kg	< 5		5	Pass	
Perfluorotetradecanoic acid (PFTeDA)	ug/kg	< 5		5	Pass	
<b>Method Blank</b>						
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA)	ug/kg	< 5		5	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	ug/kg	< 5		5	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	ug/kg	< 5		5	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	ug/kg	< 5		5	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	ug/kg	< 5		5	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	ug/kg	< 10		10	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	ug/kg	< 10		10	Pass	
<b>Method Blank</b>						
<b>Perfluoroalkyl sulfonic acids (PFSAs)</b>						
Perfluorobutanesulfonic acid (PFBS)	ug/kg	< 5		5	Pass	
Perfluorononanesulfonic acid (PFNS)	ug/kg	< 5		5	Pass	
Perfluoropropanesulfonic acid (PFPrS)	ug/kg	< 5		5	Pass	
Perfluoropentanesulfonic acid (PFPeS)	ug/kg	< 5		5	Pass	
Perfluorohexanesulfonic acid (PFHxS)	ug/kg	< 5		5	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	ug/kg	< 5		5	Pass	
Perfluorooctanesulfonic acid (PFOS)	ug/kg	< 5		5	Pass	
Perfluorodecanesulfonic acid (PFDS)	ug/kg	< 5		5	Pass	
<b>Method Blank</b>						
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	ug/kg	< 5		5	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	ug/kg	< 10		10	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	ug/kg	< 5		5	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	ug/kg	< 5		5	Pass	
<b>LCS - % Recovery</b>						
<b>Total Recoverable Hydrocarbons</b>						
TRH C6-C9	%	119		70-130	Pass	
TRH C10-C14	%	130		70-130	Pass	
Naphthalene	%	91		70-130	Pass	
TRH C6-C10	%	117		70-130	Pass	
TRH >C10-C16	%	124		70-130	Pass	
<b>LCS - % Recovery</b>						
<b>Volatile Organics</b>						
1.1-Dichloroethene	%	85		70-130	Pass	
1.1.1-Trichloroethane	%	79		70-130	Pass	
1.2-Dichlorobenzene	%	97		70-130	Pass	
1.2-Dichloroethane	%	87		70-130	Pass	
Benzene	%	82		70-130	Pass	
Ethylbenzene	%	86		70-130	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
m&p-Xylenes	%	83			70-130	Pass	
Toluene	%	80			70-130	Pass	
Trichloroethene	%	85			70-130	Pass	
Xylenes - Total*	%	83			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Polycyclic Aromatic Hydrocarbons</b>							
Acenaphthene	%	84			70-130	Pass	
Acenaphthylene	%	89			70-130	Pass	
Anthracene	%	88			70-130	Pass	
Benz(a)anthracene	%	86			70-130	Pass	
Benzo(a)pyrene	%	78			70-130	Pass	
Benzo(b&i)fluoranthene	%	94			70-130	Pass	
Benzo(g,h,i)perylene	%	86			70-130	Pass	
Benzo(k)fluoranthene	%	83			70-130	Pass	
Chrysene	%	91			70-130	Pass	
Dibenz(a,h)anthracene	%	77			70-130	Pass	
Fluoranthene	%	75			70-130	Pass	
Fluorene	%	81			70-130	Pass	
Indeno(1,2,3-cd)pyrene	%	80			70-130	Pass	
Naphthalene	%	83			70-130	Pass	
Phenanthrene	%	84			70-130	Pass	
Pyrene	%	93			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Organochlorine Pesticides</b>							
Chlordanes - Total	%	79			70-130	Pass	
4,4'-DDD	%	80			70-130	Pass	
4,4'-DDE	%	97			70-130	Pass	
4,4'-DDT	%	84			70-130	Pass	
a-HCH	%	73			70-130	Pass	
Aldrin	%	78			70-130	Pass	
b-HCH	%	105			70-130	Pass	
d-HCH	%	97			70-130	Pass	
Dieldrin	%	77			70-130	Pass	
Endosulfan I	%	76			70-130	Pass	
Endosulfan II	%	78			70-130	Pass	
Endosulfan sulphate	%	80			70-130	Pass	
Endrin	%	88			70-130	Pass	
Endrin aldehyde	%	123			70-130	Pass	
Endrin ketone	%	71			70-130	Pass	
g-HCH (Lindane)	%	75			70-130	Pass	
Heptachlor	%	87			70-130	Pass	
Heptachlor epoxide	%	78			70-130	Pass	
Hexachlorobenzene	%	87			70-130	Pass	
Methoxychlor	%	86			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Polychlorinated Biphenyls</b>							
Aroclor-1260	%	90			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Phenols (Halogenated)</b>							
2-Chlorophenol	%	80			25-140	Pass	
2,4-Dichlorophenol	%	81			25-140	Pass	
2,4,5-Trichlorophenol	%	77			25-140	Pass	
2,4,6-Trichlorophenol	%	76			25-140	Pass	
2,6-Dichlorophenol	%	74			25-140	Pass	



Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
4-Chloro-3-methylphenol	%	84		25-140	Pass	
Pentachlorophenol	%	57		25-140	Pass	
Tetrachlorophenols - Total	%	63		25-140	Pass	
<b>LCS - % Recovery</b>						
<b>Phenols (non-Halogenated)</b>						
2-Cyclohexyl-4,6-dinitrophenol	%	35		25-140	Pass	
2-Methyl-4,6-dinitrophenol	%	50		25-140	Pass	
2-Nitrophenol	%	74		25-140	Pass	
2,4-Dimethylphenol	%	84		25-140	Pass	
2,4-Dinitrophenol	%	62		25-140	Pass	
2-Methylphenol (o-Cresol)	%	66		25-140	Pass	
3&4-Methylphenol (m&p-Cresol)	%	82		25-140	Pass	
4-Nitrophenol	%	71		25-140	Pass	
Dinoseb	%	53		25-140	Pass	
Phenol	%	79		25-140	Pass	
<b>LCS - % Recovery</b>						
Chromium (hexavalent)	%	94		70-130	Pass	
Cyanide (total)	%	123		70-130	Pass	
Fluoride (Total)	%	72		70-130	Pass	
<b>LCS - % Recovery</b>						
<b>Heavy Metals</b>						
Arsenic	%	107		80-120	Pass	
Cadmium	%	101		80-120	Pass	
Chromium	%	111		80-120	Pass	
Copper	%	111		80-120	Pass	
Lead	%	113		80-120	Pass	
Mercury	%	103		80-120	Pass	
Molybdenum	%	109		80-120	Pass	
Nickel	%	111		80-120	Pass	
Selenium	%	106		80-120	Pass	
Silver	%	103		80-120	Pass	
Tin	%	106		80-120	Pass	
Zinc	%	109		80-120	Pass	
<b>LCS - % Recovery</b>						
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA)	%	100		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	101		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	99		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	105		50-150	Pass	
Perfluorooctanoic acid (PFOA)	%	103		50-150	Pass	
Perfluorononanoic acid (PFNA)	%	112		50-150	Pass	
Perfluorodecanoic acid (PFDA)	%	89		50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	%	109		50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	%	119		50-150	Pass	
Perfluorotridecanoic acid (PFTrDA)	%	106		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	%	109		50-150	Pass	
<b>LCS - % Recovery</b>						
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA)	%	96		50-150	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	%	114		50-150	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	%	132		50-150	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	%	107		50-150	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	%	104		50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	%	107		50-150	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	%	126			50-150	Pass		
<b>LCS - % Recovery</b>								
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>								
Perfluorobutanesulfonic acid (PFBS)	%	103			50-150	Pass		
Perfluorononanesulfonic acid (PFNS)	%	118			50-150	Pass		
Perfluoropropanesulfonic acid (PFPrS)	%	142			50-150	Pass		
Perfluoropentanesulfonic acid (PFPeS)	%	120			50-150	Pass		
Perfluorohexanesulfonic acid (PFHxS)	%	130			50-150	Pass		
Perfluoroheptanesulfonic acid (PFHpS)	%	54			50-150	Pass		
Perfluorooctanesulfonic acid (PFOS)	%	95			50-150	Pass		
Perfluorodecanesulfonic acid (PFDS)	%	123			50-150	Pass		
<b>LCS - % Recovery</b>								
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>								
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	%	104			50-150	Pass		
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	%	108			50-150	Pass		
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	%	97			50-150	Pass		
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	%	105			50-150	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
<b>Spike - % Recovery</b>								
<b>Total Recoverable Hydrocarbons</b>				Result 1				
TRH C10-C14	M22-Ap0043194	NCP	%	122		70-130	Pass	
TRH >C10-C16	M22-Ap0043194	NCP	%	126		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Polycyclic Aromatic Hydrocarbons</b>				Result 1				
Acenaphthene	M22-Ap0037707	NCP	%	87		70-130	Pass	
Acenaphthylene	M22-Ap0037707	NCP	%	87		70-130	Pass	
Anthracene	M22-Ap0037707	NCP	%	73		70-130	Pass	
Benz(a)anthracene	M22-Ap0037707	NCP	%	103		70-130	Pass	
Benzo(a)pyrene	M22-Ap0037707	NCP	%	79		70-130	Pass	
Benzo(b&i)fluoranthene	M22-Ap0037707	NCP	%	105		70-130	Pass	
Benzo(g,h,i)perylene	M22-Ap0037707	NCP	%	72		70-130	Pass	
Benzo(k)fluoranthene	M22-Ap0037707	NCP	%	92		70-130	Pass	
Chrysene	M22-Ap0037707	NCP	%	100		70-130	Pass	
Dibenz(a,h)anthracene	M22-Ap0037707	NCP	%	102		70-130	Pass	
Fluoranthene	M22-Ap0037707	NCP	%	74		70-130	Pass	
Fluorene	M22-Ap0037707	NCP	%	83		70-130	Pass	
Indeno(1,2,3-cd)pyrene	M22-Ap0037707	NCP	%	106		70-130	Pass	
Naphthalene	M22-Ap0037707	NCP	%	85		70-130	Pass	
Phenanthrene	M22-Ap0037707	NCP	%	106		70-130	Pass	
Pyrene	M22-Ap0037707	NCP	%	76		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Phenols (Halogenated)</b>				Result 1				
2-Chlorophenol	M22-Ap0037707	NCP	%	81		30-130	Pass	
2,4-Dichlorophenol	M22-Ap0037707	NCP	%	85		30-130	Pass	
2,4,5-Trichlorophenol	M22-Ap0037707	NCP	%	73		30-130	Pass	
2,4,6-Trichlorophenol	M22-Ap0037707	NCP	%	76		30-130	Pass	
2,6-Dichlorophenol	M22-Ap0037707	NCP	%	76		30-130	Pass	
4-Chloro-3-methylphenol	M22-Ap0037707	NCP	%	83		30-130	Pass	
Pentachlorophenol	M22-Ap0037707	NCP	%	54		30-130	Pass	
Tetrachlorophenols - Total	M22-Ap0037707	NCP	%	64		30-130	Pass	
<b>Spike - % Recovery</b>								
<b>Phenols (non-Halogenated)</b>				Result 1				
2-Cyclohexyl-4,6-dinitrophenol	M22-Ap0037707	NCP	%	33		30-130	Pass	
2-Methyl-4,6-dinitrophenol	M22-Ap0037707	NCP	%	43		30-130	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
2-Nitrophenol	M22-Ap0037707	NCP	%	76		30-130	Pass	
2,4-Dimethylphenol	M22-Ap0037707	NCP	%	87		30-130	Pass	
2,4-Dinitrophenol	M22-Ap0037707	NCP	%	41		30-130	Pass	
2-Methylphenol (o-Cresol)	M22-Ap0037707	NCP	%	68		30-130	Pass	
3&4-Methylphenol (m&p-Cresol)	M22-Ap0037707	NCP	%	84		30-130	Pass	
4-Nitrophenol	M22-Ap0037707	NCP	%	57		30-130	Pass	
Dinoseb	M22-Ap0037707	NCP	%	54		30-130	Pass	
Phenol	M22-Ap0037707	NCP	%	79		30-130	Pass	
<b>Spike - % Recovery</b>								
				Result 1				
Chromium (hexavalent)	M22-Ap0045034	NCP	%	78		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Heavy Metals</b>				Result 1				
Arsenic	M22-Ap0046863	NCP	%	98		75-125	Pass	
Cadmium	M22-Ap0046863	NCP	%	110		75-125	Pass	
Chromium	M22-Ap0046863	NCP	%	90		75-125	Pass	
Copper	M22-Ap0046863	NCP	%	111		75-125	Pass	
Lead	M22-Ap0046863	NCP	%	76		75-125	Pass	
Mercury	M22-Ap0046863	NCP	%	101		75-125	Pass	
Molybdenum	M22-Ap0046863	NCP	%	109		75-125	Pass	
Nickel	M22-Ap0046863	NCP	%	94		75-125	Pass	
Selenium	M22-Ap0046863	NCP	%	96		75-125	Pass	
Silver	M22-Ap0046863	NCP	%	110		75-125	Pass	
Tin	M22-Ap0046863	NCP	%	106		75-125	Pass	
Zinc	M22-Ap0046863	NCP	%	86		75-125	Pass	
<b>Spike - % Recovery</b>								
<b>Total Recoverable Hydrocarbons</b>				Result 1				
TRH C6-C9	M22-Ap0047337	CP	%	101		70-130	Pass	
Naphthalene	M22-Ap0047337	CP	%	76		70-130	Pass	
TRH C6-C10	M22-Ap0047337	CP	%	101		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Volatile Organics</b>				Result 1				
1,1-Dichloroethene	M22-Ap0047337	CP	%	76		70-130	Pass	
1,1,1-Trichloroethane	M22-Ap0047337	CP	%	75		70-130	Pass	
1,2-Dichlorobenzene	M22-Ap0047337	CP	%	93		70-130	Pass	
1,2-Dichloroethane	M22-Ap0047337	CP	%	87		70-130	Pass	
Benzene	M22-Ap0047337	CP	%	80		70-130	Pass	
Ethylbenzene	M22-Ap0047337	CP	%	86		70-130	Pass	
m&p-Xylenes	M22-Ap0047337	CP	%	83		70-130	Pass	
o-Xylene	M22-Ap0047337	CP	%	84		70-130	Pass	
Toluene	M22-Ap0047337	CP	%	78		70-130	Pass	
Trichloroethene	M22-Ap0047337	CP	%	82		70-130	Pass	
Xylenes - Total*	M22-Ap0047337	CP	%	84		70-130	Pass	
<b>Spike - % Recovery</b>								
				Result 1				
Fluoride (Total)	M22-Ap0047340	CP	%	76		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Organochlorine Pesticides</b>				Result 1				
Chlordanes - Total	M22-Ap0043514	NCP	%	85		70-130	Pass	
4,4'-DDD	M22-Ap0043514	NCP	%	85		70-130	Pass	
4,4'-DDE	M22-Ap0043514	NCP	%	92		70-130	Pass	
4,4'-DDT	M22-Ap0043514	NCP	%	123		70-130	Pass	
a-HCH	M22-Ap0043514	NCP	%	106		70-130	Pass	
Aldrin	M22-Ap0043514	NCP	%	84		70-130	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1	Acceptance Limits	Pass Limits	Qualifying Code
b-HCH	M22-Ap0043514	NCP	%	72	70-130	Pass	
d-HCH	M22-Ap0043514	NCP	%	104	70-130	Pass	
Dieldrin	M22-Ap0043514	NCP	%	79	70-130	Pass	
Endosulfan I	M22-Ap0043514	NCP	%	83	70-130	Pass	
Endosulfan II	M22-Ap0043514	NCP	%	78	70-130	Pass	
Endosulfan sulphate	M22-Ap0043514	NCP	%	101	70-130	Pass	
Endrin	M22-Ap0043514	NCP	%	92	70-130	Pass	
Endrin aldehyde	M22-Ap0043514	NCP	%	76	70-130	Pass	
Endrin ketone	M22-Ap0043514	NCP	%	103	70-130	Pass	
g-HCH (Lindane)	M22-Ap0043514	NCP	%	126	70-130	Pass	
Heptachlor	M22-Ap0043514	NCP	%	99	70-130	Pass	
Heptachlor epoxide	M22-Ap0043514	NCP	%	81	70-130	Pass	
Hexachlorobenzene	M22-Ap0043514	NCP	%	99	70-130	Pass	
Methoxychlor	M22-Ap0043514	NCP	%	97	70-130	Pass	
<b>Spike - % Recovery</b>							
<b>Polychlorinated Biphenyls</b>				Result 1			
Aroclor-1016	M22-Ap0040342	NCP	%	71	70-130	Pass	
Aroclor-1260	M22-Ap0040342	NCP	%	80	70-130	Pass	
<b>Spike - % Recovery</b>							
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>				Result 1			
Perfluorobutanoic acid (PFBA)	M22-Ap0050758	CP	%	99	50-150	Pass	
Perfluoropentanoic acid (PFPeA)	M22-Ap0050758	CP	%	103	50-150	Pass	
Perfluorohexanoic acid (PFHxA)	M22-Ap0050758	CP	%	97	50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	M22-Ap0050758	CP	%	107	50-150	Pass	
Perfluorooctanoic acid (PFOA)	M22-Ap0050758	CP	%	111	50-150	Pass	
Perfluorononanoic acid (PFNA)	M22-Ap0050758	CP	%	108	50-150	Pass	
Perfluorodecanoic acid (PFDA)	M22-Ap0050758	CP	%	128	50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	M22-Ap0050758	CP	%	123	50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	M22-Ap0050758	CP	%	125	50-150	Pass	
Perfluorotridecanoic acid (PFTTrDA)	M22-Ap0050758	CP	%	118	50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	M22-Ap0050758	CP	%	118	50-150	Pass	
<b>Spike - % Recovery</b>							
<b>Perfluoroalkyl sulfonamido substances</b>				Result 1			
Perfluorooctane sulfonamide (FOSA)	M22-Ap0050758	CP	%	108	50-150	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-Ap0050758	CP	%	115	50-150	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-Ap0050758	CP	%	101	50-150	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-Ap0050758	CP	%	111	50-150	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-Ap0050758	CP	%	109	50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-Ap0050758	CP	%	90	50-150	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-Ap0050758	CP	%	82	50-150	Pass	
<b>Spike - % Recovery</b>							
<b>Perfluoroalkyl sulfonic acids (PFSAs)</b>				Result 1			
Perfluorobutanesulfonic acid (PFBS)	M22-Ap0050758	CP	%	97	50-150	Pass	
Perfluorononanesulfonic acid (PFNS)	M22-Ap0050758	CP	%	117	50-150	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Perfluoropropanesulfonic acid (PFPrS)	M22-Ap0050758	CP	%	129			50-150	Pass	
Perfluoropentanesulfonic acid (PFPeS)	M22-Ap0050758	CP	%	138			50-150	Pass	
Perfluorohexanesulfonic acid (PFHxS)	M22-Ap0050758	CP	%	142			50-150	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	M22-Ap0050758	CP	%	79			50-150	Pass	
Perfluorooctanesulfonic acid (PFOS)	M22-Ap0050758	CP	%	142			50-150	Pass	
Perfluorodecanesulfonic acid (PFDS)	M22-Ap0050758	CP	%	99			50-150	Pass	
<b>Spike - % Recovery</b>									
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>				Result 1					
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-Ap0050758	CP	%	101			50-150	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-Ap0050758	CP	%	124			50-150	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-Ap0050758	CP	%	116			50-150	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-Ap0050758	CP	%	84			50-150	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Duplicate</b>									
<b>Total Recoverable Hydrocarbons</b>				Result 1	Result 2	RPD			
TRH C6-C9	M22-Ap0047336	CP	mg/kg	< 20	< 20	<1	30%	Pass	
TRH C10-C14	M22-Ap0037621	NCP	mg/kg	< 20	< 20	<1	30%	Pass	
TRH C15-C28	M22-Ap0037621	NCP	mg/kg	< 50	< 50	<1	30%	Pass	
TRH C29-C36	M22-Ap0037621	NCP	mg/kg	< 50	< 50	<1	30%	Pass	
Naphthalene	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
TRH C6-C10	M22-Ap0047336	CP	mg/kg	< 20	< 20	<1	30%	Pass	
TRH >C10-C16	M22-Ap0037621	NCP	mg/kg	< 50	< 50	<1	30%	Pass	
TRH >C16-C34	M22-Ap0037621	NCP	mg/kg	< 100	< 100	<1	30%	Pass	
TRH >C34-C40	M22-Ap0037621	NCP	mg/kg	< 100	< 100	<1	30%	Pass	
<b>Duplicate</b>									
<b>Volatile Organics</b>				Result 1	Result 2	RPD			
Hexachlorobutadiene	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
<b>Duplicate</b>									
<b>Volatile Organics</b>				Result 1	Result 2	RPD			
1.1-Dichloroethane	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2.4-Trichlorobenzene	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1-Dichloroethene	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1.1-Trichloroethane	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1.1.2-Tetrachloroethane	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1.2-Trichloroethane	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1.2.2-Tetrachloroethane	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2-Dibromoethane	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2-Dichlorobenzene	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2-Dichloroethane	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2-Dichloropropane	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2.3-Trichloropropane	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2.4-Trimethylbenzene	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.3-Dichlorobenzene	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.3-Dichloropropane	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	

Duplicate								
Volatile Organics				Result 1	Result 2	RPD		
1.3.5-Trimethylbenzene	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.4-Dichlorobenzene	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2-Butanone (MEK)	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2-Propanone (Acetone)	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Chlorotoluene	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Methyl-2-pentanone (MIBK)	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Allyl chloride	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzene	M22-Ap0047336	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Bromobenzene	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromochloromethane	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromodichloromethane	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromoform	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromomethane	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Carbon disulfide	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Carbon Tetrachloride	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chlorobenzene	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloroethane	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloroform	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloromethane	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
cis-1.2-Dichloroethene	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
cis-1.3-Dichloropropene	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibromochloromethane	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibromomethane	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dichlorodifluoromethane	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Ethylbenzene	M22-Ap0047336	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Iodomethane	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Isopropyl benzene (Cumene)	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
m&p-Xylenes	M22-Ap0047336	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Methylene Chloride	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
o-Xylene	M22-Ap0047336	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Styrene	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Tetrachloroethene	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Toluene	M22-Ap0047336	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
trans-1.2-Dichloroethene	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
trans-1.3-Dichloropropene	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Trichloroethene	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Trichlorofluoromethane	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Vinyl chloride	M22-Ap0047336	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Xylenes - Total*	M22-Ap0047336	CP	mg/kg	< 0.3	< 0.3	<1	30%	Pass
Duplicate								
Polycyclic Aromatic Hydrocarbons				Result 1	Result 2	RPD		
Acenaphthene	M22-Ap0034587	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Acenaphthylene	M22-Ap0034587	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Anthracene	M22-Ap0034587	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benz(a)anthracene	M22-Ap0034587	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(a)pyrene	M22-Ap0034587	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(b&j)fluoranthene	M22-Ap0034587	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(g,h,i)perylene	M22-Ap0034587	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(k)fluoranthene	M22-Ap0034587	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chrysene	M22-Ap0034587	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibenz(a,h)anthracene	M22-Ap0034587	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Fluoranthene	M22-Ap0034587	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Fluorene	M22-Ap0034587	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Indeno(1.2.3-cd)pyrene	M22-Ap0034587	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass

Duplicate								
<b>Polycyclic Aromatic Hydrocarbons</b>				Result 1	Result 2	RPD		
Naphthalene	M22-Ap0034587	NCP	mg/kg	2.3	2.2	5.0	30%	Pass
Phenanthrene	M22-Ap0034587	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Pyrene	M22-Ap0034587	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
<b>Organochlorine Pesticides</b>				Result 1	Result 2	RPD		
Chlordanes - Total	M22-Ap0034587	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
4,4'-DDD	M22-Ap0034587	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
4,4'-DDE	M22-Ap0034587	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
4,4'-DDT	M22-Ap0034587	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
a-HCH	M22-Ap0034587	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Aldrin	M22-Ap0034587	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
b-HCH	M22-Ap0034587	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
d-HCH	M22-Ap0034587	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Dieldrin	M22-Ap0034587	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan I	M22-Ap0034587	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan II	M22-Ap0034587	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan sulphate	M22-Ap0034587	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin	M22-Ap0034587	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin aldehyde	M22-Ap0034587	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin ketone	M22-Ap0034587	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
g-HCH (Lindane)	M22-Ap0034587	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Heptachlor	M22-Ap0034587	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Heptachlor epoxide	M22-Ap0034587	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Hexachlorobenzene	M22-Ap0034587	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Methoxychlor	M22-Ap0034587	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Toxaphene	M22-Ap0034587	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
<b>Polychlorinated Biphenyls</b>				Result 1	Result 2	RPD		
Aroclor-1016	M22-Ap0034587	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1221	M22-Ap0034587	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1232	M22-Ap0034587	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1242	M22-Ap0034587	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1248	M22-Ap0034587	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1254	M22-Ap0034587	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1260	M22-Ap0034587	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Total PCB*	M22-Ap0034587	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Duplicate								
<b>Phenols (Halogenated)</b>				Result 1	Result 2	RPD		
2-Chlorophenol	M22-Ap0034587	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2,4-Dichlorophenol	M22-Ap0034587	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2,4,5-Trichlorophenol	M22-Ap0034587	NCP	mg/kg	< 1	< 1	<1	30%	Pass
2,4,6-Trichlorophenol	M22-Ap0034587	NCP	mg/kg	< 1	< 1	<1	30%	Pass
2,6-Dichlorophenol	M22-Ap0034587	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Chloro-3-methylphenol	M22-Ap0034587	NCP	mg/kg	< 1	< 1	<1	30%	Pass
Pentachlorophenol	M22-Ap0034587	NCP	mg/kg	< 1	< 1	<1	30%	Pass
Tetrachlorophenols - Total	M22-Ap0034587	NCP	mg/kg	< 10	< 10	<1	30%	Pass
Duplicate								
<b>Phenols (non-Halogenated)</b>				Result 1	Result 2	RPD		
2-Cyclohexyl-4,6-dinitrophenol	M22-Ap0034587	NCP	mg/kg	< 20	< 20	<1	30%	Pass
2-Methyl-4,6-dinitrophenol	M22-Ap0034587	NCP	mg/kg	< 5	< 5	<1	30%	Pass
2-Nitrophenol	M22-Ap0034587	NCP	mg/kg	< 1	< 1	<1	30%	Pass
2,4-Dimethylphenol	M22-Ap0034587	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2,4-Dinitrophenol	M22-Ap0034587	NCP	mg/kg	< 5	< 5	<1	30%	Pass
2-Methylphenol (o-Cresol)	M22-Ap0034587	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass

Duplicate								
Phenols (non-Halogenated)				Result 1	Result 2	RPD		
3&4-Methylphenol (m&p-Cresol)	M22-Ap0034587	NCP	mg/kg	< 0.4	< 0.4	<1	30%	Pass
4-Nitrophenol	M22-Ap0034587	NCP	mg/kg	< 5	< 5	<1	30%	Pass
Dinoseb	M22-Ap0034587	NCP	mg/kg	< 20	< 20	<1	30%	Pass
Phenol	M22-Ap0034587	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
% Moisture				Result 1	Result 2	RPD		
% Moisture	M22-Ap0047336	CP	%	35	36	4.0	30%	Pass
Duplicate								
Heavy Metals				Result 1	Result 2	RPD		
Arsenic	M22-Ap0046863	NCP	mg/kg	10	11	4.0	30%	Pass
Cadmium	M22-Ap0046863	NCP	mg/kg	< 0.4	< 0.4	<1	30%	Pass
Chromium	M22-Ap0046863	NCP	mg/kg	38	37	<1	30%	Pass
Copper	M22-Ap0046863	NCP	mg/kg	22	22	3.0	30%	Pass
Lead	M22-Ap0046863	NCP	mg/kg	94	96	2.0	30%	Pass
Mercury	M22-Ap0046863	NCP	mg/kg	0.1	0.1	2.0	30%	Pass
Molybdenum	M22-Ap0046863	NCP	mg/kg	< 5	< 5	<1	30%	Pass
Nickel	M22-Ap0046863	NCP	mg/kg	43	43	<1	30%	Pass
Selenium	M22-Ap0046863	NCP	mg/kg	< 2	< 2	<1	30%	Pass
Silver	M22-Ap0046863	NCP	mg/kg	< 2	< 2	<1	30%	Pass
Tin	M22-Ap0046863	NCP	mg/kg	< 10	< 10	<1	30%	Pass
Zinc	M22-Ap0046863	NCP	mg/kg	87	89	3.0	30%	Pass
Duplicate								
Chromium (hexavalent)				Result 1	Result 2	RPD		
Chromium (hexavalent)	M22-Ap0047338	CP	mg/kg	< 1	< 1	<1	30%	Pass
Duplicate								
Chromium (hexavalent)				Result 1	Result 2	RPD		
Chromium (hexavalent)	M22-Ap0047339	CP	mg/kg	< 1	< 1	<1	30%	Pass
Duplicate								
pH (1:5 Aqueous extract at 25°C as rec.)				Result 1	Result 2	RPD		
pH (1:5 Aqueous extract at 25°C as rec.)	M22-Ap0047341	CP	pH Units	9.5	9.5	pass	30%	Pass
Duplicate								
Perfluoroalkyl carboxylic acids (PFCAs)				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-Ap0047341	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-Ap0047341	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-Ap0047341	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-Ap0047341	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-Ap0047341	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-Ap0047341	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-Ap0047341	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-Ap0047341	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-Ap0047341	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorotridecanoic acid (PFTTrDA)	M22-Ap0047341	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-Ap0047341	CP	ug/kg	< 5	< 5	<1	30%	Pass



Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-Ap0047341	CP	ug/kg	< 5	< 5	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-Ap0047341	CP	ug/kg	< 5	< 5	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-Ap0047341	CP	ug/kg	< 5	< 5	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-Ap0047341	CP	ug/kg	< 5	< 5	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-Ap0047341	CP	ug/kg	< 5	< 5	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-Ap0047341	CP	ug/kg	< 10	< 10	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-Ap0047341	CP	ug/kg	< 10	< 10	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-Ap0047341	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-Ap0047341	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-Ap0047341	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-Ap0047341	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-Ap0047341	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-Ap0047341	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-Ap0047341	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-Ap0047341	CP	ug/kg	< 5	< 5	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-Ap0047341	CP	ug/kg	< 5	< 5	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-Ap0047341	CP	ug/kg	< 10	< 10	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-Ap0047341	CP	ug/kg	< 5	< 5	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-Ap0047341	CP	ug/kg	< 5	< 5	<1	30%	Pass
Duplicate								
				Result 1	Result 2	RPD		
Fluoride (Total)	M22-Ap0047344	CP	mg/kg	< 100	< 100	<1	30%	Pass
Duplicate								
				Result 1	Result 2	RPD		
Fluoride (Total)	M22-Ap0047345	CP	mg/kg	< 100	< 100	<1	30%	Pass
Duplicate								
				Result 1	Result 2	RPD		
% Moisture	M22-Ap0050758	CP	%	27	26	4.0	30%	Pass

**Comments**
**Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	No
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Qualifier Codes/Comments**

Code	Description
N01	F2 is determined by arithmetically subtracting the "naphthalene" value from the ">C10-C16" value. The naphthalene value used in this calculation is obtained from volatiles (Purge & Trap analysis).
N02	Where we have reported both volatile (P&T GCMS) and semivolatile (GCMS) naphthalene data, results may not be identical. Provided correct sample handling protocols have been followed, any observed differences in results are likely to be due to procedural differences within each methodology. Results determined by both techniques have passed all QAQC acceptance criteria, and are entirely technically valid.
N04	F1 is determined by arithmetically subtracting the "Total BTEX" value from the "C6-C10" value. The "Total BTEX" value is obtained by summing the concentrations of BTEX analytes. The "C6-C10" value is obtained by quantitating against a standard of mixed aromatic/aliphatic analytes.
N07	Please note:- These two PAH isomers closely co-elute using the most contemporary analytical methods and both the reported concentration (and the TEQ) apply specifically to the total of the two co-eluting PAHs
N11	Isotope dilution is used for calibration of each native compound for which an exact labelled analogue is available (Isotope Dilution Quantitation). The isotopically labelled analogues allow identification and recovery correction of the concentration of the associated native PFAS compounds.
N15	Where the native PFAS compound does not have labelled analogue then the quantification is made using the Extracted Internal Standard Analyte with the closest retention time to the analyte and no recovery correction has been made (Internal Standard Quantitation).

**Authorised by:**

Catherine Wilson	Analytical Services Manager
Joseph Edouard	Senior Analyst (VIC)
Mary Makarios	Senior Analyst (NSW)
Linda Chouman	Senior Analyst (NSW)
Scott Beddoes	Senior Analyst (NSW)
Harry Bacalis	Senior Analyst (NSW)
Caitlin Breeze	Senior Analyst (VIC)



**Glenn Jackson**  
**General Manager**

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

**CHAIN OF CUSTODY DOCUMENTATION**

CLIENT: Agon Environmental	Hannah - EP Risk
ADDRESS/OFFICE: Melbourne	Louis - EP Risk
PROJECT MANAGER (PM): Craig Trimbur	+61 400 826 907 (Craig Trimbur)
PROJECT ID: JC0927	+61 490 411 004 (David Lawson)
SITE: 20220421040667-ALS-21	Labreports: TST@agonenviro.com.au
RESULTS REQUIRED (Date): 5 days	agonenviro.com.au
QUOTE NO.: ME-16619-WGTP	agonenviro.com.au
P.O. NO.:	agonenviro.com.au
EMAIL: invoice TO: (if different to report)	agonenviro.com.au
EMAIL: reports TO: (if different to report)	agonenviro.com.au



Australian Laboratory Services Pty Ltd  
 Australian Laboratory Services Pty Ltd  
 Labreports: TST@agonenviro.com.au  
 agonenviro.com.au  
 motherhublabresults1@wqto.com.au

ALS ID	SAMPLE ID	MATRIX	DATE	TIME	CONTAINER INFORMATION		Spill Sample Prep	Pig plus Cr	PAS 28 Extended suite	ASLP PFAS - Extended Suite (Lab to determine pH)	DI Leachate PFAS - Extended Suite	Notes:
					Type / Code	Total bottles						
12	SX_IB_20220420_08_36_SS_Primary_ALS	S	20.04.22	8:36	Bucket	1		X	X	X		
13	SX_IB_20220420_08_36_SS_Duplicate_ALS	S	20.04.22	8:36	Bucket	1		X	X	X		
23	SX_IB_20220420_09_06_SR_RinseAL_ALS	W	20.04.22	9:06	Bottle	1						
24	SX_IB_20220420_09_06_SB_Blank_ALS	W	20.04.22	9:06	Bottle	1						
14	SX_IB_20220420_11_55_SS_Primary_ALS	S	20.04.22	11:55	Bucket	1		X	X	X		
15	SX_IB_20220420_12_11_SS_Primary_ALS	S	20.04.22	12:11	Bucket	1		X	X	X		
16	SX_IB_20220420_15_46_SS_Primary_ALS	S	20.04.22	15:46	Bucket	1		X	X	X		
17	SX_OB_20220420_15_56_SS_Triplicate_ALS	S	20.04.22	15:59	Bucket	1		X	X	X		
18	SX_IB_20220420_20_16_SS_Triplicate_ALS	S	20.04.22	20:16	Bucket	1		X	X	X		
19	SX_OB_20220420_20_17_SS_Primary_ALS	S	20.04.22	20:17	Bucket	1		X	X	X		
20	SX_OB_20220421_00_10_SS_Primary_ALS	S	21.04.23	00:10	Bucket	1		X	X	X		
21	SX_IB_20220421_00_12_SS_Primary_ALS	S	21.04.23	00:12	Bucket	1		X	X	X		
22	SX_OB_20220421_03_57_SS_Primary_ALS	S	21.04.23	03:57	Bucket	1		X	X	X		

RELINQUISHED BY:	RECEIVED BY:
Name:	Name: <i>[Signature]</i>
Date:	Date: 21/4
Time:	Time: 9:35
Name:	Name:
Date:	Date:
Time:	Time:
Name:	Name:
Date:	Date:
Time:	Time:
Method of Shipment:	Method of Shipment:
Cont Note No.:	Cont Note No.:
Transport Co.:	Transport Co.:

Environmental Division  
 Melbourne  
 Work Order Reference  
**EM2207126**



Telephones : + 61-3-8549 9600

**Water Container Codes:** P = Unpreserved Plastic; N = Nitric Preserved Plastic; ORC = Nitric Preserved ORC; SH = Sodium Hydroxide Preserved Plastic; AG = Amber Glass Unpreserved; V = VOA Vial HCl Preserved; VS = VOA Vial Sulphuric Preserved; SG = Sulphuric Preserved Amber Glass; H = HCl Preserved Plastic; HS = HCl Preserved Speciation Bottle; SP = Sulphuric Preserved Plastic; F = Formaldehyde Preserved Glass; Z = Zinc Acetate Preserved Bottle; E = EDTA Preserved Bottles; ST = Sterile Bottle; AES = Plastic Bag for Acid Sulphate Soils; B = Unpreserved Bag.

## CERTIFICATE OF ANALYSIS

**Work Order** : **EM2207126**  
**Client** : **AGON ENVIRONMENTAL PTY LTD**  
**Contact** : DAVID LAWSON  
**Address** : D1.1 63-85 TURNER STREET  
 PORT MELBOURNE 3207  
  
**Telephone** : ----  
**Project** : JC0927  
**Order number** : ----  
**C-O-C number** : 20220421040957-ALS-21  
**Sampler** : Hannah, Louis  
**Site** : 20220421040957-ALS-21  
**Quote number** : EN/150/19 -WGTP -Bulk Sample Quote  
**No. of samples received** : 24  
**No. of samples analysed** : 22

**Page** : 1 of 29  
**Laboratory** : Environmental Division Melbourne  
**Contact** : Josh Alexander  
**Address** : 4 Westall Rd Springvale VIC Australia 3171  
  
**Telephone** : +61-3-8549 9600  
**Date Samples Received** : 21-Apr-2022 09:55  
**Date Analysis Commenced** : 21-Apr-2022  
**Issue Date** : 28-Apr-2022 15:25



Accreditation No. 825  
 Accredited for compliance with  
 ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

**Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.**

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Dilani Fernando	Laboratory Coordinator	Melbourne Inorganics, Springvale, VIC
Jarwis Nheu	Senior Inorganic Chemist	Melbourne Inorganics, Springvale, VIC
Xing Lin	Senior Organic Chemist	Melbourne Inorganics, Springvale, VIC
Xing Lin	Senior Organic Chemist	Melbourne Organics, Springvale, VIC



## General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting  
ø = ALS is not NATA accredited for these tests.  
~ = Indicates an estimated value.

- Benzo(a)pyrene Toxicity Equivalent Quotient (TEQ) per the NEPM (2013) is the sum total of the concentration of the eight carcinogenic PAHs multiplied by their Toxicity Equivalence Factor (TEF) relative to Benzo(a)pyrene. TEF values are provided in brackets as follows: Benz(a)anthracene (0.1), Chrysene (0.01), Benzo(b+j) & Benzo(k)fluoranthene (0.1), Benzo(a)pyrene (1.0), Indeno(1.2.3.cd)pyrene (0.1), Dibenz(a,h)anthracene (1.0), Benzo(g,h,i)perylene (0.01). Less than LOR results for 'TEQ Zero' are treated as zero, for 'TEQ 1/2LOR' are treated as half the reported LOR, and for 'TEQ LOR' are treated as being equal to the reported LOR. Note: TEQ 1/2LOR and TEQ LOR will calculate as 0.6mg/Kg and 1.2mg/Kg respectively for samples with non-detects for all of the eight TEQ PAHs.
- EP231X - Per- and Polyfluoroalkyl Substances (PFAS): Samples received in 20ml or 125ml bottles have been tested in accordance with the QSM5.3 compliant, NATA accredited method. 60mL or 250mL bottles have been tested to the legacy QSM 5.1 aligned, NATA accredited method.
- EP074-UT: Where reported, Total Xylenes is the sum of the reported concentrations of m&p-Xylene and o-Xylene at or above the LOR.
- EP074-WF: Where reported, Sum of trichlorobenzenes is the sum of the reported concentrations of 1,2,3-Trichlorobenzene and 1,2,4-Trichlorobenzene, and 1,3,5-Trichlorobenzene at or above the LOR.
- EP231: Stable isotope enriched internal standards are added to samples prior to extraction. Target compounds have a direct analogous internal standard with the exception of PFPeS, PFHpA, PFDS, PFTrDA and 10:2 FTS. These compounds use an internal standard that is chemically related and has a retention time close to that of the target compound. The DQO for internal standard response is 50-150% of that established at initial calibration. PFOS is quantified using a certified, traceable standard consisting of linear and branched PFOS isomers. These practices are in line with recommendations in the National Environmental Management Plan for PFAS (Australian HEPA) and also conform to QSM 5.3 (US DoD) requirements.
- EN60: Where leachable PFAS analysis is requested, centrifugation rather than pressure filtration is used as the default approach for removal of particulates, in line with AS 4439.3.
- EN60-DI: Where leachable PFAS analysis is requested, centrifugation rather than pressure filtration is used as the default approach for removal of particulates, in line with AS 4439.3.



## Analytical Results

Sub-Matrix: ASLP LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_IB_20220420_08_36_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS	SX_IB_20220420_12_11_SS_Primary_ALS	SX_IB_20220420_15_46_SS_Primary_ALS	SX_OB_20220420_15_59_SS_Triplicate_ALS
Sampling date / time				20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207126-001	EM2207126-002	EM2207126-004	EM2207126-005	EM2207126-006
				Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



## Analytical Results

Sub-Matrix: ASLP LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_IB_20220420_08_36_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS	SX_IB_20220420_12_11_SS_Primary_ALS	SX_IB_20220420_15_46_SS_Primary_ALS	SX_IB_20220420_15_59_SS_Triplicate_ALS
Sampling date / time				20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207126-001	EM2207126-002	EM2207126-004	EM2207126-005	EM2207126-006
				Result	Result	Result	Result	Result
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>								
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.02	%	109	105	105	106	101
13C8-PFOA	----	0.02	%	97.6	100	95.5	104	99.6



## Analytical Results

Sub-Matrix: ASLP LEACHATE  
 (Matrix: WATER)

Sample ID

		Sampling date / time		SX_IB_20220420_20_16_SS_Triplicate_ALS	SX_OB_20220420_20_17_SS_Primary_ALS	SX_OB_20220421_00_10_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS	SX_OB_20220421_03_57_SS_Primary_ALS
				20-Apr-2022 00:00	20-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207126-007	EM2207126-008	EM2207126-009	EM2207126-010	EM2207126-011
				Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05





## Analytical Results

Sub-Matrix: ASLP LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_IB_20220420_20_16_SS_Triplicate_ALS	SX_OB_20220420_20_17_SS_Primary_ALS	SX_OB_20220421_00_10_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS	SX_OB_20220421_03_57_SS_Primary_ALS
Sampling date / time				20-Apr-2022 00:00	20-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207126-007	EM2207126-008	EM2207126-009	EM2207126-010	EM2207126-011
				Result	Result	Result	Result	Result
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>								
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.02	%	101	98.2	95.2	99.8	103
13C8-PFOA	----	0.02	%	102	101	99.2	101	98.0



## Analytical Results

Sub-Matrix: DI WATER LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_IB_20220420_08_36_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS	SX_IB_20220420_12_11_SS_Primary_ALS	SX_IB_20220420_15_46_SS_Primary_ALS	SX_OB_20220420_15_59_SS_Triplicate_ALS
Sampling date / time				20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207126-012	EM2207126-013	EM2207126-015	EM2207126-016	EM2207126-017
				Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



## Analytical Results

Sub-Matrix: DI WATER LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_IB_20220420_08_36_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS	SX_IB_20220420_12_11_SS_Primary_ALS	SX_IB_20220420_15_46_SS_Primary_ALS	SX_IB_20220420_15_59_SS_Triplicate_ALS
Sampling date / time				20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207126-012	EM2207126-013	EM2207126-015	EM2207126-016	EM2207126-017
				Result	Result	Result	Result	Result
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>								
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.02	%	97.1	99.6	97.7	99.4	98.9
13C8-PFOA	----	0.02	%	96.2	96.1	99.8	95.7	98.4



## Analytical Results

Sub-Matrix: DI WATER LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_IB_20220420_20_16_SS_Triplicate_ALS	SX_OB_20220420_20_17_SS_Primary_ALS	SX_OB_20220421_00_10_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS	SX_OB_20220421_03_57_SS_Primary_ALS
Sampling date / time				20-Apr-2022 00:00	20-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207126-018	EM2207126-019	EM2207126-020	EM2207126-021	EM2207126-022
				Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



## Analytical Results

Sub-Matrix: DI WATER LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_IB_20220420_20_16_SS_Triplicate_ALS	SX_OB_20220420_20_17_SS_Primary_ALS	SX_OB_20220421_00_10_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS	SX_OB_20220421_03_57_SS_Primary_ALS
Sampling date / time				20-Apr-2022 00:00	20-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207126-018	EM2207126-019	EM2207126-020	EM2207126-021	EM2207126-022
				Result	Result	Result	Result	Result
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>								
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.02	%	102	107	128	95.4	107
13C8-PFOA	----	0.02	%	102	97.1	96.5	99.5	99.0



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220420_08_36_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS	SX_IB_20220420_12_11_SS_Primary_ALS	SX_IB_20220420_15_46_SS_Primary_ALS	SX_OB_20220420_15_59_SS_Triplicate_ALS
Sampling date / time				20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207126-001	EM2207126-002	EM2207126-004	EM2207126-005	EM2207126-006
				Result	Result	Result	Result	Result
<b>EA001: pH in soil using 0.01M CaCl extract</b>								
pH (CaCl2)	----	0.1	pH Unit	7.8	8.1	7.8	7.9	8.0
<b>EA055: Moisture Content (Dried @ 105-110°C)</b>								
Moisture Content	----	1.0	%	28.0	28.1	29.8	28.6	32.9
<b>EG005(ED093)T: Total Metals by ICP-AES</b>								
Arsenic	7440-38-2	5	mg/kg	28	24	20	23	30
Cadmium	7440-43-9	1	mg/kg	<1	<1	<1	<1	<1
Chromium	7440-47-3	5	mg/kg	112	104	102	90	87
Copper	7440-50-8	5	mg/kg	63	57	70	62	55
Lead	7439-92-1	5	mg/kg	<5	<5	<5	<5	<5
Molybdenum	7439-98-7	5	mg/kg	<5	<5	<5	<5	<5
Nickel	7440-02-0	5	mg/kg	164	153	164	138	136
Selenium	7782-49-2	5	mg/kg	<5	<5	<5	<5	<5
Silver	7440-22-4	2	mg/kg	<2	<2	<2	<2	<2
Tin	7440-31-5	10	mg/kg	<10	<10	<10	<10	<10
Zinc	7440-66-6	5	mg/kg	91	86	92	87	77
<b>EG035T: Total Recoverable Mercury by FIMS</b>								
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>								
Hexavalent Chromium	18540-29-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
<b>EK026SF: Total CN by Segmented Flow Analyser</b>								
Total Cyanide	57-12-5	5	mg/kg	<5	<5	<5	<5	<5
<b>EK040T: Fluoride Total</b>								
Fluoride	16984-48-8	100	mg/kg	220	190	240	240	150
<b>EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>								
Initial pH	----	0.1	pH Unit	9.6	9.7	9.6	9.5	9.1
After HCl pH	----	0.1	pH Unit	1.3	1.2	1.2	1.5	1.3
Extraction Fluid pH	----	0.1	pH Unit	5.0	5.0	5.0	5.0	5.0
Final pH	----	0.1	pH Unit	5.1	5.1	5.1	5.1	5.1
<b>EP066: Polychlorinated Biphenyls (PCB)</b>								
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>								
Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	<0.2	<0.2	<0.2



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220420_08_36_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS	SX_IB_20220420_12_11_SS_Primary_ALS	SX_IB_20220420_15_46_SS_Primary_ALS	SX_IB_20220420_15_59_SS_Triplicate_ALS
Sampling date / time				20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207126-001	EM2207126-002	EM2207126-004	EM2207126-005	EM2207126-006
				Result	Result	Result	Result	Result
<b>EP074A: Monocyclic Aromatic Hydrocarbons - Continued</b>								
Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of monocyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Total Xylenes	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
<b>EP074H: Naphthalene</b>								
Naphthalene	91-20-3	1	mg/kg	<1	<1	<1	<1	<1
<b>EP074I: Volatile Halogenated Compounds</b>								
Vinyl chloride	75-01-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethene	75-35-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Methylene chloride	75-09-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
trans-1,2-Dichloroethene	156-60-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	156-59-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroform	67-66-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1-Trichloroethane	71-55-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Carbon Tetrachloride	56-23-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloroethane	107-06-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Trichloroethene	79-01-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2-Trichloroethane	79-00-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene	127-18-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1,2-Tetrachloroethane	630-20-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2,2-Tetrachloroethane	79-34-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Hexachlorobutadiene	87-68-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chlorobenzene	108-90-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dichlorobenzene	106-46-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichlorobenzene	95-50-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2,4-Trichlorobenzene	120-82-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of volatile chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of other chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
<b>EP075A: Phenolic Compounds (Halogenated)</b>								



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220420_08_36_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS	SX_IB_20220420_12_11_SS_Primary_ALS	SX_IB_20220420_15_46_SS_Primary_ALS	SX_IB_20220420_15_59_SS_Triplicate_ALS
Sampling date / time				20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207126-001	EM2207126-002	EM2207126-004	EM2207126-005	EM2207126-006
				Result	Result	Result	Result	Result
<b>EP075A: Phenolic Compounds (Halogenated) - Continued</b>								
2-Chlorophenol	95-57-8	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,4-Dichlorophenol	120-83-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,6-Dichlorophenol	87-65-0	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
4-Chloro-3-methylphenol	59-50-7	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,5-Trichlorophenol	95-95-4	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,6-Trichlorophenol	88-06-2	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-90-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Pentachlorophenol	87-86-5	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
^ Sum of Phenols (halogenated)	----	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>								
Phenol	108-95-2	1	mg/kg	<1	<1	<1	<1	<1
2-Methylphenol	95-48-7	1	mg/kg	<1	<1	<1	<1	<1
3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	<1	<1	<1
2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	<5	<5	<5
4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	<5	<5	<5
2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	<5	<5	<5
Dinoseb	88-85-7	20	mg/kg	<20	<20	<20	<20	<20
2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	20	mg/kg	<20	<20	<20	<20	<20
^ Sum of Phenols (non-halogenated)	----	20	mg/kg	<20	<20	<20	<20	<20
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5





## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220420_08_36_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS	SX_IB_20220420_12_11_SS_Primary_ALS	SX_IB_20220420_15_46_SS_Primary_ALS	SX_IB_20220420_15_59_SS_Triplicate_ALS
Sampling date / time				20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207126-001	EM2207126-002	EM2207126-004	EM2207126-005	EM2207126-006
				Result	Result	Result	Result	Result
<b>EP075B: Polynuclear Aromatic Hydrocarbons - Continued</b>								
Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>
<b>EP075I: Organochlorine Pesticides</b>								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
Endosulfan 1	959-98-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan 2	33213-65-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Methoxychlor	72-43-5	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Sum of organochlorine pesticides	----	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220420_08_36_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS	SX_IB_20220420_12_11_SS_Primary_ALS	SX_IB_20220420_15_46_SS_Primary_ALS	SX_OB_20220420_15_59_SS_Triplicate_ALS
Sampling date / time				20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207126-001	EM2207126-002	EM2207126-004	EM2207126-005	EM2207126-006
				Result	Result	Result	Result	Result
<b>EP075I: Organochlorine Pesticides - Continued</b>								
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.30	mg/kg	<0.30	<0.30	<0.30	<0.30	<0.30
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Chlordane	57-74-9	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10
^ Sum of other organochlorine pesticides	----	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
<b>EP080/071: Total Petroleum Hydrocarbons</b>								
C6 - C9 Fraction	----	20	mg/kg	<20	<20	<20	<20	<20
C10 - C14 Fraction	----	50	mg/kg	<50	<50	<50	<50	<50
C6 - C10 Fraction	C6_C10	20	mg/kg	<20	<20	<20	<20	<20
C15 - C28 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
C29 - C36 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
^ C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	<50	<50	<50
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>								
>C10 - C16 Fraction	----	50	mg/kg	<50	<50	<50	<50	<50
>C16 - C34 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
>C34 - C40 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	<50	<50	<50
>C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	<50	<50	<50	<50	<50
C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	20	mg/kg	<20	<20	<20	<20	<20
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorodecane sulfonic acid (PFDS)	335-77-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220420_08_36_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS	SX_IB_20220420_12_11_SS_Primary_ALS	SX_IB_20220420_15_46_SS_Primary_ALS	SX_OB_20220420_15_59_SS_Triplicate_ALS
Sampling date / time				20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207126-001	EM2207126-002	EM2207126-004	EM2207126-005	EM2207126-006
				Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	5	µg/kg	<5	<5	<5	<5	<5
Perfluoropentanoic acid (PFPeA)	2706-90-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorohexanoic acid (PFHxA)	307-24-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroheptanoic acid (PFHpA)	375-85-9	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorooctanoic acid (PFOA)	335-67-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorononanoic acid (PFNA)	375-95-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorodecanoic acid (PFDA)	335-76-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorododecanoic acid (PFDoDA)	307-55-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220420_08_36_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS	SX_IB_20220420_12_11_SS_Primary_ALS	SX_IB_20220420_15_46_SS_Primary_ALS	SX_IB_20220420_15_59_SS_Triplicate_ALS
Sampling date / time				20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207126-001	EM2207126-002	EM2207126-004	EM2207126-005	EM2207126-006
				Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	50.0	µg/kg	<50.0	<50.0	<50.0	<50.0	<50.0
Sum of PFHxS and PFOS	355-46-4/1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Sum of PFAS (WA DER List)	----	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
<b>EP066S: PCB Surrogate</b>								
Decachlorobiphenyl	2051-24-3	0.1	%	107	114	109	110	96.2
<b>EP074S: VOC Surrogates (Ultra-Trace)</b>								
1,2-Dichloroethane-D4	17060-07-0	0.1	%	100	95.4	89.4	84.5	85.8
Toluene-D8	2037-26-5	0.1	%	101	93.5	87.7	93.2	84.0
4-Bromofluorobenzene	460-00-4	0.1	%	110	99.5	97.0	98.1	91.5
<b>EP075S: Acid Extractable Surrogates (Waste Classification)</b>								
Phenol-d6	13127-88-3	0.025	%	98.0	110	93.2	97.4	84.2
2-Chlorophenol-D4	93951-73-6	0.025	%	86.8	96.6	81.6	84.8	73.6
2,4,6-Tribromophenol	118-79-6	0.025	%	86.2	104	93.0	98.1	84.2
<b>EP075T: Base/Neutral Extractable Surrogates (Waste Classification)</b>								
Nitrobenzene-D5	4165-60-0	0.025	%	88.6	98.5	81.0	84.8	73.9
1,2-Dichlorobenzene-D4	2199-69-1	0.025	%	85.4	96.9	84.7	87.2	77.2
2-Fluorobiphenyl	321-60-8	0.025	%	92.6	108	91.3	95.5	83.1
Anthracene-d10	1719-06-8	0.025	%	88.8	104	86.6	90.0	77.6
4-Terphenyl-d14	1718-51-0	0.025	%	110	136	114	113	95.8
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.0002	%	102	96.9	98.2	101	103
13C8-PFOA	----	0.0002	%	102	103	99.7	106	112



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220420_20_16_SS_Triplicate_ALS	SX_OB_20220420_20_17_SS_Primary_ALS	SX_OB_20220421_00_10_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS	SX_OB_20220421_03_57_SS_Primary_ALS
Sampling date / time				20-Apr-2022 00:00	20-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	
Compound	CAS Number	LOR	Unit	EM2207126-007	EM2207126-008	EM2207126-009	EM2207126-010	EM2207126-011	
				Result	Result	Result	Result	Result	
<b>EA001: pH in soil using 0.01M CaCl extract</b>									
pH (CaCl2)	----	0.1	pH Unit	7.9	7.8	7.8	7.9	7.8	
<b>EA055: Moisture Content (Dried @ 105-110°C)</b>									
Moisture Content	----	1.0	%	30.9	29.0	27.7	32.2	32.9	
<b>EG005(ED093)T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	19	40	40	30	39	
Cadmium	7440-43-9	1	mg/kg	<1	<1	<1	<1	<1	
Chromium	7440-47-3	5	mg/kg	93	90	99	125	91	
Copper	7440-50-8	5	mg/kg	72	66	68	67	56	
Lead	7439-92-1	5	mg/kg	<5	<5	<5	5	<5	
Molybdenum	7439-98-7	5	mg/kg	<5	<5	<5	<5	<5	
Nickel	7440-02-0	5	mg/kg	166	136	154	135	160	
Selenium	7782-49-2	5	mg/kg	<5	<5	<5	<5	<5	
Silver	7440-22-4	2	mg/kg	<2	<2	<2	<2	<2	
Tin	7440-31-5	10	mg/kg	<10	<10	<10	<10	<10	
Zinc	7440-66-6	5	mg/kg	104	95	87	82	104	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>									
Hexavalent Chromium	18540-29-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0	
<b>EK026SF: Total CN by Segmented Flow Analyser</b>									
Total Cyanide	57-12-5	5	mg/kg	<5	<5	<5	<5	<5	
<b>EK040T: Fluoride Total</b>									
Fluoride	16984-48-8	100	mg/kg	260	170	120	270	170	
<b>EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>									
Initial pH	----	0.1	pH Unit	9.5	9.0	9.0	9.4	9.0	
After HCl pH	----	0.1	pH Unit	1.2	1.2	1.2	1.3	1.2	
Extraction Fluid pH	----	0.1	pH Unit	5.0	5.0	5.0	5.0	5.0	
Final pH	----	0.1	pH Unit	5.1	5.1	5.1	5.0	5.1	
<b>EP066: Polychlorinated Biphenyls (PCB)</b>									
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>									
Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	<0.2	<0.2	<0.2	
Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5	



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220420_20_16_SS_Triplicate_ALS	SX_OB_20220420_20_17_SS_Primary_ALS	SX_OB_20220421_00_10_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS	SX_OB_20220421_03_57_SS_Primary_ALS
Sampling date / time				20-Apr-2022 00:00	20-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207126-007	EM2207126-008	EM2207126-009	EM2207126-010	EM2207126-011
				Result	Result	Result	Result	Result
<b>EP074A: Monocyclic Aromatic Hydrocarbons - Continued</b>								
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
meta- & para-Xylene	108-38-3	106-42-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5
Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
<sup>^</sup> Sum of monocyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
<sup>^</sup> Total Xylenes	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
<b>EP074H: Naphthalene</b>								
Naphthalene	91-20-3	1	mg/kg	<1	<1	<1	<1	<1
<b>EP074I: Volatile Halogenated Compounds</b>								
Vinyl chloride	75-01-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethene	75-35-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Methylene chloride	75-09-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
trans-1,2-Dichloroethene	156-60-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	156-59-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroform	67-66-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1-Trichloroethane	71-55-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Carbon Tetrachloride	56-23-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloroethane	107-06-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Trichloroethene	79-01-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2-Trichloroethane	79-00-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene	127-18-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1,2-Tetrachloroethane	630-20-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2,2-Tetrachloroethane	79-34-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Hexachlorobutadiene	87-68-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chlorobenzene	108-90-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dichlorobenzene	106-46-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichlorobenzene	95-50-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2,4-Trichlorobenzene	120-82-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
<sup>^</sup> Sum of volatile chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
<sup>^</sup> Sum of other chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
<b>EP075A: Phenolic Compounds (Halogenated)</b>								
2-Chlorophenol	95-57-8	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,4-Dichlorophenol	120-83-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220420_20_16_SS_Triplicate_ALS	SX_OB_20220420_20_17_SS_Primary_ALS	SX_OB_20220421_00_10_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS	SX_OB_20220421_03_57_SS_Primary_ALS
Sampling date / time				20-Apr-2022 00:00	20-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207126-007	EM2207126-008	EM2207126-009	EM2207126-010	EM2207126-011
				Result	Result	Result	Result	Result
<b>EP075A: Phenolic Compounds (Halogenated) - Continued</b>								
2,6-Dichlorophenol	87-65-0	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
4-Chloro-3-methylphenol	59-50-7	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,5-Trichlorophenol	95-95-4	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,6-Trichlorophenol	88-06-2	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-90-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Pentachlorophenol	87-86-5	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
^ Sum of Phenols (halogenated)	----	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>								
Phenol	108-95-2	1	mg/kg	<1	<1	<1	<1	<1
2-Methylphenol	95-48-7	1	mg/kg	<1	<1	<1	<1	<1
3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	<1	<1	<1
2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	<5	<5	<5
4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	<5	<5	<5
2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	<5	<5	<5
Dinoseb	88-85-7	20	mg/kg	<20	<20	<20	<20	<20
2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	20	mg/kg	<20	<20	<20	<20	<20
^ Sum of Phenols (non-halogenated)	----	20	mg/kg	<20	<20	<20	<20	<20
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220420_20_16_SS_Triplicate_ALS	SX_OB_20220420_20_17_SS_Primary_ALS	SX_OB_20220421_00_10_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS	SX_OB_20220421_03_57_SS_Primary_ALS
Sampling date / time				20-Apr-2022 00:00	20-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207126-007	EM2207126-008	EM2207126-009	EM2207126-010	EM2207126-011
				Result	Result	Result	Result	Result
<b>EP075B: Polynuclear Aromatic Hydrocarbons - Continued</b>								
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>
<b>EP075I: Organochlorine Pesticides</b>								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
Endosulfan 1	959-98-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan 2	33213-65-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Methoxychlor	72-43-5	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Sum of organochlorine pesticides	----	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.30	mg/kg	<0.30	<0.30	<0.30	<0.30	<0.30
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Chlordane	57-74-9	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220420_20_16_SS_Triplicate_ALS	SX_OB_20220420_20_17_SS_Primary_ALS	SX_OB_20220421_00_10_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS	SX_OB_20220421_03_57_SS_Primary_ALS
Sampling date / time				20-Apr-2022 00:00	20-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	
Compound	CAS Number	LOR	Unit	EM2207126-007	EM2207126-008	EM2207126-009	EM2207126-010	EM2207126-011	
				Result	Result	Result	Result	Result	
<b>EP075I: Organochlorine Pesticides - Continued</b>									
^ Sum of other organochlorine pesticides				----	0.03	mg/kg	<0.03	<0.03	<0.03
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction				----	20	mg/kg	<20	<20	<20
C10 - C14 Fraction				----	50	mg/kg	<50	<50	<50
C6 - C10 Fraction				C6_C10	20	mg/kg	<20	<20	<20
C15 - C28 Fraction				----	100	mg/kg	<100	<100	<100
C29 - C36 Fraction				----	100	mg/kg	<100	<100	<100
^ C10 - C36 Fraction (sum)				----	50	mg/kg	<50	<50	<50
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
>C10 - C16 Fraction				----	50	mg/kg	<50	<50	<50
>C16 - C34 Fraction				----	100	mg/kg	<100	<100	<100
>C34 - C40 Fraction				----	100	mg/kg	<100	<100	<100
^ >C10 - C40 Fraction (sum)				----	50	mg/kg	<50	<50	<50
>C10 - C16 Fraction minus Naphthalene (F2)				----	50	mg/kg	<50	<50	<50
C6 - C10 Fraction minus BTEX (F1)				C6_C10-BTEX	20	mg/kg	<20	<20	<20
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)				375-73-5	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluoropentane sulfonic acid (PFPeS)				2706-91-4	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorohexane sulfonic acid (PFHxS)				355-46-4	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluoroheptane sulfonic acid (PFHpS)				375-92-8	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorooctane sulfonic acid (PFOS)				1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorodecane sulfonic acid (PFDS)				335-77-3	5.0	µg/kg	<5.0	<5.0	<5.0
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)				375-22-4	5	µg/kg	<5	<5	<5
Perfluoropentanoic acid (PFPeA)				2706-90-3	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorohexanoic acid (PFHxA)				307-24-4	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluoroheptanoic acid (PFHpA)				375-85-9	5.0	µg/kg	<5.0	<5.0	<5.0



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220420_20_16_SS_Triplicate_ALS	SX_OB_20220420_20_17_SS_Primary_ALS	SX_OB_20220421_00_10_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS	SX_OB_20220421_03_57_SS_Primary_ALS
Sampling date / time				20-Apr-2022 00:00	20-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	
Compound	CAS Number	LOR	Unit	EM2207126-007	EM2207126-008	EM2207126-009	EM2207126-010	EM2207126-011	
				Result	Result	Result	Result	Result	
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluorooctanoic acid (PFOA)	335-67-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorononanoic acid (PFNA)	375-95-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorodecanoic acid (PFDA)	335-76-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorododecanoic acid (PFDoDA)	307-55-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220420_20_16_SS_Triplicate_ALS	SX_OB_20220420_20_17_SS_Primary_ALS	SX_OB_20220421_00_10_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS	SX_OB_20220421_03_57_SS_Primary_ALS
Sampling date / time				20-Apr-2022 00:00	20-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	
Compound	CAS Number	LOR	Unit	EM2207126-007	EM2207126-008	EM2207126-009	EM2207126-010	EM2207126-011	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	50.0	µg/kg	<50.0	<50.0	<50.0	<50.0	<50.0	
Sum of PFHxS and PFOS	355-46-4/1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Sum of PFAS (WA DER List)	----	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
<b>EP066S: PCB Surrogate</b>									
Decachlorobiphenyl	2051-24-3	0.1	%	111	102	114	98.2	117	
<b>EP074S: VOC Surrogates (Ultra-Trace)</b>									
1,2-Dichloroethane-D4	17060-07-0	0.1	%	84.3	82.3	86.1	89.1	90.0	
Toluene-D8	2037-26-5	0.1	%	82.9	79.2	86.5	88.1	87.4	
4-Bromofluorobenzene	460-00-4	0.1	%	88.6	89.0	94.9	95.7	94.5	
<b>EP075S: Acid Extractable Surrogates (Waste Classification)</b>									
Phenol-d6	13127-88-3	0.025	%	99.8	89.4	100	85.9	113	
2-Chlorophenol-D4	93951-73-6	0.025	%	87.3	77.8	87.3	74.3	97.9	
2,4,6-Tribromophenol	118-79-6	0.025	%	95.2	88.8	99.8	88.0	112	
<b>EP075T: Base/Neutral Extractable Surrogates (Waste Classification)</b>									
Nitrobenzene-D5	4165-60-0	0.025	%	87.0	79.6	87.6	75.5	101	
1,2-Dichlorobenzene-D4	2199-69-1	0.025	%	87.3	81.3	89.9	78.0	100	
2-Fluorobiphenyl	321-60-8	0.025	%	97.9	88.7	101	85.2	115	
Anthracene-d10	1719-06-8	0.025	%	92.3	82.7	95.6	79.9	109	
4-Terphenyl-d14	1718-51-0	0.025	%	124	102	119	113	135	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	107	90.8	99.2	97.4	102	
13C8-PFOA	----	0.0002	%	105	102	104	107	103	



**Analytical Results**

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220420_08_36_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS	SX_IB_20220420_12_11_SS_Primary_ALS	SX_IB_20220420_15_46_SS_Primary_ALS	SX_OB_20220420_15_59_SS_Triplicate_ALS
Sampling date / time				20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00	20-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207126-012	EM2207126-013	EM2207126-015	EM2207126-016	EM2207126-017
				Result	Result	Result	Result	Result
<b>EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>								
Final pH	----	0.1	pH Unit	9.4	9.9	9.4	9.3	8.9



### Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220420_20_16_SS_Triplicate_ALS	SX_OB_20220420_20_17_SS_Primary_ALS	SX_OB_20220421_00_10_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS	SX_OB_20220421_03_57_SS_Primary_ALS
Sampling date / time				20-Apr-2022 00:00	20-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207126-018	EM2207126-019	EM2207126-020	EM2207126-021	EM2207126-022
				Result	Result	Result	Result	Result
<b>EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>								
Final pH	----	0.1	pH Unit	9.2	9.0	8.6	9.2	9.1



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)			Sample ID		SX_IB_20220420_09_06_SR_Rinsate_ALS	SX_IB_20220420_09_08_SB_Blank_ALS	----	----	----
Sampling date / time			20-Apr-2022 00:00		20-Apr-2022 00:00		----	----	----
Compound	CAS Number	LOR	Unit	EM2207126-023	EM2207126-024	-----	-----	-----	
				Result	Result	---	---	---	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	----	----	----	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	SX_IB_20220420_09_06_SR_Rinsate_ALS	SX_IB_20220420_09_08_SB_Blank_ALS	----	----	----
Sampling date / time				20-Apr-2022 00:00	20-Apr-2022 00:00	----	----	----	
Compound	CAS Number	LOR	Unit	EM2207126-023	EM2207126-024	-----	-----	-----	
				Result	Result	---	---	---	
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>									
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.01	µg/L	<0.01	<0.01	----	----	----	
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	----	----	----	
Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	<0.01	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.02	%	91.1	88.4	----	----	----	
13C8-PFOA	----	0.02	%	87.9	94.2	----	----	----	



## Surrogate Control Limits

Sub-Matrix: ASLP LEACHATE		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP231S: PFAS Surrogate</b>			
13C4-PFOS	----	65	140
13C8-PFOA	----	71	133

Sub-Matrix: DI WATER LEACHATE		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP231S: PFAS Surrogate</b>			
13C4-PFOS	----	65	140
13C8-PFOA	----	71	133

Sub-Matrix: SOIL		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP066S: PCB Surrogate</b>			
Decachlorobiphenyl	2051-24-3	41	122
<b>EP074S: VOC Surrogates (Ultra-Trace)</b>			
1,2-Dichloroethane-D4	17060-07-0	59	119
Toluene-D8	2037-26-5	55	117
4-Bromofluorobenzene	460-00-4	59	123
<b>EP075S: Acid Extractable Surrogates (Waste Classification)</b>			
Phenol-d6	13127-88-3	63	134
2-Chlorophenol-D4	93951-73-6	60	125
2,4,6-Tribromophenol	118-79-6	54	129
<b>EP075T: Base/Neutral Extractable Surrogates (Waste Classification)</b>			
Nitrobenzene-D5	4165-60-0	63	131
1,2-Dichlorobenzene-D4	2199-69-1	61	124
2-Fluorobiphenyl	321-60-8	69	131
Anthracene-d10	1719-06-8	70	133
4-Terphenyl-d14	1718-51-0	59	141
<b>EP231S: PFAS Surrogate</b>			
13C4-PFOS	----	68	136
13C8-PFOA	----	69	133

Sub-Matrix: WATER		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP231S: PFAS Surrogate</b>			
13C4-PFOS	----	65	140
13C8-PFOA	----	71	133



## Automated Guideline Comparison Report

### EPA Victoria Publication IWRG 621 (2009) - Table 2: Soil Hazard Categorisation

Work Order	: <b>EM2207126</b>	Page	: 1 of 26
Client	: <b>AGON ENVIRONMENTAL PTY LTD</b>	Laboratory	: Environmental Division Melbourne
Contact	: DAVID LAWSON		
Address	: D1.1 63-85 TURNER STREET PORT MELBOURNE 3207	Address	: 4 Westall Rd Springvale VIC Australia 3171
E-mail	: david.lawson@agonenviro.com.au	E-mail	: Josh.Alexander@alsglobal.com
Telephone	: ----	Telephone	: +61-3-8549 9600
Facsimile	: ----	Facsimile	: +61-3-8549 9626
Project	: JC0927	Date Received	: 21-Apr-2022 09:55
Order number	: ----	Date Analysed	: 21-Apr-2022
C-O-C number	: 20220421040957-ALS-21	Date Issued	: 28-Apr-2022 15:26
No. of samples received	: 24		
No. of samples analysed	: 22	Quote number	: EN/150/19 -WGTP -Bulk Sample Quote

#### General Comments

This guideline comparison report **only** provides comparison of total concentration data against upper limit thresholds for the 'Fill Material', 'C', 'B' Categories in Table 2 of EPA Publication IWRG621.

This guideline comparison report is **NOT** a soil classification report. Classification of soils as Fill Material, Category C, Category B or Category A requires consideration of a number of other factors including preliminary site investigation, sampling density and statistical calculations, as set out in EPA Publication IWRG 702 and measurement uncertainty.

This guideline comparison report only provides comparison data for parameters, specifically listed within the IWRG621 (2009) guideline, that are analysed by ALS.

Only results in the 'Analytical Results' section have been compared to the guideline.

**Additional information pertinent to this report will be found in the following separate attachments: Certificate of Analysis, Quality Control Report, QA/QC Compliance Assessment to Assist with Quality Review and Sample Receipt Notification.**



**Summary of Thresholds Reached or Exceeded**

EPA Victoria Publication IWRG 621 (2009)

**Table 2: Soil Hazard Categorisation Thresholds : Fill Material**

Client Sample ID	ALS Sample ID	Compound	Method	LOR	Limits	Result
SX_IB_20220420_08_36_S S_Primary_ALS	EM2207126-001	Arsenic	EG005T	5	< 20 mg/kg	28 mg/kg
SX_IB_20220420_08_36_S S_Primary_ALS	EM2207126-001	Nickel	EG005T	5	< 60 mg/kg	164 mg/kg
SX_IB_20220420_08_36_S S_Duplicate_ALS	EM2207126-002	Arsenic	EG005T	5	< 20 mg/kg	24 mg/kg
SX_IB_20220420_08_36_S S_Duplicate_ALS	EM2207126-002	Nickel	EG005T	5	< 60 mg/kg	153 mg/kg
SX_IB_20220420_12_11_S S_Primary_ALS	EM2207126-004	Arsenic	EG005T	5	< 20 mg/kg	20 mg/kg
SX_IB_20220420_12_11_S S_Primary_ALS	EM2207126-004	Nickel	EG005T	5	< 60 mg/kg	164 mg/kg
SX_IB_20220420_15_46_S S_Primary_ALS	EM2207126-005	Arsenic	EG005T	5	< 20 mg/kg	23 mg/kg
SX_IB_20220420_15_46_S S_Primary_ALS	EM2207126-005	Nickel	EG005T	5	< 60 mg/kg	138 mg/kg
SX_OB_20220420_15_59_ SS_Triplicate_ALS	EM2207126-006	Arsenic	EG005T	5	< 20 mg/kg	30 mg/kg
SX_OB_20220420_15_59_ SS_Triplicate_ALS	EM2207126-006	Nickel	EG005T	5	< 60 mg/kg	136 mg/kg
SX_IB_20220420_20_16_S S_Triplicate_ALS	EM2207126-007	Nickel	EG005T	5	< 60 mg/kg	166 mg/kg
SX_OB_20220420_20_17_ SS_Primary_ALS	EM2207126-008	Arsenic	EG005T	5	< 20 mg/kg	40 mg/kg
SX_OB_20220420_20_17_ SS_Primary_ALS	EM2207126-008	Nickel	EG005T	5	< 60 mg/kg	136 mg/kg
SX_OB_20220421_00_10_ SS_Primary_ALS	EM2207126-009	Arsenic	EG005T	5	< 20 mg/kg	40 mg/kg
SX_OB_20220421_00_10_ SS_Primary_ALS	EM2207126-009	Nickel	EG005T	5	< 60 mg/kg	154 mg/kg
SX_IB_20220421_00_12_S S_Primary_ALS	EM2207126-010	Arsenic	EG005T	5	< 20 mg/kg	30 mg/kg
SX_IB_20220421_00_12_S S_Primary_ALS	EM2207126-010	Nickel	EG005T	5	< 60 mg/kg	135 mg/kg
SX_OB_20220421_03_57_ SS_Primary_ALS	EM2207126-011	Arsenic	EG005T	5	< 20 mg/kg	39 mg/kg
SX_OB_20220421_03_57_ SS_Primary_ALS	EM2207126-011	Nickel	EG005T	5	< 60 mg/kg	160 mg/kg



## Analytical Results

### Soil Hazard Categorisation and Management

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220 420_08_36_S S_Primary_AL S	SX_IB_20220 420_08_36_S S_Duplicate_ ALS	SX_IB_20220 420_12_11_S S_Primary_AL S	SX_IB_20220 420_15_46_S S_Primary_AL S	SX_OB_20220 420_15_59_S S_Triplicate_ ALS
				Guideline	Guideline					
				Lower Limit	Upper Limit					
						20-Apr-2022 15:00	20-Apr-2022 15:00	20-Apr-2022 15:00	20-Apr-2022 15:00	20-Apr-2022 15:00
						EM2207126-001 MU	EM2207126-002 MU	EM2207126-004 MU	EM2207126-005 MU	EM2207126-006 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	2	12.5	7.8 ± 0.1	8.1 ± 0.1	7.8 ± 0.1	7.9 ± 0.1	8.0 ± 0.1
<b>EG005(ED093)T: Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	2000	28 ± 4	24 ± 4	20 ± 3	23 ± 3	30 ± 4
Cadmium	EG005T	1	mg/kg	----	400	<1 ..	<1 ..	<1 ..	<1 ..	<1 ..
Copper	EG005T	5	mg/kg	----	20000	63 ± 8	57 ± 7	70 ± 8	62 ± 8	55 ± 7
Lead	EG005T	5	mg/kg	----	6000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Molybdenum	EG005T	5	mg/kg	----	4000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Nickel	EG005T	5	mg/kg	----	12000	164 ± 16	153 ± 15	164 ± 16	138 ± 14	136 ± 13
Selenium	EG005T	5	mg/kg	----	200	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Silver	EG005T	2	mg/kg	----	720	<2 ..	<2 ..	<2 ..	<2 ..	<2 ..
Zinc	EG005T	5	mg/kg	----	140000	91 ± 10	86 ± 10	92 ± 10	87 ± 10	77 ± 9
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	300	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	2000	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	10000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	40000	220 ± 40	190 ± 40	240 ± 40	240 ± 50	150 ± 40
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	16	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	240	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP074I: Volatile Halogenated Compounds</b>										
Vinyl chloride	EP074-UT	0.50	mg/kg	----	4.8	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	11	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	50	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	320	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_IB_20220	SX_IB_20220	SX_IB_20220	SX_IB_20220
				Guideline	Guideline	420_08_36_S	420_08_36_S	420_12_11_S	420_15_46_S	420_15_59_S
						S_Primary_ALS	S_Duplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Triplicate_ALS
				Lower Limit	Upper Limit	20-Apr-2022 15:00	20-Apr-2022 15:00	20-Apr-2022 15:00	20-Apr-2022 15:00	20-Apr-2022 15:00
						EM2207126-001 MU	EM2207126-002 MU	EM2207126-004 MU	EM2207126-005 MU	EM2207126-006 MU
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	2200	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	20	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	400	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP075I: Organochlorine Pesticides</b>										
Heptachlor	EP075-EM	0.05	mg/kg	----	4.8	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Sum of Aldrin + Dieldrin	EP075-EM-SUM	0.30	mg/kg	----	4.8	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..
Sum of DDD + DDE + DDT	EP075-EM-SUM	0.05	mg/kg	----	50	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Chlordane	EP075-EM-SUM	0.10	mg/kg	----	16	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..
Sum of other organochlorine pesticides	EP075-EM-SUM	0.03	mg/kg	----	50	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..
<b>EP080/071: Total Petroleum Hydrocarbons</b>										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	2600	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	40000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category C: Table 2: Soil Hazard Categorisation Thresholds : Category C**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220 420_08_36_S S_Primary_AL S	SX_IB_20220 420_08_36_S S_Duplicate_ ALS	SX_IB_20220 420_12_11_S S_Primary_AL S	SX_IB_20220 420_15_46_S S_Primary_AL S	SX_OB_20220 420_15_59_S S_Triplicate_ ALS
				Guideline	Guideline	20-Apr-2022 15:00	20-Apr-2022 15:00	20-Apr-2022 15:00	20-Apr-2022 15:00	20-Apr-2022 15:00
				Lower Limit	Upper Limit	EM2207126-001 MU	EM2207126-002 MU	EM2207126-004 MU	EM2207126-005 MU	EM2207126-006 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	4	9	7.8 ± 0.1	8.1 ± 0.1	7.8 ± 0.1	7.9 ± 0.1	8.0 ± 0.1
<b>EG005(ED093)T: Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	500	28 ± 4	24 ± 4	20 ± 3	23 ± 3	30 ± 4
Cadmium	EG005T	1	mg/kg	----	100	<1 ..	<1 ..	<1 ..	<1 ..	<1 ..
Copper	EG005T	5	mg/kg	----	5000	63 ± 8	57 ± 7	70 ± 8	62 ± 8	55 ± 7
Lead	EG005T	5	mg/kg	----	1500	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Molybdenum	EG005T	5	mg/kg	----	1000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Nickel	EG005T	5	mg/kg	----	3000	164 ± 16	153 ± 15	164 ± 16	138 ± 14	136 ± 13
Selenium	EG005T	5	mg/kg	----	50	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Silver	EG005T	2	mg/kg	----	180	<2 ..	<2 ..	<2 ..	<2 ..	<2 ..
Tin	EG005T	10	mg/kg	----	500	<10 ..	<10 ..	<10 ..	<10 ..	<10 ..
Zinc	EG005T	5	mg/kg	----	35000	91 ± 10	86 ± 10	92 ± 10	87 ± 10	77 ± 9
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	75	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	500	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	2500	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	10000	220 ± 40	190 ± 40	240 ± 40	240 ± 50	150 ± 40
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	4	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	70	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP074I: Volatile Halogenated Compounds</b>										
Vinyl chloride	EP074-UT	0.50	mg/kg	----	1.2	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	2.8	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	10	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	10	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category C: Table 2: Soil Hazard Categorisation Thresholds : Category C**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_IB_20220	SX_IB_20220	SX_IB_20220	SX_IB_20220
				Guideline	Guideline	420_08_36_S	420_08_36_S	420_12_11_S	420_15_46_S	420_15_59_S
						S_Primary_ALS	S_Duplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Triplicate_ALS
				Lower Limit	Upper Limit	20-Apr-2022 15:00	20-Apr-2022 15:00	20-Apr-2022 15:00	20-Apr-2022 15:00	20-Apr-2022 15:00
						EM2207126-001 MU	EM2207126-002 MU	EM2207126-004 MU	EM2207126-005 MU	EM2207126-006 MU
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	560	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	5	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	100	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP075I: Organochlorine Pesticides</b>										
Heptachlor	EP075-EM	0.05	mg/kg	----	1.2	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Sum of Aldrin + Dieldrin	EP075-EM-SUM	0.30	mg/kg	----	1.2	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..
Sum of DDD + DDE + DDT	EP075-EM-SUM	0.05	mg/kg	----	50	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Chlordane	EP075-EM-SUM	0.10	mg/kg	----	4	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..
Sum of other organochlorine pesticides	EP075-EM-SUM	0.03	mg/kg	----	10	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..
<b>EP080/071: Total Petroleum Hydrocarbons</b>										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	650	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	10000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Fill Material: Table 2: Soil Hazard Categorisation Thresholds : Fill Material**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220 420_08_36_S S_Primary_AL S	SX_IB_20220 420_08_36_S S_Duplicate_ ALS	SX_IB_20220 420_12_11_S S_Primary_AL S	SX_IB_20220 420_15_46_S S_Primary_AL S	SX_OB_20220 420_15_59_S S_Triplicate_ ALS
				Guideline	Guideline	20-Apr-2022 15:00	20-Apr-2022 15:00	20-Apr-2022 15:00	20-Apr-2022 15:00	20-Apr-2022 15:00
				Lower Limit	Upper Limit	EM2207126-001 MU	EM2207126-002 MU	EM2207126-004 MU	EM2207126-005 MU	EM2207126-006 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	4	9	7.8 ± 0.1	8.1 ± 0.1	7.8 ± 0.1	7.9 ± 0.1	8.0 ± 0.1
<b>EG005(ED093)T: Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	20	28 ± 4	24 ± 4	20 ± 3	23 ± 3	30 ± 4
Cadmium	EG005T	1	mg/kg	----	3	<1 ..	<1 ..	<1 ..	<1 ..	<1 ..
Copper	EG005T	5	mg/kg	----	100	63 ± 8	57 ± 7	70 ± 8	62 ± 8	55 ± 7
Lead	EG005T	5	mg/kg	----	300	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Molybdenum	EG005T	5	mg/kg	----	40	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Nickel	EG005T	5	mg/kg	----	60	164 ± 16	153 ± 15	164 ± 16	138 ± 14	136 ± 13
Selenium	EG005T	5	mg/kg	----	10	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Silver	EG005T	2	mg/kg	----	10	<2 ..	<2 ..	<2 ..	<2 ..	<2 ..
Tin	EG005T	10	mg/kg	----	50	<10 ..	<10 ..	<10 ..	<10 ..	<10 ..
Zinc	EG005T	5	mg/kg	----	200	91 ± 10	86 ± 10	92 ± 10	87 ± 10	77 ± 9
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	1	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	1	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	50	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	450	220 ± 40	190 ± 40	240 ± 40	240 ± 50	150 ± 40
<b>EP066: Polychlorinated Biphenyls (PCB)</b>										
Total Polychlorinated biphenyls	EP066-EM	0.1	mg/kg	----	2	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	1	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	7	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP074I: Volatile Halogenated Compounds</b>										
Sum of volatile chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	1	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	1	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Fill Material: Table 2: Soil Hazard Categorisation Thresholds : Fill Material**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_IB_20220	SX_IB_20220	SX_IB_20220	SX_IB_20220
				Guideline	Guideline	420_08_36_S	420_08_36_S	420_12_11_S	420_15_46_S	420_15_59_S
						S_Primary_ALS	S_Duplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Triplicate_ALS
				Lower Limit	Upper Limit	20-Apr-2022 15:00	20-Apr-2022 15:00	20-Apr-2022 15:00	20-Apr-2022 15:00	20-Apr-2022 15:00
						EM2207126-001 MU	EM2207126-002 MU	EM2207126-004 MU	EM2207126-005 MU	EM2207126-006 MU
<b>EP075A: Phenolic Compounds (Non-halogenated) - Continued</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	60	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	1	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	20	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP075I: Organochlorine Pesticides</b>										
Sum of organochlorine pesticides	EP075-EM-SUM	0.10	mg/kg	----	1	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..
<b>EP080/071: Total Petroleum Hydrocarbons</b>										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	100	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	1000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..





**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_OB_20220	SX_OB_20220	SX_IB_20220	SX_OB_20220
				Lower Limit	Upper Limit	420_20_16_S	420_20_17_S	421_00_10_S	421_00_12_S	421_03_57_S
						S_Triplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS
				Guideline	Guideline	20-Apr-2022 15:00	20-Apr-2022 15:00	21-Apr-2022 15:00	21-Apr-2022 15:00	21-Apr-2022 15:00
						EM2207126-007 MU	EM2207126-008 MU	EM2207126-009 MU	EM2207126-010 MU	EM2207126-011 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	2	12.5	7.9 ± 0.1	7.8 ± 0.1	7.8 ± 0.1	7.9 ± 0.1	7.8 ± 0.1
<b>EG005(ED093)T: Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	2000	19 ± 3	40 ± 5	40 ± 5	30 ± 4	39 ± 5
Cadmium	EG005T	1	mg/kg	----	400	<1 ..	<1 ..	<1 ..	<1 ..	<1 ..
Copper	EG005T	5	mg/kg	----	20000	72 ± 9	66 ± 8	68 ± 8	67 ± 8	56 ± 7
Lead	EG005T	5	mg/kg	----	6000	<5 ..	<5 ..	<5 ..	5 ± 1.0	<5 ..
Molybdenum	EG005T	5	mg/kg	----	4000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Nickel	EG005T	5	mg/kg	----	12000	166 ± 16	136 ± 13	154 ± 15	135 ± 13	160 ± 16
Selenium	EG005T	5	mg/kg	----	200	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Silver	EG005T	2	mg/kg	----	720	<2 ..	<2 ..	<2 ..	<2 ..	<2 ..
Zinc	EG005T	5	mg/kg	----	140000	104 ± 11	95 ± 11	87 ± 10	82 ± 9	104 ± 11
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	300	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	2000	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	10000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	40000	260 ± 50	170 ± 40	120 ± 30	270 ± 50	170 ± 40
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	16	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	240	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP074I: Volatile Halogenated Compounds</b>										
Vinyl chloride	EP074-UT	0.50	mg/kg	----	4.8	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	11	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	50	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	320	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_OB_20220	SX_OB_20220	SX_IB_20220	SX_OB_20220
				Guideline	Guideline	420_20_16_S	420_20_17_S	421_00_10_S	421_00_12_S	421_03_57_S
						S_Triplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS
				Lower Limit	Upper Limit	20-Apr-2022 15:00	20-Apr-2022 15:00	21-Apr-2022 15:00	21-Apr-2022 15:00	21-Apr-2022 15:00
						EM2207126-007 MU	EM2207126-008 MU	EM2207126-009 MU	EM2207126-010 MU	EM2207126-011 MU
<b>EP075A: Phenolic Compounds (Non-halogenated) - Continued</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	2200	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	20	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	400	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP075I: Organochlorine Pesticides</b>										
Heptachlor	EP075-EM	0.05	mg/kg	----	4.8	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Sum of Aldrin + Dieldrin	EP075-EM-SUM	0.30	mg/kg	----	4.8	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..
Sum of DDD + DDE + DDT	EP075-EM-SUM	0.05	mg/kg	----	50	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Chlordane	EP075-EM-SUM	0.10	mg/kg	----	16	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..
Sum of other organochlorine pesticides	EP075-EM-SUM	0.03	mg/kg	----	50	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..
<b>EP080/071: Total Petroleum Hydrocarbons</b>										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	2600	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	40000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category C: Table 2: Soil Hazard Categorisation Thresholds : Category C**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_OB_20220	SX_OB_20220	SX_IB_20220	SX_OB_20220
				Guideline	Guideline	420_20_16_S	420_20_17_S	421_00_10_S	421_00_12_S	421_03_57_S
						S_Triplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS
				Lower Limit	Upper Limit	20-Apr-2022 15:00	20-Apr-2022 15:00	21-Apr-2022 15:00	21-Apr-2022 15:00	21-Apr-2022 15:00
						EM2207126-007 MU	EM2207126-008 MU	EM2207126-009 MU	EM2207126-010 MU	EM2207126-011 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	4	9	7.9 ± 0.1	7.8 ± 0.1	7.8 ± 0.1	7.9 ± 0.1	7.8 ± 0.1
<b>EG005(ED093)T: Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	500	19 ± 3	40 ± 5	40 ± 5	30 ± 4	39 ± 5
Cadmium	EG005T	1	mg/kg	----	100	<1 ..	<1 ..	<1 ..	<1 ..	<1 ..
Copper	EG005T	5	mg/kg	----	5000	72 ± 9	66 ± 8	68 ± 8	67 ± 8	56 ± 7
Lead	EG005T	5	mg/kg	----	1500	<5 ..	<5 ..	<5 ..	5 ± 1.0	<5 ..
Molybdenum	EG005T	5	mg/kg	----	1000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Nickel	EG005T	5	mg/kg	----	3000	166 ± 16	136 ± 13	154 ± 15	135 ± 13	160 ± 16
Selenium	EG005T	5	mg/kg	----	50	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Silver	EG005T	2	mg/kg	----	180	<2 ..	<2 ..	<2 ..	<2 ..	<2 ..
Tin	EG005T	10	mg/kg	----	500	<10 ..	<10 ..	<10 ..	<10 ..	<10 ..
Zinc	EG005T	5	mg/kg	----	35000	104 ± 11	95 ± 11	87 ± 10	82 ± 9	104 ± 11
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	75	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	500	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	2500	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	10000	260 ± 50	170 ± 40	120 ± 30	270 ± 50	170 ± 40
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	4	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	70	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP074I: Volatile Halogenated Compounds</b>										
Vinyl chloride	EP074-UT	0.50	mg/kg	----	1.2	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	2.8	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	10	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	10	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category C: Table 2: Soil Hazard Categorisation Thresholds : Category C**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_OB_20220	SX_OB_20220	SX_IB_20220	SX_OB_20220
				Guideline	Guideline	420_20_16_S	420_20_17_S	421_00_10_S	421_00_12_S	421_03_57_S
						S_Triplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS
				Lower Limit	Upper Limit	20-Apr-2022 15:00	20-Apr-2022 15:00	21-Apr-2022 15:00	21-Apr-2022 15:00	21-Apr-2022 15:00
						EM2207126-007 MU	EM2207126-008 MU	EM2207126-009 MU	EM2207126-010 MU	EM2207126-011 MU
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	560	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	5	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	100	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP075I: Organochlorine Pesticides</b>										
Heptachlor	EP075-EM	0.05	mg/kg	----	1.2	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Sum of Aldrin + Dieldrin	EP075-EM-SUM	0.30	mg/kg	----	1.2	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..
Sum of DDD + DDE + DDT	EP075-EM-SUM	0.05	mg/kg	----	50	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Chlordane	EP075-EM-SUM	0.10	mg/kg	----	4	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..
Sum of other organochlorine pesticides	EP075-EM-SUM	0.03	mg/kg	----	10	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..
<b>EP080/071: Total Petroleum Hydrocarbons</b>										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	650	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	10000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Fill Material: Table 2: Soil Hazard Categorisation Thresholds : Fill Material**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_OB_20220	SX_OB_20220	SX_IB_20220	SX_OB_20220
				Guideline	Guideline	420_20_16_S	420_20_17_S	421_00_10_S	421_00_12_S	421_03_57_S
						S_Triplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS
				Lower Limit	Upper Limit	20-Apr-2022 15:00	20-Apr-2022 15:00	21-Apr-2022 15:00	21-Apr-2022 15:00	21-Apr-2022 15:00
						EM2207126-007 MU	EM2207126-008 MU	EM2207126-009 MU	EM2207126-010 MU	EM2207126-011 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	4	9	7.9 ± 0.1	7.8 ± 0.1	7.8 ± 0.1	7.9 ± 0.1	7.8 ± 0.1
<b>EG005(ED093)T: Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	20	19 ± 3	40 ± 5	40 ± 5	30 ± 4	39 ± 5
Cadmium	EG005T	1	mg/kg	----	3	<1 ..	<1 ..	<1 ..	<1 ..	<1 ..
Copper	EG005T	5	mg/kg	----	100	72 ± 9	66 ± 8	68 ± 8	67 ± 8	56 ± 7
Lead	EG005T	5	mg/kg	----	300	<5 ..	<5 ..	<5 ..	5 ± 1.0	<5 ..
Molybdenum	EG005T	5	mg/kg	----	40	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Nickel	EG005T	5	mg/kg	----	60	166 ± 16	136 ± 13	154 ± 15	135 ± 13	160 ± 16
Selenium	EG005T	5	mg/kg	----	10	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Silver	EG005T	2	mg/kg	----	10	<2 ..	<2 ..	<2 ..	<2 ..	<2 ..
Tin	EG005T	10	mg/kg	----	50	<10 ..	<10 ..	<10 ..	<10 ..	<10 ..
Zinc	EG005T	5	mg/kg	----	200	104 ± 11	95 ± 11	87 ± 10	82 ± 9	104 ± 11
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	1	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	1	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	50	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	450	260 ± 50	170 ± 40	120 ± 30	270 ± 50	170 ± 40
<b>EP066: Polychlorinated Biphenyls (PCB)</b>										
Total Polychlorinated biphenyls	EP066-EM	0.1	mg/kg	----	2	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	1	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	7	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP074I: Volatile Halogenated Compounds</b>										
Sum of volatile chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	1	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	1	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Fill Material: Table 2: Soil Hazard Categorisation Thresholds : Fill Material**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_OB_20220	SX_OB_20220	SX_IB_20220	SX_OB_20220
				Guideline	Guideline	420_20_16_S	420_20_17_S	421_00_10_S	421_00_12_S	421_03_57_S
						S_Triplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS
				Lower Limit	Upper Limit	20-Apr-2022 15:00	20-Apr-2022 15:00	21-Apr-2022 15:00	21-Apr-2022 15:00	21-Apr-2022 15:00
						EM2207126-007 MU	EM2207126-008 MU	EM2207126-009 MU	EM2207126-010 MU	EM2207126-011 MU
<b>EP075A: Phenolic Compounds (Non-halogenated) - Continued</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	60	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	1	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	20	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP075I: Organochlorine Pesticides</b>										
Sum of organochlorine pesticides	EP075-EM-SUM	0.10	mg/kg	----	1	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..
<b>EP080/071: Total Petroleum Hydrocarbons</b>										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	100	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	1000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_IB_20220	SX_IB_20220	SX_IB_20220	SX_OB_20220
				Guideline	Guideline	420_08_36_S	420_08_36_S	420_12_11_S	420_15_46_S	420_15_59_S
						S_Primary_ALS	S_Duplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Triplicate_ALS
				Lower Limit	Upper Limit	20-Apr-2022 15:00	20-Apr-2022 15:00	20-Apr-2022 15:00	20-Apr-2022 15:00	20-Apr-2022 15:00
						EM2207126-012 MU	EM2207126-013 MU	EM2207126-015 MU	EM2207126-016 MU	EM2207126-017 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	----	----	----	----	----	----	----
<b>EG005(ED093T): Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	----	----	----	----	----	----
Cadmium	EG005T	1	mg/kg	----	----	----	----	----	----	----
Copper	EG005T	5	mg/kg	----	----	----	----	----	----	----
Lead	EG005T	5	mg/kg	----	----	----	----	----	----	----
Molybdenum	EG005T	5	mg/kg	----	----	----	----	----	----	----
Nickel	EG005T	5	mg/kg	----	----	----	----	----	----	----
Selenium	EG005T	5	mg/kg	----	----	----	----	----	----	----
Silver	EG005T	2	mg/kg	----	----	----	----	----	----	----
Zinc	EG005T	5	mg/kg	----	----	----	----	----	----	----
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	----	----	----	----	----	----
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	----	----	----	----	----	----
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	----	----	----	----	----	----
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	----	----	----	----	----	----
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	----	----	----	----	----	----
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	----	----	----	----	----	----
<b>EP074I: Volatile Halogenated Compounds</b>										
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	----	----	----	----	----	----
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	----	----	----	----	----	----
Vinyl chloride	EP074-UT	0.50	mg/kg	----	----	----	----	----	----	----
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	----	----	----	----	----	----
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	----	----	----	----	----	----
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										















**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220 420_20_16_S S_Triplicate_ ALS	SX_OB_20220 420_20_17_S S_Primary_AL S	SX_OB_20220 421_00_10_S S_Primary_AL S	SX_IB_20220 421_00_12_S S_Primary_AL S	SX_OB_20220 421_03_57_S S_Primary_AL S
				Guideline	Guideline					
				Lower Limit	Upper Limit					
						20-Apr-2022 15:00	20-Apr-2022 15:00	21-Apr-2022 15:00	21-Apr-2022 15:00	21-Apr-2022 15:00
						EM2207126-018 MU	EM2207126-019 MU	EM2207126-020 MU	EM2207126-021 MU	EM2207126-022 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	----	----	----	----	----	----	----
<b>EG005(ED093T): Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	----	----	----	----	----	----
Cadmium	EG005T	1	mg/kg	----	----	----	----	----	----	----
Copper	EG005T	5	mg/kg	----	----	----	----	----	----	----
Lead	EG005T	5	mg/kg	----	----	----	----	----	----	----
Molybdenum	EG005T	5	mg/kg	----	----	----	----	----	----	----
Nickel	EG005T	5	mg/kg	----	----	----	----	----	----	----
Selenium	EG005T	5	mg/kg	----	----	----	----	----	----	----
Silver	EG005T	2	mg/kg	----	----	----	----	----	----	----
Zinc	EG005T	5	mg/kg	----	----	----	----	----	----	----
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	----	----	----	----	----	----
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	----	----	----	----	----	----
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	----	----	----	----	----	----
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	----	----	----	----	----	----
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	----	----	----	----	----	----
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	----	----	----	----	----	----
<b>EP074I: Volatile Halogenated Compounds</b>										
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	----	----	----	----	----	----
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	----	----	----	----	----	----
Vinyl chloride	EP074-UT	0.50	mg/kg	----	----	----	----	----	----	----
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	----	----	----	----	----	----
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	----	----	----	----	----	----
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										













## QUALITY CONTROL REPORT

<b>Work Order</b>	<b>: EM2207126</b>	<b>Page</b>	: 1 of 25
<b>Client</b>	<b>: AGON ENVIRONMENTAL PTY LTD</b>	<b>Laboratory</b>	: Environmental Division Melbourne
<b>Contact</b>	: DAVID LAWSON	<b>Contact</b>	: Josh Alexander
<b>Address</b>	: D1.1 63-85 TURNER STREET PORT MELBOURNE 3207	<b>Address</b>	: 4 Westall Rd Springvale VIC Australia 3171
<b>Telephone</b>	: ----	<b>Telephone</b>	: +61-3-8549 9600
<b>Project</b>	: JC0927	<b>Date Samples Received</b>	: 21-Apr-2022
<b>Order number</b>	: ----	<b>Date Analysis Commenced</b>	: 21-Apr-2022
<b>C-O-C number</b>	: 20220421040957-ALS-21	<b>Issue Date</b>	: 28-Apr-2022
<b>Sampler</b>	: Hannah, Louis		
<b>Site</b>	: 20220421040957-ALS-21		
<b>Quote number</b>	: EN/150/19 -WGTP -Bulk Sample Quote		
<b>No. of samples received</b>	: 24		
<b>No. of samples analysed</b>	: 22		



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Dilani Fernando	Laboratory Coordinator	Melbourne Inorganics, Springvale, VIC
Jarwis Nheu	Senior Inorganic Chemist	Melbourne Inorganics, Springvale, VIC
Xing Lin	Senior Organic Chemist	Melbourne Inorganics, Springvale, VIC
Xing Lin	Senior Organic Chemist	Melbourne Organics, Springvale, VIC



## General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Key :  
 Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
 CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
 LOR = Limit of reporting  
 RPD = Relative Percentage Difference  
 # = Indicates failed QC

## Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EG005(ED093)T: Total Metals by ICP-AES (QC Lot: 4302591)</b>									
EM2206923-001	Anonymous	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.0	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	47	46	3.4	0% - 20%
		EG005T: Molybdenum	7439-98-7	2	mg/kg	<2	<2	0.0	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	16	12	22.6	No Limit
		EG005T: Silver	7440-22-4	2	mg/kg	<2	<2	0.0	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	6	8	31.0	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	15	11	34.7	No Limit
		EG005T: Lead	7439-92-1	5	mg/kg	13	22	47.9	No Limit
		EG005T: Selenium	7782-49-2	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Tin	7440-31-5	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	12	12	0.0	No Limit
EM2207126-002	SX_IB_20220420_08_36_S S_Duplicate_ALS	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.0	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	104	107	2.5	0% - 20%
		EG005T: Molybdenum	7439-98-7	2	mg/kg	<5	<5	0.0	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	153	150	1.7	0% - 20%
		EG005T: Silver	7440-22-4	2	mg/kg	<2	<2	0.0	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	24	25	4.2	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	57	57	0.0	0% - 50%
		EG005T: Lead	7439-92-1	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Selenium	7782-49-2	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Tin	7440-31-5	5	mg/kg	<10	<10	0.0	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	86	80	7.4	0% - 50%
<b>EA001: pH in soil using 0.01M CaCl extract (QC Lot: 4304957)</b>									



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EA001: pH in soil using 0.01M CaCl extract (QC Lot: 4304957) - continued</b>									
EM2207126-001	SX_IB_20220420_08_36_S S_Primary_ALS	EA001: pH (CaCl2)	----	0.1	pH Unit	7.8	7.9	0.0	0% - 20%
EM2207126-011	SX_OB_20220421_03_57_ SS_Primary_ALS	EA001: pH (CaCl2)	----	0.1	pH Unit	7.8	7.7	0.0	0% - 20%
<b>EA055: Moisture Content (Dried @ 105-110°C) (QC Lot: 4302878)</b>									
EM2206971-001	Anonymous	EA055: Moisture Content	----	0.1	%	9.0	11.1	21.1	0% - 50%
EM2206991-008	Anonymous	EA055: Moisture Content	----	0.1	%	20.6	21.5	4.1	0% - 20%
<b>EA055: Moisture Content (Dried @ 105-110°C) (QC Lot: 4302879)</b>									
EM2207126-006	SX_OB_20220420_15_59_ SS_Triplicate_ALS	EA055: Moisture Content	----	0.1	%	32.9	31.9	3.0	0% - 20%
EM2207207-001	Anonymous	EA055: Moisture Content	----	0.1	%	3.0	2.9	0.0	No Limit
<b>EG035T: Total Recoverable Mercury by FIMS (QC Lot: 4302592)</b>									
EM2206923-001	Anonymous	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EM2207126-002	SX_IB_20220420_08_36_S S_Duplicate_ALS	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
<b>EG048: Hexavalent Chromium (Alkaline Digest) (QC Lot: 4302529)</b>									
EM2206622-004	Anonymous	EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
EM2206916-095	Anonymous	EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
<b>EG048: Hexavalent Chromium (Alkaline Digest) (QC Lot: 4302530)</b>									
EM2207126-008	SX_OB_20220420_20_17_ SS_Primary_ALS	EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<1.0	<1.0	0.0	No Limit
EM2207159-001	Anonymous	EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
<b>EK026SF: Total CN by Segmented Flow Analyser (QC Lot: 4304086)</b>									
EM2206916-012	Anonymous	EK026SF: Total Cyanide	57-12-5	1	mg/kg	<1	<1	0.0	No Limit
EM2206923-009	Anonymous	EK026SF: Total Cyanide	57-12-5	1	mg/kg	<1	<1	0.0	No Limit
<b>EK026SF: Total CN by Segmented Flow Analyser (QC Lot: 4304089)</b>									
EM2207126-010	SX_IB_20220421_00_12_S S_Primary_ALS	EK026SF: Total Cyanide	57-12-5	1	mg/kg	<5	<5	0.0	No Limit
EM2207189-003	Anonymous	EK026SF: Total Cyanide	57-12-5	1	mg/kg	<1	<1	0.0	No Limit
<b>EK040T: Fluoride Total (QC Lot: 4302520)</b>									
EM2206787-002	Anonymous	EK040T: Fluoride	16984-48-8	40	mg/kg	290	300	0.0	No Limit
EM2206923-009	Anonymous	EK040T: Fluoride	16984-48-8	40	mg/kg	210	250	16.4	No Limit
<b>EK040T: Fluoride Total (QC Lot: 4302521)</b>									
EM2207126-009	SX_OB_20220421_00_10_ SS_Primary_ALS	EK040T: Fluoride	16984-48-8	40	mg/kg	120	120	0.0	No Limit
EM2207161-001	Anonymous	EK040T: Fluoride	16984-48-8	40	mg/kg	210	250	14.4	No Limit
<b>EP066: Polychlorinated Biphenyls (PCB) (QC Lot: 4299413)</b>									
EM2207126-001	SX_IB_20220420_08_36_S S_Primary_ALS	EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	0.0	No Limit



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP074A: Monocyclic Aromatic Hydrocarbons (QC Lot: 4298701)</b>									
EM2207126-001	SX_IB_20220420_08_36_S S_Primary_ALS	EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.0	No Limit
		EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
<b>EP074H: Naphthalene (QC Lot: 4298701)</b>									
EM2207126-001	SX_IB_20220420_08_36_S S_Primary_ALS	EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.0	No Limit
<b>EP074I: Volatile Halogenated Compounds (QC Lot: 4298701)</b>									
EM2207126-001	SX_IB_20220420_08_36_S S_Primary_ALS	EP074-UT: 1,1-Dichloroethene	75-35-4	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: cis-1,2-Dichloroethene	156-59-2	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,1,1-Trichloroethane	71-55-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Carbon Tetrachloride	56-23-5	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,1,1,2-Tetrachloroethane	630-20-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,2,4-Trichlorobenzene	120-82-1	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Vinyl chloride	75-01-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: trans-1,2-Dichloroethene	156-60-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chloroform	67-66-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,2-Dichloroethane	107-06-2	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Trichloroethene	79-01-6	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Tetrachloroethene	127-18-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,1,1,2-Tetrachloroethane	79-34-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Hexachlorobutadiene	87-68-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chlorobenzene	108-90-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,4-Dichlorobenzene	106-46-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,2-Dichlorobenzene	95-50-1	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,1,2-Trichloroethane	79-00-5	0.04	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.5	<0.5	0.0	No Limit		
<b>EP075A: Phenolic Compounds (Halogenated) (QC Lot: 4299415)</b>									
EM2207126-001	SX_IB_20220420_08_36_S S_Primary_ALS	EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2,4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2,6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: 2,4,5-Trichlorophenol	95-95-4	0.05	mg/kg	<1.00	<1.00	0.0	No Limit



Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP075A: Phenolic Compounds (Halogenated) (QC Lot: 4299415) - continued</b>									
EM2207126-001	SX_IB_20220420_08_36_S S_Primary_ALS	EP075-EM: 2.4.6-Trichlorophenol	88-06-2	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.4.5 & 2.3.4.6-Tetrachlorophenol	4901-51-3/58-9 0-2	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<1.0	<1.0	0.0	No Limit
<b>EP075A: Phenolic Compounds (Non-halogenated) (QC Lot: 4299415)</b>									
EM2207126-001	SX_IB_20220420_08_36_S S_Primary_ALS	EP075-EM: Phenol	108-95-2	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2.4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2.4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 2-Methyl-4.6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: Dinoseb	88-85-7	5	mg/kg	<20	<20	0.0	No Limit
EP075-EM: 2-Cyclohexyl-4.6-Dinitrophenol	131-89-5	5	mg/kg	<20	<20	0.0	No Limit		
<b>EP075B: Polynuclear Aromatic Hydrocarbons (QC Lot: 4299415)</b>									
EM2207126-001	SX_IB_20220420_08_36_S S_Primary_ALS	EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	<1.0	0.0	No Limit
<b>EP075I: Organochlorine Pesticides (QC Lot: 4299415)</b>									
EM2207126-001	SX_IB_20220420_08_36_S S_Primary_ALS	EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.05	<0.05	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP075I: Organochlorine Pesticides (QC Lot: 4299415) - continued</b>									
EM2207126-001	SX_IB_20220420_08_36_S S_Primary_ALS	EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
EP075-EM: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit		
EP075-EM: 4,4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	0.0	No Limit		
<b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 4298701)</b>									
EM2207126-001	SX_IB_20220420_08_36_S S_Primary_ALS	EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<20	<20	0.0	No Limit
<b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 4299414)</b>									
EM2207126-001	SX_IB_20220420_08_36_S S_Primary_ALS	EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 4298701)</b>									
EM2207126-001	SX_IB_20220420_08_36_S S_Primary_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<20	<20	0.0	No Limit
		EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<20	<20	0.0	No Limit
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 4299414)</b>									
EM2207126-001	SX_IB_20220420_08_36_S S_Primary_ALS	EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4303993)</b>									
EM2206895-001	Anonymous	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit





Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4303993) - continued</b>									
EM2206895-001	Anonymous	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
EM2207126-007	SX_IB_20220420_20_16_S S_Triplicate_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4303993)</b>									
EM2206895-001	Anonymous	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	<0.001	0.0	No Limit
		EM2207126-007	SX_IB_20220420_20_16_S S_Triplicate_ALS	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4			0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9			0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1			0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231X: Perfluorononanoic acid (PFNA)	375-95-1			0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2			0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8			0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1			0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8			0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7			0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4			0.001	mg/kg	<5 µg/kg	<0.005	0.0	No Limit
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4303993)</b>									
EM2206895-001	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit



Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4303993) - continued</b>									
EM2206895-001	Anonymous	EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
EM2207126-007	SX_IB_20220420_20_16_S S_Triplicate_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4303993)</b>									
EM2206895-001	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
EM2207126-007	SX_IB_20220420_20_16_S S_Triplicate_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit



Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231P: PFAS Sums (QC Lot: 4303993)</b>									
EM2206895-001	Anonymous	EP231X: Sum of PFAS	----	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
EM2207126-007	SX_IB_20220420_20_16_S S_Triplicate_ALS	EP231X: Sum of PFAS	----	0.0002	mg/kg	<50.0 µg/kg	<0.0500	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit

Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4302206)</b>									
EM2207126-001	SX_IB_20220420_08_36_S S_Primary_ALS	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4303708)</b>									
EM2207126-012	SX_IB_20220420_08_36_S S_Primary_ALS	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EM2207154-011	Anonymous	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4302206)</b>									
EM2207126-001	SX_IB_20220420_08_36_S S_Primary_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4302206) - continued</b>									
EM2207126-001	SX_IB_20220420_08_36_S S_Primary_ALS	EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4303708)</b>									
EM2207126-012	SX_IB_20220420_08_36_S S_Primary_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit
EM2207154-011	Anonymous	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4302206)</b>									
EM2207126-001	SX_IB_20220420_08_36_S S_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4302206) - continued</b>									
EM2207126-001	SX_IB_20220420_08_36_S S_Primary_ALS	EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4303708)</b>									
EM2207126-012	SX_IB_20220420_08_36_S S_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2207154-011	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4302206)</b>									
EM2207126-001	SX_IB_20220420_08_36_S S_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4302206) - continued</b>									
EM2207126-001	SX_IB_20220420_08_36_S S_Primary_ALS	EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4303708)</b>									
EM2207126-012	SX_IB_20220420_08_36_S S_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2207154-011	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231P: PFAS Sums (QC Lot: 4302206)</b>									
EM2207126-001	SX_IB_20220420_08_36_S S_Primary_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.10	<0.10	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231P: PFAS Sums (QC Lot: 4303708)</b>									
EM2207126-012	SX_IB_20220420_08_36_S S_Primary_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.10	<0.10	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.05	<0.05	0.0	No Limit
EM2207154-011	Anonymous	EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit



## Method Blank (MB) and Laboratory Control Sample (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Sample (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: **SOIL**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
<b>EG005(ED093)T: Total Metals by ICP-AES (QCLot: 4302591)</b>									
EG005T: Arsenic	7440-38-2	5	mg/kg	<5	123 mg/kg	97.9	70.0	130	
EG005T: Cadmium	7440-43-9	1	mg/kg	<1	1.23 mg/kg	51.7	50.0	130	
EG005T: Chromium	7440-47-3	2	mg/kg	<2	20.2 mg/kg	97.4	70.0	130	
EG005T: Copper	7440-50-8	5	mg/kg	<5	55.9 mg/kg	93.1	70.0	130	
EG005T: Lead	7439-92-1	5	mg/kg	<5	62.4 mg/kg	93.2	70.0	130	
EG005T: Molybdenum	7439-98-7	2	mg/kg	<2	2.19 mg/kg	96.1	70.0	130	
EG005T: Nickel	7440-02-0	2	mg/kg	<2	15.4 mg/kg	91.7	70.0	130	
EG005T: Selenium	7782-49-2	5	mg/kg	<5	----	----	----	----	
EG005T: Silver	7440-22-4	2	mg/kg	<2	2.9 mg/kg	107	70.0	130	
EG005T: Tin	7440-31-5	5	mg/kg	<5	5.33 mg/kg	91.8	70.0	130	
EG005T: Zinc	7440-66-6	5	mg/kg	<5	162 mg/kg	72.6	70.0	130	
<b>EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel) (QCLot: 4299896)</b>									
EN60-DIa-P: Final pH	----	0.1	pH Unit	7.0	----	----	----	----	
<b>EA001: pH in soil using 0.01M CaCl extract (QCLot: 4304957)</b>									
EA001: pH (CaCl2)	----	----	pH Unit	----	4 pH Unit	101	98.8	101	
					7 pH Unit	101	99.3	101	
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 4302592)</b>									
EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	0.64 mg/kg	91.4	70.0	130	
<b>EG048: Hexavalent Chromium (Alkaline Digest) (QCLot: 4302529)</b>									
EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<0.5	20 mg/kg	78.6	70.0	130	
<b>EG048: Hexavalent Chromium (Alkaline Digest) (QCLot: 4302530)</b>									
EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<0.5	20 mg/kg	78.3	70.0	130	
<b>EK026SF: Total CN by Segmented Flow Analyser (QCLot: 4304086)</b>									
EK026SF: Total Cyanide	57-12-5	1	mg/kg	<1	20 mg/kg	70.1	70.0	130	
<b>EK026SF: Total CN by Segmented Flow Analyser (QCLot: 4304089)</b>									
EK026SF: Total Cyanide	57-12-5	1	mg/kg	<1	20 mg/kg	79.2	70.0	130	
<b>EK040T: Fluoride Total (QCLot: 4302520)</b>									
EK040T: Fluoride	16984-48-8	40	mg/kg	<40	400 mg/kg	108	75.2	110	
<b>EK040T: Fluoride Total (QCLot: 4302521)</b>									
EK040T: Fluoride	16984-48-8	40	mg/kg	<40	400 mg/kg	89.5	75.2	110	
<b>EP066: Polychlorinated Biphenyls (PCB) (QCLot: 4299413)</b>									
EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	1 mg/kg	113	67.4	136	
<b>EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 4298701)</b>									



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
<b>EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 4298701) - continued</b>									
EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	2.1 mg/kg	96.4	69.2	116	
EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	2.1 mg/kg	95.9	67.7	116	
EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	2.1 mg/kg	93.8	66.6	115	
EP074-UT: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	4.2 mg/kg	92.5	65.2	112	
EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	2.1 mg/kg	95.2	69.4	111	
EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	2.1 mg/kg	92.2	68.4	110	
<b>EP074H: Naphthalene (QCLot: 4298701)</b>									
EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	0.6 mg/kg	88.7	72.3	114	
<b>EP074I: Volatile Halogenated Compounds (QCLot: 4298701)</b>									
EP074-UT: Vinyl chloride	75-01-4	0.02	mg/kg	<0.02	0.1 mg/kg	115	47.0	138	
EP074-UT: 1,1-Dichloroethene	75-35-4	0.01	mg/kg	<0.01	0.1 mg/kg	97.7	57.6	125	
EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.4	2.1 mg/kg	97.7	72.3	115	
EP074-UT: trans-1,2-Dichloroethene	156-60-5	0.02	mg/kg	<0.02	0.1 mg/kg	96.7	60.5	122	
EP074-UT: cis-1,2-Dichloroethene	156-59-2	0.01	mg/kg	<0.01	0.1 mg/kg	94.2	70.3	112	
EP074-UT: Chloroform	67-66-3	0.02	mg/kg	<0.02	0.1 mg/kg	95.2	66.6	115	
EP074-UT: 1,1,1-Trichloroethane	71-55-6	0.01	mg/kg	<0.01	0.1 mg/kg	92.2	64.4	122	
EP074-UT: Carbon Tetrachloride	56-23-5	0.01	mg/kg	<0.01	0.1 mg/kg	93.2	58.4	127	
EP074-UT: 1,2-Dichloroethane	107-06-2	0.02	mg/kg	<0.02	0.1 mg/kg	104	72.9	114	
EP074-UT: Trichloroethene	79-01-6	0.02	mg/kg	<0.02	0.1 mg/kg	92.0	64.7	115	
EP074-UT: 1,1,2-Trichloroethane	79-00-5	0.04	mg/kg	<0.04	0.1 mg/kg	99.9	72.6	116	
EP074-UT: Tetrachloroethene	127-18-4	0.02	mg/kg	<0.02	0.1 mg/kg	94.1	60.0	119	
EP074-UT: 1,1,1,2-Tetrachloroethane	630-20-6	0.01	mg/kg	<0.01	0.1 mg/kg	94.0	71.8	116	
EP074-UT: 1,1,2,2-Tetrachloroethane	79-34-5	0.02	mg/kg	<0.02	0.1 mg/kg	97.3	66.1	116	
EP074-UT: Hexachlorobutadiene	87-68-3	0.02	mg/kg	<0.02	0.1 mg/kg	97.9	39.8	128	
EP074-UT: Chlorobenzene	108-90-7	0.02	mg/kg	<0.02	0.1 mg/kg	97.4	70.3	113	
EP074-UT: 1,4-Dichlorobenzene	106-46-7	0.02	mg/kg	<0.02	0.1 mg/kg	96.0	62.6	113	
EP074-UT: 1,2-Dichlorobenzene	95-50-1	0.02	mg/kg	<0.02	0.1 mg/kg	94.0	70.8	110	
EP074-UT: 1,2,4-Trichlorobenzene	120-82-1	0.01	mg/kg	<0.01	0.1 mg/kg	94.2	48.4	120	
<b>EP075A: Phenolic Compounds (Halogenated) (QCLot: 4299415)</b>									
EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.03	2 mg/kg	103	74.5	126	
EP075-EM: 2,4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.03	2 mg/kg	106	72.7	126	
EP075-EM: 2,6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.03	2 mg/kg	107	73.5	132	
EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<0.03	2 mg/kg	103	72.8	128	
EP075-EM: 2,4,5-Trichlorophenol	95-95-4	0.05	mg/kg	<0.05	2 mg/kg	95.1	73.3	134	
EP075-EM: 2,4,6-Trichlorophenol	88-06-2	0.05	mg/kg	<0.05	2 mg/kg	94.3	72.4	128	
EP075-EM: 2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	2 mg/kg	93.2	69.4	126	





Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
				Result	Spike	Spike Recovery (%)	Acceptable Limits (%)	
					Concentration	LCS	Low	High
<b>EP075A: Phenolic Compounds (Halogenated) (QCLot: 4299415) - continued</b>								
EP075-EM: 2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/5 8-90-2	0.05	mg/kg	<0.05	4 mg/kg	93.0	71.9	128
EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<0.2	4 mg/kg	103	54.4	135
<b>EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4299415)</b>								
EP075-EM: Phenol	108-95-2	1	mg/kg	<1	2 mg/kg	104	71.5	130
EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	2 mg/kg	96.1	73.4	129
EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	4 mg/kg	93.0	74.3	129
EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	2 mg/kg	92.3	70.9	133
EP075-EM: 2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	2 mg/kg	94.0	71.8	132
EP075-EM: 2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	10 mg/kg	72.0	41.0	156
EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	10 mg/kg	107	65.3	134
EP075-EM: 2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	10 mg/kg	83.9	43.6	128
EP075-EM: Dinoseb	88-85-7	5	mg/kg	<5	10 mg/kg	102	62.0	128
EP075-EM: 2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	5	mg/kg	<5	10 mg/kg	99.7	34.5	137
<b>EP075B: Polynuclear Aromatic Hydrocarbons (QCLot: 4299415)</b>								
EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	2 mg/kg	99.2	73.0	131
EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	2 mg/kg	97.0	76.3	130
EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	2 mg/kg	97.4	72.0	135
EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	2 mg/kg	100	74.4	131
EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	2 mg/kg	100	73.3	130
EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	2 mg/kg	102	78.4	127
EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	2 mg/kg	99.0	75.3	132
EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	2 mg/kg	99.7	75.4	130
EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	2 mg/kg	108	69.6	133
EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	2 mg/kg	110	75.0	133
EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	4 mg/kg	110	75.8	133
EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	2 mg/kg	106	65.1	130
EP075-EM: Indeno(1,2,3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	2 mg/kg	117	72.1	134
EP075-EM: Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	2 mg/kg	114	72.9	135
EP075-EM: Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	2 mg/kg	113	71.3	134
<b>EP075I: Organochlorine Pesticides (QCLot: 4299415)</b>								
EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.03	2 mg/kg	105	71.0	129
EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.03	2 mg/kg	103	74.8	126
EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.03	2 mg/kg	110	75.7	130
EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.03	2 mg/kg	106	70.8	130
EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.03	2 mg/kg	109	76.5	134
EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.03	2 mg/kg	111	75.5	131



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
<b>EP075I: Organochlorine Pesticides (QCLot: 4299415) - continued</b>									
EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.03	2 mg/kg	110	76.8	130	
EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.03	2 mg/kg	97.0	73.6	130	
EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	2 mg/kg	100	75.0	133	
EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	2 mg/kg	98.9	75.3	131	
EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.03	2 mg/kg	96.2	69.4	134	
EP075-EM: 4.4'-DDE	72-55-9	0.05	mg/kg	<0.05	2 mg/kg	124	71.0	132	
EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.03	2 mg/kg	119	78.0	133	
EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.03	2 mg/kg	95.2	69.0	143	
EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.03	2 mg/kg	118	55.7	145	
EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.03	2 mg/kg	108	71.4	135	
EP075-EM: 4.4'-DDD	72-54-8	0.05	mg/kg	<0.05	2 mg/kg	110	74.8	134	
EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.03	2 mg/kg	122	70.2	135	
EP075-EM: 4.4'-DDT	50-29-3	0.05	mg/kg	<0.05	2 mg/kg	106	77.7	133	
EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.03	2 mg/kg	105	63.6	135	
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 4298701)</b>									
EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<10	39.6 mg/kg	102	61.1	119	
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 4299414)</b>									
EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	680 mg/kg	99.6	74.4	129	
EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	2830 mg/kg	102	81.0	123	
EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	1340 mg/kg	103	81.8	121	
EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	4850 mg/kg	102	70.0	130	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4298701)</b>									
EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	48.9 mg/kg	100	59.9	119	
EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTE X	10	mg/kg	<10	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4299414)</b>									
EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	980 mg/kg	104	75.4	132	
EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	3210 mg/kg	120	80.8	120	
EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	270 mg/kg	90.6	73.3	136	
EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	4460 mg/kg	114	70.0	130	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4303993)</b>									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	0.00111 mg/kg	122	72.0	128	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	0.00118 mg/kg	96.9	73.0	123	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	0.0014 mg/kg	70.2	67.0	130	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	0.00119 mg/kg	107	70.0	132	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	0.00116 mg/kg	84.3	68.0	136	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<0.0002	0.00121 mg/kg	91.1	59.0	134	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4303993)</b>									



Sub-Matrix: **SOIL**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report				
					Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4303993) - continued</b>									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	0.00625 mg/kg	86.3	71.0	135	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	0.00125 mg/kg	75.9	69.0	132	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	88.0	70.0	132	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	96.4	71.0	131	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	87.8	69.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	94.3	72.0	129	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	0.00125 mg/kg	114	69.0	133	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	113	64.0	136	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	99.5	69.0	135	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	83.0	66.0	139	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	111	69.0	133	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4303993)</b>									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	94.7	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	0.00312 mg/kg	114	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	104	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	98.4	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	89.4	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	102	63.0	144	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	96.6	61.0	139	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4303993)</b>									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	0.00117 mg/kg	90.2	62.0	145	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	0.00119 mg/kg	101	64.0	140	
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	0.0012 mg/kg	124	65.0	137	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	0.00121 mg/kg	108	70.0	130	
<b>EP231P: PFAS Sums (QCLot: 4303993)</b>									
EP231X: Sum of PFAS	----	0.0002	mg/kg	<0.0002	----	----	----	----	
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	
EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	----	----	----	----	

Sub-Matrix: **WATER**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report				
					Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4302206)</b>									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.222 µg/L	105	72.0	130	



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report				
					Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	High
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4302206) - continued</b>									
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.235 µg/L	98.9	71.0	127	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.228 µg/L	97.8	68.0	131	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.25 µg/L	87.1	69.0	134	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.232 µg/L	109	65.0	140	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.241 µg/L	104	53.0	142	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4303671)</b>									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.222 µg/L	101	72.0	130	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.235 µg/L	107	71.0	127	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.228 µg/L	98.3	68.0	131	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.25 µg/L	118	69.0	134	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.232 µg/L	113	65.0	140	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.241 µg/L	119	53.0	142	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4303708)</b>									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.222 µg/L	93.6	72.0	130	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.235 µg/L	99.1	71.0	127	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.228 µg/L	99.4	68.0	131	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.25 µg/L	90.5	69.0	134	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.232 µg/L	96.9	65.0	140	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.241 µg/L	94.6	53.0	142	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4302206)</b>									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	1.25 µg/L	97.4	73.0	129	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.25 µg/L	109	72.0	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.25 µg/L	94.7	72.0	129	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.25 µg/L	97.9	72.0	130	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.25 µg/L	96.7	71.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.25 µg/L	102	69.0	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.25 µg/L	104	71.0	129	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.25 µg/L	94.0	69.0	133	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.25 µg/L	104	72.0	134	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.25 µg/L	96.5	65.0	144	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	0.625 µg/L	109	71.0	132	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4303671)</b>									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	1.25 µg/L	97.4	73.0	129	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.25 µg/L	102	72.0	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.25 µg/L	114	72.0	129	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.25 µg/L	95.8	72.0	130	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.25 µg/L	100	71.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.25 µg/L	100	69.0	130	



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4303671) - continued</b>									
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.25 µg/L	97.1	71.0	129	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.25 µg/L	73.7	69.0	133	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.25 µg/L	99.9	72.0	134	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.25 µg/L	90.0	65.0	144	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	0.625 µg/L	128	71.0	132	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4303708)</b>									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	1.25 µg/L	101	73.0	129	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.25 µg/L	112	72.0	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.25 µg/L	94.2	72.0	129	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.25 µg/L	97.8	72.0	130	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.25 µg/L	95.0	71.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.25 µg/L	99.2	69.0	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.25 µg/L	93.7	71.0	129	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.25 µg/L	94.4	69.0	133	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.25 µg/L	105	72.0	134	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.25 µg/L	97.7	65.0	144	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	0.625 µg/L	105	71.0	132	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4302206)</b>									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.25 µg/L	103	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	0.625 µg/L	107	68.0	141	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	0.625 µg/L	112	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	0.625 µg/L	94.1	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	0.625 µg/L	104	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.25 µg/L	118	65.0	136	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.25 µg/L	96.7	61.0	135	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4303671)</b>									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.25 µg/L	111	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	0.625 µg/L	102	68.0	141	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	0.625 µg/L	92.5	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	0.625 µg/L	101	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	0.625 µg/L	104	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.25 µg/L	110	65.0	136	



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report				
					Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	High
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4303671) - continued</b>									
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.25 µg/L	115	61.0	135	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4303708)</b>									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.25 µg/L	97.8	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	0.625 µg/L	107	68.0	141	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	0.625 µg/L	98.3	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	0.625 µg/L	91.9	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	0.625 µg/L	112	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.25 µg/L	110	65.0	136	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.25 µg/L	99.4	61.0	135	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4302206)</b>									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.234 µg/L	94.6	63.0	143	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.238 µg/L	93.3	64.0	140	
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.24 µg/L	126	67.0	138	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.242 µg/L	108	70.0	130	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4303671)</b>									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.234 µg/L	104	63.0	143	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.238 µg/L	116	64.0	140	
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.24 µg/L	119	67.0	138	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.242 µg/L	79.7	70.0	130	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4303708)</b>									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.234 µg/L	102	63.0	143	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.238 µg/L	103	64.0	140	
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.24 µg/L	108	67.0	138	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.242 µg/L	83.8	70.0	130	
<b>EP231P: PFAS Sums (QCLot: 4302206)</b>									
EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----	
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----	
EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----	
<b>EP231P: PFAS Sums (QCLot: 4303671)</b>									
EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----	
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----	



Sub-Matrix: **WATER**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report			
					Spike Concentration	Spike Recovery (%)	Acceptable Limits (%)	
						LCS	Low	High
<b>EP231P: PFAS Sums (QCLot: 4303671) - continued</b>								
EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----
<b>EP231P: PFAS Sums (QCLot: 4303708)</b>								
EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----

### Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: **SOIL**

Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Matrix Spike (MS) Report			
				Spike Concentration	Spike Recovery(%) MS	Acceptable Limits (%)	
				Low	High		
<b>EG005(ED093)T: Total Metals by ICP-AES (QCLot: 4302591)</b>							
EM2206923-004	Anonymous	EG005T: Arsenic	7440-38-2	50 mg/kg	91.8	78.0	124
		EG005T: Cadmium	7440-43-9	50 mg/kg	93.1	79.7	116
		EG005T: Chromium	7440-47-3	50 mg/kg	88.4	79.0	121
		EG005T: Copper	7440-50-8	250 mg/kg	106	80.0	120
		EG005T: Lead	7439-92-1	250 mg/kg	95.1	80.0	120
		EG005T: Nickel	7440-02-0	50 mg/kg	88.3	78.0	120
		EG005T: Zinc	7440-66-6	250 mg/kg	89.9	80.0	120
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 4302592)</b>							
EM2206923-004	Anonymous	EG035T: Mercury	7439-97-6	0.5 mg/kg	93.4	76.0	116
<b>EG048: Hexavalent Chromium (Alkaline Digest) (QCLot: 4302529)</b>							
EM2206787-002	Anonymous	EG048G: Hexavalent Chromium	18540-29-9	20 mg/kg	81.9	58.0	114
EM2206787-002	Anonymous	EG048G: Hexavalent Chromium	18540-29-9	20 mg/kg	92.6	58.0	114
<b>EG048: Hexavalent Chromium (Alkaline Digest) (QCLot: 4302530)</b>							
EM2207126-009	SX_OB_20220421_00_10_SS_Primary_ALS	EG048G: Hexavalent Chromium	18540-29-9	20 mg/kg	86.1	58.0	114
EM2207126-009	SX_OB_20220421_00_10_SS_Primary_ALS	EG048G: Hexavalent Chromium	18540-29-9	20 mg/kg	95.7	58.0	114
<b>EK026SF: Total CN by Segmented Flow Analyser (QCLot: 4304086)</b>							
EM2206916-032	Anonymous	EK026SF: Total Cyanide	57-12-5	20 mg/kg	86.4	70.0	130
<b>EK026SF: Total CN by Segmented Flow Analyser (QCLot: 4304089)</b>							
EM2207126-011	SX_OB_20220421_03_57_SS_Primary_ALS	EK026SF: Total Cyanide	57-12-5	20 mg/kg	91.7	70.0	130
<b>EK040T: Fluoride Total (QCLot: 4302520)</b>							
EM2206788-002	Anonymous	EK040T: Fluoride	16984-48-8	400 mg/kg	71.4	70.0	130



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike Concentration	SpikeRecovery(%) MS	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EK040T: Fluoride Total (QCLot: 4302521)</b>							
EM2207126-010	SX_IB_20220421_00_12_SS_Primary_ALS	EK040T: Fluoride	16984-48-8	400 mg/kg	70.1	70.0	130
<b>EP066: Polychlorinated Biphenyls (PCB) (QCLot: 4299413)</b>							
EM2207126-004	SX_IB_20220420_12_11_SS_Primary_ALS	EP066-EM: Total Polychlorinated biphenyls	----	1 mg/kg	102	59.6	152
<b>EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 4298701)</b>							
EM2207126-002	SX_IB_20220420_08_36_SS_Duplicate_ALS	EP074-UT: Benzene	71-43-2	2 mg/kg	88.5	53.7	130
		EP074-UT: Toluene	108-88-3	2 mg/kg	89.8	55.1	124
<b>EP074I: Volatile Halogenated Compounds (QCLot: 4298701)</b>							
EM2207126-002	SX_IB_20220420_08_36_SS_Duplicate_ALS	EP074-UT: 1,1-Dichloroethene	75-35-4	2 mg/kg	87.8	38.4	145
		EP074-UT: Trichloroethene	79-01-6	2 mg/kg	80.8	48.1	128
		EP074-UT: Chlorobenzene	108-90-7	2 mg/kg	85.8	55.5	122
<b>EP075A: Phenolic Compounds (Halogenated) (QCLot: 4299415)</b>							
EM2207126-002	SX_IB_20220420_08_36_SS_Duplicate_ALS	EP075-EM: 2-Chlorophenol	95-57-8	3 mg/kg	90.0	44.0	143
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	3 mg/kg	88.2	41.5	139
		EP075-EM: Pentachlorophenol	87-86-5	3 mg/kg	81.7	10.0	144
<b>EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4299415)</b>							
EM2207126-002	SX_IB_20220420_08_36_SS_Duplicate_ALS	EP075-EM: Phenol	108-95-2	3 mg/kg	89.2	44.2	134
		EP075-EM: 2-Nitrophenol	88-75-5	3 mg/kg	68.9	34.2	129
<b>EP075B: Polynuclear Aromatic Hydrocarbons (QCLot: 4299415)</b>							
EM2207126-002	SX_IB_20220420_08_36_SS_Duplicate_ALS	EP075-EM: Acenaphthene	83-32-9	3 mg/kg	67.6	42.6	138
		EP075-EM: Pyrene	129-00-0	3 mg/kg	82.8	37.8	152
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 4298701)</b>							
EM2207126-002	SX_IB_20220420_08_36_SS_Duplicate_ALS	EP074-UT: C6 - C9 Fraction	----	28 mg/kg	88.8	42.3	111
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 4299414)</b>							
EM2207126-005	SX_IB_20220420_15_46_SS_Primary_ALS	EP071-EM: C10 - C14 Fraction	----	680 mg/kg	97.8	71.3	126
		EP071-EM: C15 - C28 Fraction	----	2830 mg/kg	99.5	75.1	123
		EP071-EM: C29 - C36 Fraction	----	1340 mg/kg	101	78.1	120
		EP071-EM: C10 - C36 Fraction (sum)	----	4850 mg/kg	99.9	70.0	130
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4298701)</b>							
EM2207126-002	SX_IB_20220420_08_36_SS_Duplicate_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	33 mg/kg	88.0	39.9	109
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4299414)</b>							
EM2207126-005	SX_IB_20220420_15_46_SS_Primary_ALS	EP071-EM: >C10 - C16 Fraction	----	980 mg/kg	102	71.5	130
		EP071-EM: >C16 - C34 Fraction	----	3210 mg/kg	117	76.9	119
		EP071-EM: >C34 - C40 Fraction	----	270 mg/kg	89.8	65.3	139
		EP071-EM: >C10 - C40 Fraction (sum)	----	4460 mg/kg	112	70.0	130
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4303993)</b>							





Sub-Matrix: **SOIL**

				Matrix Spike (MS) Report			
				Spike Concentration	SpikeRecovery(%) MS	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4303993) - continued</b>							
EM2206895-006	Anonymous	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.00111 mg/kg	99.6	72.0	128
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.00118 mg/kg	84.6	73.0	123
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.00114 mg/kg	78.8	67.0	130
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.00119 mg/kg	108	70.0	132
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.00116 mg/kg	82.3	68.0	136
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.00121 mg/kg	93.3	59.0	134
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4303993)</b>							
EM2206895-006	Anonymous	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.00625 mg/kg	85.5	71.0	135
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.00125 mg/kg	75.2	69.0	132
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.00125 mg/kg	87.5	70.0	132
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.00125 mg/kg	92.7	71.0	131
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.00125 mg/kg	86.7	69.0	133
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.00125 mg/kg	88.7	72.0	129
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.00125 mg/kg	118	69.0	133
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.00125 mg/kg	116	64.0	136
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.00125 mg/kg	91.0	69.0	135
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.00125 mg/kg	88.2	66.0	139
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.00312 mg/kg	107	69.0	133		
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4303993)</b>							
EM2206895-006	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.00125 mg/kg	90.8	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.00312 mg/kg	85.4	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.00312 mg/kg	93.0	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.00312 mg/kg	101	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.00312 mg/kg	87.4	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.00125 mg/kg	113	63.0	144
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.00125 mg/kg	99.5	61.0	139
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4303993)</b>							
EM2206895-006	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.00117 mg/kg	85.2	62.0	145
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.00119 mg/kg	102	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0012 mg/kg	103	65.0	137
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.00121 mg/kg	118	70.0	130

Sub-Matrix: **WATER**

Matrix Spike (MS) Report		
Spike	SpikeRecovery(%)	Acceptable Limits (%)



Sub-Matrix: WATER

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4302206)</b>							
EM2207126-002	SX_IB_20220420_08_36_SS_Duplicate_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.222 µg/L	98.6	72.0	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.235 µg/L	93.1	71.0	127
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.228 µg/L	98.5	68.0	131
		EP231X: Perfluoroheptane sulfonic acid (PFHps)	375-92-8	0.238 µg/L	86.8	69.0	134
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.232 µg/L	105	65.0	140
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.241 µg/L	107	53.0	142
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4303708)</b>							
EM2207154-012	Anonymous	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.222 µg/L	104	72.0	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.235 µg/L	103	71.0	127
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.228 µg/L	97.8	68.0	131
		EP231X: Perfluoroheptane sulfonic acid (PFHps)	375-92-8	0.238 µg/L	98.1	69.0	134
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.232 µg/L	108	65.0	140
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.241 µg/L	102	53.0	142
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4302206)</b>							
EM2207126-002	SX_IB_20220420_08_36_SS_Duplicate_ALS	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	1.25 µg/L	99.7	73.0	129
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.25 µg/L	110	72.0	129
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.25 µg/L	100	72.0	129
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.25 µg/L	102	72.0	130
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.25 µg/L	102	71.0	133
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.25 µg/L	99.9	69.0	130
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.25 µg/L	104	71.0	129
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.25 µg/L	95.9	69.0	133
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.25 µg/L	98.6	72.0	134
		EP231X: Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.25 µg/L	97.5	65.0	144
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.625 µg/L	106	71.0	132
		<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4303708)</b>					
EM2207154-012	Anonymous	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	1.25 µg/L	99.2	73.0	129
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.25 µg/L	112	72.0	129
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.25 µg/L	90.8	72.0	129
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.25 µg/L	96.1	72.0	130
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.25 µg/L	100	71.0	133
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.25 µg/L	102	69.0	130
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.25 µg/L	99.2	71.0	129
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.25 µg/L	90.4	69.0	133
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.25 µg/L	99.7	72.0	134
		EP231X: Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.25 µg/L	87.6	65.0	144
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.625 µg/L	95.4	71.0	132
		<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4302206)</b>					



Sub-Matrix: WATER

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4302206) - continued</b>							
EM2207126-002	SX_IB_20220420_08_36_SS_Duplicate_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.25 µg/L	99.8	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.625 µg/L	112	68.0	141
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.625 µg/L	112	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.625 µg/L	98.8	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.625 µg/L	107	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.25 µg/L	116	65.0	136
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.25 µg/L	98.0	61.0	135
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4303708)</b>							
EM2207154-012	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.25 µg/L	90.0	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.625 µg/L	90.8	68.0	141
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.625 µg/L	84.0	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.625 µg/L	89.6	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.625 µg/L	102	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.25 µg/L	106	65.0	136
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.25 µg/L	97.9	61.0	135
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4302206)</b>							
EM2207126-002	SX_IB_20220420_08_36_SS_Duplicate_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.234 µg/L	106	63.0	143
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.238 µg/L	110	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.24 µg/L	107	67.0	138
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.242 µg/L	89.0	70.0	130
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4303708)</b>							
EM2207154-012	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.234 µg/L	101	63.0	143
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.238 µg/L	107	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.24 µg/L	108	67.0	138
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.242 µg/L	81.5	70.0	130

## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: EM2207126	Page	: 1 of 15
Client	: AGON ENVIRONMENTAL PTY LTD	Laboratory	: Environmental Division Melbourne
Contact	: DAVID LAWSON	Telephone	: +61-3-8549 9600
Project	: JC0927	Date Samples Received	: 21-Apr-2022
Site	: 20220421040957-ALS-21	Issue Date	: 28-Apr-2022
Sampler	: Hannah, Louis	No. of samples received	: 24
Order number	: ----	No. of samples analysed	: 22

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO** Method Blank value outliers occur.
- **NO** Duplicate outliers occur.
- **NO** Laboratory Control outliers occur.
- **NO** Matrix Spike outliers occur.
- For all regular sample matrices, **NO** surrogate recovery outliers occur.

#### Outliers : Analysis Holding Time Compliance

- **NO** Analysis Holding Time Outliers exist.

#### Outliers : Frequency of Quality Control Samples

- Quality Control Sample Frequency Outliers exist - please see following pages for full details.



### Outliers : Frequency of Quality Control Samples

Matrix: **WATER**

Quality Control Sample Type Method	Count		Rate (%)		Quality Control Specification
	QC	Regular	Actual	Expected	
<b>Laboratory Duplicates (DUP)</b>					
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	3	39	7.69	10.00	NEPM 2013 B3 & ALS QC Standard

### Analysis Holding Time Compliance

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results.

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **SOIL**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA001: pH in soil using 0.01M CaCl extract</b>								
<b>Soil Glass Jar - Unpreserved (EA001)</b> SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS,	20-Apr-2022	27-Apr-2022	27-Apr-2022	✓	27-Apr-2022	27-Apr-2022	✓
<b>Soil Glass Jar - Unpreserved (EA001)</b> SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS,	21-Apr-2022	27-Apr-2022	28-Apr-2022	✓	27-Apr-2022	27-Apr-2022	✓
<b>EA055: Moisture Content (Dried @ 105-110°C)</b>								
<b>Soil Glass Jar - Unpreserved (EA055)</b> SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS,	20-Apr-2022	----	----	----	26-Apr-2022	04-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EA055)</b> SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS,	21-Apr-2022	----	----	----	26-Apr-2022	05-May-2022	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EG005(ED093)T: Total Metals by ICP-AES</b>								
<b>Soil Glass Jar - Unpreserved (EG005T)</b> SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS,	20-Apr-2022	26-Apr-2022	17-Oct-2022	✓	27-Apr-2022	17-Oct-2022	✓
<b>Soil Glass Jar - Unpreserved (EG005T)</b> SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS,	21-Apr-2022	26-Apr-2022	18-Oct-2022	✓	27-Apr-2022	18-Oct-2022	✓
<b>EG035T: Total Recoverable Mercury by FIMS</b>								
<b>Soil Glass Jar - Unpreserved (EG035T)</b> SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS,	20-Apr-2022	26-Apr-2022	18-May-2022	✓	27-Apr-2022	18-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EG035T)</b> SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS,	21-Apr-2022	26-Apr-2022	19-May-2022	✓	27-Apr-2022	19-May-2022	✓
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>								
<b>Soil Glass Jar - Unpreserved (EG048G)</b> SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS,	20-Apr-2022	26-Apr-2022	18-May-2022	✓	27-Apr-2022	03-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EG048G)</b> SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS,	21-Apr-2022	26-Apr-2022	19-May-2022	✓	27-Apr-2022	03-May-2022	✓
<b>EK026SF: Total CN by Segmented Flow Analyser</b>								
<b>Soil Glass Jar - Unpreserved (EK026SF)</b> SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS,	20-Apr-2022	26-Apr-2022	04-May-2022	✓	27-Apr-2022	10-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EK026SF)</b> SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS,	21-Apr-2022	26-Apr-2022	05-May-2022	✓	27-Apr-2022	10-May-2022	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EK040T: Fluoride Total</b>								
<b>Soil Glass Jar - Unpreserved (EK040T)</b> SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS,	20-Apr-2022	26-Apr-2022	18-May-2022	✓	28-Apr-2022	18-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EK040T)</b> SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS,	21-Apr-2022	26-Apr-2022	19-May-2022	✓	28-Apr-2022	19-May-2022	✓
<b>EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>								
<b>Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60a-P)</b>								
SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS,	20-Apr-2022	22-Apr-2022	17-Oct-2022	✓	----	----	----
<b>Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60a-P)</b>								
SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS,	21-Apr-2022	22-Apr-2022	18-Oct-2022	✓	----	----	----
<b>EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>								
<b>Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60-DIa-P)</b>								
SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS,	20-Apr-2022	22-Apr-2022	17-Oct-2022	✓	----	----	----
<b>Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60-DIa-P)</b>								
SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS,	21-Apr-2022	22-Apr-2022	18-Oct-2022	✓	----	----	----
<b>EP066: Polychlorinated Biphenyls (PCB)</b>								
<b>Soil Glass Jar - Unpreserved (EP066-EM)</b>								
SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS,	20-Apr-2022	22-Apr-2022	04-May-2022	✓	23-Apr-2022	01-Jun-2022	✓
<b>Soil Glass Jar - Unpreserved (EP066-EM)</b>								
SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS,	21-Apr-2022	22-Apr-2022	05-May-2022	✓	23-Apr-2022	01-Jun-2022	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis				
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation		
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>									
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b>									
SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS,	20-Apr-2022	22-Apr-2022	27-Apr-2022	✓	22-Apr-2022	27-Apr-2022	✓	
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b>									
SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS,	21-Apr-2022	22-Apr-2022	28-Apr-2022	✓	22-Apr-2022	28-Apr-2022	✓	
<b>EP074H: Naphthalene</b>									
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b>									
SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS,	20-Apr-2022	22-Apr-2022	27-Apr-2022	✓	22-Apr-2022	27-Apr-2022	✓	
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b>									
SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS,	21-Apr-2022	22-Apr-2022	28-Apr-2022	✓	22-Apr-2022	28-Apr-2022	✓	
<b>EP074I: Volatile Halogenated Compounds</b>									
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b>									
SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS,	20-Apr-2022	22-Apr-2022	27-Apr-2022	✓	22-Apr-2022	27-Apr-2022	✓	
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b>									
SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS,	21-Apr-2022	22-Apr-2022	28-Apr-2022	✓	22-Apr-2022	28-Apr-2022	✓	
<b>EP075A: Phenolic Compounds (Halogenated)</b>									
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b>									
SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS,	20-Apr-2022	22-Apr-2022	04-May-2022	✓	23-Apr-2022	01-Jun-2022	✓	
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b>									
SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS,	21-Apr-2022	22-Apr-2022	05-May-2022	✓	23-Apr-2022	01-Jun-2022	✓	





Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>								
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b>								
SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS,	20-Apr-2022	22-Apr-2022	04-May-2022	✓	23-Apr-2022	01-Jun-2022	✓
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b>								
SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS,	21-Apr-2022	22-Apr-2022	05-May-2022	✓	23-Apr-2022	01-Jun-2022	✓
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>								
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b>								
SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS,	20-Apr-2022	22-Apr-2022	04-May-2022	✓	23-Apr-2022	01-Jun-2022	✓
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b>								
SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS,	21-Apr-2022	22-Apr-2022	05-May-2022	✓	23-Apr-2022	01-Jun-2022	✓
<b>EP075I: Organochlorine Pesticides</b>								
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b>								
SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS,	20-Apr-2022	22-Apr-2022	04-May-2022	✓	23-Apr-2022	01-Jun-2022	✓
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b>								
SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS,	21-Apr-2022	22-Apr-2022	05-May-2022	✓	23-Apr-2022	01-Jun-2022	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis				
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation		
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b> SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS,	20-Apr-2022	22-Apr-2022	27-Apr-2022	✓	22-Apr-2022	27-Apr-2022	✓	
<b>Soil Glass Jar - Unpreserved (EP071-EM)</b> SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS,	20-Apr-2022	22-Apr-2022	04-May-2022	✓	23-Apr-2022	01-Jun-2022	✓	
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b> SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS,	21-Apr-2022	22-Apr-2022	28-Apr-2022	✓	22-Apr-2022	28-Apr-2022	✓	
<b>Soil Glass Jar - Unpreserved (EP071-EM)</b> SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS,	21-Apr-2022	22-Apr-2022	05-May-2022	✓	23-Apr-2022	01-Jun-2022	✓	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b> SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS,	20-Apr-2022	22-Apr-2022	27-Apr-2022	✓	22-Apr-2022	27-Apr-2022	✓	
<b>Soil Glass Jar - Unpreserved (EP071-EM)</b> SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS,	20-Apr-2022	22-Apr-2022	04-May-2022	✓	23-Apr-2022	01-Jun-2022	✓	
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b> SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS,	21-Apr-2022	22-Apr-2022	28-Apr-2022	✓	22-Apr-2022	28-Apr-2022	✓	
<b>Soil Glass Jar - Unpreserved (EP071-EM)</b> SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS,	21-Apr-2022	22-Apr-2022	05-May-2022	✓	23-Apr-2022	01-Jun-2022	✓	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
<b>HDPE Soil Jar (EP231X)</b> SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS,	20-Apr-2022	26-Apr-2022	17-Oct-2022	✓	27-Apr-2022	05-Jun-2022	✓	
<b>HDPE Soil Jar (EP231X)</b> SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS,	21-Apr-2022	26-Apr-2022	18-Oct-2022	✓	27-Apr-2022	05-Jun-2022	✓	



Matrix: **SOIL**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b> SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS,	20-Apr-2022	26-Apr-2022	17-Oct-2022	✓	27-Apr-2022	05-Jun-2022	✓
<b>HDPE Soil Jar (EP231X)</b> SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS,	21-Apr-2022	26-Apr-2022	18-Oct-2022	✓	27-Apr-2022	05-Jun-2022	✓
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
<b>HDPE Soil Jar (EP231X)</b> SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS,	20-Apr-2022	26-Apr-2022	17-Oct-2022	✓	27-Apr-2022	05-Jun-2022	✓
<b>HDPE Soil Jar (EP231X)</b> SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS,	21-Apr-2022	26-Apr-2022	18-Oct-2022	✓	27-Apr-2022	05-Jun-2022	✓
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b> SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS,	20-Apr-2022	26-Apr-2022	17-Oct-2022	✓	27-Apr-2022	05-Jun-2022	✓
<b>HDPE Soil Jar (EP231X)</b> SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS,	21-Apr-2022	26-Apr-2022	18-Oct-2022	✓	27-Apr-2022	05-Jun-2022	✓
<b>EP231P: PFAS Sums</b>								
<b>HDPE Soil Jar (EP231X)</b> SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS	SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS,	20-Apr-2022	26-Apr-2022	17-Oct-2022	✓	27-Apr-2022	05-Jun-2022	✓
<b>HDPE Soil Jar (EP231X)</b> SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS	SX_IB_20220421_00_12_SS_Primary_ALS,	21-Apr-2022	26-Apr-2022	18-Oct-2022	✓	27-Apr-2022	05-Jun-2022	✓

Matrix: **WATER**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis		
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation



Matrix: **WATER** Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
<b>HDPE (no PTFE) (EP231X)</b> SX_IB_20220420_09_06_SR_Rinsate_ALS, SX_IB_20220420_09_08_SB_Blank_ALS	<b>20-Apr-2022</b>	<b>26-Apr-2022</b>	17-Oct-2022	✓	<b>26-Apr-2022</b>	17-Oct-2022	✓	
<b>HDPE (no PTFE) (EP231X)</b> SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_IB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS, SX_IB_20220421_00_12_SS_Primary_ALS, SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS, SX_IB_20220421_00_12_SS_Primary_ALS, SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS, SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS, SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS, SX_IB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS	<b>22-Apr-2022</b>	<b>26-Apr-2022</b>	19-Oct-2022	✓	<b>26-Apr-2022</b>	19-Oct-2022	✓	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
<b>HDPE (no PTFE) (EP231X)</b> SX_IB_20220420_09_06_SR_Rinsate_ALS, SX_IB_20220420_09_08_SB_Blank_ALS	<b>20-Apr-2022</b>	<b>26-Apr-2022</b>	17-Oct-2022	✓	<b>26-Apr-2022</b>	17-Oct-2022	✓	
<b>HDPE (no PTFE) (EP231X)</b> SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS, SX_IB_20220421_00_12_SS_Primary_ALS, SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS, SX_IB_20220421_00_12_SS_Primary_ALS, SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS, SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS, SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS, SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS	<b>22-Apr-2022</b>	<b>26-Apr-2022</b>	19-Oct-2022	✓	<b>26-Apr-2022</b>	19-Oct-2022	✓	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
<b>HDPE (no PTFE) (EP231X)</b> SX_IB_20220420_09_06_SR_Rinsate_ALS, SX_IB_20220420_09_08_SB_Blank_ALS	<b>20-Apr-2022</b>	<b>26-Apr-2022</b>	17-Oct-2022	✓	<b>26-Apr-2022</b>	17-Oct-2022	✓	
<b>HDPE (no PTFE) (EP231X)</b> SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS, SX_IB_20220421_00_12_SS_Primary_ALS, SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS, SX_IB_20220421_00_12_SS_Primary_ALS, SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS, SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS, SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS, SX_IB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS	<b>22-Apr-2022</b>	<b>26-Apr-2022</b>	19-Oct-2022	✓	<b>26-Apr-2022</b>	19-Oct-2022	✓	



Matrix: WATER

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
<b>HDPE (no PTFE) (EP231X)</b>								
SX_IB_20220420_09_06_SR_Rinsate_ALS, SX_IB_20220420_09_08_SB_Blank_ALS	20-Apr-2022	26-Apr-2022	17-Oct-2022	✓	26-Apr-2022	17-Oct-2022	✓	
<b>HDPE (no PTFE) (EP231X)</b>								
SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS, SX_IB_20220421_00_12_SS_Primary_ALS, SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS, SX_IB_20220421_00_12_SS_Primary_ALS,	SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS, SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS, SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS, SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS	22-Apr-2022	26-Apr-2022	19-Oct-2022	✓	26-Apr-2022	19-Oct-2022	✓
<b>EP231P: PFAS Sums</b>								
<b>HDPE (no PTFE) (EP231X)</b>								
SX_IB_20220420_09_06_SR_Rinsate_ALS, SX_IB_20220420_09_08_SB_Blank_ALS	20-Apr-2022	26-Apr-2022	17-Oct-2022	✓	26-Apr-2022	17-Oct-2022	✓	
<b>HDPE (no PTFE) (EP231X)</b>								
SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS, SX_IB_20220421_00_12_SS_Primary_ALS, SX_IB_20220420_08_36_SS_Primary_ALS, SX_IB_20220420_12_11_SS_Primary_ALS, SX_OB_20220420_15_59_SS_Triplicate_ALS, SX_OB_20220420_20_17_SS_Primary_ALS, SX_IB_20220421_00_12_SS_Primary_ALS,	SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS, SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS, SX_IB_20220420_08_36_SS_Duplicate_ALS, SX_IB_20220420_15_46_SS_Primary_ALS, SX_IB_20220420_20_16_SS_Triplicate_ALS, SX_OB_20220421_00_10_SS_Primary_ALS, SX_OB_20220421_03_57_SS_Primary_ALS	22-Apr-2022	26-Apr-2022	19-Oct-2022	✓	26-Apr-2022	19-Oct-2022	✓



## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **SOIL**

Evaluation: \* = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	4	40	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Moisture Content	EA055	4	40	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	1	10	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	2	17	11.76	10.00	✓	NEPM 2013 B3 & ALS QC Standard
pH in soil using a 0.01M CaCl2 extract	EA001	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	1	10	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	4	40	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	4	40	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	1	10	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	1	10	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	4	40	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	1	10	10.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	17	5.88	5.00	✓	NEPM 2013 B3 & ALS QC Standard
pH in soil using a 0.01M CaCl2 extract	EA001	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	1	10	10.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	2	40	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	2	40	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	1	10	10.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	1	10	10.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
Deionised Water Leach - Plastic Leaching Vessel	EN60-DIa-P	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	2	40	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	1	10	10.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	17	5.88	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	1	10	10.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	2	40	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	2	40	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	1	10	10.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	1	10	10.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard



Matrix: **SOIL** Evaluation: \* = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Matrix Spikes (MS)</b>							
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	4	40	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	1	10	10.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	17	5.88	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	1	10	10.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	2	40	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	2	40	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	1	10	10.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	1	10	10.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard

Matrix: **WATER** Evaluation: \* = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	3	39	7.69	10.00	*	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	3	39	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	3	39	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Matrix Spikes (MS)</b>							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	2	39	5.13	5.00	✓	NEPM 2013 B3 & ALS QC Standard



## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

Analytical Methods	Method	Matrix	Method Descriptions
pH in soil using a 0.01M CaCl <sub>2</sub> extract	EA001	SOIL	In house: Referenced to Rayment and Lyons 4B3 (mod.) or 4B4 (mod.) 10 g of soil is mixed with 50 mL of 0.01M CaCl <sub>2</sub> and tumbled end over end for 1 hour. pH is measured from the continuous suspension. This method is compliant with NEPM Schedule B(3).
Moisture Content	EA055	SOIL	In house: A gravimetric procedure based on weight loss over a 12 hour drying period at 105-110 degrees C. This method is compliant with NEPM Schedule B(3).
Total Metals by ICP-AES	EG005T	SOIL	In house: Referenced to APHA 3120; USEPA SW 846 - 6010. Metals are determined following an appropriate acid digestion of the soil. The ICPAES technique ionises samples in a plasma, emitting a characteristic spectrum based on metals present. Intensities at selected wavelengths are compared against those of matrix matched standards. This method is compliant with NEPM Schedule B(3)
Total Mercury by FIMS	EG035T	SOIL	In house: Referenced to APHA 3112 Hg - B (Flow-injection (SnCl <sub>2</sub> ) (Cold Vapour generation) AAS) FIM-AAS is an automated flameless atomic absorption technique. Mercury in solids are determined following an appropriate acid digestion. Ionic mercury is reduced online to atomic mercury vapour by SnCl <sub>2</sub> which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM Schedule B(3)
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	SOIL	In house: Referenced to USEPA SW846, Method 3060. Hexavalent chromium is extracted by alkaline digestion. The digest is determined by photometrically by automatic discrete analyser, following pH adjustment. The instrument uses colour development using dephenylcarbazide. Each run of samples is measured against a five-point calibration curve. This method is compliant with NEPM Schedule B(3)
Total Cyanide by Segmented Flow Analyser	EK026SF	SOIL	In house: Referenced to APHA 4500-CN C / ASTM D7511 / ISO 14403. Caustic leachates of soil samples are introduced into an automated segmented flow analyser. Complex bound cyanide is decomposed in a continuously flowing stream, at a pH of 3.8, by the effect of UV light. A UV-B lamp (312 nm) and a decomposition spiral of borosilicate glass are used to filter out UV light with a wavelength of less than 290 nm thus preventing the conversion of thiocyanate into cyanide. The hydrogen cyanide present at a pH of 3.8 is separated by gas dialysis. The hydrogen cyanide is then determined photometrically, based on the reaction of cyanide with chloramine-T to form cyanogen chloride. This then reacts with 4-pyridine carboxylic acid and 1,3-dimethylbarbituric acid to give a red colour which is measured at 600 nm. This method is compliant with NEPM Schedule B(3).
Total Fluoride	EK040T	SOIL	(In-house) Total fluoride is determined by ion specific electrode (ISE) in a solution obtained after a Sodium Carbonate / Potassium Carbonate fusion dissolution.
PCB - VIC EPA 448.3 Screen	EP066-EM	SOIL	In house: Referenced to USEPA SW 846 - 8270 Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This method is compliant with NEPM Schedule B(3).
TRH - Semivolatile Fraction	EP071-EM	SOIL	In house: Referenced to USEPA SW 846 - 8015A Sample extracts are analysed by Capillary GC/FID and quantified against alkane standards over the range C10 - C40.
Volatile Organic Compounds - Ultra-trace	EP074-UT	SOIL	In house: Referenced to USEPA SW 846 - 8260 Extracts are analysed by Purge and Trap, Capillary GC/MS in partial SIM/Scan mode. Quantification is by comparison against an established multi-point calibration curves. This method is compliant with NEPM Schedule B(3).





Analytical Methods	Method	Matrix	Method Descriptions
Volatile Organic Compounds - Ultra-trace - Summations	EP074-UT-SUM	SOIL	Summation of MAHs and VHCs
Semivolatile Organic Compounds - Waste Classification	EP075-EM	SOIL	In house: Referenced to USEPA SW 846 - 8270 Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This technique is compliant with NEPM Schedule B(3).
SVOC - Waste Classification (Sums)	EP075-EM-SUM	SOIL	Summations for EP075 (EM variation)
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	SOIL	In-house: Analysis of fresh and saline waters by Solid Phase Extraction (SPE) followed by LC-Electrospray-MS-MS, Negative Mode using MRM and internal standard quantitation. Isotopically labelled analogues of target analytes used as internal standards and surrogates are added to the sample container. The entire contents are transferred to a solid phase extraction (SPE) cartridge. The sample container is successively rinsed with aliquots of the elution solvent. The eluted extract is combined with an equal volume of reagent water and a portion is filtered for analysis. Method procedures and data quality objectives conform to US DoD QSM 5.3, table B-15 requirements.
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	WATER	In-house: Analysis of fresh and saline waters by Solid Phase Extraction (SPE) followed by LC-Electrospray-MS-MS, Negative Mode using MRM and internal standard quantitation. Isotopically labelled analogues of target analytes used as internal standards and surrogates are added to the sample container. The entire contents are transferred to a solid phase extraction (SPE) cartridge. The sample container is successively rinsed with aliquots of the elution solvent. The eluted extract is combined with an equal volume of reagent water and a portion is filtered for analysis. Method procedures and data quality objectives conform to US DoD QSM 5.3, table B-15 requirements.

Preparation Methods	Method	Matrix	Method Descriptions
NaOH leach for CN in Soils	CN-PR	SOIL	In house: APHA 4500 CN. Samples are extracted by end-over-end tumbling with NaOH.
pH in soil using a 0.01M CaCl <sub>2</sub> extract	EA001-PR	SOIL	In house: Referenced to Rayment and Lyons 4B1, 10 g of soil is mixed with 50 mL of 0.01M CaCl <sub>2</sub> and tumbled end over end for 1 hour. pH is measured from the continuous suspension. This method is compliant with NEPM Schedule B(3).
Alkaline digestion for Hexavalent Chromium	EG048PR	SOIL	In house: Referenced to USEPA SW846, Method 3060A.
Total Fluoride	EK040T-PR	SOIL	In house: Samples are fused with Sodium Carbonate / Potassium Carbonate flux.
ASLP for Non & Semivolatile Analytes - Plastic Leaching Vessel	EN60a-P	SOIL	In house QWI-EN/60 referenced to AS4439.3 Preparation of Leachates.
Deionised Water Leach - Plastic Leaching Vessel	EN60-DIa-P	SOIL	In house QWI-EN/60 referenced to AS4439.3 Preparation of Leachates
Hot Block Digest for metals in soils sediments and sludges	EN69	SOIL	In house: Referenced to USEPA 200.2. Hot Block Acid Digestion 1.0g of sample is heated with Nitric and Hydrochloric acids, then cooled. Peroxide is added and samples heated and cooled again before being filtered and bulked to volume for analysis. Digest is appropriate for determination of selected metals in sludge, sediments, and soils. This method is compliant with NEPM Schedule B(3).
Methanolic Extraction of Soils - Ultra-trace.	ORG16-UT	SOIL	In house: Referenced to USEPA SW 846 - 5030A. 5g of solid is shaken with surrogate and 10mL methanol prior to analysis by Purge and Trap - GC/MS.
Tumbler Extraction of Solids - VIC EPA Screen	ORG17-EM	SOIL	In house: Mechanical agitation (tumbler). 10g of sample, Na <sub>2</sub> SO <sub>4</sub> and surrogate are extracted with 30mL 1:1 DCM/Acetone by end over end tumble. The solvent is decanted, dehydrated and concentrated (by KD) to the desired volume for analysis.



<i>Preparation Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
QuEChERS Extraction of Solids	ORG71	SOIL	In house: Sequential extractions with Acetonitrile/Methanol by shaking. Extraction efficiency aided by the addition of salts under acidic conditions. Where relevant, interferences from co-extracted organics are removed with dispersive clean-up media (dSPE). The extract is either diluted or concentrated and exchanged into the analytical solvent.
Solid Phase Extraction (SPE) for PFAS in water	ORG72	SOIL	In-house: Isotopically labelled analogues of target analytes used as internal standards and surrogates are added to the sample container. The entire contents are transferred to a solid phase extraction (SPE) cartridge. The sample container is successively rinsed with aliquots of the elution solvent. The eluted extract is combined with an equal volume of reagent water and a portion is filtered for analysis. Method procedures conform to US DoD QSM 5.3, table B-15 requirements.
Solid Phase Extraction (SPE) for PFAS in water	ORG72	WATER	In-house: Isotopically labelled analogues of target analytes used as internal standards and surrogates are added to the sample container. The entire contents are transferred to a solid phase extraction (SPE) cartridge. The sample container is successively rinsed with aliquots of the elution solvent. The eluted extract is combined with an equal volume of reagent water and a portion is filtered for analysis. Method procedures conform to US DoD QSM 5.3, table B-15 requirements.

### CHAIN OF CUSTODY DOCUMENTATION

CLIENT: Agon Environmental	SAMPLER: Hannah EP Risk Martha Agon
ADDRESS/OFFICE: Melbourne	MOBILE 1: +61 400 828 907 (Craig Trimbur)
PROJECT MANAGER (PM): Craig Trimbur	MOBILE 2: +61 490 411 004 (David Lawson)
PROJECT ID: JC0927	EMAIL REPORT TO: Labreports.TST@agonenviro.com.au agonenvironmental@esdat.com.au motherhublabresults@wqtp.com.au
SITE: 20220422073938-ALS-6	
P.O. NO:	
QUOTE NO. ME-150-19 WGTP	Labreports.TST@agonenviro.com.au agonenvironmental@esdat.com.au



Australian Laboratory Services Pty Ltd

EMAIL INVOICE TO: (if different to report) Labreports.TST@agonenviro.com.au

ANALYSIS REQUIRED INCLUDING SUITES (note - suite codes must be listed to attract suite prices)

ALS ID	SAMPLE INFORMATION (note: S = Soil, W=Water)		CONTAINER INFORMATION		Spot Sample Prep	PFS 28 Extended suite	ASLP PFS - Extended Suite (Lab to determine pH)	DI Leachate PFS - Extended Suite	Notes:
	SAMPLE ID	MATRIX	DATE	Time					
11	SX_OB_20220421_08_11_SS_Primary_ALS	S	21/04/2022	08:11	Bucket	1	X	X	
12	SX_OB_20220421_08_12_SS_Duplicate_ALS	S	21/04/2022	08:12	Bucket	1	X	X	
13	SX_IB_20220421_12_06_SS_Primary_ALS	S	21/04/2022	12:06	Bucket	1	X	X	
14	SX_OB_20220421_15_57_SS_Primary_ALS	S	21/04/2022	15:57	Bucket	1	X	X	
15	SX_IB_20220421_15_48_SS_Triplicate_ALS	S	21/04/2022	15:48	Bucket	1	X	X	
16	SX_IB_20220421_19_59_SS_Primary_ALS	S	21/04/2022	19:59	Bucket	1	X	X	
17	SX_IB_20220421_20_06_SS_Triplicate_ALS	S	21/04/2022	20:06	Bucket	1	X	X	
18	SX_OB_20220421_23_54_SS_Primary_ALS	S	21/04/2022	23:54	Bucket	1	X	X	
19	SX_OB_20220422_00_01_SS_Primary_ALS	S	22/04/2022	00:01	Bucket	1	X	X	
20	SX_OB_20220422_04_07_SS_Primary_ALS	S	22/04/2022	04:07	Bucket	1	X	X	
21	SX_IB_20220422_07_03_SB_Blank_ALS	W	22/04/2022	07:03	Bottle	1			
22	SX_IB_20220422_07_06_SR_Rinsate_ALS	W	22/04/2022	07:07	Bottle	1			

RELINQUISHED BY:	RECEIVED BY:
Name: <i>Marc</i>	Name: <i>Marc</i>
Date: <i>22/4</i>	Date: <i>22/4</i>
Time: <i>16:30</i>	Time: <i>16:30</i>
Name: <i>Marc</i>	Name: <i>Marc</i>
Time: <i>16:30</i>	Time: <i>16:30</i>
Name: <i>Marc</i>	Name: <i>Marc</i>
Time: <i>16:30</i>	Time: <i>16:30</i>

METHOD OF SHIPMENT

Cont' Note No:

Transport Co:

Environmental Division  
Melbourne  
Work Order Reference  
**EM2207227**



Telephone: +61 3 8549 9600

**Water Container Codes:** P = Unpreserved Plastic; N = Nitric Preserved ORC; SH = Sodium Hydroxide Preserved Plastic; AG = Amber Glass Unpreserved; V = VOA Vial/HCl Preserved; VS = VOA Vial/Sulphuric Preserved; SG = Sulphuric Preserved Amber Glass; H = HCl Preserved Plastic; HS = HCl Preserved Speciation bottle; SP = Sulphuric Preserved Glass; F = Formaldehyde Preserved Glass; Z = Zinc Acetate Preserved Bottle; E = EDTA Preserved Bottles; ST = Sterile Bottle; ASS = Plastic Bag for Acid Sulphate Soils; B = Unpreserved Bag

## CERTIFICATE OF ANALYSIS

**Work Order** : **EM2207227**  
**Client** : **AGON ENVIRONMENTAL PTY LTD**  
**Contact** : DAVID LAWSON  
**Address** : D1.1 63-85 TURNER STREET  
 PORT MELBOURNE 3207  
  
**Telephone** : ----  
**Project** : JC0927  
**Order number** : ----  
**C-O-C number** : 20220422073938-ALS-6  
**Sampler** : Hannah, Martha  
**Site** : 20220422073938-ALS-6  
**Quote number** : EN/150/19 -WGTP -Bulk Sample Quote  
**No. of samples received** : 22  
**No. of samples analysed** : 22

**Page** : 1 of 29  
**Laboratory** : Environmental Division Melbourne  
**Contact** : Josh Alexander  
**Address** : 4 Westall Rd Springvale VIC Australia 3171  
  
**Telephone** : +61-3-8549 9600  
**Date Samples Received** : 22-Apr-2022 11:20  
**Date Analysis Commenced** : 23-Apr-2022  
**Issue Date** : 29-Apr-2022 16:40



Accreditation No. 825  
 Accredited for compliance with  
 ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

**Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.**

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Dilani Fernando	Laboratory Coordinator	Melbourne Inorganics, Springvale, VIC
Xing Lin	Senior Organic Chemist	Melbourne Inorganics, Springvale, VIC
Xing Lin	Senior Organic Chemist	Melbourne Organics, Springvale, VIC



## General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting  
ø = ALS is not NATA accredited for these tests.  
~ = Indicates an estimated value.

- EG048G: EM2207227 #8 result for hexavalent chromium has been confirmed by re-preparation and re-analysis.
- Benzo(a)pyrene Toxicity Equivalent Quotient (TEQ) per the NEPM (2013) is the sum total of the concentration of the eight carcinogenic PAHs multiplied by their Toxicity Equivalence Factor (TEF) relative to Benzo(a)pyrene. TEF values are provided in brackets as follows: Benz(a)anthracene (0.1), Chrysene (0.01), Benzo(b+j) & Benzo(k)fluoranthene (0.1), Benzo(a)pyrene (1.0), Indeno(1.2.3.cd)pyrene (0.1), Dibenz(a,h)anthracene (1.0), Benzo(g,h,i)perylene (0.01). Less than LOR results for 'TEQ Zero' are treated as zero, for 'TEQ 1/2LOR' are treated as half the reported LOR, and for 'TEQ LOR' are treated as being equal to the reported LOR. Note: TEQ 1/2LOR and TEQ LOR will calculate as 0.6mg/Kg and 1.2mg/Kg respectively for samples with non-detects for all of the eight TEQ PAHs.
- EP231X - Per- and Polyfluoroalkyl Substances (PFAS): Samples received in 20ml or 125ml bottles have been tested in accordance with the QSM5.3 compliant, NATA accredited method. 60mL or 250mL bottles have been tested to the legacy QSM 5.1 aligned, NATA accredited method.
- EP074-UT: Where reported, Total Xylenes is the sum of the reported concentrations of m&p-Xylene and o-Xylene at or above the LOR.
- EP074-WF: Where reported, Sum of trichlorobenzenes is the sum of the reported concentrations of 1,2,3-Trichlorobenzene and 1,2,4-Trichlorobenzene, and 1,3,5-Trichlorobenzene at or above the LOR.
- EP231: Stable isotope enriched internal standards are added to samples prior to extraction. Target compounds have a direct analogous internal standard with the exception of PFPeS, PFHpA, PFDS, PFTrDA and 10:2 FTS. These compounds use an internal standard that is chemically related and has a retention time close to that of the target compound. The DQO for internal standard response is 50-150% of that established at initial calibration. PFOS is quantified using a certified, traceable standard consisting of linear and branched PFOS isomers. These practices are in line with recommendations in the National Environmental Management Plan for PFAS (Australian HEPA) and also conform to QSM 5.3 (US DoD) requirements.
- EN60: Where leachable PFAS analysis is requested, centrifugation rather than pressure filtration is used as the default approach for removal of particulates, in line with AS 4439.3.
- EN60-DI: Where leachable PFAS analysis is requested, centrifugation rather than pressure filtration is used as the default approach for removal of particulates, in line with AS 4439.3.



## Analytical Results

Sub-Matrix: ASLP LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_OB_20220421_08_11_SS_Primary_ALS	SX_OB_20220421_08_12_SS_Duplicate_ALS	SX_IB_20220421_12_06_SS_Primary_ALS	SX_OB_20220421_15_57_SS_Primary_ALS	SX_IB_20220421_15_48_SS_Triplicate_ALS
Sampling date / time				21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207227-001	EM2207227-002	EM2207227-003	EM2207227-004	EM2207227-005
				Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



## Analytical Results

Sub-Matrix: ASLP LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_OB_20220421_08_11_SS_Primary_ALS	SX_OB_20220421_08_12_SS_Duplicate_ALS	SX_IB_20220421_12_06_SS_Primary_ALS	SX_OB_20220421_15_57_SS_Primary_ALS	SX_IB_20220421_15_48_SS_Triplicate_ALS
Sampling date / time				21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207227-001	EM2207227-002	EM2207227-003	EM2207227-004	EM2207227-005
				Result	Result	Result	Result	Result
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>								
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.02	%	93.1	98.6	99.0	99.9	99.3
13C8-PFOA	----	0.02	%	101	102	97.9	99.4	102



## Analytical Results

Sub-Matrix: ASLP LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_IB_20220421_19_59_SS_Primary_ALS	SX_IB_20220421_20_06_SS_Triplicate_ALS	SX_OB_20220421_23_54_SS_Primary_ALS	SX_OB_20220422_00_01_SS_Primary_ALS	SX_OB_20220422_04_07_SS_Primary_ALS
Sampling date / time				21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207227-006	EM2207227-007	EM2207227-008	EM2207227-009	EM2207227-010
				Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05





## Analytical Results

Sub-Matrix: ASLP LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_IB_20220421_19_59_SS_Primary_ALS	SX_IB_20220421_20_06_SS_Triplicate_ALS	SX_OB_20220421_23_54_SS_Primary_ALS	SX_OB_20220422_00_01_SS_Primary_ALS	SX_OB_20220422_04_07_SS_Primary_ALS
Sampling date / time				21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207227-006	EM2207227-007	EM2207227-008	EM2207227-009	EM2207227-010
				Result	Result	Result	Result	Result
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>								
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.02	%	100	93.3	99.6	93.5	97.7
13C8-PFOA	----	0.02	%	99.5	102	99.8	97.4	98.0



## Analytical Results

Sub-Matrix: DI WATER LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_OB_20220421_08_11_SS_Primary_ALS	SX_OB_20220421_08_12_SS_Duplicate_ALS	SX_IB_20220421_12_06_SS_Primary_ALS	SX_OB_20220421_15_57_SS_Primary_ALS	SX_IB_20220421_15_48_SS_Triplicate_ALS
Sampling date / time				21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207227-011	EM2207227-012	EM2207227-013	EM2207227-014	EM2207227-015
				Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



## Analytical Results

Sub-Matrix: DI WATER LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_OB_20220421_08_11_SS_Primary_ALS	SX_OB_20220421_08_12_SS_Duplicate_ALS	SX_IB_20220421_12_06_SS_Primary_ALS	SX_OB_20220421_15_57_SS_Primary_ALS	SX_IB_20220421_15_48_SS_Triplicate_ALS
Sampling date / time				21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207227-011	EM2207227-012	EM2207227-013	EM2207227-014	EM2207227-015
				Result	Result	Result	Result	Result
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>								
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.02	%	94.7	109	108	106	105
13C8-PFOA	----	0.02	%	99.0	96.9	96.6	101	97.0



## Analytical Results

Sub-Matrix: DI WATER LEACHATE  
 (Matrix: WATER)

Sample ID

		Sampling date / time		SX_IB_20220421_19_59_SS_Primary_ALS	SX_IB_20220421_20_06_SS_Triplicate_ALS	SX_OB_20220421_23_54_SS_Primary_ALS	SX_OB_20220422_00_01_SS_Primary_ALS	SX_OB_20220422_04_07_SS_Primary_ALS
Compound	CAS Number	LOR	Unit	EM2207227-016	EM2207227-017	EM2207227-018	EM2207227-019	EM2207227-020
				Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



## Analytical Results

Sub-Matrix: DI WATER LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_IB_20220421_19_59_SS_Primary_ALS	SX_IB_20220421_20_06_SS_Triplicate_ALS	SX_OB_20220421_23_54_SS_Primary_ALS	SX_OB_20220422_00_01_SS_Primary_ALS	SX_OB_20220422_04_07_SS_Primary_ALS
Sampling date / time				21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207227-016	EM2207227-017	EM2207227-018	EM2207227-019	EM2207227-020
				Result	Result	Result	Result	Result
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>								
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.02	%	110	114	102	114	111
13C8-PFOA	----	0.02	%	97.9	95.2	96.2	95.3	100



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220421_08_11_SS_Primary_ALS	SX_OB_20220421_08_12_SS_Duplicate_ALS	SX_IB_20220421_12_06_SS_Primary_ALS	SX_OB_20220421_15_57_SS_Primary_ALS	SX_IB_20220421_15_48_SS_Triplicate_ALS
Sampling date / time				21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207227-001	EM2207227-002	EM2207227-003	EM2207227-004	EM2207227-005
				Result	Result	Result	Result	Result
<b>EA001: pH in soil using 0.01M CaCl extract</b>								
pH (CaCl2)	----	0.1	pH Unit	7.6	7.7	9.8	7.8	7.7
<b>EA055: Moisture Content (Dried @ 105-110°C)</b>								
Moisture Content	----	1.0	%	31.3	31.1	31.4	31.3	30.5
<b>EG005(ED093)T: Total Metals by ICP-AES</b>								
Arsenic	7440-38-2	5	mg/kg	46	52	22	28	20
Cadmium	7440-43-9	1	mg/kg	<1	1	1	<1	1
Chromium	7440-47-3	5	mg/kg	95	111	105	103	111
Copper	7440-50-8	5	mg/kg	48	64	50	51	60
Lead	7439-92-1	5	mg/kg	<5	<5	<5	<5	<5
Molybdenum	7439-98-7	5	mg/kg	<5	<5	<5	<5	<5
Nickel	7440-02-0	5	mg/kg	135	150	140	172	157
Selenium	7782-49-2	5	mg/kg	<5	<5	<5	<5	<5
Silver	7440-22-4	2	mg/kg	<2	<2	<2	<2	<2
Tin	7440-31-5	10	mg/kg	<10	<10	<10	<10	<10
Zinc	7440-66-6	5	mg/kg	95	114	85	97	93
<b>EG035T: Total Recoverable Mercury by FIMS</b>								
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>								
Hexavalent Chromium	18540-29-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
<b>EK026SF: Total CN by Segmented Flow Analyser</b>								
Total Cyanide	57-12-5	5	mg/kg	<5	<5	<5	<5	<5
<b>EK040T: Fluoride Total</b>								
Fluoride	16984-48-8	100	mg/kg	140	140	230	120	210
<b>EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>								
Initial pH	----	0.1	pH Unit	8.9	8.9	10.7	8.9	9.1
After HCl pH	----	0.1	pH Unit	1.5	1.5	1.5	1.3	1.3
Extraction Fluid pH	----	0.1	pH Unit	5.0	5.0	5.0	5.0	5.0
Final pH	----	0.1	pH Unit	5.1	5.1	5.5	5.1	5.1
<b>EP066: Polychlorinated Biphenyls (PCB)</b>								
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>								
Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	<0.2	<0.2	<0.2



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220421_08_11_SS_Primary_ALS	SX_OB_20220421_08_12_SS_Duplicate_ALS	SX_IB_20220421_12_06_SS_Primary_ALS	SX_OB_20220421_15_57_SS_Primary_ALS	SX_IB_20220421_15_48_SS_Triplicate_ALS
Sampling date / time				21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207227-001	EM2207227-002	EM2207227-003	EM2207227-004	EM2207227-005
				Result	Result	Result	Result	Result
<b>EP074A: Monocyclic Aromatic Hydrocarbons - Continued</b>								
Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of monocyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Total Xylenes	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
<b>EP074H: Naphthalene</b>								
Naphthalene	91-20-3	1	mg/kg	<1	<1	<1	<1	<1
<b>EP074I: Volatile Halogenated Compounds</b>								
Vinyl chloride	75-01-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethene	75-35-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Methylene chloride	75-09-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
trans-1,2-Dichloroethene	156-60-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	156-59-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroform	67-66-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1-Trichloroethane	71-55-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Carbon Tetrachloride	56-23-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloroethane	107-06-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Trichloroethene	79-01-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2-Trichloroethane	79-00-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene	127-18-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1,2-Tetrachloroethane	630-20-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2,2-Tetrachloroethane	79-34-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Hexachlorobutadiene	87-68-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chlorobenzene	108-90-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dichlorobenzene	106-46-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichlorobenzene	95-50-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2,4-Trichlorobenzene	120-82-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of volatile chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of other chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
<b>EP075A: Phenolic Compounds (Halogenated)</b>								



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220421_08_11_SS_Primary_ALS	SX_OB_20220421_08_12_SS_Duplicate_ALS	SX_IB_20220421_12_06_SS_Primary_ALS	SX_OB_20220421_15_57_SS_Primary_ALS	SX_IB_20220421_15_48_SS_Triplicate_ALS
Sampling date / time				21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207227-001	EM2207227-002	EM2207227-003	EM2207227-004	EM2207227-005
				Result	Result	Result	Result	Result
<b>EP075A: Phenolic Compounds (Halogenated) - Continued</b>								
2-Chlorophenol	95-57-8	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,4-Dichlorophenol	120-83-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,6-Dichlorophenol	87-65-0	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
4-Chloro-3-methylphenol	59-50-7	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,5-Trichlorophenol	95-95-4	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,6-Trichlorophenol	88-06-2	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-90-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Pentachlorophenol	87-86-5	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
^ Sum of Phenols (halogenated)	----	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>								
Phenol	108-95-2	1	mg/kg	<1	<1	<1	<1	<1
2-Methylphenol	95-48-7	1	mg/kg	<1	<1	<1	<1	<1
3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	<1	<1	<1
2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	<5	<5	<5
4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	<5	<5	<5
2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	<5	<5	<5
Dinoseb	88-85-7	20	mg/kg	<20	<20	<20	<20	<20
2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	20	mg/kg	<20	<20	<20	<20	<20
^ Sum of Phenols (non-halogenated)	----	20	mg/kg	<20	<20	<20	<20	<20
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<b>0.5</b>
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5





## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220421_08_11_SS_Primary_ALS	SX_OB_20220421_08_12_SS_Duplicate_ALS	SX_IB_20220421_12_06_SS_Primary_ALS	SX_OB_20220421_15_57_SS_Primary_ALS	SX_IB_20220421_15_48_SS_Triplicate_ALS
Sampling date / time				21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207227-001	EM2207227-002	EM2207227-003	EM2207227-004	EM2207227-005
				Result	Result	Result	Result	Result
<b>EP075B: Polynuclear Aromatic Hydrocarbons - Continued</b>								
Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<b>0.5</b>
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>
<b>EP075I: Organochlorine Pesticides</b>								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
Endosulfan 1	959-98-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan 2	33213-65-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Methoxychlor	72-43-5	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Sum of organochlorine pesticides	----	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220421_08_11_SS_Primary_ALS	SX_OB_20220421_08_12_SS_Duplicate_ALS	SX_IB_20220421_12_06_SS_Primary_ALS	SX_OB_20220421_15_57_SS_Primary_ALS	SX_IB_20220421_15_48_SS_Triplicate_ALS
Sampling date / time				21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207227-001	EM2207227-002	EM2207227-003	EM2207227-004	EM2207227-005
				Result	Result	Result	Result	Result
<b>EP075I: Organochlorine Pesticides - Continued</b>								
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.30	mg/kg	<0.30	<0.30	<0.30	<0.30	<0.30
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Chlordane	57-74-9	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10
^ Sum of other organochlorine pesticides	----	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
<b>EP080/071: Total Petroleum Hydrocarbons</b>								
C6 - C9 Fraction	----	20	mg/kg	<20	<20	<20	<20	<20
C10 - C14 Fraction	----	50	mg/kg	<50	<50	<50	<50	<50
C6 - C10 Fraction	C6_C10	20	mg/kg	<20	<20	<20	<20	<20
C15 - C28 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
C29 - C36 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
^ C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	<50	<50	<50
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>								
>C10 - C16 Fraction	----	50	mg/kg	<50	<50	<50	<50	<50
>C16 - C34 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
>C34 - C40 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	<50	<50	<50
>C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	<50	<50	<50	<50	<50
C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	20	mg/kg	<20	<20	<20	<20	<20
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorodecane sulfonic acid (PFDS)	335-77-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220421_08_11_SS_Primary_ALS	SX_OB_20220421_08_12_SS_Duplicate_ALS	SX_IB_20220421_12_06_SS_Primary_ALS	SX_OB_20220421_15_57_SS_Primary_ALS	SX_IB_20220421_15_48_SS_Triplicate_ALS
Sampling date / time				21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207227-001	EM2207227-002	EM2207227-003	EM2207227-004	EM2207227-005
				Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	5	µg/kg	<5	<5	<5	<5	<5
Perfluoropentanoic acid (PFPeA)	2706-90-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorohexanoic acid (PFHxA)	307-24-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroheptanoic acid (PFHpA)	375-85-9	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorooctanoic acid (PFOA)	335-67-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorononanoic acid (PFNA)	375-95-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorodecanoic acid (PFDA)	335-76-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorododecanoic acid (PFDoDA)	307-55-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220421_08_11_SS_Primary_ALS	SX_OB_20220421_08_12_SS_Duplicate_ALS	SX_IB_20220421_12_06_SS_Primary_ALS	SX_OB_20220421_15_57_SS_Primary_ALS	SX_IB_20220421_15_48_SS_Triplicate_ALS
Sampling date / time				21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207227-001	EM2207227-002	EM2207227-003	EM2207227-004	EM2207227-005
				Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	50.0	µg/kg	<50.0	<50.0	<50.0	<50.0	<50.0
Sum of PFHxS and PFOS	355-46-4/1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Sum of PFAS (WA DER List)	----	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
<b>EP066S: PCB Surrogate</b>								
Decachlorobiphenyl	2051-24-3	0.1	%	98.8	97.9	109	99.7	104
<b>EP074S: VOC Surrogates (Ultra-Trace)</b>								
1,2-Dichloroethane-D4	17060-07-0	0.1	%	71.2	96.6	94.1	91.5	90.9
Toluene-D8	2037-26-5	0.1	%	73.5	98.0	94.4	93.1	94.1
4-Bromofluorobenzene	460-00-4	0.1	%	81.2	102	99.2	96.6	99.0
<b>EP075S: Acid Extractable Surrogates (Waste Classification)</b>								
Phenol-d6	13127-88-3	0.025	%	79.8	78.4	90.6	83.7	85.7
2-Chlorophenol-D4	93951-73-6	0.025	%	77.5	76.1	86.7	81.0	82.2
2,4,6-Tribromophenol	118-79-6	0.025	%	75.6	73.1	61.5	76.5	77.3
<b>EP075T: Base/Neutral Extractable Surrogates (Waste Classification)</b>								
Nitrobenzene-D5	4165-60-0	0.025	%	80.1	78.5	90.0	83.0	84.8
1,2-Dichlorobenzene-D4	2199-69-1	0.025	%	73.7	73.2	82.5	76.5	78.2
2-Fluorobiphenyl	321-60-8	0.025	%	95.8	94.2	106	98.5	101
Anthracene-d10	1719-06-8	0.025	%	81.8	79.9	91.3	83.8	86.4
4-Terphenyl-d14	1718-51-0	0.025	%	89.0	86.7	99.5	91.6	93.6
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.0002	%	96.3	92.1	92.4	93.0	93.4
13C8-PFOA	----	0.0002	%	99.8	97.4	96.0	99.4	96.4



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)			Sample ID	SX_IB_20220421_19_59_SS_Primary_ALS	SX_IB_20220421_20_06_SS_Triplicate_ALS	SX_OB_20220421_23_54_SS_Primary_ALS	SX_OB_20220422_00_01_SS_Primary_ALS	SX_OB_20220422_04_07_SS_Primary_ALS
Sampling date / time			21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	
Compound	CAS Number	LOR	Unit	EM2207227-006	EM2207227-007	EM2207227-008	EM2207227-009	EM2207227-010
				Result	Result	Result	Result	Result
<b>EA001: pH in soil using 0.01M CaCl extract</b>								
pH (CaCl <sub>2</sub> )	----	0.1	pH Unit	7.8	7.8	7.7	7.8	7.9
<b>EA055: Moisture Content (Dried @ 105-110°C)</b>								
Moisture Content	----	1.0	%	28.9	31.1	30.1	18.5	29.2
<b>EG005(ED093)T: Total Metals by ICP-AES</b>								
Arsenic	7440-38-2	5	mg/kg	16	17	46	17	33
Cadmium	7440-43-9	1	mg/kg	<1	1	1	1	<1
Chromium	7440-47-3	5	mg/kg	80	102	116	84	103
Copper	7440-50-8	5	mg/kg	47	58	55	49	45
Lead	7439-92-1	5	mg/kg	<5	<5	<5	<5	<5
Molybdenum	7439-98-7	5	mg/kg	<5	<5	<5	<5	<5
Nickel	7440-02-0	5	mg/kg	124	153	161	124	143
Selenium	7782-49-2	5	mg/kg	<5	<5	<5	<5	<5
Silver	7440-22-4	2	mg/kg	<2	<2	<2	<2	<2
Tin	7440-31-5	10	mg/kg	<10	<10	<10	<10	<10
Zinc	7440-66-6	5	mg/kg	74	87	86	74	90
<b>EG035T: Total Recoverable Mercury by FIMS</b>								
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>								
Hexavalent Chromium	18540-29-9	1.0	mg/kg	<1.0	<1.0	1.1	<1.0	<1.0
<b>EK026SF: Total CN by Segmented Flow Analyser</b>								
Total Cyanide	57-12-5	5	mg/kg	<5	<5	<5	<5	<5
<b>EK040T: Fluoride Total</b>								
Fluoride	16984-48-8	100	mg/kg	180	220	160	210	130
<b>EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>								
Initial pH	----	0.1	pH Unit	9.0	8.7	8.9	9.3	8.9
After HCl pH	----	0.1	pH Unit	1.3	1.3	1.5	1.5	1.4
Extraction Fluid pH	----	0.1	pH Unit	5.0	5.0	5.0	5.0	5.0
Final pH	----	0.1	pH Unit	5.1	5.1	5.1	5.1	5.1
<b>EP066: Polychlorinated Biphenyls (PCB)</b>								
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>								
Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	<0.2	<0.2	<0.2
Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220421_19_59_SS_Primary_ALS	SX_IB_20220421_20_06_SS_Triplicate_ALS	SX_OB_20220421_23_54_SS_Primary_ALS	SX_OB_20220422_00_01_SS_Primary_ALS	SX_OB_20220422_04_07_SS_Primary_ALS
Sampling date / time				21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207227-006	EM2207227-007	EM2207227-008	EM2207227-009	EM2207227-010
				Result	Result	Result	Result	Result
<b>EP074A: Monocyclic Aromatic Hydrocarbons - Continued</b>								
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
meta- & para-Xylene	108-38-3	106-42-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5
Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of monocyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Total Xylenes	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
<b>EP074H: Naphthalene</b>								
Naphthalene	91-20-3	1	mg/kg	<1	<1	<1	<1	<1
<b>EP074I: Volatile Halogenated Compounds</b>								
Vinyl chloride	75-01-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethene	75-35-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Methylene chloride	75-09-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
trans-1,2-Dichloroethene	156-60-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	156-59-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroform	67-66-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1-Trichloroethane	71-55-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Carbon Tetrachloride	56-23-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloroethane	107-06-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Trichloroethene	79-01-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2-Trichloroethane	79-00-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene	127-18-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1,2-Tetrachloroethane	630-20-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1,2,2-Tetrachloroethane	79-34-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Hexachlorobutadiene	87-68-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chlorobenzene	108-90-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dichlorobenzene	106-46-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichlorobenzene	95-50-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2,4-Trichlorobenzene	120-82-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of volatile chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of other chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
<b>EP075A: Phenolic Compounds (Halogenated)</b>								
2-Chlorophenol	95-57-8	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,4-Dichlorophenol	120-83-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220421_19_59_SS_Primary_ALS	SX_IB_20220421_20_06_SS_Triplicate_ALS	SX_OB_20220421_23_54_SS_Primary_ALS	SX_OB_20220422_00_01_SS_Primary_ALS	SX_OB_20220422_04_07_SS_Primary_ALS
Sampling date / time				21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207227-006	EM2207227-007	EM2207227-008	EM2207227-009	EM2207227-010
				Result	Result	Result	Result	Result
<b>EP075A: Phenolic Compounds (Halogenated) - Continued</b>								
2,6-Dichlorophenol	87-65-0	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
4-Chloro-3-methylphenol	59-50-7	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,5-Trichlorophenol	95-95-4	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,6-Trichlorophenol	88-06-2	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-90-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Pentachlorophenol	87-86-5	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
^ Sum of Phenols (halogenated)	----	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>								
Phenol	108-95-2	1	mg/kg	<1	<1	<1	<1	<1
2-Methylphenol	95-48-7	1	mg/kg	<1	<1	<1	<1	<1
3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	<1	<1	<1
2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	<5	<5	<5
4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	<5	<5	<5
2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	<5	<5	<5
Dinoseb	88-85-7	20	mg/kg	<20	<20	<20	<20	<20
2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	20	mg/kg	<20	<20	<20	<20	<20
^ Sum of Phenols (non-halogenated)	----	20	mg/kg	<20	<20	<20	<20	<20
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220421_19_59_SS_Primary_ALS	SX_IB_20220421_20_06_SS_Triplicate_ALS	SX_OB_20220421_23_54_SS_Primary_ALS	SX_OB_20220422_00_01_SS_Primary_ALS	SX_OB_20220422_04_07_SS_Primary_ALS
Sampling date / time				21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207227-006	EM2207227-007	EM2207227-008	EM2207227-009	EM2207227-010
				Result	Result	Result	Result	Result
<b>EP075B: Polynuclear Aromatic Hydrocarbons - Continued</b>								
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>
<b>EP075I: Organochlorine Pesticides</b>								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
Endosulfan 1	959-98-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan 2	33213-65-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Methoxychlor	72-43-5	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Sum of organochlorine pesticides	----	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.30	mg/kg	<0.30	<0.30	<0.30	<0.30	<0.30
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Chlordane	57-74-9	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220421_19_59_SS_Primary_ALS	SX_IB_20220421_20_06_SS_Triplicate_ALS	SX_OB_20220421_23_54_SS_Primary_ALS	SX_OB_20220422_00_01_SS_Primary_ALS	SX_OB_20220422_04_07_SS_Primary_ALS
Sampling date / time				21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	
Compound	CAS Number	LOR	Unit	EM2207227-006	EM2207227-007	EM2207227-008	EM2207227-009	EM2207227-010	
				Result	Result	Result	Result	Result	
<b>EP075I: Organochlorine Pesticides - Continued</b>									
^ Sum of other organochlorine pesticides				----	0.03	mg/kg	<0.03	<0.03	<0.03
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction				----	20	mg/kg	<20	<20	<20
C10 - C14 Fraction				----	50	mg/kg	<50	<50	<50
C6 - C10 Fraction				C6_C10	20	mg/kg	<20	<20	<20
C15 - C28 Fraction				----	100	mg/kg	<100	<100	<100
C29 - C36 Fraction				----	100	mg/kg	<100	<100	<100
^ C10 - C36 Fraction (sum)				----	50	mg/kg	<50	<50	<50
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
>C10 - C16 Fraction				----	50	mg/kg	<50	<50	<50
>C16 - C34 Fraction				----	100	mg/kg	<100	<100	<100
>C34 - C40 Fraction				----	100	mg/kg	<100	<100	<100
^ >C10 - C40 Fraction (sum)				----	50	mg/kg	<50	<50	<50
>C10 - C16 Fraction minus Naphthalene (F2)				----	50	mg/kg	<50	<50	<50
C6 - C10 Fraction minus BTEX (F1)				C6_C10-BTEX	20	mg/kg	<20	<20	<20
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)				375-73-5	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluoropentane sulfonic acid (PFPeS)				2706-91-4	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorohexane sulfonic acid (PFHxS)				355-46-4	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluoroheptane sulfonic acid (PFHpS)				375-92-8	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorooctane sulfonic acid (PFOS)				1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorodecane sulfonic acid (PFDS)				335-77-3	5.0	µg/kg	<5.0	<5.0	<5.0
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)				375-22-4	5	µg/kg	<5	<5	<5
Perfluoropentanoic acid (PFPeA)				2706-90-3	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorohexanoic acid (PFHxA)				307-24-4	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluoroheptanoic acid (PFHpA)				375-85-9	5.0	µg/kg	<5.0	<5.0	<5.0



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220421_19_59_SS_Primary_ALS	SX_IB_20220421_20_06_SS_Triplicate_ALS	SX_OB_20220421_23_54_SS_Primary_ALS	SX_OB_20220422_00_01_SS_Primary_ALS	SX_OB_20220422_04_07_SS_Primary_ALS
Sampling date / time				21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	
Compound	CAS Number	LOR	Unit	EM2207227-006	EM2207227-007	EM2207227-008	EM2207227-009	EM2207227-010	
				Result	Result	Result	Result	Result	
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluorooctanoic acid (PFOA)	335-67-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorononanoic acid (PFNA)	375-95-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorodecanoic acid (PFDA)	335-76-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorododecanoic acid (PFDoDA)	307-55-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220421_19_59_SS_Primary_ALS	SX_IB_20220421_20_06_SS_Triplicate_ALS	SX_OB_20220421_23_54_SS_Primary_ALS	SX_OB_20220422_00_01_SS_Primary_ALS	SX_OB_20220422_04_07_SS_Primary_ALS
Sampling date / time				21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	
Compound	CAS Number	LOR	Unit	EM2207227-006	EM2207227-007	EM2207227-008	EM2207227-009	EM2207227-010	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	50.0	µg/kg	<50.0	<50.0	<50.0	<50.0	<50.0	
Sum of PFHxS and PFOS	355-46-4/1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Sum of PFAS (WA DER List)	----	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
<b>EP066S: PCB Surrogate</b>									
Decachlorobiphenyl	2051-24-3	0.1	%	104	100	112	106	98.2	
<b>EP074S: VOC Surrogates (Ultra-Trace)</b>									
1,2-Dichloroethane-D4	17060-07-0	0.1	%	88.2	84.3	99.3	92.6	91.5	
Toluene-D8	2037-26-5	0.1	%	88.7	84.7	98.8	93.6	88.4	
4-Bromofluorobenzene	460-00-4	0.1	%	92.9	86.9	102	95.9	93.0	
<b>EP075S: Acid Extractable Surrogates (Waste Classification)</b>									
Phenol-d6	13127-88-3	0.025	%	87.4	84.9	94.7	95.4	80.9	
2-Chlorophenol-D4	93951-73-6	0.025	%	84.3	81.8	91.0	91.7	77.7	
2,4,6-Tribromophenol	118-79-6	0.025	%	79.6	76.9	86.5	86.2	73.9	
<b>EP075T: Base/Neutral Extractable Surrogates (Waste Classification)</b>									
Nitrobenzene-D5	4165-60-0	0.025	%	86.5	84.0	93.4	93.8	80.0	
1,2-Dichlorobenzene-D4	2199-69-1	0.025	%	79.6	77.2	84.6	86.8	72.7	
2-Fluorobiphenyl	321-60-8	0.025	%	103	99.5	110	112	94.9	
Anthracene-d10	1719-06-8	0.025	%	88.1	85.4	94.9	95.5	80.6	
4-Terphenyl-d14	1718-51-0	0.025	%	95.5	92.4	101	103	87.7	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	90.4	94.2	98.8	92.8	94.6	
13C8-PFOA	----	0.0002	%	91.4	95.9	95.6	96.1	97.1	



**Analytical Results**

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220421_08_11_SS_Primary_ALS	SX_OB_20220421_08_12_SS_Duplicate_ALS	SX_IB_20220421_12_06_SS_Primary_ALS	SX_OB_20220421_15_57_SS_Primary_ALS	SX_IB_20220421_15_48_SS_Triplicate_ALS
Sampling date / time				21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207227-011	EM2207227-012	EM2207227-013	EM2207227-014	EM2207227-015
				Result	Result	Result	Result	Result
<b>EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>								
Final pH	----	0.1	pH Unit	8.9	9.0	10.9	9.3	9.3



**Analytical Results**

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220421_19_59_SS_Primary_ALS	SX_IB_20220421_20_06_SS_Triplicate_ALS	SX_OB_20220421_23_54_SS_Primary_ALS	SX_OB_20220422_00_01_SS_Primary_ALS	SX_OB_20220422_04_07_SS_Primary_ALS
Sampling date / time				21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00	21-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207227-016	EM2207227-017	EM2207227-018	EM2207227-019	EM2207227-020
				Result	Result	Result	Result	Result
<b>EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>								
Final pH	----	0.1	pH Unit	9.3	9.4	9.4	9.5	8.5



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)			Sample ID		SX_IB_20220422_07_03_SB_Blank_ALS	SX_IB_20220422_07_06_SR_Rinsate_ALS	----	----	----
Sampling date / time			22-Apr-2022 00:00		22-Apr-2022 00:00		----	----	----
Compound	CAS Number	LOR	Unit	EM2207227-021	EM2207227-022	-----	-----	-----	
				Result	Result	---	---	---	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	----	----	----	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	SX_IB_20220422_07_03_SB_Blank_ALS	SX_IB_20220422_07_06_SR_Rinsate_ALS	----	----	----
Sampling date / time				22-Apr-2022 00:00	22-Apr-2022 00:00	----	----	----	
Compound	CAS Number	LOR	Unit	EM2207227-021	EM2207227-022	-----	-----	-----	
				Result	Result	---	---	---	
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>									
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.01	µg/L	<0.01	<0.01	----	----	----	
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	----	----	----	
Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	<0.01	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.02	%	<b>98.9</b>	<b>100</b>	----	----	----	
13C8-PFOA	----	0.02	%	<b>101</b>	<b>100.0</b>	----	----	----	



## Surrogate Control Limits

Sub-Matrix: ASLP LEACHATE		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP231S: PFAS Surrogate</b>			
13C4-PFOS	----	65	140
13C8-PFOA	----	71	133

Sub-Matrix: DI WATER LEACHATE		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP231S: PFAS Surrogate</b>			
13C4-PFOS	----	65	140
13C8-PFOA	----	71	133

Sub-Matrix: SOIL		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP066S: PCB Surrogate</b>			
Decachlorobiphenyl	2051-24-3	41	122
<b>EP074S: VOC Surrogates (Ultra-Trace)</b>			
1,2-Dichloroethane-D4	17060-07-0	59	119
Toluene-D8	2037-26-5	55	117
4-Bromofluorobenzene	460-00-4	59	123
<b>EP075S: Acid Extractable Surrogates (Waste Classification)</b>			
Phenol-d6	13127-88-3	63	134
2-Chlorophenol-D4	93951-73-6	60	125
2,4,6-Tribromophenol	118-79-6	54	129
<b>EP075T: Base/Neutral Extractable Surrogates (Waste Classification)</b>			
Nitrobenzene-D5	4165-60-0	63	131
1,2-Dichlorobenzene-D4	2199-69-1	61	124
2-Fluorobiphenyl	321-60-8	69	131
Anthracene-d10	1719-06-8	70	133
4-Terphenyl-d14	1718-51-0	59	141
<b>EP231S: PFAS Surrogate</b>			
13C4-PFOS	----	68	136
13C8-PFOA	----	69	133

Sub-Matrix: WATER		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP231S: PFAS Surrogate</b>			
13C4-PFOS	----	65	140
13C8-PFOA	----	71	133



## QUALITY CONTROL REPORT

<b>Work Order</b>	: <b>EM2207227</b>	<b>Page</b>	: 1 of 30
<b>Client</b>	: <b>AGON ENVIRONMENTAL PTY LTD</b>	<b>Laboratory</b>	: Environmental Division Melbourne
<b>Contact</b>	: DAVID LAWSON	<b>Contact</b>	: Josh Alexander
<b>Address</b>	: D1.1 63-85 TURNER STREET PORT MELBOURNE 3207	<b>Address</b>	: 4 Westall Rd Springvale VIC Australia 3171
<b>Telephone</b>	: ----	<b>Telephone</b>	: +61-3-8549 9600
<b>Project</b>	: JC0927	<b>Date Samples Received</b>	: 22-Apr-2022
<b>Order number</b>	: ----	<b>Date Analysis Commenced</b>	: 23-Apr-2022
<b>C-O-C number</b>	: 20220422073938-ALS-6	<b>Issue Date</b>	: 29-Apr-2022
<b>Sampler</b>	: Hannah, Martha		
<b>Site</b>	: 20220422073938-ALS-6		
<b>Quote number</b>	: EN/150/19 -WGTP -Bulk Sample Quote		
<b>No. of samples received</b>	: 22		
<b>No. of samples analysed</b>	: 22		



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories	Position	Accreditation Category
Dilani Fernando	Laboratory Coordinator	Melbourne Inorganics, Springvale, VIC
Xing Lin	Senior Organic Chemist	Melbourne Inorganics, Springvale, VIC
Xing Lin	Senior Organic Chemist	Melbourne Organics, Springvale, VIC



## General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Key :  
 Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
 CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
 LOR = Limit of reporting  
 RPD = Relative Percentage Difference  
 # = Indicates failed QC

## Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EG005(ED093)T: Total Metals by ICP-AES (QC Lot: 4305491)</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.0	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	95	81	15.0	0% - 50%
		EG005T: Molybdenum	7439-98-7	2	mg/kg	<5	<5	0.0	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	135	113	17.6	0% - 20%
		EG005T: Silver	7440-22-4	2	mg/kg	<2	<2	0.0	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	46	39	15.1	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	48	46	4.9	No Limit
		EG005T: Lead	7439-92-1	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Selenium	7782-49-2	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Tin	7440-31-5	5	mg/kg	<10	<10	0.0	No Limit
EG005T: Zinc	7440-66-6	5	mg/kg	95	82	14.0	0% - 50%		
EM2207227-010	SX_OB_20220422_04_07_ SS_Primary_ALS	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.0	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	103	107	3.5	0% - 20%
		EG005T: Molybdenum	7439-98-7	2	mg/kg	<5	<5	0.0	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	143	175	20.0	0% - 20%
		EG005T: Silver	7440-22-4	2	mg/kg	<2	<2	0.0	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	33	41	22.6	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	45	64	34.8	0% - 50%
		EG005T: Lead	7439-92-1	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Selenium	7782-49-2	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Tin	7440-31-5	5	mg/kg	<10	<10	0.0	No Limit
EG005T: Zinc	7440-66-6	5	mg/kg	90	104	14.5	0% - 20%		



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EA001: pH in soil using 0.01M CaCl extract (QC Lot: 4308104)</b>									
EM2207172-001	Anonymous	EA001: pH (CaCl2)	----	0.1	pH Unit	6.2	6.4	3.8	0% - 20%
EM2207227-009	SX_OB_20220422_00_01_ SS_Primary_ALS	EA001: pH (CaCl2)	----	0.1	pH Unit	7.8	7.8	0.0	0% - 20%
<b>EA055: Moisture Content (Dried @ 105-110°C) (QC Lot: 4306096)</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EA055: Moisture Content	----	0.1	%	31.3	31.2	0.0	0% - 20%
EM2207302-001	Anonymous	EA055: Moisture Content	----	0.1	%	30.5	30.5	0.0	0% - 20%
<b>EG035T: Total Recoverable Mercury by FIMS (QC Lot: 4305492)</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EM2207227-010	SX_OB_20220422_04_07_ SS_Primary_ALS	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
<b>EG048: Hexavalent Chromium (Alkaline Digest) (QC Lot: 4306053)</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<1.0	<1.0	0.0	No Limit
EM2207227-010	SX_OB_20220422_04_07_ SS_Primary_ALS	EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<1.0	<1.0	0.0	No Limit
<b>EK026SF: Total CN by Segmented Flow Analyser (QC Lot: 4306035)</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EK026SF: Total Cyanide	57-12-5	1	mg/kg	<5	<5	0.0	No Limit
EM2207227-010	SX_OB_20220422_04_07_ SS_Primary_ALS	EK026SF: Total Cyanide	57-12-5	1	mg/kg	<5	<5	0.0	No Limit
<b>EK040T: Fluoride Total (QC Lot: 4305864)</b>									
EM2206895-001	Anonymous	EK040T: Fluoride	16984-48-8	40	mg/kg	340	330	3.4	No Limit
EM2207134-001	Anonymous	EK040T: Fluoride	16984-48-8	40	mg/kg	180	160	13.3	No Limit
<b>EK040T: Fluoride Total (QC Lot: 4305865)</b>									
EM2207227-004	SX_OB_20220421_15_57_ SS_Primary_ALS	EK040T: Fluoride	16984-48-8	40	mg/kg	120	150	23.1	No Limit
EM2207329-010	Anonymous	EK040T: Fluoride	16984-48-8	40	mg/kg	70	80	0.0	No Limit
<b>EP066: Polychlorinated Biphenyls (PCB) (QC Lot: 4305566)</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EM2207348-001	Anonymous	EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	10.2	11.4	11.7	0% - 20%
<b>EP074A: Monocyclic Aromatic Hydrocarbons (QC Lot: 4300657)</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.0	No Limit
		EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.0	No Limit



Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP074A: Monocyclic Aromatic Hydrocarbons (QC Lot: 4300657) - continued</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EP074-UT: meta- & para-Xylene	108-38-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
			106-42-3						
		EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
<b>EP074H: Naphthalene (QC Lot: 4300657)</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.0	No Limit
<b>EP074I: Volatile Halogenated Compounds (QC Lot: 4300657)</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EP074-UT: 1.1-Dichloroethene	75-35-4	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: cis-1.2-Dichloroethene	156-59-2	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.1-Trichloroethane	71-55-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Carbon Tetrachloride	56-23-5	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.1.2-Tetrachloroethane	630-20-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.2.4-Trichlorobenzene	120-82-1	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Vinyl chloride	75-01-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: trans-1.2-Dichloroethene	156-60-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chloroform	67-66-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.2-Dichloroethane	107-06-2	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Trichloroethene	79-01-6	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Tetrachloroethene	127-18-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.2.2-Tetrachloroethane	79-34-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Hexachlorobutadiene	87-68-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chlorobenzene	108-90-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.4-Dichlorobenzene	106-46-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.2-Dichlorobenzene	95-50-1	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: 1.1.2-Trichloroethane	79-00-5	0.04	mg/kg	<0.50	<0.50	0.0	No Limit		
EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.5	<0.5	0.0	No Limit		
<b>EP075A: Phenolic Compounds (Halogenated) (QC Lot: 4305568)</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.5.6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: 2.4.5-Trichlorophenol	95-95-4	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.4.6-Trichlorophenol	88-06-2	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.4.5 & 2.3.4.6-Tetrachlorophenol	4901-51-3/58-9 0-2	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<1.0	<1.0	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP075A: Phenolic Compounds (Halogenated) (QC Lot: 4305568) - continued</b>									
EM2207348-001	Anonymous	EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.13	<0.13	0.0	No Limit
		EP075-EM: 2,4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.13	<0.13	0.0	No Limit
		EP075-EM: 2,6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.13	<0.13	0.0	No Limit
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<0.13	<0.13	0.0	No Limit
		EP075-EM: 2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.13	<0.13	0.0	No Limit
		EP075-EM: 2,4,5-Trichlorophenol	95-95-4	0.05	mg/kg	<0.13	<0.13	0.0	No Limit
		EP075-EM: 2,4,6-Trichlorophenol	88-06-2	0.05	mg/kg	<0.13	<0.13	0.0	No Limit
		EP075-EM: 2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-9 0-2	0.05	mg/kg	<0.13	<0.13	0.0	No Limit
EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<0.3	<0.3	0.0	No Limit		
<b>EP075A: Phenolic Compounds (Non-halogenated) (QC Lot: 4305568)</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EP075-EM: Phenol	108-95-2	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: Dinoseb	88-85-7	5	mg/kg	<20	<20	0.0	No Limit
EP075-EM: 2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	5	mg/kg	<20	<20	0.0	No Limit		
EM2207348-001	Anonymous	EP075-EM: Phenol	108-95-2	1	mg/kg	19	17	12.5	0% - 50%
		EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: Dinoseb	88-85-7	5	mg/kg	<5	<5	0.0	No Limit
EP075-EM: 2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	5	mg/kg	<5	<5	0.0	No Limit		
<b>EP075B: Polynuclear Aromatic Hydrocarbons (QC Lot: 4305568)</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP075B: Polynuclear Aromatic Hydrocarbons (QC Lot: 4305568) - continued</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	<1.0	0.0	No Limit
EM2207348-001	Anonymous	EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	3.4	2.6	28.5	No Limit
		EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	1.6	2.1	24.1	No Limit
		EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	1.9	2.2	17.7	No Limit
		EP075-EM: Pyrene	129-00-0	0.5	mg/kg	1.9	2.3	18.8	No Limit
		EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	0.6	0.6	0.0	No Limit
		EP075-EM: Chrysene	218-01-9	0.5	mg/kg	0.8	0.9	0.0	No Limit
		EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	1.0	1.2	13.7	No Limit
<b>EP075I: Organochlorine Pesticides (QC Lot: 4305568)</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP075I: Organochlorine Pesticides (QC Lot: 4305568) - continued</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4.4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4.4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4.4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
EM2207348-001	Anonymous	EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.13	<0.13	0.0	No Limit
		EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.13	<0.13	0.0	No Limit
		EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.13	<0.13	0.0	No Limit
		EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.13	<0.13	0.0	No Limit
		EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.13	<0.13	0.0	No Limit
		EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.13	<0.13	0.0	No Limit
		EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.13	<0.13	0.0	No Limit
		EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.13	<0.13	0.0	No Limit
		EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.13	<0.13	0.0	No Limit
		EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.13	<0.13	0.0	No Limit
		EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.13	<0.13	0.0	No Limit
		EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.13	<0.13	0.0	No Limit
		EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.13	<0.13	0.0	No Limit
		EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.13	<0.13	0.0	No Limit
		EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.13	<0.13	0.0	No Limit
		EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.13	<0.13	0.0	No Limit
		EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.13	<0.13	0.0	No Limit
		EP075-EM: 4.4'-DDE	72-55-9	0.05	mg/kg	<0.13	<0.13	0.0	No Limit
EP075-EM: 4.4'-DDD	72-54-8	0.05	mg/kg	<0.13	<0.13	0.0	No Limit		
EP075-EM: 4.4'-DDT	50-29-3	0.05	mg/kg	<0.13	<0.13	0.0	No Limit		
<b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 4300657)</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<20	<20	0.0	No Limit
<b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 4305567)</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EM2207348-001	Anonymous	EP071-EM: C15 - C28 Fraction	----	100	mg/kg	9330	9840	5.3	0% - 20%



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 4305567) - continued</b>									
EM2207348-001	Anonymous	EP071-EM: C29 - C36 Fraction	----	100	mg/kg	5350	5240	2.1	0% - 20%
		EP071-EM: C10 - C14 Fraction	----	50	mg/kg	610	520	16.9	0% - 50%
		EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	15300	15600	2.0	0% - 20%
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 4300657)</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<20	<20	0.0	No Limit
		EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<20	<20	0.0	No Limit
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 4305567)</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EM2207348-001	Anonymous	EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	14200	14800	4.2	0% - 20%
		EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	2540	2250	12.4	0% - 20%
		EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	780	830	6.1	0% - 50%
		EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	17500	17900	2.0	0% - 20%
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4305037)</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EM2207227-009	SX_OB_20220422_00_01_ SS_Primary_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4305037)</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit





Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4305037) - continued</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<5 µg/kg	<0.005	0.0	No Limit
EM2207227-009	SX_OB_20220422_00_01_ SS_Primary_ALS	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<5 µg/kg	<0.005	0.0	No Limit		
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4305037)</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EM2207227-009	SX_OB_20220422_00_01_ SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4305037) - continued</b>									
EM2207227-009	SX_OB_20220422_00_01_ SS_Primary_ALS	EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4305037)</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EM2207227-009	SX_OB_20220422_00_01_ SS_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
<b>EP231P: PFAS Sums (QC Lot: 4305037)</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EP231X: Sum of PFAS	----	0.0002	mg/kg	<50.0 µg/kg	<0.0500	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
EM2207227-009	SX_OB_20220422_00_01_ SS_Primary_ALS	EP231X: Sum of PFAS	----	0.0002	mg/kg	<50.0 µg/kg	<0.0500	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4305242)</b>									
EM2207120-001	Anonymous	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4305242) - continued</b>									
EM2207120-001	Anonymous	EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EM2207279-001	Anonymous	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4306454)</b>									
EM2207227-011	SX_OB_20220421_08_11_ SS_Primary_ALS	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EM2207227-020	SX_OB_20220422_04_07_ SS_Primary_ALS	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4306732)</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4305242)</b>									
EM2207120-001	Anonymous	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4305242) - continued</b>									
EM2207120-001	Anonymous	EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit
EM2207279-001	Anonymous	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit		
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4306454)</b>									
EM2207227-011	SX_OB_20220421_08_11_ SS_Primary_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2207227-020	SX_OB_20220422_04_07_ SS_Primary_ALS	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit		
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit		



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4306732)</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit		
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4305242)</b>									
EM2207120-001	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2207279-001	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4306454)</b>									



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4306454) - continued</b>									
EM2207227-011	SX_OB_20220421_08_11_ SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2207227-020	SX_OB_20220422_04_07_ SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4306732)</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4306732) - continued</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4305242)</b>									
EM2207120-001	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2207279-001	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4306454)</b>									
EM2207227-011	SX_OB_20220421_08_11_ SS_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2207227-020	SX_OB_20220422_04_07_ SS_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4306732)</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4306732) - continued</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231P: PFAS Sums (QC Lot: 4305242)</b>									
EM2207120-001	Anonymous	EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit
EM2207279-001	Anonymous	EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit
<b>EP231P: PFAS Sums (QC Lot: 4306454)</b>									
EM2207227-011	SX_OB_20220421_08_11_ SS_Primary_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.10	<0.10	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.05	<0.05	0.0	No Limit
EM2207227-020	SX_OB_20220422_04_07_ SS_Primary_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.10	<0.10	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231P: PFAS Sums (QC Lot: 4306732)</b>									
EM2207227-001	SX_OB_20220421_08_11_ SS_Primary_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.10	<0.10	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.05	<0.05	0.0	No Limit





## Method Blank (MB) and Laboratory Control Sample (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Sample (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: **SOIL**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
				Result	Spike Concentration	Spike Recovery (%)	Acceptable Limits (%)	
						LCS	Low	High
<b>EG005(ED093)T: Total Metals by ICP-AES (QCLot: 4305491)</b>								
EG005T: Arsenic	7440-38-2	5	mg/kg	<5	123 mg/kg	106	70.0	130
EG005T: Cadmium	7440-43-9	1	mg/kg	<1	1.23 mg/kg	89.3	50.0	130
EG005T: Chromium	7440-47-3	2	mg/kg	<2	20.2 mg/kg	116	70.0	130
EG005T: Copper	7440-50-8	5	mg/kg	<5	55.9 mg/kg	104	70.0	130
EG005T: Lead	7439-92-1	5	mg/kg	<5	62.4 mg/kg	98.2	70.0	130
EG005T: Molybdenum	7439-98-7	2	mg/kg	<2	2.19 mg/kg	99.2	70.0	130
EG005T: Nickel	7440-02-0	2	mg/kg	<2	15.4 mg/kg	107	70.0	130
EG005T: Selenium	7782-49-2	5	mg/kg	<5	----	----	----	----
EG005T: Silver	7440-22-4	2	mg/kg	<2	2.9 mg/kg	97.1	70.0	130
EG005T: Tin	7440-31-5	5	mg/kg	<5	5.33 mg/kg	111	70.0	130
EG005T: Zinc	7440-66-6	5	mg/kg	<5	162 mg/kg	83.4	70.0	130
<b>EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel) (QCLot: 4302742)</b>								
EN60-DIa-P: Final pH	----	0.1	pH Unit	7.1	----	----	----	----
<b>EA001: pH in soil using 0.01M CaCl extract (QCLot: 4308104)</b>								
EA001: pH (CaCl2)	----	----	pH Unit	----	4 pH Unit	100	98.8	101
					7 pH Unit	100	99.3	101
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 4305492)</b>								
EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	0.64 mg/kg	89.1	70.0	130
<b>EG048G: Hexavalent Chromium (Alkaline Digest) (QCLot: 4306053)</b>								
EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<0.5	20 mg/kg	77.8	70.0	130
<b>EK026SF: Total CN by Segmented Flow Analyser (QCLot: 4306035)</b>								
EK026SF: Total Cyanide	57-12-5	1	mg/kg	<1	20 mg/kg	97.0	70.0	130
<b>EK040T: Fluoride Total (QCLot: 4305864)</b>								
EK040T: Fluoride	16984-48-8	40	mg/kg	<40	400 mg/kg	91.4	75.2	110
<b>EK040T: Fluoride Total (QCLot: 4305865)</b>								
EK040T: Fluoride	16984-48-8	40	mg/kg	<40	400 mg/kg	85.6	75.2	110
<b>EP066: Polychlorinated Biphenyls (PCB) (QCLot: 4305566)</b>								
EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	1 mg/kg	95.7	67.4	136
<b>EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 4300657)</b>								
EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	2.1 mg/kg	93.6	69.2	116
EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	2.1 mg/kg	92.3	67.7	116
EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	2.1 mg/kg	91.5	66.6	115



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
<b>EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 4300657) - continued</b>									
EP074-UT: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	4.2 mg/kg	90.2	65.2	112	
EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	2.1 mg/kg	93.2	69.4	111	
EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	2.1 mg/kg	89.8	68.4	110	
<b>EP074H: Naphthalene (QCLot: 4300657)</b>									
EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	0.6 mg/kg	85.4	72.3	114	
<b>EP074I: Volatile Halogenated Compounds (QCLot: 4300657)</b>									
EP074-UT: Vinyl chloride	75-01-4	0.02	mg/kg	<0.02	0.1 mg/kg	125	47.0	138	
EP074-UT: 1,1-Dichloroethene	75-35-4	0.01	mg/kg	<0.01	0.1 mg/kg	95.4	57.6	125	
EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.4	2.1 mg/kg	94.5	72.3	115	
EP074-UT: trans-1,2-Dichloroethene	156-60-5	0.02	mg/kg	<0.02	0.1 mg/kg	95.0	60.5	122	
EP074-UT: cis-1,2-Dichloroethene	156-59-2	0.01	mg/kg	<0.01	0.1 mg/kg	94.0	70.3	112	
EP074-UT: Chloroform	67-66-3	0.02	mg/kg	<0.02	0.1 mg/kg	93.2	66.6	115	
EP074-UT: 1,1,1-Trichloroethane	71-55-6	0.01	mg/kg	<0.01	0.1 mg/kg	90.2	64.4	122	
EP074-UT: Carbon Tetrachloride	56-23-5	0.01	mg/kg	<0.01	0.1 mg/kg	89.6	58.4	127	
EP074-UT: 1,2-Dichloroethane	107-06-2	0.02	mg/kg	<0.02	0.1 mg/kg	98.2	72.9	114	
EP074-UT: Trichloroethene	79-01-6	0.02	mg/kg	<0.02	0.1 mg/kg	89.4	64.7	115	
EP074-UT: 1,1,2-Trichloroethane	79-00-5	0.04	mg/kg	<0.04	0.1 mg/kg	95.1	72.6	116	
EP074-UT: Tetrachloroethene	127-18-4	0.02	mg/kg	<0.02	0.1 mg/kg	94.0	60.0	119	
EP074-UT: 1,1,1,2-Tetrachloroethane	630-20-6	0.01	mg/kg	<0.01	0.1 mg/kg	90.2	71.8	116	
EP074-UT: 1,1,2,2-Tetrachloroethane	79-34-5	0.02	mg/kg	<0.02	0.1 mg/kg	96.4	66.1	116	
EP074-UT: Hexachlorobutadiene	87-68-3	0.02	mg/kg	<0.02	0.1 mg/kg	94.9	39.8	128	
EP074-UT: Chlorobenzene	108-90-7	0.02	mg/kg	<0.02	0.1 mg/kg	95.8	70.3	113	
EP074-UT: 1,4-Dichlorobenzene	106-46-7	0.02	mg/kg	<0.02	0.1 mg/kg	94.7	62.6	113	
EP074-UT: 1,2-Dichlorobenzene	95-50-1	0.02	mg/kg	<0.02	0.1 mg/kg	94.0	70.8	110	
EP074-UT: 1,2,4-Trichlorobenzene	120-82-1	0.01	mg/kg	<0.01	0.1 mg/kg	96.9	48.4	120	
<b>EP075A: Phenolic Compounds (Halogenated) (QCLot: 4305568)</b>									
EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.03	2 mg/kg	88.9	74.5	126	
EP075-EM: 2,4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.03	2 mg/kg	86.6	72.7	126	
EP075-EM: 2,6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.03	2 mg/kg	86.6	73.5	132	
EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<0.03	2 mg/kg	86.2	72.8	128	
EP075-EM: 2,4,5-Trichlorophenol	95-95-4	0.05	mg/kg	<0.05	2 mg/kg	86.5	73.3	134	
EP075-EM: 2,4,6-Trichlorophenol	88-06-2	0.05	mg/kg	<0.05	2 mg/kg	87.2	72.4	128	
EP075-EM: 2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	2 mg/kg	85.2	69.4	126	
EP075-EM: 2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/5 8-90-2	0.05	mg/kg	<0.05	4 mg/kg	88.9	71.9	128	
EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<0.2	4 mg/kg	80.0	54.4	135	
<b>EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4305568)</b>									



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
<b>EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4305568) - continued</b>									
EP075-EM: Phenol	108-95-2	1	mg/kg	<1	2 mg/kg	88.4	71.5	130	
EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	2 mg/kg	88.2	73.4	129	
EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	4 mg/kg	85.1	74.3	129	
EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	2 mg/kg	83.6	70.9	133	
EP075-EM: 2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	2 mg/kg	94.2	71.8	132	
EP075-EM: 2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	10 mg/kg	64.5	41.0	156	
EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	10 mg/kg	86.2	65.3	134	
EP075-EM: 2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	10 mg/kg	92.2	43.6	128	
EP075-EM: Dinoseb	88-85-7	5	mg/kg	<5	10 mg/kg	81.3	62.0	128	
EP075-EM: 2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	5	mg/kg	<5	10 mg/kg	79.2	34.5	137	
<b>EP075B: Polynuclear Aromatic Hydrocarbons (QCLot: 4305568)</b>									
EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	2 mg/kg	90.0	73.0	131	
EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	2 mg/kg	90.8	76.3	130	
EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	2 mg/kg	89.4	72.0	135	
EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	2 mg/kg	91.4	74.4	131	
EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	2 mg/kg	88.9	73.3	130	
EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	2 mg/kg	88.2	78.4	127	
EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	2 mg/kg	89.2	75.3	132	
EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	2 mg/kg	90.0	75.4	130	
EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	2 mg/kg	91.4	69.6	133	
EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	2 mg/kg	92.9	75.0	133	
EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	4 mg/kg	93.4	75.8	133	
EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	2 mg/kg	92.1	65.1	130	
EP075-EM: Indeno(1,2,3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	2 mg/kg	93.9	72.1	134	
EP075-EM: Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	2 mg/kg	93.4	72.9	135	
EP075-EM: Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	2 mg/kg	94.1	71.3	134	
<b>EP075I: Organochlorine Pesticides (QCLot: 4305568)</b>									
EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.03	2 mg/kg	88.7	71.0	129	
EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.03	2 mg/kg	90.9	74.8	126	
EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.03	2 mg/kg	89.1	75.7	130	
EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.03	2 mg/kg	90.9	70.8	130	
EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.03	2 mg/kg	92.0	76.5	134	
EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.03	2 mg/kg	88.2	75.5	131	
EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.03	2 mg/kg	88.9	76.8	130	
EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.03	2 mg/kg	86.2	73.6	130	
EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	2 mg/kg	84.8	75.0	133	
EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	2 mg/kg	86.0	75.3	131	
EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.03	2 mg/kg	90.5	69.4	134	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
<b>EP075I: Organochlorine Pesticides (QCLot: 4305568) - continued</b>									
EP075-EM: 4.4'-DDE	72-55-9	0.05	mg/kg	<0.05	2 mg/kg	93.1	71.0	132	
EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.03	2 mg/kg	90.4	78.0	133	
EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.03	2 mg/kg	83.3	69.0	143	
EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.03	2 mg/kg	80.8	55.7	145	
EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.03	2 mg/kg	91.2	71.4	135	
EP075-EM: 4.4'-DDD	72-54-8	0.05	mg/kg	<0.05	2 mg/kg	90.6	74.8	134	
EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.03	2 mg/kg	92.5	70.2	135	
EP075-EM: 4.4'-DDT	50-29-3	0.05	mg/kg	<0.05	2 mg/kg	89.4	77.7	133	
EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.03	2 mg/kg	95.6	63.6	135	
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 4300657)</b>									
EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<10	39.6 mg/kg	98.0	61.1	119	
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 4305567)</b>									
EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	700 mg/kg	85.6	74.4	129	
EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	2930 mg/kg	94.3	81.0	123	
EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	1380 mg/kg	99.1	81.8	121	
EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	5010 mg/kg	94.4	70.0	130	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4300657)</b>									
EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	48.9 mg/kg	97.4	59.9	119	
EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<10	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4305567)</b>									
EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	1030 mg/kg	91.6	75.4	132	
EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	3680 mg/kg	107	80.8	120	
EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	270 mg/kg	86.8	73.3	136	
EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	4980 mg/kg	102	70.0	130	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4305037)</b>									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	0.00111 mg/kg	95.8	72.0	128	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	0.00118 mg/kg	104	73.0	123	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	0.0014 mg/kg	74.1	67.0	130	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	0.00119 mg/kg	106	70.0	132	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	0.00116 mg/kg	83.4	68.0	136	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<0.0002	0.00121 mg/kg	102	59.0	134	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4305037)</b>									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	0.00625 mg/kg	87.3	71.0	135	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	0.00125 mg/kg	81.4	69.0	132	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	93.6	70.0	132	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	92.4	71.0	131	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	91.2	69.0	133	



Sub-Matrix: **SOIL**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report				
					Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4305037) - continued</b>									
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	96.9	72.0	129	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	0.00125 mg/kg	116	69.0	133	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	116	64.0	136	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	94.0	69.0	135	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	88.9	66.0	139	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	110	69.0	133	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4305037)</b>									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	92.8	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	0.00312 mg/kg	87.0	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	96.7	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	97.2	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	82.0	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	116	63.0	144	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	107	61.0	139	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4305037)</b>									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	0.00117 mg/kg	87.7	62.0	145	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	0.00119 mg/kg	97.0	64.0	140	
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	0.0012 mg/kg	110	65.0	137	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	0.00121 mg/kg	120	70.0	130	
<b>EP231P: PFAS Sums (QCLot: 4305037)</b>									
EP231X: Sum of PFAS	----	0.0002	mg/kg	<0.0002	----	----	----	----	
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	
EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	----	----	----	----	

Sub-Matrix: **WATER**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report				
					Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4305242)</b>									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.222 µg/L	93.8	72.0	130	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.235 µg/L	108	71.0	127	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.228 µg/L	105	68.0	131	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.25 µg/L	96.9	69.0	134	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.232 µg/L	98.7	65.0	140	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.241 µg/L	98.6	53.0	142	



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4306454)</b>									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.222 µg/L	96.8	72.0	130	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.235 µg/L	100	71.0	127	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.228 µg/L	93.4	68.0	131	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.25 µg/L	103	69.0	134	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.232 µg/L	99.2	65.0	140	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.241 µg/L	101	53.0	142	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4306732)</b>									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.222 µg/L	115	72.0	130	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.235 µg/L	103	71.0	127	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.228 µg/L	99.2	68.0	131	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.25 µg/L	106	69.0	134	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.232 µg/L	93.4	65.0	140	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.241 µg/L	110	53.0	142	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4305242)</b>									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	1.25 µg/L	99.8	73.0	129	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.25 µg/L	99.6	72.0	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.25 µg/L	94.6	72.0	129	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.25 µg/L	98.0	72.0	130	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.25 µg/L	98.4	71.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.25 µg/L	94.1	69.0	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.25 µg/L	105	71.0	129	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.25 µg/L	103	69.0	133	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.25 µg/L	98.8	72.0	134	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.25 µg/L	92.3	65.0	144	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	0.625 µg/L	102	71.0	132	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4306454)</b>									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	1.25 µg/L	104	73.0	129	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.25 µg/L	100	72.0	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.25 µg/L	95.2	72.0	129	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.25 µg/L	100	72.0	130	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.25 µg/L	104	71.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.25 µg/L	98.4	69.0	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.25 µg/L	100	71.0	129	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.25 µg/L	106	69.0	133	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.25 µg/L	99.1	72.0	134	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.25 µg/L	96.5	65.0	144	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	0.625 µg/L	104	71.0	132	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4306732)</b>									



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4306732) - continued</b>									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	1.25 µg/L	92.8	73.0	129	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.25 µg/L	90.0	72.0	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.25 µg/L	98.4	72.0	129	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.25 µg/L	103	72.0	130	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.25 µg/L	98.6	71.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.25 µg/L	100	69.0	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.25 µg/L	125	71.0	129	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.25 µg/L	95.3	69.0	133	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.25 µg/L	110	72.0	134	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.25 µg/L	96.8	65.0	144	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	0.625 µg/L	113	71.0	132	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4305242)</b>									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.25 µg/L	98.8	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	0.625 µg/L	115	68.0	141	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	0.625 µg/L	102	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	0.625 µg/L	102	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	0.625 µg/L	94.8	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.25 µg/L	110	65.0	136	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.25 µg/L	112	61.0	135	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4306454)</b>									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.25 µg/L	103	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	0.625 µg/L	106	68.0	141	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	0.625 µg/L	104	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	0.625 µg/L	98.3	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	0.625 µg/L	98.4	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.25 µg/L	108	65.0	136	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.25 µg/L	111	61.0	135	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4306732)</b>									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.25 µg/L	93.1	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	0.625 µg/L	126	68.0	141	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	0.625 µg/L	121	70.0	130	



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
				Result	Spike	Spike Recovery (%)	Acceptable Limits (%)	
					Concentration	LCS	Low	High
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4306732) - continued</b>								
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	0.625 µg/L	101	70.0	130
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	0.625 µg/L	91.4	70.0	130
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.25 µg/L	116	65.0	136
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.25 µg/L	114	61.0	135
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4305242)</b>								
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.234 µg/L	108	63.0	143
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.238 µg/L	105	64.0	140
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.24 µg/L	107	67.0	138
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.242 µg/L	86.7	70.0	130
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4306454)</b>								
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.234 µg/L	113	63.0	143
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.238 µg/L	100	64.0	140
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.24 µg/L	109	67.0	138
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.242 µg/L	88.2	70.0	130
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4306732)</b>								
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.234 µg/L	104	63.0	143
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.238 µg/L	112	64.0	140
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.24 µg/L	104	67.0	138
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.242 µg/L	93.1	70.0	130
<b>EP231P: PFAS Sums (QCLot: 4305242)</b>								
EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----
<b>EP231P: PFAS Sums (QCLot: 4306454)</b>								
EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----
<b>EP231P: PFAS Sums (QCLot: 4306732)</b>								
EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----





## Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: **SOIL**

Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Matrix Spike (MS) Report			
				Concentration	Spike Recovery(%) MS	Acceptable Limits (%)	
						Low	High
<b>EG005(ED093)T: Total Metals by ICP-AES (QCLot: 4305491)</b>							
EM2207227-002	SX_OB_20220421_08_12_SS_Duplicate_ALS	EG005T: Arsenic	7440-38-2	50 mg/kg	83.2	78.0	124
		EG005T: Cadmium	7440-43-9	50 mg/kg	96.8	79.7	116
		EG005T: Chromium	7440-47-3	50 mg/kg	81.1	79.0	121
		EG005T: Copper	7440-50-8	250 mg/kg	97.6	80.0	120
		EG005T: Lead	7439-92-1	250 mg/kg	93.2	80.0	120
		EG005T: Nickel	7440-02-0	50 mg/kg	105	78.0	120
		EG005T: Zinc	7440-66-6	250 mg/kg	89.4	80.0	120
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 4305492)</b>							
EM2207227-002	SX_OB_20220421_08_12_SS_Duplicate_ALS	EG035T: Mercury	7439-97-6	0.5 mg/kg	100	76.0	116
<b>EG048: Hexavalent Chromium (Alkaline Digest) (QCLot: 4306053)</b>							
EM2207227-002	SX_OB_20220421_08_12_SS_Duplicate_ALS	EG048G: Hexavalent Chromium	18540-29-9	20 mg/kg	81.8	58.0	114
EM2207227-002	SX_OB_20220421_08_12_SS_Duplicate_ALS	EG048G: Hexavalent Chromium	18540-29-9	20 mg/kg	93.6	58.0	114
<b>EK026SF: Total CN by Segmented Flow Analyser (QCLot: 4306035)</b>							
EM2207227-002	SX_OB_20220421_08_12_SS_Duplicate_ALS	EK026SF: Total Cyanide	57-12-5	20 mg/kg	96.0	70.0	130
<b>EK040T: Fluoride Total (QCLot: 4305864)</b>							
EM2206895-003	Anonymous	EK040T: Fluoride	16984-48-8	400 mg/kg	79.8	70.0	130
<b>EK040T: Fluoride Total (QCLot: 4305865)</b>							
EM2207227-005	SX_IB_20220421_15_48_SS_Triplicate_ALS	EK040T: Fluoride	16984-48-8	400 mg/kg	70.5	70.0	130
<b>EP066: Polychlorinated Biphenyls (PCB) (QCLot: 4305566)</b>							
EM2207227-003	SX_IB_20220421_12_06_SS_Primary_ALS	EP066-EM: Total Polychlorinated biphenyls	----	1 mg/kg	88.2	59.6	152
<b>EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 4300657)</b>							
EM2207227-002	SX_OB_20220421_08_12_SS_Duplicate_ALS	EP074-UT: Benzene	71-43-2	2 mg/kg	76.4	53.7	130
		EP074-UT: Toluene	108-88-3	2 mg/kg	86.8	55.1	124
<b>EP074I: Volatile Halogenated Compounds (QCLot: 4300657)</b>							
EM2207227-002	SX_OB_20220421_08_12_SS_Duplicate_ALS	EP074-UT: 1,1-Dichloroethene	75-35-4	2 mg/kg	48.0	38.4	145
		EP074-UT: Trichloroethene	79-01-6	2 mg/kg	72.9	48.1	128
		EP074-UT: Chlorobenzene	108-90-7	2 mg/kg	86.3	55.5	122
<b>EP075A: Phenolic Compounds (Halogenated) (QCLot: 4305568)</b>							
EM2207227-002	SX_OB_20220421_08_12_SS_Duplicate_ALS	EP075-EM: 2-Chlorophenol	95-57-8	3 mg/kg	83.4	44.0	143
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	3 mg/kg	79.4	41.5	139
		EP075-EM: Pentachlorophenol	87-86-5	3 mg/kg	66.1	10.0	144



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4305568)</b>							
EM2207227-002	SX_OB_20220421_08_12_SS_Duplicate_ALS	EP075-EM: Phenol	108-95-2	3 mg/kg	83.0	44.2	134
		EP075-EM: 2-Nitrophenol	88-75-5	3 mg/kg	70.1	34.2	129
<b>EP075B: Polynuclear Aromatic Hydrocarbons (QCLot: 4305568)</b>							
EM2207227-002	SX_OB_20220421_08_12_SS_Duplicate_ALS	EP075-EM: Acenaphthene	83-32-9	3 mg/kg	87.3	42.6	138
		EP075-EM: Pyrene	129-00-0	3 mg/kg	82.3	37.8	152
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 4300657)</b>							
EM2207227-002	SX_OB_20220421_08_12_SS_Duplicate_ALS	EP074-UT: C6 - C9 Fraction	----	28 mg/kg	85.7	42.3	111
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 4305567)</b>							
EM2207227-004	SX_OB_20220421_15_57_SS_Primary_ALS	EP071-EM: C10 - C14 Fraction	----	700 mg/kg	85.0	71.3	126
		EP071-EM: C15 - C28 Fraction	----	2930 mg/kg	92.9	75.1	123
		EP071-EM: C29 - C36 Fraction	----	1380 mg/kg	97.9	78.1	120
		EP071-EM: C10 - C36 Fraction (sum)	----	5010 mg/kg	93.5	70.0	130
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4300657)</b>							
EM2207227-002	SX_OB_20220421_08_12_SS_Duplicate_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	33 mg/kg	83.4	39.9	109
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4305567)</b>							
EM2207227-004	SX_OB_20220421_15_57_SS_Primary_ALS	EP071-EM: >C10 - C16 Fraction	----	1030 mg/kg	90.6	71.5	130
		EP071-EM: >C16 - C34 Fraction	----	3680 mg/kg	105	76.9	119
		EP071-EM: >C34 - C40 Fraction	----	270 mg/kg	84.6	65.3	139
		EP071-EM: >C10 - C40 Fraction (sum)	----	4980 mg/kg	102	70.0	130
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4305037)</b>							
EM2207227-002	SX_OB_20220421_08_12_SS_Duplicate_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.00111 mg/kg	99.5	72.0	128
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.00118 mg/kg	80.3	73.0	123
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.00114 mg/kg	80.6	67.0	130
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.00119 mg/kg	122	70.0	132
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.00116 mg/kg	85.2	68.0	136
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.00121 mg/kg	106	59.0	134
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4305037)</b>							
EM2207227-002	SX_OB_20220421_08_12_SS_Duplicate_ALS	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.00625 mg/kg	89.9	71.0	135
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.00125 mg/kg	78.5	69.0	132
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.00125 mg/kg	90.2	70.0	132
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.00125 mg/kg	96.7	71.0	131
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.00125 mg/kg	91.1	69.0	133
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.00125 mg/kg	87.8	72.0	129
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.00125 mg/kg	105	69.0	133
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.00125 mg/kg	106	64.0	136
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.00125 mg/kg	94.8	69.0	135
		EP231X: Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.00125 mg/kg	90.6	66.0	139



Sub-Matrix: **SOIL**

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4305037) - continued</b>							
EM2207227-002	SX_OB_20220421_08_12_SS_Duplicate_ALS	EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.00312 mg/kg	112	69.0	133
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4305037)</b>							
EM2207227-002	SX_OB_20220421_08_12_SS_Duplicate_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.00125 mg/kg	91.5	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.00312 mg/kg	84.6	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.00312 mg/kg	95.2	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.00312 mg/kg	92.2	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.00312 mg/kg	85.4	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.00125 mg/kg	109	63.0	144
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.00125 mg/kg	118	61.0	139
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4305037)</b>							
EM2207227-002	SX_OB_20220421_08_12_SS_Duplicate_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.00117 mg/kg	101	62.0	145
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.00119 mg/kg	109	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0012 mg/kg	103	65.0	137
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.00121 mg/kg	90.2	70.0	130

Sub-Matrix: **WATER**

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4305242)</b>							
EM2207227-021	SX_IB_20220422_07_03_SB_Blank_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.222 µg/L	96.4	72.0	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.235 µg/L	98.5	71.0	127
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.228 µg/L	87.6	68.0	131
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.238 µg/L	95.5	69.0	134
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.232 µg/L	91.8	65.0	140
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.241 µg/L	92.3	53.0	142
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4306454)</b>							
EM2207140-012	Anonymous	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.222 µg/L	102	72.0	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.235 µg/L	101	71.0	127
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.228 µg/L	99.8	68.0	131
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.238 µg/L	101	69.0	134
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.232 µg/L	96.8	65.0	140
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.241 µg/L	82.2	53.0	142
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4306732)</b>							



Sub-Matrix: WATER

				Matrix Spike (MS) Report					
				Spike	SpikeRecovery(%)	Acceptable Limits (%)			
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High		
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4306732) - continued</b>									
EM2207227-002	SX_OB_20220421_08_12_SS_Duplicate_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.222 µg/L	100	72.0	130		
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.235 µg/L	88.3	71.0	127		
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.228 µg/L	87.3	68.0	131		
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.238 µg/L	101	69.0	134		
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.232 µg/L	91.5	65.0	140		
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.241 µg/L	106	53.0	142		
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4305242)</b>									
EM2207227-021	SX_IB_20220422_07_03_SB_Blank_ALS	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	1.25 µg/L	97.2	73.0	129		
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.25 µg/L	94.6	72.0	129		
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.25 µg/L	97.0	72.0	129		
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.25 µg/L	98.9	72.0	130		
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.25 µg/L	95.6	71.0	133		
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.25 µg/L	94.3	69.0	130		
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.25 µg/L	101	71.0	129		
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.25 µg/L	99.2	69.0	133		
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.25 µg/L	107	72.0	134		
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.25 µg/L	101	65.0	144		
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.625 µg/L	107	71.0	132				
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4306454)</b>									
EM2207140-012	Anonymous	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	1.25 µg/L	95.6	73.0	129		
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.25 µg/L	96.8	72.0	129		
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.25 µg/L	90.4	72.0	129		
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.25 µg/L	97.2	72.0	130		
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.25 µg/L	97.2	71.0	133		
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.25 µg/L	103	69.0	130		
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.25 µg/L	99.9	71.0	129		
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.25 µg/L	89.0	69.0	133		
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.25 µg/L	86.2	72.0	134		
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.25 µg/L	74.1	65.0	144		
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.625 µg/L	83.9	71.0	132		
		<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4306732)</b>							
		EM2207227-002	SX_OB_20220421_08_12_SS_Duplicate_ALS	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	1.25 µg/L	92.8	73.0	129
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3			0.25 µg/L	87.1	72.0	129		
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4			0.25 µg/L	103	72.0	129		
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9			0.25 µg/L	96.2	72.0	130		
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1			0.25 µg/L	96.0	71.0	133		
EP231X: Perfluorononanoic acid (PFNA)	375-95-1			0.25 µg/L	98.9	69.0	130		
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2			0.25 µg/L	123	71.0	129		



Sub-Matrix: WATER

				Matrix Spike (MS) Report			
Laboratory sample ID		Sample ID	Method: Compound	CAS Number	Spike Concentration	Spike Recovery(%) MS	Acceptable Limits (%) Low High
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4306732) - continued</b>							
EM2207227-002	SX_OB_20220421_08_12_SS_Duplicate_ALS	EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.25 µg/L	106	69.0	133
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.25 µg/L	100	72.0	134
		EP231X: Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.25 µg/L	97.4	65.0	144
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.625 µg/L	110	71.0	132
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4305242)</b>							
EM2207227-021	SX_IB_20220422_07_03_SB_Blank_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.25 µg/L	98.9	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.625 µg/L	109	68.0	141
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.625 µg/L	95.9	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.625 µg/L	97.9	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.625 µg/L	93.5	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.25 µg/L	95.4	65.0	136
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.25 µg/L	94.6	61.0	135
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4306454)</b>							
EM2207140-012	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.25 µg/L	93.6	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.625 µg/L	86.8	68.0	141
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.625 µg/L	87.6	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.625 µg/L	88.5	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.625 µg/L	93.2	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.25 µg/L	86.2	65.0	136
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.25 µg/L	99.7	61.0	135
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4306732)</b>							
EM2207227-002	SX_OB_20220421_08_12_SS_Duplicate_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.25 µg/L	96.3	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.625 µg/L	112	68.0	141
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.625 µg/L	104	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.625 µg/L	109	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.625 µg/L	102	70.0	130



Sub-Matrix: WATER

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4306732) - continued</b>							
EM2207227-002	SX_OB_20220421_08_12_SS_Duplicate_ALS	EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.25 µg/L	108	65.0	136
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.25 µg/L	108	61.0	135
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4305242)</b>							
EM2207227-021	SX_IB_20220422_07_03_SB_Blank_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.234 µg/L	105	63.0	143
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.238 µg/L	103	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.24 µg/L	110	67.0	138
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.242 µg/L	86.8	70.0	130
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4306454)</b>							
EM2207140-012	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.234 µg/L	102	63.0	143
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.238 µg/L	97.5	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.24 µg/L	110	67.0	138
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.242 µg/L	79.5	70.0	130
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4306732)</b>							
EM2207227-002	SX_OB_20220421_08_12_SS_Duplicate_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.234 µg/L	94.1	63.0	143
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.238 µg/L	110	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.24 µg/L	99.4	67.0	138
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.242 µg/L	93.8	70.0	130



## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: EM2207227	Page	: 1 of 13
Client	: AGON ENVIRONMENTAL PTY LTD	Laboratory	: Environmental Division Melbourne
Contact	: DAVID LAWSON	Telephone	: +61-3-8549 9600
Project	: JC0927	Date Samples Received	: 22-Apr-2022
Site	: 20220422073938-ALS-6	Issue Date	: 29-Apr-2022
Sampler	: Hannah, Martha	No. of samples received	: 22
Order number	: ----	No. of samples analysed	: 22

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO Method Blank value outliers occur.**
- **NO Duplicate outliers occur.**
- **NO Laboratory Control outliers occur.**
- **NO Matrix Spike outliers occur.**
- **For all regular sample matrices, NO surrogate recovery outliers occur.**

#### Outliers : Analysis Holding Time Compliance

- **NO Analysis Holding Time Outliers exist.**

#### Outliers : Frequency of Quality Control Samples

- **NO Quality Control Sample Frequency Outliers exist.**



## Analysis Holding Time Compliance

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results.

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **SOIL**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA001: pH in soil using 0.01M CaCl extract</b>								
<b>Miscellaneous Plastic Bucket (EA001)</b>								
SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS,	SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS	21-Apr-2022	28-Apr-2022	28-Apr-2022	✓	28-Apr-2022	28-Apr-2022	✓
<b>EA055: Moisture Content (Dried @ 105-110°C)</b>								
<b>Miscellaneous Plastic Bucket (EA055)</b>								
SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS,	SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS	21-Apr-2022	----	----	----	27-Apr-2022	05-May-2022	✓
<b>EG005(ED093)T: Total Metals by ICP-AES</b>								
<b>Miscellaneous Plastic Bucket (EG005T)</b>								
SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS,	SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS	21-Apr-2022	27-Apr-2022	18-Oct-2022	✓	27-Apr-2022	18-Oct-2022	✓
<b>EG035T: Total Recoverable Mercury by FIMS</b>								
<b>Miscellaneous Plastic Bucket (EG035T)</b>								
SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS,	SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS	21-Apr-2022	27-Apr-2022	19-May-2022	✓	27-Apr-2022	19-May-2022	✓





Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>								
<b>Miscellaneous Plastic Bucket (EG048G)</b> SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS,	SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS	21-Apr-2022	27-Apr-2022	19-May-2022	✓	28-Apr-2022	04-May-2022	✓
<b>EK026SF: Total CN by Segmented Flow Analyser</b>								
<b>Miscellaneous Plastic Bucket (EK026SF)</b> SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS,	SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS	21-Apr-2022	27-Apr-2022	05-May-2022	✓	28-Apr-2022	11-May-2022	✓
<b>EK040T: Fluoride Total</b>								
<b>Miscellaneous Plastic Bucket (EK040T)</b> SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS,	SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS	21-Apr-2022	28-Apr-2022	19-May-2022	✓	29-Apr-2022	19-May-2022	✓
<b>EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>								
<b>Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60a-P)</b>								
SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS,	SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS	21-Apr-2022	26-Apr-2022	18-Oct-2022	✓	----	----	----
<b>EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>								
<b>Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60-DIa-P)</b>								
SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS,	SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS	21-Apr-2022	26-Apr-2022	18-Oct-2022	✓	----	----	----
<b>EP066: Polychlorinated Biphenyls (PCB)</b>								
<b>Miscellaneous Plastic Bucket (EP066-EM)</b> SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS,	SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS	21-Apr-2022	27-Apr-2022	05-May-2022	✓	28-Apr-2022	06-Jun-2022	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>								
<b>Miscellaneous Plastic Bucket (EP074-UT)</b> SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS,	SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS	21-Apr-2022	23-Apr-2022	28-Apr-2022	✓	23-Apr-2022	28-Apr-2022	✓
<b>EP074H: Naphthalene</b>								
<b>Miscellaneous Plastic Bucket (EP074-UT)</b> SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS,	SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS	21-Apr-2022	23-Apr-2022	28-Apr-2022	✓	23-Apr-2022	28-Apr-2022	✓
<b>EP074I: Volatile Halogenated Compounds</b>								
<b>Miscellaneous Plastic Bucket (EP074-UT)</b> SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS,	SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS	21-Apr-2022	23-Apr-2022	28-Apr-2022	✓	23-Apr-2022	28-Apr-2022	✓
<b>EP075A: Phenolic Compounds (Halogenated)</b>								
<b>Miscellaneous Plastic Bucket (EP075-EM)</b> SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS,	SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS	21-Apr-2022	27-Apr-2022	05-May-2022	✓	28-Apr-2022	06-Jun-2022	✓
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>								
<b>Miscellaneous Plastic Bucket (EP075-EM)</b> SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS,	SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS	21-Apr-2022	27-Apr-2022	05-May-2022	✓	28-Apr-2022	06-Jun-2022	✓
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>								
<b>Miscellaneous Plastic Bucket (EP075-EM)</b> SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS,	SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS	21-Apr-2022	27-Apr-2022	05-May-2022	✓	28-Apr-2022	06-Jun-2022	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP075I: Organochlorine Pesticides</b>								
<b>Miscellaneous Plastic Bucket (EP075-EM)</b>								
SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS,	SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS	21-Apr-2022	27-Apr-2022	05-May-2022	✓	28-Apr-2022	06-Jun-2022	✓
<b>EP080/071: Total Petroleum Hydrocarbons</b>								
<b>Miscellaneous Plastic Bucket (EP074-UT)</b>								
SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS,	SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS	21-Apr-2022	23-Apr-2022	28-Apr-2022	✓	23-Apr-2022	28-Apr-2022	✓
<b>Miscellaneous Plastic Bucket (EP071-EM)</b>								
SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS,	SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS	21-Apr-2022	27-Apr-2022	05-May-2022	✓	28-Apr-2022	06-Jun-2022	✓
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>								
<b>Miscellaneous Plastic Bucket (EP074-UT)</b>								
SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS,	SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS	21-Apr-2022	23-Apr-2022	28-Apr-2022	✓	23-Apr-2022	28-Apr-2022	✓
<b>Miscellaneous Plastic Bucket (EP071-EM)</b>								
SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS,	SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS	21-Apr-2022	27-Apr-2022	05-May-2022	✓	28-Apr-2022	06-Jun-2022	✓
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
<b>Miscellaneous Plastic Bucket (EP231X)</b>								
SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS,	SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS	21-Apr-2022	28-Apr-2022	18-Oct-2022	✓	28-Apr-2022	07-Jun-2022	✓



Matrix: **SOIL**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
<b>Miscellaneous Plastic Bucket (EP231X)</b>								
SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS,	SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS	21-Apr-2022	28-Apr-2022	18-Oct-2022	✓	28-Apr-2022	07-Jun-2022	✓
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
<b>Miscellaneous Plastic Bucket (EP231X)</b>								
SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS,	SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS	21-Apr-2022	28-Apr-2022	18-Oct-2022	✓	28-Apr-2022	07-Jun-2022	✓
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
<b>Miscellaneous Plastic Bucket (EP231X)</b>								
SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS,	SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS	21-Apr-2022	28-Apr-2022	18-Oct-2022	✓	28-Apr-2022	07-Jun-2022	✓
<b>EP231P: PFAS Sums</b>								
<b>Miscellaneous Plastic Bucket (EP231X)</b>								
SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS,	SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS	21-Apr-2022	28-Apr-2022	18-Oct-2022	✓	28-Apr-2022	07-Jun-2022	✓

Matrix: **WATER**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis		
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation



Matrix: **WATER** Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
<b>HDPE (no PTFE) (EP231X)</b> SX_IB_20220422_07_03_SB_Blank_ALS,	SX_IB_20220422_07_06_SR_Rinsate_ALS	<b>22-Apr-2022</b>	<b>27-Apr-2022</b>	19-Oct-2022	✓	<b>27-Apr-2022</b>	19-Oct-2022	✓
<b>HDPE (no PTFE) (EP231X)</b> SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS, SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS,	SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS, SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS	<b>26-Apr-2022</b>	<b>27-Apr-2022</b>	23-Oct-2022	✓	<b>27-Apr-2022</b>	23-Oct-2022	✓
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
<b>HDPE (no PTFE) (EP231X)</b> SX_IB_20220422_07_03_SB_Blank_ALS,	SX_IB_20220422_07_06_SR_Rinsate_ALS	<b>22-Apr-2022</b>	<b>27-Apr-2022</b>	19-Oct-2022	✓	<b>27-Apr-2022</b>	19-Oct-2022	✓
<b>HDPE (no PTFE) (EP231X)</b> SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS, SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS,	SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS, SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS	<b>26-Apr-2022</b>	<b>27-Apr-2022</b>	23-Oct-2022	✓	<b>27-Apr-2022</b>	23-Oct-2022	✓
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
<b>HDPE (no PTFE) (EP231X)</b> SX_IB_20220422_07_03_SB_Blank_ALS,	SX_IB_20220422_07_06_SR_Rinsate_ALS	<b>22-Apr-2022</b>	<b>27-Apr-2022</b>	19-Oct-2022	✓	<b>27-Apr-2022</b>	19-Oct-2022	✓
<b>HDPE (no PTFE) (EP231X)</b> SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS, SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS,	SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS, SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS	<b>26-Apr-2022</b>	<b>27-Apr-2022</b>	23-Oct-2022	✓	<b>27-Apr-2022</b>	23-Oct-2022	✓



Matrix: **WATER** Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis				
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation		
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
<b>HDPE (no PTFE) (EP231X)</b>									
SX_IB_20220422_07_03_SB_Blank_ALS,	SX_IB_20220422_07_06_SR_Rinsate_ALS	22-Apr-2022	27-Apr-2022	19-Oct-2022	✓	27-Apr-2022	19-Oct-2022	✓	
<b>HDPE (no PTFE) (EP231X)</b>									
SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS, SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS,	SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS, SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_OB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS	26-Apr-2022	27-Apr-2022	23-Oct-2022	✓	27-Apr-2022	23-Oct-2022	✓	
<b>EP231P: PFAS Sums</b>									
<b>HDPE (no PTFE) (EP231X)</b>									
SX_IB_20220422_07_03_SB_Blank_ALS,	SX_IB_20220422_07_06_SR_Rinsate_ALS	22-Apr-2022	27-Apr-2022	19-Oct-2022	✓	27-Apr-2022	19-Oct-2022	✓	
<b>HDPE (no PTFE) (EP231X)</b>									
SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS, SX_OB_20220421_08_11_SS_Primary_ALS, SX_IB_20220421_12_06_SS_Primary_ALS, SX_IB_20220421_15_48_SS_Triplicate_ALS, SX_IB_20220421_20_06_SS_Triplicate_ALS, SX_OB_20220422_00_01_SS_Primary_ALS,	SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS, SX_OB_20220421_08_12_SS_Duplicate_ALS, SX_OB_20220421_15_57_SS_Primary_ALS, SX_IB_20220421_19_59_SS_Primary_ALS, SX_OB_20220421_23_54_SS_Primary_ALS, SX_OB_20220422_04_07_SS_Primary_ALS	26-Apr-2022	27-Apr-2022	23-Oct-2022	✓	27-Apr-2022	23-Oct-2022	✓	



## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **SOIL**

Evaluation: \* = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Moisture Content	EA055	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	2	18	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	2	19	10.53	10.00	✓	NEPM 2013 B3 & ALS QC Standard
pH in soil using a 0.01M CaCl2 extract	EA001	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	2	18	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	4	39	10.26	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	2	18	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	1	10	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	1	18	5.56	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
pH in soil using a 0.01M CaCl2 extract	EA001	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	1	18	5.56	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	2	39	5.13	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	1	18	5.56	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	1	10	10.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
Deionised Water Leach - Plastic Leaching Vessel	EN60-DIa-P	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	1	18	5.56	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	1	18	5.56	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	2	39	5.13	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	1	18	5.56	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	1	10	10.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard



Matrix: **SOIL** Evaluation: \* = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Matrix Spikes (MS)</b>							
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	1	18	5.56	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	1	18	5.56	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	2	39	5.13	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	1	18	5.56	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	1	10	10.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard

Matrix: **WATER** Evaluation: \* = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	5	45	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	3	45	6.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	3	45	6.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Matrix Spikes (MS)</b>							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	3	45	6.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard





## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

Analytical Methods	Method	Matrix	Method Descriptions
pH in soil using a 0.01M CaCl <sub>2</sub> extract	EA001	SOIL	In house: Referenced to Rayment and Lyons 4B3 (mod.) or 4B4 (mod.) 10 g of soil is mixed with 50 mL of 0.01M CaCl <sub>2</sub> and tumbled end over end for 1 hour. pH is measured from the continuous suspension. This method is compliant with NEPM Schedule B(3).
Moisture Content	EA055	SOIL	In house: A gravimetric procedure based on weight loss over a 12 hour drying period at 105-110 degrees C. This method is compliant with NEPM Schedule B(3).
Total Metals by ICP-AES	EG005T	SOIL	In house: Referenced to APHA 3120; USEPA SW 846 - 6010. Metals are determined following an appropriate acid digestion of the soil. The ICPAES technique ionises samples in a plasma, emitting a characteristic spectrum based on metals present. Intensities at selected wavelengths are compared against those of matrix matched standards. This method is compliant with NEPM Schedule B(3)
Total Mercury by FIMS	EG035T	SOIL	In house: Referenced to APHA 3112 Hg - B (Flow-injection (SnCl <sub>2</sub> ) (Cold Vapour generation) AAS) FIM-AAS is an automated flameless atomic absorption technique. Mercury in solids are determined following an appropriate acid digestion. Ionic mercury is reduced online to atomic mercury vapour by SnCl <sub>2</sub> which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM Schedule B(3)
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	SOIL	In house: Referenced to USEPA SW846, Method 3060. Hexavalent chromium is extracted by alkaline digestion. The digest is determined by photometrically by automatic discrete analyser, following pH adjustment. The instrument uses colour development using dephenylcarbazide. Each run of samples is measured against a five-point calibration curve. This method is compliant with NEPM Schedule B(3)
Total Cyanide by Segmented Flow Analyser	EK026SF	SOIL	In house: Referenced to APHA 4500-CN C / ASTM D7511 / ISO 14403. Caustic leachates of soil samples are introduced into an automated segmented flow analyser. Complex bound cyanide is decomposed in a continuously flowing stream, at a pH of 3.8, by the effect of UV light. A UV-B lamp (312 nm) and a decomposition spiral of borosilicate glass are used to filter out UV light with a wavelength of less than 290 nm thus preventing the conversion of thiocyanate into cyanide. The hydrogen cyanide present at a pH of 3.8 is separated by gas dialysis. The hydrogen cyanide is then determined photometrically, based on the reaction of cyanide with chloramine-T to form cyanogen chloride. This then reacts with 4-pyridine carboxylic acid and 1,3-dimethylbarbituric acid to give a red colour which is measured at 600 nm. This method is compliant with NEPM Schedule B(3).
Total Fluoride	EK040T	SOIL	(In-house) Total fluoride is determined by ion specific electrode (ISE) in a solution obtained after a Sodium Carbonate / Potassium Carbonate fusion dissolution.
PCB - VIC EPA 448.3 Screen	EP066-EM	SOIL	In house: Referenced to USEPA SW 846 - 8270 Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This method is compliant with NEPM Schedule B(3).
TRH - Semivolatile Fraction	EP071-EM	SOIL	In house: Referenced to USEPA SW 846 - 8015A Sample extracts are analysed by Capillary GC/FID and quantified against alkane standards over the range C10 - C40.
Volatile Organic Compounds - Ultra-trace	EP074-UT	SOIL	In house: Referenced to USEPA SW 846 - 8260 Extracts are analysed by Purge and Trap, Capillary GC/MS in partial SIM/Scan mode. Quantification is by comparison against an established multi-point calibration curves. This method is compliant with NEPM Schedule B(3).



Analytical Methods	Method	Matrix	Method Descriptions
Volatile Organic Compounds - Ultra-trace - Summations	EP074-UT-SUM	SOIL	Summation of MAHs and VHCs
Semivolatile Organic Compounds - Waste Classification	EP075-EM	SOIL	In house: Referenced to USEPA SW 846 - 8270 Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This technique is compliant with NEPM Schedule B(3).
SVOC - Waste Classification (Sums)	EP075-EM-SUM	SOIL	Summations for EP075 (EM variation)
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	SOIL	In-house: Analysis of fresh and saline waters by Solid Phase Extraction (SPE) followed by LC-Electrospray-MS-MS, Negative Mode using MRM and internal standard quantitation. Isotopically labelled analogues of target analytes used as internal standards and surrogates are added to the sample container. The entire contents are transferred to a solid phase extraction (SPE) cartridge. The sample container is successively rinsed with aliquots of the elution solvent. The eluted extract is combined with an equal volume of reagent water and a portion is filtered for analysis. Method procedures and data quality objectives conform to US DoD QSM 5.3, table B-15 requirements.
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	WATER	In-house: Analysis of fresh and saline waters by Solid Phase Extraction (SPE) followed by LC-Electrospray-MS-MS, Negative Mode using MRM and internal standard quantitation. Isotopically labelled analogues of target analytes used as internal standards and surrogates are added to the sample container. The entire contents are transferred to a solid phase extraction (SPE) cartridge. The sample container is successively rinsed with aliquots of the elution solvent. The eluted extract is combined with an equal volume of reagent water and a portion is filtered for analysis. Method procedures and data quality objectives conform to US DoD QSM 5.3, table B-15 requirements.

Preparation Methods	Method	Matrix	Method Descriptions
NaOH leach for CN in Soils	CN-PR	SOIL	In house: APHA 4500 CN. Samples are extracted by end-over-end tumbling with NaOH.
pH in soil using a 0.01M CaCl <sub>2</sub> extract	EA001-PR	SOIL	In house: Referenced to Rayment and Lyons 4B1, 10 g of soil is mixed with 50 mL of 0.01M CaCl <sub>2</sub> and tumbled end over end for 1 hour. pH is measured from the continuous suspension. This method is compliant with NEPM Schedule B(3).
Alkaline digestion for Hexavalent Chromium	EG048PR	SOIL	In house: Referenced to USEPA SW846, Method 3060A.
Total Fluoride	EK040T-PR	SOIL	In house: Samples are fused with Sodium Carbonate / Potassium Carbonate flux.
ASLP for Non & Semivolatile Analytes - Plastic Leaching Vessel	EN60a-P	SOIL	In house QWI-EN/60 referenced to AS4439.3 Preparation of Leachates.
Deionised Water Leach - Plastic Leaching Vessel	EN60-DIa-P	SOIL	In house QWI-EN/60 referenced to AS4439.3 Preparation of Leachates
Hot Block Digest for metals in soils sediments and sludges	EN69	SOIL	In house: Referenced to USEPA 200.2. Hot Block Acid Digestion 1.0g of sample is heated with Nitric and Hydrochloric acids, then cooled. Peroxide is added and samples heated and cooled again before being filtered and bulked to volume for analysis. Digest is appropriate for determination of selected metals in sludge, sediments, and soils. This method is compliant with NEPM Schedule B(3).
Methanolic Extraction of Soils - Ultra-trace.	ORG16-UT	SOIL	In house: Referenced to USEPA SW 846 - 5030A. 5g of solid is shaken with surrogate and 10mL methanol prior to analysis by Purge and Trap - GC/MS.
Tumbler Extraction of Solids - VIC EPA Screen	ORG17-EM	SOIL	In house: Mechanical agitation (tumbler). 10g of sample, Na <sub>2</sub> SO <sub>4</sub> and surrogate are extracted with 30mL 1:1 DCM/Acetone by end over end tumble. The solvent is decanted, dehydrated and concentrated (by KD) to the desired volume for analysis.



<i>Preparation Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
QuEChERS Extraction of Solids	ORG71	SOIL	In house: Sequential extractions with Acetonitrile/Methanol by shaking. Extraction efficiency aided by the addition of salts under acidic conditions. Where relevant, interferences from co-extracted organics are removed with dispersive clean-up media (dSPE). The extract is either diluted or concentrated and exchanged into the analytical solvent.
Solid Phase Extraction (SPE) for PFAS in water	ORG72	SOIL	In-house: Isotopically labelled analogues of target analytes used as internal standards and surrogates are added to the sample container. The entire contents are transferred to a solid phase extraction (SPE) cartridge. The sample container is successively rinsed with aliquots of the elution solvent. The eluted extract is combined with an equal volume of reagent water and a portion is filtered for analysis. Method procedures conform to US DoD QSM 5.3, table B-15 requirements.
Solid Phase Extraction (SPE) for PFAS in water	ORG72	WATER	In-house: Isotopically labelled analogues of target analytes used as internal standards and surrogates are added to the sample container. The entire contents are transferred to a solid phase extraction (SPE) cartridge. The sample container is successively rinsed with aliquots of the elution solvent. The eluted extract is combined with an equal volume of reagent water and a portion is filtered for analysis. Method procedures conform to US DoD QSM 5.3, table B-15 requirements.

**CHAIN OF CUSTODY DOCUMENTATION**



Australian Laboratory Services Pty Ltd

CLIENT: Agon Environmental	SAMPLER: Martha AGON David AGON Dayle EP Risk Louis - EP Risk
ADDRESS / OFFICE: Melbourne	MOBILE 1: +61 400 828 907 (Craig Trimbur)
PROJECT MANAGER (PM): Craig Trimbur	MOBILE 2: +61 490 411 004 (David Lawson)
PROJECT ID: JC0927	EMAIL REPORT TO: Labreports.TST@agonenviro.com.au agonenvironmental@esdat.com.au motherhublabresults1@wgtp.com.au
SITE: 20220423042223-ALS-21 P.O. NO.:	EMAIL INVOICE TO: (if different to report) Labreports.TST@agonenviro.com.au agonenvironmental@esdat.com.au
RESULTS REQUIRED (Date): 5 days QUOTE NO.: ME-150-19 WGTP	ANALYSIS REQUIRED including SUITES (note - suite codes must be listed to attract suite prices)

USE LABORATORY USE ONLY  
COOLER SEAL (circle appropriate)  
Date: \_\_\_\_\_  
SAMPLE TEMPERATURE  
CHILLED: Yes No

COMMENTS / SPECIAL HANDLING / STORAGE OR DISPOSAL:

SAMPLE INFORMATION (note: S = Soil, W=Water) CONTAINER INFORMATION

ALS ID	SAMPLE ID	MATRIX	DATE	Time	Type / Code	Total bottles	Spill Sample Prep	P16 plus Cr	PFAS 28 Extended suite	ASLP PFAS - Extended Suite (Lab to determine pH)	DI Leachate PFAS - Extended Suite	Notes:
1	SX_OB_20220422_08_12_SS_Primary_ALS	S	22/04/2022	08:12	Bucket	1	x	x	x	x	x	
2	SX_OB_20220422_08_12_SS_Duplicate_ALS	S	22/04/2022	08:12	Bucket	1	x	x	x	x	x	
3	SX_IB_20220422_08_28_SS_Primary_ALS	S	22/04/2022	08:26	Bucket	1	x	x	x	x	x	
4	SX_OB_20220422_10_37_SR_Rinsate_ALS	W	22/04/2022	10:37	Bottle	1			x			
5	SX_OB_20220422_10_39_SB_Blank_ALS	W	22/04/2022	10:39	Bottle	1			x			
6	SX_OB_20220422_12_05_SS_Primary_ALS	S	22/04/2022	12:05	Bucket	1	x	x	x	x	x	
7	SX_OB_20220422_16_28_SS_Triplicate_ALS	S	22/04/2022	16:28	Bucket	1	x	x	x	x	x	
8	SX_OB_20220422_16_31_SS_Primary_ALS	S	22/04/2022	16:31	Bucket	1	x	x	x	x	x	
9	SX_IB_20220422_20_14_SS_Triplicate_ALS	S	22/04/2022	20:14	Bucket	1	x	x	x	x	x	
10	SX_OB_20220422_20_15_SS_Primary_ALS	S	22/04/2022	20:15	Bucket	1	x	x	x	x	x	
11	SX_OB_20220423_00_00_SS_Primary_ALS	S	23/04/2022	00:00	Bucket	1	x	x	x	x	x	
12	SX_IB_20220423_04_01_SS_Primary_ALS	S	23/04/2022	04:01	Bucket	1	x	x	x	x	x	
13	SX_IB_20220423_04_02_SS_Duplicate_ALS	S	23/04/2022	4:02	Bucket	1	x	x	x	x	x	
25	Extra Sample: SX-OB-20220423-04-09-SS-Primary-ALS											
	SN 23/4											

Environmental Division  
Melbourne  
Work Order Reference  
**EM2207302**



Telephone : + 61-3-8549 9600

RELINQUISHED BY:		RECEIVED BY:		METHOD OF SHIPMENT:	
Name:	Date:	Name: Scott	Date: 23/4/22	Con' Note No:	
Of:	Time:	ALS	Time: 845		
Name:	Date:	Name:	Date:	Transport Co:	
Of:	Time:	Of:	Time:		

**Water Container Codes:** P = Unpreserved Plastic; N = Nitric Preserved Plastic; ORC = Nitric Preserved ORC; SH = Sodium Hydroxide/Cd Preserved; S = Sodium Hydroxide Preserved Plastic; AG = Amber Glass Unpreserved;  
V = VOA Vial HCl Preserved; VS = VOA Vial Sulphuric Preserved; SG = Sulphuric Preserved Amber Glass; H = HCl preserved Plastic; HS = HCl preserved Speciation bottle; SP = Sulphuric Preserved Plastic; F = Formaldehyde Preserved Glass;  
Z = Zinc Acetate Preserved Bottle; E = EDTA Preserved Bottles; ST = Sterile Bottle; ASS = Plastic Bad for Acid Sulphate Soils; B = Unpreserved Bag.

## CERTIFICATE OF ANALYSIS

**Work Order** : **EM2207302**  
**Client** : **AGON ENVIRONMENTAL PTY LTD**  
**Contact** : DAVID LAWSON  
**Address** : D1.1 63-85 TURNER STREET  
 PORT MELBOURNE 3207  
  
**Telephone** : ----  
**Project** : JC0927  
**Order number** : ----  
**C-O-C number** : 20220423042223-ALS-21  
**Sampler** : David - AGON, Dayle - EP Risk, Louis - EP Risk, Martha - AGON  
**Site** : 20220423042223-ALS-21  
**Quote number** : EN/150/19 -WGTP -Bulk Sample Quote  
**No. of samples received** : 26  
**No. of samples analysed** : 25

**Page** : 1 of 40  
**Laboratory** : Environmental Division Melbourne  
**Contact** : Josh Alexander  
**Address** : 4 Westall Rd Springvale VIC Australia 3171  
  
**Telephone** : +61-3-8549 9600  
**Date Samples Received** : 23-Apr-2022 08:45  
**Date Analysis Commenced** : 23-Apr-2022  
**Issue Date** : 29-Apr-2022 17:20



Accreditation No. 825  
 Accredited for compliance with  
 ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

**Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.**

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Dilani Fernando	Laboratory Coordinator	Melbourne Inorganics, Springvale, VIC
Nikki Stepniewski	Senior Inorganic Instrument Chemist	Melbourne Inorganics, Springvale, VIC
Xing Lin	Senior Organic Chemist	Melbourne Organics, Springvale, VIC



## General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting  
ø = ALS is not NATA accredited for these tests.  
~ = Indicates an estimated value.

- EG048G: EM2207302 #1, 2, and 10 result for hexavalent chromium has been confirmed by re-preparation and re-analysis.
- Benzo(a)pyrene Toxicity Equivalent Quotient (TEQ) per the NEPM (2013) is the sum total of the concentration of the eight carcinogenic PAHs multiplied by their Toxicity Equivalence Factor (TEF) relative to Benzo(a)pyrene. TEF values are provided in brackets as follows: Benz(a)anthracene (0.1), Chrysene (0.01), Benzo(b+j) & Benzo(k)fluoranthene (0.1), Benzo(a)pyrene (1.0), Indeno(1.2.3.cd)pyrene (0.1), Dibenz(a,h)anthracene (1.0), Benzo(g,h,i)perylene (0.01). Less than LOR results for 'TEQ Zero' are treated as zero, for 'TEQ 1/2LOR' are treated as half the reported LOR, and for 'TEQ LOR' are treated as being equal to the reported LOR. Note: TEQ 1/2LOR and TEQ LOR will calculate as 0.6mg/Kg and 1.2mg/Kg respectively for samples with non-detects for all of the eight TEQ PAHs.
- EP231X - Per- and Polyfluoroalkyl Substances (PFAS): Samples received in 20ml or 125ml bottles have been tested in accordance with the QSM5.3 compliant, NATA accredited method. 60mL or 250mL bottles have been tested to the legacy QSM 5.1 aligned, NATA accredited method.
- EP074-UT: Where reported, Total Xylenes is the sum of the reported concentrations of m&p-Xylene and o-Xylene at or above the LOR.
- EP074-WF: Where reported, Sum of trichlorobenzenes is the sum of the reported concentrations of 1,2,3-Trichlorobenzene and 1,2,4-Trichlorobenzene, and 1,3,5-Trichlorobenzene at or above the LOR.
- EP071-EM: EM2207302\_009 has LOR raised due to high moisture.
- EP231: Stable isotope enriched internal standards are added to samples prior to extraction. Target compounds have a direct analogous internal standard with the exception of PFPeS, PFHpA, PFDS, PFTrDA and 10:2 FTS. These compounds use an internal standard that is chemically related and has a retention time close to that of the target compound. The DQO for internal standard response is 50-150% of that established at initial calibration. PFOS is quantified using a certified, traceable standard consisting of linear and branched PFOS isomers. These practices are in line with recommendations in the National Environmental Management Plan for PFAS (Australian HEPA) and also conform to QSM 5.3 (US DoD) requirements.
- EN60: Where leachable PFAS analysis is requested, centrifugation rather than pressure filtration is used as the default approach for removal of particulates, in line with AS 4439.3.
- EN60-DI: Where leachable PFAS analysis is requested, centrifugation rather than pressure filtration is used as the default approach for removal of particulates, in line with AS 4439.3.
- EP231X-INJ: The direct injection LCMSMS method may be used where the sample matrix is not suitable for Solid Phase Extraction (e.g. significant particulate load) or where only a single sample container is received.



## Analytical Results

Sub-Matrix: ASLP LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_OB_20220422_08_12_SS_Primary_ALS	SX_OB_20220422_08_12_SS_Duplicate_ALS	SX_IB_20220422_08_26_SS_Primary_ALS	SX_OB_20220422_12_05_SS_Primary_ALS	SX_OB_20220422_16_28_SS_Triplicate_ALS
Sampling date / time				22-Apr-2022 08:12	22-Apr-2022 08:12	22-Apr-2022 08:26	22-Apr-2022 12:05	22-Apr-2022 16:28
Compound	CAS Number	LOR	Unit	EM2207302-001	EM2207302-002	EM2207302-003	EM2207302-006	EM2207302-007
				Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



## Analytical Results

Sub-Matrix: ASLP LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_OB_20220422_08_12_SS_Primary_ALS	SX_OB_20220422_08_12_SS_Duplicate_ALS	SX_IB_20220422_08_26_SS_Primary_ALS	SX_OB_20220422_12_05_SS_Primary_ALS	SX_OB_20220422_16_28_SS_Triplicate_ALS
Sampling date / time				22-Apr-2022 08:12	22-Apr-2022 08:12	22-Apr-2022 08:26	22-Apr-2022 12:05	22-Apr-2022 16:28
Compound	CAS Number	LOR	Unit	EM2207302-001	EM2207302-002	EM2207302-003	EM2207302-006	EM2207302-007
				Result	Result	Result	Result	Result
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>								
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.02	%	94.6	93.7	95.5	97.5	93.1
13C8-PFOA	----	0.02	%	102	101	103	98.0	105





## Analytical Results

Sub-Matrix: ASLP LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_OB_20220422_16_31_SS_Primary_ALS	SX_IB_20220422_20_14_SS_Triplicate_ALS	SX_OB_20220422_20_15_SS_Primary_ALS	SX_OB_20220423_00_00_SS_Primary_ALS	SX_IB_20220423_04_01_SS_Primary_ALS
Sampling date / time				22-Apr-2022 16:31	22-Apr-2022 20:14	22-Apr-2022 20:15	23-Apr-2022 00:00	23-Apr-2022 04:01
Compound	CAS Number	LOR	Unit	EM2207302-008	EM2207302-009	EM2207302-010	EM2207302-011	EM2207302-012
				Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



## Analytical Results

Sub-Matrix: ASLP LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_OB_20220422_16_31_SS_Primary_ALS	SX_IB_20220422_20_14_SS_Triplicate_ALS	SX_OB_20220422_20_15_SS_Primary_ALS	SX_OB_20220423_00_00_SS_Primary_ALS	SX_IB_20220423_04_01_SS_Primary_ALS
Sampling date / time				22-Apr-2022 16:31	22-Apr-2022 20:14	22-Apr-2022 20:15	23-Apr-2022 00:00	23-Apr-2022 04:01
Compound	CAS Number	LOR	Unit	EM2207302-008	EM2207302-009	EM2207302-010	EM2207302-011	EM2207302-012
				Result	Result	Result	Result	Result
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>								
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.02	%	99.2	94.6	95.3	87.4	95.6
13C8-PFOA	----	0.02	%	100	105	102	101	99.2



## Analytical Results

Sub-Matrix: ASLP LEACHATE (Matrix: WATER)		Sample ID		SX_IB_20220423_04_02_SS_Duplicate_ALS	----	----	----	----
Sampling date / time		23-Apr-2022 04:02		----	----	----	----	----
Compound	CAS Number	LOR	Unit	EM2207302-013	-----	-----	-----	-----
				Result	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	----	----	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	----	----	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	----	----	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	----	----	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	----	----	----	----
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	----	----	----	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	----	----	----	----
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	----	----	----	----



## Analytical Results

Sub-Matrix: ASLP LEACHATE  
 (Matrix: WATER)

Sample ID

SX\_IB\_20220423\_04\_  
 02\_SS\_Duplicate\_ALS

				Sampling date / time	23-Apr-2022 04:02	----	----	----	----
Compound	CAS Number	LOR	Unit	EM2207302-013	-----	-----	-----	-----	-----
				Result	----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>									
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	----	----	----	----	----
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	----	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	----	----	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.10	µg/L	<0.10	----	----	----	----	----
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	----	----	----	----	----
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.02	%	102	----	----	----	----	----
13C8-PFOA	----	0.02	%	102	----	----	----	----	----



## Analytical Results

Sub-Matrix: DI WATER LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_OB_20220422_08_12_SS_Primary_ALS	SX_OB_20220422_08_12_SS_Duplicate_ALS	SX_IB_20220422_08_26_SS_Primary_ALS	SX_OB_20220422_12_05_SS_Primary_ALS	SX_OB_20220422_16_28_SS_Triplicate_ALS
Sampling date / time				22-Apr-2022 08:12	22-Apr-2022 08:12	22-Apr-2022 08:26	22-Apr-2022 12:05	22-Apr-2022 16:28
Compound	CAS Number	LOR	Unit	EM2207302-014	EM2207302-015	EM2207302-016	EM2207302-017	EM2207302-018
				Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



## Analytical Results

Sub-Matrix: DI WATER LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_OB_20220422_08_12_SS_Primary_ALS	SX_OB_20220422_08_12_SS_Duplicate_ALS	SX_IB_20220422_08_26_SS_Primary_ALS	SX_OB_20220422_12_05_SS_Primary_ALS	SX_OB_20220422_16_28_SS_Triplicate_ALS
Sampling date / time				22-Apr-2022 08:12	22-Apr-2022 08:12	22-Apr-2022 08:26	22-Apr-2022 12:05	22-Apr-2022 16:28
Compound	CAS Number	LOR	Unit	EM2207302-014	EM2207302-015	EM2207302-016	EM2207302-017	EM2207302-018
				Result	Result	Result	Result	Result
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>								
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.02	%	122	117	111	112	109
13C8-PFOA	----	0.02	%	97.9	99.1	96.0	97.6	97.5



## Analytical Results

Sub-Matrix: DI WATER LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_OB_20220422_16_31_SS_Primary_ALS	SX_IB_20220422_20_14_SS_Triplicate_ALS	SX_OB_20220422_20_15_SS_Primary_ALS	SX_OB_20220423_00_00_SS_Primary_ALS	SX_IB_20220423_04_01_SS_Primary_ALS
Sampling date / time				22-Apr-2022 16:31	22-Apr-2022 20:14	22-Apr-2022 20:15	23-Apr-2022 00:00	23-Apr-2022 04:01
Compound	CAS Number	LOR	Unit	EM2207302-019	EM2207302-020	EM2207302-021	EM2207302-022	EM2207302-023
				Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



## Analytical Results

Sub-Matrix: DI WATER LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_OB_20220422_16_31_SS_Primary_ALS	SX_IB_20220422_20_14_SS_Triplicate_ALS	SX_OB_20220422_20_15_SS_Primary_ALS	SX_OB_20220423_00_00_SS_Primary_ALS	SX_IB_20220423_04_01_SS_Primary_ALS
Sampling date / time				22-Apr-2022 16:31	22-Apr-2022 20:14	22-Apr-2022 20:15	23-Apr-2022 00:00	23-Apr-2022 04:01
Compound	CAS Number	LOR	Unit	EM2207302-019	EM2207302-020	EM2207302-021	EM2207302-022	EM2207302-023
				Result	Result	Result	Result	Result
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>								
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.02	%	122	121	111	115	123
13C8-PFOA	----	0.02	%	99.3	93.6	97.1	96.3	98.6





## Analytical Results

Sub-Matrix: DI WATER LEACHATE  
 (Matrix: WATER)

Sample ID

SX\_IB\_20220423\_04\_02\_SS\_Duplicate\_ALS

Sampling date / time		LOR		Unit	Result				
23-Apr-2022 04:02									
Compound	CAS Number	LOR	Unit	Result					
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	----	----	----	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	----	----	----	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	----	----	----	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	----	----	----	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	----	----	----	----	----
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	----	----	----	----	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	----	----	----	----	----
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	----	----	----	----	----
Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.02	µg/L	<0.02	----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	----	----	----	----	----



## Analytical Results

Sub-Matrix: DI WATER LEACHATE  
 (Matrix: WATER)

Sample ID

				SX_IB_20220423_04_02_SS_Duplicate_ALS	----	----	----	----
				23-Apr-2022 04:02	----	----	----	----
Compound	CAS Number	LOR	Unit	EM2207302-024	-----	-----	-----	-----
				Result	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>								
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	----	----	----	----
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	----	----	----	----
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	0.10	µg/L	<0.10	----	----	----	----
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	----	----	----	----
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	----	----	----	----
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.02	%	121	----	----	----	----
13C8-PFOA	----	0.02	%	96.2	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220422_08_12_SS_Primary_ALS	SX_OB_20220422_08_12_SS_Duplicate_ALS	SX_IB_20220422_08_26_SS_Primary_ALS	SX_OB_20220422_12_05_SS_Primary_ALS	SX_OB_20220422_16_28_SS_Triplicate_ALS
Sampling date / time				22-Apr-2022 08:12	22-Apr-2022 08:12	22-Apr-2022 08:26	22-Apr-2022 12:05	22-Apr-2022 16:28
Compound	CAS Number	LOR	Unit	EM2207302-001	EM2207302-002	EM2207302-003	EM2207302-006	EM2207302-007
				Result	Result	Result	Result	Result
<b>EA001: pH in soil using 0.01M CaCl extract</b>								
pH (CaCl2)	----	0.1	pH Unit	7.8	8.0	7.8	8.0	7.9
<b>EA055: Moisture Content (Dried @ 105-110°C)</b>								
Moisture Content	----	1.0	%	30.5	33.7	31.4	30.8	27.5
<b>EG005(ED093)T: Total Metals by ICP-AES</b>								
Arsenic	7440-38-2	5	mg/kg	24	43	25	35	37
Cadmium	7440-43-9	1	mg/kg	<1	<1	2	<1	<1
Chromium	7440-47-3	5	mg/kg	80	120	97	115	111
Copper	7440-50-8	5	mg/kg	41	58	60	46	54
Lead	7439-92-1	5	mg/kg	<5	<5	<5	<5	<5
Molybdenum	7439-98-7	5	mg/kg	<5	<5	<5	<5	<5
Nickel	7440-02-0	5	mg/kg	112	164	191	144	146
Selenium	7782-49-2	5	mg/kg	<5	<5	<5	<5	<5
Silver	7440-22-4	2	mg/kg	<2	<2	<2	<2	<2
Tin	7440-31-5	10	mg/kg	<10	<10	<10	<10	<10
Zinc	7440-66-6	5	mg/kg	62	93	103	87	94
<b>EG035T: Total Recoverable Mercury by FIMS</b>								
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>								
Hexavalent Chromium	18540-29-9	1.0	mg/kg	1.2	1.3	<1.0	<1.0	<1.0
<b>EK026SF: Total CN by Segmented Flow Analyser</b>								
Total Cyanide	57-12-5	5	mg/kg	<5	<5	<5	<5	<5
<b>EK040T: Fluoride Total</b>								
Fluoride	16984-48-8	100	mg/kg	190	230	200	120	150
<b>EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>								
Initial pH	----	0.1	pH Unit	9.0	8.9	9.2	8.7	8.9
After HCl pH	----	0.1	pH Unit	1.4	1.5	1.5	1.4	1.5
Extraction Fluid pH	----	0.1	pH Unit	5.0	5.0	5.0	5.0	5.0
Final pH	----	0.1	pH Unit	5.2	5.1	5.1	5.1	5.1
<b>EP066: Polychlorinated Biphenyls (PCB)</b>								
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>								
Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	<0.2	<0.2	<0.2



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220422_08_12_SS_Primary_ALS	SX_OB_20220422_08_12_SS_Duplicate_ALS	SX_IB_20220422_08_26_SS_Primary_ALS	SX_OB_20220422_12_05_SS_Primary_ALS	SX_OB_20220422_16_28_SS_Triplicate_ALS
Sampling date / time				22-Apr-2022 08:12	22-Apr-2022 08:12	22-Apr-2022 08:26	22-Apr-2022 12:05	22-Apr-2022 16:28
Compound	CAS Number	LOR	Unit	EM2207302-001	EM2207302-002	EM2207302-003	EM2207302-006	EM2207302-007
				Result	Result	Result	Result	Result
<b>EP074A: Monocyclic Aromatic Hydrocarbons - Continued</b>								
Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of monocyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Total Xylenes	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
<b>EP074H: Naphthalene</b>								
Naphthalene	91-20-3	1	mg/kg	<1	<1	<1	<1	<1
<b>EP074I: Volatile Halogenated Compounds</b>								
Vinyl chloride	75-01-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethene	75-35-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Methylene chloride	75-09-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
trans-1,2-Dichloroethene	156-60-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	156-59-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroform	67-66-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1-Trichloroethane	71-55-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Carbon Tetrachloride	56-23-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloroethane	107-06-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Trichloroethene	79-01-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2-Trichloroethane	79-00-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene	127-18-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1,2-Tetrachloroethane	630-20-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2,2-Tetrachloroethane	79-34-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Hexachlorobutadiene	87-68-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chlorobenzene	108-90-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dichlorobenzene	106-46-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichlorobenzene	95-50-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2,4-Trichlorobenzene	120-82-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of volatile chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of other chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
<b>EP075A: Phenolic Compounds (Halogenated)</b>								



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220422_08_12_SS_Primary_ALS	SX_OB_20220422_08_12_SS_Duplicate_ALS	SX_IB_20220422_08_26_SS_Primary_ALS	SX_OB_20220422_12_05_SS_Primary_ALS	SX_OB_20220422_16_28_SS_Triplicate_ALS
Sampling date / time				22-Apr-2022 08:12	22-Apr-2022 08:12	22-Apr-2022 08:26	22-Apr-2022 12:05	22-Apr-2022 16:28
Compound	CAS Number	LOR	Unit	EM2207302-001	EM2207302-002	EM2207302-003	EM2207302-006	EM2207302-007
				Result	Result	Result	Result	Result
<b>EP075A: Phenolic Compounds (Halogenated) - Continued</b>								
2-Chlorophenol	95-57-8	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,4-Dichlorophenol	120-83-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,6-Dichlorophenol	87-65-0	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
4-Chloro-3-methylphenol	59-50-7	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,5-Trichlorophenol	95-95-4	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,6-Trichlorophenol	88-06-2	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-90-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Pentachlorophenol	87-86-5	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
^ Sum of Phenols (halogenated)	----	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>								
Phenol	108-95-2	1	mg/kg	<1	<1	<1	<1	<1
2-Methylphenol	95-48-7	1	mg/kg	<1	<1	<1	<1	<1
3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	<1	<1	<1
2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	<5	<5	<5
4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	<5	<5	<5
2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	<5	<5	<5
Dinoseb	88-85-7	20	mg/kg	<20	<20	<20	<20	<20
2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	20	mg/kg	<20	<20	<20	<20	<20
^ Sum of Phenols (non-halogenated)	----	20	mg/kg	<20	<20	<20	<20	<20
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220422_08_12_SS_Primary_ALS	SX_OB_20220422_08_12_SS_Duplicate_ALS	SX_IB_20220422_08_26_SS_Primary_ALS	SX_OB_20220422_12_05_SS_Primary_ALS	SX_OB_20220422_16_28_SS_Triplicate_ALS
Sampling date / time				22-Apr-2022 08:12	22-Apr-2022 08:12	22-Apr-2022 08:26	22-Apr-2022 12:05	22-Apr-2022 16:28
Compound	CAS Number	LOR	Unit	EM2207302-001	EM2207302-002	EM2207302-003	EM2207302-006	EM2207302-007
				Result	Result	Result	Result	Result
<b>EP075B: Polynuclear Aromatic Hydrocarbons - Continued</b>								
Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>
<b>EP075I: Organochlorine Pesticides</b>								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
Endosulfan 1	959-98-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan 2	33213-65-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Methoxychlor	72-43-5	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Sum of organochlorine pesticides	----	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220422_08_12_SS_Primary_ALS	SX_OB_20220422_08_12_SS_Duplicate_ALS	SX_IB_20220422_08_26_SS_Primary_ALS	SX_OB_20220422_12_05_SS_Primary_ALS	SX_OB_20220422_16_28_SS_Triplicate_ALS
Sampling date / time				22-Apr-2022 08:12	22-Apr-2022 08:12	22-Apr-2022 08:26	22-Apr-2022 12:05	22-Apr-2022 16:28
Compound	CAS Number	LOR	Unit	EM2207302-001	EM2207302-002	EM2207302-003	EM2207302-006	EM2207302-007
				Result	Result	Result	Result	Result
<b>EP075I: Organochlorine Pesticides - Continued</b>								
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.30	mg/kg	<0.30	<0.30	<0.30	<0.30	<0.30
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Chlordane	57-74-9	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10
^ Sum of other organochlorine pesticides	----	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
<b>EP080/071: Total Petroleum Hydrocarbons</b>								
C6 - C9 Fraction	----	20	mg/kg	<20	<20	<20	<20	<20
C10 - C14 Fraction	----	50	mg/kg	<50	<50	<50	<50	<50
C6 - C10 Fraction	C6_C10	20	mg/kg	<20	<20	<20	<20	<20
C15 - C28 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
C29 - C36 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
^ C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	<50	<50	<50
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>								
>C10 - C16 Fraction	----	50	mg/kg	<50	<50	<50	<50	<50
>C16 - C34 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
>C34 - C40 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	<50	<50	<50
>C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	<50	<50	<50	<50	<50
C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	20	mg/kg	<20	<20	<20	<20	<20
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorodecane sulfonic acid (PFDS)	335-77-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220422_08_12_SS_Primary_ALS	SX_OB_20220422_08_12_SS_Duplicate_ALS	SX_IB_20220422_08_26_SS_Primary_ALS	SX_OB_20220422_12_05_SS_Primary_ALS	SX_OB_20220422_16_28_SS_Triplicate_ALS
Sampling date / time				22-Apr-2022 08:12	22-Apr-2022 08:12	22-Apr-2022 08:26	22-Apr-2022 12:05	22-Apr-2022 16:28
Compound	CAS Number	LOR	Unit	EM2207302-001	EM2207302-002	EM2207302-003	EM2207302-006	EM2207302-007
				Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	5	µg/kg	<5	<5	<5	<5	<5
Perfluoropentanoic acid (PFPeA)	2706-90-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorohexanoic acid (PFHxA)	307-24-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroheptanoic acid (PFHpA)	375-85-9	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorooctanoic acid (PFOA)	335-67-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorononanoic acid (PFNA)	375-95-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorodecanoic acid (PFDA)	335-76-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorododecanoic acid (PFDoDA)	307-55-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								





## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220422_08_12_SS_Primary_ALS	SX_OB_20220422_08_12_SS_Duplicate_ALS	SX_IB_20220422_08_26_SS_Primary_ALS	SX_OB_20220422_12_05_SS_Primary_ALS	SX_OB_20220422_16_28_SS_Triplicate_ALS
Sampling date / time				22-Apr-2022 08:12	22-Apr-2022 08:12	22-Apr-2022 08:26	22-Apr-2022 12:05	22-Apr-2022 16:28
Compound	CAS Number	LOR	Unit	EM2207302-001	EM2207302-002	EM2207302-003	EM2207302-006	EM2207302-007
				Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	50.0	µg/kg	<50.0	<50.0	<50.0	<50.0	<50.0
Sum of PFHxS and PFOS	355-46-4/1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Sum of PFAS (WA DER List)	----	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
<b>EP066S: PCB Surrogate</b>								
Decachlorobiphenyl	2051-24-3	0.1	%	101	101	96.7	104	98.6
<b>EP074S: VOC Surrogates (Ultra-Trace)</b>								
1,2-Dichloroethane-D4	17060-07-0	0.1	%	86.5	91.4	88.3	86.1	81.2
Toluene-D8	2037-26-5	0.1	%	86.9	89.0	87.9	86.4	79.4
4-Bromofluorobenzene	460-00-4	0.1	%	96.0	104	99.8	98.3	89.6
<b>EP075S: Acid Extractable Surrogates (Waste Classification)</b>								
Phenol-d6	13127-88-3	0.025	%	104	103	95.8	107	96.6
2-Chlorophenol-D4	93951-73-6	0.025	%	92.3	89.6	85.4	95.8	85.6
2,4,6-Tribromophenol	118-79-6	0.025	%	84.9	76.8	82.2	83.6	71.8
<b>EP075T: Base/Neutral Extractable Surrogates (Waste Classification)</b>								
Nitrobenzene-D5	4165-60-0	0.025	%	94.7	93.4	90.6	97.4	89.2
1,2-Dichlorobenzene-D4	2199-69-1	0.025	%	89.8	87.2	84.0	91.4	83.3
2-Fluorobiphenyl	321-60-8	0.025	%	102	102	99.3	105	99.0
Anthracene-d10	1719-06-8	0.025	%	94.6	92.3	90.9	97.4	89.6
4-Terphenyl-d14	1718-51-0	0.025	%	94.4	91.7	89.7	96.0	88.3
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.0002	%	98.5	101	108	102	93.8
13C8-PFOA	----	0.0002	%	103	104	105	102	102



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_OB_20220422_16_31_SS_Primary_ALS	SX_IB_20220422_20_14_SS_Triplicate_ALS	SX_OB_20220422_20_15_SS_Primary_ALS	SX_OB_20220423_00_00_SS_Primary_ALS	SX_IB_20220423_04_01_SS_Primary_ALS
Sampling date / time				22-Apr-2022 16:31	22-Apr-2022 20:14	22-Apr-2022 20:15	23-Apr-2022 00:00	23-Apr-2022 04:01	
Compound	CAS Number	LOR	Unit	EM2207302-008	EM2207302-009	EM2207302-010	EM2207302-011	EM2207302-012	
				Result	Result	Result	Result	Result	
<b>EA001: pH in soil using 0.01M CaCl extract</b>									
pH (CaCl2)	----	0.1	pH Unit	7.8	9.2	7.9	8.3	9.7	
<b>EA055: Moisture Content (Dried @ 105-110°C)</b>									
Moisture Content	----	1.0	%	33.1	34.5	33.9	30.2	32.4	
<b>EG005(ED093)T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	41	22	36	32	32	
Cadmium	7440-43-9	1	mg/kg	<1	1	1	1	2	
Chromium	7440-47-3	5	mg/kg	126	112	126	121	111	
Copper	7440-50-8	5	mg/kg	67	60	64	60	67	
Lead	7439-92-1	5	mg/kg	<5	<5	<5	<5	<5	
Molybdenum	7439-98-7	5	mg/kg	<5	<5	<5	<5	<5	
Nickel	7440-02-0	5	mg/kg	153	162	174	164	178	
Selenium	7782-49-2	5	mg/kg	<5	<5	<5	<5	<5	
Silver	7440-22-4	2	mg/kg	<2	<2	<2	<2	<2	
Tin	7440-31-5	10	mg/kg	<10	<10	<10	<10	<10	
Zinc	7440-66-6	5	mg/kg	86	99	101	92	109	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>									
Hexavalent Chromium	18540-29-9	1.0	mg/kg	<1.0	<1.0	1.1	<1.0	<1.0	
<b>EK026SF: Total CN by Segmented Flow Analyser</b>									
Total Cyanide	57-12-5	5	mg/kg	<5	<5	<5	<5	<5	
<b>EK040T: Fluoride Total</b>									
Fluoride	16984-48-8	100	mg/kg	<100	170	160	140	200	
<b>EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>									
Initial pH	----	0.1	pH Unit	8.9	10.0	9.1	9.3	10.7	
After HCl pH	----	0.1	pH Unit	1.5	1.5	1.5	1.5	1.7	
Extraction Fluid pH	----	0.1	pH Unit	5.0	5.0	5.0	5.0	5.0	
Final pH	----	0.1	pH Unit	5.1	5.2	5.1	5.1	5.1	
<b>EP066: Polychlorinated Biphenyls (PCB)</b>									
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>									
Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	<0.2	<0.2	<0.2	
Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5	



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220422_16_31_SS_Primary_ALS	SX_IB_20220422_20_14_SS_Triplicate_ALS	SX_OB_20220422_20_15_SS_Primary_ALS	SX_OB_20220423_00_00_SS_Primary_ALS	SX_IB_20220423_04_01_SS_Primary_ALS
Sampling date / time				22-Apr-2022 16:31	22-Apr-2022 20:14	22-Apr-2022 20:15	23-Apr-2022 00:00	23-Apr-2022 04:01
Compound	CAS Number	LOR	Unit	EM2207302-008	EM2207302-009	EM2207302-010	EM2207302-011	EM2207302-012
				Result	Result	Result	Result	Result
<b>EP074A: Monocyclic Aromatic Hydrocarbons - Continued</b>								
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
meta- & para-Xylene	108-38-3	106-42-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5
Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
<sup>^</sup> Sum of monocyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
<sup>^</sup> Total Xylenes	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
<b>EP074H: Naphthalene</b>								
Naphthalene	91-20-3	1	mg/kg	<1	<1	<1	<1	<1
<b>EP074I: Volatile Halogenated Compounds</b>								
Vinyl chloride	75-01-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethene	75-35-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Methylene chloride	75-09-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
trans-1,2-Dichloroethene	156-60-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	156-59-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroform	67-66-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1-Trichloroethane	71-55-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Carbon Tetrachloride	56-23-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloroethane	107-06-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Trichloroethene	79-01-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2-Trichloroethane	79-00-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene	127-18-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1,2-Tetrachloroethane	630-20-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2,2-Tetrachloroethane	79-34-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Hexachlorobutadiene	87-68-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chlorobenzene	108-90-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dichlorobenzene	106-46-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichlorobenzene	95-50-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2,4-Trichlorobenzene	120-82-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
<sup>^</sup> Sum of volatile chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
<sup>^</sup> Sum of other chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
<b>EP075A: Phenolic Compounds (Halogenated)</b>								
2-Chlorophenol	95-57-8	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,4-Dichlorophenol	120-83-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220422_16_31_SS_Primary_ALS	SX_IB_20220422_20_14_SS_Triplicate_ALS	SX_OB_20220422_20_15_SS_Primary_ALS	SX_OB_20220423_00_00_SS_Primary_ALS	SX_IB_20220423_04_01_SS_Primary_ALS
Sampling date / time				22-Apr-2022 16:31	22-Apr-2022 20:14	22-Apr-2022 20:15	23-Apr-2022 00:00	23-Apr-2022 04:01
Compound	CAS Number	LOR	Unit	EM2207302-008	EM2207302-009	EM2207302-010	EM2207302-011	EM2207302-012
				Result	Result	Result	Result	Result
<b>EP075A: Phenolic Compounds (Halogenated) - Continued</b>								
2,6-Dichlorophenol	87-65-0	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
4-Chloro-3-methylphenol	59-50-7	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,5-Trichlorophenol	95-95-4	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,6-Trichlorophenol	88-06-2	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-90-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Pentachlorophenol	87-86-5	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
^ Sum of Phenols (halogenated)	----	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>								
Phenol	108-95-2	1	mg/kg	<1	<1	<1	<1	<1
2-Methylphenol	95-48-7	1	mg/kg	<1	<1	<1	<1	<1
3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	<1	<1	<1
2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	<5	<5	<5
4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	<5	<5	<5
2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	<5	<5	<5
Dinoseb	88-85-7	20	mg/kg	<20	<20	<20	<20	<20
2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	20	mg/kg	<20	<20	<20	<20	<20
^ Sum of Phenols (non-halogenated)	----	20	mg/kg	<20	<20	<20	<20	<20
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220422_16_31_SS_Primary_ALS	SX_IB_20220422_20_14_SS_Triplicate_ALS	SX_OB_20220422_20_15_SS_Primary_ALS	SX_OB_20220423_00_00_SS_Primary_ALS	SX_IB_20220423_04_01_SS_Primary_ALS
Sampling date / time				22-Apr-2022 16:31	22-Apr-2022 20:14	22-Apr-2022 20:15	23-Apr-2022 00:00	23-Apr-2022 04:01
Compound	CAS Number	LOR	Unit	EM2207302-008	EM2207302-009	EM2207302-010	EM2207302-011	EM2207302-012
				Result	Result	Result	Result	Result
<b>EP075B: Polynuclear Aromatic Hydrocarbons - Continued</b>								
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>	<b>1.2</b>
<b>EP075I: Organochlorine Pesticides</b>								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
Endosulfan 1	959-98-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan 2	33213-65-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Methoxychlor	72-43-5	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Sum of organochlorine pesticides	----	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.30	mg/kg	<0.30	<0.30	<0.30	<0.30	<0.30
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Chlordane	57-74-9	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_OB_20220422_16_31_SS_Primary_ALS	SX_IB_20220422_20_14_SS_Triplicate_ALS	SX_OB_20220422_20_15_SS_Primary_ALS	SX_OB_20220423_00_00_SS_Primary_ALS	SX_IB_20220423_04_01_SS_Primary_ALS
Sampling date / time				22-Apr-2022 16:31	22-Apr-2022 20:14	22-Apr-2022 20:15	23-Apr-2022 00:00	23-Apr-2022 04:01	
Compound	CAS Number	LOR	Unit	EM2207302-008	EM2207302-009	EM2207302-010	EM2207302-011	EM2207302-012	
				Result	Result	Result	Result	Result	
<b>EP075I: Organochlorine Pesticides - Continued</b>									
^ Sum of other organochlorine pesticides				----	0.03	mg/kg	<0.03	<0.03	<0.03
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction				----	20	mg/kg	<20	<20	<20
C10 - C14 Fraction				----	50	mg/kg	<50	<60	<50
C6 - C10 Fraction				C6_C10	20	mg/kg	<20	<20	<20
C15 - C28 Fraction				----	100	mg/kg	<100	<100	<100
C29 - C36 Fraction				----	100	mg/kg	<100	<100	<100
^ C10 - C36 Fraction (sum)				----	50	mg/kg	<50	<50	<50
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
>C10 - C16 Fraction				----	50	mg/kg	<50	<70	<50
>C16 - C34 Fraction				----	100	mg/kg	<100	<100	<100
>C34 - C40 Fraction				----	100	mg/kg	<100	<100	<100
^ >C10 - C40 Fraction (sum)				----	50	mg/kg	<50	<50	<50
>C10 - C16 Fraction minus Naphthalene (F2)				----	50	mg/kg	<50	<50	<50
C6 - C10 Fraction minus BTEX (F1)				C6_C10-BTEX	20	mg/kg	<20	<20	<20
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)				375-73-5	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluoropentane sulfonic acid (PFPeS)				2706-91-4	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorohexane sulfonic acid (PFHxS)				355-46-4	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluoroheptane sulfonic acid (PFHpS)				375-92-8	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorooctane sulfonic acid (PFOS)				1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorodecane sulfonic acid (PFDS)				335-77-3	5.0	µg/kg	<5.0	<5.0	<5.0
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)				375-22-4	5	µg/kg	<5	<5	<5
Perfluoropentanoic acid (PFPeA)				2706-90-3	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorohexanoic acid (PFHxA)				307-24-4	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluoroheptanoic acid (PFHpA)				375-85-9	5.0	µg/kg	<5.0	<5.0	<5.0



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_OB_20220422_16_31_SS_Primary_ALS	SX_IB_20220422_20_14_SS_Triplicate_ALS	SX_OB_20220422_20_15_SS_Primary_ALS	SX_OB_20220423_00_00_SS_Primary_ALS	SX_IB_20220423_04_01_SS_Primary_ALS
Sampling date / time				22-Apr-2022 16:31	22-Apr-2022 20:14	22-Apr-2022 20:15	23-Apr-2022 00:00	23-Apr-2022 04:01	
Compound	CAS Number	LOR	Unit	EM2207302-008	EM2207302-009	EM2207302-010	EM2207302-011	EM2207302-012	
				Result	Result	Result	Result	Result	
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluorooctanoic acid (PFOA)	335-67-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorononanoic acid (PFNA)	375-95-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorodecanoic acid (PFDA)	335-76-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorododecanoic acid (PFDoDA)	307-55-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_OB_20220422_16_31_SS_Primary_ALS	SX_IB_20220422_20_14_SS_Triplicate_ALS	SX_OB_20220422_20_15_SS_Primary_ALS	SX_OB_20220423_00_00_SS_Primary_ALS	SX_IB_20220423_04_01_SS_Primary_ALS
Sampling date / time				22-Apr-2022 16:31	22-Apr-2022 20:14	22-Apr-2022 20:15	23-Apr-2022 00:00	23-Apr-2022 04:01	
Compound	CAS Number	LOR	Unit	EM2207302-008	EM2207302-009	EM2207302-010	EM2207302-011	EM2207302-012	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	50.0	µg/kg	<50.0	<50.0	<50.0	<50.0	<50.0	
Sum of PFHxS and PFOS	355-46-4/1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Sum of PFAS (WA DER List)	----	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
<b>EP066S: PCB Surrogate</b>									
Decachlorobiphenyl	2051-24-3	0.1	%	106	98.7	108	103	110	
<b>EP074S: VOC Surrogates (Ultra-Trace)</b>									
1,2-Dichloroethane-D4	17060-07-0	0.1	%	78.6	88.6	65.1	82.5	85.4	
Toluene-D8	2037-26-5	0.1	%	78.1	87.0	62.8	81.7	82.6	
4-Bromofluorobenzene	460-00-4	0.1	%	88.9	98.6	77.0	91.3	92.1	
<b>EP075S: Acid Extractable Surrogates (Waste Classification)</b>									
Phenol-d6	13127-88-3	0.025	%	103	99.5	82.8	80.2	90.2	
2-Chlorophenol-D4	93951-73-6	0.025	%	89.8	88.3	88.4	87.3	89.8	
2,4,6-Tribromophenol	118-79-6	0.025	%	78.2	83.4	84.4	90.7	90.5	
<b>EP075T: Base/Neutral Extractable Surrogates (Waste Classification)</b>									
Nitrobenzene-D5	4165-60-0	0.025	%	97.5	91.6	93.4	93.8	94.6	
1,2-Dichlorobenzene-D4	2199-69-1	0.025	%	87.7	85.5	84.6	84.2	91.7	
2-Fluorobiphenyl	321-60-8	0.025	%	106	100	106	96.7	104	
Anthracene-d10	1719-06-8	0.025	%	96.6	91.1	98.6	102	96.4	
4-Terphenyl-d14	1718-51-0	0.025	%	95.4	92.5	98.2	86.4	108	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	106	102	101	112	101	
13C8-PFOA	----	0.0002	%	106	111	105	107	104	





## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_OB_20220422_08_12_SS_Primary_ALS	SX_OB_20220422_08_12_SS_Duplicate_ALS	SX_IB_20220422_08_26_SS_Primary_ALS	SX_OB_20220422_12_05_SS_Primary_ALS
Sampling date / time				23-Apr-2022 04:02	22-Apr-2022 08:12	22-Apr-2022 08:12	22-Apr-2022 08:26	22-Apr-2022 12:05
Compound	CAS Number	LOR	Unit	EM2207302-013	EM2207302-014	EM2207302-015	EM2207302-016	EM2207302-017
				Result	Result	Result	Result	Result
<b>EA001: pH in soil using 0.01M CaCl extract</b>								
pH (CaCl2)	----	0.1	pH Unit	8.3	----	----	----	----
<b>EA055: Moisture Content (Dried @ 105-110°C)</b>								
Moisture Content	----	1.0	%	32.3	----	----	----	----
<b>EG005(ED093)T: Total Metals by ICP-AES</b>								
Arsenic	7440-38-2	5	mg/kg	25	----	----	----	----
Cadmium	7440-43-9	1	mg/kg	1	----	----	----	----
Chromium	7440-47-3	5	mg/kg	108	----	----	----	----
Copper	7440-50-8	5	mg/kg	64	----	----	----	----
Lead	7439-92-1	5	mg/kg	<5	----	----	----	----
Molybdenum	7439-98-7	5	mg/kg	<5	----	----	----	----
Nickel	7440-02-0	5	mg/kg	159	----	----	----	----
Selenium	7782-49-2	5	mg/kg	<5	----	----	----	----
Silver	7440-22-4	2	mg/kg	<2	----	----	----	----
Tin	7440-31-5	10	mg/kg	<10	----	----	----	----
Zinc	7440-66-6	5	mg/kg	106	----	----	----	----
<b>EG035T: Total Recoverable Mercury by FIMS</b>								
Mercury	7439-97-6	0.1	mg/kg	<0.1	----	----	----	----
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>								
Hexavalent Chromium	18540-29-9	1.0	mg/kg	<1.0	----	----	----	----
<b>EK026SF: Total CN by Segmented Flow Analyser</b>								
Total Cyanide	57-12-5	5	mg/kg	<5	----	----	----	----
<b>EK040T: Fluoride Total</b>								
Fluoride	16984-48-8	100	mg/kg	190	----	----	----	----
<b>EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>								
Initial pH	----	0.1	pH Unit	9.4	----	----	----	----
After HCl pH	----	0.1	pH Unit	1.5	----	----	----	----
Extraction Fluid pH	----	0.1	pH Unit	5.0	----	----	----	----
Final pH	----	0.1	pH Unit	5.1	----	----	----	----
<b>EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>								
Final pH	----	0.1	pH Unit	----	9.4	9.4	9.2	9.3
<b>EP066: Polychlorinated Biphenyls (PCB)</b>								
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_OB_20220422_08_12_SS_Primary_ALS	SX_OB_20220422_08_12_SS_Duplicate_ALS	SX_IB_20220422_08_26_SS_Primary_ALS	SX_OB_20220422_12_05_SS_Primary_ALS
Sampling date / time				23-Apr-2022 04:02	22-Apr-2022 08:12	22-Apr-2022 08:12	22-Apr-2022 08:26	22-Apr-2022 12:05
Compound	CAS Number	LOR	Unit	EM2207302-013	EM2207302-014	EM2207302-015	EM2207302-016	EM2207302-017
				Result	Result	Result	Result	Result
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>								
Benzene	71-43-2	0.2	mg/kg	<0.2	----	----	----	----
Toluene	108-88-3	0.5	mg/kg	<0.5	----	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	----	----	----	----
Styrene	100-42-5	0.5	mg/kg	<0.5	----	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	----	----	----	----
^ Sum of monocyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	----	----	----	----
^ Total Xylenes	----	0.5	mg/kg	<0.5	----	----	----	----
<b>EP074H: Naphthalene</b>								
Naphthalene	91-20-3	1	mg/kg	<1	----	----	----	----
<b>EP074I: Volatile Halogenated Compounds</b>								
Vinyl chloride	75-01-4	0.50	mg/kg	<0.50	----	----	----	----
1,1-Dichloroethene	75-35-4	0.50	mg/kg	<0.50	----	----	----	----
Methylene chloride	75-09-2	0.5	mg/kg	<0.5	----	----	----	----
trans-1,2-Dichloroethene	156-60-5	0.50	mg/kg	<0.50	----	----	----	----
cis-1,2-Dichloroethene	156-59-2	0.50	mg/kg	<0.50	----	----	----	----
Chloroform	67-66-3	0.50	mg/kg	<0.50	----	----	----	----
1,1,1-Trichloroethane	71-55-6	0.50	mg/kg	<0.50	----	----	----	----
Carbon Tetrachloride	56-23-5	0.50	mg/kg	<0.50	----	----	----	----
1,2-Dichloroethane	107-06-2	0.50	mg/kg	<0.50	----	----	----	----
Trichloroethene	79-01-6	0.50	mg/kg	<0.50	----	----	----	----
1,1,2-Trichloroethane	79-00-5	0.50	mg/kg	<0.50	----	----	----	----
Tetrachloroethene	127-18-4	0.50	mg/kg	<0.50	----	----	----	----
1,1,1,2-Tetrachloroethane	630-20-6	0.50	mg/kg	<0.50	----	----	----	----
1,1,2,2-Tetrachloroethane	79-34-5	0.50	mg/kg	<0.50	----	----	----	----
Hexachlorobutadiene	87-68-3	0.50	mg/kg	<0.50	----	----	----	----
Chlorobenzene	108-90-7	0.50	mg/kg	<0.50	----	----	----	----
1,4-Dichlorobenzene	106-46-7	0.50	mg/kg	<0.50	----	----	----	----
1,2-Dichlorobenzene	95-50-1	0.50	mg/kg	<0.50	----	----	----	----
1,2,4-Trichlorobenzene	120-82-1	0.50	mg/kg	<0.50	----	----	----	----
^ Sum of volatile chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	----	----	----	----
^ Sum of other chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_OB_20220422_08_12_SS_Primary_ALS	SX_OB_20220422_08_12_SS_Duplicate_ALS	SX_IB_20220422_08_26_SS_Primary_ALS	SX_OB_20220422_12_05_SS_Primary_ALS
Sampling date / time				23-Apr-2022 04:02	22-Apr-2022 08:12	22-Apr-2022 08:12	22-Apr-2022 08:26	22-Apr-2022 12:05
Compound	CAS Number	LOR	Unit	EM2207302-013	EM2207302-014	EM2207302-015	EM2207302-016	EM2207302-017
				Result	Result	Result	Result	Result
<b>EP075A: Phenolic Compounds (Halogenated)</b>								
2-Chlorophenol	95-57-8	0.50	mg/kg	<0.50	----	----	----	----
2,4-Dichlorophenol	120-83-2	0.50	mg/kg	<0.50	----	----	----	----
2,6-Dichlorophenol	87-65-0	0.50	mg/kg	<0.50	----	----	----	----
4-Chloro-3-methylphenol	59-50-7	1.00	mg/kg	<1.00	----	----	----	----
2,4,5-Trichlorophenol	95-95-4	1.00	mg/kg	<1.00	----	----	----	----
2,4,6-Trichlorophenol	88-06-2	1.00	mg/kg	<1.00	----	----	----	----
2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	----	----	----	----
2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-90-2	0.05	mg/kg	<0.05	----	----	----	----
Pentachlorophenol	87-86-5	1.0	mg/kg	<1.0	----	----	----	----
^ Sum of Phenols (halogenated)	----	1.00	mg/kg	<1.00	----	----	----	----
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>								
Phenol	108-95-2	1	mg/kg	<1	----	----	----	----
2-Methylphenol	95-48-7	1	mg/kg	<1	----	----	----	----
3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	----	----	----	----
2-Nitrophenol	88-75-5	1	mg/kg	<1	----	----	----	----
2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	----	----	----	----
2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	----	----	----	----
4-Nitrophenol	100-02-7	5	mg/kg	<5	----	----	----	----
2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	----	----	----	----
Dinoseb	88-85-7	20	mg/kg	<20	----	----	----	----
2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	20	mg/kg	<20	----	----	----	----
^ Sum of Phenols (non-halogenated)	----	20	mg/kg	<20	----	----	----	----
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	----	----	----	----
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	----	----	----	----
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	----	----	----	----
Fluorene	86-73-7	0.5	mg/kg	<0.5	----	----	----	----
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	----	----	----	----
Anthracene	120-12-7	0.5	mg/kg	<0.5	----	----	----	----
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	----	----	----	----
Pyrene	129-00-0	0.5	mg/kg	<0.5	----	----	----	----
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_OB_20220422_08_12_SS_Primary_ALS	SX_OB_20220422_08_12_SS_Duplicate_ALS	SX_IB_20220422_08_26_SS_Primary_ALS	SX_OB_20220422_12_05_SS_Primary_ALS
Sampling date / time				23-Apr-2022 04:02	22-Apr-2022 08:12	22-Apr-2022 08:12	22-Apr-2022 08:26	22-Apr-2022 12:05
Compound	CAS Number	LOR	Unit	EM2207302-013	EM2207302-014	EM2207302-015	EM2207302-016	EM2207302-017
				Result	Result	Result	Result	Result
<b>EP075B: Polynuclear Aromatic Hydrocarbons - Continued</b>								
Chrysene	218-01-9	0.5	mg/kg	<0.5	----	----	----	----
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1.0	mg/kg	<1.0	----	----	----	----
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	----	----	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	----	----	----	----
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	----	----	----	----
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	----	----	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	----	----	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	----	----	----	----
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	<b>0.6</b>	----	----	----	----
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	<b>1.2</b>	----	----	----	----
<b>EP075I: Organochlorine Pesticides</b>								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	----	----	----	----
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	----	----	----	----
beta-BHC	319-85-7	0.05	mg/kg	<0.05	----	----	----	----
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	----	----	----	----
delta-BHC	319-86-8	0.05	mg/kg	<0.05	----	----	----	----
Heptachlor	76-44-8	0.05	mg/kg	<0.05	----	----	----	----
Aldrin	309-00-2	0.05	mg/kg	<0.05	----	----	----	----
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	----	----	----	----
cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	----	----	----	----
trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	----	----	----	----
Endosulfan 1	959-98-8	0.05	mg/kg	<0.05	----	----	----	----
4.4`-DDE	72-55-9	0.05	mg/kg	<0.05	----	----	----	----
Dieldrin	60-57-1	0.05	mg/kg	<0.05	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	----	----	----	----
Endrin	72-20-8	0.05	mg/kg	<0.05	----	----	----	----
Endosulfan 2	33213-65-9	0.05	mg/kg	<0.05	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg	<0.05	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	----	----	----	----
4.4`-DDT	50-29-3	0.05	mg/kg	<0.05	----	----	----	----
Methoxychlor	72-43-5	0.05	mg/kg	<0.05	----	----	----	----
^ Sum of organochlorine pesticides	----	0.10	mg/kg	<0.10	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_OB_20220422_08_12_SS_Primary_ALS	SX_OB_20220422_08_12_SS_Duplicate_ALS	SX_IB_20220422_08_26_SS_Primary_ALS	SX_OB_20220422_12_05_SS_Primary_ALS
Sampling date / time				23-Apr-2022 04:02	22-Apr-2022 08:12	22-Apr-2022 08:12	22-Apr-2022 08:26	22-Apr-2022 12:05
Compound	CAS Number	LOR	Unit	EM2207302-013	EM2207302-014	EM2207302-015	EM2207302-016	EM2207302-017
				Result	Result	Result	Result	Result
<b>EP075I: Organochlorine Pesticides - Continued</b>								
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.30	mg/kg	<0.30	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg	<0.05	----	----	----	----
^ Chlordane	57-74-9	0.10	mg/kg	<0.10	----	----	----	----
^ Sum of other organochlorine pesticides	----	0.03	mg/kg	<0.03	----	----	----	----
<b>EP080/071: Total Petroleum Hydrocarbons</b>								
C6 - C9 Fraction	----	20	mg/kg	<20	----	----	----	----
C10 - C14 Fraction	----	50	mg/kg	<50	----	----	----	----
C6 - C10 Fraction	C6_C10	20	mg/kg	<20	----	----	----	----
C15 - C28 Fraction	----	100	mg/kg	<100	----	----	----	----
C29 - C36 Fraction	----	100	mg/kg	<100	----	----	----	----
^ C10 - C36 Fraction (sum)	----	50	mg/kg	<50	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>								
>C10 - C16 Fraction	----	50	mg/kg	<50	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg	<100	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg	<100	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	----	----	----	----
>C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	<50	----	----	----	----
C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	20	mg/kg	<20	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	5.0	µg/kg	<5.0	----	----	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	5.0	µg/kg	<5.0	----	----	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	5.0	µg/kg	<5.0	----	----	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	5.0	µg/kg	<5.0	----	----	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	5.0	µg/kg	<5.0	----	----	----	----
Perfluorodecane sulfonic acid (PFDS)	335-77-3	5.0	µg/kg	<5.0	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_OB_20220422_08_12_SS_Primary_ALS	SX_OB_20220422_08_12_SS_Duplicate_ALS	SX_IB_20220422_08_26_SS_Primary_ALS	SX_OB_20220422_12_05_SS_Primary_ALS
Sampling date / time				23-Apr-2022 04:02	22-Apr-2022 08:12	22-Apr-2022 08:12	22-Apr-2022 08:26	22-Apr-2022 12:05
Compound	CAS Number	LOR	Unit	EM2207302-013	EM2207302-014	EM2207302-015	EM2207302-016	EM2207302-017
				Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
Perfluorobutanoic acid (PFBA)	375-22-4	5	µg/kg	<5	----	----	----	----
Perfluoropentanoic acid (PFPeA)	2706-90-3	5.0	µg/kg	<5.0	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	5.0	µg/kg	<5.0	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	5.0	µg/kg	<5.0	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	5.0	µg/kg	<5.0	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	5.0	µg/kg	<5.0	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	5.0	µg/kg	<5.0	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	5.0	µg/kg	<5.0	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	5.0	µg/kg	<5.0	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	5.0	µg/kg	<5.0	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	5.0	µg/kg	<5.0	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
Perfluorooctane sulfonamide (FOSA)	754-91-6	5.0	µg/kg	<5.0	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	5.0	µg/kg	<5.0	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	5.0	µg/kg	<5.0	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	5.0	µg/kg	<5.0	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	5.0	µg/kg	<5.0	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	10.0	µg/kg	<10.0	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	10.0	µg/kg	<10.0	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_OB_20220422_08_12_SS_Primary_ALS	SX_OB_20220422_08_12_SS_Duplicate_ALS	SX_IB_20220422_08_26_SS_Primary_ALS	SX_OB_20220422_12_05_SS_Primary_ALS
Sampling date / time				23-Apr-2022 04:02	22-Apr-2022 08:12	22-Apr-2022 08:12	22-Apr-2022 08:26	22-Apr-2022 12:05
Compound	CAS Number	LOR	Unit	EM2207302-013	EM2207302-014	EM2207302-015	EM2207302-016	EM2207302-017
				Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	5.0	µg/kg	<5.0	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	10.0	µg/kg	<10.0	----	----	----	----
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	5.0	µg/kg	<5.0	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	5.0	µg/kg	<5.0	----	----	----	----
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	50.0	µg/kg	<50.0	----	----	----	----
Sum of PFHxS and PFOS	355-46-4/1763-23-1	5.0	µg/kg	<5.0	----	----	----	----
Sum of PFAS (WA DER List)	----	10.0	µg/kg	<10.0	----	----	----	----
<b>EP066S: PCB Surrogate</b>								
Decachlorobiphenyl	2051-24-3	0.1	%	108	----	----	----	----
<b>EP074S: VOC Surrogates (Ultra-Trace)</b>								
1,2-Dichloroethane-D4	17060-07-0	0.1	%	82.1	----	----	----	----
Toluene-D8	2037-26-5	0.1	%	82.3	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.1	%	92.4	----	----	----	----
<b>EP075S: Acid Extractable Surrogates (Waste Classification)</b>								
Phenol-d6	13127-88-3	0.025	%	87.8	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.025	%	93.7	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.025	%	89.5	----	----	----	----
<b>EP075T: Base/Neutral Extractable Surrogates (Waste Classification)</b>								
Nitrobenzene-D5	4165-60-0	0.025	%	96.6	----	----	----	----
1,2-Dichlorobenzene-D4	2199-69-1	0.025	%	86.5	----	----	----	----
2-Fluorobiphenyl	321-60-8	0.025	%	108	----	----	----	----
Anthracene-d10	1719-06-8	0.025	%	98.1	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.025	%	97.0	----	----	----	----
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.0002	%	110	----	----	----	----
13C8-PFOA	----	0.0002	%	109	----	----	----	----



**Analytical Results**

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_OB_20220422_16_28_SS_Triplicate_ALS	SX_OB_20220422_16_31_SS_Primary_ALS	SX_IB_20220422_20_14_SS_Triplicate_ALS	SX_OB_20220422_20_15_SS_Primary_ALS	SX_OB_20220423_00_00_SS_Primary_ALS
Sampling date / time				22-Apr-2022 16:28	22-Apr-2022 16:31	22-Apr-2022 20:14	22-Apr-2022 20:15	23-Apr-2022 00:00
Compound	CAS Number	LOR	Unit	EM2207302-018	EM2207302-019	EM2207302-020	EM2207302-021	EM2207302-022
				Result	Result	Result	Result	Result
<b>EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>								
Final pH	----	0.1	pH Unit	9.2	9.1	10.3	9.5	9.8





## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Sample ID

				SX_IB_20220423_04_01_SS_Primary_ALS	SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_OB_20220423_04_09_SS_Primary_ALS Forwarded to Eurofins	----	----
Sampling date / time				23-Apr-2022 04:01	23-Apr-2022 04:02	23-Apr-2022 04:09	----	----
Compound	CAS Number	LOR	Unit	EM2207302-023	EM2207302-024	EM2207302-025	-----	-----
				Result	Result	Result	----	----
<b>EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>								
Final pH	----	0.1	pH Unit	<b>10.0</b>	<b>9.7</b>	----	----	----
<b>EP066S: PCB Surrogate</b>								
Decachlorobiphenyl	2051-24-3	0.1	%	----	----	<b>103</b>	----	----
<b>EP075S: Acid Extractable Surrogates (Waste Classification)</b>								
Phenol-d6	13127-88-3	0.025	%	----	----	<b>Not Authorised</b>	----	----
2-Chlorophenol-D4	93951-73-6	0.025	%	----	----	<b>Not Authorised</b>	----	----
2.4.6-Tribromophenol	118-79-6	0.025	%	----	----	<b>Not Authorised</b>	----	----
<b>EP075T: Base/Neutral Extractable Surrogates (Waste Classification)</b>								
Nitrobenzene-D5	4165-60-0	0.025	%	----	----	<b>Not Authorised</b>	----	----
1.2-Dichlorobenzene-D4	2199-69-1	0.025	%	----	----	<b>Not Authorised</b>	----	----
2-Fluorobiphenyl	321-60-8	0.025	%	----	----	<b>Not Authorised</b>	----	----
Anthracene-d10	1719-06-8	0.025	%	----	----	<b>Not Authorised</b>	----	----
4-Terphenyl-d14	1718-51-0	0.025	%	----	----	<b>Not Authorised</b>	----	----



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)			Sample ID		SX_OB_20220422_10 _37_SR_Rinsate_ALS	SX_OB_20220422_10 _39_SB_Blank_ALS	----	----	----
Sampling date / time			22-Apr-2022 10:37		22-Apr-2022 10:39		----	----	----
Compound	CAS Number	LOR	Unit	EM2207302-004	EM2207302-005	-----	-----	-----	
				Result	Result	---	---	---	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.10	µg/L	<0.10	<0.10	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	----	----	----	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	SX_OB_20220422_10 _37_SR_Rinsate_ALS	SX_OB_20220422_10 _39_SB_Blank_ALS	----	----	----
Sampling date / time				22-Apr-2022 10:37	22-Apr-2022 10:39	----	----	----	
Compound	CAS Number	LOR	Unit	EM2207302-004	EM2207302-005	-----	-----	-----	
				Result	Result	---	---	---	
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>									
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	----	----	----	
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	----	----	----	
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.02	%	95.8	103	----	----	----	
13C8-PFOA	----	0.02	%	99.4	101	----	----	----	



## Surrogate Control Limits

Sub-Matrix: ASLP LEACHATE		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP231S: PFAS Surrogate</b>			
13C4-PFOS	----	65	140
13C8-PFOA	----	71	133

Sub-Matrix: DI WATER LEACHATE		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP231S: PFAS Surrogate</b>			
13C4-PFOS	----	65	140
13C8-PFOA	----	71	133

Sub-Matrix: SOIL		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP066S: PCB Surrogate</b>			
Decachlorobiphenyl	2051-24-3	41	122
<b>EP074S: VOC Surrogates (Ultra-Trace)</b>			
1,2-Dichloroethane-D4	17060-07-0	59	119
Toluene-D8	2037-26-5	55	117
4-Bromofluorobenzene	460-00-4	59	123
<b>EP075S: Acid Extractable Surrogates (Waste Classification)</b>			
Phenol-d6	13127-88-3	63	134
2-Chlorophenol-D4	93951-73-6	60	125
2,4,6-Tribromophenol	118-79-6	54	129
<b>EP075T: Base/Neutral Extractable Surrogates (Waste Classification)</b>			
Nitrobenzene-D5	4165-60-0	63	131
1,2-Dichlorobenzene-D4	2199-69-1	61	124
2-Fluorobiphenyl	321-60-8	69	131
Anthracene-d10	1719-06-8	70	133
4-Terphenyl-d14	1718-51-0	59	141
<b>EP231S: PFAS Surrogate</b>			
13C4-PFOS	----	68	136
13C8-PFOA	----	69	133

Sub-Matrix: WATER		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP231S: PFAS Surrogate</b>			
13C4-PFOS	----	65	140
13C8-PFOA	----	71	133

## Automated Guideline Comparison Report

### EPA Victoria Publication IWRG 621 (2009) - Table 2: Soil Hazard Categorisation

<b>Work Order</b>	: <b>EM2207302</b>	Page	: 1 of 33
Client	: <b>AGON ENVIRONMENTAL PTY LTD</b>	Laboratory	: Environmental Division Melbourne
Contact	: DAVID LAWSON		
Address	: D1.1 63-85 TURNER STREET PORT MELBOURNE 3207	Address	: 4 Westall Rd Springvale VIC Australia 3171
E-mail	: david.lawson@agonenviro.com.au	E-mail	: Josh.Alexander@alsglobal.com
Telephone	: ----	Telephone	: +61-3-8549 9600
Facsimile	: ----	Facsimile	: +61-3-8549 9626
Project	: JC0927	Date Received	: 23-Apr-2022 08:45
Order number	: ----	Date Analysed	: 23-Apr-2022
C-O-C number	: 20220423042223-ALS-21	Date Issued	: 29-Apr-2022 17:11
No. of samples received	: 26		
No. of samples analysed	: 25	Quote number	: EN/150/19 -WGTP -Bulk Sample Quote

#### **General Comments**

This guideline comparison report **only** provides comparison of total concentration data against upper limit thresholds for the 'Fill Material', 'C', 'B' Categories in Table 2 of EPA Publication IWRG621.

This guideline comparison report is **NOT** a soil classification report. Classification of soils as Fill Material, Category C, Category B or Category A requires consideration of a number of other factors including preliminary site investigation, sampling density and statistical calculations, as set out in EPA Publication IWRG 702 and measurement uncertainty.

This guideline comparison report only provides comparison data for parameters, specifically listed within the IWRG621 (2009) guideline, that are analysed by ALS.

Only results in the 'Analytical Results' section have been compared to the guideline.

**Additional information pertinent to this report will be found in the following separate attachments: Certificate of Analysis, Quality Control Report, QA/QC Compliance Assessment to Assist with Quality Review and Sample Receipt Notification.**



## Summary of Thresholds Reached or Exceeded

EPA Victoria Publication IWRG 621 (2009)

Table 2: Soil Hazard Categorisation Thresholds : Fill Material

Client Sample ID	ALS Sample ID	Compound	Method	LOR	Limits	Result
SX_OB_20220422_08_12_S SS_Primary_ALS	EM2207302-001	Arsenic	EG005T	5	< 20 mg/kg	24 mg/kg
SX_OB_20220422_08_12_S SS_Primary_ALS	EM2207302-001	Nickel	EG005T	5	< 60 mg/kg	112 mg/kg
SX_OB_20220422_08_12_S SS_Primary_ALS	EM2207302-001	Hexavalent Chromium	EG048G	1.0	< 1 mg/kg	1.2 mg/kg
SX_OB_20220422_08_12_S SS_Duplicate_ALS	EM2207302-002	Arsenic	EG005T	5	< 20 mg/kg	43 mg/kg
SX_OB_20220422_08_12_S SS_Duplicate_ALS	EM2207302-002	Nickel	EG005T	5	< 60 mg/kg	164 mg/kg
SX_OB_20220422_08_12_S SS_Duplicate_ALS	EM2207302-002	Hexavalent Chromium	EG048G	1.0	< 1 mg/kg	1.3 mg/kg
SX_IB_20220422_08_26_S S_Primary_ALS	EM2207302-003	Arsenic	EG005T	5	< 20 mg/kg	25 mg/kg
SX_IB_20220422_08_26_S S_Primary_ALS	EM2207302-003	Nickel	EG005T	5	< 60 mg/kg	191 mg/kg
SX_OB_20220422_12_05_S SS_Primary_ALS	EM2207302-006	Arsenic	EG005T	5	< 20 mg/kg	35 mg/kg
SX_OB_20220422_12_05_S SS_Primary_ALS	EM2207302-006	Nickel	EG005T	5	< 60 mg/kg	144 mg/kg
SX_OB_20220422_16_28_S SS_Triplicate_ALS	EM2207302-007	Arsenic	EG005T	5	< 20 mg/kg	37 mg/kg
SX_OB_20220422_16_28_S SS_Triplicate_ALS	EM2207302-007	Nickel	EG005T	5	< 60 mg/kg	146 mg/kg
SX_OB_20220422_16_31_S SS_Primary_ALS	EM2207302-008	Arsenic	EG005T	5	< 20 mg/kg	41 mg/kg
SX_OB_20220422_16_31_S SS_Primary_ALS	EM2207302-008	Nickel	EG005T	5	< 60 mg/kg	153 mg/kg
SX_IB_20220422_20_14_S S_Triplicate_ALS	EM2207302-009	pH (CaCl <sub>2</sub> )	EA001	0.1	> 4 pH Unit < 9 pH Unit	9.2 pH Unit
SX_IB_20220422_20_14_S S_Triplicate_ALS	EM2207302-009	Arsenic	EG005T	5	< 20 mg/kg	22 mg/kg
SX_IB_20220422_20_14_S S_Triplicate_ALS	EM2207302-009	Nickel	EG005T	5	< 60 mg/kg	162 mg/kg
SX_OB_20220422_20_15_S SS_Primary_ALS	EM2207302-010	Arsenic	EG005T	5	< 20 mg/kg	36 mg/kg
SX_OB_20220422_20_15_S SS_Primary_ALS	EM2207302-010	Nickel	EG005T	5	< 60 mg/kg	174 mg/kg



**EPA Victoria Publication IWRG 621 (2009)**

**Table 2: Soil Hazard Categorisation Thresholds : Fill Material**

Client Sample ID	ALS Sample ID	Compound	Method	LOR	Limits	Result
SX_OB_20220422_20_15_S SS_Primary_ALS	EM2207302-010	Hexavalent Chromium	EG048G	1.0	< 1 mg/kg	1.1 mg/kg
SX_OB_20220423_00_00_S SS_Primary_ALS	EM2207302-011	Arsenic	EG005T	5	< 20 mg/kg	32 mg/kg
SX_OB_20220423_00_00_S SS_Primary_ALS	EM2207302-011	Nickel	EG005T	5	< 60 mg/kg	164 mg/kg
SX_IB_20220423_04_01_S S_Primary_ALS	EM2207302-012	pH (CaCl2)	EA001	0.1	> 4 pH Unit< 9 pH Unit	9.7 pH Unit
SX_IB_20220423_04_01_S S_Primary_ALS	EM2207302-012	Arsenic	EG005T	5	< 20 mg/kg	32 mg/kg
SX_IB_20220423_04_01_S S_Primary_ALS	EM2207302-012	Nickel	EG005T	5	< 60 mg/kg	178 mg/kg
SX_IB_20220423_04_02_S S_Duplicate_ALS	EM2207302-013	Arsenic	EG005T	5	< 20 mg/kg	25 mg/kg
SX_IB_20220423_04_02_S S_Duplicate_ALS	EM2207302-013	Nickel	EG005T	5	< 60 mg/kg	159 mg/kg

**EPA Victoria Publication IWRG 621 (2009)**

**Table 2: Soil Hazard Categorisation Thresholds : Category C**

Client Sample ID	ALS Sample ID	Compound	Method	LOR	Limits	Result
SX_IB_20220422_20_14_S S_Triplicate_ALS	EM2207302-009	pH (CaCl2)	EA001	0.1	> 4 pH Unit< 9 pH Unit	9.2 pH Unit
SX_IB_20220423_04_01_S S_Primary_ALS	EM2207302-012	pH (CaCl2)	EA001	0.1	> 4 pH Unit< 9 pH Unit	9.7 pH Unit



## Analytical Results

### Soil Hazard Categorisation and Management

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		Guideline	Guideline	SX_OB_20220	SX_OB_20220	SX_IB_20220	SX_OB_20220	SX_OB_20220
				Sampling date/time				422_08_12_S	422_08_12_S	422_08_26_S	422_12_05_S	422_16_28_S
				Lower Limit	Upper Limit			S_Primary_ALS	S_Duplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Triplicate_ALS
							22-Apr-2022 08:12	22-Apr-2022 08:12	22-Apr-2022 08:26	22-Apr-2022 12:05	22-Apr-2022 16:28	
							EM2207302-001 MU	EM2207302-002 MU	EM2207302-003 MU	EM2207302-006 MU	EM2207302-007 MU	
<b>EA001: pH in soil using 0.01M CaCl extract</b>												
pH (CaCl2)	EA001	0.1	pH Unit	2	12.5		7.8 ± 0.1	8.0 ± 0.1	7.8 ± 0.1	8.0 ± 0.1	7.9 ± 0.1	
<b>EG005(ED093)T: Total Metals by ICP-AES</b>												
Arsenic	EG005T	5	mg/kg	----	2000		24 ± 4	43 ± 6	25 ± 4	35 ± 5	37 ± 5	
Cadmium	EG005T	1	mg/kg	----	400		<1 --	<1 --	2 ± 0.2	<1 --	<1 --	
Copper	EG005T	5	mg/kg	----	20000		41 ± 5	58 ± 7	60 ± 7	46 ± 6	54 ± 6	
Lead	EG005T	5	mg/kg	----	6000		<5 --	<5 --	<5 --	<5 --	<5 --	
Molybdenum	EG005T	5	mg/kg	----	4000		<5 --	<5 --	<5 --	<5 --	<5 --	
Nickel	EG005T	5	mg/kg	----	12000		112 ± 11	164 ± 16	191 ± 19	144 ± 14	146 ± 14	
Selenium	EG005T	5	mg/kg	----	200		<5 --	<5 --	<5 --	<5 --	<5 --	
Silver	EG005T	2	mg/kg	----	720		<2 --	<2 --	<2 --	<2 --	<2 --	
Zinc	EG005T	5	mg/kg	----	140000		62 ± 7	93 ± 10	103 ± 11	87 ± 10	94 ± 10	
<b>EG035T: Total Recoverable Mercury by FIMS</b>												
Mercury	EG035T	0.1	mg/kg	----	300		<0.1 --	<0.1 --	<0.1 --	<0.1 --	<0.1 --	
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>												
Hexavalent Chromium	EG048G	1.0	mg/kg	----	2000		1.2 ± 0.2	1.3 ± 0.2	<1.0 --	<1.0 --	<1.0 --	
<b>EK026SF: Total CN by Segmented Flow Analyser</b>												
Total Cyanide	EK026SF	5	mg/kg	----	10000		<5 --	<5 --	<5 --	<5 --	<5 --	
<b>EK040T: Fluoride Total</b>												
Fluoride	EK040T	100	mg/kg	----	40000		190 ± 40	230 ± 40	200 ± 40	120 ± 30	150 ± 40	
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>												
Benzene	EP074-UT	0.2	mg/kg	----	16		<0.2 --	<0.2 --	<0.2 --	<0.2 --	<0.2 --	
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	240		<0.5 --	<0.5 --	<0.5 --	<0.5 --	<0.5 --	
<b>EP074I: Volatile Halogenated Compounds</b>												
Vinyl chloride	EP074-UT	0.50	mg/kg	----	4.8		<0.50 --	<0.50 --	<0.50 --	<0.50 --	<0.50 --	
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	11		<0.50 --	<0.50 --	<0.50 --	<0.50 --	<0.50 --	
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	50		<0.50 --	<0.50 --	<0.50 --	<0.50 --	<0.50 --	
<b>EP075A: Phenolic Compounds (Halogenated)</b>												
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	320		<1.00 --	<1.00 --	<1.00 --	<1.00 --	<1.00 --	





**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220	SX_OB_20220	SX_IB_20220	SX_OB_20220	SX_OB_20220
				Guideline	Guideline	422_08_12_S	422_08_12_S	422_08_26_S	422_12_05_S	422_16_28_S
						S_Primary_ALS	S_Duplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Triplicate_ALS
				Lower Limit	Upper Limit	22-Apr-2022 08:12	22-Apr-2022 08:12	22-Apr-2022 08:26	22-Apr-2022 12:05	22-Apr-2022 16:28
						EM2207302-001 MU	EM2207302-002 MU	EM2207302-003 MU	EM2207302-006 MU	EM2207302-007 MU
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	2200	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	20	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	400	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP075I: Organochlorine Pesticides</b>										
Heptachlor	EP075-EM	0.05	mg/kg	----	4.8	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Sum of Aldrin + Dieldrin	EP075-EM-SUM	0.30	mg/kg	----	4.8	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..
Sum of DDD + DDE + DDT	EP075-EM-SUM	0.05	mg/kg	----	50	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Chlordane	EP075-EM-SUM	0.10	mg/kg	----	16	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..
Sum of other organochlorine pesticides	EP075-EM-SUM	0.03	mg/kg	----	50	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..
<b>EP080/071: Total Petroleum Hydrocarbons</b>										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	2600	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	40000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category C: Table 2: Soil Hazard Categorisation Thresholds : Category C**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220	SX_OB_20220	SX_IB_20220	SX_OB_20220	SX_OB_20220
				Lower Limit	Upper Limit	422_08_12_S	422_08_12_S	422_08_26_S	422_12_05_S	422_16_28_S
						S_Primary_ALS	S_Duplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Triplicate_ALS
				Guideline	Guideline	22-Apr-2022 08:12	22-Apr-2022 08:12	22-Apr-2022 08:26	22-Apr-2022 12:05	22-Apr-2022 16:28
						EM2207302-001 MU	EM2207302-002 MU	EM2207302-003 MU	EM2207302-006 MU	EM2207302-007 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	4	9	7.8 ± 0.1	8.0 ± 0.1	7.8 ± 0.1	8.0 ± 0.1	7.9 ± 0.1
<b>EG005(ED093)T: Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	500	24 ± 4	43 ± 6	25 ± 4	35 ± 5	37 ± 5
Cadmium	EG005T	1	mg/kg	----	100	<1 ..	<1 ..	2 ± 0.2	<1 ..	<1 ..
Copper	EG005T	5	mg/kg	----	5000	41 ± 5	58 ± 7	60 ± 7	46 ± 6	54 ± 6
Lead	EG005T	5	mg/kg	----	1500	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Molybdenum	EG005T	5	mg/kg	----	1000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Nickel	EG005T	5	mg/kg	----	3000	112 ± 11	164 ± 16	191 ± 19	144 ± 14	146 ± 14
Selenium	EG005T	5	mg/kg	----	50	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Silver	EG005T	2	mg/kg	----	180	<2 ..	<2 ..	<2 ..	<2 ..	<2 ..
Tin	EG005T	10	mg/kg	----	500	<10 ..	<10 ..	<10 ..	<10 ..	<10 ..
Zinc	EG005T	5	mg/kg	----	35000	62 ± 7	93 ± 10	103 ± 11	87 ± 10	94 ± 10
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	75	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	500	1.2 ± 0.2	1.3 ± 0.2	<1.0 ..	<1.0 ..	<1.0 ..
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	2500	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	10000	190 ± 40	230 ± 40	200 ± 40	120 ± 30	150 ± 40
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	4	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	70	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP074I: Volatile Halogenated Compounds</b>										
Vinyl chloride	EP074-UT	0.50	mg/kg	----	1.2	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	2.8	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	10	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	10	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category C: Table 2: Soil Hazard Categorisation Thresholds : Category C**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220	SX_OB_20220	SX_IB_20220	SX_OB_20220	SX_OB_20220
				Guideline	Guideline	422_08_12_S	422_08_12_S	422_08_26_S	422_12_05_S	422_16_28_S
						S_Primary_ALS	S_Duplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Triplicate_ALS
				Lower Limit	Upper Limit	22-Apr-2022 08:12	22-Apr-2022 08:12	22-Apr-2022 08:26	22-Apr-2022 12:05	22-Apr-2022 16:28
						EM2207302-001 MU	EM2207302-002 MU	EM2207302-003 MU	EM2207302-006 MU	EM2207302-007 MU
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	560	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	5	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	100	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP075I: Organochlorine Pesticides</b>										
Heptachlor	EP075-EM	0.05	mg/kg	----	1.2	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Sum of Aldrin + Dieldrin	EP075-EM-SUM	0.30	mg/kg	----	1.2	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..
Sum of DDD + DDE + DDT	EP075-EM-SUM	0.05	mg/kg	----	50	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Chlordane	EP075-EM-SUM	0.10	mg/kg	----	4	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..
Sum of other organochlorine pesticides	EP075-EM-SUM	0.03	mg/kg	----	10	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..
<b>EP080/071: Total Petroleum Hydrocarbons</b>										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	650	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	10000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Fill Material: Table 2: Soil Hazard Categorisation Thresholds : Fill Material**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220	SX_OB_20220	SX_IB_20220	SX_OB_20220	SX_OB_20220
				Lower Limit	Upper Limit	422_08_12_S	422_08_12_S	422_08_26_S	422_12_05_S	422_16_28_S
						S_Primary_ALS	S_Duplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Triplicate_ALS
				Guideline	Guideline	22-Apr-2022 08:12	22-Apr-2022 08:12	22-Apr-2022 08:26	22-Apr-2022 12:05	22-Apr-2022 16:28
						EM2207302-001 MU	EM2207302-002 MU	EM2207302-003 MU	EM2207302-006 MU	EM2207302-007 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	4	9	7.8 ± 0.1	8.0 ± 0.1	7.8 ± 0.1	8.0 ± 0.1	7.9 ± 0.1
<b>EG005(ED093)T: Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	20	24 ± 4	43 ± 6	25 ± 4	35 ± 5	37 ± 5
Cadmium	EG005T	1	mg/kg	----	3	<1 ..	<1 ..	2 ± 0.2	<1 ..	<1 ..
Copper	EG005T	5	mg/kg	----	100	41 ± 5	58 ± 7	60 ± 7	46 ± 6	54 ± 6
Lead	EG005T	5	mg/kg	----	300	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Molybdenum	EG005T	5	mg/kg	----	40	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Nickel	EG005T	5	mg/kg	----	60	112 ± 11	164 ± 16	191 ± 19	144 ± 14	146 ± 14
Selenium	EG005T	5	mg/kg	----	10	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Silver	EG005T	2	mg/kg	----	10	<2 ..	<2 ..	<2 ..	<2 ..	<2 ..
Tin	EG005T	10	mg/kg	----	50	<10 ..	<10 ..	<10 ..	<10 ..	<10 ..
Zinc	EG005T	5	mg/kg	----	200	62 ± 7	93 ± 10	103 ± 11	87 ± 10	94 ± 10
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	1	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	1	1.2 ± 0.2	1.3 ± 0.2	<1.0 ..	<1.0 ..	<1.0 ..
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	50	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	450	190 ± 40	230 ± 40	200 ± 40	120 ± 30	150 ± 40
<b>EP066: Polychlorinated Biphenyls (PCB)</b>										
Total Polychlorinated biphenyls	EP066-EM	0.1	mg/kg	----	2	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	1	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	7	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP074I: Volatile Halogenated Compounds</b>										
Sum of volatile chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	1	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	1	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Fill Material: Table 2: Soil Hazard Categorisation Thresholds : Fill Material**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220	SX_OB_20220	SX_IB_20220	SX_OB_20220	SX_OB_20220
				Guideline	Guideline	422_08_12_S	422_08_12_S	422_08_26_S	422_12_05_S	422_16_28_S
						S_Primary_ALS	S_Duplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Triplicate_ALS
				Lower Limit	Upper Limit	22-Apr-2022 08:12	22-Apr-2022 08:12	22-Apr-2022 08:26	22-Apr-2022 12:05	22-Apr-2022 16:28
						EM2207302-001 MU	EM2207302-002 MU	EM2207302-003 MU	EM2207302-006 MU	EM2207302-007 MU
<b>EP075A: Phenolic Compounds (Non-halogenated) - Continued</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	60	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	1	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	20	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP075I: Organochlorine Pesticides</b>										
Sum of organochlorine pesticides	EP075-EM-SUM	0.10	mg/kg	----	1	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..
<b>EP080/071: Total Petroleum Hydrocarbons</b>										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	100	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	1000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220	SX_IB_20220	SX_OB_20220	SX_OB_20220	SX_IB_20220
				Guideline	Guideline	422_16_31_S	422_20_14_S	422_20_15_S	423_00_00_S	423_04_01_S
						S_Primary_ALS	S_Triplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS
				Lower Limit	Upper Limit	22-Apr-2022 16:31	22-Apr-2022 20:14	22-Apr-2022 20:15	23-Apr-2022 00:00	23-Apr-2022 04:01
						EM2207302-008 MU	EM2207302-009 MU	EM2207302-010 MU	EM2207302-011 MU	EM2207302-012 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	2	12.5	7.8 ± 0.1	9.2 ± 0.1	7.9 ± 0.1	8.3 ± 0.1	9.7 ± 0.1
<b>EG005(ED093)T: Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	2000	41 ± 5	22 ± 3	36 ± 5	32 ± 4	32 ± 4
Cadmium	EG005T	1	mg/kg	----	400	<1 ..	1 ± 0.2	1 ± 0.2	1 ± 0.2	2 ± 0.2
Copper	EG005T	5	mg/kg	----	20000	67 ± 8	60 ± 7	64 ± 8	60 ± 7	67 ± 8
Lead	EG005T	5	mg/kg	----	6000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Molybdenum	EG005T	5	mg/kg	----	4000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Nickel	EG005T	5	mg/kg	----	12000	153 ± 15	162 ± 16	174 ± 17	164 ± 16	178 ± 17
Selenium	EG005T	5	mg/kg	----	200	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Silver	EG005T	2	mg/kg	----	720	<2 ..	<2 ..	<2 ..	<2 ..	<2 ..
Zinc	EG005T	5	mg/kg	----	140000	86 ± 10	99 ± 11	101 ± 11	92 ± 10	109 ± 12
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	300	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	2000	<1.0 ..	<1.0 ..	1.1 ± 0.2	<1.0 ..	<1.0 ..
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	10000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	40000	<100 ..	170 ± 40	160 ± 40	140 ± 30	200 ± 40
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	16	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	240	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP074I: Volatile Halogenated Compounds</b>										
Vinyl chloride	EP074-UT	0.50	mg/kg	----	4.8	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	11	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	50	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	320	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220	SX_IB_20220	SX_OB_20220	SX_OB_20220	SX_IB_20220
				Guideline	Guideline	422_16_31_S	422_20_14_S	422_20_15_S	423_00_00_S	423_04_01_S
						S_Primary_ALS	S_Triplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS
				Lower Limit	Upper Limit	22-Apr-2022 16:31	22-Apr-2022 20:14	22-Apr-2022 20:15	23-Apr-2022 00:00	23-Apr-2022 04:01
						EM2207302-008 MU	EM2207302-009 MU	EM2207302-010 MU	EM2207302-011 MU	EM2207302-012 MU
<b>EP075A: Phenolic Compounds (Non-halogenated) - Continued</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	2200	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	20	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	400	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP075I: Organochlorine Pesticides</b>										
Heptachlor	EP075-EM	0.05	mg/kg	----	4.8	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Sum of Aldrin + Dieldrin	EP075-EM-SUM	0.30	mg/kg	----	4.8	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..
Sum of DDD + DDE + DDT	EP075-EM-SUM	0.05	mg/kg	----	50	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Chlordane	EP075-EM-SUM	0.10	mg/kg	----	16	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..
Sum of other organochlorine pesticides	EP075-EM-SUM	0.03	mg/kg	----	50	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..
<b>EP080/071: Total Petroleum Hydrocarbons</b>										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	2600	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	40000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category C: Table 2: Soil Hazard Categorisation Thresholds : Category C**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220	SX_IB_20220	SX_OB_20220	SX_OB_20220	SX_IB_20220
				Guideline	Guideline	422_16_31_S	422_20_14_S	422_20_15_S	423_00_00_S	423_04_01_S
						S_Primary_ALS	S_Triplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS
				Lower Limit	Upper Limit	22-Apr-2022 16:31	22-Apr-2022 20:14	22-Apr-2022 20:15	23-Apr-2022 00:00	23-Apr-2022 04:01
						EM2207302-008 MU	EM2207302-009 MU	EM2207302-010 MU	EM2207302-011 MU	EM2207302-012 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	4	9	7.8 ± 0.1	9.2 ± 0.1	7.9 ± 0.1	8.3 ± 0.1	9.7 ± 0.1
<b>EG005(ED093)T: Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	500	41 ± 5	22 ± 3	36 ± 5	32 ± 4	32 ± 4
Cadmium	EG005T	1	mg/kg	----	100	<1 ..	1 ± 0.2	1 ± 0.2	1 ± 0.2	2 ± 0.2
Copper	EG005T	5	mg/kg	----	5000	67 ± 8	60 ± 7	64 ± 8	60 ± 7	67 ± 8
Lead	EG005T	5	mg/kg	----	1500	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Molybdenum	EG005T	5	mg/kg	----	1000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Nickel	EG005T	5	mg/kg	----	3000	153 ± 15	162 ± 16	174 ± 17	164 ± 16	178 ± 17
Selenium	EG005T	5	mg/kg	----	50	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Silver	EG005T	2	mg/kg	----	180	<2 ..	<2 ..	<2 ..	<2 ..	<2 ..
Tin	EG005T	10	mg/kg	----	500	<10 ..	<10 ..	<10 ..	<10 ..	<10 ..
Zinc	EG005T	5	mg/kg	----	35000	86 ± 10	99 ± 11	101 ± 11	92 ± 10	109 ± 12
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	75	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	500	<1.0 ..	<1.0 ..	1.1 ± 0.2	<1.0 ..	<1.0 ..
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	2500	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	10000	<100 ..	170 ± 40	160 ± 40	140 ± 30	200 ± 40
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	4	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	70	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP074I: Volatile Halogenated Compounds</b>										
Vinyl chloride	EP074-UT	0.50	mg/kg	----	1.2	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	2.8	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	10	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	10	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..





**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category C: Table 2: Soil Hazard Categorisation Thresholds : Category C**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220	SX_IB_20220	SX_OB_20220	SX_OB_20220	SX_IB_20220
				Guideline	Guideline	422_16_31_S	422_20_14_S	422_20_15_S	423_00_00_S	423_04_01_S
						S_Primary_ALS	S_Triplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS
				Lower Limit	Upper Limit	22-Apr-2022 16:31	22-Apr-2022 20:14	22-Apr-2022 20:15	23-Apr-2022 00:00	23-Apr-2022 04:01
						EM2207302-008 MU	EM2207302-009 MU	EM2207302-010 MU	EM2207302-011 MU	EM2207302-012 MU
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	560	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	5	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	100	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP075I: Organochlorine Pesticides</b>										
Heptachlor	EP075-EM	0.05	mg/kg	----	1.2	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Sum of Aldrin + Dieldrin	EP075-EM-SUM	0.30	mg/kg	----	1.2	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..
Sum of DDD + DDE + DDT	EP075-EM-SUM	0.05	mg/kg	----	50	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Chlordane	EP075-EM-SUM	0.10	mg/kg	----	4	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..
Sum of other organochlorine pesticides	EP075-EM-SUM	0.03	mg/kg	----	10	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..
<b>EP080/071: Total Petroleum Hydrocarbons</b>										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	650	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	10000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Fill Material: Table 2: Soil Hazard Categorisation Thresholds : Fill Material**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220	SX_IB_20220	SX_OB_20220	SX_OB_20220	SX_IB_20220
				Guideline	Guideline	422_16_31_S	422_20_14_S	422_20_15_S	423_00_00_S	423_04_01_S
						S_Primary_ALS	S_Triplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS
				Lower Limit	Upper Limit	22-Apr-2022 16:31	22-Apr-2022 20:14	22-Apr-2022 20:15	23-Apr-2022 00:00	23-Apr-2022 04:01
						EM2207302-008 MU	EM2207302-009 MU	EM2207302-010 MU	EM2207302-011 MU	EM2207302-012 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	4	9	7.8 ± 0.1	9.2 ± 0.1	7.9 ± 0.1	8.3 ± 0.1	9.7 ± 0.1
<b>EG005(ED093)T: Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	20	41 ± 5	22 ± 3	36 ± 5	32 ± 4	32 ± 4
Cadmium	EG005T	1	mg/kg	----	3	<1 ..	1 ± 0.2	1 ± 0.2	1 ± 0.2	2 ± 0.2
Copper	EG005T	5	mg/kg	----	100	67 ± 8	60 ± 7	64 ± 8	60 ± 7	67 ± 8
Lead	EG005T	5	mg/kg	----	300	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Molybdenum	EG005T	5	mg/kg	----	40	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Nickel	EG005T	5	mg/kg	----	60	153 ± 15	162 ± 16	174 ± 17	164 ± 16	178 ± 17
Selenium	EG005T	5	mg/kg	----	10	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Silver	EG005T	2	mg/kg	----	10	<2 ..	<2 ..	<2 ..	<2 ..	<2 ..
Tin	EG005T	10	mg/kg	----	50	<10 ..	<10 ..	<10 ..	<10 ..	<10 ..
Zinc	EG005T	5	mg/kg	----	200	86 ± 10	99 ± 11	101 ± 11	92 ± 10	109 ± 12
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	1	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	1	<1.0 ..	<1.0 ..	1.1 ± 0.2	<1.0 ..	<1.0 ..
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	50	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	450	<100 ..	170 ± 40	160 ± 40	140 ± 30	200 ± 40
<b>EP066: Polychlorinated Biphenyls (PCB)</b>										
Total Polychlorinated biphenyls	EP066-EM	0.1	mg/kg	----	2	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	1	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	7	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP074I: Volatile Halogenated Compounds</b>										
Sum of volatile chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	1	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	1	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Fill Material: Table 2: Soil Hazard Categorisation Thresholds : Fill Material**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220	SX_IB_20220	SX_OB_20220	SX_OB_20220	SX_IB_20220
				Guideline	Guideline	422_16_31_S	422_20_14_S	422_20_15_S	423_00_00_S	423_04_01_S
						S_Primary_ALS	S_Triplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS
				Lower Limit	Upper Limit	22-Apr-2022 16:31	22-Apr-2022 20:14	22-Apr-2022 20:15	23-Apr-2022 00:00	23-Apr-2022 04:01
						EM2207302-008 MU	EM2207302-009 MU	EM2207302-010 MU	EM2207302-011 MU	EM2207302-012 MU
<b>EP075A: Phenolic Compounds (Non-halogenated) - Continued</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	60	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	1	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	20	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
<b>EP075I: Organochlorine Pesticides</b>										
Sum of organochlorine pesticides	EP075-EM-SUM	0.10	mg/kg	----	1	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..
<b>EP080/071: Total Petroleum Hydrocarbons</b>										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	100	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	1000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220 423_04_02_S S_Duplicate_ ALS	SX_OB_20220 422_08_12_S S_Primary_AL S	SX_OB_20220 422_08_12_S S_Duplicate_ ALS	SX_IB_20220 422_08_26_S S_Primary_AL S	SX_OB_20220 422_12_05_S S_Primary_AL S
				Guideline	Guideline					
				Lower Limit	Upper Limit					
						23-Apr-2022 04:02	22-Apr-2022 08:12	22-Apr-2022 08:12	22-Apr-2022 08:26	22-Apr-2022 12:05
						EM2207302-013 MU	EM2207302-014 MU	EM2207302-015 MU	EM2207302-016 MU	EM2207302-017 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	2	12.5	8.3 ± 0.1	----	----	----	----
<b>EG005(ED093T): Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	2000	25 ± 4	----	----	----	----
Cadmium	EG005T	1	mg/kg	----	400	1 ± 0.2	----	----	----	----
Copper	EG005T	5	mg/kg	----	20000	64 ± 8	----	----	----	----
Lead	EG005T	5	mg/kg	----	6000	<5 --	----	----	----	----
Molybdenum	EG005T	5	mg/kg	----	4000	<5 --	----	----	----	----
Nickel	EG005T	5	mg/kg	----	12000	159 ± 16	----	----	----	----
Selenium	EG005T	5	mg/kg	----	200	<5 --	----	----	----	----
Silver	EG005T	2	mg/kg	----	720	<2 --	----	----	----	----
Zinc	EG005T	5	mg/kg	----	140000	106 ± 12	----	----	----	----
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	300	<0.1 --	----	----	----	----
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	2000	<1.0 --	----	----	----	----
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	10000	<5 --	----	----	----	----
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	40000	190 ± 40	----	----	----	----
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	16	<0.2 --	----	----	----	----
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	240	<0.5 --	----	----	----	----
<b>EP074I: Volatile Halogenated Compounds</b>										
Vinyl chloride	EP074-UT	0.50	mg/kg	----	4.8	<0.50 --	----	----	----	----
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	11	<0.50 --	----	----	----	----
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	50	<0.50 --	----	----	----	----
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	320	<1.00 --	----	----	----	----
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	2200	<20 --	----	----	----	----
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220 423_04_02_S S_Duplicate_ ALS	SX_OB_20220 422_08_12_S S_Primary_AL S	SX_OB_20220 422_08_12_S S_Duplicate_ ALS	SX_IB_20220 422_08_26_S S_Primary_AL S	SX_OB_20220 422_12_05_S S_Primary_AL S
				Guideline	Guideline					
				Lower Limit	Upper Limit					
						23-Apr-2022 04:02	22-Apr-2022 08:12	22-Apr-2022 08:12	22-Apr-2022 08:26	22-Apr-2022 12:05
						EM2207302-013 MU	EM2207302-014 MU	EM2207302-015 MU	EM2207302-016 MU	EM2207302-017 MU
<b>EP075B: Polynuclear Aromatic Hydrocarbons - Continued</b>										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	20	<0.5	--	----	----	----
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	400	<0.5	--	----	----	----
<b>EP075I: Organochlorine Pesticides</b>										
Heptachlor	EP075-EM	0.05	mg/kg	----	4.8	<0.05	--	----	----	----
Sum of Aldrin + Dieldrin	EP075-EM-SUM	0.30	mg/kg	----	4.8	<0.30	--	----	----	----
Sum of DDD + DDE + DDT	EP075-EM-SUM	0.05	mg/kg	----	50	<0.05	--	----	----	----
Chlordane	EP075-EM-SUM	0.10	mg/kg	----	16	<0.10	--	----	----	----
Sum of other organochlorine pesticides	EP075-EM-SUM	0.03	mg/kg	----	50	<0.03	--	----	----	----
<b>EP080/071: Total Petroleum Hydrocarbons</b>										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	2600	<20	--	----	----	----
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	40000	<50	--	----	----	----



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category C: Table 2: Soil Hazard Categorisation Thresholds : Category C**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220 423_04_02_S S_Duplicate_ ALS	SX_OB_20220 422_08_12_S S_Primary_AL S	SX_OB_20220 422_08_12_S S_Duplicate_ ALS	SX_IB_20220 422_08_26_S S_Primary_AL S	SX_OB_20220 422_12_05_S S_Primary_AL S
				Guideline	Guideline					
				Lower Limit	Upper Limit					
						23-Apr-2022 04:02	22-Apr-2022 08:12	22-Apr-2022 08:12	22-Apr-2022 08:26	22-Apr-2022 12:05
						EM2207302-013 MU	EM2207302-014 MU	EM2207302-015 MU	EM2207302-016 MU	EM2207302-017 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	4	9	8.3 ± 0.1	----	----	----	----
<b>EG005(ED093T): Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	500	25 ± 4	----	----	----	----
Cadmium	EG005T	1	mg/kg	----	100	1 ± 0.2	----	----	----	----
Copper	EG005T	5	mg/kg	----	5000	64 ± 8	----	----	----	----
Lead	EG005T	5	mg/kg	----	1500	<5 --	----	----	----	----
Molybdenum	EG005T	5	mg/kg	----	1000	<5 --	----	----	----	----
Nickel	EG005T	5	mg/kg	----	3000	159 ± 16	----	----	----	----
Selenium	EG005T	5	mg/kg	----	50	<5 --	----	----	----	----
Silver	EG005T	2	mg/kg	----	180	<2 --	----	----	----	----
Tin	EG005T	10	mg/kg	----	500	<10 --	----	----	----	----
Zinc	EG005T	5	mg/kg	----	35000	106 ± 12	----	----	----	----
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	75	<0.1 --	----	----	----	----
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	500	<1.0 --	----	----	----	----
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	2500	<5 --	----	----	----	----
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	10000	190 ± 40	----	----	----	----
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	4	<0.2 --	----	----	----	----
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	70	<0.5 --	----	----	----	----
<b>EP074I: Volatile Halogenated Compounds</b>										
Vinyl chloride	EP074-UT	0.50	mg/kg	----	1.2	<0.50 --	----	----	----	----
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	2.8	<0.50 --	----	----	----	----
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	10	<0.50 --	----	----	----	----
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	10	<1.00 --	----	----	----	----
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	560	<20 --	----	----	----	----



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category C: Table 2: Soil Hazard Categorisation Thresholds : Category C**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_OB_20220	SX_OB_20220	SX_IB_20220	SX_OB_20220	
				Sampling date/time	Guideline	Guideline	423_04_02_S	422_08_12_S	422_08_12_S	422_08_26_S	422_12_05_S
							S_Duplicate_	S_Primary_AL	S_Duplicate_	S_Primary_AL	S_Primary_AL
				Lower Limit	Upper Limit	ALS	S	ALS	S	S	
						23-Apr-2022 04:02	22-Apr-2022 08:12	22-Apr-2022 08:12	22-Apr-2022 08:26	22-Apr-2022 12:05	
						EM2207302-013 MU	EM2207302-014 MU	EM2207302-015 MU	EM2207302-016 MU	EM2207302-017 MU	
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>											
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	5	<0.5	--	----	----	----	
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	100	<0.5	--	----	----	----	
<b>EP075I: Organochlorine Pesticides</b>											
Heptachlor	EP075-EM	0.05	mg/kg	----	1.2	<0.05	--	----	----	----	
Sum of Aldrin + Dieldrin	EP075-EM-SUM	0.30	mg/kg	----	1.2	<0.30	--	----	----	----	
Sum of DDD + DDE + DDT	EP075-EM-SUM	0.05	mg/kg	----	50	<0.05	--	----	----	----	
Chlordane	EP075-EM-SUM	0.10	mg/kg	----	4	<0.10	--	----	----	----	
Sum of other organochlorine pesticides	EP075-EM-SUM	0.03	mg/kg	----	10	<0.03	--	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>											
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	650	<20	--	----	----	----	
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	10000	<50	--	----	----	----	



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Fill Material: Table 2: Soil Hazard Categorisation Thresholds : Fill Material**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220 423_04_02_S S_Duplicate_ ALS	SX_OB_20220 422_08_12_S S_Primary_AL S	SX_OB_20220 422_08_12_S S_Duplicate_ ALS	SX_IB_20220 422_08_26_S S_Primary_AL S	SX_OB_20220 422_12_05_S S_Primary_AL S
				Guideline	Guideline					
				Lower Limit	Upper Limit					
						23-Apr-2022 04:02	22-Apr-2022 08:12	22-Apr-2022 08:12	22-Apr-2022 08:26	22-Apr-2022 12:05
						EM2207302-013 MU	EM2207302-014 MU	EM2207302-015 MU	EM2207302-016 MU	EM2207302-017 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	4	9	8.3 ± 0.1	----	----	----	----
<b>EG005(ED093T): Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	20	25 ± 4	----	----	----	----
Cadmium	EG005T	1	mg/kg	----	3	1 ± 0.2	----	----	----	----
Copper	EG005T	5	mg/kg	----	100	64 ± 8	----	----	----	----
Lead	EG005T	5	mg/kg	----	300	<5 --	----	----	----	----
Molybdenum	EG005T	5	mg/kg	----	40	<5 --	----	----	----	----
Nickel	EG005T	5	mg/kg	----	60	159 ± 16	----	----	----	----
Selenium	EG005T	5	mg/kg	----	10	<5 --	----	----	----	----
Silver	EG005T	2	mg/kg	----	10	<2 --	----	----	----	----
Tin	EG005T	10	mg/kg	----	50	<10 --	----	----	----	----
Zinc	EG005T	5	mg/kg	----	200	106 ± 12	----	----	----	----
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	1	<0.1 --	----	----	----	----
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	1	<1.0 --	----	----	----	----
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	50	<5 --	----	----	----	----
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	450	190 ± 40	----	----	----	----
<b>EP066: Polychlorinated Biphenyls (PCB)</b>										
Total Polychlorinated biphenyls	EP066-EM	0.1	mg/kg	----	2	<0.1 --	----	----	----	----
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	1	<0.2 --	----	----	----	----
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	7	<0.5 --	----	----	----	----
<b>EP074I: Volatile Halogenated Compounds</b>										
Sum of volatile chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	1	<0.50 --	----	----	----	----
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	1	<1.00 --	----	----	----	----
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	60	<20 --	----	----	----	----





**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Fill Material: Table 2: Soil Hazard Categorisation Thresholds : Fill Material**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220 423_04_02_S S_Duplicate_ ALS	SX_OB_20220 422_08_12_S S_Primary_AL S	SX_OB_20220 422_08_12_S S_Duplicate_ ALS	SX_IB_20220 422_08_26_S S_Primary_AL S	SX_OB_20220 422_12_05_S S_Primary_AL S
				Guideline	Guideline					
				Lower Limit	Upper Limit					
						23-Apr-2022 04:02	22-Apr-2022 08:12	22-Apr-2022 08:12	22-Apr-2022 08:26	22-Apr-2022 12:05
						EM2207302-013 MU	EM2207302-014 MU	EM2207302-015 MU	EM2207302-016 MU	EM2207302-017 MU
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	1	<0.5	--	----	----	----
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	20	<0.5	--	----	----	----
<b>EP075I: Organochlorine Pesticides</b>										
Sum of organochlorine pesticides	EP075-EM-SUM	0.10	mg/kg	----	1	<0.10	--	----	----	----
<b>EP080/071: Total Petroleum Hydrocarbons</b>										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	100	<20	--	----	----	----
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	1000	<50	--	----	----	----



**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220	SX_OB_20220	SX_IB_20220	SX_OB_20220	SX_OB_20220
				Guideline	Guideline	422_16_28_S	422_16_31_S	422_20_14_S	422_20_15_S	423_00_00_S
						S_Triplicate_ALS	S_Primary_ALS	S_Triplicate_ALS	S_Primary_ALS	S_Primary_ALS
				Lower Limit	Upper Limit	22-Apr-2022 16:28	22-Apr-2022 16:31	22-Apr-2022 20:14	22-Apr-2022 20:15	23-Apr-2022 00:00
						EM2207302-018 MU	EM2207302-019 MU	EM2207302-020 MU	EM2207302-021 MU	EM2207302-022 MU
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	----	----	----	----	----	----	----
<b>EG005(ED093)T: Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	----	----	----	----	----	----
Cadmium	EG005T	1	mg/kg	----	----	----	----	----	----	----
Copper	EG005T	5	mg/kg	----	----	----	----	----	----	----
Lead	EG005T	5	mg/kg	----	----	----	----	----	----	----
Molybdenum	EG005T	5	mg/kg	----	----	----	----	----	----	----
Nickel	EG005T	5	mg/kg	----	----	----	----	----	----	----
Selenium	EG005T	5	mg/kg	----	----	----	----	----	----	----
Silver	EG005T	2	mg/kg	----	----	----	----	----	----	----
Zinc	EG005T	5	mg/kg	----	----	----	----	----	----	----
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	----	----	----	----	----	----
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	----	----	----	----	----	----
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	----	----	----	----	----	----
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	----	----	----	----	----	----
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	----	----	----	----	----	----
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	----	----	----	----	----	----
<b>EP074I: Volatile Halogenated Compounds</b>										
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	----	----	----	----	----	----
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	----	----	----	----	----	----
Vinyl chloride	EP074-UT	0.50	mg/kg	----	----	----	----	----	----	----
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	----	----	----	----	----	----
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	----	----	----	----	----	----
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										













**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220 423_04_01_S S_Primary_AL S	SX_IB_20220 423_04_02_S S_Duplicate_ ALS	----	----	----
				Guideline	Guideline					
				Lower Limit	Upper Limit					
						23-Apr-2022 04:01	23-Apr-2022 04:02			
						EM2207302-023 MU	EM2207302-024 MU			
<b>EA001: pH in soil using 0.01M CaCl extract</b>										
pH (CaCl2)	EA001	0.1	pH Unit	----	----	----	----	----	----	----
<b>EG005(ED093T): Total Metals by ICP-AES</b>										
Arsenic	EG005T	5	mg/kg	----	----	----	----	----	----	----
Cadmium	EG005T	1	mg/kg	----	----	----	----	----	----	----
Copper	EG005T	5	mg/kg	----	----	----	----	----	----	----
Lead	EG005T	5	mg/kg	----	----	----	----	----	----	----
Molybdenum	EG005T	5	mg/kg	----	----	----	----	----	----	----
Nickel	EG005T	5	mg/kg	----	----	----	----	----	----	----
Selenium	EG005T	5	mg/kg	----	----	----	----	----	----	----
Silver	EG005T	2	mg/kg	----	----	----	----	----	----	----
Zinc	EG005T	5	mg/kg	----	----	----	----	----	----	----
<b>EG035T: Total Recoverable Mercury by FIMS</b>										
Mercury	EG035T	0.1	mg/kg	----	----	----	----	----	----	----
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	----	----	----	----	----	----
<b>EK026SF: Total CN by Segmented Flow Analyser</b>										
Total Cyanide	EK026SF	5	mg/kg	----	----	----	----	----	----	----
<b>EK040T: Fluoride Total</b>										
Fluoride	EK040T	100	mg/kg	----	----	----	----	----	----	----
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>										
Benzene	EP074-UT	0.2	mg/kg	----	----	----	----	----	----	----
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	----	----	----	----	----	----
<b>EP074I: Volatile Halogenated Compounds</b>										
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	----	----	----	----	----	----
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	----	----	----	----	----	----
Vinyl chloride	EP074-UT	0.50	mg/kg	----	----	----	----	----	----	----
<b>EP075A: Phenolic Compounds (Halogenated)</b>										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	----	----	----	----	----	----
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	----	----	----	----	----	----
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>										





**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Guideline Lower Limit	Guideline Upper Limit	Sample ID	SX_IB_20220 423_04_01_S S_Primary_AL S	SX_IB_20220 423_04_02_S S_Duplicate_ ALS	----	----	----
						Sampling date/time	23-Apr-2022 04:01	23-Apr-2022 04:02	----	----	----
						EM2207302-023 MU		EM2207302-024 MU			
<b>EP075B: Polynuclear Aromatic Hydrocarbons - Continued</b>											
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	----						
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	----						
<b>EP075I: Organochlorine Pesticides</b>											
Chlordane	EP075-EM-SUM	0.10	mg/kg	----	----						
Heptachlor	EP075-EM	0.05	mg/kg	----	----						
Sum of Aldrin + Dieldrin	EP075-EM-SUM	0.30	mg/kg	----	----						
Sum of DDD + DDE + DDT	EP075-EM-SUM	0.05	mg/kg	----	----						
Sum of other organochlorine pesticides	EP075-EM-SUM	0.03	mg/kg	----	----						
<b>EP080/071: Total Petroleum Hydrocarbons</b>											
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	----						
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	----						





**Soil Hazard Categorisation and Management**

**Table 2: Soil Hazard Categorisation Thresholds : Category C: Table 2: Soil Hazard Categorisation Thresholds : Category C**

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Guideline Lower Limit	Guideline Upper Limit	Sample ID	SX_IB_20220 423_04_01_S S_Primary_AL S	SX_IB_20220 423_04_02_S S_Duplicate_ ALS	----	----	----
						Sampling date/time	23-Apr-2022 04:01	23-Apr-2022 04:02	----	----	----
						EM2207302-023 MU		EM2207302-024 MU			
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>											
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	----						
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	----						
<b>EP075I: Organochlorine Pesticides</b>											
Chlordane	EP075-EM-SUM	0.10	mg/kg	----	----						
Heptachlor	EP075-EM	0.05	mg/kg	----	----						
Sum of Aldrin + Dieldrin	EP075-EM-SUM	0.30	mg/kg	----	----						
Sum of DDD + DDE + DDT	EP075-EM-SUM	0.05	mg/kg	----	----						
Sum of other organochlorine pesticides	EP075-EM-SUM	0.03	mg/kg	----	----						
<b>EP080/071: Total Petroleum Hydrocarbons</b>											
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	----						
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	----						





## QUALITY CONTROL REPORT

<b>Work Order</b>	<b>: EM2207302</b>	<b>Page</b>	: 1 of 33
<b>Client</b>	<b>: AGON ENVIRONMENTAL PTY LTD</b>	<b>Laboratory</b>	: Environmental Division Melbourne
<b>Contact</b>	: DAVID LAWSON	<b>Contact</b>	: Josh Alexander
<b>Address</b>	: D1.1 63-85 TURNER STREET PORT MELBOURNE 3207	<b>Address</b>	: 4 Westall Rd Springvale VIC Australia 3171
<b>Telephone</b>	: ----	<b>Telephone</b>	: +61-3-8549 9600
<b>Project</b>	: JC0927	<b>Date Samples Received</b>	: 23-Apr-2022
<b>Order number</b>	: ----	<b>Date Analysis Commenced</b>	: 23-Apr-2022
<b>C-O-C number</b>	: 20220423042223-ALS-21	<b>Issue Date</b>	: 29-Apr-2022
<b>Sampler</b>	: David - AGON, Dayle - EP Risk, Louis - EP Risk, Martha - AGON		
<b>Site</b>	: 20220423042223-ALS-21		
<b>Quote number</b>	: EN/150/19 -WGTP -Bulk Sample Quote		
<b>No. of samples received</b>	: 26		
<b>No. of samples analysed</b>	: 25		



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Dilani Fernando	Laboratory Coordinator	Melbourne Inorganics, Springvale, VIC
Nikki Stepniewski	Senior Inorganic Instrument Chemist	Melbourne Inorganics, Springvale, VIC
Xing Lin	Senior Organic Chemist	Melbourne Organics, Springvale, VIC



## General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Key :  
 Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
 CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
 LOR = Limit of reporting  
 RPD = Relative Percentage Difference  
 # = Indicates failed QC

## Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EG005(ED093)T: Total Metals by ICP-AES (QC Lot: 4305491)</b>									
EM2207227-001	Anonymous	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.0	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	95	81	15.0	0% - 50%
		EG005T: Molybdenum	7439-98-7	2	mg/kg	<5	<5	0.0	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	135	113	17.6	0% - 20%
		EG005T: Silver	7440-22-4	2	mg/kg	<2	<2	0.0	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	46	39	15.1	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	48	46	4.9	No Limit
		EG005T: Lead	7439-92-1	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Selenium	7782-49-2	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Tin	7440-31-5	5	mg/kg	<10	<10	0.0	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	95	82	14.0	0% - 50%
EM2207227-010	Anonymous	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.0	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	103	107	3.5	0% - 20%
		EG005T: Molybdenum	7439-98-7	2	mg/kg	<5	<5	0.0	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	143	175	20.0	0% - 20%
		EG005T: Silver	7440-22-4	2	mg/kg	<2	<2	0.0	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	33	41	22.6	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	45	64	34.8	0% - 50%
		EG005T: Lead	7439-92-1	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Selenium	7782-49-2	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Tin	7440-31-5	5	mg/kg	<10	<10	0.0	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	90	104	14.5	0% - 20%
<b>EG005(ED093)T: Total Metals by ICP-AES (QC Lot: 4305494)</b>									



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EG005(ED093)T: Total Metals by ICP-AES (QC Lot: 4305494) - continued</b>									
EM2207302-013	SX_IB_20220423_04_02_S S_Duplicate_ALS	EG005T: Cadmium	7440-43-9	1	mg/kg	1	1	0.0	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	108	106	2.0	0% - 20%
		EG005T: Molybdenum	7439-98-7	2	mg/kg	<5	<5	0.0	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	159	163	2.6	0% - 20%
		EG005T: Silver	7440-22-4	2	mg/kg	<2	<2	0.0	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	25	25	0.0	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	64	62	2.9	0% - 50%
		EG005T: Lead	7439-92-1	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Selenium	7782-49-2	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Tin	7440-31-5	5	mg/kg	<10	<10	0.0	No Limit
EG005T: Zinc	7440-66-6	5	mg/kg	106	98	8.2	0% - 20%		
EM2207350-015	Anonymous	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.0	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	19	14	34.1	No Limit
		EG005T: Molybdenum	7439-98-7	2	mg/kg	<2	<2	0.0	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	8	7	0.0	No Limit
		EG005T: Silver	7440-22-4	2	mg/kg	<2	<2	0.0	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Lead	7439-92-1	5	mg/kg	6	6	0.0	No Limit
		EG005T: Selenium	7782-49-2	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Tin	7440-31-5	5	mg/kg	<5	<5	0.0	No Limit
EG005T: Zinc	7440-66-6	5	mg/kg	37	31	18.4	No Limit		
<b>EA001: pH in soil using 0.01M CaCl extract (QC Lot: 4308104)</b>									
EM2207172-001	Anonymous	EA001: pH (CaCl2)	----	0.1	pH Unit	6.2	6.4	3.8	0% - 20%
EM2207227-009	Anonymous	EA001: pH (CaCl2)	----	0.1	pH Unit	7.8	7.8	0.0	0% - 20%
<b>EA001: pH in soil using 0.01M CaCl extract (QC Lot: 4308105)</b>									
EM2207302-012	SX_IB_20220423_04_01_S S_Primary_ALS	EA001: pH (CaCl2)	----	0.1	pH Unit	9.7	9.4	3.0	0% - 20%
EM2207329-010	Anonymous	EA001: pH (CaCl2)	----	0.1	pH Unit	6.1	6.0	2.3	0% - 20%
<b>EA055: Moisture Content (Dried @ 105-110°C) (QC Lot: 4306096)</b>									
EM2207227-001	Anonymous	EA055: Moisture Content	----	0.1	%	31.3	31.2	0.0	0% - 20%
EM2207302-001	SX_OB_20220422_08_12_ SS_Primary_ALS	EA055: Moisture Content	----	0.1	%	30.5	30.5	0.0	0% - 20%
<b>EA055: Moisture Content (Dried @ 105-110°C) (QC Lot: 4306097)</b>									
EM2207302-013	SX_IB_20220423_04_02_S S_Duplicate_ALS	EA055: Moisture Content	----	0.1	%	32.3	32.4	0.4	0% - 20%
EM2207398-011	Anonymous	EA055: Moisture Content	----	0.1	%	29.7	31.2	4.9	0% - 20%
<b>EG035T: Total Recoverable Mercury by FIMS (QC Lot: 4305492)</b>									





Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)	
<b>EG035T: Total Recoverable Mercury by FIMS (QC Lot: 4305492) - continued</b>										
EM2207227-001	Anonymous	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.0	No Limit	
EM2207227-010	Anonymous	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.0	No Limit	
<b>EG035T: Total Recoverable Mercury by FIMS (QC Lot: 4305493)</b>										
EM2207302-013	SX_IB_20220423_04_02_S S_Duplicate_ALS	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.0	No Limit	
EM2207350-015	Anonymous	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.0	No Limit	
<b>EG048: Hexavalent Chromium (Alkaline Digest) (QC Lot: 4306053)</b>										
EM2207227-001	Anonymous	EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<1.0	<1.0	0.0	No Limit	
EM2207227-010	Anonymous	EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<1.0	<1.0	0.0	No Limit	
<b>EG048: Hexavalent Chromium (Alkaline Digest) (QC Lot: 4306054)</b>										
EM2207302-013	SX_IB_20220423_04_02_S S_Duplicate_ALS	EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<1.0	<1.0	0.0	No Limit	
EM2207398-010	Anonymous	EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<1.0	<1.0	0.0	No Limit	
<b>EK026SF: Total CN by Segmented Flow Analyser (QC Lot: 4306035)</b>										
EM2207227-001	Anonymous	EK026SF: Total Cyanide	57-12-5	1	mg/kg	<5	<5	0.0	No Limit	
EM2207227-010	Anonymous	EK026SF: Total Cyanide	57-12-5	1	mg/kg	<5	<5	0.0	No Limit	
<b>EK026SF: Total CN by Segmented Flow Analyser (QC Lot: 4306037)</b>										
EM2207302-013	SX_IB_20220423_04_02_S S_Duplicate_ALS	EK026SF: Total Cyanide	57-12-5	1	mg/kg	<5	<5	0.0	No Limit	
EM2207398-010	Anonymous	EK026SF: Total Cyanide	57-12-5	1	mg/kg	<5	<5	0.0	No Limit	
<b>EK040T: Fluoride Total (QC Lot: 4305874)</b>										
EM2207302-001	SX_OB_20220422_08_12_ SS_Primary_ALS	EK040T: Fluoride	16984-48-8	40	mg/kg	190	160	14.0	No Limit	
EM2207302-012	SX_IB_20220423_04_01_S S_Primary_ALS	EK040T: Fluoride	16984-48-8	40	mg/kg	200	190	0.0	No Limit	
<b>EP066: Polychlorinated Biphenyls (PCB) (QC Lot: 4305550)</b>										
EM2207302-001	SX_OB_20220422_08_12_ SS_Primary_ALS	EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	0.0	No Limit	
EM2207302-013	SX_IB_20220423_04_02_S S_Duplicate_ALS	EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	0.0	No Limit	
<b>EP074A: Monocyclic Aromatic Hydrocarbons (QC Lot: 4301237)</b>										
EM2207302-001	SX_OB_20220422_08_12_ SS_Primary_ALS	EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.0	No Limit	
		EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit	
		EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.0	No Limit	
		EP074-UT: meta- & para-Xylene	108-38-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit	
			106-42-3							
		EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit	
		EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.0	No Limit	



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP074A: Monocyclic Aromatic Hydrocarbons (QC Lot: 4301237) - continued</b>									
EM2207302-013	SX_IB_20220423_04_02_S S_Duplicate_ALS	EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.0	No Limit
		EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
<b>EP074H: Naphthalene (QC Lot: 4301237)</b>									
EM2207302-001	SX_OB_20220422_08_12_ SS_Primary_ALS	EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.0	No Limit
EM2207302-013	SX_IB_20220423_04_02_S S_Duplicate_ALS	EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.0	No Limit
<b>EP074I: Volatile Halogenated Compounds (QC Lot: 4301237)</b>									
EM2207302-001	SX_OB_20220422_08_12_ SS_Primary_ALS	EP074-UT: 1,1-Dichloroethene	75-35-4	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: cis-1,2-Dichloroethene	156-59-2	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,1,1-Trichloroethane	71-55-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Carbon Tetrachloride	56-23-5	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,1,1,2-Tetrachloroethane	630-20-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,2,4-Trichlorobenzene	120-82-1	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Vinyl chloride	75-01-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: trans-1,2-Dichloroethene	156-60-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chloroform	67-66-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,2-Dichloroethane	107-06-2	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Trichloroethene	79-01-6	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Tetrachloroethene	127-18-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,1,1,2-Tetrachloroethane	79-34-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Hexachlorobutadiene	87-68-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chlorobenzene	108-90-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,4-Dichlorobenzene	106-46-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,2-Dichlorobenzene	95-50-1	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,1,2-Trichloroethane	79-00-5	0.04	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.5	<0.5	0.0	No Limit
		EM2207302-013	SX_IB_20220423_04_02_S S_Duplicate_ALS	EP074-UT: 1,1-Dichloroethene	75-35-4	0.01	mg/kg	<0.50	<0.50
EP074-UT: cis-1,2-Dichloroethene	156-59-2			0.01	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: 1,1,1-Trichloroethane	71-55-6			0.01	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: Carbon Tetrachloride	56-23-5			0.01	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: 1,1,1,2-Tetrachloroethane	630-20-6			0.01	mg/kg	<0.50	<0.50	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP074I: Volatile Halogenated Compounds (QC Lot: 4301237) - continued</b>									
EM2207302-013	SX_IB_20220423_04_02_S S_Duplicate_ALS	EP074-UT: 1.2.4-Trichlorobenzene	120-82-1	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Vinyl chloride	75-01-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: trans-1.2-Dichloroethene	156-60-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chloroform	67-66-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.2-Dichloroethane	107-06-2	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Trichloroethene	79-01-6	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Tetrachloroethene	127-18-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.2.2-Tetrachloroethane	79-34-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Hexachlorobutadiene	87-68-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chlorobenzene	108-90-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.4-Dichlorobenzene	106-46-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.2-Dichlorobenzene	95-50-1	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.2-Trichloroethane	79-00-5	0.04	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.5	<0.5	0.0	No Limit		
<b>EP075A: Phenolic Compounds (Halogenated) (QC Lot: 4305552)</b>									
EM2207302-001	SX_OB_20220422_08_12_ SS_Primary_ALS	EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.5.6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: 2.4.5-Trichlorophenol	95-95-4	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.4.6-Trichlorophenol	88-06-2	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.4.5 & 2.3.4.6-Tetrachlorophenol	4901-51-3/58-9 0-2	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<1.0	<1.0	0.0	No Limit		
EM2207302-013	SX_IB_20220423_04_02_S S_Duplicate_ALS	EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.5.6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: 2.4.5-Trichlorophenol	95-95-4	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.4.6-Trichlorophenol	88-06-2	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.4.5 & 2.3.4.6-Tetrachlorophenol	4901-51-3/58-9 0-2	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<1.0	<1.0	0.0	No Limit		
<b>EP075A: Phenolic Compounds (Non-halogenated) (QC Lot: 4305552)</b>									



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP075A: Phenolic Compounds (Non-halogenated) (QC Lot: 4305552) - continued</b>									
EM2207302-001	SX_OB_20220422_08_12_ SS_Primary_ALS	EP075-EM: Phenol	108-95-2	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: Dinoseb	88-85-7	5	mg/kg	<20	<20	0.0	No Limit
EP075-EM: 2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	5	mg/kg	<20	<20	0.0	No Limit		
EM2207302-013	SX_IB_20220423_04_02_S S_Duplicate_ALS	EP075-EM: Phenol	108-95-2	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: Dinoseb	88-85-7	5	mg/kg	<20	<20	0.0	No Limit
EP075-EM: 2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	5	mg/kg	<20	<20	0.0	No Limit		
<b>EP075B: Polynuclear Aromatic Hydrocarbons (QC Lot: 4305552)</b>									
EM2207302-001	SX_OB_20220422_08_12_ SS_Primary_ALS	EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Indeno(1,2,3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	<1.0	0.0	No Limit		



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP075B: Polynuclear Aromatic Hydrocarbons (QC Lot: 4305552) - continued</b>									
EM2207302-013	SX_IB_20220423_04_02_S S_Duplicate_ALS	EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	<1.0	0.0	No Limit
<b>EP075I: Organochlorine Pesticides (QC Lot: 4305552)</b>									
EM2207302-001	SX_OB_20220422_08_12_ SS_Primary_ALS	EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4,4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	0.0	No Limit



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP075I: Organochlorine Pesticides (QC Lot: 4305552) - continued</b>									
EM2207302-013	SX_IB_20220423_04_02_S S_Duplicate_ALS	EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
EP075-EM: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit		
EP075-EM: 4,4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	0.0	No Limit		
<b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 4301237)</b>									
EM2207302-001	SX_OB_20220422_08_12_ SS_Primary_ALS	EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<20	<20	0.0	No Limit
EM2207302-013	SX_IB_20220423_04_02_S S_Duplicate_ALS	EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<20	<20	0.0	No Limit
<b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 4305551)</b>									
EM2207302-001	SX_OB_20220422_08_12_ SS_Primary_ALS	EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EM2207302-013	SX_IB_20220423_04_02_S S_Duplicate_ALS	EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 4301237)</b>									
EM2207302-001	SX_OB_20220422_08_12_ SS_Primary_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<20	<20	0.0	No Limit



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 4301237) - continued</b>									
EM2207302-001	SX_OB_20220422_08_12_SS_Primary_ALS	EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<20	<20	0.0	No Limit
EM2207302-013	SX_IB_20220423_04_02_S_S_Duplicate_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<20	<20	0.0	No Limit
		EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<20	<20	0.0	No Limit
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 4305551)</b>									
EM2207302-001	SX_OB_20220422_08_12_SS_Primary_ALS	EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EM2207302-013	SX_IB_20220423_04_02_S_S_Duplicate_ALS	EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4305038)</b>									
EM2207302-001	SX_OB_20220422_08_12_SS_Primary_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EM2207302-013	SX_IB_20220423_04_02_S_S_Duplicate_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4305038)</b>									
EM2207302-001	SX_OB_20220422_08_12_SS_Primary_ALS	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4305038) - continued</b>									
EM2207302-001	SX_OB_20220422_08_12_SS_Primary_ALS	EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<5 µg/kg	<0.005	0.0	No Limit
EM2207302-013	SX_IB_20220423_04_02_S_S_Duplicate_ALS	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<5 µg/kg	<0.005	0.0	No Limit
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4305038)</b>									
EM2207302-001	SX_OB_20220422_08_12_SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EM2207302-013	SX_IB_20220423_04_02_S_S_Duplicate_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit





Sub-Matrix: **SOIL** *Laboratory Duplicate (DUP) Report*

Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4305038) - continued</b>									
EM2207302-013	SX_IB_20220423_04_02_S S_Duplicate_ALS	EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4305038)</b>									
EM2207302-001	SX_OB_20220422_08_12_ SS_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EM2207302-013	SX_IB_20220423_04_02_S S_Duplicate_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
<b>EP231P: PFAS Sums (QC Lot: 4305038)</b>									
EM2207302-001	SX_OB_20220422_08_12_ SS_Primary_ALS	EP231X: Sum of PFAS	----	0.0002	mg/kg	<50.0 µg/kg	<0.0500	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
EM2207302-013	SX_IB_20220423_04_02_S S_Duplicate_ALS	EP231X: Sum of PFAS	----	0.0002	mg/kg	<50.0 µg/kg	<0.0500	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit

Sub-Matrix: **WATER** *Laboratory Duplicate (DUP) Report*

Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4306444)</b>									
EM2207342-003	Anonymous	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	0.02	0.02	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	0.07	0.08	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4306444) - continued</b>									
EM2207342-003	Anonymous	EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EM2207302-013	SX_IB_20220423_04_02_S S_Duplicate_ALS	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4306731)</b>									
EM2206863-004	Anonymous	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EM2207302-023	SX_IB_20220423_04_01_S S_Primary_ALS	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4306840)</b>									
EM2206991-015	Anonymous	EP231X-INJ: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X-INJ: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X-INJ: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4306444)</b>									
EM2207342-003	Anonymous	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4306444) - continued</b>									
EM2207342-003	Anonymous	EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit
EM2207302-013	SX_IB_20220423_04_02_S S_Duplicate_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit		
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4306731)</b>									
EM2206863-004	Anonymous	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit
EM2207302-023	SX_IB_20220423_04_01_S S_Primary_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4306731) - continued</b>									
EM2207302-023	SX_IB_20220423_04_01_S S_Primary_ALS	EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4306840)</b>									
EM2206991-015	Anonymous	EP231X-INJ: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X-INJ: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.10	<0.10	0.0	No Limit
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4306444)</b>									
EM2207342-003	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2207302-013	SX_IB_20220423_04_02_S S_Duplicate_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4306444) - continued</b>									
EM2207302-013	SX_IB_20220423_04_02_S S_Duplicate_ALS	EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4306731)</b>									
EM2206863-004	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2207302-023	SX_IB_20220423_04_01_S S_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4306840)</b>									
EM2206991-015	Anonymous	EP231X-INJ: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4306840) - continued</b>									
EM2206991-015	Anonymous	EP231X-INJ: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4306444)</b>									
EM2207342-003	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2207302-013	SX_IB_20220423_04_02_S S_Duplicate_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4306731)</b>									
EM2206863-004	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2207302-023	SX_IB_20220423_04_01_S S_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4306731) - continued</b>									
EM2207302-023	SX_IB_20220423_04_01_S S_Primary_ALS	EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4306840)</b>									
EM2206991-015	Anonymous	EP231X-INJ: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231P: PFAS Sums (QC Lot: 4306444)</b>									
EM2207342-003	Anonymous	EP231X: Sum of PFAS	----	0.01	µg/L	0.09	0.10	10.5	0% - 50%
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	0.09	0.10	10.5	0% - 50%
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	0.09	0.10	10.5	0% - 50%
EM2207302-013	SX_IB_20220423_04_02_S S_Duplicate_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.10	<0.10	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231P: PFAS Sums (QC Lot: 4306731)</b>									
EM2206863-004	Anonymous	EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit
EM2207302-023	SX_IB_20220423_04_01_S S_Primary_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.10	<0.10	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.05	<0.05	0.0	No Limit
<b>EP231P: PFAS Sums (QC Lot: 4306840)</b>									
EM2206991-015	Anonymous	EP231X-INJ: Sum of PFAS	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X-INJ: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X-INJ: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit



### Method Blank (MB) and Laboratory Control Sample (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Sample (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
<b>EG005(ED093)T: Total Metals by ICP-AES (QCLot: 4305491)</b>									
EG005T: Arsenic	7440-38-2	5	mg/kg	<5	123 mg/kg	106	70.0	130	
EG005T: Cadmium	7440-43-9	1	mg/kg	<1	1.23 mg/kg	89.3	50.0	130	
EG005T: Chromium	7440-47-3	2	mg/kg	<2	20.2 mg/kg	116	70.0	130	
EG005T: Copper	7440-50-8	5	mg/kg	<5	55.9 mg/kg	104	70.0	130	
EG005T: Lead	7439-92-1	5	mg/kg	<5	62.4 mg/kg	98.2	70.0	130	
EG005T: Molybdenum	7439-98-7	2	mg/kg	<2	2.19 mg/kg	99.2	70.0	130	
EG005T: Nickel	7440-02-0	2	mg/kg	<2	15.4 mg/kg	107	70.0	130	
EG005T: Selenium	7782-49-2	5	mg/kg	<5	----	----	----	----	
EG005T: Silver	7440-22-4	2	mg/kg	<2	2.9 mg/kg	97.1	70.0	130	
EG005T: Tin	7440-31-5	5	mg/kg	<5	5.33 mg/kg	111	70.0	130	
EG005T: Zinc	7440-66-6	5	mg/kg	<5	162 mg/kg	83.4	70.0	130	
<b>EG005(ED093)T: Total Metals by ICP-AES (QCLot: 4305494)</b>									
EG005T: Arsenic	7440-38-2	5	mg/kg	<5	123 mg/kg	105	70.0	130	
EG005T: Cadmium	7440-43-9	1	mg/kg	<1	1.23 mg/kg	89.6	50.0	130	
EG005T: Chromium	7440-47-3	2	mg/kg	<2	20.2 mg/kg	116	70.0	130	
EG005T: Copper	7440-50-8	5	mg/kg	<5	55.9 mg/kg	104	70.0	130	
EG005T: Lead	7439-92-1	5	mg/kg	<5	62.4 mg/kg	96.7	70.0	130	
EG005T: Molybdenum	7439-98-7	2	mg/kg	<2	2.19 mg/kg	87.2	70.0	130	
EG005T: Nickel	7440-02-0	2	mg/kg	<2	15.4 mg/kg	107	70.0	130	
EG005T: Selenium	7782-49-2	5	mg/kg	<5	----	----	----	----	
EG005T: Silver	7440-22-4	2	mg/kg	<2	2.9 mg/kg	96.2	70.0	130	
EG005T: Tin	7440-31-5	5	mg/kg	<5	5.33 mg/kg	102	70.0	130	
EG005T: Zinc	7440-66-6	5	mg/kg	<5	162 mg/kg	82.4	70.0	130	
<b>EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel) (QCLot: 4302742)</b>									
EN60-DIa-P: Final pH	----	0.1	pH Unit	7.1	----	----	----	----	
<b>EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel) (QCLot: 4302743)</b>									
EN60-DIa-P: Final pH	----	0.1	pH Unit	7.1	----	----	----	----	
<b>EA001: pH in soil using 0.01M CaCl extract (QCLot: 4308104)</b>									
EA001: pH (CaCl2)	----	----	pH Unit	----	4 pH Unit	100	98.8	101	
				----	7 pH Unit	100	99.3	101	
<b>EA001: pH in soil using 0.01M CaCl extract (QCLot: 4308105)</b>									
EA001: pH (CaCl2)	----	----	pH Unit	----	4 pH Unit	100	98.8	101	
				----	7 pH Unit	100	99.3	101	
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 4305492)</b>									





Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
				Result	Spike	Spike Recovery (%)	Acceptable Limits (%)	
					Concentration	LCS	Low	High
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 4305492) - continued</b>								
EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	0.64 mg/kg	89.1	70.0	130
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 4305493)</b>								
EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	0.64 mg/kg	89.1	70.0	130
<b>EG048: Hexavalent Chromium (Alkaline Digest) (QCLot: 4306053)</b>								
EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<0.5	20 mg/kg	77.8	70.0	130
<b>EG048: Hexavalent Chromium (Alkaline Digest) (QCLot: 4306054)</b>								
EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<0.5	20 mg/kg	76.9	70.0	130
<b>EK026SF: Total CN by Segmented Flow Analyser (QCLot: 4306035)</b>								
EK026SF: Total Cyanide	57-12-5	1	mg/kg	<1	20 mg/kg	97.0	70.0	130
<b>EK026SF: Total CN by Segmented Flow Analyser (QCLot: 4306037)</b>								
EK026SF: Total Cyanide	57-12-5	1	mg/kg	<1	20 mg/kg	91.6	70.0	130
<b>EK040T: Fluoride Total (QCLot: 4305874)</b>								
EK040T: Fluoride	16984-48-8	40	mg/kg	<40	400 mg/kg	100	75.2	110
<b>EP066: Polychlorinated Biphenyls (PCB) (QCLot: 4305550)</b>								
EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	1 mg/kg	91.8	67.4	136
<b>EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 4301237)</b>								
EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	2.1 mg/kg	99.9	69.2	116
EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	2.1 mg/kg	94.5	67.7	116
EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	2.1 mg/kg	91.8	66.6	115
EP074-UT: meta- & para-Xylene	108-38-3	0.5	mg/kg	<0.5	4.2 mg/kg	90.4	65.2	112
	106-42-3							
EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	2.1 mg/kg	92.9	69.4	111
EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	2.1 mg/kg	91.8	68.4	110
<b>EP074H: Naphthalene (QCLot: 4301237)</b>								
EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	0.6 mg/kg	114	72.3	114
<b>EP074I: Volatile Halogenated Compounds (QCLot: 4301237)</b>								
EP074-UT: Vinyl chloride	75-01-4	0.02	mg/kg	<0.02	0.1 mg/kg	130	47.0	138
EP074-UT: 1,1-Dichloroethene	75-35-4	0.01	mg/kg	<0.01	0.1 mg/kg	110	57.6	125
EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.4	2.1 mg/kg	99.2	72.3	115
EP074-UT: trans-1,2-Dichloroethene	156-60-5	0.02	mg/kg	<0.02	0.1 mg/kg	108	60.5	122
EP074-UT: cis-1,2-Dichloroethene	156-59-2	0.01	mg/kg	<0.01	0.1 mg/kg	100	70.3	112
EP074-UT: Chloroform	67-66-3	0.02	mg/kg	<0.02	0.1 mg/kg	99.2	66.6	115
EP074-UT: 1,1,1-Trichloroethane	71-55-6	0.01	mg/kg	<0.01	0.1 mg/kg	103	64.4	122
EP074-UT: Carbon Tetrachloride	56-23-5	0.01	mg/kg	<0.01	0.1 mg/kg	104	58.4	127
EP074-UT: 1,2-Dichloroethane	107-06-2	0.02	mg/kg	<0.02	0.1 mg/kg	109	72.9	114
EP074-UT: Trichloroethene	79-01-6	0.02	mg/kg	<0.02	0.1 mg/kg	99.0	64.7	115
EP074-UT: 1,1,2-Trichloroethane	79-00-5	0.04	mg/kg	<0.04	0.1 mg/kg	94.1	72.6	116



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
<b>EP074I: Volatile Halogenated Compounds (QCLot: 4301237) - continued</b>									
EP074-UT: Tetrachloroethene	127-18-4	0.02	mg/kg	<0.02	0.1 mg/kg	94.0	60.0	119	
EP074-UT: 1.1.1.2-Tetrachloroethane	630-20-6	0.01	mg/kg	<0.01	0.1 mg/kg	93.7	71.8	116	
EP074-UT: 1.1.2.2-Tetrachloroethane	79-34-5	0.02	mg/kg	<0.02	0.1 mg/kg	94.0	66.1	116	
EP074-UT: Hexachlorobutadiene	87-68-3	0.02	mg/kg	<0.02	0.1 mg/kg	59.6	39.8	128	
EP074-UT: Chlorobenzene	108-90-7	0.02	mg/kg	<0.02	0.1 mg/kg	95.6	70.3	113	
EP074-UT: 1.4-Dichlorobenzene	106-46-7	0.02	mg/kg	<0.02	0.1 mg/kg	94.7	62.6	113	
EP074-UT: 1.2-Dichlorobenzene	95-50-1	0.02	mg/kg	<0.02	0.1 mg/kg	94.5	70.8	110	
EP074-UT: 1.2.4-Trichlorobenzene	120-82-1	0.01	mg/kg	<0.01	0.1 mg/kg	77.2	48.4	120	
<b>EP075A: Phenolic Compounds (Halogenated) (QCLot: 4305552)</b>									
EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.03	2 mg/kg	85.1	74.5	126	
EP075-EM: 2.4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.03	2 mg/kg	90.3	72.7	126	
EP075-EM: 2.6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.03	2 mg/kg	91.4	73.5	132	
EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<0.03	2 mg/kg	78.9	72.8	128	
EP075-EM: 2.4.5-Trichlorophenol	95-95-4	0.05	mg/kg	<0.05	2 mg/kg	101	73.3	134	
EP075-EM: 2.4.6-Trichlorophenol	88-06-2	0.05	mg/kg	<0.05	2 mg/kg	97.2	72.4	128	
EP075-EM: 2.3.5.6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	2 mg/kg	98.5	69.4	126	
EP075-EM: 2.3.4.5 & 2.3.4.6-Tetrachlorophenol	4901-51-3/5 8-90-2	0.05	mg/kg	<0.05	4 mg/kg	104	71.9	128	
EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<0.2	4 mg/kg	89.1	54.4	135	
<b>EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4305552)</b>									
EP075-EM: Phenol	108-95-2	1	mg/kg	<1	2 mg/kg	82.1	71.5	130	
EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	2 mg/kg	91.3	73.4	129	
EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	4 mg/kg	86.7	74.3	129	
EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	2 mg/kg	87.9	70.9	133	
EP075-EM: 2.4-Dimethylphenol	105-67-9	1	mg/kg	<1	2 mg/kg	85.1	71.8	132	
EP075-EM: 2.4-Dinitrophenol	51-28-5	5	mg/kg	<5	10 mg/kg	87.0	41.0	156	
EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	10 mg/kg	107	65.3	134	
EP075-EM: 2-Methyl-4.6-dinitrophenol	8071-51-0	5	mg/kg	<5	10 mg/kg	118	43.6	128	
EP075-EM: Dinoseb	88-85-7	5	mg/kg	<5	10 mg/kg	95.1	62.0	128	
EP075-EM: 2-Cyclohexyl-4.6-Dinitrophenol	131-89-5	5	mg/kg	<5	10 mg/kg	91.2	34.5	137	
<b>EP075B: Polynuclear Aromatic Hydrocarbons (QCLot: 4305552)</b>									
EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	2 mg/kg	88.9	73.0	131	
EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	2 mg/kg	106	76.3	130	
EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	2 mg/kg	102	72.0	135	
EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	2 mg/kg	107	74.4	131	
EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	2 mg/kg	96.4	73.3	130	
EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	2 mg/kg	98.1	78.4	127	
EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	2 mg/kg	91.7	75.3	132	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
<b>EP075B: Polynuclear Aromatic Hydrocarbons (QCLot: 4305552) - continued</b>									
EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	2 mg/kg	94.0	75.4	130	
EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	2 mg/kg	96.7	69.6	133	
EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	2 mg/kg	98.4	75.0	133	
EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	4 mg/kg	95.7	75.8	133	
EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	2 mg/kg	95.4	65.1	130	
EP075-EM: Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	2 mg/kg	96.0	72.1	134	
EP075-EM: Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	2 mg/kg	97.4	72.9	135	
EP075-EM: Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	2 mg/kg	97.0	71.3	134	
<b>EP075I: Organochlorine Pesticides (QCLot: 4305552)</b>									
EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.03	2 mg/kg	99.6	71.0	129	
EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.03	2 mg/kg	93.6	74.8	126	
EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.03	2 mg/kg	96.8	75.7	130	
EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.03	2 mg/kg	102	70.8	130	
EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.03	2 mg/kg	108	76.5	134	
EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.03	2 mg/kg	94.3	75.5	131	
EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.03	2 mg/kg	97.9	76.8	130	
EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.03	2 mg/kg	94.5	73.6	130	
EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	2 mg/kg	94.5	75.0	133	
EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	2 mg/kg	95.6	75.3	131	
EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.03	2 mg/kg	101	69.4	134	
EP075-EM: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	2 mg/kg	103	71.0	132	
EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.03	2 mg/kg	101	78.0	133	
EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.03	2 mg/kg	84.6	69.0	143	
EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.03	2 mg/kg	137	55.7	145	
EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.03	2 mg/kg	103	71.4	135	
EP075-EM: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	2 mg/kg	101	74.8	134	
EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.03	2 mg/kg	100	70.2	135	
EP075-EM: 4,4'-DDT	50-29-3	0.05	mg/kg	<0.05	2 mg/kg	99.6	77.7	133	
EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.03	2 mg/kg	99.4	63.6	135	
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 4301237)</b>									
EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<10	39.6 mg/kg	98.0	61.1	119	
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 4305551)</b>									
EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	680 mg/kg	82.6	74.4	129	
EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	2830 mg/kg	92.8	81.0	123	
EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	1340 mg/kg	96.6	81.8	121	
EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	4850 mg/kg	92.4	70.0	130	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4301237)</b>									



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4301237) - continued</b>									
EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	48.9 mg/kg	96.9	59.9	119	
EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<10	----	----	----	----	
	X								
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4305551)</b>									
EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	980 mg/kg	89.8	75.4	132	
EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	3210 mg/kg	116	80.8	120	
EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	270 mg/kg	80.6	73.3	136	
EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	4460 mg/kg	108	70.0	130	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4305038)</b>									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	0.00111 mg/kg	90.2	72.0	128	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	0.00118 mg/kg	94.5	73.0	123	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	0.0014 mg/kg	67.3	67.0	130	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	0.00119 mg/kg	100	70.0	132	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	0.00116 mg/kg	89.6	68.0	136	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<0.0002	0.00121 mg/kg	96.2	59.0	134	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4305038)</b>									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	0.00625 mg/kg	83.1	71.0	135	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	0.00125 mg/kg	74.9	69.0	132	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	89.6	70.0	132	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	102	71.0	131	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	89.4	69.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	88.1	72.0	129	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	0.00125 mg/kg	111	69.0	133	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	106	64.0	136	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	87.8	69.0	135	
EP231X: Perfluorotridecanoic acid (PFTriDA)	72629-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	77.6	66.0	139	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	109	69.0	133	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4305038)</b>									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	89.9	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	0.00312 mg/kg	97.5	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	100	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	100	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	87.1	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	109	63.0	144	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	88.3	61.0	139	



Sub-Matrix: **SOIL**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report				
					Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4305038)</b>									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	0.00117 mg/kg	93.5	62.0	145	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	0.00119 mg/kg	96.8	64.0	140	
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	0.0012 mg/kg	104	65.0	137	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	0.00121 mg/kg	112	70.0	130	
<b>EP231P: PFAS Sums (QCLot: 4305038)</b>									
EP231X: Sum of PFAS	----	0.0002	mg/kg	<0.0002	----	----	----	----	
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	
EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	----	----	----	----	

Sub-Matrix: **WATER**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report				
					Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4306444)</b>									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.222 µg/L	94.1	72.0	130	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.235 µg/L	101	71.0	127	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.228 µg/L	96.8	68.0	131	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.25 µg/L	96.9	69.0	134	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.232 µg/L	96.6	65.0	140	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.241 µg/L	91.3	53.0	142	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4306731)</b>									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.222 µg/L	98.3	72.0	130	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.235 µg/L	106	71.0	127	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.228 µg/L	102	68.0	131	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.25 µg/L	128	69.0	134	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.232 µg/L	121	65.0	140	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.241 µg/L	120	53.0	142	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4306840)</b>									
EP231X-INJ: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.444 µg/L	90.4	72.0	130	
EP231X-INJ: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.47 µg/L	97.6	71.0	127	
EP231X-INJ: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.457 µg/L	94.4	68.0	131	
EP231X-INJ: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.477 µg/L	104	69.0	134	
EP231X-INJ: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.465 µg/L	87.8	65.0	140	
EP231X-INJ: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.482 µg/L	87.7	53.0	142	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4306444)</b>									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	1.25 µg/L	94.5	73.0	129	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.25 µg/L	104	72.0	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.25 µg/L	95.6	72.0	129	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.25 µg/L	95.4	72.0	130	



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4306444) - continued</b>									
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.25 µg/L	97.8	71.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.25 µg/L	99.7	69.0	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.25 µg/L	98.3	71.0	129	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.25 µg/L	96.5	69.0	133	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.25 µg/L	101	72.0	134	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.25 µg/L	95.8	65.0	144	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	0.625 µg/L	108	71.0	132	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4306731)</b>									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	1.25 µg/L	95.3	73.0	129	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.25 µg/L	103	72.0	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.25 µg/L	98.7	72.0	129	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.25 µg/L	97.7	72.0	130	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.25 µg/L	99.8	71.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.25 µg/L	100	69.0	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.25 µg/L	97.2	71.0	129	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.25 µg/L	103	69.0	133	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.25 µg/L	98.8	72.0	134	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.25 µg/L	92.3	65.0	144	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	0.625 µg/L	106	71.0	132	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4306840)</b>									
EP231X-INJ: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.10	2.5 µg/L	95.5	73.0	129	
EP231X-INJ: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.5 µg/L	98.5	72.0	129	
EP231X-INJ: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.5 µg/L	92.3	72.0	129	
EP231X-INJ: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.5 µg/L	93.0	72.0	130	
EP231X-INJ: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.5 µg/L	94.5	71.0	133	
EP231X-INJ: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.5 µg/L	101	69.0	130	
EP231X-INJ: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.5 µg/L	93.6	71.0	129	
EP231X-INJ: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.5 µg/L	98.2	69.0	133	
EP231X-INJ: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.5 µg/L	95.2	72.0	134	
EP231X-INJ: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.5 µg/L	90.1	65.0	144	
EP231X-INJ: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	1.25 µg/L	104	71.0	132	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4306444)</b>									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.25 µg/L	94.3	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	0.625 µg/L	108	68.0	141	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	0.625 µg/L	102	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	0.625 µg/L	101	70.0	130	



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4306444) - continued</b>									
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	0.625 µg/L	102	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.25 µg/L	113	65.0	136	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.25 µg/L	100	61.0	135	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4306731)</b>									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.25 µg/L	103	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	0.625 µg/L	109	68.0	141	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	0.625 µg/L	99.8	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	0.625 µg/L	106	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	0.625 µg/L	92.6	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.25 µg/L	109	65.0	136	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.25 µg/L	110	61.0	135	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4306840)</b>									
EP231X-INJ: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.5 µg/L	93.7	67.0	137	
EP231X-INJ: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	1.25 µg/L	105	68.0	141	
EP231X-INJ: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	1.25 µg/L	101	70.0	130	
EP231X-INJ: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	1.25 µg/L	91.1	70.0	130	
EP231X-INJ: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	1.25 µg/L	95.1	70.0	130	
EP231X-INJ: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.5 µg/L	110	65.0	136	
EP231X-INJ: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.5 µg/L	92.7	61.0	135	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4306444)</b>									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.234 µg/L	97.8	63.0	143	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.238 µg/L	103	64.0	140	
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.24 µg/L	113	67.0	138	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.242 µg/L	88.8	70.0	130	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4306731)</b>									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.234 µg/L	107	63.0	143	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.238 µg/L	102	64.0	140	



Sub-Matrix: **WATER**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report			
					Spike Concentration	Spike Recovery (%)	Acceptable Limits (%)	
						LCS	Low	High
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4306731) - continued</b>								
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.24 µg/L	106	67.0	138
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.242 µg/L	81.8	70.0	130
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4306840)</b>								
EP231X-INJ: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.469 µg/L	97.0	63.0	143
EP231X-INJ: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.476 µg/L	110	64.0	140
EP231X-INJ: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.48 µg/L	107	67.0	138
EP231X-INJ: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.483 µg/L	95.5	70.0	130
<b>EP231P: PFAS Sums (QCLot: 4306444)</b>								
EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----
<b>EP231P: PFAS Sums (QCLot: 4306731)</b>								
EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----
<b>EP231P: PFAS Sums (QCLot: 4306840)</b>								
EP231X-INJ: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----
EP231X-INJ: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----
EP231X-INJ: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----

**Matrix Spike (MS) Report**

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: **SOIL**

Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Matrix Spike (MS) Report			
				Spike Concentration	Spike Recovery (%)	Acceptable Limits (%)	
					MS	Low	High
<b>EG005(ED093)T: Total Metals by ICP-AES (QCLot: 4305491)</b>							
EM2207227-002	Anonymous	EG005T: Arsenic	7440-38-2	50 mg/kg	83.2	78.0	124
		EG005T: Cadmium	7440-43-9	50 mg/kg	96.8	79.7	116
		EG005T: Chromium	7440-47-3	50 mg/kg	81.1	79.0	121
		EG005T: Copper	7440-50-8	250 mg/kg	97.6	80.0	120
		EG005T: Lead	7439-92-1	250 mg/kg	93.2	80.0	120
		EG005T: Nickel	7440-02-0	50 mg/kg	105	78.0	120
		EG005T: Zinc	7440-66-6	250 mg/kg	89.4	80.0	120





Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EG005(ED093)T: Total Metals by ICP-AES (QCLot: 4305494)</b>							
EM2207302-013	SX_IB_20220423_04_02_SS_Duplicate_ALS	EG005T: Arsenic	7440-38-2	50 mg/kg	86.7	78.0	124
		EG005T: Cadmium	7440-43-9	50 mg/kg	93.4	79.7	116
		EG005T: Chromium	7440-47-3	50 mg/kg	100	79.0	121
		EG005T: Copper	7440-50-8	250 mg/kg	98.0	80.0	120
		EG005T: Lead	7439-92-1	250 mg/kg	90.7	80.0	120
		EG005T: Nickel	7440-02-0	50 mg/kg	89.0	78.0	120
		EG005T: Zinc	7440-66-6	250 mg/kg	88.9	80.0	120
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 4305492)</b>							
EM2207227-002	Anonymous	EG035T: Mercury	7439-97-6	0.5 mg/kg	100	76.0	116
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 4305493)</b>							
EM2207302-013	SX_IB_20220423_04_02_SS_Duplicate_ALS	EG035T: Mercury	7439-97-6	0.5 mg/kg	90.8	76.0	116
<b>EG048: Hexavalent Chromium (Alkaline Digest) (QCLot: 4306053)</b>							
EM2207227-002	Anonymous	EG048G: Hexavalent Chromium	18540-29-9	20 mg/kg	81.8	58.0	114
EM2207227-002	Anonymous	EG048G: Hexavalent Chromium	18540-29-9	20 mg/kg	93.6	58.0	114
<b>EG048: Hexavalent Chromium (Alkaline Digest) (QCLot: 4306054)</b>							
EM2207302-025	SX_OB_20220423_04_09_SS_Primary_ALS Forwarded to Eurofins	EG048G: Hexavalent Chromium	18540-29-9	20 mg/kg	82.9	58.0	114
EM2207302-025	SX_OB_20220423_04_09_SS_Primary_ALS Forwarded to Eurofins	EG048G: Hexavalent Chromium	18540-29-9	20 mg/kg	95.6	58.0	114
<b>EK026SF: Total CN by Segmented Flow Analyser (QCLot: 4306035)</b>							
EM2207227-002	Anonymous	EK026SF: Total Cyanide	57-12-5	20 mg/kg	96.0	70.0	130
<b>EK026SF: Total CN by Segmented Flow Analyser (QCLot: 4306037)</b>							
EM2207302-025	SX_OB_20220423_04_09_SS_Primary_ALS Forwarded to Eurofins	EK026SF: Total Cyanide	57-12-5	20 mg/kg	99.5	70.0	130
<b>EK040T: Fluoride Total (QCLot: 4305874)</b>							
EM2207302-002	SX_OB_20220422_08_12_SS_Duplicate_ALS	EK040T: Fluoride	16984-48-8	400 mg/kg	70.6	70.0	130
<b>EP066: Polychlorinated Biphenyls (PCB) (QCLot: 4305550)</b>							
EM2207302-003	SX_IB_20220422_08_26_SS_Primary_ALS	EP066-EM: Total Polychlorinated biphenyls	---	1 mg/kg	113	59.6	152
<b>EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 4301237)</b>							
EM2207302-002	SX_OB_20220422_08_12_SS_Duplicate_ALS	EP074-UT: Benzene	71-43-2	2 mg/kg	88.7	53.7	130
		EP074-UT: Toluene	108-88-3	2 mg/kg	87.6	55.1	124
<b>EP074I: Volatile Halogenated Compounds (QCLot: 4301237)</b>							
EM2207302-002	SX_OB_20220422_08_12_SS_Duplicate_ALS	EP074-UT: 1,1-Dichloroethene	75-35-4	2 mg/kg	93.2	38.4	145
		EP074-UT: Trichloroethene	79-01-6	2 mg/kg	79.9	48.1	128
		EP074-UT: Chlorobenzene	108-90-7	2 mg/kg	78.9	55.5	122



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike Concentration	SpikeRecovery(%) MS	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP075A: Phenolic Compounds (Halogenated) (QCLot: 4305552)</b>							
EM2207302-002	SX_OB_20220422_08_12_SS_Duplicate_ALS	EP075-EM: 2-Chlorophenol	95-57-8	3 mg/kg	107	44.0	143
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	3 mg/kg	93.2	41.5	139
		EP075-EM: Pentachlorophenol	87-86-5	3 mg/kg	62.8	10.0	144
<b>EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4305552)</b>							
EM2207302-002	SX_OB_20220422_08_12_SS_Duplicate_ALS	EP075-EM: Phenol	108-95-2	3 mg/kg	104	44.2	134
		EP075-EM: 2-Nitrophenol	88-75-5	3 mg/kg	79.6	34.2	129
<b>EP075B: Polynuclear Aromatic Hydrocarbons (QCLot: 4305552)</b>							
EM2207302-002	SX_OB_20220422_08_12_SS_Duplicate_ALS	EP075-EM: Acenaphthene	83-32-9	3 mg/kg	88.5	42.6	138
		EP075-EM: Pyrene	129-00-0	3 mg/kg	91.0	37.8	152
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 4301237)</b>							
EM2207302-002	SX_OB_20220422_08_12_SS_Duplicate_ALS	EP074-UT: C6 - C9 Fraction	----	28 mg/kg	76.0	42.3	111
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 4305551)</b>							
EM2207302-006	SX_OB_20220422_12_05_SS_Primary_ALS	EP071-EM: C10 - C14 Fraction	----	700 mg/kg	84.2	71.3	126
		EP071-EM: C15 - C28 Fraction	----	2930 mg/kg	93.8	75.1	123
		EP071-EM: C29 - C36 Fraction	----	1380 mg/kg	98.2	78.1	120
		EP071-EM: C10 - C36 Fraction (sum)	----	5010 mg/kg	93.6	70.0	130
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4301237)</b>							
EM2207302-002	SX_OB_20220422_08_12_SS_Duplicate_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	33 mg/kg	74.7	39.9	109
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4305551)</b>							
EM2207302-006	SX_OB_20220422_12_05_SS_Primary_ALS	EP071-EM: >C10 - C16 Fraction	----	1030 mg/kg	89.3	71.5	130
		EP071-EM: >C16 - C34 Fraction	----	3680 mg/kg	106	76.9	119
		EP071-EM: >C34 - C40 Fraction	----	270 mg/kg	84.4	65.3	139
		EP071-EM: >C10 - C40 Fraction (sum)	----	4980 mg/kg	102	70.0	130
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4305038)</b>							
EM2207302-002	SX_OB_20220422_08_12_SS_Duplicate_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.00111 mg/kg	95.4	72.0	128
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.00118 mg/kg	77.6	73.0	123
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.00114 mg/kg	92.9	67.0	130
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.00119 mg/kg	131	70.0	132
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.00116 mg/kg	85.3	68.0	136
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.00121 mg/kg	105	59.0	134
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4305038)</b>							
EM2207302-002	SX_OB_20220422_08_12_SS_Duplicate_ALS	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.00625 mg/kg	84.7	71.0	135
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.00125 mg/kg	71.2	69.0	132
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.00125 mg/kg	93.5	70.0	132
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.00125 mg/kg	96.9	71.0	131
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.00125 mg/kg	91.9	69.0	133



Sub-Matrix: **SOIL**

				Matrix Spike (MS) Report			
				Spike Concentration	SpikeRecovery(%) MS	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4305038) - continued</b>							
EM2207302-002	SX_OB_20220422_08_12_SS_Duplicate_ALS	EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.00125 mg/kg	89.1	72.0	129
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.00125 mg/kg	109	69.0	133
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.00125 mg/kg	111	64.0	136
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.00125 mg/kg	95.8	69.0	135
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.00125 mg/kg	88.1	66.0	139
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.00312 mg/kg	102	69.0	133
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4305038)</b>							
EM2207302-002	SX_OB_20220422_08_12_SS_Duplicate_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.00125 mg/kg	84.8	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.00312 mg/kg	83.4	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.00312 mg/kg	101	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.00312 mg/kg	89.9	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.00312 mg/kg	89.2	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.00125 mg/kg	100	63.0	144
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.00125 mg/kg	102	61.0	139
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4305038)</b>							
EM2207302-002	SX_OB_20220422_08_12_SS_Duplicate_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.00117 mg/kg	95.4	62.0	145
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.00119 mg/kg	104	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0012 mg/kg	97.6	65.0	137
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.00121 mg/kg	85.4	70.0	130

Sub-Matrix: **WATER**

				Matrix Spike (MS) Report			
				Spike Concentration	SpikeRecovery(%) MS	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4306444)</b>							
EM2207302-012	SX_IB_20220423_04_01_SS_Primary_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.222 µg/L	101	72.0	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.235 µg/L	93.4	71.0	127
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.228 µg/L	103	68.0	131
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.238 µg/L	109	69.0	134
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.232 µg/L	104	65.0	140
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.241 µg/L	115	53.0	142
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4306731)</b>							
EM2206863-005	Anonymous	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.222 µg/L	97.3	72.0	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.235 µg/L	90.2	71.0	127
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.228 µg/L	90.8	68.0	131



Sub-Matrix: WATER

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4306731) - continued</b>							
EM2206863-005	Anonymous	EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.238 µg/L	117	69.0	134
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.232 µg/L	103	65.0	140
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.241 µg/L	91.2	53.0	142
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4306840)</b>							
EM2207302-004	SX_OB_20220422_10_37_SR_Rinsate_ALS	EP231X-INJ: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.444 µg/L	93.1	72.0	130
		EP231X-INJ: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.47 µg/L	98.7	71.0	127
		EP231X-INJ: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.457 µg/L	94.8	68.0	131
		EP231X-INJ: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.477 µg/L	108	69.0	134
		EP231X-INJ: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.465 µg/L	89.9	65.0	140
		EP231X-INJ: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.482 µg/L	88.9	53.0	142
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4306444)</b>							
EM2207302-012	SX_IB_20220423_04_01_SS_Primary_ALS	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	1.25 µg/L	86.5	73.0	129
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.25 µg/L	109	72.0	129
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.25 µg/L	104	72.0	129
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.25 µg/L	98.6	72.0	130
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.25 µg/L	97.9	71.0	133
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.25 µg/L	103	69.0	130
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.25 µg/L	100	71.0	129
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.25 µg/L	96.1	69.0	133
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.25 µg/L	101	72.0	134
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.25 µg/L	97.1	65.0	144
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.625 µg/L	107	71.0	132
		<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4306731)</b>					
EM2206863-005	Anonymous	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	1.25 µg/L	77.2	73.0	129
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.25 µg/L	109	72.0	129
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.25 µg/L	91.9	72.0	129
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.25 µg/L	97.4	72.0	130
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.25 µg/L	100	71.0	133
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.25 µg/L	105	69.0	130
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.25 µg/L	90.9	71.0	129
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.25 µg/L	101	69.0	133
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.25 µg/L	94.9	72.0	134
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.25 µg/L	85.8	65.0	144
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.625 µg/L	98.4	71.0	132
		<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4306840)</b>					
EM2207302-004	SX_OB_20220422_10_37_SR_Rinsate_ALS	EP231X-INJ: Perfluorobutanoic acid (PFBA)	375-22-4	2.5 µg/L	100	73.0	129
		EP231X-INJ: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.5 µg/L	104	72.0	129
		EP231X-INJ: Perfluorohexanoic acid (PFHxA)	307-24-4	0.5 µg/L	93.9	72.0	129



Sub-Matrix: WATER

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4306840) - continued</b>							
EM2207302-004	SX_OB_20220422_10_37_SR_Rinsate_ALS	EP231X-INJ: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.5 µg/L	91.2	72.0	130
		EP231X-INJ: Perfluorooctanoic acid (PFOA)	335-67-1	0.5 µg/L	93.0	71.0	133
		EP231X-INJ: Perfluorononanoic acid (PFNA)	375-95-1	0.5 µg/L	104	69.0	130
		EP231X-INJ: Perfluorodecanoic acid (PFDA)	335-76-2	0.5 µg/L	93.1	71.0	129
		EP231X-INJ: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.5 µg/L	100	69.0	133
		EP231X-INJ: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.5 µg/L	100.0	72.0	134
		EP231X-INJ: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.5 µg/L	93.9	65.0	144
		EP231X-INJ: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	1.25 µg/L	106	71.0	132
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4306444)</b>							
EM2207302-012	SX_IB_20220423_04_01_SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.25 µg/L	106	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.625 µg/L	117	68.0	141
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.625 µg/L	103	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.625 µg/L	98.9	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.625 µg/L	106	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.25 µg/L	124	65.0	136
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.25 µg/L	115	61.0	135
		<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4306731)</b>					
EM2206863-005	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.25 µg/L	106	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.625 µg/L	118	68.0	141
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.625 µg/L	108	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.625 µg/L	98.1	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.625 µg/L	92.5	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.25 µg/L	111	65.0	136
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.25 µg/L	108	61.0	135
		<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4306840)</b>					
EM2207302-004	SX_OB_20220422_10_37_SR_Rinsate_ALS	EP231X-INJ: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.5 µg/L	98.0	67.0	137
		EP231X-INJ: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	1.25 µg/L	101	68.0	141



Sub-Matrix: WATER

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4306840) - continued</b>							
EM2207302-004	SX_OB_20220422_10_37_SR_Rinsate_ALS	EP231X-INJ: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	1.25 µg/L	103	70.0	130
		EP231X-INJ: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	1.25 µg/L	94.7	70.0	130
		EP231X-INJ: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	1.25 µg/L	101	70.0	130
		EP231X-INJ: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.5 µg/L	107	65.0	136
		EP231X-INJ: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.5 µg/L	94.6	61.0	135
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4306444)</b>							
EM2207302-012	SX_IB_20220423_04_01_SS_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.234 µg/L	104	63.0	143
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.238 µg/L	115	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.24 µg/L	113	67.0	138
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.242 µg/L	89.4	70.0	130
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4306731)</b>							
EM2206863-005	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.234 µg/L	105	63.0	143
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.238 µg/L	101	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.24 µg/L	106	67.0	138
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.242 µg/L	73.4	70.0	130
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4306840)</b>							
EM2207302-004	SX_OB_20220422_10_37_SR_Rinsate_ALS	EP231X-INJ: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.469 µg/L	97.8	63.0	143
		EP231X-INJ: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.476 µg/L	104	64.0	140
		EP231X-INJ: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.48 µg/L	109	67.0	138
		EP231X-INJ: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.483 µg/L	95.8	70.0	130

## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: EM2207302	Page	: 1 of 16
Client	: AGON ENVIRONMENTAL PTY LTD	Laboratory	: Environmental Division Melbourne
Contact	: DAVID LAWSON	Telephone	: +61-3-8549 9600
Project	: JC0927	Date Samples Received	: 23-Apr-2022
Site	: 20220423042223-ALS-21	Issue Date	: 29-Apr-2022
Sampler	: David - AGON, Dayle - EP Risk, Louis - EP Risk, Martha - AGON	No. of samples received	: 26
Order number	: ----	No. of samples analysed	: 25

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO Method Blank value outliers occur.**
- **NO Duplicate outliers occur.**
- **NO Laboratory Control outliers occur.**
- **NO Matrix Spike outliers occur.**
- **For all regular sample matrices, NO surrogate recovery outliers occur.**

#### Outliers : Analysis Holding Time Compliance

- **NO Analysis Holding Time Outliers exist.**

#### Outliers : Frequency of Quality Control Samples

- **NO Quality Control Sample Frequency Outliers exist.**



## Analysis Holding Time Compliance

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results.

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for **VOC in soils** vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **SOIL**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA001: pH in soil using 0.01M CaCl extract</b>								
<b>Soil Glass Jar - Unpreserved (EA001)</b> SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS,	SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS	22-Apr-2022	28-Apr-2022	29-Apr-2022	✓	28-Apr-2022	28-Apr-2022	✓
<b>Soil Glass Jar - Unpreserved (EA001)</b> SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_IB_20220423_04_01_SS_Primary_ALS,	23-Apr-2022	28-Apr-2022	30-Apr-2022	✓	28-Apr-2022	28-Apr-2022	✓
<b>EA055: Moisture Content (Dried @ 105-110°C)</b>								
<b>Soil Glass Jar - Unpreserved (EA055)</b> SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS,	SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS	22-Apr-2022	----	----	----	27-Apr-2022	06-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EA055)</b> SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_IB_20220423_04_01_SS_Primary_ALS,	23-Apr-2022	----	----	----	27-Apr-2022	07-May-2022	✓
<b>EG005(ED093)T: Total Metals by ICP-AES</b>								
<b>Soil Glass Jar - Unpreserved (EG005T)</b> SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS,	SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS	22-Apr-2022	27-Apr-2022	19-Oct-2022	✓	27-Apr-2022	19-Oct-2022	✓
<b>Soil Glass Jar - Unpreserved (EG005T)</b> SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_IB_20220423_04_01_SS_Primary_ALS,	23-Apr-2022	27-Apr-2022	20-Oct-2022	✓	27-Apr-2022	20-Oct-2022	✓





Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EG035T: Total Recoverable Mercury by FIMS</b>								
<b>Soil Glass Jar - Unpreserved (EG035T)</b> SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS,	SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS	22-Apr-2022	27-Apr-2022	20-May-2022	✓	27-Apr-2022	20-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EG035T)</b> SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_IB_20220423_04_01_SS_Primary_ALS,	23-Apr-2022	27-Apr-2022	21-May-2022	✓	27-Apr-2022	21-May-2022	✓
<b>EG048: Hexavalent Chromium (Alkaline Digest)</b>								
<b>Soil Glass Jar - Unpreserved (EG048G)</b> SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS,	SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS	22-Apr-2022	27-Apr-2022	20-May-2022	✓	28-Apr-2022	04-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EG048G)</b> SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_IB_20220423_04_01_SS_Primary_ALS,	23-Apr-2022	27-Apr-2022	21-May-2022	✓	28-Apr-2022	04-May-2022	✓
<b>EK026SF: Total CN by Segmented Flow Analyser</b>								
<b>Soil Glass Jar - Unpreserved (EK026SF)</b> SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS,	SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS	22-Apr-2022	27-Apr-2022	06-May-2022	✓	28-Apr-2022	11-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EK026SF)</b> SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_IB_20220423_04_01_SS_Primary_ALS,	23-Apr-2022	27-Apr-2022	07-May-2022	✓	28-Apr-2022	11-May-2022	✓
<b>EK040T: Fluoride Total</b>								
<b>Soil Glass Jar - Unpreserved (EK040T)</b> SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS,	SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS	22-Apr-2022	27-Apr-2022	20-May-2022	✓	29-Apr-2022	20-May-2022	✓
<b>Soil Glass Jar - Unpreserved (EK040T)</b> SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_IB_20220423_04_01_SS_Primary_ALS,	23-Apr-2022	27-Apr-2022	21-May-2022	✓	29-Apr-2022	21-May-2022	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>								
<b>Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60a-P)</b>								
SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS,	SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS	22-Apr-2022	26-Apr-2022	19-Oct-2022	✓	----	----	----
<b>Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60a-P)</b>								
SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_IB_20220423_04_01_SS_Primary_ALS,	23-Apr-2022	26-Apr-2022	20-Oct-2022	✓	----	----	----
<b>EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)</b>								
<b>Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60-DIa-P)</b>								
SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS,	SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS	22-Apr-2022	26-Apr-2022	19-Oct-2022	✓	----	----	----
<b>Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60-DIa-P)</b>								
SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_IB_20220423_04_01_SS_Primary_ALS,	23-Apr-2022	26-Apr-2022	20-Oct-2022	✓	----	----	----
<b>EP066: Polychlorinated Biphenyls (PCB)</b>								
<b>Soil Glass Jar - Unpreserved (EP066-EM)</b>								
SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS,	SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS	22-Apr-2022	27-Apr-2022	06-May-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>Soil Glass Jar - Unpreserved (EP066-EM)</b>								
SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_IB_20220423_04_01_SS_Primary_ALS,	23-Apr-2022	27-Apr-2022	07-May-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>								
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b>								
SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS,	SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS	22-Apr-2022	23-Apr-2022	29-Apr-2022	✓	26-Apr-2022	29-Apr-2022	✓
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b>								
SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_IB_20220423_04_01_SS_Primary_ALS,	23-Apr-2022	23-Apr-2022	30-Apr-2022	✓	26-Apr-2022	30-Apr-2022	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis				
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation		
<b>EP074H: Naphthalene</b>									
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b> SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS,	SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS	22-Apr-2022	23-Apr-2022	29-Apr-2022	✓	26-Apr-2022	29-Apr-2022	✓	
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b> SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_IB_20220423_04_01_SS_Primary_ALS,	23-Apr-2022	23-Apr-2022	30-Apr-2022	✓	26-Apr-2022	30-Apr-2022	✓	
<b>EP074I: Volatile Halogenated Compounds</b>									
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b> SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS,	SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS	22-Apr-2022	23-Apr-2022	29-Apr-2022	✓	26-Apr-2022	29-Apr-2022	✓	
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b> SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_IB_20220423_04_01_SS_Primary_ALS,	23-Apr-2022	23-Apr-2022	30-Apr-2022	✓	26-Apr-2022	30-Apr-2022	✓	
<b>EP075A: Phenolic Compounds (Halogenated)</b>									
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b> SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS,	SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS	22-Apr-2022	27-Apr-2022	06-May-2022	✓	27-Apr-2022	06-Jun-2022	✓	
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b> SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_IB_20220423_04_01_SS_Primary_ALS,	23-Apr-2022	27-Apr-2022	07-May-2022	✓	27-Apr-2022	06-Jun-2022	✓	
<b>EP075A: Phenolic Compounds (Non-halogenated)</b>									
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b> SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS,	SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS	22-Apr-2022	27-Apr-2022	06-May-2022	✓	27-Apr-2022	06-Jun-2022	✓	
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b> SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_IB_20220423_04_01_SS_Primary_ALS,	23-Apr-2022	27-Apr-2022	07-May-2022	✓	27-Apr-2022	06-Jun-2022	✓	



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP075B: Polynuclear Aromatic Hydrocarbons</b>								
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b> SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS,	SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS	22-Apr-2022	27-Apr-2022	06-May-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b> SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_IB_20220423_04_01_SS_Primary_ALS,	23-Apr-2022	27-Apr-2022	07-May-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>EP075I: Organochlorine Pesticides</b>								
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b> SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS,	SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS	22-Apr-2022	27-Apr-2022	06-May-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>Soil Glass Jar - Unpreserved (EP075-EM)</b> SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_IB_20220423_04_01_SS_Primary_ALS,	23-Apr-2022	27-Apr-2022	07-May-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>EP080/071: Total Petroleum Hydrocarbons</b>								
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b> SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS,	SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS	22-Apr-2022	23-Apr-2022	29-Apr-2022	✓	26-Apr-2022	29-Apr-2022	✓
<b>Soil Glass Jar - Unpreserved (EP071-EM)</b> SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS,	SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS	22-Apr-2022	27-Apr-2022	06-May-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b> SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_IB_20220423_04_01_SS_Primary_ALS,	23-Apr-2022	23-Apr-2022	30-Apr-2022	✓	26-Apr-2022	30-Apr-2022	✓
<b>Soil Glass Jar - Unpreserved (EP071-EM)</b> SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_IB_20220423_04_01_SS_Primary_ALS,	23-Apr-2022	27-Apr-2022	07-May-2022	✓	27-Apr-2022	06-Jun-2022	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>								
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b>								
SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS,	SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS	22-Apr-2022	23-Apr-2022	29-Apr-2022	✓	26-Apr-2022	29-Apr-2022	✓
<b>Soil Glass Jar - Unpreserved (EP071-EM)</b>								
SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS,	SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS	22-Apr-2022	27-Apr-2022	06-May-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>Soil Glass Jar - Unpreserved (EP074-UT)</b>								
SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_IB_20220423_04_01_SS_Primary_ALS,	23-Apr-2022	23-Apr-2022	30-Apr-2022	✓	26-Apr-2022	30-Apr-2022	✓
<b>Soil Glass Jar - Unpreserved (EP071-EM)</b>								
SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_IB_20220423_04_01_SS_Primary_ALS,	23-Apr-2022	27-Apr-2022	07-May-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b>								
SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS,	SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS	22-Apr-2022	27-Apr-2022	19-Oct-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>HDPE Soil Jar (EP231X)</b>								
SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_IB_20220423_04_01_SS_Primary_ALS,	23-Apr-2022	27-Apr-2022	20-Oct-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b>								
SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS,	SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS	22-Apr-2022	27-Apr-2022	19-Oct-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>HDPE Soil Jar (EP231X)</b>								
SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_IB_20220423_04_01_SS_Primary_ALS,	23-Apr-2022	27-Apr-2022	20-Oct-2022	✓	27-Apr-2022	06-Jun-2022	✓



Matrix: **SOIL**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
<b>HDPE Soil Jar (EP231X)</b> SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS,	SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS	22-Apr-2022	27-Apr-2022	19-Oct-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>HDPE Soil Jar (EP231X)</b> SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_IB_20220423_04_01_SS_Primary_ALS,	23-Apr-2022	27-Apr-2022	20-Oct-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b> SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS,	SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS	22-Apr-2022	27-Apr-2022	19-Oct-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>HDPE Soil Jar (EP231X)</b> SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_IB_20220423_04_01_SS_Primary_ALS,	23-Apr-2022	27-Apr-2022	20-Oct-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>EP231P: PFAS Sums</b>								
<b>HDPE Soil Jar (EP231X)</b> SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS,	SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS	22-Apr-2022	27-Apr-2022	19-Oct-2022	✓	27-Apr-2022	06-Jun-2022	✓
<b>HDPE Soil Jar (EP231X)</b> SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_02_SS_Duplicate_ALS	SX_IB_20220423_04_01_SS_Primary_ALS,	23-Apr-2022	27-Apr-2022	20-Oct-2022	✓	27-Apr-2022	06-Jun-2022	✓

Matrix: **WATER**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis		
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation



Matrix: WATER

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
<b>HDPE (no PTFE) (EP231X-INJ)</b>								
SX_OB_20220422_10_37_SR_Rinsate_ALS, SX_OB_20220422_10_39_SB_Blank_ALS	22-Apr-2022	27-Apr-2022	19-Oct-2022	✓	27-Apr-2022	19-Oct-2022	✓	
<b>HDPE (no PTFE) (EP231X)</b>								
SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS, SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_01_SS_Primary_ALS, SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS, SX_IB_20220423_04_01_SS_Primary_ALS,	SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS, SX_IB_20220422_04_01_SS_Primary_ALS, SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS, SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_02_SS_Duplicate_ALS	26-Apr-2022	27-Apr-2022	23-Oct-2022	✓	27-Apr-2022	23-Oct-2022	✓
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
<b>HDPE (no PTFE) (EP231X-INJ)</b>								
SX_OB_20220422_10_37_SR_Rinsate_ALS, SX_OB_20220422_10_39_SB_Blank_ALS	22-Apr-2022	27-Apr-2022	19-Oct-2022	✓	27-Apr-2022	19-Oct-2022	✓	
<b>HDPE (no PTFE) (EP231X)</b>								
SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS, SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_01_SS_Primary_ALS, SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS, SX_IB_20220423_04_01_SS_Primary_ALS,	SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS, SX_IB_20220423_04_01_SS_Primary_ALS, SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS, SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_02_SS_Duplicate_ALS	26-Apr-2022	27-Apr-2022	23-Oct-2022	✓	27-Apr-2022	23-Oct-2022	✓



Matrix: WATER

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
<b>HDPE (no PTFE) (EP231X-INJ)</b>								
SX_OB_20220422_10_37_SR_Rinsate_ALS, SX_OB_20220422_10_39_SB_Blank_ALS	22-Apr-2022	27-Apr-2022	19-Oct-2022	✓	27-Apr-2022	19-Oct-2022	✓	
<b>HDPE (no PTFE) (EP231X)</b>								
SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS, SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_01_SS_Primary_ALS, SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS, SX_IB_20220423_04_01_SS_Primary_ALS,	SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS, SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS, SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_02_SS_Duplicate_ALS	26-Apr-2022	27-Apr-2022	23-Oct-2022	✓	27-Apr-2022	23-Oct-2022	✓
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
<b>HDPE (no PTFE) (EP231X-INJ)</b>								
SX_OB_20220422_10_37_SR_Rinsate_ALS, SX_OB_20220422_10_39_SB_Blank_ALS	22-Apr-2022	27-Apr-2022	19-Oct-2022	✓	27-Apr-2022	19-Oct-2022	✓	
<b>HDPE (no PTFE) (EP231X)</b>								
SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS, SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_01_SS_Primary_ALS, SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS, SX_IB_20220423_04_01_SS_Primary_ALS,	SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS, SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS, SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_02_SS_Duplicate_ALS	26-Apr-2022	27-Apr-2022	23-Oct-2022	✓	27-Apr-2022	23-Oct-2022	✓





Matrix: WATER

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231P: PFAS Sums</b>								
<b>HDPE (no PTFE) (EP231X-INJ)</b>								
SX_OB_20220422_10_37_SR_Rinsate_ALS, SX_OB_20220422_10_39_SB_Blank_ALS	22-Apr-2022	27-Apr-2022	19-Oct-2022	✓	27-Apr-2022	19-Oct-2022	✓	
<b>HDPE (no PTFE) (EP231X)</b>								
SX_OB_20220422_08_12_SS_Primary_ALS, SX_IB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS, SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_01_SS_Primary_ALS, SX_OB_20220423_04_02_SS_Duplicate_ALS, SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS, SX_IB_20220423_04_01_SS_Primary_ALS,	26-Apr-2022	27-Apr-2022	23-Oct-2022	✓	27-Apr-2022	23-Oct-2022	✓	
SX_OB_20220422_08_12_SS_Duplicate_ALS, SX_OB_20220422_12_05_SS_Primary_ALS, SX_OB_20220422_16_31_SS_Primary_ALS, SX_OB_20220422_20_15_SS_Primary_ALS, SX_IB_20220423_04_01_SS_Primary_ALS, SX_OB_20220423_04_02_SS_Duplicate_ALS, SX_OB_20220422_08_12_SS_Primary_ALS, SX_OB_20220422_08_26_SS_Primary_ALS, SX_OB_20220422_16_28_SS_Triplicate_ALS, SX_IB_20220422_20_14_SS_Triplicate_ALS, SX_OB_20220423_00_00_SS_Primary_ALS, SX_IB_20220423_04_02_SS_Duplicate_ALS								



## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **SOIL**

Evaluation: \* = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	4	39	10.26	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Moisture Content	EA055	4	39	10.26	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	2	18	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	2	19	10.53	10.00	✓	NEPM 2013 B3 & ALS QC Standard
pH in soil using a 0.01M CaCl2 extract	EA001	4	36	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	2	18	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	4	39	10.26	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	2	19	10.53	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	4	39	10.26	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	4	39	10.26	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	2	17	11.76	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	2	11	18.18	10.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	4	39	10.26	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	1	18	5.56	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
pH in soil using a 0.01M CaCl2 extract	EA001	4	36	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	1	18	5.56	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	2	39	5.13	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	2	39	5.13	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	2	39	5.13	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	1	17	5.88	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	1	11	9.09	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
Deionised Water Leach - Plastic Leaching Vessel	EN60-DIa-P	2	21	9.52	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	2	39	5.13	5.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	1	18	5.56	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	1	18	5.56	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	2	39	5.13	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	2	39	5.13	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	2	39	5.13	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	1	17	5.88	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	1	11	9.09	5.00	✓	NEPM 2013 B3 & ALS QC Standard



Matrix: **SOIL** Evaluation: \* = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Matrix Spikes (MS)</b>							
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	4	39	10.26	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	1	18	5.56	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	1	18	5.56	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	2	39	5.13	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	2	39	5.13	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	2	39	5.13	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	1	17	5.88	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	1	11	9.09	5.00	✓	NEPM 2013 B3 & ALS QC Standard

Matrix: **WATER** Evaluation: \* = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	4	29	13.79	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X-INJ	1	5	20.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	2	29	6.90	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X-INJ	1	5	20.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	2	29	6.90	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X-INJ	1	5	20.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Matrix Spikes (MS)</b>							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	2	29	6.90	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X-INJ	1	5	20.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard



## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

Analytical Methods	Method	Matrix	Method Descriptions
pH in soil using a 0.01M CaCl <sub>2</sub> extract	EA001	SOIL	In house: Referenced to Rayment and Lyons 4B3 (mod.) or 4B4 (mod.) 10 g of soil is mixed with 50 mL of 0.01M CaCl <sub>2</sub> and tumbled end over end for 1 hour. pH is measured from the continuous suspension. This method is compliant with NEPM Schedule B(3).
Moisture Content	EA055	SOIL	In house: A gravimetric procedure based on weight loss over a 12 hour drying period at 105-110 degrees C. This method is compliant with NEPM Schedule B(3).
Total Metals by ICP-AES	EG005T	SOIL	In house: Referenced to APHA 3120; USEPA SW 846 - 6010. Metals are determined following an appropriate acid digestion of the soil. The ICPAES technique ionises samples in a plasma, emitting a characteristic spectrum based on metals present. Intensities at selected wavelengths are compared against those of matrix matched standards. This method is compliant with NEPM Schedule B(3)
Total Mercury by FIMS	EG035T	SOIL	In house: Referenced to APHA 3112 Hg - B (Flow-injection (SnCl <sub>2</sub> ) (Cold Vapour generation) AAS) FIM-AAS is an automated flameless atomic absorption technique. Mercury in solids are determined following an appropriate acid digestion. Ionic mercury is reduced online to atomic mercury vapour by SnCl <sub>2</sub> which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM Schedule B(3)
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	SOIL	In house: Referenced to USEPA SW846, Method 3060. Hexavalent chromium is extracted by alkaline digestion. The digest is determined by photometrically by automatic discrete analyser, following pH adjustment. The instrument uses colour development using dephenylcarbazide. Each run of samples is measured against a five-point calibration curve. This method is compliant with NEPM Schedule B(3)
Total Cyanide by Segmented Flow Analyser	EK026SF	SOIL	In house: Referenced to APHA 4500-CN C / ASTM D7511 / ISO 14403. Caustic leachates of soil samples are introduced into an automated segmented flow analyser. Complex bound cyanide is decomposed in a continuously flowing stream, at a pH of 3.8, by the effect of UV light. A UV-B lamp (312 nm) and a decomposition spiral of borosilicate glass are used to filter out UV light with a wavelength of less than 290 nm thus preventing the conversion of thiocyanate into cyanide. The hydrogen cyanide present at a pH of 3.8 is separated by gas dialysis. The hydrogen cyanide is then determined photometrically, based on the reaction of cyanide with chloramine-T to form cyanogen chloride. This then reacts with 4-pyridine carboxylic acid and 1,3-dimethylbarbituric acid to give a red colour which is measured at 600 nm. This method is compliant with NEPM Schedule B(3).
Total Fluoride	EK040T	SOIL	(In-house) Total fluoride is determined by ion specific electrode (ISE) in a solution obtained after a Sodium Carbonate / Potassium Carbonate fusion dissolution.
PCB - VIC EPA 448.3 Screen	EP066-EM	SOIL	In house: Referenced to USEPA SW 846 - 8270 Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This method is compliant with NEPM Schedule B(3).
TRH - Semivolatile Fraction	EP071-EM	SOIL	In house: Referenced to USEPA SW 846 - 8015A Sample extracts are analysed by Capillary GC/FID and quantified against alkane standards over the range C10 - C40.
Volatile Organic Compounds - Ultra-trace	EP074-UT	SOIL	In house: Referenced to USEPA SW 846 - 8260 Extracts are analysed by Purge and Trap, Capillary GC/MS in partial SIM/Scan mode. Quantification is by comparison against an established multi-point calibration curves. This method is compliant with NEPM Schedule B(3).



Analytical Methods	Method	Matrix	Method Descriptions
Volatile Organic Compounds - Ultra-trace - Summations	EP074-UT-SUM	SOIL	Summation of MAHs and VHCs
Semivolatile Organic Compounds - Waste Classification	EP075-EM	SOIL	In house: Referenced to USEPA SW 846 - 8270 Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This technique is compliant with NEPM Schedule B(3).
SVOC - Waste Classification (Sums)	EP075-EM-SUM	SOIL	Summations for EP075 (EM variation)
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	SOIL	In-house: Analysis of soils by solvent extraction followed by LC-Electrospray-MS-MS, Negative Mode using MRM using internal standard quantitation. Isotopically labelled analogues of target analytes used as internal standards and surrogates are added to a portion of soil which is then extracted with MTBE and an ion pairing reagent. A portion of extract is exchanged into the analytical solvent mixture, combined with an equal volume reagent water and filtered for analysis. Method procedures and data quality objectives conform to US DoD QSM 5.3, table B-15 requirements.
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X-INJ	WATER	In house: Direct injection analysis of fresh waters after dilution (1:1) with mobile phase solvent. Analysis by LC-Electrospray-MS-MS, Negative Mode using MRM. Where commercially available, isotopically labelled analogues of the target analytes are used as internal standards for quantification. Where a labelled analogue is not commercially available, the internal standard with similar chemistry and the closest retention time to the target is used for quantification. The DQO for internal standard response is 50-150% of that established at initial calibration. PFOS is quantified using a certified, traceable standard consisting of linear and branched PFOS isomers.

Preparation Methods	Method	Matrix	Method Descriptions
NaOH leach for CN in Soils	CN-PR	SOIL	In house: APHA 4500 CN. Samples are extracted by end-over-end tumbling with NaOH.
pH in soil using a 0.01M CaCl <sub>2</sub> extract	EA001-PR	SOIL	In house: Referenced to Rayment and Lyons 4B1, 10 g of soil is mixed with 50 mL of 0.01M CaCl <sub>2</sub> and tumbled end over end for 1 hour. pH is measured from the continuous suspension. This method is compliant with NEPM Schedule B(3).
Alkaline digestion for Hexavalent Chromium	EG048PR	SOIL	In house: Referenced to USEPA SW846, Method 3060A.
Total Fluoride	EK040T-PR	SOIL	In house: Samples are fused with Sodium Carbonate / Potassium Carbonate flux.
ASLP for Non & Semivolatile Analytes - Plastic Leaching Vessel	EN60a-P	SOIL	In house QWI-EN/60 referenced to AS4439.3 Preparation of Leachates.
Deionised Water Leach - Plastic Leaching Vessel	EN60-DIa-P	SOIL	In house QWI-EN/60 referenced to AS4439.3 Preparation of Leachates
Hot Block Digest for metals in soils sediments and sludges	EN69	SOIL	In house: Referenced to USEPA 200.2. Hot Block Acid Digestion 1.0g of sample is heated with Nitric and Hydrochloric acids, then cooled. Peroxide is added and samples heated and cooled again before being filtered and bulked to volume for analysis. Digest is appropriate for determination of selected metals in sludge, sediments, and soils. This method is compliant with NEPM Schedule B(3).
Methanolic Extraction of Soils - Ultra-trace.	ORG16-UT	SOIL	In house: Referenced to USEPA SW 846 - 5030A. 5g of solid is shaken with surrogate and 10mL methanol prior to analysis by Purge and Trap - GC/MS.
Tumbler Extraction of Solids - VIC EPA Screen	ORG17-EM	SOIL	In house: Mechanical agitation (tumbler). 10g of sample, Na <sub>2</sub> SO <sub>4</sub> and surrogate are extracted with 30mL 1:1 DCM/Acetone by end over end tumble. The solvent is decanted, dehydrated and concentrated (by KD) to the desired volume for analysis.



<i>Preparation Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
QuEChERS Extraction of Solids	ORG71	SOIL	In house: Sequential extractions with Acetonitrile/Methanol by shaking. Extraction efficiency aided by the addition of salts under acidic conditions. Where relevant, interferences from co-extracted organics are removed with dispersive clean-up media (dSPE). The extract is either diluted or concentrated and exchanged into the analytical solvent.
Solid Phase Extraction (SPE) for PFAS in water	ORG72	SOIL	In-house: Isotopically labelled analogues of target analytes used as internal standards and surrogates are added to the sample container. The entire contents are transferred to a solid phase extraction (SPE) cartridge. The sample container is successively rinsed with aliquots of the elution solvent. The eluted extract is combined with an equal volume of reagent water and a portion is filtered for analysis. Method procedures conform to US DoD QSM 5.3, table B-15 requirements.
Preparation for PFAS in water.	EP231-PR	WATER	Method presumes direct injection without workup. Preparation includes addition of internal standard and surrogate, and filtration prior to analysis.