

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	C05.0220220518114101_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
--------------------------------	-------------------------	--

1. Motherhub Summary

Source TBM/Bin at Pivot	2	Source Geological Domain	2
Approx. Source Tunnel Chainage From	175	Approx. Source Tunnel Chainage To	179
Approx. Rings From	76	Approx. Rings To	77
Foaming Agent	TamSoil 287AC	Water Source	Potable (City West Water)
For BSF Holding Bay No:	C05.02	Start of Filling From (Time / date)	01/05/2022
Tonnes Put in Holding Bay No:	8710.52	Finish of Filling (Time / Date)	03/05/2022
Classified Volume (LCM)	4000	Spoil Classification Decision	NPIW Containment
Sampling Ratio (samples per LCM)	1 : 148.15	Approx. Bank Cubic Meters (BCM)	764.54

2. Agon Spoil Classification Decision

Spoil Categorisation Decision (State Yes or No in each Row)	
NPIW Containment - 2020/476 (SO 9042848)	Yes
NPIW Landfill - 2019/404 (SO 9038429)	Yes
PIW-Category C - 2019/405 (SO 9038560)	No
PIW-Category B - 2019/406 (SO 9038561)	No
PIW-Category A	No

3. Agon Spoil Classification Assessment

3.1 Applicable Samples

Table 3.1 - 1 lists the applicable sample numbers for this spoil. These have been determined from:

- The date / time bay filling was started
- The date / time bay filling was finished
- The ID of the first truck that deposited spoil in the bay and the date / time that it was filled at Pivot
- The ID of the last truck that deposited spoil in the bay and the date / time it was filled at Pivot
- The sample ID that was associated with the first truck – noting that a time window to be associated with each sample is half the time interval between its sampling time and the time of the preceding and the following samples. For example, if samples were collected at 8am, noon and 4 pm, the time window for the noon sample is between 10 am and 2 pm. That is this sample “belongs” to all truck loaded in this time window

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	C05.0220220518114101_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
--------------------------------	-------------------------	--

Table 3.1 - Applicable Sample ID's

Table 3.1 - 1 Applicable Sample ID's

Applicable Spoil Sample ID's		
SX_IB_20220501_19_58_SS_Primary_ALS	SX_IB_20220502_08_19_SS_Primary_EUF	SX_IB_20220502_23_56_SS_Primary_EUF
SX_IB_20220501_23_52_SS_Primary_EUF	SX_IB_20220502_08_30_SS_Primary_EUF	SX_IB_20220503_03_44_SS_Primary_ALS
SX_IB_20220501_23_56_SS_Primary_ALS	SX_IB_20220502_08_31_SS_Primary_ALS	SX_IB_20220503_03_55_SS_Primary_EUF
SX_IB_20220501_23_58_SS_Primary_EUF	SX_IB_20220502_12_53_SS_Primary_ALS	SX_IB_20220503_07_56_SS_Primary_ALS
SX_IB_20220502_03_56_SS_Primary_EUF	SX_IB_20220502_16_29_SS_Primary_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS
SX_IB_20220502_04_06_SS_Primary_ALS	SX_IB_20220502_16_44_SS_Primary_ALS	SX_IB_20220503_07_59_SS_Triplicate_EUF
SX_IB_20220502_08_11_SS_Primary_ALS	SX_IB_20220502_19_45_SS_Primary_EUF	SX_IB_20220503_08_04_SS_Primary_EUF
SX_IB_20220502_08_15_SS_Duplicate_ALS	SX_IB_20220502_19_49_SS_Primary_ALS	SX_IB_20220503_12_06_SS_Primary_ALS
SX_IB_20220502_08_15_SS_Triplicate_EUF	SX_IB_20220502_23_51_SS_Primary_ALS	SX_IB_20220503_12_15_SS_Primary_EUF
Total Sample Numbers	27	Ratio Acceptable
Primary Sample Numbers	23	Yes Ratio used for categorisation of spoil is 1 : 173.91 Primary samples to LCM. (see section 4)
Classified Volume (LCM)	4000 m ³	
Volume: Sample Number Ratio (Samples per LCM)	1 : 148.15	

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	C05.0220220518114101_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

3.2 Data Quality Compliance with SAQP

Table 3.2-1 evaluates the compliance of the data quality for this spoil – by reference to the criteria in the SAQP (Yes / No).

Table 3.2 - 1 Evaluation of Quality of Data for this Spoil

DQI	Field Consideration	Laboratory Consideration	Overall Data Quality Acceptability
Precision	Yes	Yes	Yes
Accuracy	Yes	Yes	Yes
Representativeness	Yes	Yes	Yes
Completeness	Yes	Yes	Yes
Comparability	Yes	Yes	Yes

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	C05.0220220518114101_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
--------------------------------	-------------------------	--

3.3 Selection of the Spoil Sample Testing Regime

Table 3.3 - 1 Selection of the Spoil Sample Testing Regime

	(State Yes or No in each Row)
<p>A. Is testing all spoil samples taken required for spoil in this Holding Bay, because prior to this Holding Bay, less than 10 Holding Bays of spoil have been tested from this Domain</p> <p>If the answer is Yes, go to E. If the answer is No, go to B.</p>	Yes
<p>B. If the answer to A is No (i.e., 10 or more Holding Bays of spoil have been tested from this Domain), do trends in the maximum data values from the previous 10 bays indicate that results are trending at <75% of the containment criteria?</p> <p>If the answer is Yes, go to C. If the answer is No, go to D.</p>	NA
<p>C. If the answer to B is Yes, then was testing of spoil for this Holding Bay reduced to two primary samples per bay plus QC samples (Minimum Testing Regime) as allowed by the SAQP (See SAQP Section 6.2.7)?</p>	NA
<p>D. If the answer to B is No, then was the default testing regime implemented for all samples collected for the spoil in this Holding Bay (as required by the SAQP)?</p>	NA
<p>E. Based on the answers to Questions A to D above, was the default testing regime (as defined in the SAQP) applied to the spoil in this Holding Bay?</p>	Yes
<p>F. Based on the answers to Questions A to D above, was the Minimum testing Regime (as defined in the SAQP) applied to the spoil in this Holding Bay?</p>	No

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	C05.0220220518114101_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
--------------------------------	-------------------------	--

3.4 Spoil Compliance with SAQP Criteria for Containment Cell

Table 3.4 - 1 Spoil Compliance with SAQP Criteria for Containment Cell

Need for IWRG 621.1 or 655.1 Testing	
A. Is Spoil in this Holding Bay from a Zone of Exception or Anomalous and required testing for IWRG 621.1?	Yes
B. Is IWRG 621.1 testing required for spoil in this Holding Bay, because prior to this Holding Bay, less than 10 Holding Bays of spoil have been tested from this Domain?	Yes
C. Is IWRG 621.1 testing required for spoil in this Holding Bay, because the moving 95% UCL values for the previous 10 consecutive Holding Bays of spoil from this Domain are not below TC0?	No
D. Is testing pursuant to IWRG 655.1 required for spoil in this Holding Bay, because the spoil comes from Exception Zone 3 (See SAQP Section 5.4)?	No
E. Has spoil testing for IWRG 621.1 Parameters been triggered by results of spoil water tests for previous Holding Bays of spoil from this geological domain?	No
Outcome from IWRG 621.1 testing (if needed)	
F. If Yes to one or more Questions A, B, C or E, (and not NOC< applicable background concentrations) then do test results for IWRG 621.1 (see Table 3.4-2) prohibit NPIW Containment as a spoil Classification Outcome? If no to all of Questions A, B, C and E, then respond NA to this question.	No
Outcome from IWRG 655.1 testing (if needed)	
G. If Yes to Questions D, then do test results for IWRG 655.1 (see Table 3.4-3) permit NPIW Containment as a spoil Classification Outcome? If no to Question D, respond NA to this question	NA
Outcome from PFAS Testing	
H. Do test results for PFAS (see Table 3.4-4 below) permit NPIW Containment as a spoil Classification Outcome?	Yes
<i>If Yes to either or both of Question E or F, then Spoil is Not Suitable for Containment; Go to Section 3.5. Otherwise, it is Suitable for Containment</i>	
Notes:	
1. Criteria taken from EPA Grandfathered Classifications for TBM Spoil (2020/476 (SO 9042848)), and from the EPA approved EMP for Hi Quality's Containment Cell	

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	C05.0220220518114101_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
--------------------------------	-------------------------	--

Table 3.4 - 2 IWRG 621.1 Parameter Concentration Statistics & Spoil Suitability for Containment

IWRG 621.1 Exceedance Test Results												
Chemical	Unit	LOR	No. of samples	No. of primary samples	Sample: LCM Ratio	No > LOR	Min	Mean	95% UCL on Mean	Max	Limiting Criteria for NPIW Containment	Comment
Arsenic	mg/kg	2	27	23*	1 : 173.91	23	22	33.74	37.49	58	20	NPIW-Containment - considered to be naturally occurring chemical, see comment 1 (Section 4)
Nickel	mg/kg	5	27	23*	1 : 173.91	23	111	173.7	191.8	280	60	NPIW-Containment - considered to be naturally occurring chemical, see comment 1 (Section 4)
Fluoride	mg/kg	100	27	23*	1 : 173.91	16	<100	260	N/A	830	450	NPIW-Containment - considered to be naturally occurring chemical, see comment 1 (Section 4)

“*” - Ratio used for categorisation of spoil is Primary samples to LCM due to spoil being from a zone of exception. (See Section 4)

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	C05.0220220518114101_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

Table 3.4 – 3 IWRG 655.1 (WASS) Parameter Concentration Statistics & Spoil Suitability for Containment

IWRG 655.1 Test Results											
Chemical	Unit	LOR	No. of primary samples	Sample: LCM Ratio	No > LOR	Min	Mean	95% UCL on Mean	Max	Limiting Criteria for NPIW Containment	Comment
pHF	pH									5	
pHFox	pH									5	
Delta pH										2	
%S	%									0.03%	
Mol H+ /tonne	Mol/tonne									18	

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	C05.0220220518114101_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
--------------------------------	-------------------------	--

Table 3.4 - 4 PFAS Parameter Concentrations & Spoil Suitability for Containment

PFAS Test Results											
Chemical	Unit	LOR	No. of Samples	No. of primary samples	No > LOR	Min	Mean	95% UCL on Mean	Max	Upper Limiting Criteria for NPIW Containment	Spoil Category for PFAS
Total PFAS Concentrations											
Total PFOS	ug/kg	5	27	23*	0	N/A	N/A	N/A	<5	N/A	NPIW-Containment
Total PFOA	ug/kg	5	27	23*	0	N/A	N/A	N/A	<5	N/A	NPIW-Containment
Total PFHxS	ug/kg	5	27	23*	0	N/A	N/A	N/A	<5	N/A	NPIW-Containment
ASLP (pH= 5) PFAS Concentrations											
PFOA	ug/L	0.01	27	23*	0	N/A	N/A	N/A	<0.01	56	NPIW-Containment
PFOS+PFHxS	ug/L	0.01	27	23*	0	N/A	N/A	N/A	<0.01	7	NPIW-Containment
ASLP (pH= 7) PFAS Concentrations											
PFOA	ug/L	0.01	27	23*	0	N/A	N/A	N/A	<0.01	56	NPIW-Containment
PFOS+PFHxS	ug/L	0.01	27	23*	0	N/A	N/A	N/A	<0.01	7	NPIW-Containment

“*” - Ratio used for categorisation of spoil is Primary samples to LCM due to spoil being from a zone of exception. (See Section 4)

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	C05.0220220518114101_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

3.5 Waste Classification for Spoil Not Suitable for Containment Cell

This Section 3.5 and the Tables 3.5-1 to 3.5-3 only apply if the spoil is classified in Section 3.4 as not suitable for the Containment Cell. If the spoil is classified in Section 3.4 as not suitable for the Containment Cell, then Tables 3.5-1 and 3.5-2 contain no data and no assessment.

Table 3.5 - 1 below contains the statistics for IWRG 621.1 Parameter concentrations, and Agon's assessment of their implications for the spoil waste category

Table 3.5 - 2 below contains the statistics for IWRG 655.1 Parameter concentrations, and Agon's assessment of their implications for the spoil waste category

Table 3.5 - 3 below contains the statistics for PFAS concentration, and Agon's assessment of their implications for the spoil waste category

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	C05.0220220518114101_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

Table 3.5 - 1 IWRG 621.1 Parameter Concentration Statistics & Waste Classifications

IWRG 621.1 Exceedance Test Results													
Chemical	Unit	LOR	No. of primary samples	Sample: LCM Ratio	No > LOR	Min	Mean	95% UCL on Mean	Max	Limiting Criteria for NPIW	Limiting Criteria for Cat C	Limiting Criteria for Cat B	Comment
Arsenic	mg/kg												
Copper	mg/kg												
Chromium (Hexavalent)	mg/kg												
Nickel	mg/kg												
Fluoride	mg/kg												

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	C05.0220220518114101_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

Table 3.5 – 2 IWRG 655.1 (WASS) Parameter Concentration Statistics & Waste Classification

IWRG 655.1 Test Results											
Chemical	Unit	LOR	No. of primary samples	Sample: LCM Ratio	No > LOR	Min	Mean	95% UCL on Mean	Max	Limiting Criteria for NPIW Containment	Comment
pHF	pH									5	
pHFox	pH									5	
Delta pH										2	
%S	%									0.03%	
Mol H+ /tonne	Mol/tonne									18	

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	C05.0220220518114101_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

Table 3.5 - 3 PFAS Parameter Concentrations and Waste Classifications

PFAS Test Results													
Chemical	Unit	LOR	No. of primary samples	No > LOR	Min	Mean	95% UCL on Mean	Max	Upper Limiting Criteria for NPIW Containment	Upper Limiting Criteria for NPIW Landfill	Upper Limiting Criteria for PIW Cat C	Upper Limiting Criteria for PIW Cat B	Spoil Category for PFAS
Total PFAS Concentrations													
Total PFOS	ug/kg												
Total PFOA	ug/kg												
Total PFHxS	ug/kg												
ASLP (pH= 5) PFAS Concentrations													
PFOA	ug/L												
PFOS+PFHxS	ug/L												
ASLP (pH= 7) PFAS Concentrations													
PFOA	ug/L												
PFOS+PFHxS	ug/L												

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	C05.0220220518114101_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

4. Comments and Limitations

Comments and Limitations	
1.	<p>Naturally Occurring Chemicals listed in IWRG 621.1 that are within the Background range despite being reported at concentrations that would otherwise categorise the material as PIW:</p> <ol style="list-style-type: none"> 1. Technical discussion around the naturally occurring metal concentrations found in soils beneath the WGTP is detailed in <i>Golder (2017b) – Technical Report B, Appendix E – Environmental characterisation of spoil (natural soil and rock)</i>. The report indicates that elevated metals (including arsenic, nickel, copper, chromium (CrVI), zinc and mercury) were considered to be associated with natural enrichment instead of anthropogenic contamination. <ol style="list-style-type: none"> a. Arsenic – <i>Golder (2017b) – Technical Report B, Appendix E section 6.2 Arsenic enrichment in the residual soil of the upper Older Volcanics (Tvo1)</i> found that while the soil of the upper Older Volcanics sub-unit contains arsenic, the arsenic is not characteristic of the wider sub unit (i.e the rock) or the lower sub-unit (soil or rock). The concentration of arsenic therefore appears to be related to the chemical and biological weather of the unit over time. This is further supported by: <ol style="list-style-type: none"> i. The residual soil of the sub-unit being characterised by iron-oxide staining and containing goethite. Goethite is an iron oxyhydroxide mineral, which can contain elevated concentrations of arsenic. <p>Golder therefore concluded that based on the broad vertical distribution of arsenic and the presence of arsenic throughout the greater project area, arsenic results in Upper Older Volcanics soil are not likely to be associated with anthropogenic contamination.</p> b. Nickel – <i>Golder (2017b) – Technical Report B, Appendix E section 6.3 Nickel enrichment within the upper Older Volcanics</i> found that <ol style="list-style-type: none"> i. Nickel is known to be enriched within olivine and pyroxene basalt minerals, leading to nickel enrichment of soils weathered from basalt (Martini and Chesworth, 2013). ii. The reported mean nickel concentrations within the Older Volcanics (Tvo) were comparable to results reported within soils derived from basalt in Auckland and basalt rock of Finland (ARC, 2001; Koljonen, 1992), Older Volcanics observed in the Melbourne Metro Project (Golder, 1026a) and Newer Volcanics basalt of the Westenra Plains (Birch, 2003). iii. Enriched nickel concentrations corresponded with enriched cobalt (all units) and iron (except tertiary volcanics (Tvo2) soil) indicating that the nickel is likely associated with geochemical enrichment rather than added contamination.

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	C05.0220220518114101_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

	<p style="margin-left: 40px;">iv. Enriched nickel concentrations also corresponded with enriched copper (Tvo2 soil and rock) and zinc (all units) indicating that the nickel is likely associated with geochemical enrichment rather than added contamination. Golder therefore concluded that the nickel is likely associated with geochemical enrichment rather than added contamination.</p> <p>The Golder study found that based on review of the depth, site history and the geochemical association of elements, the reported elevated concentrations of arsenic and nickel are considered representative of geogenic conditions and are not expected to be associated with contamination.</p> <p>2. Previous reviews of the presence of Fluoride in soil data outlined on the SAQP (Rev 5) were undertaken by AJJV (2019). The AJJV review of the consolidated data set identified:</p> <p style="margin-left: 40px;">Samples which reported elevated fluoride concentrations were found to be within the range the ambient background from the parent or similar material in the Victorian Soil Database:</p> <ul style="list-style-type: none"> i. Newer Volcanics Group – Maximum 820 mg/kg ii. Older Volcanics – Maximum 600 mg/kg iii. Sub-Basaltic Alluvium – Maximum 240 mg/kg <p style="margin-left: 40px;">In addition, the 95% UCLs calculated for Newer Volcanics Group and Older Volcanics, was 322.7 mg/kg and 225.1 mg/kg respectively, both of these values are below the 450mg/kg upper limit for spoil to be disposed of to the containment cell.</p> <p>A review of the Agon data for spoil reported in this data set shows:</p> <ul style="list-style-type: none"> • A similar ratio of test results > LOR compared to the overall data set; • If a ½ LOR is substituted for results reported as <LOR (of 100mg/kg), then like the AJJV 95% UCL, the calculation is less than the 450mg/kg upper limit for spoil to be disposed of to the containment cell. <p>The results also show that there are no synthetic compounds reported above the laboratory LOR, another indication that anthropogenic contamination is not present.</p>
2.	Test result outcomes can lead to two classification possibilities; however, the classification decision follows the preference of the waste management hierarchy.
3.	Spoil is from a “Zone of Exception”. Zone of exception applies a sampling ratio of only Primary Samples to LCM to categorise spoil as per the SAQP revision 5. Sample to categorised volume ratio in zones of exception is to be as per IWRG702 with 1 primary spoil sample categorising a maximum 250 m3 of spoil.
4.	Loose Cubic metres (LCM) to mass (tonnes) conversion ratio used is 1 LCM:1.6 tonnes

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	C05.0220220518114101_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

5.	This report has been prepared in accordance with industry recognised standards and procedures current at the time of the work. The report presents the results of the assessment based on the quoted scope of works (unless otherwise agreed in writing) for the specific purposes of the engagement by the Client. No warranties expressed or implied, are offered to any third parties and no liability will be accepted for use of this report by third parties.
6.	All information provided by third parties has been assumed to be correct and complete. Agon does not assume any liability for misrepresentation of information by third parties or for matters not visible, accessible or present on the subject site.
7.	Opinions and judgements expressed herein are based on Agon's understanding of current regulatory standards and should not be construed as legal opinions. No responsibility is accepted for use of any part of this report in any other context or for any other purpose or by third parties other than those listed above.
8.	This report should be read in full.

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	C05.0220220518114101_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

5. Attachments

ATTACHMENT A: TABULATED RESULTS

ATTACHMENT B: 95% UCL AVE CALCULATIONS

ATTACHMENT C: LABORATORY CERTIFICATES

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	C05.0220220518114101_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

ATTACHMENT A: TABULATED RESULTS

								Metals								
								Arsenic	Cadmium	Copper	Chromium (III+VI)	Chromium (hexavalent)	Lead	Mercury	Molybdenum	Nickel
								mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS	EM2207989002	3/05/2022	EM2207989	ALSE-Melbourne	Field_D	EM2207989001	27	<1	54	81	<1.0	<5	<0.1	<5	142
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS	EM2207989017	3/05/2022	EM2207989	ALSE-Melbourne	Field_D	EM2207989016									
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	M22-My0007222	5/03/2022	884937	MGT	Interlab_D	EM2207989001	25	<0.4	62	130	<1	5.6	<0.1	<5	200
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	M22-My0007233	5/03/2022	884937	MGT	Interlab_D	EM2207989001									
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	M22-My0007244	5/03/2022	884937	MGT	Interlab_D	EM2207989016									
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF	M22-My0007223	5/03/2022	884937	MGT	Normal		50	<0.4	90	170	<1	5.6	<0.1	<5	280
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF	M22-My0007234	5/03/2022	884937	MGT	Normal										
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF	M22-My0007245	5/03/2022	884937	MGT	Normal										
C05.02	SX_IB_20220503_12_06_SS_Primary_ALS	EM2207989004	3/05/2022	EM2207989	ALSE-Melbourne	Normal		34	<1	53	94	<1.0	<5	<0.1	<5	152
C05.02	SX_IB_20220503_12_06_SS_Primary_ALS	EM2207989019	3/05/2022	EM2207989	ALSE-Melbourne	Normal										
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF	M22-My0007224	5/03/2022	884937	MGT	Normal		38	<0.4	78	150	<1	6.4	<0.1	<5	200
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF	M22-My0007235	5/03/2022	884937	MGT	Normal										
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF	M22-My0007246	5/03/2022	884937	MGT	Normal										

		PAH																					
		Selenium	Silver	Tin	Zinc	PAHs (Vic EPA List)	Benzo(b+j)fluoranthene	Acenaphthene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benzo(a)pyrene TEQ calc (Zero)	Benzo(a)pyrene TEQ (LOR)	Benzo(a)pyrene TEQ calc (Half)	Benzo(a)pyrene	Benzo(b+j)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-c,d)pyrene
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS	<5	<2	<10	105	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS																						
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	<2	<2	<10	150			<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF																						
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF																						
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF	<2	<2	<10	190			<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF																						
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF																						
C05.02	SX_IB_20220503_12_06_SS_Primary_ALS	<5	<2	<10	102	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
C05.02	SX_IB_20220503_12_06_SS_Primary_ALS																						
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF	<2	<2	<10	160			<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF																						
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF																						

		BTEX									TRH						TPH					
		Naphthalene mg/kg	Phenanthrene mg/kg	Pyrene mg/kg	PAHs (Sum of total) mg/kg	Benzene mg/kg	Ethylbenzene mg/kg	Toluene mg/kg	Xylene (o) mg/kg	Xylene (m & p) mg/kg	Xylene Total mg/kg	C6-C10 mg/kg	C6-C10 (F1 minus BTEX) mg/kg	C10-C16 mg/kg	C10-C16 (F2 minus Naphthalene) mg/kg	C16-C34 mg/kg	C34-C40 mg/kg	C10-C40 (Sum of total) mg/kg	C6-C9 mg/kg	C10-C14 mg/kg	C15-C28 mg/kg	C29-C36 mg/kg
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS	<0.5	<0.5	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50	<100	<100	<50
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS																					
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<20	<20	<50	<50	<100	<100	<100	<20	<20	<50	<50	<50
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF																					
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF																					
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<20	<20	<50	<50	<100	<100	<100	<20	<20	<50	<50	<50
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF																					
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF																					
C05.02	SX_IB_20220503_12_06_SS_Primary_ALS	<0.5	<0.5	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50	<100	<100	<50
C05.02	SX_IB_20220503_12_06_SS_Primary_ALS																					
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<20	<20	<50	<50	<100	<100	<100	<20	<20	<50	<50	<50
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF																					
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF																					

		Organochlorine Pesticides																						
		Aldrin	Dieldrin	Aldrin + Dieldrin	DDD	DDT	4,4-DDE	DDT+DDE+DDD	Endosulfan I	Endosulfan II	Endrin	Endrin ketone	Endrin aldehyde	Endosulfan sulphate	Chlordane	Chlordane (cis)	Chlordane (trans)	Hexachlorobenzene	Heptachlor	Heptachlor epoxide	α-BHC	β-BHC	γ-BHC	
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS	<0.05	<0.05	<0.30	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.10	<0.03	<0.03	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS																							
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1			<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF																							
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF																							
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1			<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF																							
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF																							
C05.02	SX_IB_20220503_12_06_SS_Primary_ALS	<0.05	<0.05	<0.30	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.10	<0.03	<0.03	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
C05.02	SX_IB_20220503_12_06_SS_Primary_ALS																							
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1			<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF																							
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF																							

		Phenols																						
		γ-BHC (Lindane)	Methoxychlor	Toxaphene	Organochlorine pesticides EPA Vc	Other organochlorine pesticides EPA Vc	2-Chlorophenol	2,4-Dichlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,6-Dichlorophenol	4-chloro-3-methylphenol	Pentachlorophenol	2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4,6-Dinitro-2-methylphenol	Tetrachlorophenols	2,3,5,6-Tetrachlorophenol	Cresol Total	4,6-Dinitro-o-cyclohexyl phenol	Phenols (halogenated) EPA Vc	Phenols (non-halogenated) EPA Vc	2,4-Dimethylphenol	2-Methylphenol	
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS	<0.05	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03			<1.00	<20		<1	<1
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS																							
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10		<0.5	<20			<0.5	<0.2	
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF																							
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF																							
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10		<0.5	<20			<0.5	<0.2	
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF																							
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF																							
C05.02	SX_IB_20220503_12_06_SS_Primary_ALS	<0.05	<0.05		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03		<20	<1.00	<20	<1	<1	
C05.02	SX_IB_20220503_12_06_SS_Primary_ALS																							
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF	<0.05	<0.05	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10		<0.5	<20			<0.5	<0.2	
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF																							
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF																							

		2-Nitrophenol	2,4-Dinitrophenol	3&4-Methylphenol (m&p-cresol)	4-Nitrophenol	Dinoseb	Phenol	Phenols (Total Halogenated)	Phenols (Total Non Halogenated)	10:2 Fluorotelomer sulfonic acid (10:2 FTS)	8:2 Fluorotelomer sulfonic acid (8:2 FTS)	6:2 Fluorotelomer sulfonic acid (6:2 FTS)	4:2 Fluorotelomer sulfonic acid (4:2 FTS)	N-Ethyl perfluorooctane sulfonamide (NEFOSA)	N-ethyl-perfluorooctanesulfonamide (NEFOSAA)	N-ethylperfluorooctanesulfonamideethanol (NEFOSE)
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/L mg/kg	mg/L mg/kg	mg/L mg/kg	mg/L mg/kg	mg/L mg/kg	mg/L mg/kg	mg/L mg/kg
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS	<1	<5	<1	<5	<20	<1			<0.00005 <0.0050	<0.00005 <0.0050	<0.00005 <0.0100	<0.00005 <0.0050	<0.00005 <0.0050	<0.00005 <0.0100	<0.00005 <0.0050
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS									<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	<1	<5	<0.4	<5	<20	<0.5	<1	<20		<0.005	<0.005	<0.01	<0.005	<0.005	<0.01
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF									<0.00001	<0.00001	<0.00005	<0.00001	<0.00005	<0.00005	<0.00005
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF									<0.00001	<0.00001	<0.00005	<0.00001	<0.00005	<0.00005	<0.00005
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF	<1	<5	<0.4	<5	<20	<0.5	<1	<20		<0.005	<0.005	<0.01	<0.005	<0.005	<0.01
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF									<0.00001	<0.00001	<0.00005	<0.00001	<0.00005	<0.00005	<0.00005
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF									<0.00001	<0.00001	<0.00005	<0.00001	<0.00005	<0.00005	<0.00005
C05.02	SX_IB_20220503_12_06_SS_Primary_ALS	<1	<5	<1	<5	<20	<1			<0.00005 <0.0050	<0.00005 <0.0050	<0.00005 <0.0100	<0.00005 <0.0050	<0.00005 <0.0050	<0.00005 <0.0100	<0.00005 <0.0050
C05.02	SX_IB_20220503_12_06_SS_Primary_ALS									<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF	<1	<5	<0.4	<5	<20	<0.5	<1	<20		<0.005	<0.005	<0.01	<0.005	<0.005	<0.01
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF									<0.00001	<0.00001	<0.00005	<0.00001	<0.00005	<0.00005	<0.00005
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF									<0.00001	<0.00001	<0.00005	<0.00001	<0.00005	<0.00005	<0.00005

PFOS/PFOA

		N-Methyl perfluorooctane sulfonamide (NMeFOSA)		N-methylperfluorooctane sulfonamidoacetic acid (NMeFOSA-AA)		N-Methylperfluorooctanesulfonamidoethanol (NMeFOSE)		Perfluorobutanoic acid (PFBA)		Perfluorobutane sulfonic acid (PFBS)		Perfluorodecanoic acid (PFDA)		Perfluorododecanoic acid (PFDoDA)		Perfluorodecanesulfonic acid (PFDS)		Perfluoroheptanoic acid (PFHpA)		Perfluoroheptane sulfonic acid (PFHpS)		Perfluorohexanoic acid (PFHxA)	
		mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.0001	<0.005	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS	<0.00005		<0.00005		<0.00005		<0.0001		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002	
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF		<0.005		<0.01		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001	
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001	
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF		<0.005		<0.01		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF	<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001	
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF	<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001	
C05.02	SX_IB_20220503_12_06_SS_Primary_ALS	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.0001	<0.005	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050
C05.02	SX_IB_20220503_12_06_SS_Primary_ALS	<0.00005		<0.00005		<0.00005		<0.0001		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002	
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF		<0.005		<0.01		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF	<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001	
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF	<0.00005		<0.00005		<0.00005		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001	

		Perfluorononanoic acid (PFNA)		Perfluorononanesulfonic acid (PFNS)(trace)		Perfluorooctanoic acid (PFOA)		Perfluorooctane sulfonamide (PFOSA)		Perfluoropentanoic acid (PFPeA)		Perfluoropentane sulfonic acid (PFPeS)		Perfluoropropanesulfonic acid (PFPrS)		Perfluorotetradecanoic acid (PFTeDA)		Perfluorotridecanoic acid (PFTrDA)		Perfluoroundecanoic acid (PFUnDA)		Perfluorooctanesulfonic acid (PFOS)	
		mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS	<0.00002	<0.0050			<0.00001	<0.0050	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050			<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS	<0.00002				<0.00001		<0.00005		<0.00002		<0.00002				<0.00005		<0.00002		<0.00002		<0.00001	
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	<0.00001		<0.00001		<0.00001		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001	
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	0.00001		<0.00001		<0.00001		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001	
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF	<0.00001		<0.00001		<0.00001		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001	
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF	0.00002		<0.00001		<0.00001		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001	
C05.02	SX_IB_20220503_12_06_SS_Primary_ALS	<0.00002	<0.0050			<0.00001	<0.0050	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050			<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050
C05.02	SX_IB_20220503_12_06_SS_Primary_ALS	<0.00002				<0.00001		<0.00005		<0.00002		<0.00002				<0.00005		<0.00002		<0.00002		<0.00001	
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005		<0.005
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF	<0.00001		<0.00001		<0.00001		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001	
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF	0.00002		<0.00001		<0.00001		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001	

		Perfluorohexane sulfonic acid (PFHxS)		Sum of PFHxS and PFOS		Sum of US EPA PFAS (PFOS + PFOA)*		Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*		Sum of PFAS		1,1-dichloroethane	1,1-dichloroethene	1,2,3-trichloropropane	1,2-dichloroethane	1,2-dichloropropane	1,3-dichloropropane	Bromochloromethane	1,1,1,2-tetrachloroethane	Bromodichloromethane	1,1,1-trichloroethane	Chloroform	1,1,2,2-tetrachloroethane	
		mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS	<0.00001	<0.0050	<0.00001	<0.0050					<0.00010	<0.0500		<0.50		<0.50				<0.50		<0.50	<0.50	<0.50	<0.50
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS	<0.00001		<0.00001						<0.00010														
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF		<0.005		<0.005		<0.005		<0.005		<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	<0.00001		<0.00001		<0.00001		<0.00001		<0.0001														
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	<0.00001		<0.00001		<0.00001		<0.00001		<0.0001														
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF		<0.005		<0.005		<0.005		<0.005		<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF	<0.00001		<0.00001		<0.00001		<0.00001		<0.0001														
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF	<0.00001		<0.00001		<0.00001		<0.00001		<0.0001														
C05.02	SX_IB_20220503_12_06_SS_Primary_ALS	<0.00001	<0.0050	<0.00001	<0.0050					<0.00010	<0.0500		<0.50		<0.50				<0.50		<0.50	<0.50	<0.50	<0.50
C05.02	SX_IB_20220503_12_06_SS_Primary_ALS	<0.00001		<0.00001						<0.00010														
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF		<0.005		<0.005		<0.005		<0.005		<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF	<0.00001		<0.00001		<0.00001		<0.00001		<0.0001														
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF	<0.00001		<0.00001		<0.00001		<0.00001		<0.0001														

		Chlorinated Hydrocarbons																	NA				
		Chloromethane	cis-1,3-dichloropropene	Dibromomethane	Dichloromethane	Hexachlorobutadiene	Other chlorinated hydrocarbons EPAVic	Trichloroethene	Chlorinated hydrocarbons EPAVic	cis-1,2-dichloroethene	1,1,2-trichloroethane	trans-1,3-dichloropropene	Vinyl chloride	Bromoform	Carbon tetrachloride	Chlorodibromomethane	Chloroethane	trans-1,2-dichloroethene	Tetrachloroethene	Sum of WA DWER PFAS (n=10)*	Moisture Content	Arochlor 1232	
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	UG/KG	µg/L	%	mg/kg
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS				<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<10.0	<0.05	30.6	
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS																			<0.05			
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10			<0.1
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF																			<0.05			
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF																			<0.05			
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10			<0.1
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF																			<0.05			
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF																			<0.05			
C05.02	SX_IB_20220503_12_06_SS_Primary_ALS				<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<10.0	<0.05	29.7	
C05.02	SX_IB_20220503_12_06_SS_Primary_ALS																			<0.05			
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10			<0.1
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF																			<0.05			
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF																			<0.05			

		PCBs						Inorganics							Halogenated Benzenes								
		Arochlor 1242	Arochlor 1248	Arochlor 1254	Arochlor 1221	Arochlor 1260	Arochlor 1016	PCBs (Sum of total)	pH (after HCL)	pH (Final)	pH (Initial)	pH of Leaching Fluid	pH (aqueous extract)	Fluoride	Moisture Content (dried @ 103°C)	Cyanide Total	1,2,4-trichlorobenzene	1,2-dichlorobenzene	1,3-dichlorobenzene	1,4-dichlorobenzene	Bromobenzene	4-chlorotoluene	Chlorobenzene
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	-	-	-	-	-	mg/kg	%	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS						<0.1	1.4	5.2	9.6	5.0	-	180		<5	<0.50	<0.50		<0.50			<0.50	
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS								10.1														
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1				9.7	<100	31	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF								5.3		5.1												
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF								8.4		6.4												
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1				8.5	<100	29	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF								5.1		5.1												
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF								8.8		6.4												
C05.02	SX_IB_20220503_12_06_SS_Primary_ALS						<0.1	1.4	5.1	9.2	5.0		140		<5	<0.50	<0.50		<0.50			<0.50	
C05.02	SX_IB_20220503_12_06_SS_Primary_ALS								9.5														
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1				9.7	<100	34	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF								5.1		5.1												
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF								9.3		6.4												

		Halogenated Hydrocarbons					MAH					Solvents					SPOCAS	
		Iodomethane mg/kg	Bromomethane mg/kg	1,2-dibromoethane mg/kg	Dichlorodifluoromethane mg/kg	Trichlorofluoromethane mg/kg	Total MAH mg/kg	Monocyclic aromatic hydrocarbons EPAV/c mg/kg	1,3,5-trimethylbenzene mg/kg	Styrene mg/kg	Isopropylbenzene mg/kg	1,2,4-trimethylbenzene mg/kg	4-Methyl-2-pentanone mg/kg	Acetone mg/kg	Allyl chloride mg/kg	Carbon disulfide mg/kg	Methyl Ethyl Ketone mg/kg	pH (CaCl2)
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS						<0.5		<0.5									8.8
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS																	
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF																	
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF																	
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF																	
C05.02	SX_IB_20220503_08_04_SS_Primary_EUF																	
C05.02	SX_IB_20220503_12_06_SS_Primary_ALS						<0.5		<0.5									7.8
C05.02	SX_IB_20220503_12_06_SS_Primary_ALS																	
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF	<0.5	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF																	
C05.02	SX_IB_20220503_12_15_SS_Primary_EUF																	

							Metals										
							Arsenic	Cadmium	Copper	Chromium (III+VI)	Chromium (hexavalent)	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver
							mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
C07.02	SX_OB_20220503_00_07_SS_Triplicate_EUF	3/05/2022	884546	MGT	Interlab_D	EM2207892011											
RPD																	
C07.02	SX_OB_20220503_00_00_SS_Primary_ALS	3/05/2022	EM2207892	ALSE-Melbourne	Normal												
C07.02	SX_OB_20220503_00_06_SS_Duplicate_ALS	3/05/2022	EM2207892	ALSE-Melbourne	Field_D	EM2207892026											
RPD																	
C07.02	SX_OB_20220503_00_00_SS_Primary_ALS	3/05/2022	EM2207892	ALSE-Melbourne	Normal												
C07.02	SX_OB_20220503_00_07_SS_Triplicate_EUF	3/05/2022	884546	MGT	Interlab_D	EM2207892026											
RPD																	
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS	3/05/2022	EM2207989	ALSE-Melbourne	Normal		20	<1	50	70	<1.0	<5	<0.1	<5	132	<5	<2
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS	3/05/2022	EM2207989	ALSE-Melbourne	Field_D	EM2207989001	27	<1	54	81	<1.0	<5	<0.1	<5	142	<5	<2
RPD							30	0	8	15	0	0	0	0	7	0	0
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS	3/05/2022	EM2207989	ALSE-Melbourne	Normal		20	<1	50	70	<1.0	<5	<0.1	<5	132	<5	<2
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	5/03/2022	884937	MGT	Interlab_D	EM2207989001	25	<0.4	62	130	<1	5.6	<0.1	<5	200	<2	<2
RPD							22	0	21	60	0	11	0	0	41	0	0
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS	3/05/2022	EM2207989	ALSE-Melbourne	Normal		20	<1	50	70	<1.0	<5	<0.1	<5	132	<5	<2
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	5/03/2022	884937	MGT	Interlab_D	EM2207989001											
RPD																	
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS	3/05/2022	EM2207989	ALSE-Melbourne	Normal												
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS	3/05/2022	EM2207989	ALSE-Melbourne	Field_D	EM2207989016											
RPD																	
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS	3/05/2022	EM2207989	ALSE-Melbourne	Normal												
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	5/03/2022	884937	MGT	Interlab_D	EM2207989016											
RPD																	

*RPDs have only been considered where a concentration is greater than 1 times the EQL.

**Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for each EQL multiplier range are: 81 (1 - 10 x EQL); 50 (10 - 30 x EQL); 30 (> 30 x EQL))

***Interlab Duplicates are matched on a per compound basis as methods vary between laboratories. Any methods in the row header relate to those used in the primary laboratory

		PAH																					
		Tin	Zinc	PAHs (Vic EPA List)	Benzo(b+j+k)fluoranthene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene TEQ calc (Zero)	Benzo(a)pyrene TEQ (LOR)	Benzo(a)pyrene TEQ calc (Half)	Benzo(a)pyrene	Benzo(b+j)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
C07.02	SX_OB_20220503_00_07_SS_Triplicate_EUF																						
	RPD																						
C07.02	SX_OB_20220503_00_00_SS_Primary_ALS																						
C07.02	SX_OB_20220503_00_06_SS_Duplicate_ALS																						
	RPD																						
C07.02	SX_OB_20220503_00_00_SS_Primary_ALS																						
C07.02	SX_OB_20220503_00_07_SS_Triplicate_EUF																						
	RPD																						
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS	<10	97	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS	<10	105	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	RPD	0	8	0	0	0	0	0	0	0	0	0	0		0		0	0	0	0	0	0	0
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS	<10	97	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	<10	150			<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	RPD	0	43			0	0	0	0	0	0	0	0		0		0	0	0	0	0	0	0
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS	<10	97	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	0.6	<0.5		<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF																						
	RPD																						
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS																						
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS																						
	RPD																						
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS																						
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF																						
	RPD																						

*RPDs have only been considered where a concentration is greater than 1 times th

**Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for

***Interlab Duplicates are matched on a per compound basis as methods vary bet

		BTEX							TRH						TPH								
		Pyrene	PAHs (Sum of total)	Benzene	Ethylbenzene	Toluene	Xylene (o)	Xylene (m & p)	Xylene Total	C6-C10	C6-C10 (F1 minus BTEX)	C10-C16	C10-C16 (F2 minus Naphthalene)	C16-C34	C34-C40	C10-C40 (Sum of total)	C6-C9	C10-C14	C15-C28	C29-C36	H-C10-C36 (Sum of total)	Aldrin	Dieldrin
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
EQL		0.5	0.5	0.1	0.1	0.1	0.1	0.2	0.3	20	20	50	50	100	100	50	20	20	50	50	50	0.05	0.05
Location Code	Field ID																						
C04.02	SX_IB_20220503_15_59_SS_Primary_EUF	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20	<50	<50	<50	<0.05	<0.05
C04.02	SX_IB_20220503_16_00_SS_Duplicate_EUF	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20	<50	<50	<50	<0.05	<0.05
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C07.02	SX_OB_20220430_15_58_SS_Primary_EUF	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20	<50	<50	<50	<0.05	<0.05
C07.02	SX_OB_20220430_15_58_SS_Duplicate_EUF	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20	<50	<50	<50	<0.05	<0.05
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

		BTEX							TRH							TPH					Aldrin	Dieldrin	
		Pyrene	PAHs (Sum of total)	Benzene	Ethylbenzene	Toluene	Xylene (o)	Xylene (m & p)	Xylene Total	C6-C10	C6-C10 (F1 minus BTEX)	C10-C16	C10-C16 (F2 minus Naphthalene)	C16-C34	C34-C40	C10-C40 (Sum of total)	C6-C9	C10-C14	C15-C28	C29-C36			C10-C36 (Sum of total)
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
C07.02	SX_OB_20220503_00_07_SS_Triplicate_EUF																						
	RPD																						
C07.02	SX_OB_20220503_00_00_SS_Primary_ALS																						
C07.02	SX_OB_20220503_00_06_SS_Duplicate_ALS																						
	RPD																						
C07.02	SX_OB_20220503_00_00_SS_Primary_ALS																						
C07.02	SX_OB_20220503_00_07_SS_Triplicate_EUF																						
	RPD																						
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50	<100	<100	<50	<0.05	<0.05
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50	<100	<100	<50	<0.05	<0.05
	RPD	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50	<100	<100	<50	<0.05	<0.05
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1	<0.2	<0.3	<20	<20	<50	<50	<100	<100	<100	<20	<20	<50	<50	<50	<0.05	<0.05
	RPD	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS	<0.5		<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<20	<20	<50	<50	<100	<100	<50	<20	<50	<100	<100	<50	<0.05	<0.05
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF																						
	RPD																						
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS																						
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS																						
	RPD																						
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS																						
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF																						
	RPD																						

*RPDs have only been considered where a concentration is greater than 1 times th

**Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for

***Interlab Duplicates are matched on a per compound basis as methods vary bet

		Organochlorine Pesticides																					
		Aldrin + Dieldrin	DDD	DDT	4,4-DDE	DDT+DDE+DDD	Endosulfan I	Endosulfan II	Endrin	Endrin ketone	Endrin aldehyde	Endosulfan sulphate	Chlordane	Chlordane (cis)	Chlordane (trans)	Hexachlorobenzene	Heptachlor	Heptachlor epoxide	α-BHC	β-BHC	γ-BHC	γ-BHC (Lindane)	Methoxychlor
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
C07.02	SX_OB_20220503_00_07_SS_Triplicate_EUF																						
RPD																							
C07.02	SX_OB_20220503_00_00_SS_Primary_ALS																						
C07.02	SX_OB_20220503_00_06_SS_Duplicate_ALS																						
RPD																							
C07.02	SX_OB_20220503_00_00_SS_Primary_ALS																						
C07.02	SX_OB_20220503_00_07_SS_Triplicate_EUF																						
RPD																							
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS	<0.30	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.10	<0.03	<0.03	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS	<0.30	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.10	<0.03	<0.03	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS	<0.30	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.10	<0.03	<0.03	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1			<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS	<0.30	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.10	<0.03	<0.03	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF																						
RPD																							
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS																						
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS																						
RPD																							
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS																						
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF																						
RPD																							

*RPDs have only been considered where a concentration is greater than 1 times th
 **Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for
 ***Interlab Duplicates are matched on a per compound basis as methods vary bet

		Phenols																						
		Toxaphene	Organochlorine pesticides EPAV/C	Other organochlorine pesticides EPAV/C	2-Chlorophenol	2,4-Dichlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,6-Dichlorophenol	4-chloro-3-methylphenol	Pentachlorophenol	2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4,6-Dinitro-2-methylphenol	Tetrachlorophenols	2,3,5,6-Tetrachlorophenol	Cresol Total	4,6-Dinitro-o-cyclohexyl phenol	Phenols (halogenated) EPA V/C	Phenols (non-halogenated) EPAV/C	2,4-Dimethylphenol	2-Methylphenol	2-Nitrophenol	2,4-Dinitrophenol	
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	
C07.02	SX_OB_20220503_00_07_SS_Triplicate_EUF																							
RPD																								
C07.02	SX_OB_20220503_00_00_SS_Primary_ALS																							
C07.02	SX_OB_20220503_00_06_SS_Duplicate_ALS																							
RPD																								
C07.02	SX_OB_20220503_00_00_SS_Primary_ALS																							
C07.02	SX_OB_20220503_00_07_SS_Triplicate_EUF																							
RPD																								
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03		<20	<1.00	<20	<1	<1	<1	<5	
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03		<20	<1.00	<20	<1	<1	<1	<5	
RPD			0	0	0	0	0	0	0	0	0	0	0		0		0	0	0	0	0	0	0	
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03		<20	<1.00	<20	<1	<1	<1	<5	
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	<0.5	<0.1	<0.1	<0.5	<0.5	<1	<1	<0.5	<1	<1		<5	<10		<0.5	<20			<0.5	<0.2	<1	<5	
RPD			0	0	0	0	0	0	0	0	0		0				0			0	0	0	0	
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS		<0.10	<0.03	<0.50	<0.50	<1.00	<1.00	<0.50	<1.00	<1.0	<0.05	<5		<0.03		<20	<1.00	<20	<1	<1	<1	<5	
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF																							
RPD																								
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS																							
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS																							
RPD																								
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS																							
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF																							
RPD																								

*RPDs have only been considered where a concentration is greater than 1 times th

**Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for

***Interlab Duplicates are matched on a per compound basis as methods vary bet

		3&4-Methylphenol (m&p-cresol)	4-Nitrophenol	Dinoseb	Phenol	Phenols (Total Halogenated)	Phenols (Total Non Halogenated)	10:2 Fluorotelomer sulfonic acid (10:2 FTS)		8:2 Fluorotelomer sulfonic acid (8:2 FTS)		6:2 Fluorotelomer sulfonic acid (6:2 FTS)		4:2 Fluorotelomer sulfonic acid (4:2 FTS)		N-Ethyl perfluorooctane sulfonamide (NEFOSA)		N-ethyl-perfluorooctanesulfonamide (NEFOSAA)		N-ethylperfluorooctanesulfonamide (NEFOSE)		N-Methyl perfluorooctane sulfonamide (MNeFOSA)			
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg
C07.02	SX_OB_20220503_00_07_SS_Triplicate_EUF							<0.00001		<0.00001			<0.00005		<0.00001		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005
RPD								0		0			0		0		0		0		0		0		0
C07.02	SX_OB_20220503_00_00_SS_Primary_ALS							<0.00005		<0.00005			<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005
C07.02	SX_OB_20220503_00_06_SS_Duplicate_ALS							<0.00005		<0.00005			<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005
RPD								0		0			0		0		0		0		0		0		0
C07.02	SX_OB_20220503_00_00_SS_Primary_ALS							<0.00005		<0.00005			<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005
C07.02	SX_OB_20220503_00_07_SS_Triplicate_EUF							<0.00001		<0.00001			<0.00005		<0.00001		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005
RPD								0		0			0		0		0		0		0		0		0
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050
RPD		0	0	0	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	<0.4	<5	<20	<0.5	<1	<20		<0.005		<0.005		<0.01		<0.005		<0.005		<0.01		<0.005		<0.005		<0.005
RPD		0	0	0	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS	<1	<5	<20	<1			<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050	<0.00005	<0.0100	<0.00005	<0.0100	<0.00005	<0.0050	<0.00005	<0.0050
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF							<0.00001		<0.00001			<0.00005		<0.00001		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005
RPD								0		0			0		0		0		0		0		0		0
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS							<0.00005		<0.00005			<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS							<0.00005		<0.00005			<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005
RPD								0		0			0		0		0		0		0		0		0
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS							<0.00005		<0.00005			<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF							<0.00001		<0.00001			<0.00005		<0.00001		<0.00005		<0.00005		<0.00005		<0.00005		<0.00005
RPD								0		0			0		0		0		0		0		0		0

*RPDs have only been considered where a concentration is greater than 1 times th

**Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for

***Interlab Duplicates are matched on a per compound basis as methods vary bet

PFOS/PFOA

		N-methylperfluorooctane sulfonamideacetic acid (NMeFOCAA)		N-Methylperfluorooctanesulfonamideethanol (N-MeFOSE)		Perfluorobutanoic acid (PFBA)		Perfluorobutane sulfonic acid (PFBS)		Perfluorodecanoic acid (PFDA)		Perfluorododecanoic acid (PFDDA)		Perfluorodecanesulfonic acid (PFDS)		Perfluoroheptanoic acid (PFHpA)		Perfluoroheptane sulfonic acid (PFHpS)		Perfluorohexanoic acid (PFHxA)		Perfluorononanoic acid (PFNA)		
		mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L
C07.02	SX_OB_20220503_00_07_SS_Triplicate_EUF	<0.00005		<0.00005		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001
RPD		0		0		0		0		0		0		0		0		0		0		0		0
C07.02	SX_OB_20220503_00_00_SS_Primary_ALS	<0.00005		<0.00005		<0.0001		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002
C07.02	SX_OB_20220503_00_06_SS_Duplicate_ALS	<0.00005		<0.00005		<0.0001		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002
RPD		0		0		0		0		0		0		0		0		0		0		0		0
C07.02	SX_OB_20220503_00_00_SS_Primary_ALS	<0.00005		<0.00005		<0.0001		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002
C07.02	SX_OB_20220503_00_07_SS_Triplicate_EUF	<0.00005		<0.00005		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001
RPD		0		0		0		0		0		0		0		0		0		0		0		0
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS	<0.00005	<0.0100	<0.00005	<0.0050	<0.0001	<0.005	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.0050
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS	<0.00005	<0.0100	<0.00005	<0.0050	<0.0001	<0.005	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.0050
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS	<0.00005	<0.0100	<0.00005	<0.0050	<0.0001	<0.005	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.0050
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	<0.00005	<0.0100	<0.00005	<0.0050	<0.0001	<0.005	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.0050
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	<0.00005	<0.01	<0.00005	<0.005	<0.00005	<0.005	<0.00001	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050	<0.0050
RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS	<0.00005		<0.00005		<0.0001		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS	<0.00005		<0.00005		<0.0001		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002
RPD		0		0		0		0		0		0		0		0		0		0		0		0
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS	<0.00005		<0.00005		<0.0001		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002		<0.00002
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	<0.00005		<0.00005		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		0.00001
RPD		0		0		0		0		0		0		0		0		0		0		0		0

*RPDs have only been considered where a concentration is greater than 1 times th

**Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for

***Interlab Duplicates are matched on a per compound basis as methods vary bet

		Perfluorononanesulfonic acid (PFNS) (trace)		Perfluorooctanoic acid (PFOA)		Perfluorooctane sulfonamide (PFOSA)		Perfluoropentanoic acid (PFPeA)		Perfluoropentane sulfonic acid (PFPeS)		Perfluoropropanesulfonic acid (PFPrS)		Perfluorotetradecanoic acid (PFTeDA)		Perfluorotridecanoic acid (PFTrDA)		Perfluoroundecanoic acid (PFUnDA)		Perfluorooctanesulfonic acid (PFOS)		Perfluorohexane sulfonic acid (PFHS)	
		mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg
C07.02	SX_OB_20220503_00_07_SS_Triplicate_EUF	<0.00001		<0.00001		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001	
RPD				0		0		0		0		0		0		0		0		0		0	
C07.02	SX_OB_20220503_00_00_SS_Primary_ALS			<0.00001		<0.00005		<0.00002		<0.00002		<0.00005		<0.00002		<0.00002		<0.00002		<0.00001		<0.00001	
C07.02	SX_OB_20220503_00_06_SS_Duplicate_ALS			<0.00001		<0.00005		<0.00002		<0.00002		<0.00005		<0.00002		<0.00002		<0.00002		<0.00001		<0.00001	
RPD				0		0		0		0		0		0		0		0		0		0	
C07.02	SX_OB_20220503_00_00_SS_Primary_ALS			<0.00001		<0.00005		<0.00002		<0.00002		<0.00005		<0.00002		<0.00002		<0.00002		<0.00001		<0.00001	
C07.02	SX_OB_20220503_00_07_SS_Triplicate_EUF	<0.00001		<0.00001		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001	
RPD				0		0		0		0		0		0		0		0		0		0	
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS			<0.00001	<0.0050	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS			<0.00001	<0.0050	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050
RPD				0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS			<0.00001	<0.0050	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	<0.00001		<0.00001		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001	
RPD				0		0		0		0		0		0		0		0		0		0	
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS			<0.00001	<0.0050	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	<0.00001	<0.005	<0.00001	<0.005	<0.00005	<0.005	<0.00001	<0.005	<0.00001	<0.005	<0.00001	<0.005	<0.00001	<0.005	<0.00001	<0.005	<0.00001	<0.005	<0.00001	<0.005	<0.00001	<0.005
RPD				0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS			<0.00001	<0.0050	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS			<0.00001	<0.0050	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050
RPD				0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS			<0.00001	<0.0050	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00005	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00002	<0.0050	<0.00001	<0.0050	<0.00001	<0.0050
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	<0.00001		<0.00001		<0.00005		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001		<0.00001	
RPD				0		0		0		0		0		0		0		0		0		0	

*RPDs have only been considered where a concentration is greater than 1 times th

**Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for

***Interlab Duplicates are matched on a per compound basis as methods vary bet

		Sum of PFHxS and PFOS		Sum of US EPA PFAS (PFOS + PFOA)*		Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*		Sum of PFAS		1,1-dichloroethane	1,1-dichloroethene	1,2,3-trichloropropane	1,2-dichloroethane	1,2-dichloropropane	1,3-dichloropropane	Bromochloromethane	1,1,1,2-tetrachloroethane	Bromodichloromethane	1,1,1-trichloroethane	Chloroform	1,1,2,2-tetrachloroethane	Chloromethane	cis-1,3-dichloropropene
		mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg	mg/L	mg/kg														
C07.02	SX_OB_20220503_00_07_SS_Triplicate_EUF	<0.00001		<0.00001		<0.00001		<0.0001															
RPD		0						0															
C07.02	SX_OB_20220503_00_00_SS_Primary_ALS	<0.00001						<0.00010															
C07.02	SX_OB_20220503_00_06_SS_Duplicate_ALS	<0.00001						<0.00010															
RPD		0						0															
C07.02	SX_OB_20220503_00_00_SS_Primary_ALS	<0.00001						<0.00010															
C07.02	SX_OB_20220503_00_07_SS_Triplicate_EUF	<0.00001		<0.00001		<0.00001		<0.0001															
RPD		0						0															
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS	<0.00001	<0.0050					<0.00010	<0.0500	<0.50			<0.50				<0.50		<0.50	<0.50	<0.50	<0.50	
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS	<0.00001	<0.0050					<0.00010	<0.0500	<0.50			<0.50				<0.50		<0.50	<0.50	<0.50	<0.50	
RPD		0	0					0	0	0			0				0		0	0	0	0	
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS	<0.00001	<0.0050					<0.00010	<0.0500	<0.50			<0.50				<0.50		<0.50	<0.50	<0.50	<0.50	
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF		<0.005		<0.005		<0.005		<0.05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
RPD			0						0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS	<0.00001	<0.0050					<0.00010	<0.0500	<0.50			<0.50				<0.50		<0.50	<0.50	<0.50	<0.50	
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	<0.00001		<0.00001		<0.00001		<0.0001															
RPD		0						0															
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS	<0.00001						<0.00010															
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS	<0.00001						<0.00010															
RPD		0						0															
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS	<0.00001						<0.00010															
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	<0.00001		<0.00001		<0.00001		<0.0001															
RPD		0						0															

*RPDs have only been considered where a concentration is greater than 1 times th

**Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for

***Interlab Duplicates are matched on a per compound basis as methods vary bet

		Chlorinated Hydrocarbons															NA						
		Dibromomethane	Dichloromethane	Hexachlorobutadiene	Other chlorinated hydrocarbons EPA/Vic	Trichloroethene	Chlorinated hydrocarbons EPA Vic	cis-1,2-dichloroethene	1,1,2-trichloroethane	trans-1,3-dichloropropene	Vinyl chloride	Bromoform	Carbon tetrachloride	Chlorodibromomethane	Chloroethane	trans-1,2-dichloroethene	Tetrachloroethene	Sum of WA DWER PFAS (n=10)*	Moisture Content	Arochlor 1232	Arochlor 1242	Arochlor 1248	
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	UG/KG	µg/L	%	mg/kg	mg/kg	mg/kg
C07.02	SX_OB_20220503_00_07_SS_Triplicate_EUF																	<0.05					
	RPD																	0					
C07.02	SX_OB_20220503_00_00_SS_Primary_ALS																	<0.05					
C07.02	SX_OB_20220503_00_06_SS_Duplicate_ALS																	<0.05					
	RPD																	0					
C07.02	SX_OB_20220503_00_00_SS_Primary_ALS																	<0.05					
C07.02	SX_OB_20220503_00_07_SS_Triplicate_EUF																	<0.05					
	RPD																	0					
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS		<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<10.0	<0.05	30.3			
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS		<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<10.0	<0.05	30.6			
	RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1			
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS		<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<10.0	<0.05	30.3			
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10			<0.1	<0.1	<0.1
	RPD		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS		<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<10.0	<0.05	30.3			
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF																	<0.05					
	RPD																	0					
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS																	<0.05					
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS																	<0.05					
	RPD																	0					
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS																	<0.05					
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF																	<0.05					
	RPD																	0					

*RPDs have only been considered where a concentration is greater than 1 times th

**Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for

***Interlab Duplicates are matched on a per compound basis as methods vary bet

		PCBs				Inorganics							Halogenated Benzenes							Halog			
		Arochlor 1254	Arochlor 1221	Arochlor 1260	Arochlor 1016	PCBs (Sum of total)	pH (after HCL)	pH (Final)	pH (Initial)	pH of Leaching Fluid	pH (aqueous extract)	Fluoride	Moisture Content (dried @ 103°C)	Cyanide Total	1,2,4-trichlorobenzene	1,2-dichlorobenzene	1,3-dichlorobenzene	1,4-dichlorobenzene	Bromobenzene	4-chlorotoluene	Chlorobenzene	Iodomethane	Bromomethane
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	-	-	-	-	mg/kg	%	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
C07.02	SX_OB_20220503_00_07_SS_Triplicate_EUF								5.1														
	RPD								0														
C07.02	SX_OB_20220503_00_00_SS_Primary_ALS								9.2														
C07.02	SX_OB_20220503_00_06_SS_Duplicate_ALS								9.1														
	RPD								1														
C07.02	SX_OB_20220503_00_00_SS_Primary_ALS								9.2														
C07.02	SX_OB_20220503_00_07_SS_Triplicate_EUF								7.6														
	RPD								19														
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS					<0.1	1.4	5.2	9.5	5.0	150		<5	<0.50	<0.50			<0.50				<0.50	
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS					<0.1	1.4	5.2	9.6	5.0	180		<5	<0.50	<0.50			<0.50				<0.50	
	RPD					0	0	0	1	0	18		0	0	0			0				0	
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS					<0.1	1.4	5.2	9.5	5.0	150		<5	<0.50	<0.50			<0.50				<0.50	
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	<0.1	<0.1	<0.1	<0.1	<0.1				9.7	<100	31	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	RPD					0					40		0	0	0			0				0	
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS					<0.1	1.4	5.2	9.5	5.0	150		<5	<0.50	<0.50			<0.50				<0.50	
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF								5.3														
	RPD								2														
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS								9.9														
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS								10.1														
	RPD								2														
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS								9.9														
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF								8.4														
	RPD								16														

*RPDs have only been considered where a concentration is greater than 1 times th

**Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for

***Interlab Duplicates are matched on a per compound basis as methods vary bet

		enated Hydrocarbons			MAH						Solvents					SPOCAS
		1,2-dibromoethane	Dichlorodifluoromethane	Trichlorofluoromethane	Total MAH	Monocyclic aromatic hydrocarbons EPAV/c	1,3,5-trimethylbenzene	Styrene	Isopropylbenzene	1,2,4-trimethylbenzene	4-Methyl-2-pentanone	Acetone	Allyl chloride	Carbon disulfide	Methyl Ethyl Ketone	pH (CaCl2)
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	-
C07.02	SX_OB_20220503_00_07_SS_Triplicate_EUF															
RPD																
C07.02	SX_OB_20220503_00_00_SS_Primary_ALS															
C07.02	SX_OB_20220503_00_06_SS_Duplicate_ALS															
RPD																
C07.02	SX_OB_20220503_00_00_SS_Primary_ALS															
C07.02	SX_OB_20220503_00_07_SS_Triplicate_EUF															
RPD																
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS					<0.5	<0.5									8.7
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS					<0.5	<0.5									8.8
RPD						0	0									1
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS					<0.5	<0.5									8.7
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF	<0.5	<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		
RPD							0									
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS					<0.5	<0.5									8.7
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF															
RPD																
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS															
C05.02	SX_IB_20220503_07_58_SS_Duplicate_ALS															
RPD																
C05.02	SX_IB_20220503_07_56_SS_Primary_ALS															
C05.02	SX_IB_20220503_07_59_SS_Triplicate_EUF															
RPD																

*RPDs have only been considered where a concentration is greater than 1 times th

**Elevated RPDs are highlighted as per QAQC Profile settings (Acceptable RPDs for

***Interlab Duplicates are matched on a per compound basis as methods vary bet

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	C05.0220220518114101_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

ATTACHMENT B: 95% UCL AVE CALCULATIONS

	A	B	C	D	E	F	G	H	I	J	K	L
1	UCL Statistics for Uncensored Full Data Sets											
2												
3	User Selected Options											
4	Date/Time of Computation			ProUCL 5.118/05/2022 1:56:01 PM								
5	From File			WorkSheet.xls								
6	Full Precision			OFF								
7	Confidence Coefficient			95%								
8	Number of Bootstrap Operations			2000								
9												
10												
11	Arsenic											
12												
13	General Statistics											
14	Total Number of Observations				23		Number of Distinct Observations				14	
15							Number of Missing Observations				0	
16	Minimum				22		Mean				33.74	
17	Maximum				58		Median				28	
18	SD				10.48		Std. Error of Mean				2.186	
19	Coefficient of Variation				0.311		Skewness				1.021	
20												
21	Normal GOF Test											
22	Shapiro Wilk Test Statistic				0.854		Shapiro Wilk GOF Test					
23	5% Shapiro Wilk Critical Value				0.914		Data Not Normal at 5% Significance Level					
24	Lilliefors Test Statistic				0.23		Lilliefors GOF Test					
25	5% Lilliefors Critical Value				0.18		Data Not Normal at 5% Significance Level					
26	Data Not Normal at 5% Significance Level											
27												
28	Assuming Normal Distribution											
29	95% Normal UCL						95% UCLs (Adjusted for Skewness)					
30	95% Student's-t UCL				37.49		95% Adjusted-CLT UCL (Chen-1995)				37.83	
31							95% Modified-t UCL (Johnson-1978)				37.57	
32												
33	Gamma GOF Test											
34	A-D Test Statistic				1.146		Anderson-Darling Gamma GOF Test					
35	5% A-D Critical Value				0.744		Data Not Gamma Distributed at 5% Significance Level					
36	K-S Test Statistic				0.226		Kolmogorov-Smirnov Gamma GOF Test					
37	5% K-S Critical Value				0.181		Data Not Gamma Distributed at 5% Significance Level					
38	Data Not Gamma Distributed at 5% Significance Level											
39												
40	Gamma Statistics											
41	k hat (MLE)				12.22		k star (bias corrected MLE)				10.66	
42	Theta hat (MLE)				2.761		Theta star (bias corrected MLE)				3.166	
43	nu hat (MLE)				562.2		nu star (bias corrected)				490.2	
44	MLE Mean (bias corrected)				33.74		MLE Sd (bias corrected)				10.34	
45							Approximate Chi Square Value (0.05)				439.9	
46	Adjusted Level of Significance				0.0389		Adjusted Chi Square Value				436.4	
47												
48	Assuming Gamma Distribution											
49	95% Approximate Gamma UCL (use when n>=50))				37.6		95% Adjusted Gamma UCL (use when n<50)				37.9	
50												
51	Lognormal GOF Test											
52	Shapiro Wilk Test Statistic				0.899		Shapiro Wilk Lognormal GOF Test					
53	5% Shapiro Wilk Critical Value				0.914		Data Not Lognormal at 5% Significance Level					
54	Lilliefors Test Statistic				0.215		Lilliefors Lognormal GOF Test					

	A	B	C	D	E	F	G	H	I	J	K	L
55	5% Lilliefors Critical Value					0.18	Data Not Lognormal at 5% Significance Level					
56	Data Not Lognormal at 5% Significance Level											
57												
58	Lognormal Statistics											
59	Minimum of Logged Data					3.091	Mean of logged Data					3.477
60	Maximum of Logged Data					4.06	SD of logged Data					0.287
61												
62	Assuming Lognormal Distribution											
63	95% H-UCL					37.69	90% Chebyshev (MVUE) UCL					39.8
64	95% Chebyshev (MVUE) UCL					42.57	97.5% Chebyshev (MVUE) UCL					46.42
65	99% Chebyshev (MVUE) UCL					53.99						
66												
67	Nonparametric Distribution Free UCL Statistics											
68	Data do not follow a Discernible Distribution (0.05)											
69												
70	Nonparametric Distribution Free UCLs											
71	95% CLT UCL					37.34	95% Jackknife UCL					37.49
72	95% Standard Bootstrap UCL					37.31	95% Bootstrap-t UCL					38.36
73	95% Hall's Bootstrap UCL					37.71	95% Percentile Bootstrap UCL					37.35
74	95% BCA Bootstrap UCL					37.61						
75	90% Chebyshev(Mean, Sd) UCL					40.3	95% Chebyshev(Mean, Sd) UCL					43.27
76	97.5% Chebyshev(Mean, Sd) UCL					47.39	99% Chebyshev(Mean, Sd) UCL					55.49
77												
78	Suggested UCL to Use											
79	95% Student's-t UCL					37.49	or 95% Modified-t UCL					37.57
80												
81	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
82	Recommendations are based upon data size, data distribution, and skewness.											
83	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
84	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
85												
86												
87	Nickel											
88												
89	General Statistics											
90	Total Number of Observations					23	Number of Distinct Observations					20
91							Number of Missing Observations					0
92	Minimum					111	Mean					173.7
93	Maximum					280	Median					152
94	SD					50.7	Std. Error of Mean					10.57
95	Coefficient of Variation					0.292	Skewness					0.455
96												
97	Normal GOF Test											
98	Shapiro Wilk Test Statistic					0.918	Shapiro Wilk GOF Test					
99	5% Shapiro Wilk Critical Value					0.914	Data appear Normal at 5% Significance Level					
100	Lilliefors Test Statistic					0.187	Lilliefors GOF Test					
101	5% Lilliefors Critical Value					0.18	Data Not Normal at 5% Significance Level					
102	Data appear Approximate Normal at 5% Significance Level											
103												
104	Assuming Normal Distribution											
105	95% Normal UCL						95% UCLs (Adjusted for Skewness)					
106	95% Student's-t UCL					191.8	95% Adjusted-CLT UCL (Chen-1995)					192.1
107							95% Modified-t UCL (Johnson-1978)					192
108												

	A	B	C	D	E	F	G	H	I	J	K	L
109	Gamma GOF Test											
110	A-D Test Statistic				0.698		Anderson-Darling Gamma GOF Test					
111	5% A-D Critical Value				0.744		Detected data appear Gamma Distributed at 5% Significance Level					
112	K-S Test Statistic				0.165		Kolmogorov-Smirnov Gamma GOF Test					
113	5% K-S Critical Value				0.181		Detected data appear Gamma Distributed at 5% Significance Level					
114	Detected data appear Gamma Distributed at 5% Significance Level											
115												
116	Gamma Statistics											
117	k hat (MLE)				12.58		k star (bias corrected MLE)				10.97	
118	Theta hat (MLE)				13.8		Theta star (bias corrected MLE)				15.83	
119	nu hat (MLE)				578.8		nu star (bias corrected)				504.6	
120	MLE Mean (bias corrected)				173.7		MLE Sd (bias corrected)				52.43	
121							Approximate Chi Square Value (0.05)				453.5	
122	Adjusted Level of Significance				0.0389		Adjusted Chi Square Value				450	
123												
124	Assuming Gamma Distribution											
125	95% Approximate Gamma UCL (use when n>=50))				193.2		95% Adjusted Gamma UCL (use when n<50)				194.7	
126												
127	Lognormal GOF Test											
128	Shapiro Wilk Test Statistic				0.928		Shapiro Wilk Lognormal GOF Test					
129	5% Shapiro Wilk Critical Value				0.914		Data appear Lognormal at 5% Significance Level					
130	Lilliefors Test Statistic				0.169		Lilliefors Lognormal GOF Test					
131	5% Lilliefors Critical Value				0.18		Data appear Lognormal at 5% Significance Level					
132	Data appear Lognormal at 5% Significance Level											
133												
134	Lognormal Statistics											
135	Minimum of Logged Data				4.71		Mean of logged Data				5.117	
136	Maximum of Logged Data				5.635		SD of logged Data				0.29	
137												
138	Assuming Lognormal Distribution											
139	95% H-UCL		194.6		90% Chebyshev (MVUE) UCL				205.5			
140	95% Chebyshev (MVUE) UCL		219.9		97.5% Chebyshev (MVUE) UCL				240			
141	99% Chebyshev (MVUE) UCL		279.4									
142												
143	Nonparametric Distribution Free UCL Statistics											
144	Data appear to follow a Discernible Distribution at 5% Significance Level											
145												
146	Nonparametric Distribution Free UCLs											
147	95% CLT UCL		191		95% Jackknife UCL				191.8			
148	95% Standard Bootstrap UCL		190.5		95% Bootstrap-t UCL				192.8			
149	95% Hall's Bootstrap UCL		191.9		95% Percentile Bootstrap UCL				190.8			
150	95% BCA Bootstrap UCL		191.9									
151	90% Chebyshev(Mean, Sd) UCL		205.4		95% Chebyshev(Mean, Sd) UCL				219.7			
152	97.5% Chebyshev(Mean, Sd) UCL		239.7		99% Chebyshev(Mean, Sd) UCL				278.8			
153												
154	Suggested UCL to Use											
155	95% Student's-t UCL		191.8									
156												
157	When a data set follows an approximate (e.g., normal) distribution passing one of the GOF test											
158	When applicable, it is suggested to use a UCL based upon a distribution (e.g., gamma) passing both GOF tests in ProUCL											
159												
160	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
161	Recommendations are based upon data size, data distribution, and skewness.											
162	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											

TBM Spoil Waste Categorisation Report

TBM Spoil Waste Cat Report No:	C05.0220220518114101_02	This report is attached as part of a WCR form referencing <u>WGT-302-000-WKN-CJH-105-SWI-0001_01</u>
-----------------------------------	-------------------------	---

ATTACHMENT C: LABORATORY CERTIFICATES

Company	AGON Environmental - Tunnel Spoil Testing	Project No	JC0927	Project Manager	Craig Timbar	Sampler(s)	WOH + TB + DL + LR
Address	Unit 107A, 63-65 Turner St, Port Melbourne VIC 3207	Project Name	WGTP-Tunnel Ref: 20220502041931-Eurofin-21	EDD Form#	ESdet	Handled over by	
Contact Name	Craig Timbar David Lawson	Analysis	Spot Sample Preparation Bulk WGTP-40-TRE/PAH/Phenols/COF/PCB/POC/VOC/Viol/Coliform/Metals (As, Cd, Cr, Cu, Hg, Pb, Ni, Ag, Mn, Se, Zn)/O&A/CIN Total Fluoride/PH PFAS Estimated/State - C1 - Sugly ASLP PH: PFAS D10-0-05 u/l ASLP PH: PFAS D01-0-05ug/l	Containers	500mL Plastic 200mL Plastic 125mL Plastic 200mL Amber Glass 40mL VOA Vol 500mL PFAS D05e Jar (Glass or HDPE)	Required Turnaround Time (TAT)	Overnight (reporting by Ben) Same day 1 day Other
Phone No	+61 490 828 907 (Craig) +61 490 411 004 (David)	Special Directions	Please provide an interim lab report if final report has not been provided by 14 days from sample receipt.	Other (please specify in Orderform)		Sample Comments	Dangerous Goods Hazard Warning
Purchase Order		Quote ID No	Agon WGTP TST	Method		Shipment	
Client Sample ID	Sampled Date/Time	Matrix	Method	Result	Result	Result	Result
SX_IB_20220430_07_02_SS_Triplicate_EUF	30/04/22	S	X	X	X	X	X
SX_IB_20220430_07_05_SS_Primary_EUF	30/04/22	S	X	X	X	X	X
SX_IB_20220430_07_06_SS_Primary_EUF	30/04/22	S					X
SX_IB_20220430_11_04_SS_Primary_EUF	30/04/22	S	X	X	X	X	X
SX_IB_20220430_11_05_SS_Primary_EUF	30/04/22	S	X	X	X	X	X
SX_IB_20220430_15_03_SS_Primary_EUF	30/04/22	S					X
SX_IB_20220430_15_08_SS_Primary_EUF	30/04/22	S	X	X	X	X	X
SX_IB_20220430_16_08_SS_Duplicate_EUF	30/04/22	S	X	X	X	X	X
SX_IB_20220430_20_03_SS_Primary_EUF	30/04/22	S	X	X	X	X	X
SX_IB_20220430_20_19_SR_Rinate_EUF	30/04/22	W			X		
SX_IB_20220430_20_19_SS_Bank_EUF	30/04/22	W			X		
SX_IB_20220601_00_09_SS_Primary_EUF	1/06/22	S	X	X	X	X	X
SX_IB_20220601_04_07_SS_Primary_EUF	1/06/22	S	X	X	X	X	X
SX_IB_20220601_06_21_SS_Primary_EUF	1/06/22	S	X	X	X	X	X
SX_IB_20220601_08_21_SS_Triplicate_EUF	1/06/22	S	X	X	X	X	X
SX_IB_20220601_08_26_SS_Primary_EUF	1/06/22	S	X	X	X	X	X
SX_IB_20220601_12_16_SS_Primary_EUF	1/06/22	S					X
SX_IB_20220601_12_19_SS_Primary_EUF	1/06/22	S	X	X	X	X	X
SX_IB_20220601_16_12_SS_Primary_EUF	1/06/22	S					X
SX_IB_20220601_16_18_SS_Primary_EUF	1/06/22	S	X	X	X	X	X
SX_IB_20220601_16_22_SS_Primary_EUF	1/06/22	S	X	X	X	X	X
SX_IB_20220601_16_23_SS_Duplicate_EUF	1/06/22	S	X	X	X	X	X
SX_IB_20220601_19_09_SS_Primary_EUF	1/06/22	S					X
SX_IB_20220601_19_09_SS_Primary_EUF	1/06/22	S	X	X	X	X	X
SX_IB_20220601_23_02_SS_Primary_EUF	1/06/22	S	X	X	X	X	X
SX_IB_20220601_23_08_SS_Primary_EUF	1/06/22	S	X	X	X	X	X
SX_IB_20220602_03_06_SS_Primary_EUF	2/06/22	S	X	X	X	X	X
SX_IB_20220602_04_07_SS_Primary_EUF	2/06/22	S					X

20.7
+ 10.2
20.9

884270
Jake

Method: Contain In delivered Other

Received By: *CAWH* Signature: *C/W* Date: 2/5/22 Time: 11:00pm

Signature: _____ Date: _____ Time: _____

Signature: _____ Date: _____ Time: _____

Signature: _____ Date: _____ Time: _____



CHAIN OF CUSTODY RECORD

Eurofins | Environment Testing ABN 50 005 085 521

Sydney Laboratory
Unit F3 Bld F 16 Mars Road Lane Cove West NSW 2066
02 9900 8400 EnviroSampleNSW@eurofins.com

Brisbane Laboratory
Unit 1 21 Smallwood Place Murarie QLD 4172
07 3902 4600 EnviroSampleQLD@eurofins.com

Perth Laboratory
Unit 2 91 Leach Highway Kewdale WA 6105
08 9251 9600 EnviroSampleWA@eurofins.com

Melbourne Laboratory
6 Montevue Road Dandenong South VIC 3175
03 8564 5000 EnviroSampleVic@eurofins.com

Company		AGON Environmental - Tunnel Spoil Testing		Project No	JC0927		Project Manager	Craig Trimbur		Sampler(s)	WOH + TB + DL + LR												
Address		Unit H76, 63-85 Turner St, Port Melbourne VIC 3207		Project Name	WGTP-Tunnel Ref: 20220502041931-Eurofin-21		EDD Format	ESdat, EQulS etc		Handed over by	Esdat												
Contact Name		Craig Trimbur David Lawson		Analyses Where made an error, check "Error" or "Threat" SUIE codes must be used to attract SUIE pricing	Spoil Sample Preparation		Suite WGTP-R1-TRHP/PAH/Phenols/OCPI/PCB/VOC/Vinyl Chloride/ Metals (As, Cd, Cr, Cu, Ni, Pb, Hg, Ag, Sn, Mo, Se, Zn)/ Cd ²⁺ /CN ⁻ /Total Fluoride/ pH		PFAS Extended Suite - 0.1 - Bug/kg		ASLP PH 5 - PFAS 0.01-0.05 ug/l		ASLP Reagent - PFAS 0.01-0.05ug/l										
Phone No		+61 400 826 907 (Craig) +61 490 411 004 (David)			Hold		500mL Plastic		250mL Plastic		125mL Plastic		200mL Amber Glass		40mL VOA vial		500mL PFAS Bottle		Jar (Glass or HDPE)		Other (Asbestos AS4684, WA Guidelines)		
Special Directions		Please provide an interim lab report if finalised report has not been provided by 14 days from sample receipt. Please provide eSRN along with oter sample receipt documentation.			Containers Change container type & size if necessary.		Required Turnaround Time (TAT) Default will be 5 days if not ticked.		*Surcharge will apply <input type="checkbox"/> Overnight (reporting by 9am) ♦ <input type="checkbox"/> Same day ♦ <input type="checkbox"/> 1 day ♦ <input type="checkbox"/> 2 days ♦ <input type="checkbox"/> 3 days ♦ <input checked="" type="checkbox"/> 5 days (Standard) <input type="checkbox"/> Other()		Sample Comments / Dangerous Goods Hazard Warning												
Purchase Order																							
Quote ID No		Agon WGTP TST																					
No	Client Sample ID	Sampled Date/Time dd/mm/yyyy hh:mm	Matrix Solid (S) Water (W)																				
1	SX_IB_20220430_07_52_SS_Triplicate_EUF	30/04/22	S	X	X	X	X	X															1
2	SX_IB_20220430_07_55_SS_Primary_EUF	30/04/22	S	X	X	X	X	X															1
3	SX_IB_20220430_07_56_SS_Primary_EUF	30/04/22	S										X										1
4	SX_IB_20220430_11_46_SS_Primary_EUF	30/04/22	S	X	X	X	X	X															1
5	SX_IB_20220430_11_50_SS_Primary_EUF	30/04/22	S	X	X	X	X	X															1
6	SX_IB_20220430_15_53_SS_Primary_EUF	30/04/22	S										X										1
7	SX_IB_20220430_15_58_SS_Primary_EUF	30/04/22	S	X	X	X	X	X															1
8	SX_IB_20220430_15_58_SS_Duplicate_EUF	30/04/22	S	X	X	X	X	X															1
9	SX_OB_20220430_20_03_SS_Primary_EUF	30/04/22	S	X	X	X	X	X															1
10	SX_OB_20220430_20_13_SR_Rinsate_EUF	30/04/22	W				X																1
11	SX_OB_20220430_20_13_SB_Blank_EUF	30/04/22	W				X																1
12	SX_OB_20220501_00_08_SS_Primary_EUF	1/05/22	S	X	X	X	X	X															1
13	SX_OB_20220501_04_07_SS_Primary_EUF	1/05/22	S	X	X	X	X	X															1
14	SX_IB_20220501_08_21_SS_Primary_EUF	1/05/22	S	X	X	X	X	X															1
15	SX_IB_20220501_08_21_SS_Triplicate_EUF	1/05/22	S	X	X	X	X	X															1
16	SX_OB_20220501_08_25_SS_Primary_EUF	1/05/22	S	X	X	X	X	X															1
17	SX_IB_20220501_12_16_SS_Primary_EUF	1/05/22	S										X										1
18	SX_IB_20220501_12_19_SS_Primary_EUF	1/05/22	S	X	X	X	X	X															1
19	SX_IB_20220501_16_12_SS_Primary_EUF	1/05/22	S										X										1
20	SX_IB_20220501_16_16_SS_Primary_EUF	1/05/22	S	X	X	X	X	X															1
21	SX_OB_20220501_16_22_SS_Primary_EUF	1/05/22	S	X	X	X	X	X															1
22	SX_OB_20220501_16_23_SS_Duplicate_EUF	1/05/22	S	X	X	X	X	X															1
23	SX_IB_20220501_19_50_SS_Primary_EUF	1/05/22	S										X										1
24	SX_IB_20220501_19_56_SS_Primary_EUF	1/05/22	S	X	X	X	X	X															1
25	SX_IB_20220501_23_52_SS_Primary_EUF	1/05/22	S	X	X	X	X	X															1
26	SX_IB_20220501_23_58_SS_Primary_EUF	1/05/22	S	X	X	X	X	X															1
	SX_IB_20220502_03_56_SS_Primary_EUF	2/05/22	S	X	X	X	X	X															1
27	SX_IB_20220502_04_07_SS_Primary_EUF	2/05/22	S										X										1
Total Counts				20	20	22	20	20					6										26
Method of Shipment		<input checked="" type="checkbox"/> Courier (#) <input type="checkbox"/> Hand Delivered <input type="checkbox"/> Postal		Name		Signature <th colspan="2">Date</th> <th colspan="2">Time</th> <th colspan="2">Temperature</th>		Date		Time		Temperature											
Laboratory Use Only		Received By		SYD BNE MEL PER ADL NTL DRW		Signature		Date		Time		Report No											
Laboratory Use Only		Received By		SYD BNE MEL PER ADL NTL DRW		Signature		Date		Time		Report No											

Agon Environmental Pty Ltd - VIC
3/224 Glen Osmond Road
Fullarton
SA 5063



NATA Accredited
Accreditation Number 1261
Site Number 1254

Accredited for compliance with ISO/IEC 17025 – Testing
NATA is a signatory to the ILAC Mutual Recognition
Arrangement for the mutual recognition of the
equivalence of testing, medical testing, calibration,
inspection, proficiency testing scheme providers and
reference materials producers reports and certificates.

Attention: **David Lawson**

Report **884270-L-V2**
Project name **20220502041931-Eurofin-21**
Project ID **JC0927**
Received Date **May 02, 2022**

Client Sample ID			SX_IB_202204 30_07_52_SS TriPLICATE_EUF	SX_IB_202204 30_07_55_SS Primary_EUF	SX_OB_20220 430_11_46_SS _Primary_EUF	SX_IB_202204 30_11_50_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0001936	M22- My0001937	M22- My0001938	M22- My0001939
Date Sampled			Apr 30, 2022	Apr 30, 2022	Apr 30, 2022	Apr 30, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.1	5.1	5.1	5.1
pH (off)	0.1	pH Units	6.4	5.0	5.0	5.0
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	114	113	116	119
13C5-PFPeA (surr.)	1	%	108	102	89	104
13C5-PFHxA (surr.)	1	%	70	77	69	71
13C4-PFHpA (surr.)	1	%	91	80	85	87
13C8-PFOA (surr.)	1	%	81	90	69	64
13C5-PFNA (surr.)	1	%	79	65	79	83
13C6-PFDA (surr.)	1	%	79	54	88	65
13C2-PFUnDA (surr.)	1	%	77	51	59	65
13C2-PFDoDA (surr.)	1	%	115	45	94	56
13C2-PFTeDA (surr.)	1	%	81	37	68	44
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05

Client Sample ID			SX_IB_202204 30_07_52_SS TriPLICATE_EUF	SX_IB_202204 30_07_55_SS Primary_EUF	SX_OB_20220 430_11_46_SS Primary_EUF	SX_IB_202204 30_11_50_SS Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0001936	M22- My0001937	M22- My0001938	M22- My0001939
Date Sampled			Apr 30, 2022	Apr 30, 2022	Apr 30, 2022	Apr 30, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl sulfonamido substances						
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	130	41	113	55
D3-N-MeFOSA (surr.)	1	%	100	29	81	29
D5-N-EtFOSA (surr.)	1	%	91	42	80	42
D7-N-MeFOSE (surr.)	1	%	115	33	75	45
D9-N-EtFOSE (surr.)	1	%	120	49	103	56
D5-N-EtFOSAA (surr.)	1	%	121	22	85	20
D3-N-MeFOSAA (surr.)	1	%	121	21	81	25
Perfluoroalkyl sulfonic acids (PFASs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	36	54	31	35
18O2-PFHxS (surr.)	1	%	95	89	89	97
13C8-PFOS (surr.)	1	%	79	68	80	82
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	81	62	95	82
13C2-6:2 FTSA (surr.)	1	%	68	59	93	72
13C2-8:2 FTSA (surr.)	1	%	109	79	132	115
13C2-10:2 FTSA (surr.)	1	%	112	32	78	38
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_20220 430_15_58_SS _Primary_EUF	SX_OB_20220 430_15_58_SS Duplicate_EU F	SX_OB_20220 430_20_03_SS _Primary_EUF	SX_OB_20220 501_00_08_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0001940	M22- My0001941	M22- My0001942	M22- My0001943
Date Sampled			Apr 30, 2022	Apr 30, 2022	Apr 30, 2022	May 01, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.1	5.1	5.1	5.1
pH (off)	0.1	pH Units	5.0	5.0	5.1	5.0
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	104	120	118	122
13C5-PFPeA (surr.)	1	%	100	112	81	121
13C5-PFHxA (surr.)	1	%	69	79	64	80
13C4-PFHpA (surr.)	1	%	74	90	86	86
13C8-PFOA (surr.)	1	%	99	110	61	101
13C5-PFNA (surr.)	1	%	62	80	94	71
13C6-PFDA (surr.)	1	%	59	77	80	62
13C2-PFUnDA (surr.)	1	%	58	52	85	48
13C2-PFDoDA (surr.)	1	%	82	78	140	66
13C2-PFTTeDA (surr.)	1	%	60	60	132	45
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	82	106	134	104
D3-N-MeFOSA (surr.)	1	%	59	61	102	104
D5-N-EtFOSA (surr.)	1	%	63	64	114	113
D7-N-MeFOSE (surr.)	1	%	79	99	126	100
D9-N-EtFOSE (surr.)	1	%	84	99	128	100
D5-N-EtFOSAA (surr.)	1	%	57	63	101	81
D3-N-MeFOSAA (surr.)	1	%	55	87	81	70

Client Sample ID			SX_OB_20220 430_15_58_SS _Primary_EUF	SX_OB_20220 430_15_58_SS Duplicate_EU F	SX_OB_20220 430_20_03_SS _Primary_EUF	SX_OB_20220 501_00_08_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0001940	M22- My0001941	M22- My0001942	M22- My0001943
Date Sampled			Apr 30, 2022	Apr 30, 2022	Apr 30, 2022	May 01, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl sulfonic acids (PFASs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	67	63	27	75
18O2-PFHxS (surr.)	1	%	87	109	81	84
13C8-PFOS (surr.)	1	%	61	82	91	64
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	66	80	103	70
13C2-6:2 FTSA (surr.)	1	%	68	65	105	61
13C2-8:2 FTSA (surr.)	1	%	91	110	114	91
13C2-10:2 FTSA (surr.)	1	%	79	112	135	80
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_20220 501_04_07_SS _Primary_EUF	SX_IB_202205 01_08_21_SS _Primary_EUF	SX_IB_202205 01_08_21_SS TriPLICATE_EUF	SX_OB_20220 501_08_25_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0001944	M22- My0001945	M22- My0001946	M22- My0001947
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 01, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.1	5.1	5.1	5.0
pH (off)	0.1	pH Units	4.9	5.0	5.0	5.2

Client Sample ID			SX_OB_20220 501_04_07_SS _Primary_EUF	SX_IB_202205 01_08_21_SS _Primary_EUF	SX_IB_202205 01_08_21_SS _Triuplicate_EUF	SX_OB_20220 501_08_25_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0001944	M22- My0001945	M22- My0001946	M22- My0001947
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 01, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	106	120	118	88
13C5-PFPeA (surr.)	1	%	91	108	104	102
13C5-PFHxA (surr.)	1	%	66	71	72	81
13C4-PFHpA (surr.)	1	%	81	85	90	86
13C8-PFOA (surr.)	1	%	90	83	61	90
13C5-PFNA (surr.)	1	%	72	78	77	83
13C6-PFDA (surr.)	1	%	61	76	57	68
13C2-PFUnDA (surr.)	1	%	66	46	46	139
13C2-PFDoDA (surr.)	1	%	88	65	44	118
13C2-PFTeDA (surr.)	1	%	61	40	39	104
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	83	89	45	88
D3-N-MeFOSA (surr.)	1	%	50	103	27	101
D5-N-EtFOSA (surr.)	1	%	59	109	36	103
D7-N-MeFOSE (surr.)	1	%	79	83	44	75
D9-N-EtFOSE (surr.)	1	%	81	91	49	76
D5-N-EtFOSAA (surr.)	1	%	116	52	33	103
D3-N-MeFOSAA (surr.)	1	%	92	58	18	87
Perfluoroalkyl sulfonic acids (PFSAs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoronanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01

Client Sample ID			SX_OB_20220 501_04_07_SS _Primary_EUF	SX_IB_202205 01_08_21_SS _Primary_EUF	SX_IB_202205 01_08_21_SS _Triuplicate_EUF	SX_OB_20220 501_08_25_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0001944	M22- My0001945	M22- My0001946	M22- My0001947
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 01, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl sulfonic acids (PFASs)						
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	47	46	35	63
18O2-PFHxS (surr.)	1	%	80	86	84	84
13C8-PFOS (surr.)	1	%	61	72	76	69
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	73	83	84	125
13C2-6:2 FTSA (surr.)	1	%	62	59	65	79
13C2-8:2 FTSA (surr.)	1	%	115	102	136	145
13C2-10:2 FTSA (surr.)	1	%	83	64	31	131
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202205 01_12_19_SS _Primary_EUF	SX_IB_202205 01_16_16_SS _Primary_EUF	SX_OB_20220 501_16_22_SS _Primary_EUF	SX_OB_20220 501_16_23_SS _Duplicate_EU F
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0001948	M22- My0001949	M22- My0001950	M22- My0001951
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 01, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.0	5.0	5.0	5.0
pH (off)	0.1	pH Units	5.3	5.2	5.2	5.1
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01

Client Sample ID			SX_IB_202205 01_12_19_SS_ Primary_EUF	SX_IB_202205 01_16_16_SS_ Primary_EUF	SX_OB_20220 501_16_22_SS_ Primary_EUF	SX_OB_20220 501_16_23_SS_ Duplicate_EU F
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0001948	M22- My0001949	M22- My0001950	M22- My0001951
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 01, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	95	94	86	92
13C5-PFPeA (surr.)	1	%	115	107	95	108
13C5-PFHxA (surr.)	1	%	96	94	87	84
13C4-PFHpA (surr.)	1	%	103	104	89	89
13C8-PFOA (surr.)	1	%	57	54	73	87
13C5-PFNA (surr.)	1	%	103	88	87	77
13C6-PFDA (surr.)	1	%	77	70	62	80
13C2-PFUnDA (surr.)	1	%	82	86	79	120
13C2-PFDoDA (surr.)	1	%	75	80	75	124
13C2-PFTeDA (surr.)	1	%	35	61	32	92
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	74	84	71	84
D3-N-MeFOSA (surr.)	1	%	109	117	103	81
D5-N-EtFOSA (surr.)	1	%	118	130	103	93
D7-N-MeFOSE (surr.)	1	%	84	84	73	72
D9-N-EtFOSE (surr.)	1	%	83	84	73	76
D5-N-EtFOSAA (surr.)	1	%	62	57	28	106
D3-N-MeFOSAA (surr.)	1	%	75	66	51	117
Perfluoroalkyl sulfonic acids (PFSAs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	45	48	63	71
18O2-PFHxS (surr.)	1	%	84	82	80	89
13C8-PFOS (surr.)	1	%	74	74	74	64

Client Sample ID			SX_IB_202205 01_12_19_SS_ Primary_EUF	SX_IB_202205 01_16_16_SS_ Primary_EUF	SX_OB_20220 501_16_22_SS_ Primary_EUF	SX_OB_20220 501_16_23_SS_ Duplicate_EU F
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0001948	M22- My0001949	M22- My0001950	M22- My0001951
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 01, 2022
Test/Reference	LOR	Unit				
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	120	120	101	132
13C2-6:2 FTSA (surr.)	1	%	86	98	79	79
13C2-8:2 FTSA (surr.)	1	%	77	110	105	133
13C2-10:2 FTSA (surr.)	1	%	81	60	83	103
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202205 01_19_56_SS_ Primary_EUF	SX_IB_202205 01_23_52_SS_ Primary_EUF	SX_IB_202205 01_23_58_SS_ Primary_EUF	SX_IB_202205 02_03_56_SS_ Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0001952	M22- My0001953	M22- My0001954	M22- My0001955
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 02, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.0	5.0	5.0	5.0
pH (off)	0.1	pH Units	5.4	5.2	5.2	5.2
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	80	82	90	83
13C5-PFPeA (surr.)	1	%	87	97	106	100
13C5-PFHxA (surr.)	1	%	80	80	86	77

Client Sample ID			SX_IB_202205 01_19_56_SS Primary_EUF	SX_IB_202205 01_23_52_SS Primary_EUF	SX_IB_202205 01_23_58_SS Primary_EUF	SX_IB_202205 02_03_56_SS Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0001952	M22- My0001953	M22- My0001954	M22- My0001955
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 02, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl carboxylic acids (PFCAs)						
13C4-PFHpA (surr.)	1	%	88	87	91	83
13C8-PFOA (surr.)	1	%	47	75	92	80
13C5-PFNA (surr.)	1	%	81	80	81	73
13C6-PFDA (surr.)	1	%	61	64	58	59
13C2-PFUnDA (surr.)	1	%	78	66	67	52
13C2-PFDoDA (surr.)	1	%	82	66	59	70
13C2-PFTeDA (surr.)	1	%	91	48	21	54
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	66	66	67	66
D3-N-MeFOSA (surr.)	1	%	105	108	98	100
D5-N-EtFOSA (surr.)	1	%	119	115	97	114
D7-N-MeFOSE (surr.)	1	%	81	75	72	68
D9-N-EtFOSE (surr.)	1	%	78	75	70	72
D5-N-EtFOSAA (surr.)	1	%	56	47	41	45
D3-N-MeFOSAA (surr.)	1	%	57	61	38	49
Perfluoroalkyl sulfonic acids (PFSA)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	42	52	66	64
18O2-PFHxS (surr.)	1	%	70	77	88	82
13C8-PFOS (surr.)	1	%	62	63	67	62
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	98	94	91	84
13C2-6:2 FTSA (surr.)	1	%	79	50	54	43

Client Sample ID			SX_IB_202205 01_19_56_SS_ Primary_EUF	SX_IB_202205 01_23_52_SS_ Primary_EUF	SX_IB_202205 01_23_58_SS_ Primary_EUF	SX_IB_202205 02_03_56_SS_ Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0001952	M22- My0001953	M22- My0001954	M22- My0001955
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 02, 2022
Test/Reference	LOR	Unit				
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
13C2-8:2 FTSA (surr.)	1	%	60	76	51	57
13C2-10:2 FTSA (surr.)	1	%	71	58	46	57
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202204 30_07_52_SS_ Triplicate_EUF	SX_IB_202204 30_07_55_SS_ Primary_EUF	SX_IB_202204 30_11_46_SS_ Primary_EUF	SX_IB_202204 30_11_50_SS_ Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0001956	M22- My0001957	M22- My0001958	M22- My0001959
Date Sampled			Apr 30, 2022	Apr 30, 2022	Apr 30, 2022	Apr 30, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	6.2	6.2	6.2	6.2
pH (off)	0.1	pH Units	5.0	5.0	9.5	8.7
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTeDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	122	113	84	116
13C5-PFPeA (surr.)	1	%	127	127	77	109
13C5-PFHxA (surr.)	1	%	82	82	54	74
13C4-PFHpA (surr.)	1	%	87	88	66	85
13C8-PFOA (surr.)	1	%	86	109	62	97
13C5-PFNA (surr.)	1	%	94	82	65	76
13C6-PFDA (surr.)	1	%	86	83	80	88
13C2-PFUnDA (surr.)	1	%	71	75	70	66
13C2-PFDoDA (surr.)	1	%	106	120	112	83
13C2-PFTeDA (surr.)	1	%	75	79	109	57

Client Sample ID			SX_IB_202204 30_07_52_SS Triplicate_EUF	SX_IB_202204 30_07_55_SS Primary_EUF	SX_IB_202204 30_11_46_SS Primary_EUF	SX_IB_202204 30_11_50_SS Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0001956	M22- My0001957	M22- My0001958	M22- My0001959
Date Sampled			Apr 30, 2022	Apr 30, 2022	Apr 30, 2022	Apr 30, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	125	141	133	122
D3-N-MeFOSA (surr.)	1	%	140	126	65	148
D5-N-EtFOSA (surr.)	1	%	104	87	55	106
D7-N-MeFOSE (surr.)	1	%	95	68	71	62
D9-N-EtFOSE (surr.)	1	%	85	72	78	64
D5-N-EtFOSAA (surr.)	1	%	114	106	121	126
D3-N-MeFOSAA (surr.)	1	%	120	106	113	105
Perfluoroalkyl sulfonic acids (PFSA)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	70	101	37	66
18O2-PFHxS (surr.)	1	%	100	105	86	89
13C8-PFOS (surr.)	1	%	89	83	78	84
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	71	57	69	76
13C2-6:2 FTSA (surr.)	1	%	64	53	51	71
13C2-8:2 FTSA (surr.)	1	%	149	89	84	109
13C2-10:2 FTSA (surr.)	1	%	100	119	97	92
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_20220 430_15_58_SS _Primary_EUF	SX_OB_20220 430_15_58_SS Duplicate_EU F	SX_OB_20220 430_20_03_SS _Primary_EUF	SX_OB_20220 501_00_08_SS _Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0001960	M22- My0001961	M22- My0001962	M22- My0001963
Date Sampled			Apr 30, 2022	Apr 30, 2022	Apr 30, 2022	May 01, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	6.2	6.2	6.2	6.2
pH (off)	0.1	pH Units	9.4	8.8	8.8	8.6
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	116	120	81	97
13C5-PFPeA (surr.)	1	%	108	121	89	101
13C5-PFHxA (surr.)	1	%	87	90	50	72
13C4-PFHpA (surr.)	1	%	91	94	73	79
13C8-PFOA (surr.)	1	%	119	124	69	107
13C5-PFNA (surr.)	1	%	79	80	84	67
13C6-PFDA (surr.)	1	%	78	81	89	72
13C2-PFUnDA (surr.)	1	%	55	69	85	50
13C2-PFDoDA (surr.)	1	%	84	95	129	72
13C2-PFTeDA (surr.)	1	%	68	67	114	56
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	116	146	129	118
D3-N-MeFOSA (surr.)	1	%	85	100	52	58
D5-N-EtFOSA (surr.)	1	%	62	84	59	58
D7-N-MeFOSE (surr.)	1	%	75	64	77	83
D9-N-EtFOSE (surr.)	1	%	71	75	78	62
D5-N-EtFOSAA (surr.)	1	%	106	142	139	84
D3-N-MeFOSAA (surr.)	1	%	99	128	124	103

Client Sample ID			SX_OB_20220 430_15_58_SS _Primary_EUF	SX_OB_20220 430_15_58_SS _Duplicate_EU F	SX_OB_20220 430_20_03_SS _Primary_EUF	SX_OB_20220 501_00_08_SS _Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0001960	M22- My0001961	M22- My0001962	M22- My0001963
Date Sampled			Apr 30, 2022	Apr 30, 2022	Apr 30, 2022	May 01, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl sulfonic acids (PFASs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	104	99	26	81
18O2-PFHxS (surr.)	1	%	104	107	97	94
13C8-PFOS (surr.)	1	%	82	86	88	72
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	61	68	74	52
13C2-6:2 FTSA (surr.)	1	%	54	66	75	55
13C2-8:2 FTSA (surr.)	1	%	93	121	147	97
13C2-10:2 FTSA (surr.)	1	%	102	95	119	74
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_20220 501_04_07_SS _Primary_EUF	SX_IB_202205 01_08_21_SS _Primary_EUF	SX_IB_202205 01_08_21_SS _TriPLICATE_EUF	SX_OB_20220 501_08_25_SS _Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0001964	M22- My0001965	M22- My0001966	M22- My0001967
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 01, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	6.2	6.2	6.2	7.1
pH (off)	0.1	pH Units	8.8	8.8	9.6	8.8

Client Sample ID			SX_OB_20220 501_04_07_SS _Primary_EUF	SX_IB_202205 01_08_21_SS _Primary_EUF	SX_IB_202205 01_08_21_SS _Triuplicate_EUF	SX_OB_20220 501_08_25_SS _Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0001964	M22- My0001965	M22- My0001966	M22- My0001967
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 01, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	115	101	103	94
13C5-PFPeA (surr.)	1	%	115	95	108	108
13C5-PFHxA (surr.)	1	%	79	68	75	97
13C4-PFHpA (surr.)	1	%	88	84	86	98
13C8-PFOA (surr.)	1	%	109	78	81	80
13C5-PFNA (surr.)	1	%	76	79	72	98
13C6-PFDA (surr.)	1	%	80	90	90	73
13C2-PFUnDA (surr.)	1	%	69	81	70	93
13C2-PFDoDA (surr.)	1	%	101	124	109	90
13C2-PFTTeDA (surr.)	1	%	76	102	95	38
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	144	120	148	86
D3-N-MeFOSA (surr.)	1	%	51	131	135	106
D5-N-EtFOSA (surr.)	1	%	54	100	106	101
D7-N-MeFOSE (surr.)	1	%	88	100	86	82
D9-N-EtFOSE (surr.)	1	%	70	92	90	79
D5-N-EtFOSAA (surr.)	1	%	101	126	104	54
D3-N-MeFOSAA (surr.)	1	%	80	127	99	47
Perfluoroalkyl sulfonic acids (PFSAs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01

Client Sample ID			SX_OB_20220501_04_07_SS_Primary_EUF	SX_IB_20220501_08_21_SS_Primary_EUF	SX_IB_20220501_08_21_SS_Triplicate_EUF	SX_OB_20220501_08_25_SS_Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22-My0001964	M22-My0001965	M22-My0001966	M22-My0001967
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 01, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl sulfonic acids (PFSA)						
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	68	44	52	69
18O2-PFHxS (surr.)	1	%	92	100	94	89
13C8-PFOS (surr.)	1	%	82	85	83	86
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	65	72	68	105
13C2-6:2 FTSA (surr.)	1	%	63	58	54	75
13C2-8:2 FTSA (surr.)	1	%	132	105	109	140
13C2-10:2 FTSA (surr.)	1	%	106	126	83	76
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_20220501_12_19_SS_Primary_EUF	SX_IB_20220501_16_16_SS_Primary_EUF	SX_OB_20220501_16_22_SS_Primary_EUF	SX_OB_20220501_16_23_SS_Duplicate_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22-My0001968	M22-My0001969	M22-My0001970	M22-My0001971
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 01, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	7.1	7.1	7.1	7.1
pH (off)	0.1	pH Units	9.6	9.6	9.1	8.9
Perfluoroalkyl carboxylic acids (PFCA)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01

Client Sample ID			SX_IB_202205 01_12_19_SS_ Primary_EUF	SX_IB_202205 01_16_16_SS_ Primary_EUF	SX_OB_20220 501_16_22_SS_ Primary_EUF	SX_OB_20220 501_16_23_SS_ Duplicate_EU F
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0001968	M22- My0001969	M22- My0001970	M22- My0001971
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 01, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	93	74	86	99
13C5-PFPeA (surr.)	1	%	113	83	98	116
13C5-PFHxA (surr.)	1	%	99	75	89	97
13C4-PFHpA (surr.)	1	%	108	76	86	98
13C8-PFOA (surr.)	1	%	63	49	84	90
13C5-PFNA (surr.)	1	%	100	73	88	91
13C6-PFDA (surr.)	1	%	84	51	72	69
13C2-PFUnDA (surr.)	1	%	89	43	75	91
13C2-PFDoDA (surr.)	1	%	85	27	87	79
13C2-PFTeDA (surr.)	1	%	42	12	83	36
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	82	51	70	78
D3-N-MeFOSA (surr.)	1	%	118	26	110	94
D5-N-EtFOSA (surr.)	1	%	121	21	115	102
D7-N-MeFOSE (surr.)	1	%	80	35	71	74
D9-N-EtFOSE (surr.)	1	%	77	31	74	73
D5-N-EtFOSAA (surr.)	1	%	59	30	52	36
D3-N-MeFOSAA (surr.)	1	%	45	29	63	51
Perfluoroalkyl sulfonic acids (PFSA)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	53	51	79	78
18O2-PFHxS (surr.)	1	%	88	65	75	77
13C8-PFOS (surr.)	1	%	80	54	60	75

Client Sample ID			SX_IB_202205 01_12_19_SS_ Primary_EUF	SX_IB_202205 01_16_16_SS_ Primary_EUF	SX_OB_20220 501_16_22_SS_ Primary_EUF	SX_OB_20220 501_16_23_SS_ Duplicate_EU F
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0001968	M22- My0001969	M22- My0001970	M22- My0001971
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 01, 2022
Test/Reference	LOR	Unit				
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	114	89	87	104
13C2-6:2 FTSA (surr.)	1	%	88	69	65	85
13C2-8:2 FTSA (surr.)	1	%	118	49	93	107
13C2-10:2 FTSA (surr.)	1	%	104	21	69	85
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202205 01_19_56_SS_ Primary_EUF	SX_IB_202205 01_23_52_SS_ Primary_EUF	SX_IB_202205 01_23_58_SS_ Primary_EUF	SX_IB_202205 02_03_56_SS_ Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0001972	M22- My0001973	M22- My0001974	M22- My0001975
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 02, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	7.1	7.1	7.1	7.1
pH (off)	0.1	pH Units	9.4	8.9	9.6	9.7
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	96	97	98	115

Client Sample ID			SX_IB_202205 01_19_56_SS Primary_EUF	SX_IB_202205 01_23_52_SS Primary_EUF	SX_IB_202205 01_23_58_SS Primary_EUF	SX_IB_202205 02_03_56_SS Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0001972	M22- My0001973	M22- My0001974	M22- My0001975
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 02, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl carboxylic acids (PFCAs)						
13C5-PFPeA (surr.)	1	%	115	117	116	133
13C5-PFHxA (surr.)	1	%	102	100	101	120
13C4-PFHpA (surr.)	1	%	114	109	112	133
13C8-PFOA (surr.)	1	%	74	59	71	71
13C5-PFNA (surr.)	1	%	109	97	115	119
13C6-PFDA (surr.)	1	%	88	81	93	92
13C2-PFUnDA (surr.)	1	%	112	94	94	119
13C2-PFDoDA (surr.)	1	%	106	95	91	118
13C2-PFTeDA (surr.)	1	%	64	39	47	60
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	95	91	96	106
D3-N-MeFOSA (surr.)	1	%	129	125	124	138
D5-N-EtFOSA (surr.)	1	%	136	119	116	145
D7-N-MeFOSE (surr.)	1	%	95	83	88	97
D9-N-EtFOSE (surr.)	1	%	94	79	86	97
D5-N-EtFOSAA (surr.)	1	%	95	46	51	45
D3-N-MeFOSAA (surr.)	1	%	70	51	66	51
Perfluoroalkyl sulfonic acids (PFSA)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	51	52	77	58
18O2-PFHxS (surr.)	1	%	93	99	99	109
13C8-PFOS (surr.)	1	%	86	82	79	91

Client Sample ID			SX_IB_202205 01_19_56_SS_ Primary_EUF	SX_IB_202205 01_23_52_SS_ Primary_EUF	SX_IB_202205 01_23_58_SS_ Primary_EUF	SX_IB_202205 02_03_56_SS_ Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0001972	M22- My0001973	M22- My0001974	M22- My0001975
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 02, 2022
Test/Reference	LOR	Unit				
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	122	119	129	145
13C2-6:2 FTSA (surr.)	1	%	86	90	97	110
13C2-8:2 FTSA (surr.)	1	%	121	113	149	179
13C2-10:2 FTSA (surr.)	1	%	96	71	90	109
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Sample History

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
AUS Leaching Procedure			
pH (initial) - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Melbourne	May 03, 2022	0 Days
pH (Leachate fluid) - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Melbourne	May 03, 2022	0 Days
pH (off) - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Melbourne	May 03, 2022	0 Days
Per- and Polyfluoroalkyl Substances (PFASs)			
Perfluoroalkyl carboxylic acids (PFCAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 03, 2022	28 Days
Perfluoroalkyl sulfonamido substances - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 03, 2022	28 Days
Perfluoroalkyl sulfonic acids (PFASs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 03, 2022	28 Days
n:2 Fluorotelomer sulfonic acids (n:2 FTSAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 03, 2022	28 Days
PFASs Summations - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 02, 2022	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID					
1	SX_IB_20220430_07_52_SS_Triplicate_EU F	Apr 30, 2022	7:52AM	Soil	M22-My0001914			X	X	X
2	SX_IB_20220430_07_55_SS_Primary_EUF	Apr 30, 2022	7:55AM	Soil	M22-My0001915			X	X	X
3	SX_OB_20220430_11_46_S_S_Primary_EU F	Apr 30, 2022	11:46AM	Soil	M22-My0001916			X	X	X
4	SX_IB_202204	Apr 30, 2022	11:50AM	Soil	M22-			X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
	30_11_50_SS _Primary_EUF				My0001917					
5	SX_OB_20220 430_15_58_S S_Primary_EU F	Apr 30, 2022	3:58PM	Soil	M22- My0001918			X	X	X
6	SX_OB_20220 430_15_58_S S_Duplicate_E UF	Apr 30, 2022	3:58PM	Soil	M22- My0001919			X	X	X
7	SX_OB_20220 430_20_03_S S_Primary_EU F	Apr 30, 2022	8:03PM	Soil	M22- My0001920			X	X	X

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220502041931-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 884270
Phone: 08 8338 1009
Fax:

Received: May 2, 2022 4:15 PM
Due: May 9, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
8	SX_OB_20220430_20_13_S R_Rinsate_EU F	Apr 30, 2022	8:13PM	Water	M22-My0001921				X	
9	SX_OB_20220430_20_13_S B_Blank_EUF	Apr 30, 2022	8:13PM	Water	M22-My0001922				X	
10	SX_OB_20220501_00_08_S S_Primary_EU F	May 01, 2022	12:08AM	Soil	M22-My0001923			X	X	X
11	SX_OB_20220501_04_07_S S_Primary_EU F	May 01, 2022	4:07AM	Soil	M22-My0001924			X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
	F									
12	SX_IB_20220501_08_21_SS_Primary_EUF	May 01, 2022	8:21AM	Soil	M22-My0001925			X	X	X
13	SX_IB_20220501_08_21_SS_Triplicate_EUF	May 01, 2022	8:21AM	Soil	M22-My0001926			X	X	X
14	SX_OB_20220501_08_25_S_Primary_EUF	May 01, 2022	8:25AM	Soil	M22-My0001927			X	X	X
15	SX_IB_20220501_12_19_SS	May 01, 2022	12:19PM	Soil	M22-My0001928			X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
	01_12_19_SS _Primary_EUF				My0001928					
16	SX_IB_202205 01_16_16_SS _Primary_EUF	May 01, 2022	4:16PM	Soil	M22- My0001929			X	X	X
17	SX_OB_20220 501_16_22_S S_Primary_EU F	May 01, 2022	4:22PM	Soil	M22- My0001930			X	X	X
18	SX_OB_20220 501_16_23_S S_Duplicate_E UF	May 01, 2022	4:23PM	Soil	M22- My0001931			X	X	X
19	SX_IB_202205	May 01, 2022	7:56PM	Soil	M22-			X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
	01_19_56_SS _Primary_EUF				My0001932					
20	SX_IB_202205 01_23_52_SS _Primary_EUF	May 01, 2022	11:52PM	Soil	M22- My0001933			X	X	X
21	SX_IB_202205 01_23_58_SS _Primary_EUF	May 01, 2022	11:58PM	Soil	M22- My0001934			X	X	X
22	SX_IB_202205 02_03_56_SS _Primary_EUF	May 02, 2022	3:56AM	Soil	M22- My0001935			X	X	X
23	SX_IB_202204 30_07_52_SS _Triplicate_EU	Apr 30, 2022	7:52AM	AUS Leachate - pH 5.0	M22- My0001936		X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
	_TriPLICATE_EU F									
24	SX_IB_202204 30_07_55_SS _Primary_EUF	Apr 30, 2022	7:55AM	AUS Leachate - pH 5.0	M22- My0001937		X		X	
25	SX_OB_20220 430_11_46_S S_Primary_EU F	Apr 30, 2022	11:46AM	AUS Leachate - pH 5.0	M22- My0001938		X		X	
26	SX_IB_202204 30_11_50_SS _Primary_EUF	Apr 30, 2022	11:50AM	AUS Leachate - pH 5.0	M22- My0001939		X		X	
27	SX_OB_20220 430_15_58_S	Apr 30, 2022	3:58PM	AUS Leachate - pH 5.0	M22- My0001940		X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220502041931-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 884270
Phone: 08 8338 1009
Fax:

Received: May 2, 2022 4:15 PM
Due: May 9, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
	S_Primary_EU F									
28	SX_OB_20220 430_15_58_S S_Duplicate_E UF	Apr 30, 2022	3:58PM	AUS Leachate - pH 5.0	M22- My0001941		X		X	
29	SX_OB_20220 430_20_03_S S_Primary_EU F	Apr 30, 2022	8:03PM	AUS Leachate - pH 5.0	M22- My0001942		X		X	
30	SX_OB_20220 501_00_08_S S_Primary_EU F	May 01, 2022	12:08AM	AUS Leachate - pH 5.0	M22- My0001943		X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220502041931-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 884270
Phone: 08 8338 1009
Fax:

Received: May 2, 2022 4:15 PM
Due: May 9, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
31	SX_OB_20220501_04_07_S_S_Primary_EU_F	May 01, 2022	4:07AM	AUS Leachate - pH 5.0	M22-My0001944		X		X	
32	SX_IB_20220501_08_21_SS_Primary_EUF	May 01, 2022	8:21AM	AUS Leachate - pH 5.0	M22-My0001945		X		X	
33	SX_IB_20220501_08_21_SS_Triplicate_EU_F	May 01, 2022	8:21AM	AUS Leachate - pH 5.0	M22-My0001946		X		X	
34	SX_OB_20220501_08_25_S_S_Primary_EU	May 01, 2022	8:25AM	AUS Leachate - pH 5.0	M22-My0001947		X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
	F									
35	SX_IB_20220501_12_19_SS_Primary_EUF	May 01, 2022	12:19PM	AUS Leachate - pH 5.0	M22-My0001948		X		X	
36	SX_IB_20220501_16_16_SS_Primary_EUF	May 01, 2022	4:16PM	AUS Leachate - pH 5.0	M22-My0001949		X		X	
37	SX_OB_20220501_16_22_S_S_Primary_EUF	May 01, 2022	4:22PM	AUS Leachate - pH 5.0	M22-My0001950		X		X	
38	SX_OB_20220501_16_23_S_S_Duplicate_E	May 01, 2022	4:23PM	AUS Leachate - pH 5.0	M22-My0001951		X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
	S_Duplicate_EUF									
39	SX_IB_20220501_19_56_SS_Primary_EUF	May 01, 2022	7:56PM	AUS Leachate - pH 5.0	M22-My0001952		X		X	
40	SX_IB_20220501_23_52_SS_Primary_EUF	May 01, 2022	11:52PM	AUS Leachate - pH 5.0	M22-My0001953		X		X	
41	SX_IB_20220501_23_58_SS_Primary_EUF	May 01, 2022	11:58PM	AUS Leachate - pH 5.0	M22-My0001954		X		X	
42	SX_IB_20220502_03_56_SS_Primary_EUF	May 02, 2022	3:56AM	AUS Leachate - pH 5.0	M22-My0001955		X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
43	SX_IB_20220430_07_52_SS_Triplicate_EU_F	Apr 30, 2022	7:52AM	AUS Leachate - Reagent Water	M22-My0001956		X		X	
44	SX_IB_20220430_07_55_SS_Primary_EUF	Apr 30, 2022	7:55AM	AUS Leachate - Reagent Water	M22-My0001957		X		X	
45	SX_OB_20220430_11_46_S_S_Primary_EU_F	Apr 30, 2022	11:46AM	AUS Leachate - Reagent Water	M22-My0001958		X		X	
46	SX_IB_20220430_11_50_SS_Primary_EUF	Apr 30, 2022	11:50AM	AUS Leachate - Reagent Water	M22-My0001959		X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
47	SX_OB_20220430_15_58_S_S_Primary_EU_F	Apr 30, 2022	3:58PM	AUS Leachate - Reagent Water	M22-My0001960		X		X	
48	SX_OB_20220430_15_58_S_S_Duplicate_EUF	Apr 30, 2022	3:58PM	AUS Leachate - Reagent Water	M22-My0001961		X		X	
49	SX_OB_20220430_20_03_S_S_Primary_EU_F	Apr 30, 2022	8:03PM	AUS Leachate - Reagent Water	M22-My0001962		X		X	
50	SX_OB_20220501_00_08_S	May 01, 2022	12:08AM	AUS Leachate - Reagent	M22-My0001963		X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
	S_Primary_EU F			Water						
51	SX_OB_20220 501_04_07_S S_Primary_EU F	May 01, 2022	4:07AM	AUS Leachate - Reagent Water	M22- My0001964		X		X	
52	SX_IB_202205 01_08_21_SS _Primary_EUF	May 01, 2022	8:21AM	AUS Leachate - Reagent Water	M22- My0001965		X		X	
53	SX_IB_202205 01_08_21_SS _Triplicate_EU F	May 01, 2022	8:21AM	AUS Leachate - Reagent Water	M22- My0001966		X		X	
54	SX_OB_20220	May 01, 2022	8:25AM	AUS Leachate	M22-		X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220502041931-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 884270
Phone: 08 8338 1009
Fax:

Received: May 2, 2022 4:15 PM
Due: May 9, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
54	SX_OB_20220501_08_25_S_S_Primary_EUF	May 01, 2022	8:25AM	AUS Leachate - Reagent Water	M22-My0001967					
55	SX_IB_20220501_12_19_SS_Primary_EUF	May 01, 2022	12:19PM	AUS Leachate - Reagent Water	M22-My0001968		X		X	
56	SX_IB_20220501_16_16_SS_Primary_EUF	May 01, 2022	4:16PM	AUS Leachate - Reagent Water	M22-My0001969		X		X	
57	SX_OB_20220501_16_22_S_S_Primary_EUF	May 01, 2022	4:22PM	AUS Leachate - Reagent Water	M22-My0001970		X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
58	SX_OB_20220501_16_23_SS_Duplicate_EUF	May 01, 2022	4:23PM	AUS Leachate - Reagent Water	M22-My0001971		X		X	
59	SX_IB_20220501_19_56_SS_Primary_EUF	May 01, 2022	7:56PM	AUS Leachate - Reagent Water	M22-My0001972		X		X	
60	SX_IB_20220501_23_52_SS_Primary_EUF	May 01, 2022	11:52PM	AUS Leachate - Reagent Water	M22-My0001973		X		X	
61	SX_IB_20220501_23_58_SS_Primary_EUF	May 01, 2022	11:58PM	AUS Leachate - Reagent Water	M22-My0001974		X		X	
62	SX_IB_20220502	May 02, 2022	3:56AM	AUS Leachate	M22-		X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
62	SX_IB_20220502_03_56_SS_Primary_EUF	May 02, 2022	3:56AM	AUS Leachate - Reagent Water	M22-My0001975					
63	SX_IB_20220430_07_56_SS_Primary_EUF	Apr 30, 2022	7:56AM	Soil	M22-My0001976	X				
64	SX_IB_20220430_15_53_SS_Primary_EUF	Apr 30, 2022	3:53PM	Soil	M22-My0001977	X				
65	SX_IB_20220501_12_16_SS_Primary_EUF	May 01, 2022	12:16PM	Soil	M22-My0001978	X				
66	SX_IB_20220501_16_12_SS	May 01, 2022	4:12PM	Soil	M22-My0001979	X				

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
	_Primary_EUF									
67	SX_IB_20220501_19_50_SS_Primary_EUF	May 01, 2022	7:50PM	Soil	M22-My0001980	X				
68	SX_IB_20220502_04_07_SS_Primary_EUF	May 02, 2022	4:07AM	Soil	M22-My0001981	X				
Test Counts						6	40	20	62	20

Internal Quality Control Review and Glossary

General

1. Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
2. All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
3. All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
4. Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
5. Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
6. SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
7. Samples were analysed on an 'as received' basis.
8. Information identified on this report with blue colour, indicates data provided by customer that may have an impact on the results.
9. This report replaces any interim results previously issued.

Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

Units

mg/kg: milligrams per kilogram	mg/L: milligrams per litre	µg/L: micrograms per litre
ppm: parts per million	ppb: parts per billion	%: Percentage
org/100 mL: Organisms per 100 millilitres	NTU: Nephelometric Turbidity Units	MPN/100 mL: Most Probable Number of organisms per 100 millilitres

Terms

APHA	American Public Health Association
COC	Chain of Custody
CP	Client Parent - QC was performed on samples pertaining to this report
CRM	Certified Reference Material (ISO17034) - reported as percent recovery.
Dry	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
Duplicate	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
LOR	Limit of Reporting.
LCS	Laboratory Control Sample - reported as percent recovery.
Method Blank	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
NCP	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
RPD	Relative Percent Difference between two Duplicate pieces of analysis.
SPIKE	Addition of the analyte to the sample and reported as percentage recovery.
SRA	Sample Receipt Advice
Surr - Surrogate	The addition of a like compound to the analyte target and reported as percentage recovery.
TBTO	Tributyltin oxide (<i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment however free tributyltin was measured and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits.
TCLP	Toxicity Characteristic Leaching Procedure
TEQ	Toxic Equivalency Quotient or Total Equivalence
QSM	US Department of Defense Quality Systems Manual Version 5.4
US EPA	United States Environmental Protection Agency
WA DWER	Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

QC - Acceptance Criteria

The acceptance criteria should be used as a guide only and may be different when site specific Sampling Analysis and Quality Plan (SAQP) have been implemented

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR: No Limit

Results between 10-20 times the LOR: RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

NOTE: pH duplicates are reported as a range not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.4 where no positive PFAS results have been reported have been reviewed and no data was affected.

QC Data General Comments

1. Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
2. Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
3. pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
4. Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery the term "INT" appears against that analyte.
5. For Matrix Spikes and LCS results a dash "-" in the report means that the specific analyte was not added to the QC sample.
6. Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

Quality Control Results

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Method Blank							
Perfluoroalkyl carboxylic acids (PFCAs)							
Perfluorobutanoic acid (PFBA)	ug/L	< 0.05			0.05	Pass	
Perfluoropentanoic acid (PFPeA)	ug/L	< 0.01			0.01	Pass	
Perfluorohexanoic acid (PFHxA)	ug/L	< 0.01			0.01	Pass	
Perfluoroheptanoic acid (PFHpA)	ug/L	< 0.01			0.01	Pass	
Perfluorooctanoic acid (PFOA)	ug/L	< 0.01			0.01	Pass	
Perfluorononanoic acid (PFNA)	ug/L	< 0.01			0.01	Pass	
Perfluorodecanoic acid (PFDA)	ug/L	< 0.01			0.01	Pass	
Perfluoroundecanoic acid (PFUnDA)	ug/L	< 0.01			0.01	Pass	
Perfluorododecanoic acid (PFDoDA)	ug/L	< 0.01			0.01	Pass	
Perfluorotridecanoic acid (PFTTrDA)	ug/L	< 0.01			0.01	Pass	
Perfluorotetradecanoic acid (PFTeDA)	ug/L	< 0.01			0.01	Pass	
Method Blank							
Perfluoroalkyl sulfonamido substances							
Perfluorooctane sulfonamide (FOSA)	ug/L	< 0.05			0.05	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	ug/L	< 0.05			0.05	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	ug/L	< 0.05			0.05	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	ug/L	< 0.05			0.05	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	ug/L	< 0.05			0.05	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	ug/L	< 0.05			0.05	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	ug/L	< 0.05			0.05	Pass	
Method Blank							
Perfluoroalkyl sulfonic acids (PFASs)							
Perfluorobutanesulfonic acid (PFBS)	ug/L	< 0.01			0.01	Pass	
Perfluorononanesulfonic acid (PFNS)	ug/L	< 0.01			0.01	Pass	
Perfluoropropanesulfonic acid (PFPrS)	ug/L	< 0.01			0.01	Pass	
Perfluoropentanesulfonic acid (PFPeS)	ug/L	< 0.01			0.01	Pass	
Perfluorohexanesulfonic acid (PFHxS)	ug/L	< 0.01			0.01	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	ug/L	< 0.01			0.01	Pass	
Perfluorooctanesulfonic acid (PFOS)	ug/L	< 0.01			0.01	Pass	
Perfluorodecanesulfonic acid (PFDS)	ug/L	< 0.01			0.01	Pass	
Method Blank							
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)							
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	ug/L	< 0.01			0.01	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	ug/L	< 0.05			0.05	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	ug/L	< 0.01			0.01	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	ug/L	< 0.01			0.01	Pass	
LCS - % Recovery							
Perfluoroalkyl carboxylic acids (PFCAs)							
Perfluorobutanoic acid (PFBA)	%	77			50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	107			50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	92			50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	95			50-150	Pass	
Perfluorooctanoic acid (PFOA)	%	98			50-150	Pass	
Perfluorononanoic acid (PFNA)	%	83			50-150	Pass	
Perfluorodecanoic acid (PFDA)	%	132			50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	%	115			50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	%	93			50-150	Pass	
Perfluorotridecanoic acid (PFTTrDA)	%	114			50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	%	103			50-150	Pass	

Test		Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code	
LCS - % Recovery									
Perfluoroalkyl sulfonamido substances									
Perfluorooctane sulfonamide (FOSA)		%	92			50-150	Pass		
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)		%	119			50-150	Pass		
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)		%	112			50-150	Pass		
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)		%	111			50-150	Pass		
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)		%	91			50-150	Pass		
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)		%	121			50-150	Pass		
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)		%	61			50-150	Pass		
LCS - % Recovery									
Perfluoroalkyl sulfonic acids (PFSAs)									
Perfluorobutanesulfonic acid (PFBS)		%	91			50-150	Pass		
Perfluorononanesulfonic acid (PFNS)		%	88			50-150	Pass		
Perfluoropropanesulfonic acid (PFPrS)		%	102			50-150	Pass		
Perfluoropentanesulfonic acid (PFPeS)		%	102			50-150	Pass		
Perfluorohexanesulfonic acid (PFHxS)		%	77			50-150	Pass		
Perfluoroheptanesulfonic acid (PFHpS)		%	80			50-150	Pass		
Perfluorooctanesulfonic acid (PFOS)		%	101			50-150	Pass		
Perfluorodecanesulfonic acid (PFDS)		%	82			50-150	Pass		
LCS - % Recovery									
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)									
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)		%	102			50-150	Pass		
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)		%	120			50-150	Pass		
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)		%	89			50-150	Pass		
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)		%	106			50-150	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Duplicate									
Perfluoroalkyl carboxylic acids (PFCAs)									
Perfluorobutanoic acid (PFBA)	M22-My0001937	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
Perfluoropentanoic acid (PFPeA)	M22-My0001937	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorohexanoic acid (PFHxA)	M22-My0001937	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluoroheptanoic acid (PFHpA)	M22-My0001937	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorooctanoic acid (PFOA)	M22-My0001937	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorononanoic acid (PFNA)	M22-My0001937	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorodecanoic acid (PFDA)	M22-My0001937	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluoroundecanoic acid (PFUnDA)	M22-My0001937	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorododecanoic acid (PFDoDA)	M22-My0001937	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorotridecanoic acid (PFTrDA)	M22-My0001937	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorotetradecanoic acid (PFTeDA)	M22-My0001937	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Duplicate									
Perfluoroalkyl sulfonamido substances									
Perfluorooctane sulfonamide (FOSA)	M22-My0001937	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0001937	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0001937	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0001937	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0001937	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0001937	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0001937	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSAs)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-My0001937	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-My0001937	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-My0001937	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-My0001937	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-My0001937	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0001937	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-My0001937	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-My0001937	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0001937	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0001937	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0001937	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0001937	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
Perfluoroalkyl carboxylic acids (PFCAs)				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-My0001943	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-My0001943	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-My0001943	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-My0001943	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-My0001943	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-My0001943	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-My0001943	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-My0001943	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-My0001943	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotridecanoic acid (PFTrDA)	M22-My0001943	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-My0001943	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-My0001943	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0001943	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0001943	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0001943	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0001943	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0001943	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0001943	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-My0001943	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-My0001943	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-My0001943	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-My0001943	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-My0001943	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0001943	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-My0001943	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-My0001943	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0001943	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0001943	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0001943	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0001943	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
Perfluoroalkyl carboxylic acids (PFCA)				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-My0001959	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-My0001959	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-My0001959	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-My0001959	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-My0001959	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-My0001959	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-My0001959	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-My0001959	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-My0001959	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotridecanoic acid (PFTrDA)	M22-My0001959	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-My0001959	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-My0001959	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0001959	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0001959	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0001959	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0001959	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0001959	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0001959	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA's)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-My0001959	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-My0001959	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-My0001959	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-My0001959	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-My0001959	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0001959	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-My0001959	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-My0001959	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA's)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0001959	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0001959	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0001959	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0001959	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
Perfluoroalkyl carboxylic acids (PFCA's)				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-My0001974	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-My0001974	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-My0001974	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-My0001974	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-My0001974	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-My0001974	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-My0001974	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-My0001974	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-My0001974	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotridecanoic acid (PFTrDA)	M22-My0001974	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-My0001974	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-My0001974	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0001974	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0001974	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0001974	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0001974	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0001974	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0001974	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-My0001974	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-My0001974	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-My0001974	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-My0001974	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-My0001974	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0001974	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-My0001974	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-My0001974	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0001974	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0001974	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0001974	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0001974	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass

Comments

V2: Sample amendments as per below: "IB" changed to "OB"
 M22-My0001916SX_OB_20220430_11_46_SS_Primary_EUF
 M22-My0001938SX_OB_20220430_11_46_SS_Primary_EUF
 M22-My0001958SX_OB_20220430_11_46_SS_Primary_EUF
 M22-My0001919SX_OB_20220430_15_58_SS_Duplicate_EUF
 M22-My0001941SX_OB_20220430_15_58_SS_Duplicate_EUF
 M22-My0001961SX_OB_20220430_15_58_SS_Duplicate_EUF
 M22-My0001918SX_OB_20220430_15_58_SS_Primary_EUF
 M22-My0001940SX_OB_20220430_15_58_SS_Primary_EUF
 M22-My0001960SX_OB_20220430_15_58_SS_Primary_EUF

Sample Integrity

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	N/A
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

Qualifier Codes/Comments

Code	Description
C01	Leachate Fluid Key: 1 - pH 5.0; 2 - pH 2.9; 3 - pH 9.2; 4 - Reagent (DI) water; 5 - Client sample, 6 - other
N11	Isotope dilution is used for calibration of each native compound for which an exact labelled analogue is available (Isotope Dilution Quantitation). The isotopically labelled analogues allow identification and recovery correction of the concentration of the associated native PFAS compounds.
N15	Where the native PFAS compound does not have labelled analogue then the quantification is made using the Extracted Internal Standard Analyte with the closest retention time to the analyte and no recovery correction has been made (Internal Standard Quantitation).

Authorised by:

Michael Cassidy	Analytical Services Manager
Mary Makarios	Senior Analyst (NSW)
Joseph Edouard	Senior Analyst (VIC)



Glenn Jackson
General Manager

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Agon Environmental Pty Ltd - VIC
 3/224 Glen Osmond Road
 Fullarton
 SA 5063



NATA Accredited
 Accreditation Number 1261
 Site Number 1254

Accredited for compliance with ISO/IEC 17025 – Testing
 NATA is a signatory to the ILAC Mutual Recognition
 Arrangement for the mutual recognition of the
 equivalence of testing, medical testing, calibration,
 inspection, proficiency testing scheme providers and
 reference materials producers reports and certificates.

Attention: **David Lawson**

Report **884270-S-V2**
 Project name **20220502041931-Eurofin-21**
 Project ID **JC0927**
 Received Date **May 02, 2022**

Client Sample ID			SX_IB_202204 30_07_52_SS TriPLICATE_EUF	SX_IB_202204 30_07_55_SS Primary_EUF	SX_OB_20220 430_11_46_SS _Primary_EUF	SX_IB_202204 30_11_50_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0001914	M22- My0001915	M22- My0001916	M22- My0001917
Date Sampled			Apr 30, 2022	Apr 30, 2022	Apr 30, 2022	Apr 30, 2022
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
Naphthalene ^{N02}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) ^{N04}	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) ^{N01}	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
Volatile Organics						
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Volatile Organics						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_IB_202204 30_07_52_SS TriPLICATE_EUF	SX_IB_202204 30_07_55_SS Primary_EUF	SX_OB_20220 430_11_46_SS _Primary_EUF	SX_IB_202204 30_11_50_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0001914	M22- My0001915	M22- My0001916	M22- My0001917
Date Sampled			Apr 30, 2022	Apr 30, 2022	Apr 30, 2022	Apr 30, 2022
Test/Reference	LOR	Unit				
Volatile Organics						
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1,2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1,3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1,2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1,3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	78	100	94	104
Toluene-d8 (surr.)	1	%	85	80	80	97
Polycyclic Aromatic Hydrocarbons						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_IB_202204 30_07_52_SS Triplicate_EUF	SX_IB_202204 30_07_55_SS Primary_EUF	SX_OB_20220 430_11_46_SS _Primary_EUF	SX_IB_202204 30_11_50_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0001914	M22- My0001915	M22- My0001916	M22- My0001917
Date Sampled			Apr 30, 2022	Apr 30, 2022	Apr 30, 2022	Apr 30, 2022
Test/Reference	LOR	Unit				
Polycyclic Aromatic Hydrocarbons						
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1,2,3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	64	120	110	51
p-Terphenyl-d14 (surr.)	1	%	128	64	87	110
Organochlorine Pesticides						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	74	76	60	58
Tetrachloro-m-xylene (surr.)	1	%	97	123	75	73

Client Sample ID			SX_IB_202204 30_07_52_SS TriPLICATE_EUF	SX_IB_202204 30_07_55_SS Primary_EUF	SX_IB_202204 30_11_46_SS Primary_EUF	SX_IB_202204 30_11_50_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0001914	M22- My0001915	M22- My0001916	M22- My0001917
Date Sampled			Apr 30, 2022	Apr 30, 2022	Apr 30, 2022	Apr 30, 2022
Test/Reference	LOR	Unit				
Polychlorinated Biphenyls						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchloroendate (surr.)	1	%	74	76	60	58
Tetrachloro-m-xylene (surr.)	1	%	97	123	75	73
Phenols (Halogenated)						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1
Phenols (non-Halogenated)						
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	int	45	51	55
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20
Chromium (hexavalent)						
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1	< 1
Cyanide (total)						
Cyanide (total)	5	mg/kg	< 5	< 5	< 5	< 5
Fluoride (Total)						
Fluoride (Total)	100	mg/kg	430	650	310	350
pH (1:5 Aqueous extract at 25°C as rec.)						
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	9.4	8.4	8.2	9.5
% Moisture						
% Moisture	1	%	32	28	30	31
Heavy Metals						
Arsenic	2	mg/kg	29	25	21	30
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	110	170	160	120
Copper	5	mg/kg	70	87	86	79
Lead	5	mg/kg	6.1	< 5	< 5	5.8
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202204 30_07_52_SS TriPLICATE_EUF	SX_IB_202204 30_07_55_SS Primary_EUF	SX_IB_202204 30_11_46_SS Primary_EUF	SX_IB_202204 30_11_50_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0001914	M22- My0001915	M22- My0001916	M22- My0001917
Date Sampled			Apr 30, 2022	Apr 30, 2022	Apr 30, 2022	Apr 30, 2022
Test/Reference	LOR	Unit				
Heavy Metals						
Molybdenum	5	mg/kg	< 5	< 5	< 5	< 5
Nickel	5	mg/kg	220	280	260	220
Selenium	2	mg/kg	< 2	< 2	< 2	< 2
Silver	2	mg/kg	< 2	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10	< 10
Zinc	5	mg/kg	150	180	160	160
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTeDA) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	99	84	104	97
13C5-PFPeA (surr.)	1	%	108	83	100	93
13C5-PFHxA (surr.)	1	%	85	78	87	80
13C4-PFHpA (surr.)	1	%	90	75	86	84
13C8-PFOA (surr.)	1	%	71	73	58	59
13C5-PFNA (surr.)	1	%	76	69	61	72
13C6-PFDA (surr.)	1	%	71	73	69	74
13C2-PFUnDA (surr.)	1	%	102	86	93	93
13C2-PFDoDA (surr.)	1	%	106	85	103	100
13C2-PFTeDA (surr.)	1	%	94	105	104	92
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	107	90	111	95
D3-N-MeFOSA (surr.)	1	%	114	103	105	82
D5-N-EtFOSA (surr.)	1	%	114	101	118	109
D7-N-MeFOSE (surr.)	1	%	106	74	114	91
D9-N-EtFOSE (surr.)	1	%	100	93	110	94
D5-N-EtFOSAA (surr.)	1	%	63	54	63	72
D3-N-MeFOSAA (surr.)	1	%	65	66	76	70

Client Sample ID			SX_IB_202204 30_07_52_SS TriPLICATE_EUF	SX_IB_202204 30_07_55_SS Primary_EUF	SX_OB_20220 430_11_46_SS _Primary_EUF	SX_IB_202204 30_11_50_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0001914	M22- My0001915	M22- My0001916	M22- My0001917
Date Sampled			Apr 30, 2022	Apr 30, 2022	Apr 30, 2022	Apr 30, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl sulfonic acids (PFSA)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	71	72	69	62
18O2-PFHxS (surr.)	1	%	75	72	86	84
13C8-PFOS (surr.)	1	%	86	81	62	68
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	108	60	119	106
13C2-6:2 FTSA (surr.)	1	%	96	58	100	92
13C2-8:2 FTSA (surr.)	1	%	88	85	73	67
13C2-10:2 FTSA (surr.)	1	%	60	79	95	101
PFASs Summations						
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50	< 50

Client Sample ID			SX_OB_20220 430_15_58_SS _Primary_EUF	SX_OB_20220 430_15_58_SS Duplicate_EU F	SX_OB_20220 430_20_03_SS _Primary_EUF	SX_OB_20220 501_00_08_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0001918	M22- My0001919	M22- My0001920	M22- My0001923
Date Sampled			Apr 30, 2022	Apr 30, 2022	Apr 30, 2022	May 01, 2022
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
Naphthalene ^{N02}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) ^{N04}	20	mg/kg	< 20	< 20	< 20	< 20

Client Sample ID			SX_OB_20220 430_15_58_SS _Primary_EUF	SX_OB_20220 430_15_58_SS Duplicate_EU F	SX_OB_20220 430_20_03_SS _Primary_EUF	SX_OB_20220 501_00_08_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0001918	M22- My0001919	M22- My0001920	M22- My0001923
Date Sampled			Apr 30, 2022	Apr 30, 2022	Apr 30, 2022	May 01, 2022
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons						
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) ^{N01}	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
Volatile Organics						
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Volatile Organics						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_OB_20220 430_15_58_SS _Primary_EUF	SX_OB_20220 430_15_58_SS Duplicate_EU F	SX_OB_20220 430_20_03_SS _Primary_EUF	SX_OB_20220 501_00_08_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0001918	M22- My0001919	M22- My0001920	M22- My0001923
Date Sampled			Apr 30, 2022	Apr 30, 2022	Apr 30, 2022	May 01, 2022
Test/Reference	LOR	Unit				
Volatile Organics						
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	91	88	81	63
Toluene-d8 (surr.)	1	%	77	96	83	69
Polycyclic Aromatic Hydrocarbons						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	61	87	59	68
p-Terphenyl-d14 (surr.)	1	%	123	85	99	54

Client Sample ID			SX_OB_20220 430_15_58_SS _Primary_EUF	SX_OB_20220 430_15_58_SS Duplicate_EU F	SX_OB_20220 430_20_03_SS _Primary_EUF	SX_OB_20220 501_00_08_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0001918	M22- My0001919	M22- My0001920	M22- My0001923
Date Sampled			Apr 30, 2022	Apr 30, 2022	Apr 30, 2022	May 01, 2022
Test/Reference	LOR	Unit				
Organochlorine Pesticides						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchloroendate (surr.)	1	%	52	52	55	85
Tetrachloro-m-xylene (surr.)	1	%	61	91	83	74
Polychlorinated Biphenyls						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchloroendate (surr.)	1	%	52	52	55	85
Tetrachloro-m-xylene (surr.)	1	%	61	91	83	74
Phenols (Halogenated)						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1

Client Sample ID			SX_OB_20220 430_15_58_SS _Primary_EUF	SX_OB_20220 430_15_58_SS Duplicate_EU F	SX_OB_20220 430_20_03_SS _Primary_EUF	SX_OB_20220 501_00_08_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0001918	M22- My0001919	M22- My0001920	M22- My0001923
Date Sampled			Apr 30, 2022	Apr 30, 2022	Apr 30, 2022	May 01, 2022
Test/Reference	LOR	Unit				
Phenols (non-Halogenated)						
2-Cyclohexyl-4.6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4.6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2.4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2.4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	60	30	46	41
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20
Chromium (hexavalent)						
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1	< 1
Cyanide (total)						
Cyanide (total)	5	mg/kg	< 5	< 5	< 5	< 5
Fluoride (Total)						
Fluoride (Total)	100	mg/kg	300	430	< 100	380
pH (1:5 Aqueous extract at 25°C as rec.)						
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	8.5	8.4	8.2	8.3
% Moisture						
% Moisture	1	%	29	31	31	29
Heavy Metals						
Arsenic	2	mg/kg	21	21	26	22
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	170	170	160	160
Copper	5	mg/kg	98	95	82	91
Lead	5	mg/kg	< 5	< 5	< 5	< 5
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Molybdenum	5	mg/kg	< 5	< 5	< 5	< 5
Nickel	5	mg/kg	280	270	250	280
Selenium	2	mg/kg	< 2	< 2	< 2	< 2
Silver	2	mg/kg	< 2	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10	< 10
Zinc	5	mg/kg	160	160	160	170
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTTrDA) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	101	102	100	105
13C5-PFPeA (surr.)	1	%	110	97	88	100
13C5-PFHxA (surr.)	1	%	88	88	80	90

Client Sample ID			SX_OB_20220 430_15_58_SS _Primary_EUF	SX_OB_20220 430_15_58_SS Duplicate_EU F	SX_OB_20220 430_20_03_SS _Primary_EUF	SX_OB_20220 501_00_08_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0001918	M22- My0001919	M22- My0001920	M22- My0001923
Date Sampled			Apr 30, 2022	Apr 30, 2022	Apr 30, 2022	May 01, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl carboxylic acids (PFCAs)						
13C4-PFHpA (surr.)	1	%	87	85	84	95
13C8-PFOA (surr.)	1	%	89	88	52	87
13C5-PFNA (surr.)	1	%	68	73	58	74
13C6-PFDA (surr.)	1	%	78	69	69	89
13C2-PFUnDA (surr.)	1	%	113	101	100	96
13C2-PFDoDA (surr.)	1	%	103	111	107	105
13C2-PFTeDA (surr.)	1	%	97	106	104	125
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	104	99	117	114
D3-N-MeFOSA (surr.)	1	%	102	103	107	104
D5-N-EtFOSA (surr.)	1	%	118	113	118	128
D7-N-MeFOSE (surr.)	1	%	89	96	112	110
D9-N-EtFOSE (surr.)	1	%	112	109	99	112
D5-N-EtFOSAA (surr.)	1	%	69	72	57	53
D3-N-MeFOSAA (surr.)	1	%	68	57	90	77
Perfluoroalkyl sulfonic acids (PFSA)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	81	74	62	78
18O2-PFHxS (surr.)	1	%	75	74	97	79
13C8-PFOS (surr.)	1	%	84	87	96	58
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	98	105	147	108
13C2-6:2 FTSA (surr.)	1	%	92	97	104	98

Client Sample ID			SX_OB_20220 430_15_58_SS _Primary_EUF	SX_OB_20220 430_15_58_SS _Duplicate_EU F	SX_OB_20220 430_20_03_SS _Primary_EUF	SX_OB_20220 501_00_08_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0001918	M22- My0001919	M22- My0001920	M22- My0001923
Date Sampled			Apr 30, 2022	Apr 30, 2022	Apr 30, 2022	May 01, 2022
Test/Reference	LOR	Unit				
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
13C2-8:2 FTSA (surr.)	1	%	75	94	75	91
13C2-10:2 FTSA (surr.)	1	%	75	75	91	94
PFASs Summations						
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50	< 50

Client Sample ID			SX_OB_20220 501_04_07_SS _Primary_EUF	SX_IB_202205 01_08_21_SS _Primary_EUF	SX_IB_202205 01_08_21_SS _TriPLICATE_EUF	SX_OB_20220 501_08_25_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0001924	M22- My0001925	M22- My0001926	M22- My0001927
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 01, 2022
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
Naphthalene ^{N02}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) ^{N04}	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) ^{N01}	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
Volatile Organics						
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Volatile Organics						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_OB_20220 501_04_07_SS _Primary_EUF	SX_IB_202205 01_08_21_SS _Primary_EUF	SX_IB_202205 01_08_21_SS _Triuplicate_EUF	SX_OB_20220 501_08_25_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0001924	M22- My0001925	M22- My0001926	M22- My0001927
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 01, 2022
Test/Reference	LOR	Unit				
Volatile Organics						
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	74	58	72	81
Toluene-d8 (surr.)	1	%	64	63	58	79

Client Sample ID			SX_OB_20220 501_04_07_SS _Primary_EUF	SX_IB_202205 01_08_21_SS _Primary_EUF	SX_IB_202205 01_08_21_SS _Triuplicate_EUF	SX_OB_20220 501_08_25_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0001924	M22- My0001925	M22- My0001926	M22- My0001927
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 01, 2022
Test/Reference	LOR	Unit				
Polycyclic Aromatic Hydrocarbons						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1,2,3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	64	70	50	58
p-Terphenyl-d14 (surr.)	1	%	51	61	110	100
Organochlorine Pesticides						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_20220 501_04_07_SS _Primary_EUF	SX_IB_202205 01_08_21_SS _Primary_EUF	SX_IB_202205 01_08_21_SS _Triuplicate_EUF	SX_OB_20220 501_08_25_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0001924	M22- My0001925	M22- My0001926	M22- My0001927
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 01, 2022
Test/Reference	LOR	Unit				
Organochlorine Pesticides						
Dibutylchlorendate (surr.)	1	%	111	108	136	50
Tetrachloro-m-xylene (surr.)	1	%	138	110	101	106
Polychlorinated Biphenyls						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	111	108	136	50
Tetrachloro-m-xylene (surr.)	1	%	138	110	101	106
Phenols (Halogenated)						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1
Phenols (non-Halogenated)						
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	int	int	int	98
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20
Chromium (hexavalent)						
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1	< 1
Cyanide (total)	5	mg/kg	< 5	< 5	< 5	< 5
Fluoride (Total)	100	mg/kg	100	500	130	150
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	8.2	9.4	9.4	8.4
% Moisture	1	%	34	30	33	31

Client Sample ID			SX_OB_20220 501_04_07_SS _Primary_EUF	SX_IB_202205 01_08_21_SS _Primary_EUF	SX_IB_202205 01_08_21_SS _Triuplicate_EUF	SX_OB_20220 501_08_25_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0001924	M22- My0001925	M22- My0001926	M22- My0001927
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 01, 2022
Test/Reference	LOR	Unit				
Heavy Metals						
Arsenic	2	mg/kg	20	35	32	14
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	180	130	120	120
Copper	5	mg/kg	91	93	84	61
Lead	5	mg/kg	< 5	7.1	6.8	< 5
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Molybdenum	5	mg/kg	< 5	< 5	< 5	< 5
Nickel	5	mg/kg	260	240	260	160
Selenium	2	mg/kg	< 2	< 2	< 2	< 2
Silver	2	mg/kg	< 2	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10	< 10
Zinc	5	mg/kg	160	190	200	100
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTeDA) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	102	105	101	100
13C5-PFPeA (surr.)	1	%	105	99	93	99
13C5-PFHxA (surr.)	1	%	87	91	89	88
13C4-PFHpA (surr.)	1	%	91	89	91	89
13C8-PFOA (surr.)	1	%	81	76	67	90
13C5-PFNA (surr.)	1	%	78	67	61	73
13C6-PFDA (surr.)	1	%	63	77	71	98
13C2-PFUnDA (surr.)	1	%	113	101	94	81
13C2-PFDoDA (surr.)	1	%	105	109	103	98
13C2-PFTeDA (surr.)	1	%	106	112	99	97
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	109	116	114	109
D3-N-MeFOSA (surr.)	1	%	130	99	96	114

Client Sample ID			SX_OB_20220501_04_07_SS_Primary_EUF	SX_IB_20220501_08_21_SS_Primary_EUF	SX_IB_20220501_08_21_SS_Triplicate_EUF	SX_OB_20220501_08_25_SS_Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22-My0001924	M22-My0001925	M22-My0001926	M22-My0001927
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 01, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl sulfonamido substances						
D5-N-EtFOSA (surr.)	1	%	116	119	114	116
D7-N-MeFOSE (surr.)	1	%	105	94	98	100
D9-N-EtFOSE (surr.)	1	%	104	106	99	115
D5-N-EtFOSAA (surr.)	1	%	50	65	63	62
D3-N-MeFOSAA (surr.)	1	%	67	70	66	56
Perfluoroalkyl sulfonic acids (PFASs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	73	74	73	78
18O2-PFHxS (surr.)	1	%	98	76	67	74
13C8-PFOS (surr.)	1	%	74	60	78	65
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	106	116	113	107
13C2-6:2 FTSA (surr.)	1	%	116	99	107	94
13C2-8:2 FTSA (surr.)	1	%	89	84	68	78
13C2-10:2 FTSA (surr.)	1	%	88	92	110	76
PFASs Summations						
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50	< 50

Client Sample ID			SX_IB_202205 01_12_19_SS_ Primary_EUF	SX_IB_202205 01_16_16_SS_ Primary_EUF	SX_OB_20220 501_16_22_SS_ Primary_EUF	SX_OB_20220 501_16_23_SS_ Duplicate_EU F
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0001928	M22- My0001929	M22- My0001930	M22- My0001931
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 01, 2022
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
Naphthalene ^{N02}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) ^{N04}	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) ^{N01}	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
Volatile Organics						
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Volatile Organics						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_IB_202205 01_12_19_SS_ Primary_EUF	SX_IB_202205 01_16_16_SS_ Primary_EUF	SX_OB_20220 501_16_22_SS_ Primary_EUF	SX_OB_20220 501_16_23_SS_ Duplicate_EU F
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0001928	M22- My0001929	M22- My0001930	M22- My0001931
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 01, 2022
Test/Reference	LOR	Unit				
Volatile Organics						
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	127	83	90	99
Toluene-d8 (surr.)	1	%	107	74	83	93
Polycyclic Aromatic Hydrocarbons						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_IB_202205 01_12_19_SS_ Primary_EUF	SX_IB_202205 01_16_16_SS_ Primary_EUF	SX_OB_20220 501_16_22_SS_ Primary_EUF	SX_OB_20220 501_16_23_SS_ Duplicate_EU F
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0001928	M22- My0001929	M22- My0001930	M22- My0001931
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 01, 2022
Test/Reference	LOR	Unit				
Polycyclic Aromatic Hydrocarbons						
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	54	87	66	123
p-Terphenyl-d14 (surr.)	1	%	109	93	124	136
Organochlorine Pesticides						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	67	83	56	70
Tetrachloro-m-xylene (surr.)	1	%	99	95	69	138
Polychlorinated Biphenyls						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	67	83	56	70
Tetrachloro-m-xylene (surr.)	1	%	99	95	69	138

Client Sample ID			SX_IB_202205 01_12_19_SS_ Primary_EUF	SX_IB_202205 01_16_16_SS_ Primary_EUF	SX_OB_20220 501_16_22_SS_ Primary_EUF	SX_OB_20220 501_16_23_SS_ Duplicate_EU F
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0001928	M22- My0001929	M22- My0001930	M22- My0001931
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 01, 2022
Test/Reference	LOR	Unit				
Phenols (Halogenated)						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1
Phenols (non-Halogenated)						
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	71	75	88	71
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20
Chromium (hexavalent)						
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1	< 1
Cyanide (total)						
Cyanide (total)	5	mg/kg	< 5	< 5	< 5	< 5
Fluoride (Total)						
Fluoride (Total)	100	mg/kg	< 100	140	150	< 100
pH (1:5 Aqueous extract at 25°C as rec.)						
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	9.5	9.5	8.1	8.1
% Moisture						
% Moisture	1	%	33	36	30	28
Heavy Metals						
Arsenic	2	mg/kg	25	38	19	33
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	110	150	160	300
Copper	5	mg/kg	73	100	80	180
Lead	5	mg/kg	5.3	10	< 5	8.2
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Molybdenum	5	mg/kg	< 5	< 5	< 5	5.2
Nickel	5	mg/kg	260	260	220	490
Selenium	2	mg/kg	< 2	2.1	< 2	2.1
Silver	2	mg/kg	< 2	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10	< 10
Zinc	5	mg/kg	170	200	140	290
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5

Client Sample ID			SX_IB_202205 01_12_19_SS_ Primary_EUF	SX_IB_202205 01_16_16_SS_ Primary_EUF	SX_OB_20220 501_16_22_SS_ Primary_EUF	SX_OB_20220 501_16_23_SS_ Duplicate_EU F
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0001928	M22- My0001929	M22- My0001930	M22- My0001931
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 01, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorooctanoic acid (PFOA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTrDA) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	102	99	104	99
13C5-PFPeA (surr.)	1	%	105	99	103	109
13C5-PFHxA (surr.)	1	%	88	83	90	87
13C4-PFHpA (surr.)	1	%	86	88	90	87
13C8-PFOA (surr.)	1	%	77	64	92	87
13C5-PFNA (surr.)	1	%	70	60	61	70
13C6-PFDA (surr.)	1	%	80	69	90	72
13C2-PFUnDA (surr.)	1	%	87	102	112	83
13C2-PFDoDA (surr.)	1	%	115	115	103	111
13C2-PFTeDA (surr.)	1	%	105	100	92	94
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	95	104	118	103
D3-N-MeFOSA (surr.)	1	%	96	86	99	104
D5-N-EtFOSA (surr.)	1	%	115	117	113	107
D7-N-MeFOSE (surr.)	1	%	96	96	103	94
D9-N-EtFOSE (surr.)	1	%	113	100	104	95
D5-N-EtFOSAA (surr.)	1	%	62	68	61	59
D3-N-MeFOSAA (surr.)	1	%	62	58	71	86
Perfluoroalkyl sulfonic acids (PFSA)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoronanesulfonic acid (PFNS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	74	70	78	76
18O2-PFHxS (surr.)	1	%	68	74	85	87
13C8-PFOS (surr.)	1	%	80	65	95	64

Client Sample ID			SX_IB_202205 01_12_19_SS_ Primary_EUF	SX_IB_202205 01_16_16_SS_ Primary_EUF	SX_OB_20220 501_16_22_SS_ Primary_EUF	SX_OB_20220 501_16_23_SS_ Duplicate_EU F
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0001928	M22- My0001929	M22- My0001930	M22- My0001931
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 01, 2022
Test/Reference	LOR	Unit				
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	113	115	105	98
13C2-6:2 FTSA (surr.)	1	%	97	81	103	85
13C2-8:2 FTSA (surr.)	1	%	84	73	80	79
13C2-10:2 FTSA (surr.)	1	%	103	98	89	78
PFASs Summations						
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50	< 50

Client Sample ID			SX_IB_202205 01_19_56_SS_ Primary_EUF	SX_IB_202205 01_23_52_SS_ Primary_EUF	SX_IB_202205 01_23_58_SS_ Primary_EUF	SX_IB_202205 02_03_56_SS_ Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0001932	M22- My0001933	M22- My0001934	M22- My0001935
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 02, 2022
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
Naphthalene ^{N02}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) ^{N04}	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) ^{N01}	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
Volatile Organics						
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Volatile Organics						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_IB_202205 01_19_56_SS_ Primary_EUF	SX_IB_202205 01_23_52_SS_ Primary_EUF	SX_IB_202205 01_23_58_SS_ Primary_EUF	SX_IB_202205 02_03_56_SS_ Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0001932	M22- My0001933	M22- My0001934	M22- My0001935
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 02, 2022
Test/Reference	LOR	Unit				
Volatile Organics						
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_IB_202205 01_19_56_SS_ Primary_EUF	SX_IB_202205 01_23_52_SS_ Primary_EUF	SX_IB_202205 01_23_58_SS_ Primary_EUF	SX_IB_202205 02_03_56_SS_ Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22-My0001932	M22-My0001933	M22-My0001934	M22-My0001935
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 02, 2022
Test/Reference	LOR	Unit				
Volatile Organics						
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	115	95	118	122
Toluene-d8 (surr.)	1	%	123	94	123	125
Polycyclic Aromatic Hydrocarbons						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1,2,3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	66	77	52	60
p-Terphenyl-d14 (surr.)	1	%	101	150	135	97
Organochlorine Pesticides						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05

Client Sample ID			SX_IB_202205 01_19_56_SS Primary_EUF	SX_IB_202205 01_23_52_SS Primary_EUF	SX_IB_202205 01_23_58_SS Primary_EUF	SX_IB_202205 02_03_56_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0001932	M22- My0001933	M22- My0001934	M22- My0001935
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 02, 2022
Test/Reference	LOR	Unit				
Organochlorine Pesticides						
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	86	120	64	51
Tetrachloro-m-xylene (surr.)	1	%	100	68	70	66
Polychlorinated Biphenyls						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	86	120	64	51
Tetrachloro-m-xylene (surr.)	1	%	100	68	70	66
Phenols (Halogenated)						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1
Phenols (non-Halogenated)						
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	73	70	72	95
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20

Client Sample ID			SX_IB_202205 01_19_56_SS_ Primary_EUF	SX_IB_202205 01_23_52_SS_ Primary_EUF	SX_IB_202205 01_23_58_SS_ Primary_EUF	SX_IB_202205 02_03_56_SS_ Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0001932	M22- My0001933	M22- My0001934	M22- My0001935
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 02, 2022
Test/Reference	LOR	Unit				
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1	< 1
Cyanide (total)	5	mg/kg	< 5	< 5	< 5	< 5
Fluoride (Total)	100	mg/kg	110	380	440	< 100
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	9.7	9.7	9.7	9.6
% Moisture	1	%	34	35	34	34
Heavy Metals						
Arsenic	2	mg/kg	34	36	36	27
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	140	110	140	120
Copper	5	mg/kg	86	84	87	72
Lead	5	mg/kg	7.8	6.8	7.5	6.0
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Molybdenum	5	mg/kg	< 5	< 5	< 5	< 5
Nickel	5	mg/kg	230	200	250	220
Selenium	2	mg/kg	< 2	< 2	2.1	< 2
Silver	2	mg/kg	< 2	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10	< 10
Zinc	5	mg/kg	170	150	180	160
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTeDA) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	98	101	97	102
13C5-PFPeA (surr.)	1	%	97	102	95	99
13C5-PFHxA (surr.)	1	%	85	87	82	90
13C4-PFHpA (surr.)	1	%	93	93	81	92
13C8-PFOA (surr.)	1	%	68	77	68	69
13C5-PFNA (surr.)	1	%	75	69	71	72
13C6-PFDA (surr.)	1	%	74	85	101	64
13C2-PFUnDA (surr.)	1	%	115	92	106	90
13C2-PFDoDA (surr.)	1	%	109	95	101	108
13C2-PFTeDA (surr.)	1	%	113	104	108	108
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5

Client Sample ID			SX_IB_202205 01_19_56_SS_ Primary_EUF	SX_IB_202205 01_23_52_SS_ Primary_EUF	SX_IB_202205 01_23_58_SS_ Primary_EUF	SX_IB_202205 02_03_56_SS_ Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0001932	M22- My0001933	M22- My0001934	M22- My0001935
Date Sampled			May 01, 2022	May 01, 2022	May 01, 2022	May 02, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl sulfonamido substances						
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	113	118	105	111
D3-N-MeFOSA (surr.)	1	%	110	109	106	96
D5-N-EtFOSA (surr.)	1	%	116	112	109	121
D7-N-MeFOSE (surr.)	1	%	105	103	85	91
D9-N-EtFOSE (surr.)	1	%	107	102	94	99
D5-N-EtFOSAA (surr.)	1	%	56	68	53	65
D3-N-MeFOSAA (surr.)	1	%	61	65	64	80
Perfluoroalkyl sulfonic acids (PFASs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	67	77	68	73
18O2-PFHxS (surr.)	1	%	88	76	66	74
13C8-PFOS (surr.)	1	%	75	69	75	97
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	119	110	107	108
13C2-6:2 FTSA (surr.)	1	%	98	108	87	109
13C2-8:2 FTSA (surr.)	1	%	84	82	63	74
13C2-10:2 FTSA (surr.)	1	%	70	81	70	85
PFASs Summations						
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50	< 50

Sample History

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
IWRG 621 WGTP Suite			
Total Recoverable Hydrocarbons - 1999 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40	Melbourne	May 03, 2022	14 Days
Total Recoverable Hydrocarbons - 2013 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40	Melbourne	May 03, 2022	14 Days
Total Recoverable Hydrocarbons - 2013 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40	Melbourne	May 03, 2022	14 Days
Volatile Organics - Method: USEPA 8260 - MGT 350A Volatile Organics by GCMS	Melbourne	May 03, 2022	7 Days
Volatile Organics - Method: LTM-ORG-2150 VOCs in Soils Liquid and other Aqueous Matrices (USEPA 8260)	Melbourne	May 03, 2022	7 Days
Polycyclic Aromatic Hydrocarbons - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Melbourne	May 03, 2022	14 Days
Organochlorine Pesticides - Method: LTM-ORG-2220 OCP & PCB in Soil and Water (USEPA 8270)	Melbourne	May 03, 2022	14 Days
Polychlorinated Biphenyls - Method: LTM-ORG-2220 OCP & PCB in Soil and Water (USEPA 8082)	Melbourne	May 03, 2022	28 Days
Phenols (Halogenated) - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Melbourne	May 03, 2022	14 Days
Phenols (non-Halogenated) - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Melbourne	May 03, 2022	14 Days
Chromium (hexavalent) - Method: LTM-INO-4100 Hexavalent Chromium by Spectrometric detection - Method: LTM-INO-4230 Hexavalent Chromium by UV-Vis	Melbourne	May 03, 2022	28 Days
Cyanide (total) - Method: LTM-INO-4020 Total Free WAD Cyanide by CFA	Melbourne	May 03, 2022	14 Days
Fluoride (Total) - Method: LTM-INO-4150 Determination of Total Fluoride PART B – ISE - Method: LTM-INO-4150 Determination of Total Fluoride PART A – CIC	Melbourne	May 03, 2022	28 Days
pH (1:5 Aqueous extract at 25°C as rec.) - Method: LTM-GEN-7090 pH in soil by ISE	Melbourne	May 03, 2022	7 Days
Metals IWRG 621 : Metals M12 - Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS	Melbourne	May 03, 2022	28 Days
% Moisture - Method: LTM-GEN-7080 Moisture	Melbourne	May 02, 2022	14 Days
Per- and Polyfluoroalkyl Substances (PFASs)			
Perfluoroalkyl carboxylic acids (PFCAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 03, 2022	28 Days
Perfluoroalkyl sulfonamido substances - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 03, 2022	28 Days
Perfluoroalkyl sulfonic acids (PFASs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 03, 2022	28 Days
n:2 Fluorotelomer sulfonic acids (n:2 FTSAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 03, 2022	28 Days
PFASs Summations - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 02, 2022	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID					
1	SX_IB_20220430_07_52_SS_Triplicate_EU F	Apr 30, 2022	7:52AM	Soil	M22-My0001914			X	X	X
2	SX_IB_20220430_07_55_SS_Primary_EUF	Apr 30, 2022	7:55AM	Soil	M22-My0001915			X	X	X
3	SX_OB_20220430_11_46_S_S_Primary_EU F	Apr 30, 2022	11:46AM	Soil	M22-My0001916			X	X	X
4	SX_IB_202204	Apr 30, 2022	11:50AM	Soil	M22-			X	X	X

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220502041931-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 884270
Phone: 08 8338 1009
Fax:

Received: May 2, 2022 4:15 PM
Due: May 9, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
	30_11_50_SS _Primary_EUF				My0001917					
5	SX_OB_20220 430_15_58_S S_Primary_EU F	Apr 30, 2022	3:58PM	Soil	M22- My0001918			X	X	X
6	SX_OB_20220 430_15_58_S S_Duplicate_E UF	Apr 30, 2022	3:58PM	Soil	M22- My0001919			X	X	X
7	SX_OB_20220 430_20_03_S S_Primary_EU F	Apr 30, 2022	8:03PM	Soil	M22- My0001920			X	X	X

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220502041931-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 884270
Phone: 08 8338 1009
Fax:

Received: May 2, 2022 4:15 PM
Due: May 9, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
8	SX_OB_20220430_20_13_S R_Rinsate_EU F	Apr 30, 2022	8:13PM	Water	M22-My0001921				X	
9	SX_OB_20220430_20_13_S B_Blank_EUF	Apr 30, 2022	8:13PM	Water	M22-My0001922				X	
10	SX_OB_20220501_00_08_S S_Primary_EU F	May 01, 2022	12:08AM	Soil	M22-My0001923			X	X	X
11	SX_OB_20220501_04_07_S S_Primary_EU F	May 01, 2022	4:07AM	Soil	M22-My0001924			X	X	X

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220502041931-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 884270
Phone: 08 8338 1009
Fax:

Received: May 2, 2022 4:15 PM
Due: May 9, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
	F									
12	SX_IB_20220501_08_21_SS_Primary_EUF	May 01, 2022	8:21AM	Soil	M22-My0001925			X	X	X
13	SX_IB_20220501_08_21_SS_Triplicate_EUF	May 01, 2022	8:21AM	Soil	M22-My0001926			X	X	X
14	SX_OB_20220501_08_25_S_Primary_EUF	May 01, 2022	8:25AM	Soil	M22-My0001927			X	X	X
15	SX_IB_20220501_12_19_SS	May 01, 2022	12:19PM	Soil	M22-My0001928			X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
	01_12_19_SS _Primary_EUF				My0001928					
16	SX_IB_202205 01_16_16_SS _Primary_EUF	May 01, 2022	4:16PM	Soil	M22- My0001929			X	X	X
17	SX_OB_20220 501_16_22_S S_Primary_EU F	May 01, 2022	4:22PM	Soil	M22- My0001930			X	X	X
18	SX_OB_20220 501_16_23_S S_Duplicate_E UF	May 01, 2022	4:23PM	Soil	M22- My0001931			X	X	X
19	SX_IB_202205	May 01, 2022	7:56PM	Soil	M22-			X	X	X

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220502041931-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 884270
Phone: 08 8338 1009
Fax:

Received: May 2, 2022 4:15 PM
Due: May 9, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
	01_19_56_SS _Primary_EUF				My0001932					
20	SX_IB_202205 01_23_52_SS _Primary_EUF	May 01, 2022	11:52PM	Soil	M22- My0001933			X	X	X
21	SX_IB_202205 01_23_58_SS _Primary_EUF	May 01, 2022	11:58PM	Soil	M22- My0001934			X	X	X
22	SX_IB_202205 02_03_56_SS _Primary_EUF	May 02, 2022	3:56AM	Soil	M22- My0001935			X	X	X
23	SX_IB_202204 30_07_52_SS _Triplicate_EU	Apr 30, 2022	7:52AM	AUS Leachate - pH 5.0	M22- My0001936		X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220502041931-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 884270
Phone: 08 8338 1009
Fax:

Received: May 2, 2022 4:15 PM
Due: May 9, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
	_Triplicate_EU F									
24	SX_IB_202204 30_07_55_SS _Primary_EUF	Apr 30, 2022	7:55AM	AUS Leachate - pH 5.0	M22- My0001937		X		X	
25	SX_OB_20220 430_11_46_S S_Primary_EU F	Apr 30, 2022	11:46AM	AUS Leachate - pH 5.0	M22- My0001938		X		X	
26	SX_IB_202204 30_11_50_SS _Primary_EUF	Apr 30, 2022	11:50AM	AUS Leachate - pH 5.0	M22- My0001939		X		X	
27	SX_OB_20220 430_15_58_S	Apr 30, 2022	3:58PM	AUS Leachate - pH 5.0	M22- My0001940		X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220502041931-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 884270
Phone: 08 8338 1009
Fax:

Received: May 2, 2022 4:15 PM
Due: May 9, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
	S_Primary_EU F									
28	SX_OB_20220 430_15_58_S S_Duplicate_E UF	Apr 30, 2022	3:58PM	AUS Leachate - pH 5.0	M22- My0001941		X		X	
29	SX_OB_20220 430_20_03_S S_Primary_EU F	Apr 30, 2022	8:03PM	AUS Leachate - pH 5.0	M22- My0001942		X		X	
30	SX_OB_20220 501_00_08_S S_Primary_EU F	May 01, 2022	12:08AM	AUS Leachate - pH 5.0	M22- My0001943		X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
31	SX_OB_20220501_04_07_S_S_Primary_EU_F	May 01, 2022	4:07AM	AUS Leachate - pH 5.0	M22-My0001944		X		X	
32	SX_IB_20220501_08_21_SS_Primary_EUF	May 01, 2022	8:21AM	AUS Leachate - pH 5.0	M22-My0001945		X		X	
33	SX_IB_20220501_08_21_SS_Triplicate_EU_F	May 01, 2022	8:21AM	AUS Leachate - pH 5.0	M22-My0001946		X		X	
34	SX_OB_20220501_08_25_S_S_Primary_EU	May 01, 2022	8:25AM	AUS Leachate - pH 5.0	M22-My0001947		X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
	F									
35	SX_IB_20220501_12_19_SS_Primary_EUF	May 01, 2022	12:19PM	AUS Leachate - pH 5.0	M22-My0001948		X		X	
36	SX_IB_20220501_16_16_SS_Primary_EUF	May 01, 2022	4:16PM	AUS Leachate - pH 5.0	M22-My0001949		X		X	
37	SX_OB_20220501_16_22_S_S_Primary_EUF	May 01, 2022	4:22PM	AUS Leachate - pH 5.0	M22-My0001950		X		X	
38	SX_OB_20220501_16_23_S_S_Duplicate_E	May 01, 2022	4:23PM	AUS Leachate - pH 5.0	M22-My0001951		X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
	S_Duplicate_EUF									
39	SX_IB_20220501_19_56_SS_Primary_EUF	May 01, 2022	7:56PM	AUS Leachate - pH 5.0	M22-My0001952		X		X	
40	SX_IB_20220501_23_52_SS_Primary_EUF	May 01, 2022	11:52PM	AUS Leachate - pH 5.0	M22-My0001953		X		X	
41	SX_IB_20220501_23_58_SS_Primary_EUF	May 01, 2022	11:58PM	AUS Leachate - pH 5.0	M22-My0001954		X		X	
42	SX_IB_20220502_03_56_SS_Primary_EUF	May 02, 2022	3:56AM	AUS Leachate - pH 5.0	M22-My0001955		X		X	

ABN: 50 005 085 521

ABN: 91 05 0159 898

NZBN: 9429046024954

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220502041931-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 884270
Phone: 08 8338 1009
Fax:

Received: May 2, 2022 4:15 PM
Due: May 9, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
43	SX_IB_20220430_07_52_SS_Triplicate_EU_F	Apr 30, 2022	7:52AM	AUS Leachate - Reagent Water	M22-My0001956		X		X	
44	SX_IB_20220430_07_55_SS_Primary_EUF	Apr 30, 2022	7:55AM	AUS Leachate - Reagent Water	M22-My0001957		X		X	
45	SX_OB_20220430_11_46_S_S_Primary_EU_F	Apr 30, 2022	11:46AM	AUS Leachate - Reagent Water	M22-My0001958		X		X	
46	SX_IB_20220430_11_50_SS_Primary_EUF	Apr 30, 2022	11:50AM	AUS Leachate - Reagent Water	M22-My0001959		X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
47	SX_OB_20220430_15_58_S_S_Primary_EU_F	Apr 30, 2022	3:58PM	AUS Leachate - Reagent Water	M22-My0001960		X		X	
48	SX_OB_20220430_15_58_S_S_Duplicate_EUF	Apr 30, 2022	3:58PM	AUS Leachate - Reagent Water	M22-My0001961		X		X	
49	SX_OB_20220430_20_03_S_S_Primary_EU_F	Apr 30, 2022	8:03PM	AUS Leachate - Reagent Water	M22-My0001962		X		X	
50	SX_OB_20220501_00_08_S	May 01, 2022	12:08AM	AUS Leachate - Reagent	M22-My0001963		X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
	S_Primary_EU F			Water						
51	SX_OB_20220 501_04_07_S S_Primary_EU F	May 01, 2022	4:07AM	AUS Leachate - Reagent Water	M22- My0001964		X		X	
52	SX_IB_202205 01_08_21_SS _Primary_EUF	May 01, 2022	8:21AM	AUS Leachate - Reagent Water	M22- My0001965		X		X	
53	SX_IB_202205 01_08_21_SS _Triplicate_EU F	May 01, 2022	8:21AM	AUS Leachate - Reagent Water	M22- My0001966		X		X	
54	SX_OB_20220	May 01, 2022	8:25AM	AUS Leachate	M22-		X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220502041931-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 884270
Phone: 08 8338 1009
Fax:

Received: May 2, 2022 4:15 PM
Due: May 9, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
54	SX_OB_20220501_08_25_S_S_Primary_EU F	May 01, 2022	8:25AM	AUS Leachate - Reagent Water	M22-My0001967					
55	SX_IB_20220501_12_19_SS_Primary_EUF	May 01, 2022	12:19PM	AUS Leachate - Reagent Water	M22-My0001968		X		X	
56	SX_IB_20220501_16_16_SS_Primary_EUF	May 01, 2022	4:16PM	AUS Leachate - Reagent Water	M22-My0001969		X		X	
57	SX_OB_20220501_16_22_S_S_Primary_EU F	May 01, 2022	4:22PM	AUS Leachate - Reagent Water	M22-My0001970		X		X	

Company Name: Agon Environmental Pty Ltd - VIC	Order No.:	Received: May 2, 2022 4:15 PM
Address: 3/224 Glen Osmond Road Fullarton SA 5063	Report #: 884270	Due: May 9, 2022
	Phone: 08 8338 1009	Priority: 5 Day
	Fax:	Contact Name: Agon Lab Reports (Spoil Project)
Project Name: 20220502041931-Eurofin-21		
Project ID: JC0927		

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
58	SX_OB_20220501_16_23_SS_Duplicate_EUF	May 01, 2022	4:23PM	AUS Leachate - Reagent Water	M22-My0001971		X		X	
59	SX_IB_20220501_19_56_SS_Primary_EUF	May 01, 2022	7:56PM	AUS Leachate - Reagent Water	M22-My0001972		X		X	
60	SX_IB_20220501_23_52_SS_Primary_EUF	May 01, 2022	11:52PM	AUS Leachate - Reagent Water	M22-My0001973		X		X	
61	SX_IB_20220501_23_58_SS_Primary_EUF	May 01, 2022	11:58PM	AUS Leachate - Reagent Water	M22-My0001974		X		X	
62	SX_IB_20220502	May 02, 2022	3:56AM	AUS Leachate	M22-		X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220502041931-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 884270
Phone: 08 8338 1009
Fax:

Received: May 2, 2022 4:15 PM
Due: May 9, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
62	SX_IB_20220502_03_56_SS_Primary_EUF	May 02, 2022	3:56AM	AUS Leachate - Reagent Water	M22-My0001975					
63	SX_IB_20220430_07_56_SS_Primary_EUF	Apr 30, 2022	7:56AM	Soil	M22-My0001976	X				
64	SX_IB_20220430_15_53_SS_Primary_EUF	Apr 30, 2022	3:53PM	Soil	M22-My0001977	X				
65	SX_IB_20220501_12_16_SS_Primary_EUF	May 01, 2022	12:16PM	Soil	M22-My0001978	X				
66	SX_IB_20220501_16_12_SS	May 01, 2022	4:12PM	Soil	M22-My0001979	X				

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
	_Primary_EUF									
67	SX_IB_20220501_19_50_SS_Primary_EUF	May 01, 2022	7:50PM	Soil	M22-My0001980	X				
68	SX_IB_20220502_04_07_SS_Primary_EUF	May 02, 2022	4:07AM	Soil	M22-My0001981	X				
Test Counts						6	40	20	62	20

Internal Quality Control Review and Glossary

General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer that may have an impact on the results.
- This report replaces any interim results previously issued.

Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

Units

mg/kg: milligrams per kilogram	mg/L: milligrams per litre	µg/L: micrograms per litre
ppm: parts per million	ppb: parts per billion	%: Percentage
org/100 mL: Organisms per 100 millilitres	NTU: Nephelometric Turbidity Units	MPN/100 mL: Most Probable Number of organisms per 100 millilitres

Terms

APHA	American Public Health Association
COC	Chain of Custody
CP	Client Parent - QC was performed on samples pertaining to this report
CRM	Certified Reference Material (ISO17034) - reported as percent recovery.
Dry	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
Duplicate	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
LOR	Limit of Reporting.
LCS	Laboratory Control Sample - reported as percent recovery.
Method Blank	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
NCP	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
RPD	Relative Percent Difference between two Duplicate pieces of analysis.
SPIKE	Addition of the analyte to the sample and reported as percentage recovery.
SRA	Sample Receipt Advice
Surr - Surrogate	The addition of a like compound to the analyte target and reported as percentage recovery.
TBTO	Tributyltin oxide (<i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment however free tributyltin was measured and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits.
TCLP	Toxicity Characteristic Leaching Procedure
TEQ	Toxic Equivalency Quotient or Total Equivalence
QSM	US Department of Defense Quality Systems Manual Version 5.4
US EPA	United States Environmental Protection Agency
WA DWER	Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

QC - Acceptance Criteria

The acceptance criteria should be used as a guide only and may be different when site specific Sampling Analysis and Quality Plan (SAQP) have been implemented

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR: No Limit

Results between 10-20 times the LOR: RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

NOTE: pH duplicates are reported as a range not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.4 where no positive PFAS results have been reported have been reviewed and no data was affected.

QC Data General Comments

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery the term "INT" appears against that analyte.
- For Matrix Spikes and LCS results a dash "-" in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

Quality Control Results

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Method Blank							
Total Recoverable Hydrocarbons							
TRH C6-C9	mg/kg	< 20			20	Pass	
TRH C10-C14	mg/kg	< 20			20	Pass	
TRH C15-C28	mg/kg	< 50			50	Pass	
TRH C29-C36	mg/kg	< 50			50	Pass	
Naphthalene	mg/kg	< 0.5			0.5	Pass	
TRH C6-C10	mg/kg	< 20			20	Pass	
TRH >C10-C16	mg/kg	< 50			50	Pass	
TRH >C16-C34	mg/kg	< 100			100	Pass	
TRH >C34-C40	mg/kg	< 100			100	Pass	
Method Blank							
Volatile Organics							
Hexachlorobutadiene	mg/kg	< 0.5			0.5	Pass	
Method Blank							
Volatile Organics							
1.1-Dichloroethane	mg/kg	< 0.5			0.5	Pass	
1.2.4-Trichlorobenzene	mg/kg	< 0.5			0.5	Pass	
1.1-Dichloroethene	mg/kg	< 0.5			0.5	Pass	
1.1.1-Trichloroethane	mg/kg	< 0.5			0.5	Pass	
1.1.1.2-Tetrachloroethane	mg/kg	< 0.5			0.5	Pass	
1.1.2-Trichloroethane	mg/kg	< 0.5			0.5	Pass	
1.1.2.2-Tetrachloroethane	mg/kg	< 0.5			0.5	Pass	
1.2-Dibromoethane	mg/kg	< 0.5			0.5	Pass	
1.2-Dichlorobenzene	mg/kg	< 0.5			0.5	Pass	
1.2-Dichloroethane	mg/kg	< 0.5			0.5	Pass	
1.2-Dichloropropane	mg/kg	< 0.5			0.5	Pass	
1.2.3-Trichloropropane	mg/kg	< 0.5			0.5	Pass	
1.2.4-Trimethylbenzene	mg/kg	< 0.5			0.5	Pass	
1.3-Dichlorobenzene	mg/kg	< 0.5			0.5	Pass	
1.3-Dichloropropane	mg/kg	< 0.5			0.5	Pass	
1.3.5-Trimethylbenzene	mg/kg	< 0.5			0.5	Pass	
1.4-Dichlorobenzene	mg/kg	< 0.5			0.5	Pass	
2-Butanone (MEK)	mg/kg	< 0.5			0.5	Pass	
2-Propanone (Acetone)	mg/kg	< 0.5			0.5	Pass	
4-Chlorotoluene	mg/kg	< 0.5			0.5	Pass	
4-Methyl-2-pentanone (MIBK)	mg/kg	< 0.5			0.5	Pass	
Allyl chloride	mg/kg	< 0.5			0.5	Pass	
Benzene	mg/kg	< 0.1			0.1	Pass	
Bromobenzene	mg/kg	< 0.5			0.5	Pass	
Bromochloromethane	mg/kg	< 0.5			0.5	Pass	
Bromodichloromethane	mg/kg	< 0.5			0.5	Pass	
Bromoform	mg/kg	< 0.5			0.5	Pass	
Bromomethane	mg/kg	< 0.5			0.5	Pass	
Carbon disulfide	mg/kg	< 0.5			0.5	Pass	
Carbon Tetrachloride	mg/kg	< 0.5			0.5	Pass	
Chlorobenzene	mg/kg	< 0.5			0.5	Pass	
Chloroethane	mg/kg	< 0.5			0.5	Pass	
Chloroform	mg/kg	< 0.5			0.5	Pass	
Chloromethane	mg/kg	< 0.5			0.5	Pass	
cis-1.2-Dichloroethene	mg/kg	< 0.5			0.5	Pass	
cis-1.3-Dichloropropene	mg/kg	< 0.5			0.5	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Dibromochloromethane	mg/kg	< 0.5			0.5	Pass	
Dibromomethane	mg/kg	< 0.5			0.5	Pass	
Dichlorodifluoromethane	mg/kg	< 0.5			0.5	Pass	
Ethylbenzene	mg/kg	< 0.1			0.1	Pass	
Iodomethane	mg/kg	< 0.5			0.5	Pass	
Isopropyl benzene (Cumene)	mg/kg	< 0.5			0.5	Pass	
m&p-Xylenes	mg/kg	< 0.2			0.2	Pass	
Methylene Chloride	mg/kg	< 0.5			0.5	Pass	
o-Xylene	mg/kg	< 0.1			0.1	Pass	
Styrene	mg/kg	< 0.5			0.5	Pass	
Tetrachloroethene	mg/kg	< 0.5			0.5	Pass	
Toluene	mg/kg	< 0.1			0.1	Pass	
trans-1.2-Dichloroethene	mg/kg	< 0.5			0.5	Pass	
trans-1.3-Dichloropropene	mg/kg	< 0.5			0.5	Pass	
Trichloroethene	mg/kg	< 0.5			0.5	Pass	
Trichlorofluoromethane	mg/kg	< 0.5			0.5	Pass	
Vinyl chloride	mg/kg	< 0.5			0.5	Pass	
Xylenes - Total*	mg/kg	< 0.3			0.3	Pass	
Method Blank							
Polycyclic Aromatic Hydrocarbons							
Acenaphthene	mg/kg	< 0.5			0.5	Pass	
Acenaphthylene	mg/kg	< 0.5			0.5	Pass	
Anthracene	mg/kg	< 0.5			0.5	Pass	
Benz(a)anthracene	mg/kg	< 0.5			0.5	Pass	
Benzo(a)pyrene	mg/kg	< 0.5			0.5	Pass	
Benzo(b&j)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Benzo(g,h,i)perylene	mg/kg	< 0.5			0.5	Pass	
Benzo(k)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Chrysene	mg/kg	< 0.5			0.5	Pass	
Dibenz(a,h)anthracene	mg/kg	< 0.5			0.5	Pass	
Fluoranthene	mg/kg	< 0.5			0.5	Pass	
Fluorene	mg/kg	< 0.5			0.5	Pass	
Indeno(1.2.3-cd)pyrene	mg/kg	< 0.5			0.5	Pass	
Naphthalene	mg/kg	< 0.5			0.5	Pass	
Phenanthrene	mg/kg	< 0.5			0.5	Pass	
Pyrene	mg/kg	< 0.5			0.5	Pass	
Method Blank							
Organochlorine Pesticides							
Chlordanes - Total	mg/kg	< 0.1			0.1	Pass	
4.4'-DDD	mg/kg	< 0.05			0.05	Pass	
4.4'-DDE	mg/kg	< 0.05			0.05	Pass	
4.4'-DDT	mg/kg	< 0.05			0.05	Pass	
a-HCH	mg/kg	< 0.05			0.05	Pass	
Aldrin	mg/kg	< 0.05			0.05	Pass	
b-HCH	mg/kg	< 0.05			0.05	Pass	
d-HCH	mg/kg	< 0.05			0.05	Pass	
Dieldrin	mg/kg	< 0.05			0.05	Pass	
Endosulfan I	mg/kg	< 0.05			0.05	Pass	
Endosulfan II	mg/kg	< 0.05			0.05	Pass	
Endosulfan sulphate	mg/kg	< 0.05			0.05	Pass	
Endrin	mg/kg	< 0.05			0.05	Pass	
Endrin aldehyde	mg/kg	< 0.05			0.05	Pass	
Endrin ketone	mg/kg	< 0.05			0.05	Pass	
g-HCH (Lindane)	mg/kg	< 0.05			0.05	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Heptachlor	mg/kg	< 0.05			0.05	Pass	
Heptachlor epoxide	mg/kg	< 0.05			0.05	Pass	
Hexachlorobenzene	mg/kg	< 0.05			0.05	Pass	
Methoxychlor	mg/kg	< 0.05			0.05	Pass	
Toxaphene	mg/kg	< 0.5			0.5	Pass	
Method Blank							
Polychlorinated Biphenyls							
Aroclor-1016	mg/kg	< 0.1			0.1	Pass	
Aroclor-1221	mg/kg	< 0.1			0.1	Pass	
Aroclor-1232	mg/kg	< 0.1			0.1	Pass	
Aroclor-1242	mg/kg	< 0.1			0.1	Pass	
Aroclor-1248	mg/kg	< 0.1			0.1	Pass	
Aroclor-1254	mg/kg	< 0.1			0.1	Pass	
Aroclor-1260	mg/kg	< 0.1			0.1	Pass	
Total PCB*	mg/kg	< 0.1			0.1	Pass	
Method Blank							
Phenols (Halogenated)							
2-Chlorophenol	mg/kg	< 0.5			0.5	Pass	
2,4-Dichlorophenol	mg/kg	< 0.5			0.5	Pass	
2,4,5-Trichlorophenol	mg/kg	< 1			1	Pass	
2,4,6-Trichlorophenol	mg/kg	< 1			1	Pass	
2,6-Dichlorophenol	mg/kg	< 0.5			0.5	Pass	
4-Chloro-3-methylphenol	mg/kg	< 1			1	Pass	
Pentachlorophenol	mg/kg	< 1			1	Pass	
Tetrachlorophenols - Total	mg/kg	< 10			10	Pass	
Method Blank							
Phenols (non-Halogenated)							
2-Cyclohexyl-4,6-dinitrophenol	mg/kg	< 20			20	Pass	
2-Methyl-4,6-dinitrophenol	mg/kg	< 5			5	Pass	
2-Nitrophenol	mg/kg	< 1			1.0	Pass	
2,4-Dimethylphenol	mg/kg	< 0.5			0.5	Pass	
2,4-Dinitrophenol	mg/kg	< 5			5	Pass	
2-Methylphenol (o-Cresol)	mg/kg	< 0.2			0.2	Pass	
3&4-Methylphenol (m&p-Cresol)	mg/kg	< 0.4			0.4	Pass	
4-Nitrophenol	mg/kg	< 5			5	Pass	
Dinoseb	mg/kg	< 20			20	Pass	
Phenol	mg/kg	< 0.5			0.5	Pass	
Method Blank							
Chromium (hexavalent)	mg/kg	< 1			1	Pass	
Cyanide (total)	mg/kg	< 5			5	Pass	
Fluoride (Total)	mg/kg	< 100			100	Pass	
Method Blank							
Heavy Metals							
Arsenic	mg/kg	< 2			2	Pass	
Cadmium	mg/kg	< 0.4			0.4	Pass	
Chromium	mg/kg	< 5			5	Pass	
Copper	mg/kg	< 5			5	Pass	
Lead	mg/kg	< 5			5	Pass	
Mercury	mg/kg	< 0.1			0.1	Pass	
Molybdenum	mg/kg	< 5			5	Pass	
Nickel	mg/kg	< 5			5	Pass	
Selenium	mg/kg	< 2			2	Pass	
Silver	mg/kg	< 2			2	Pass	
Tin	mg/kg	< 10			10	Pass	

Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Zinc	mg/kg	< 5		5	Pass	
Method Blank						
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA)	ug/kg	< 5		5	Pass	
Perfluoropentanoic acid (PFPeA)	ug/kg	< 5		5	Pass	
Perfluorohexanoic acid (PFHxA)	ug/kg	< 5		5	Pass	
Perfluoroheptanoic acid (PFHpA)	ug/kg	< 5		5	Pass	
Perfluorooctanoic acid (PFOA)	ug/kg	< 5		5	Pass	
Perfluorononanoic acid (PFNA)	ug/kg	< 5		5	Pass	
Perfluorodecanoic acid (PFDA)	ug/kg	< 5		5	Pass	
Perfluoroundecanoic acid (PFUnDA)	ug/kg	< 5		5	Pass	
Perfluorododecanoic acid (PFDoDA)	ug/kg	< 5		5	Pass	
Perfluorotridecanoic acid (PFTrDA)	ug/kg	< 5		5	Pass	
Perfluorotetradecanoic acid (PFTeDA)	ug/kg	< 5		5	Pass	
Method Blank						
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA)	ug/kg	< 5		5	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	ug/kg	< 5		5	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	ug/kg	< 5		5	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	ug/kg	< 5		5	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	ug/kg	< 5		5	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	ug/kg	< 10		10	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	ug/kg	< 10		10	Pass	
Method Blank						
Perfluoroalkyl sulfonic acids (PFSAs)						
Perfluorobutanesulfonic acid (PFBS)	ug/kg	< 5		5	Pass	
Perfluorononanesulfonic acid (PFNS)	ug/kg	< 5		5	Pass	
Perfluoropropanesulfonic acid (PFPrS)	ug/kg	< 5		5	Pass	
Perfluoropentanesulfonic acid (PFPeS)	ug/kg	< 5		5	Pass	
Perfluorohexanesulfonic acid (PFHxS)	ug/kg	< 5		5	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	ug/kg	< 5		5	Pass	
Perfluorooctanesulfonic acid (PFOS)	ug/kg	< 5		5	Pass	
Perfluorodecanesulfonic acid (PFDS)	ug/kg	< 5		5	Pass	
Method Blank						
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	ug/kg	< 5		5	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	ug/kg	< 10		10	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	ug/kg	< 5		5	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	ug/kg	< 5		5	Pass	
LCS - % Recovery						
Total Recoverable Hydrocarbons						
TRH C6-C9	%	93		70-130	Pass	
TRH C10-C14	%	127		70-130	Pass	
Naphthalene	%	93		70-130	Pass	
TRH C6-C10	%	93		70-130	Pass	
TRH >C10-C16	%	121		70-130	Pass	
LCS - % Recovery						
Volatile Organics						
1.1-Dichloroethene	%	95		70-130	Pass	
1.1.1-Trichloroethane	%	97		70-130	Pass	
1.2-Dichlorobenzene	%	94		70-130	Pass	
1.2-Dichloroethane	%	123		70-130	Pass	
Benzene	%	106		70-130	Pass	
Ethylbenzene	%	112		70-130	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
m&p-Xylenes	%	110			70-130	Pass	
Toluene	%	119			70-130	Pass	
Trichloroethene	%	101			70-130	Pass	
Xylenes - Total*	%	111			70-130	Pass	
LCS - % Recovery							
Polycyclic Aromatic Hydrocarbons							
Acenaphthene	%	102			70-130	Pass	
Acenaphthylene	%	104			70-130	Pass	
Anthracene	%	96			70-130	Pass	
Benz(a)anthracene	%	87			70-130	Pass	
Benzo(a)pyrene	%	88			70-130	Pass	
Benzo(b&i)fluoranthene	%	110			70-130	Pass	
Benzo(g,h,i)perylene	%	86			70-130	Pass	
Benzo(k)fluoranthene	%	123			70-130	Pass	
Chrysene	%	86			70-130	Pass	
Dibenz(a,h)anthracene	%	73			70-130	Pass	
Fluoranthene	%	90			70-130	Pass	
Fluorene	%	88			70-130	Pass	
Indeno(1,2,3-cd)pyrene	%	80			70-130	Pass	
Naphthalene	%	104			70-130	Pass	
Phenanthrene	%	95			70-130	Pass	
Pyrene	%	85			70-130	Pass	
LCS - % Recovery							
Organochlorine Pesticides							
Chlordanes - Total	%	91			70-130	Pass	
4,4'-DDD	%	94			70-130	Pass	
4,4'-DDE	%	73			70-130	Pass	
4,4'-DDT	%	74			70-130	Pass	
a-HCH	%	104			70-130	Pass	
Aldrin	%	80			70-130	Pass	
b-HCH	%	94			70-130	Pass	
d-HCH	%	89			70-130	Pass	
Dieldrin	%	103			70-130	Pass	
Endosulfan I	%	95			70-130	Pass	
Endosulfan II	%	99			70-130	Pass	
Endosulfan sulphate	%	72			70-130	Pass	
Endrin	%	93			70-130	Pass	
Endrin aldehyde	%	78			70-130	Pass	
Endrin ketone	%	98			70-130	Pass	
g-HCH (Lindane)	%	82			70-130	Pass	
Heptachlor	%	86			70-130	Pass	
Heptachlor epoxide	%	94			70-130	Pass	
Hexachlorobenzene	%	101			70-130	Pass	
Methoxychlor	%	83			70-130	Pass	
LCS - % Recovery							
Polychlorinated Biphenyls							
Aroclor-1260	%	93			70-130	Pass	
LCS - % Recovery							
Phenols (Halogenated)							
2-Chlorophenol	%	108			25-140	Pass	
2,4-Dichlorophenol	%	94			25-140	Pass	
2,4,5-Trichlorophenol	%	66			25-140	Pass	
2,4,6-Trichlorophenol	%	92			25-140	Pass	
2,6-Dichlorophenol	%	85			25-140	Pass	

Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
4-Chloro-3-methylphenol	%	119		25-140	Pass	
Pentachlorophenol	%	49		25-140	Pass	
Tetrachlorophenols - Total	%	68		25-140	Pass	
LCS - % Recovery						
Phenols (non-Halogenated)						
2-Cyclohexyl-4,6-dinitrophenol	%	53		25-140	Pass	
2-Methyl-4,6-dinitrophenol	%	38		25-140	Pass	
2-Nitrophenol	%	92		25-140	Pass	
2,4-Dimethylphenol	%	103		25-140	Pass	
2,4-Dinitrophenol	%	70		25-140	Pass	
2-Methylphenol (o-Cresol)	%	107		25-140	Pass	
3&4-Methylphenol (m&p-Cresol)	%	125		25-140	Pass	
4-Nitrophenol	%	48		25-140	Pass	
Dinoseb	%	50		25-140	Pass	
Phenol	%	87		25-140	Pass	
LCS - % Recovery						
Chromium (hexavalent)	%	90		70-130	Pass	
Cyanide (total)	%	97		70-130	Pass	
Fluoride (Total)	%	73		70-130	Pass	
LCS - % Recovery						
Heavy Metals						
Arsenic	%	99		80-120	Pass	
Cadmium	%	100		80-120	Pass	
Chromium	%	114		80-120	Pass	
Copper	%	104		80-120	Pass	
Lead	%	111		80-120	Pass	
Mercury	%	101		80-120	Pass	
Molybdenum	%	109		80-120	Pass	
Nickel	%	101		80-120	Pass	
Selenium	%	100		80-120	Pass	
Silver	%	104		80-120	Pass	
Tin	%	111		80-120	Pass	
Zinc	%	98		80-120	Pass	
LCS - % Recovery						
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA)	%	100		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	100		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	96		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	99		50-150	Pass	
Perfluorooctanoic acid (PFOA)	%	104		50-150	Pass	
Perfluorononanoic acid (PFNA)	%	108		50-150	Pass	
Perfluorodecanoic acid (PFDA)	%	105		50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	%	109		50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	%	117		50-150	Pass	
Perfluorotridecanoic acid (PFTrDA)	%	143		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	%	117		50-150	Pass	
LCS - % Recovery						
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA)	%	110		50-150	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	%	107		50-150	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	%	81		50-150	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	%	83		50-150	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	%	115		50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	%	77		50-150	Pass	

Test		Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)		%	120			50-150	Pass	
LCS - % Recovery								
Perfluoroalkyl sulfonic acids (PFASs)								
Perfluorobutanesulfonic acid (PFBS)		%	92			50-150	Pass	
Perfluorononanesulfonic acid (PFNS)		%	123			50-150	Pass	
Perfluoropropanesulfonic acid (PFPrS)		%	118			50-150	Pass	
Perfluoropentanesulfonic acid (PFPeS)		%	104			50-150	Pass	
Perfluorohexanesulfonic acid (PFHxS)		%	114			50-150	Pass	
Perfluoroheptanesulfonic acid (PFHpS)		%	69			50-150	Pass	
Perfluorooctanesulfonic acid (PFOS)		%	103			50-150	Pass	
Perfluorodecenesulfonic acid (PFDS)		%	123			50-150	Pass	
LCS - % Recovery								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)								
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)		%	114			50-150	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)		%	86			50-150	Pass	
1H.1H.2H.2H-perfluorodecenesulfonic acid (8:2 FTSA)		%	105			50-150	Pass	
1H.1H.2H.2H-perfluorododecenesulfonic acid (10:2 FTSA)		%	115			50-150	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Spike - % Recovery								
Organochlorine Pesticides				Result 1				
Chlordanes - Total	M22-Ap0029246	NCP	%	81		70-130	Pass	
4.4'-DDD	M22-Ap0029246	NCP	%	108		70-130	Pass	
4.4'-DDE	M22-Ap0029246	NCP	%	89		70-130	Pass	
4.4'-DDT	M22-Ap0029246	NCP	%	79		70-130	Pass	
a-HCH	M22-Ap0029246	NCP	%	72		70-130	Pass	
Aldrin	M22-Ap0029246	NCP	%	87		70-130	Pass	
b-HCH	M22-Ap0029246	NCP	%	84		70-130	Pass	
d-HCH	M22-Ap0029246	NCP	%	84		70-130	Pass	
Dieldrin	M22-Ap0029246	NCP	%	82		70-130	Pass	
Endosulfan I	M22-Ap0029246	NCP	%	76		70-130	Pass	
Endosulfan II	M22-Ap0029246	NCP	%	84		70-130	Pass	
Endosulfan sulphate	M22-Ap0029246	NCP	%	72		70-130	Pass	
Endrin	M22-Ap0029246	NCP	%	71		70-130	Pass	
Endrin aldehyde	M22-Ap0052811	NCP	%	116		70-130	Pass	
Endrin ketone	M22-Ap0029246	NCP	%	75		70-130	Pass	
g-HCH (Lindane)	M22-Ap0029246	NCP	%	91		70-130	Pass	
Heptachlor	M22-Ap0029246	NCP	%	82		70-130	Pass	
Heptachlor epoxide	M22-Ap0029246	NCP	%	72		70-130	Pass	
Hexachlorobenzene	M22-Ap0029246	NCP	%	71		70-130	Pass	
Methoxychlor	M22-Ap0029246	NCP	%	79		70-130	Pass	
Spike - % Recovery								
Polychlorinated Biphenyls				Result 1				
Aroclor-1016	M22-Ap0057229	NCP	%	78		70-130	Pass	
Aroclor-1260	M22-Ap0057229	NCP	%	78		70-130	Pass	
Spike - % Recovery								
Phenols (non-Halogenated)				Result 1				
2,4-Dinitrophenol	M22-Ap0051155	NCP	%	93		30-130	Pass	
4-Nitrophenol	M22-Ap0057121	NCP	%	54		30-130	Pass	
Spike - % Recovery								
				Result 1				
Chromium (hexavalent)	M22-My0000814	NCP	%	69		70-130	Fail	Q08
Cyanide (total)	M22-Ap0054479	NCP	%	127		70-130	Pass	
Spike - % Recovery								
Heavy Metals				Result 1				

Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Arsenic	M22-My0001692	NCP	%	108		75-125	Pass	
Cadmium	M22-My0001692	NCP	%	88		75-125	Pass	
Chromium	M22-My0001692	NCP	%	102		75-125	Pass	
Copper	M22-My0001692	NCP	%	124		75-125	Pass	
Lead	M22-My0001692	NCP	%	127		75-125	Fail	Q08
Mercury	M22-My0001692	NCP	%	114		75-125	Pass	
Molybdenum	M22-My0001692	NCP	%	125		75-125	Pass	
Nickel	M22-My0001692	NCP	%	124		75-125	Pass	
Selenium	M22-My0001692	NCP	%	101		75-125	Pass	
Silver	M22-My0001692	NCP	%	91		75-125	Pass	
Tin	M22-My0001692	NCP	%	115		75-125	Pass	
Zinc	M22-My0001692	NCP	%	109		75-125	Pass	
Spike - % Recovery								
Perfluoroalkyl carboxylic acids (PFCAs)				Result 1				
Perfluorobutanoic acid (PFBA)	M22-Ap0058673	NCP	%	91		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	M22-Ap0058673	NCP	%	85		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	M22-Ap0058673	NCP	%	94		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	M22-Ap0058673	NCP	%	101		50-150	Pass	
Perfluorooctanoic acid (PFOA)	M22-Ap0058673	NCP	%	104		50-150	Pass	
Perfluorononanoic acid (PFNA)	M22-Ap0058673	NCP	%	91		50-150	Pass	
Perfluorodecanoic acid (PFDA)	M22-Ap0058673	NCP	%	82		50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	M22-Ap0058673	NCP	%	111		50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	M22-Ap0058673	NCP	%	99		50-150	Pass	
Perfluorotridecanoic acid (PFTrDA)	M22-Ap0058673	NCP	%	98		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	M22-Ap0058673	NCP	%	99		50-150	Pass	
Spike - % Recovery								
Perfluoroalkyl sulfonamido substances				Result 1				
Perfluorooctane sulfonamide (FOSA)	M22-Ap0058673	NCP	%	94		50-150	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-Ap0058673	NCP	%	88		50-150	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-Ap0058673	NCP	%	95		50-150	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-Ap0058673	NCP	%	93		50-150	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-Ap0058673	NCP	%	95		50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-Ap0058673	NCP	%	67		50-150	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-Ap0058673	NCP	%	110		50-150	Pass	
Spike - % Recovery								
Perfluoroalkyl sulfonic acids (PFSAs)				Result 1				
Perfluorobutanesulfonic acid (PFBS)	M22-Ap0058673	NCP	%	86		50-150	Pass	
Perfluorononanesulfonic acid (PFNS)	M22-Ap0058673	NCP	%	102		50-150	Pass	
Perfluoropropanesulfonic acid (PFPrS)	M22-Ap0058673	NCP	%	114		50-150	Pass	
Perfluoropentanesulfonic acid (PFPeS)	M22-Ap0058673	NCP	%	90		50-150	Pass	
Perfluorohexanesulfonic acid (PFHxS)	M22-Ap0058673	NCP	%	89		50-150	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	M22-Ap0058673	NCP	%	101		50-150	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Perfluorooctanesulfonic acid (PFOS)	M22-Ap0058673	NCP	%	128		50-150	Pass	
Perfluorodecanesulfonic acid (PFDS)	M22-Ap0058673	NCP	%	95		50-150	Pass	
Spike - % Recovery								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1				
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-Ap0058673	NCP	%	93		50-150	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-Ap0058673	NCP	%	96		50-150	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-Ap0058673	NCP	%	107		50-150	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-Ap0058673	NCP	%	106		50-150	Pass	
Spike - % Recovery								
Total Recoverable Hydrocarbons				Result 1				
TRH C6-C9	M22-My0001915	CP	%	80		70-130	Pass	
Naphthalene	M22-My0001915	CP	%	96		70-130	Pass	
TRH C6-C10	M22-My0001915	CP	%	80		70-130	Pass	
Spike - % Recovery								
Volatile Organics				Result 1				
1.1-Dichloroethene	M22-My0001915	CP	%	83		70-130	Pass	
1.1.1-Trichloroethane	M22-My0001915	CP	%	85		70-130	Pass	
1.2-Dichlorobenzene	M22-My0001915	CP	%	86		70-130	Pass	
1.2-Dichloroethane	M22-My0001915	CP	%	77		70-130	Pass	
Benzene	M22-My0001915	CP	%	77		70-130	Pass	
Ethylbenzene	M22-My0001915	CP	%	72		70-130	Pass	
m&p-Xylenes	M22-My0001915	CP	%	73		70-130	Pass	
o-Xylene	M22-My0001915	CP	%	78		70-130	Pass	
Toluene	M22-My0001915	CP	%	94		70-130	Pass	
Trichloroethene	M22-My0001915	CP	%	73		70-130	Pass	
Xylenes - Total*	M22-My0001915	CP	%	75		70-130	Pass	
Spike - % Recovery								
Polycyclic Aromatic Hydrocarbons				Result 1				
Acenaphthene	M22-My0001916	CP	%	102		70-130	Pass	
Acenaphthylene	M22-My0001916	CP	%	102		70-130	Pass	
Anthracene	M22-My0001916	CP	%	97		70-130	Pass	
Benz(a)anthracene	M22-My0001916	CP	%	85		70-130	Pass	
Benzo(a)pyrene	M22-My0001916	CP	%	83		70-130	Pass	
Benzo(b&j)fluoranthene	M22-My0001916	CP	%	112		70-130	Pass	
Benzo(g,h,i)perylene	M22-My0001916	CP	%	92		70-130	Pass	
Benzo(k)fluoranthene	M22-My0001916	CP	%	115		70-130	Pass	
Chrysene	M22-My0001916	CP	%	125		70-130	Pass	
Dibenz(a,h)anthracene	M22-My0001916	CP	%	101		70-130	Pass	
Fluoranthene	M22-My0001916	CP	%	83		70-130	Pass	
Fluorene	M22-My0001916	CP	%	89		70-130	Pass	
Indeno(1.2.3-cd)pyrene	M22-My0001916	CP	%	100		70-130	Pass	
Naphthalene	M22-My0001916	CP	%	103		70-130	Pass	
Phenanthrene	M22-My0001916	CP	%	86		70-130	Pass	
Pyrene	M22-My0001916	CP	%	80		70-130	Pass	
Spike - % Recovery								
Phenols (Halogenated)				Result 1				
2-Chlorophenol	M22-My0001916	CP	%	101		30-130	Pass	
2.4-Dichlorophenol	M22-My0001916	CP	%	95		30-130	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
2.4.5-Trichlorophenol	M22-My0001916	CP	%	72			30-130	Pass	
2.4.6-Trichlorophenol	M22-My0001916	CP	%	86			30-130	Pass	
2.6-Dichlorophenol	M22-My0001916	CP	%	86			30-130	Pass	
4-Chloro-3-methylphenol	M22-My0001916	CP	%	120			30-130	Pass	
Pentachlorophenol	M22-My0001916	CP	%	40			30-130	Pass	
Tetrachlorophenols - Total	M22-My0001916	CP	%	69			30-130	Pass	
Spike - % Recovery									
Phenols (non-Halogenated)				Result 1					
2-Cyclohexyl-4.6-dinitrophenol	M22-My0001916	CP	%	49			30-130	Pass	
2-Methyl-4.6-dinitrophenol	M22-My0001916	CP	%	34			30-130	Pass	
2-Nitrophenol	M22-My0001916	CP	%	86			30-130	Pass	
2.4-Dimethylphenol	M22-My0001916	CP	%	126			30-130	Pass	
2-Methylphenol (o-Cresol)	M22-My0001916	CP	%	110			30-130	Pass	
3&4-Methylphenol (m&p-Cresol)	M22-My0001916	CP	%	87			30-130	Pass	
Dinoseb	M22-My0001916	CP	%	44			30-130	Pass	
Phenol	M22-My0001916	CP	%	89			30-130	Pass	
Spike - % Recovery									
				Result 1					
Fluoride (Total)	M22-My0001926	CP	%	64			70-130	Fail	Q08
Spike - % Recovery									
Total Recoverable Hydrocarbons				Result 1					
TRH C10-C14	M22-My0001928	CP	%	129			70-130	Pass	
TRH >C10-C16	M22-My0001928	CP	%	123			70-130	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Duplicate									
				Result 1	Result 2	RPD			
Cyanide (total)	M22-My0000811	NCP	mg/kg	< 5	< 5	<1	30%	Pass	
% Moisture	M22-My0001914	CP	%	32	32	<1	30%	Pass	
Duplicate									
Heavy Metals				Result 1	Result 2	RPD			
Arsenic	M22-My0001692	NCP	mg/kg	7.1	7.3	3.0	30%	Pass	
Cadmium	M22-My0001692	NCP	mg/kg	< 0.4	< 0.4	<1	30%	Pass	
Chromium	M22-My0001692	NCP	mg/kg	50	53	7.0	30%	Pass	
Copper	M22-My0001692	NCP	mg/kg	17	18	4.0	30%	Pass	
Lead	M22-My0001692	NCP	mg/kg	24	25	5.0	30%	Pass	
Mercury	M22-My0001692	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass	
Molybdenum	M22-My0001692	NCP	mg/kg	< 5	< 5	<1	30%	Pass	
Nickel	M22-My0001692	NCP	mg/kg	26	28	4.0	30%	Pass	
Selenium	M22-My0001692	NCP	mg/kg	< 2	< 2	<1	30%	Pass	
Silver	M22-My0001692	NCP	mg/kg	< 2	< 2	<1	30%	Pass	
Tin	M22-My0001692	NCP	mg/kg	< 10	< 10	<1	30%	Pass	
Zinc	M22-My0001692	NCP	mg/kg	27	29	6.0	30%	Pass	
Duplicate									
Total Recoverable Hydrocarbons				Result 1	Result 2	RPD			
TRH C10-C14	M22-My0001915	CP	mg/kg	< 20	< 20	<1	30%	Pass	
TRH C15-C28	M22-My0001915	CP	mg/kg	< 50	< 50	<1	30%	Pass	
TRH C29-C36	M22-My0001915	CP	mg/kg	< 50	< 50	<1	30%	Pass	
TRH >C10-C16	M22-My0001915	CP	mg/kg	< 50	< 50	<1	30%	Pass	
TRH >C16-C34	M22-My0001915	CP	mg/kg	< 100	< 100	<1	30%	Pass	
TRH >C34-C40	M22-My0001915	CP	mg/kg	< 100	< 100	<1	30%	Pass	

Duplicate									
Polycyclic Aromatic Hydrocarbons				Result 1	Result 2	RPD			
Acenaphthene	M22-My0001915	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Acenaphthylene	M22-My0001915	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Anthracene	M22-My0001915	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benzo(a)anthracene	M22-My0001915	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benzo(a)pyrene	M22-My0001915	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benzo(b&j)fluoranthene	M22-My0001915	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benzo(g,h,i)perylene	M22-My0001915	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benzo(k)fluoranthene	M22-My0001915	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Chrysene	M22-My0001915	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Dibenz(a,h)anthracene	M22-My0001915	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Fluoranthene	M22-My0001915	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Fluorene	M22-My0001915	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Indeno(1,2,3-cd)pyrene	M22-My0001915	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Naphthalene	M22-My0001915	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Phenanthrene	M22-My0001915	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Pyrene	M22-My0001915	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Duplicate									
Organochlorine Pesticides				Result 1	Result 2	RPD			
Chlordanes - Total	M22-My0001915	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass	
4,4'-DDD	M22-My0001915	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
4,4'-DDE	M22-My0001915	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
4,4'-DDT	M22-My0001915	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
a-HCH	M22-My0001915	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
Aldrin	M22-My0001915	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
b-HCH	M22-My0001915	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
d-HCH	M22-My0001915	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
Dieldrin	M22-My0001915	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
Endosulfan I	M22-My0001915	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
Endosulfan II	M22-My0001915	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
Endosulfan sulphate	M22-My0001915	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
Endrin	M22-My0001915	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
Endrin aldehyde	M22-My0001915	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
Endrin ketone	M22-My0001915	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
g-HCH (Lindane)	M22-My0001915	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
Heptachlor	M22-My0001915	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
Heptachlor epoxide	M22-My0001915	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
Hexachlorobenzene	M22-My0001915	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
Methoxychlor	M22-My0001915	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
Toxaphene	M22-My0001915	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Duplicate									
Polychlorinated Biphenyls				Result 1	Result 2	RPD			
Aroclor-1016	M22-My0001915	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass	
Aroclor-1221	M22-My0001915	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass	
Aroclor-1232	M22-My0001915	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass	
Aroclor-1242	M22-My0001915	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass	
Aroclor-1248	M22-My0001915	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass	
Aroclor-1254	M22-My0001915	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass	
Aroclor-1260	M22-My0001915	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass	
Total PCB*	M22-My0001915	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass	

Duplicate								
Phenols (Halogenated)				Result 1	Result 2	RPD		
2-Chlorophenol	M22-My0001915	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2,4-Dichlorophenol	M22-My0001915	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2,4,5-Trichlorophenol	M22-My0001915	CP	mg/kg	< 1	< 1	<1	30%	Pass
2,4,6-Trichlorophenol	M22-My0001915	CP	mg/kg	< 1	< 1	<1	30%	Pass
2,6-Dichlorophenol	M22-My0001915	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Chloro-3-methylphenol	M22-My0001915	CP	mg/kg	< 1	< 1	<1	30%	Pass
Pentachlorophenol	M22-My0001915	CP	mg/kg	< 1	< 1	<1	30%	Pass
Tetrachlorophenols - Total	M22-My0001915	CP	mg/kg	< 10	< 10	<1	30%	Pass
Duplicate								
Phenols (non-Halogenated)				Result 1	Result 2	RPD		
2-Cyclohexyl-4,6-dinitrophenol	M22-My0001915	CP	mg/kg	< 20	< 20	<1	30%	Pass
2-Methyl-4,6-dinitrophenol	M22-My0001915	CP	mg/kg	< 5	< 5	<1	30%	Pass
2-Nitrophenol	M22-My0001915	CP	mg/kg	< 1	< 1	<1	30%	Pass
2,4-Dimethylphenol	M22-My0001915	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2,4-Dinitrophenol	M22-My0001915	CP	mg/kg	< 5	< 5	<1	30%	Pass
2-Methylphenol (o-Cresol)	M22-My0001915	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
3&4-Methylphenol (m&p-Cresol)	M22-My0001915	CP	mg/kg	< 0.4	< 0.4	<1	30%	Pass
4-Nitrophenol	M22-My0001915	CP	mg/kg	< 5	< 5	<1	30%	Pass
Dinoseb	M22-My0001915	CP	mg/kg	< 20	< 20	<1	30%	Pass
Phenol	M22-My0001915	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
pH (1:5 Aqueous extract at 25°C as rec.)	M22-My0001916	CP	pH Units	8.2	8.2	pass	30%	Pass
Duplicate								
Chromium (hexavalent)	M22-My0001924	CP	mg/kg	< 1	< 1	<1	30%	Pass
Fluoride (Total)	M22-My0001924	CP	mg/kg	100	110	12	30%	Pass
Duplicate								
Fluoride (Total)	M22-My0001925	CP	mg/kg	500	400	21	30%	Pass
Duplicate								
pH (1:5 Aqueous extract at 25°C as rec.)	M22-My0001926	CP	pH Units	9.4	9.4	pass	30%	Pass
% Moisture	M22-My0001926	CP	%	33	29	11	30%	Pass
Duplicate								
Perfluoroalkyl carboxylic acids (PFCAs)				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-My0001926	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-My0001926	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-My0001926	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-My0001926	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-My0001926	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-My0001926	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-My0001926	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-My0001926	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-My0001926	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorotridecanoic acid (PFTrDA)	M22-My0001926	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-My0001926	CP	ug/kg	< 5	< 5	<1	30%	Pass

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-My0001926	CP	ug/kg	< 5	< 5	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0001926	CP	ug/kg	< 5	< 5	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0001926	CP	ug/kg	< 5	< 5	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0001926	CP	ug/kg	< 5	< 5	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0001926	CP	ug/kg	< 5	< 5	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0001926	CP	ug/kg	< 10	< 10	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0001926	CP	ug/kg	< 10	< 10	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-My0001926	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-My0001926	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-My0001926	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-My0001926	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-My0001926	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0001926	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-My0001926	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-My0001926	CP	ug/kg	< 5	< 5	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0001926	CP	ug/kg	< 5	< 5	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0001926	CP	ug/kg	< 10	< 10	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0001926	CP	ug/kg	< 5	< 5	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0001926	CP	ug/kg	< 5	< 5	<1	30%	Pass
Duplicate								
Total Recoverable Hydrocarbons				Result 1	Result 2	RPD		
TRH C6-C9	M22-My0001927	CP	mg/kg	< 20	< 20	<1	30%	Pass
Naphthalene	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
TRH C6-C10	M22-My0001927	CP	mg/kg	< 20	< 20	<1	30%	Pass
Duplicate								
Volatile Organics				Result 1	Result 2	RPD		
Hexachlorobutadiene	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
Volatile Organics				Result 1	Result 2	RPD		
1.1-Dichloroethane	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2.4-Trichlorobenzene	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.1-Dichloroethene	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.1.1-Trichloroethane	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass

Duplicate								
Volatile Organics				Result 1	Result 2	RPD		
1.1.1.2-Tetrachloroethane	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.1.2-Trichloroethane	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.1.2.2-Tetrachloroethane	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2-Dibromoethane	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2-Dichlorobenzene	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2-Dichloroethane	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2-Dichloropropane	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2.3-Trichloropropane	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2.4-Trimethylbenzene	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.3-Dichlorobenzene	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.3-Dichloropropane	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.3.5-Trimethylbenzene	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.4-Dichlorobenzene	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2-Butanone (MEK)	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2-Propanone (Acetone)	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Chlorotoluene	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Methyl-2-pentanone (MIBK)	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Allyl chloride	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzene	M22-My0001927	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Bromobenzene	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromochloromethane	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromodichloromethane	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromoform	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromomethane	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Carbon disulfide	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Carbon Tetrachloride	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chlorobenzene	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloroethane	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloroform	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloromethane	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
cis-1.2-Dichloroethene	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
cis-1.3-Dichloropropene	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibromochloromethane	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibromomethane	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dichlorodifluoromethane	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Ethylbenzene	M22-My0001927	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Iodomethane	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Isopropyl benzene (Cumene)	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
m&p-Xylenes	M22-My0001927	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Methylene Chloride	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
o-Xylene	M22-My0001927	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Styrene	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Tetrachloroethene	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Toluene	M22-My0001927	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
trans-1.2-Dichloroethene	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
trans-1.3-Dichloropropene	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Trichloroethene	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Trichlorofluoromethane	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Vinyl chloride	M22-My0001927	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Xylenes - Total*	M22-My0001927	CP	mg/kg	< 0.3	< 0.3	<1	30%	Pass

Duplicate								
Perfluoroalkyl carboxylic acids (PFCAs)				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-My0001927	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-My0001927	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-My0001927	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-My0001927	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-My0001927	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-My0001927	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-My0001927	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-My0001927	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-My0001927	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorotridecanoic acid (PFTrDA)	M22-My0001927	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-My0001927	CP	ug/kg	< 5	< 5	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-My0001927	CP	ug/kg	< 5	< 5	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0001927	CP	ug/kg	< 5	< 5	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0001927	CP	ug/kg	< 5	< 5	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0001927	CP	ug/kg	< 5	< 5	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0001927	CP	ug/kg	< 5	< 5	<1	30%	Pass
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0001927	CP	ug/kg	< 10	< 10	<1	30%	Pass
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0001927	CP	ug/kg	< 10	< 10	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA)s				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-My0001927	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-My0001927	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-My0001927	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-My0001927	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-My0001927	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0001927	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-My0001927	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-My0001927	CP	ug/kg	< 5	< 5	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)s				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0001927	CP	ug/kg	< 5	< 5	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0001927	CP	ug/kg	< 10	< 10	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0001927	CP	ug/kg	< 5	< 5	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0001927	CP	ug/kg	< 5	< 5	<1	30%	Pass

Duplicate									
				Result 1	Result 2	RPD			
Chromium (hexavalent)	M22-My0001933	CP	mg/kg	< 1	< 1	<1	30%	Pass	

Comments

V2: Sample amendments as per below: "IB" changed to "OB"
M22-My0001916SX_OB_20220430_11_46_SS_Primary_EUF
M22-My0001938SX_OB_20220430_11_46_SS_Primary_EUF
M22-My0001958SX_OB_20220430_11_46_SS_Primary_EUF
M22-My0001919SX_OB_20220430_15_58_SS_Duplicate_EUF
M22-My0001941SX_OB_20220430_15_58_SS_Duplicate_EUF
M22-My0001961SX_OB_20220430_15_58_SS_Duplicate_EUF
M22-My0001918SX_OB_20220430_15_58_SS_Primary_EUF
M22-My0001940SX_OB_20220430_15_58_SS_Primary_EUF
M22-My0001960SX_OB_20220430_15_58_SS_Primary_EUF

Sample Integrity

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	N/A
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

Qualifier Codes/Comments

Code	Description
N01	F2 is determined by arithmetically subtracting the "naphthalene" value from the ">C10-C16" value. The naphthalene value used in this calculation is obtained from volatiles (Purge & Trap analysis).
N02	Where we have reported both volatile (P&T GCMS) and semivolatile (GCMS) naphthalene data, results may not be identical. Provided correct sample handling protocols have been followed, any observed differences in results are likely to be due to procedural differences within each methodology. Results determined by both techniques have passed all QAQC acceptance criteria, and are entirely technically valid.
N04	F1 is determined by arithmetically subtracting the "Total BTEX" value from the "C6-C10" value. The "Total BTEX" value is obtained by summing the concentrations of BTEX analytes. The "C6-C10" value is obtained by quantitating against a standard of mixed aromatic/aliphatic analytes.
N07	Please note:- These two PAH isomers closely co-elute using the most contemporary analytical methods and both the reported concentration (and the TEQ) apply specifically to the total of the two co-eluting PAHs
N11	Isotope dilution is used for calibration of each native compound for which an exact labelled analogue is available (Isotope Dilution Quantitation). The isotopically labelled analogues allow identification and recovery correction of the concentration of the associated native PFAS compounds.
N15	Where the native PFAS compound does not have labelled analogue then the quantification is made using the Extracted Internal Standard Analyte with the closest retention time to the analyte and no recovery correction has been made (Internal Standard Quantitation).
Q08	The matrix spike recovery is outside of the recommended acceptance criteria. An acceptable recovery was obtained for the laboratory control sample indicating a sample matrix interference.

Authorised by:

Michael Cassidy	Analytical Services Manager
Scott Beddoes	Senior Analyst (NSW)
Caitlin Breeze	Senior Analyst (VIC)
Joseph Edouard	Senior Analyst (VIC)
Edward Lee	Senior Analyst (VIC)
Mary Makarios	Senior Analyst (NSW)
Vivian Wang	Senior Analyst (VIC)
Harry Bacalis	Senior Analyst (NSW)



Glenn Jackson
General Manager

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Agon Environmental Pty Ltd - VIC
3/224 Glen Osmond Road
Fullarton
SA 5063



NATA Accredited
Accreditation Number 1261
Site Number 1254

Accredited for compliance with ISO/IEC 17025 – Testing
NATA is a signatory to the ILAC Mutual Recognition
Arrangement for the mutual recognition of the
equivalence of testing, medical testing, calibration,
inspection, proficiency testing scheme providers and
reference materials producers reports and certificates.

Attention: Agon Lab Reports (Spoil Project)

Report 884270-W
Project name 20220502041931-Eurofin-21
Project ID JC0927
Received Date May 02, 2022

Client Sample ID			SX_OB_20220 430_20_13_SR _Rinsate_EUF	SX_OB_20220 430_20_13_SB _Blank_EUF
Sample Matrix			Water	Water
Eurofins Sample No.			M22- My0001921	M22- My0001922
Date Sampled			Apr 30, 2022	Apr 30, 2022
Test/Reference	LOR	Unit		
Perfluoroalkyl carboxylic acids (PFCAs)				
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	97	95
13C5-PFPeA (surr.)	1	%	96	94
13C5-PFHxA (surr.)	1	%	86	82
13C4-PFHpA (surr.)	1	%	74	70
13C8-PFOA (surr.)	1	%	68	71
13C5-PFNA (surr.)	1	%	67	73
13C6-PFDA (surr.)	1	%	54	58
13C2-PFUnDA (surr.)	1	%	71	62
13C2-PFDoDA (surr.)	1	%	62	69
13C2-PFTeDA (surr.)	1	%	76	98
Perfluoroalkyl sulfonamido substances				
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	63	72

Client Sample ID			SX_OB_20220 430_20_13_SR _Rinsate_EUF	SX_OB_20220 430_20_13_SB _Blank_EUF
Sample Matrix			Water	Water
Eurofins Sample No.			M22- My0001921	M22- My0001922
Date Sampled			Apr 30, 2022	Apr 30, 2022
Test/Reference	LOR	Unit		
Perfluoroalkyl sulfonamido substances				
D3-N-MeFOSA (surr.)	1	%	52	68
D5-N-EtFOSA (surr.)	1	%	50	64
D7-N-MeFOSE (surr.)	1	%	47	61
D9-N-EtFOSE (surr.)	1	%	59	65
D5-N-EtFOSAA (surr.)	1	%	47	46
D3-N-MeFOSAA (surr.)	1	%	45	45
Perfluoroalkyl sulfonic acids (PFASs)				
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	89	90
18O2-PFHxS (surr.)	1	%	93	94
13C8-PFOS (surr.)	1	%	60	63
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	52	52
13C2-6:2 FTSA (surr.)	1	%	63	62
13C2-8:2 FTSA (surr.)	1	%	105	98
13C2-10:2 FTSA (surr.)	1	%	70	66
PFASs Summations				
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1

Sample History

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
Per- and Polyfluoroalkyl Substances (PFASs)			
Perfluoroalkyl carboxylic acids (PFCAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 02, 2022	28 Days
Perfluoroalkyl sulfonamido substances - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 02, 2022	28 Days
Perfluoroalkyl sulfonic acids (PFSAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 02, 2022	28 Days
n:2 Fluorotelomer sulfonic acids (n:2 FTSAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 02, 2022	28 Days
PFASs Summations - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 02, 2022	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID					
1	SX_IB_20220430_07_52_SS_Triplicate_EUF	Apr 30, 2022	7:52AM	Soil	M22-My0001914			X	X	X
2	SX_IB_20220430_07_55_SS_Primary_EUF	Apr 30, 2022	7:55AM	Soil	M22-My0001915			X	X	X
3	SX_IB_20220430_11_46_SS_Primary_EUF	Apr 30, 2022	11:46AM	Soil	M22-My0001916			X	X	X
4	SX_IB_20220430_11_50_SS	Apr 30, 2022	11:50AM	Soil	M22-My0001917			X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
	_Primary_EUF									
5	SX_IB_20220430_15_58_SS_Primary_EUF	Apr 30, 2022	3:58PM	Soil	M22-My0001918			X	X	X
6	SX_IB_20220430_15_58_SS_Duplicate_EUF	Apr 30, 2022	3:58PM	Soil	M22-My0001919			X	X	X
7	SX_OB_20220430_20_03_SS_Primary_EUF	Apr 30, 2022	8:03PM	Soil	M22-My0001920			X	X	X
8	SX_OB_20220430_20_13_S	Apr 30, 2022	8:13PM	Water	M22-My0001921				X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
	430_20_13_S R_Rinsate_EU F				My0001921					
9	SX_OB_20220 430_20_13_S B_Blank_EUF	Apr 30, 2022	8:13PM	Water	M22- My0001922			X		
10	SX_OB_20220 501_00_08_S S_Primary_EU F	May 01, 2022	12:08AM	Soil	M22- My0001923			X	X	X
11	SX_OB_20220 501_04_07_S S_Primary_EU F	May 01, 2022	4:07AM	Soil	M22- My0001924			X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
12	SX_IB_20220501_08_21_SS_Primary_EUF	May 01, 2022	8:21AM	Soil	M22-My0001925			X	X	X
13	SX_IB_20220501_08_21_SS_Triplicate_EUF	May 01, 2022	8:21AM	Soil	M22-My0001926			X	X	X
14	SX_OB_20220501_08_25_SS_Primary_EUF	May 01, 2022	8:25AM	Soil	M22-My0001927			X	X	X
15	SX_IB_20220501_12_19_SS_Primary_EUF	May 01, 2022	12:19PM	Soil	M22-My0001928			X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
16	SX_IB_20220501_16_16_SS_Primary_EUF	May 01, 2022	4:16PM	Soil	M22-My0001929			X	X	X
17	SX_OB_20220501_16_22_SS_Primary_EUF	May 01, 2022	4:22PM	Soil	M22-My0001930			X	X	X
18	SX_OB_20220501_16_23_SS_Duplicate_EUF	May 01, 2022	4:23PM	Soil	M22-My0001931			X	X	X
19	SX_IB_20220501_19_56_SS_Primary_EUF	May 01, 2022	7:56PM	Soil	M22-My0001932			X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
20	SX_IB_20220501_23_52_SS_Primary_EUF	May 01, 2022	11:52PM	Soil	M22-My0001933			X	X	X
21	SX_IB_20220501_23_58_SS_Primary_EUF	May 01, 2022	11:58PM	Soil	M22-My0001934			X	X	X
22	SX_IB_20220502_03_56_SS_Primary_EUF	May 02, 2022	3:56AM	Soil	M22-My0001935			X	X	X
23	SX_IB_20220430_07_52_SS_Triplicate_EUF	Apr 30, 2022	7:52AM	AUS Leachate - pH 5.0	M22-My0001936		X		X	
24	SX_IB_202204	Apr 30, 2022	7:55AM	AUS Leachate	M22-		X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
24	SX_IB_202204 30_07_55_SS _Primary_EUF	Apr 30, 2022	7:55AM	AUS Leachate - pH 5.0	M22- My0001937					
25	SX_IB_202204 30_11_46_SS _Primary_EUF	Apr 30, 2022	11:46AM	AUS Leachate - pH 5.0	M22- My0001938		X		X	
26	SX_IB_202204 30_11_50_SS _Primary_EUF	Apr 30, 2022	11:50AM	AUS Leachate - pH 5.0	M22- My0001939		X		X	
27	SX_IB_202204 30_15_58_SS _Primary_EUF	Apr 30, 2022	3:58PM	AUS Leachate - pH 5.0	M22- My0001940		X		X	
28	SX_IB_202204 30_15_58_SS	Apr 30, 2022	3:58PM	AUS Leachate - pH 5.0	M22- My0001941		X		X	

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220502041931-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 884270
Phone: 08 8338 1009
Fax:

Received: May 2, 2022 4:15 PM
Due: May 9, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
	_Duplicate_EU F									
29	SX_OB_20220 430_20_03_S S_Primary_EU F	Apr 30, 2022	8:03PM	AUS Leachate - pH 5.0	M22- My0001942		X		X	
30	SX_OB_20220 501_00_08_S S_Primary_EU F	May 01, 2022	12:08AM	AUS Leachate - pH 5.0	M22- My0001943		X		X	
31	SX_OB_20220 501_04_07_S S_Primary_EU F	May 01, 2022	4:07AM	AUS Leachate - pH 5.0	M22- My0001944		X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220502041931-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 884270
Phone: 08 8338 1009
Fax:

Received: May 2, 2022 4:15 PM
Due: May 9, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
32	SX_IB_20220501_08_21_SS_Primary_EUF	May 01, 2022	8:21AM	AUS Leachate - pH 5.0	M22-My0001945		X		X	
33	SX_IB_20220501_08_21_SS_Triplicate_EUF	May 01, 2022	8:21AM	AUS Leachate - pH 5.0	M22-My0001946		X		X	
34	SX_OB_20220501_08_25_SS_Primary_EUF	May 01, 2022	8:25AM	AUS Leachate - pH 5.0	M22-My0001947		X		X	
35	SX_IB_20220501_12_19_SS_Primary_EUF	May 01, 2022	12:19PM	AUS Leachate - pH 5.0	M22-My0001948		X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
36	SX_IB_20220501_16_16_SS_Primary_EUF	May 01, 2022	4:16PM	AUS Leachate - pH 5.0	M22-My0001949		X		X	
37	SX_OB_20220501_16_22_S_Primary_EUF	May 01, 2022	4:22PM	AUS Leachate - pH 5.0	M22-My0001950		X		X	
38	SX_OB_20220501_16_23_S_Duplicate_EUF	May 01, 2022	4:23PM	AUS Leachate - pH 5.0	M22-My0001951		X		X	
39	SX_IB_20220501_19_56_SS_Primary_EUF	May 01, 2022	7:56PM	AUS Leachate - pH 5.0	M22-My0001952		X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
40	SX_IB_20220501_23_52_SS_Primary_EUF	May 01, 2022	11:52PM	AUS Leachate - pH 5.0	M22-My0001953		X		X	
41	SX_IB_20220501_23_58_SS_Primary_EUF	May 01, 2022	11:58PM	AUS Leachate - pH 5.0	M22-My0001954		X		X	
42	SX_IB_20220502_03_56_SS_Primary_EUF	May 02, 2022	3:56AM	AUS Leachate - pH 5.0	M22-My0001955		X		X	
43	SX_IB_20220430_07_52_SS_Triplicate_EUF	Apr 30, 2022	7:52AM	AUS Leachate - Reagent Water	M22-My0001956		X		X	
44	SX_IB_202204	Apr 30, 2022	7:55AM	AUS Leachate	M22-		X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
	30_07_55_SS _Primary_EUF			- Reagent Water	My0001957					
45	SX_IB_202204 30_11_46_SS _Primary_EUF	Apr 30, 2022	11:46AM	AUS Leachate - Reagent Water	M22- My0001958		X		X	
46	SX_IB_202204 30_11_50_SS _Primary_EUF	Apr 30, 2022	11:50AM	AUS Leachate - Reagent Water	M22- My0001959		X		X	
47	SX_IB_202204 30_15_58_SS _Primary_EUF	Apr 30, 2022	3:58PM	AUS Leachate - Reagent Water	M22- My0001960		X		X	
48	SX_IB_202204 30_15_58_SS _Duplicate_EU	Apr 30, 2022	3:58PM	AUS Leachate - Reagent Water	M22- My0001961		X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220502041931-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 884270
Phone: 08 8338 1009
Fax:

Received: May 2, 2022 4:15 PM
Due: May 9, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
	_Duplicate_EU F			Water						
49	SX_OB_20220 430_20_03_S S_Primary_EU F	Apr 30, 2022	8:03PM	AUS Leachate - Reagent Water	M22- My0001962		X		X	
50	SX_OB_20220 501_00_08_S S_Primary_EU F	May 01, 2022	12:08AM	AUS Leachate - Reagent Water	M22- My0001963		X		X	
51	SX_OB_20220 501_04_07_S S_Primary_EU F	May 01, 2022	4:07AM	AUS Leachate - Reagent Water	M22- My0001964		X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
52	SX_IB_20220501_08_21_SS_Primary_EUF	May 01, 2022	8:21AM	AUS Leachate - Reagent Water	M22-My0001965		X		X	
53	SX_IB_20220501_08_21_SS_Triplicate_EUF	May 01, 2022	8:21AM	AUS Leachate - Reagent Water	M22-My0001966		X		X	
54	SX_OB_20220501_08_25_SS_Primary_EUF	May 01, 2022	8:25AM	AUS Leachate - Reagent Water	M22-My0001967		X		X	
55	SX_IB_20220501_12_19_SS_Primary_EUF	May 01, 2022	12:19PM	AUS Leachate - Reagent Water	M22-My0001968		X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220502041931-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 884270
Phone: 08 8338 1009
Fax:

Received: May 2, 2022 4:15 PM
Due: May 9, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
56	SX_IB_20220501_16_16_SS_Primary_EUF	May 01, 2022	4:16PM	AUS Leachate - Reagent Water	M22-My0001969		X		X	
57	SX_OB_20220501_16_22_S_Primary_EUF	May 01, 2022	4:22PM	AUS Leachate - Reagent Water	M22-My0001970		X		X	
58	SX_OB_20220501_16_23_S_Duplicate_EUF	May 01, 2022	4:23PM	AUS Leachate - Reagent Water	M22-My0001971		X		X	
59	SX_IB_20220501_19_56_SS_Primary_EUF	May 01, 2022	7:56PM	AUS Leachate - Reagent Water	M22-My0001972		X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
60	SX_IB_20220501_23_52_SS_Primary_EUF	May 01, 2022	11:52PM	AUS Leachate - Reagent Water	M22-My0001973		X		X	
61	SX_IB_20220501_23_58_SS_Primary_EUF	May 01, 2022	11:58PM	AUS Leachate - Reagent Water	M22-My0001974		X		X	
62	SX_IB_20220502_03_56_SS_Primary_EUF	May 02, 2022	3:56AM	AUS Leachate - Reagent Water	M22-My0001975		X		X	
63	SX_IB_20220430_07_56_SS_Primary_EUF	Apr 30, 2022	7:56AM	Soil	M22-My0001976	X				
64	SX_IB_20220430_15_53_SS	Apr 30, 2022	3:53PM	Soil	M22-My0001977	X				

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 2, 2022 4:15 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884270	Due:	May 9, 2022
Project Name:	20220502041931-Eurofin-21	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217										
Brisbane Laboratory - NATA # 1261 Site # 20794										
Mayfield Laboratory - NATA # 1261 Site # 25079										
Perth Laboratory - NATA # 2377 Site # 2370										
External Laboratory										
	30_15_53_SS _Primary_EUF				My0001977					
65	SX_IB_202205 01_12_16_SS _Primary_EUF	May 01, 2022	12:16PM	Soil	M22- My0001978	X				
66	SX_IB_202205 01_16_12_SS _Primary_EUF	May 01, 2022	4:12PM	Soil	M22- My0001979	X				
67	SX_IB_202205 01_19_50_SS _Primary_EUF	May 01, 2022	7:50PM	Soil	M22- My0001980	X				
68	SX_IB_202205 02_04_07_SS _Primary_EUF	May 02, 2022	4:07AM	Soil	M22- My0001981	X				

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220502041931-Eurofin-21
Project ID: JC0927

Order No.:
Report #: 884270
Phone: 08 8338 1009
Fax:

Received: May 2, 2022 4:15 PM
Due: May 9, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail	HOLD	AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	WRG 621 WGTTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254	X	X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217					
Brisbane Laboratory - NATA # 1261 Site # 20794					
Mayfield Laboratory - NATA # 1261 Site # 25079					
Perth Laboratory - NATA # 2377 Site # 2370					
External Laboratory					
Test Counts	6	40	20	62	20

Internal Quality Control Review and Glossary
General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer that may have an impact on the results.
- This report replaces any interim results previously issued.

Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

Units

mg/kg: milligrams per kilogram	mg/L: milligrams per litre	µg/L: micrograms per litre
ppm: parts per million	ppb: parts per billion	%: Percentage
org/100 mL: Organisms per 100 millilitres	NTU: Nephelometric Turbidity Units	MPN/100 mL: Most Probable Number of organisms per 100 millilitres

Terms

APHA	American Public Health Association
COC	Chain of Custody
CP	Client Parent - QC was performed on samples pertaining to this report
CRM	Certified Reference Material (ISO17034) - reported as percent recovery.
Dry	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
Duplicate	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
LOR	Limit of Reporting.
LCS	Laboratory Control Sample - reported as percent recovery.
Method Blank	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
NCP	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
RPD	Relative Percent Difference between two Duplicate pieces of analysis.
SPIKE	Addition of the analyte to the sample and reported as percentage recovery.
SRA	Sample Receipt Advice
Surr - Surrogate	The addition of a like compound to the analyte target and reported as percentage recovery.
TBTO	Tributyltin oxide (<i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment however free tributyltin was measured and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits.
TCLP	Toxicity Characteristic Leaching Procedure
TEQ	Toxic Equivalency Quotient or Total Equivalence
QSM	US Department of Defense Quality Systems Manual Version 5.4
US EPA	United States Environmental Protection Agency
WA DWER	Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

QC - Acceptance Criteria

The acceptance criteria should be used as a guide only and may be different when site specific Sampling Analysis and Quality Plan (SAQP) have been implemented

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR: No Limit

Results between 10-20 times the LOR: RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

NOTE: pH duplicates are reported as a range not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.4 where no positive PFAS results have been reported have been reviewed and no data was affected.

QC Data General Comments

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery the term "INT" appears against that analyte.
- For Matrix Spikes and LCS results a dash "-" in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

Quality Control Results

Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Method Blank						
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA)	ug/L	< 0.05		0.05	Pass	
Perfluoropentanoic acid (PFPeA)	ug/L	< 0.01		0.01	Pass	
Perfluorohexanoic acid (PFHxA)	ug/L	< 0.01		0.01	Pass	
Perfluoroheptanoic acid (PFHpA)	ug/L	< 0.01		0.01	Pass	
Perfluorooctanoic acid (PFOA)	ug/L	< 0.01		0.01	Pass	
Perfluorononanoic acid (PFNA)	ug/L	< 0.01		0.01	Pass	
Perfluorodecanoic acid (PFDA)	ug/L	< 0.01		0.01	Pass	
Perfluoroundecanoic acid (PFUnDA)	ug/L	< 0.01		0.01	Pass	
Perfluorododecanoic acid (PFDoDA)	ug/L	< 0.01		0.01	Pass	
Perfluorotridecanoic acid (PFTTrDA)	ug/L	< 0.01		0.01	Pass	
Perfluorotetradecanoic acid (PFTeDA)	ug/L	< 0.01		0.01	Pass	
Method Blank						
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA)	ug/L	< 0.05		0.05	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	ug/L	< 0.05		0.05	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	ug/L	< 0.05		0.05	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	ug/L	< 0.05		0.05	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	ug/L	< 0.05		0.05	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	ug/L	< 0.05		0.05	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	ug/L	< 0.05		0.05	Pass	
Method Blank						
Perfluoroalkyl sulfonic acids (PFASs)						
Perfluorobutanesulfonic acid (PFBS)	ug/L	< 0.01		0.01	Pass	
Perfluorononanesulfonic acid (PFNS)	ug/L	< 0.01		0.01	Pass	
Perfluoropropanesulfonic acid (PFPrS)	ug/L	< 0.01		0.01	Pass	
Perfluoropentanesulfonic acid (PFPeS)	ug/L	< 0.01		0.01	Pass	
Perfluorohexanesulfonic acid (PFHxS)	ug/L	< 0.01		0.01	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	ug/L	< 0.01		0.01	Pass	
Perfluorooctanesulfonic acid (PFOS)	ug/L	< 0.01		0.01	Pass	
Perfluorodecanesulfonic acid (PFDS)	ug/L	< 0.01		0.01	Pass	
Method Blank						
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	ug/L	< 0.01		0.01	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	ug/L	< 0.05		0.05	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	ug/L	< 0.01		0.01	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	ug/L	< 0.01		0.01	Pass	
LCS - % Recovery						
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA)	%	79		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	109		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	98		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	99		50-150	Pass	
Perfluorooctanoic acid (PFOA)	%	104		50-150	Pass	
Perfluorononanoic acid (PFNA)	%	91		50-150	Pass	
Perfluorodecanoic acid (PFDA)	%	109		50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	%	137		50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	%	98		50-150	Pass	
Perfluorotridecanoic acid (PFTTrDA)	%	118		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	%	116		50-150	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code	
LCS - % Recovery								
Perfluoroalkyl sulfonamido substances								
Perfluorooctane sulfonamide (FOSA)	%	94			50-150	Pass		
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	%	106			50-150	Pass		
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	%	102			50-150	Pass		
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	%	96			50-150	Pass		
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	%	101			50-150	Pass		
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	%	111			50-150	Pass		
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	%	62			50-150	Pass		
LCS - % Recovery								
Perfluoroalkyl sulfonic acids (PFSA's)								
Perfluorobutanesulfonic acid (PFBS)	%	91			50-150	Pass		
Perfluorononanesulfonic acid (PFNS)	%	96			50-150	Pass		
Perfluoropropanesulfonic acid (PFPrS)	%	106			50-150	Pass		
Perfluoropentanesulfonic acid (PFPeS)	%	104			50-150	Pass		
Perfluorohexanesulfonic acid (PFHxS)	%	97			50-150	Pass		
Perfluoroheptanesulfonic acid (PFHpS)	%	91			50-150	Pass		
Perfluorooctanesulfonic acid (PFOS)	%	100			50-150	Pass		
Perfluorodecanesulfonic acid (PFDS)	%	85			50-150	Pass		
LCS - % Recovery								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA's)								
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	%	108			50-150	Pass		
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	%	90			50-150	Pass		
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	%	91			50-150	Pass		
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	%	103			50-150	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Spike - % Recovery								
Perfluoroalkyl carboxylic acids (PFCAs)								
Perfluorobutanoic acid (PFBA)	M22-My0001444	NCP	%	145		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	M22-My0001444	NCP	%	115		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	M22-My0001444	NCP	%	95		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	M22-My0001444	NCP	%	99		50-150	Pass	
Perfluorooctanoic acid (PFOA)	M22-My0001444	NCP	%	120		50-150	Pass	
Perfluorononanoic acid (PFNA)	M22-My0001444	NCP	%	107		50-150	Pass	
Perfluorodecanoic acid (PFDA)	M22-My0001444	NCP	%	98		50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	M22-My0001444	NCP	%	125		50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	M22-My0001444	NCP	%	121		50-150	Pass	
Perfluorotridecanoic acid (PFTrDA)	M22-My0001444	NCP	%	118		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	M22-My0001444	NCP	%	124		50-150	Pass	
Spike - % Recovery								
Perfluoroalkyl sulfonamido substances								
Perfluorooctane sulfonamide (FOSA)	M22-My0001444	NCP	%	91		50-150	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0001444	NCP	%	112		50-150	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0001444	NCP	%	106		50-150	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0001444	NCP	%	101		50-150	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0001444	NCP	%	113		50-150	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0001444	NCP	%	103			50-150	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0001444	NCP	%	105			50-150	Pass	
Spike - % Recovery									
Perfluoroalkyl sulfonic acids (PFSA)				Result 1					
Perfluorobutanesulfonic acid (PFBS)	M22-My0001444	NCP	%	89			50-150	Pass	
Perfluorononanesulfonic acid (PFNS)	M22-My0001444	NCP	%	77			50-150	Pass	
Perfluoropropanesulfonic acid (PFPrS)	M22-My0001444	NCP	%	115			50-150	Pass	
Perfluoropentanesulfonic acid (PFPeS)	M22-My0001444	NCP	%	108			50-150	Pass	
Perfluorohexanesulfonic acid (PFHxS)	M22-My0001444	NCP	%	117			50-150	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0001444	NCP	%	85			50-150	Pass	
Perfluorooctanesulfonic acid (PFOS)	M22-My0001444	NCP	%	68			50-150	Pass	
Perfluorodecanesulfonic acid (PFDS)	M22-My0001444	NCP	%	70			50-150	Pass	
Spike - % Recovery									
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1					
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0001444	NCP	%	110			50-150	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0001444	NCP	%	111			50-150	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0001444	NCP	%	107			50-150	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0001444	NCP	%	123			50-150	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Duplicate									
Perfluoroalkyl carboxylic acids (PFCAs)				Result 1	Result 2	RPD			
Perfluorobutanoic acid (PFBA)	L22-My0005007	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
Perfluoropentanoic acid (PFPeA)	L22-My0005007	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorohexanoic acid (PFHxA)	L22-My0005007	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluoroheptanoic acid (PFHpA)	M22-Ap0060546	NCP	ug/L	0.05	0.04	4.0	30%	Pass	
Perfluorooctanoic acid (PFOA)	M22-Ap0060546	NCP	ug/L	0.04	0.04	3.0	30%	Pass	
Perfluorononanoic acid (PFNA)	M22-Ap0060546	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorodecanoic acid (PFDA)	M22-Ap0060546	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluoroundecanoic acid (PFUnDA)	M22-Ap0060546	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorododecanoic acid (PFDoDA)	M22-Ap0060546	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorotridecanoic acid (PFTrDA)	M22-Ap0060546	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorotetradecanoic acid (PFTeDA)	M22-Ap0060546	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-Ap0060546	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-Ap0060546	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-Ap0060546	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-Ap0060546	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-Ap0060546	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-Ap0060546	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-Ap0060546	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	L22-My0005007	NCP	ug/L	0.01	0.01	11	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-Ap0060546	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	L22-My0005007	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	L22-My0005007	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	L22-My0005007	NCP	ug/L	0.02	0.02	13	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	L22-My0005007	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	L22-My0005007	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-Ap0060546	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-Ap0060546	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-Ap0060546	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-Ap0060546	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-Ap0060546	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass

Comments
Sample Integrity

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	N/A
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

Qualifier Codes/Comments

Code	Description
N11	Isotope dilution is used for calibration of each native compound for which an exact labelled analogue is available (Isotope Dilution Quantitation). The isotopically labelled analogues allow identification and recovery correction of the concentration of the associated native PFAS compounds.
N15	Where the native PFAS compound does not have labelled analogue then the quantification is made using the Extracted Internal Standard Analyte with the closest retention time to the analyte and no recovery correction has been made (Internal Standard Quantitation).

Authorised by:

Harry Bacalis	Analytical Services Manager
Joseph Edouard	Senior Analyst (VIC)



Glenn Jackson
General Manager

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.



CHAIN OF CUSTODY RECORD

Eurofins | Environment Testing, ABN 50 005 065 521

Sydney Laboratory
Unit F3 Bld F 16 Mars Road Lane Cove West NSW 2056
02 9500 8400 EnviroSampleNSW@eurofins.com

Brisbane Laboratory
Unit 1 21 Smallwood Place Mararnie QLD 4172
07 3902 4600 EnviroSampleQLD@eurofins.com

Perth Laboratory
Unit 2 91 Leach Highway Kewdale WA 6105
08 9251 9600 EnviroSampleWA@eurofins.com

Melbourne Laboratory
8 Monterey Road Dandenong South VIC 3175
03 8564 5000 EnviroSampleVic@eurofins.com

Company	AGON Environmental - Tunnel Spoil Testing	Project No	JC0927	Project Manager	Craig Trimbur	Sampler(s)		
Address	Unit H76, 63-85 Turner St, Port Melbourne VIC 3207	Project Name	WGTP-Tunnel Ref: 20220503042308-Eurofin-8	EDD Format	ESdat, EOUI5 etc	Handed over by		
Contact Name	Craig Trimbur David Lawson	Analyses <small>Where mobile or restricted please specify "Total" or "Filtered" SUIE code must be used to access EUIE pricing.</small>	Spoil Sample Preparation Sulphate WGTP-R1-TRH/PAH/Phenols/OCPI/PCB/VOCC/VOCI/Vinyl Chloride/ Metals (As, Cd, Cr, Cu, Ni, Pb, Hg, Ag, Sn, Mo, Se, Zn)/C64-CN/ Total Fluoride/ pH PFAS Extended Suite - 0.1 - 5ug/kg ASLP PH 5 - PFAS 0.01-0.05 ug/l ASLP Reagent - PFAS 0.01-0.05ug/l	Containers <small>Change container type & size if necessary</small>				Required Turnaround Time (TAT) <small>Default will be 5 days if not ticked.</small>
Phone No	+61 400 826 907 (Craig) +61 490 411 004 (David)			500mL Plastic 250mL Plastic 125mL Plastic 200mL Amber Glass 40mL VOA vial 500mL PFAS Bottle Jar (Glass or HDPE) Other (Asbestos AS/684, WA Guidelines)				<input type="checkbox"/> Overnight (reporting by 9am)* <input type="checkbox"/> Same day ♦ <input type="checkbox"/> 1 day ♦ <input type="checkbox"/> 2 days ♦ <input type="checkbox"/> 3 days ♦ <input checked="" type="checkbox"/> 5 days (Standard) <input type="checkbox"/> Other ()
Special Directions	Please provide an interim lab report if finalised report has not been provided by 14 days from sample receipt. Please provide eSRN along with other sample receipt documentation.							
Purchase Order								
Quote ID No	Agon WGTP TST							

No	Client Sample ID	Sampled Date/Time	Matrix	Sulphate	PAH	Phenols	OCPI	PCB	VOCC	VOCI	Vinyl Chloride	Metals	Fluoride	pH	PFAS	ASLP PH 5	ASLP Reagent	Containers	Other	Sample Comments / Dangerous Goods Hazard Warning
1	SX_IB_20220502_08_15_SS_Triplicate_EUF	2/05/22	S	X	X	X	X	X	X	X	X	X	X	X	X	X	X			
2	SX_IB_20220502_08_19_SS_Primary_EUF	2/05/22	S	X	X	X	X	X	X	X	X	X	X	X	X	X	X			
3	SX_IB_20220502_08_30_SS_Primary_EUF	2/05/22	S	X	X	X	X	X	X	X	X	X	X	X	X	X	X			
4	SX_OB_20220502_13_01_SS_Primary_EUF	2/05/22	S	X	X	X	X	X	X	X	X	X	X	X	X	X	X			
5	SX_OB_20220502_13_06_SS_Primary_EUF	2/05/22	S	X	X	X	X	X	X	X	X	X	X	X	X	X	X			
6	SX_OB_20220502_16_34_SS_Primary_EUF	2/05/22	S	X	X	X	X	X	X	X	X	X	X	X	X	X	X			
7	SX_OB_20220502_16_35_SS_Duplicate_EUF	2/05/22	S	X	X	X	X	X	X	X	X	X	X	X	X	X	X			
8	SX_IB_20220502_19_45_SS_Primary_EUF	2/05/22	S	X	X	X	X	X	X	X	X	X	X	X	X	X	X			
9	SX_OB_20220502_19_53_SS_Primary_EUF	2/05/22	S	X	X	X	X	X	X	X	X	X	X	X	X	X	X			
10	SX_IB_20220502_23_56_SS_Primary_EUF	2/05/22	S	X	X	X	X	X	X	X	X	X	X	X	X	X	X			
11	SX_OB_20220503_00_07_SS_Triplicate_EUF	3/05/22	S	X	X	X	X	X	X	X	X	X	X	X	X	X	X			
12	SX_OB_20220503_03_49_SS_Primary_EUF	3/05/22	S	X	X	X	X	X	X	X	X	X	X	X	X	X	X			
13	SX_IB_20220503_03_55_SS_Primary_EUF	3/05/22	S	X	X	X	X	X	X	X	X	X	X	X	X	X	X			
14	SX_IB_20220503_04_09_SR_Rinsate_EUF	3/05/22	S																	
15	SX_IB_20220503_04_10_SB_Blank_EUF	3/05/22	S																	
Total Counts				13	13	15	13	13												

Method of Shipment	<input checked="" type="checkbox"/> Courier (#)	<input type="checkbox"/> Hand Delivered	<input type="checkbox"/> Postal	Name	Signature	Date	Time	Temperature	Report No
Laboratory Use Only	Received By	L. Puyen			Signature	Date	3/05/22	2:10pm	19.2
	Received By				Signature	Date			

Eurofins Environment Testing Australia Pty Ltd

Submission of samples to the laboratory will be deemed as acceptance of Eurofins | Environment Testing Standard Terms and Conditions unless agreed otherwise. A copy is available on request.

884546 L. Puyen

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne

6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney

179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane

1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle

4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth

46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland

35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch

43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

Sample Receipt Advice

Company name: Agon Environmental Pty Ltd - VIC
Contact name: Agon Lab Reports (Spoil Project)
Project name: 20220503042308-Eurofin-8
Project ID: JC0927
Turnaround time: 5 Day
Date/Time received: May 3, 2022 2:10 PM
Eurofins reference: 884546

Sample Information

- ✓ A detailed list of analytes logged into our LIMS, is included in the attached summary table.
- ✓ All samples have been received as described on the above COC.
- ✓ COC has been completed correctly.
- ✗ Attempt to chill was evident.
- ✓ Appropriately preserved sample containers have been used.
- ✓ All samples were received in good condition.
- ✓ Samples have been provided with adequate time to commence analysis in accordance with the relevant holding times.
- ✓ Appropriate sample containers have been used.
- ✓ Sample containers for volatile analysis received with zero headspace.
- ✗ Split sample sent to requested external lab.
- ✗ Some samples have been subcontracted.
- N/A Custody Seals intact (if used).

Notes

Contact

If you have any questions with respect to these samples, please contact your Analytical Services Manager:

Michael Cassidy on phone : +61 3 8564 5000 or by email: MichaelCassidy@eurofins.com

Results will be delivered electronically via email to Agon Lab Reports (Spoil Project) - labreports.TST@agonenviro.com.au.

Note: A copy of these results will also be delivered to the general Agon Environmental Pty Ltd - VIC email address.



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welsphool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Order No.:
Report #: 884546
Phone: 08 8338 1009
Fax:

Received: May 3, 2022 2:10 PM
Due: May 10, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Project Name: 20220503042308-Eurofin-8
Project ID: JC0927

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	SX_IB_20220502_08_15_SS_Triplicate_EUF	May 02, 2022		Soil	M22-My0004391		X	X	X
2	SX_IB_20220502_08_19_SS_Primary_EUF	May 02, 2022		Soil	M22-My0004392		X	X	X
3	SX_IB_20220502_08_30_SS_Primary_EUF	May 02, 2022		Soil	M22-My0004393		X	X	X
4	SX_OB_20220502_13_01_S	May 02, 2022		Soil	M22-My0004394		X	X	X



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220503042308-Eurofin-8
Project ID: JC0927

Order No.:
Report #: 884546
Phone: 08 8338 1009
Fax:

Received: May 3, 2022 2:10 PM
Due: May 10, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	S_Primary_EU F								
5	SX_OB_20220 502_13_06_S S_Primary_EU F	May 02, 2022		Soil	M22- My0004395		X	X	X
6	SX_OB_20220 502_16_34_S S_Primary_EU F	May 02, 2022		Soil	M22- My0004396		X	X	X
7	SX_OB_20220 502_16_35_S S_Duplicate_E UF	May 02, 2022		Soil	M22- My0004397		X	X	X



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220503042308-Eurofin-8
Project ID: JC0927

Order No.:
Report #: 884546
Phone: 08 8338 1009
Fax:

Received: May 3, 2022 2:10 PM
Due: May 10, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
8	SX_IB_20220502_19_45_SS_Primary_EUF	May 02, 2022		Soil	M22-My0004398		X	X	X
9	SX_OB_20220502_19_53_S_S_Primary_EUF	May 02, 2022		Soil	M22-My0004399		X	X	X
10	SX_IB_20220502_23_56_SS_Primary_EUF	May 02, 2022		Soil	M22-My0004400		X	X	X
11	SX_OB_20220503_00_07_S_S_Triplicate_EUF	May 03, 2022		Soil	M22-My0004401		X	X	X



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 3, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884546	Due:	May 10, 2022
Project Name:	20220503042308-Eurofin-8	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
12	SX_OB_20220503_03_49_S_S_Primary_EUF	May 03, 2022		Soil	M22-My0004402		X	X	X
13	SX_IB_20220503_03_55_SS_Primary_EUF	May 03, 2022		Soil	M22-My0004403		X	X	X
14	SX_IB_20220503_04_09_SR_Rinsate_EUF	May 03, 2022		Water	M22-My0004404			X	
15	SX_IB_20220503_04_10_SB_Blank_EUF	May 03, 2022		Water	M22-My0004405			X	
16	SX_IB_202205	May 02, 2022		AUS Leachate	M22-	X		X	



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220503042308-Eurofin-8
Project ID: JC0927

Order No.:
Report #: 884546
Phone: 08 8338 1009
Fax:

Received: May 3, 2022 2:10 PM
Due: May 10, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
16	SX_IB_20220502_08_15_SS_Triplicate_EU_F	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004406				
17	SX_IB_20220502_08_19_SS_Primary_EUF	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004407	X		X	
18	SX_IB_20220502_08_30_SS_Primary_EUF	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004408	X		X	
19	SX_OB_20220502_13_01_S_S_Primary_EU_F	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004409	X		X	



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220503042308-Eurofin-8
Project ID: JC0927

Order No.:
Report #: 884546
Phone: 08 8338 1009
Fax:

Received: May 3, 2022 2:10 PM
Due: May 10, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
20	SX_OB_20220502_13_06_S_S_Primary_EU_F	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004410	X		X	
21	SX_OB_20220502_16_34_S_S_Primary_EU_F	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004411	X		X	
22	SX_OB_20220502_16_35_S_S_Duplicate_EUF	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004412	X		X	
23	SX_IB_20220502_19_45_SS	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004413	X		X	



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220503042308-Eurofin-8
Project ID: JC0927

Order No.:
Report #: 884546
Phone: 08 8338 1009
Fax:

Received: May 3, 2022 2:10 PM
Due: May 10, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	_Primary_EUF								
24	SX_OB_20220502_19_53_S_S_Primary_EUF	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004414	X		X	
25	SX_IB_20220502_23_56_SS_Primary_EUF	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004415	X		X	
26	SX_OB_20220503_00_07_S_S_Triplicate_EUF	May 03, 2022		AUS Leachate - pH 5.0	M22-My0004416	X		X	
27	SX_OB_20220503_03_49_S	May 03, 2022		AUS Leachate - pH 5.0	M22-My0004417	X		X	



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Order No.:
Report #: 884546
Phone: 08 8338 1009
Fax:

Received: May 3, 2022 2:10 PM
Due: May 10, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Project Name: 20220503042308-Eurofin-8
Project ID: JC0927

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	S_Primary_EUF								
28	SX_IB_20220503_03_55_SS_Primary_EUF	May 03, 2022		AUS Leachate - pH 5.0	M22-My0004418	X		X	
29	SX_IB_20220502_08_15_SS_Triplicate_EUF	May 02, 2022		AUS Leachate - Reagent Water	M22-My0004419	X		X	
30	SX_IB_20220502_08_19_SS_Primary_EUF	May 02, 2022		AUS Leachate - Reagent Water	M22-My0004420	X		X	
31	SX_IB_20220502_08_30_SS	May 02, 2022		AUS Leachate - Reagent	M22-My0004421	X		X	



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220503042308-Eurofin-8
Project ID: JC0927

Order No.:
Report #: 884546
Phone: 08 8338 1009
Fax:

Received: May 3, 2022 2:10 PM
Due: May 10, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	02_08_30_SS _Primary_EUF			- Reagent Water	My0004421				
32	SX_OB_20220 502_13_01_S S_Primary_EU F	May 02, 2022		AUS Leachate - Reagent Water	M22- My0004422	X		X	
33	SX_OB_20220 502_13_06_S S_Primary_EU F	May 02, 2022		AUS Leachate - Reagent Water	M22- My0004423	X		X	
34	SX_OB_20220 502_16_34_S S_Primary_EU F	May 02, 2022		AUS Leachate - Reagent Water	M22- My0004424	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 3, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884546	Due:	May 10, 2022
Project Name:	20220503042308-Eurofin-8	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
35	SX_OB_20220502_16_35_S_S_Duplicate_EUF	May 02, 2022		AUS Leachate - Reagent Water	M22-My0004425	X		X	
36	SX_IB_20220502_19_45_SS_Primary_EUF	May 02, 2022		AUS Leachate - Reagent Water	M22-My0004426	X		X	
37	SX_OB_20220502_19_53_S_S_Primary_EUF	May 02, 2022		AUS Leachate - Reagent Water	M22-My0004427	X		X	
38	SX_IB_20220502_23_56_SS_Primary_EUF	May 02, 2022		AUS Leachate - Reagent Water	M22-My0004428	X		X	



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220503042308-Eurofin-8
Project ID: JC0927

Order No.:
Report #: 884546
Phone: 08 8338 1009
Fax:

Received: May 3, 2022 2:10 PM
Due: May 10, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
39	SX_OB_20220503_00_07_S_S_Triplicate_EUF	May 03, 2022		AUS Leachate - Reagent Water	M22-My0004429	X		X	
40	SX_OB_20220503_03_49_S_S_Primary_EUF	May 03, 2022		AUS Leachate - Reagent Water	M22-My0004430	X		X	
41	SX_IB_20220503_03_55_SS_Primary_EUF	May 03, 2022		AUS Leachate - Reagent Water	M22-My0004431	X		X	
Test Counts						26	13	41	13

Agon Environmental Pty Ltd - VIC
3/224 Glen Osmond Road
Fullarton
SA 5063



NATA Accredited
Accreditation Number 1261
Site Number 1254

Accredited for compliance with ISO/IEC 17025 – Testing
NATA is a signatory to the ILAC Mutual Recognition
Arrangement for the mutual recognition of the
equivalence of testing, medical testing, calibration,
inspection, proficiency testing scheme providers and
reference materials producers reports and certificates.

Attention: **Agon Lab Reports (Spoil Project)**

Report **884546-L**
Project name **20220503042308-Eurofin-8**
Project ID **JC0927**
Received Date **May 03, 2022**

Client Sample ID			SX_IB_202205 02_08_15_SS TriPLICATE_EUF	SX_IB_202205 02_08_19_SS Primary_EUF	SX_IB_202205 02_08_30_SS Primary_EUF	SX_OB_20220 502_13_01_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0004406	M22- My0004407	M22- My0004408	M22- My0004409
Date Sampled			May 02, 2022	May 02, 2022	May 02, 2022	May 02, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.1	5.1	5.1	5.1
pH (off)	0.1	pH Units	5.3	5.3	5.2	5.2
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	92	101	95	95
13C5-PFPeA (surr.)	1	%	100	107	108	105
13C5-PFHxA (surr.)	1	%	91	96	95	95
13C4-PFHpA (surr.)	1	%	96	102	95	91
13C8-PFOA (surr.)	1	%	63	62	61	84
13C5-PFNA (surr.)	1	%	83	84	73	71
13C6-PFDA (surr.)	1	%	93	100	91	86
13C2-PFUnDA (surr.)	1	%	86	100	95	89
13C2-PFDoDA (surr.)	1	%	90	100	96	88
13C2-PFTeDA (surr.)	1	%	70	100	78	84
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05

Client Sample ID			SX_IB_202205 02_08_15_SS TriPLICATE_EUF	SX_IB_202205 02_08_19_SS Primary_EUF	SX_IB_202205 02_08_30_SS Primary_EUF	SX_IB_202205 02_08_30_SS Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0004406	M22- My0004407	M22- My0004408	M22- My0004409
Date Sampled			May 02, 2022	May 02, 2022	May 02, 2022	May 02, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl sulfonamido substances						
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	55	54	55	60
D3-N-MeFOSA (surr.)	1	%	17	21	15	20
D5-N-EtFOSA (surr.)	1	%	15	26	15	17
D7-N-MeFOSE (surr.)	1	%	46	42	48	46
D9-N-EtFOSE (surr.)	1	%	60	59	53	62
D5-N-EtFOSAA (surr.)	1	%	21	21	17	16
D3-N-MeFOSAA (surr.)	1	%	29	22	42	25
Perfluoroalkyl sulfonic acids (PFASs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	44	51	56	90
18O2-PFHxS (surr.)	1	%	109	96	98	95
13C8-PFOS (surr.)	1	%	83	86	81	80
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	101	114	80	83
13C2-6:2 FTSA (surr.)	1	%	61	63	58	54
13C2-8:2 FTSA (surr.)	1	%	133	116	106	83
13C2-10:2 FTSA (surr.)	1	%	52	63	68	53
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_20220 502_13_06_SS _Primary_EUF	SX_OB_20220 502_16_34_SS _Primary_EUF	SX_OB_20220 502_16_35_SS _Duplicate_EU F	SX_IB_202205 02_19_45_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0004410	M22- My0004411	M22- My0004412	M22- My0004413
Date Sampled			May 02, 2022	May 02, 2022	May 02, 2022	May 02, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.1	5.1	5.1	5.1
pH (off)	0.1	pH Units	5.2	5.2	5.2	5.1
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	93	71	93	97
13C5-PFPeA (surr.)	1	%	98	79	103	112
13C5-PFHxA (surr.)	1	%	91	72	96	98
13C4-PFHpA (surr.)	1	%	90	69	90	101
13C8-PFOA (surr.)	1	%	52	64	87	65
13C5-PFNA (surr.)	1	%	73	53	79	81
13C6-PFDA (surr.)	1	%	84	64	92	92
13C2-PFUnDA (surr.)	1	%	95	69	93	74
13C2-PFDoDA (surr.)	1	%	88	83	88	73
13C2-PFTTeDA (surr.)	1	%	66	78	66	65
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	44	48	44	46
D3-N-MeFOSA (surr.)	1	%	17	23	25	26
D5-N-EtFOSA (surr.)	1	%	21	20	22	21
D7-N-MeFOSE (surr.)	1	%	39	43	32	34
D9-N-EtFOSE (surr.)	1	%	51	49	49	42
D5-N-EtFOSAA (surr.)	1	%	18	19	26	17
D3-N-MeFOSAA (surr.)	1	%	17	24	50	29

Client Sample ID			SX_OB_20220 502_13_06_SS _Primary_EUF	SX_OB_20220 502_16_34_SS _Primary_EUF	SX_OB_20220 502_16_35_SS _Duplicate_EU F	SX_IB_202205 02_19_45_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0004410	M22- My0004411	M22- My0004412	M22- My0004413
Date Sampled			May 02, 2022	May 02, 2022	May 02, 2022	May 02, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl sulfonic acids (PFASs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	54	70	96	45
18O2-PFHxS (surr.)	1	%	94	87	103	105
13C8-PFOS (surr.)	1	%	71	67	76	78
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	89	67	82	105
13C2-6:2 FTSA (surr.)	1	%	57	40	58	63
13C2-8:2 FTSA (surr.)	1	%	120	57	124	124
13C2-10:2 FTSA (surr.)	1	%	44	51	61	54
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_20220 502_19_53_SS _Primary_EUF	SX_IB_202205 02_23_56_SS _Primary_EUF	SX_OB_20220 503_00_07_SS _Triplicate_EU F	SX_OB_20220 503_03_49_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0004414	M22- My0004415	M22- My0004416	M22- My0004417
Date Sampled			May 02, 2022	May 02, 2022	May 03, 2022	May 03, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.1	5.1	5.1	5.1
pH (off)	0.1	pH Units	5.1	5.1	5.1	5.2

Client Sample ID			SX_OB_20220 502_19_53_SS _Primary_EUF	SX_IB_202205 02_23_56_SS _Primary_EUF	SX_OB_20220 503_00_07_SS _Triplicate_EU F	SX_OB_20220 503_03_49_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0004414	M22- My0004415	M22- My0004416	M22- My0004417
Date Sampled			May 02, 2022	May 02, 2022	May 03, 2022	May 03, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	99	93	88	82
13C5-PFPeA (surr.)	1	%	110	104	92	95
13C5-PFHxA (surr.)	1	%	101	95	90	84
13C4-PFHpA (surr.)	1	%	99	92	83	80
13C8-PFOA (surr.)	1	%	83	63	77	75
13C5-PFNA (surr.)	1	%	79	71	69	64
13C6-PFDA (surr.)	1	%	79	92	67	75
13C2-PFUnDA (surr.)	1	%	59	93	59	78
13C2-PFDoDA (surr.)	1	%	57	91	50	91
13C2-PFTTeDA (surr.)	1	%	56	84	42	71
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	44	57	30	50
D3-N-MeFOSA (surr.)	1	%	15	18	21	16
D5-N-EtFOSA (surr.)	1	%	19	19	27	19
D7-N-MeFOSE (surr.)	1	%	24	49	19	44
D9-N-EtFOSE (surr.)	1	%	35	57	28	47
D5-N-EtFOSAA (surr.)	1	%	15	21	17	16
D3-N-MeFOSAA (surr.)	1	%	16	40	12	35
Perfluoroalkyl sulfonic acids (PFSAs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01

Client Sample ID			SX_OB_20220 502_19_53_SS _Primary_EUF	SX_IB_202205 02_23_56_SS _Primary_EUF	SX_OB_20220 503_00_07_SS _Triplicate_EU F	SX_OB_20220 503_03_49_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0004414	M22- My0004415	M22- My0004416	M22- My0004417
Date Sampled			May 02, 2022	May 02, 2022	May 03, 2022	May 03, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl sulfonic acids (PFASs)						
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	82	56	92	84
18O2-PFHxS (surr.)	1	%	119	94	97	89
13C8-PFOS (surr.)	1	%	80	83	61	76
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	93	89	67	68
13C2-6:2 FTSA (surr.)	1	%	60	57	47	53
13C2-8:2 FTSA (surr.)	1	%	84	98	74	95
13C2-10:2 FTSA (surr.)	1	%	29	67	35	63
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202205 03_03_55_SS _Primary_EUF	SX_IB_202205 02_08_15_SS _Triplicate_EUF	SX_IB_202205 02_08_19_SS _Primary_EUF	SX_IB_202205 02_08_30_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0004418	M22- My0004419	M22- My0004420	M22- My0004421
Date Sampled			May 03, 2022	May 02, 2022	May 02, 2022	May 02, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	1.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.1	6.4	6.4	6.4
pH (off)	0.1	pH Units	5.2	9.3	9.2	8.7
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	0.07
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01

Client Sample ID			SX_IB_202205 03_03_55_SS_ Primary_EUF	SX_IB_202205 02_08_15_SS_ TriPLICATE_EUF	SX_IB_202205 02_08_19_SS_ Primary_EUF	SX_IB_202205 02_08_30_SS_ Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0004418	M22- My0004419	M22- My0004420	M22- My0004421
Date Sampled			May 03, 2022	May 02, 2022	May 02, 2022	May 02, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	95	99	58	52
13C5-PFPeA (surr.)	1	%	106	100	62	61
13C5-PFHxA (surr.)	1	%	93	94	61	54
13C4-PFHpA (surr.)	1	%	101	91	62	54
13C8-PFOA (surr.)	1	%	64	64	36	43
13C5-PFNA (surr.)	1	%	82	59	45	38
13C6-PFDA (surr.)	1	%	97	86	67	48
13C2-PFUnDA (surr.)	1	%	84	89	70	52
13C2-PFDoDA (surr.)	1	%	90	92	67	39
13C2-PFTeDA (surr.)	1	%	69	56	39	43
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	50	107	54	42
D3-N-MeFOSA (surr.)	1	%	15	18	20	21
D5-N-EtFOSA (surr.)	1	%	25	20	17	20
D7-N-MeFOSE (surr.)	1	%	44	42	19	19
D9-N-EtFOSE (surr.)	1	%	48	57	25	27
D5-N-EtFOSAA (surr.)	1	%	17	20	22	29
D3-N-MeFOSAA (surr.)	1	%	35	49	37	29
Perfluoroalkyl sulfonic acids (PFSAs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	43	52	26	34
18O2-PFHxS (surr.)	1	%	102	93	43	59
13C8-PFOS (surr.)	1	%	77	78	41	38

Client Sample ID			SX_IB_202205_03_03_55_SS_Primary_EUF	SX_IB_202205_02_08_15_SS_Triplicate_EUF	SX_IB_202205_02_08_19_SS_Primary_EUF	SX_IB_202205_02_08_30_SS_Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22-My0004418	M22-My0004419	M22-My0004420	M22-My0004421
Date Sampled			May 03, 2022	May 02, 2022	May 02, 2022	May 02, 2022
Test/Reference	LOR	Unit				
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	90	122	53	48
13C2-6:2 FTSA (surr.)	1	%	66	58	31	32
13C2-8:2 FTSA (surr.)	1	%	113	98	73	66
13C2-10:2 FTSA (surr.)	1	%	64	41	23	38
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	0.07
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_20220502_13_01_SS_Primary_EUF	SX_OB_20220502_13_06_SS_Primary_EUF	SX_OB_20220502_16_34_SS_Primary_EUF	SX_OB_20220502_16_35_SS_Duplicate_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22-My0004422	M22-My0004423	M22-My0004424	M22-My0004425
Date Sampled			May 02, 2022	May 02, 2022	May 02, 2022	May 02, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	6.4	6.4	6.4	6.4
pH (off)	0.1	pH Units	7.8	8.8	8.5	8.1
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	109	98	107	78

Client Sample ID			SX_OB_20220 502_13_01_SS _Primary_EUF	SX_OB_20220 502_13_06_SS _Primary_EUF	SX_OB_20220 502_16_34_SS _Primary_EUF	SX_OB_20220 502_16_35_SS _Duplicate_EU F
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0004422	M22- My0004423	M22- My0004424	M22- My0004425
Date Sampled			May 02, 2022	May 02, 2022	May 02, 2022	May 02, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl carboxylic acids (PFCAs)						
13C5-PFPeA (surr.)	1	%	118	101	113	89
13C5-PFHxA (surr.)	1	%	108	95	106	83
13C4-PFHpA (surr.)	1	%	101	91	95	76
13C8-PFOA (surr.)	1	%	93	52	78	75
13C5-PFNA (surr.)	1	%	76	66	60	62
13C6-PFDA (surr.)	1	%	105	83	94	82
13C2-PFUnDA (surr.)	1	%	105	109	97	88
13C2-PFDoDA (surr.)	1	%	108	104	87	75
13C2-PFTeDA (surr.)	1	%	85	69	61	50
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	83	80	66	70
D3-N-MeFOSA (surr.)	1	%	16	19	21	15
D5-N-EtFOSA (surr.)	1	%	21	28	18	19
D7-N-MeFOSE (surr.)	1	%	37	37	22	29
D9-N-EtFOSE (surr.)	1	%	47	48	35	39
D5-N-EtFOSAA (surr.)	1	%	37	25	41	39
D3-N-MeFOSAA (surr.)	1	%	51	80	108	98
Perfluoroalkyl sulfonic acids (PFSA)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	106	58	98	92
18O2-PFHxS (surr.)	1	%	110	89	89	88
13C8-PFOS (surr.)	1	%	84	62	78	66

Client Sample ID			SX_OB_20220 502_13_01_SS _Primary_EUF	SX_OB_20220 502_13_06_SS _Primary_EUF	SX_OB_20220 502_16_34_SS _Primary_EUF	SX_OB_20220 502_16_35_SS _Duplicate_EU F
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0004422	M22- My0004423	M22- My0004424	M22- My0004425
Date Sampled			May 02, 2022	May 02, 2022	May 02, 2022	May 02, 2022
Test/Reference	LOR	Unit				
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	90	91	89	72
13C2-6:2 FTSA (surr.)	1	%	49	53	50	43
13C2-8:2 FTSA (surr.)	1	%	111	86	97	95
13C2-10:2 FTSA (surr.)	1	%	69	62	73	61
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202205 02_19_45_SS _Primary_EUF	SX_OB_20220 502_19_53_SS _Primary_EUF	SX_IB_202205 02_23_56_SS _Primary_EUF	SX_OB_20220 503_00_07_SS _Triplicate_EU F
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0004426	M22- My0004427	M22- My0004428	M22- My0004429
Date Sampled			May 02, 2022	May 02, 2022	May 02, 2022	May 03, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	6.4	6.4	6.4	6.4
pH (off)	0.1	pH Units	7.9	8.0	7.7	7.6
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	89	107	99	81

Client Sample ID			SX_IB_202205 02_19_45_SS_ Primary_EUF	SX_OB_20220 502_19_53_SS_ Primary_EUF	SX_IB_202205 02_23_56_SS_ Primary_EUF	SX_OB_20220 503_00_07_SS Triuplicate_EU F
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0004426	M22- My0004427	M22- My0004428	M22- My0004429
Date Sampled			May 02, 2022	May 02, 2022	May 02, 2022	May 03, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl carboxylic acids (PFCAs)						
13C5-PFPeA (surr.)	1	%	87	112	117	87
13C5-PFHxA (surr.)	1	%	77	107	108	86
13C4-PFHpA (surr.)	1	%	80	101	98	74
13C8-PFOA (surr.)	1	%	64	78	65	69
13C5-PFNA (surr.)	1	%	56	84	77	54
13C6-PFDA (surr.)	1	%	87	110	104	70
13C2-PFUnDA (surr.)	1	%	87	114	92	62
13C2-PFDoDA (surr.)	1	%	88	98	73	47
13C2-PFTeDA (surr.)	1	%	89	74	62	29
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	77	78	77	53
D3-N-MeFOSA (surr.)	1	%	16	17	23	19
D5-N-EtFOSA (surr.)	1	%	14	21	18	16
D7-N-MeFOSE (surr.)	1	%	34	34	32	26
D9-N-EtFOSE (surr.)	1	%	45	36	39	19
D5-N-EtFOSAA (surr.)	1	%	31	50	37	22
D3-N-MeFOSAA (surr.)	1	%	65	100	115	34
Perfluoroalkyl sulfonic acids (PFSAAs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	35	90	67	94
18O2-PFHxS (surr.)	1	%	87	105	105	77
13C8-PFOS (surr.)	1	%	65	85	77	62

Client Sample ID			SX_IB_202205_02_19_45_SS_Primary_EUF	SX_OB_20220502_19_53_SS_Primary_EUF	SX_IB_20220502_23_56_SS_Primary_EUF	SX_OB_20220503_00_07_SS_Triplicate_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22-My0004426	M22-My0004427	M22-My0004428	M22-My0004429
Date Sampled			May 02, 2022	May 02, 2022	May 02, 2022	May 03, 2022
Test/Reference	LOR	Unit				
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	123	101	90	72
13C2-6:2 FTSA (surr.)	1	%	50	58	60	40
13C2-8:2 FTSA (surr.)	1	%	88	135	132	64
13C2-10:2 FTSA (surr.)	1	%	72	62	39	36
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_20220503_03_49_SS_Primary_EUF	SX_IB_20220503_03_55_SS_Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22-My0004430	M22-My0004431
Date Sampled			May 03, 2022	May 03, 2022
Test/Reference	LOR	Unit		
AUS Leaching Procedure				
Leachate Fluid ^{C01}		comment	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	6.4	6.4
pH (off)	0.1	pH Units	7.5	9.1
Perfluoroalkyl carboxylic acids (PFCAs)				
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	84	94

Client Sample ID			SX_OB_20220 503_03_49_SS _Primary_EUF	SX_IB_202205 03_03_55_SS _Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0004430	M22- My0004431
Date Sampled			May 03, 2022	May 03, 2022
Test/Reference	LOR	Unit		
Perfluoroalkyl carboxylic acids (PFCAs)				
13C5-PFPeA (surr.)	1	%	98	99
13C5-PFHxA (surr.)	1	%	91	86
13C4-PFHpA (surr.)	1	%	81	85
13C8-PFOA (surr.)	1	%	77	51
13C5-PFNA (surr.)	1	%	73	59
13C6-PFDA (surr.)	1	%	97	77
13C2-PFUnDA (surr.)	1	%	83	92
13C2-PFDoDA (surr.)	1	%	49	83
13C2-PFTeDA (surr.)	1	%	27	76
Perfluoroalkyl sulfonamido substances				
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	64	93
D3-N-MeFOSA (surr.)	1	%	16	15
D5-N-EtFOSA (surr.)	1	%	26	20
D7-N-MeFOSE (surr.)	1	%	15	38
D9-N-EtFOSE (surr.)	1	%	19	55
D5-N-EtFOSAA (surr.)	1	%	22	47
D3-N-MeFOSAA (surr.)	1	%	77	73
Perfluoroalkyl sulfonic acids (PFSA)				
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	105	37
18O2-PFHxS (surr.)	1	%	97	76
13C8-PFOS (surr.)	1	%	75	63

Client Sample ID			SX_OB_20220 503_03_49_SS _Primary_EUF	SX_IB_202205 03_03_55_SS _Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0004430	M22- My0004431
Date Sampled			May 03, 2022	May 03, 2022
Test/Reference	LOR	Unit		
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	87	111
13C2-6:2 FTSA (surr.)	1	%	42	51
13C2-8:2 FTSA (surr.)	1	%	101	111
13C2-10:2 FTSA (surr.)	1	%	39	48
PFASs Summations				
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1

Sample History

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
AUS Leaching Procedure			
pH (initial) - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Melbourne	May 04, 2022	0 Days
pH (Leachate fluid) - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Melbourne	May 04, 2022	0 Days
pH (off) - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Melbourne	May 04, 2022	0 Days
Per- and Polyfluoroalkyl Substances (PFASs)			
Perfluoroalkyl carboxylic acids (PFCAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 04, 2022	28 Days
Perfluoroalkyl sulfonamido substances - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 04, 2022	28 Days
Perfluoroalkyl sulfonic acids (PFSAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 04, 2022	28 Days
n:2 Fluorotelomer sulfonic acids (n:2 FTSAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 04, 2022	28 Days
PFASs Summations - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 03, 2022	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220503042308-Eurofin-8
Project ID: JC0927

Order No.:
Report #: 884546
Phone: 08 8338 1009
Fax:

Received: May 3, 2022 2:10 PM
Due: May 10, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	SX_IB_20220502_08_15_SS_Triplicate_EUF	May 02, 2022		Soil	M22-My0004391		X	X	X
2	SX_IB_20220502_08_19_SS_Primary_EUF	May 02, 2022		Soil	M22-My0004392		X	X	X
3	SX_IB_20220502_08_30_SS_Primary_EUF	May 02, 2022		Soil	M22-My0004393		X	X	X
4	SX_OB_20220502_13_01_S	May 02, 2022		Soil	M22-My0004394		X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 3, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884546	Due:	May 10, 2022
Project Name:	20220503042308-Eurofin-8	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	S_Primary_EU F								
5	SX_OB_20220 502_13_06_S S_Primary_EU F	May 02, 2022		Soil	M22- My0004395		X	X	X
6	SX_OB_20220 502_16_34_S S_Primary_EU F	May 02, 2022		Soil	M22- My0004396		X	X	X
7	SX_OB_20220 502_16_35_S S_Duplicate_E UF	May 02, 2022		Soil	M22- My0004397		X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 3, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884546	Due:	May 10, 2022
Project Name:	20220503042308-Eurofin-8	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
8	SX_IB_20220502_19_45_SS_Primary_EUF	May 02, 2022		Soil	M22-My0004398		X	X	X
9	SX_OB_20220502_19_53_S_S_Primary_EUF	May 02, 2022		Soil	M22-My0004399		X	X	X
10	SX_IB_20220502_23_56_SS_Primary_EUF	May 02, 2022		Soil	M22-My0004400		X	X	X
11	SX_OB_20220503_00_07_S_S_Triplicate_EUF	May 03, 2022		Soil	M22-My0004401		X	X	X

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220503042308-Eurofin-8
Project ID: JC0927

Order No.:
Report #: 884546
Phone: 08 8338 1009
Fax:

Received: May 3, 2022 2:10 PM
Due: May 10, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
12	SX_OB_20220503_03_49_S_S_Primary_EUF	May 03, 2022		Soil	M22-My0004402		X	X	X
13	SX_IB_20220503_03_55_SS_Primary_EUF	May 03, 2022		Soil	M22-My0004403		X	X	X
14	SX_IB_20220503_04_09_SR_Rinsate_EUF	May 03, 2022		Water	M22-My0004404			X	
15	SX_IB_20220503_04_10_SB_Blank_EUF	May 03, 2022		Water	M22-My0004405			X	
16	SX_IB_202205	May 02, 2022		AUS Leachate	M22-	X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220503042308-Eurofin-8
Project ID: JC0927

Order No.:
Report #: 884546
Phone: 08 8338 1009
Fax:

Received: May 3, 2022 2:10 PM
Due: May 10, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
16	SX_IB_20220502_08_15_SS_Triplicate_EU_F	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004406				
17	SX_IB_20220502_08_19_SS_Primary_EUF	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004407	X		X	
18	SX_IB_20220502_08_30_SS_Primary_EUF	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004408	X		X	
19	SX_OB_20220502_13_01_S_S_Primary_EU_F	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004409	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 3, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884546	Due:	May 10, 2022
Project Name:	20220503042308-Eurofin-8	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
20	SX_OB_20220502_13_06_S_S_Primary_EU_F	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004410	X		X	
21	SX_OB_20220502_16_34_S_S_Primary_EU_F	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004411	X		X	
22	SX_OB_20220502_16_35_S_S_Duplicate_EUF	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004412	X		X	
23	SX_IB_20220502_19_45_SS	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004413	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 3, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884546	Due:	May 10, 2022
Project Name:	20220503042308-Eurofin-8	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	_Primary_EUF								
24	SX_OB_20220502_19_53_S_S_Primary_EUF	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004414	X		X	
25	SX_IB_20220502_23_56_SS_Primary_EUF	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004415	X		X	
26	SX_OB_20220503_00_07_S_S_Triplicate_EUF	May 03, 2022		AUS Leachate - pH 5.0	M22-My0004416	X		X	
27	SX_OB_20220503_03_49_S	May 03, 2022		AUS Leachate - pH 5.0	M22-My0004417	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 3, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884546	Due:	May 10, 2022
Project Name:	20220503042308-Eurofin-8	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	S_Primary_EUF								
28	SX_IB_20220503_03_55_SS_Primary_EUF	May 03, 2022		AUS Leachate - pH 5.0	M22-My0004418	X		X	
29	SX_IB_20220502_08_15_SS_Triplicate_EUF	May 02, 2022		AUS Leachate - Reagent Water	M22-My0004419	X		X	
30	SX_IB_20220502_08_19_SS_Primary_EUF	May 02, 2022		AUS Leachate - Reagent Water	M22-My0004420	X		X	
31	SX_IB_20220502_08_30_SS	May 02, 2022		AUS Leachate - Reagent	M22-My0004421	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 3, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884546	Due:	May 10, 2022
Project Name:	20220503042308-Eurofin-8	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	02_08_30_SS _Primary_EUF			- Reagent Water	My0004421				
32	SX_OB_20220 502_13_01_S S_Primary_EU F	May 02, 2022		AUS Leachate - Reagent Water	M22- My0004422	X		X	
33	SX_OB_20220 502_13_06_S S_Primary_EU F	May 02, 2022		AUS Leachate - Reagent Water	M22- My0004423	X		X	
34	SX_OB_20220 502_16_34_S S_Primary_EU F	May 02, 2022		AUS Leachate - Reagent Water	M22- My0004424	X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220503042308-Eurofin-8
Project ID: JC0927

Order No.:
Report #: 884546
Phone: 08 8338 1009
Fax:

Received: May 3, 2022 2:10 PM
Due: May 10, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
35	SX_OB_20220502_16_35_S_S_Duplicate_EUF	May 02, 2022		AUS Leachate - Reagent Water	M22-My0004425	X		X	
36	SX_IB_20220502_19_45_SS_Primary_EUF	May 02, 2022		AUS Leachate - Reagent Water	M22-My0004426	X		X	
37	SX_OB_20220502_19_53_S_S_Primary_EUF	May 02, 2022		AUS Leachate - Reagent Water	M22-My0004427	X		X	
38	SX_IB_20220502_23_56_SS_Primary_EUF	May 02, 2022		AUS Leachate - Reagent Water	M22-My0004428	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 3, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884546	Due:	May 10, 2022
Project Name:	20220503042308-Eurofin-8	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
39	SX_OB_20220503_00_07_S_S_Triplicate_EUF	May 03, 2022		AUS Leachate - Reagent Water	M22-My0004429	X		X	
40	SX_OB_20220503_03_49_S_S_Primary_EUF	May 03, 2022		AUS Leachate - Reagent Water	M22-My0004430	X		X	
41	SX_IB_20220503_03_55_SS_Primary_EUF	May 03, 2022		AUS Leachate - Reagent Water	M22-My0004431	X		X	
Test Counts						26	13	41	13

Internal Quality Control Review and Glossary

General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer that may have an impact on the results.
- This report replaces any interim results previously issued.

Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

Units

mg/kg: milligrams per kilogram	mg/L: milligrams per litre	µg/L: micrograms per litre
ppm: parts per million	ppb: parts per billion	%: Percentage
org/100 mL: Organisms per 100 millilitres	NTU: Nephelometric Turbidity Units	MPN/100 mL: Most Probable Number of organisms per 100 millilitres

Terms

APHA	American Public Health Association
COC	Chain of Custody
CP	Client Parent - QC was performed on samples pertaining to this report
CRM	Certified Reference Material (ISO17034) - reported as percent recovery.
Dry	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
Duplicate	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
LOR	Limit of Reporting.
LCS	Laboratory Control Sample - reported as percent recovery.
Method Blank	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
NCP	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
RPD	Relative Percent Difference between two Duplicate pieces of analysis.
SPIKE	Addition of the analyte to the sample and reported as percentage recovery.
SRA	Sample Receipt Advice
Surr - Surrogate	The addition of a like compound to the analyte target and reported as percentage recovery.
TBTO	Tributyltin oxide (<i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment however free tributyltin was measured and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits.
TCLP	Toxicity Characteristic Leaching Procedure
TEQ	Toxic Equivalency Quotient or Total Equivalence
QSM	US Department of Defense Quality Systems Manual Version 5.4
US EPA	United States Environmental Protection Agency
WA DWER	Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

QC - Acceptance Criteria

The acceptance criteria should be used as a guide only and may be different when site specific Sampling Analysis and Quality Plan (SAQP) have been implemented

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR: No Limit

Results between 10-20 times the LOR: RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

NOTE: pH duplicates are reported as a range not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.4 where no positive PFAS results have been reported have been reviewed and no data was affected.

QC Data General Comments

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery the term "INT" appears against that analyte.
- For Matrix Spikes and LCS results a dash "-" in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

Quality Control Results

Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Method Blank						
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA)	ug/L	< 0.05		0.05	Pass	
Perfluoropentanoic acid (PFPeA)	ug/L	< 0.01		0.01	Pass	
Perfluorohexanoic acid (PFHxA)	ug/L	< 0.01		0.01	Pass	
Perfluoroheptanoic acid (PFHpA)	ug/L	< 0.01		0.01	Pass	
Perfluorooctanoic acid (PFOA)	ug/L	< 0.01		0.01	Pass	
Perfluorononanoic acid (PFNA)	ug/L	< 0.01		0.01	Pass	
Perfluorodecanoic acid (PFDA)	ug/L	< 0.01		0.01	Pass	
Perfluoroundecanoic acid (PFUnDA)	ug/L	< 0.01		0.01	Pass	
Perfluorododecanoic acid (PFDoDA)	ug/L	< 0.01		0.01	Pass	
Perfluorotridecanoic acid (PFTTrDA)	ug/L	< 0.01		0.01	Pass	
Perfluorotetradecanoic acid (PFTeDA)	ug/L	< 0.01		0.01	Pass	
Method Blank						
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA)	ug/L	< 0.05		0.05	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	ug/L	< 0.05		0.05	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	ug/L	< 0.05		0.05	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	ug/L	< 0.05		0.05	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	ug/L	< 0.05		0.05	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	ug/L	< 0.05		0.05	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	ug/L	< 0.05		0.05	Pass	
Method Blank						
Perfluoroalkyl sulfonic acids (PFASs)						
Perfluorobutanesulfonic acid (PFBS)	ug/L	< 0.01		0.01	Pass	
Perfluorononanesulfonic acid (PFNS)	ug/L	< 0.01		0.01	Pass	
Perfluoropropanesulfonic acid (PFPrS)	ug/L	< 0.01		0.01	Pass	
Perfluoropentanesulfonic acid (PFPeS)	ug/L	< 0.01		0.01	Pass	
Perfluorohexanesulfonic acid (PFHxS)	ug/L	< 0.01		0.01	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	ug/L	< 0.01		0.01	Pass	
Perfluorooctanesulfonic acid (PFOS)	ug/L	< 0.01		0.01	Pass	
Perfluorodecanesulfonic acid (PFDS)	ug/L	< 0.01		0.01	Pass	
Method Blank						
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	ug/L	< 0.01		0.01	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	ug/L	< 0.05		0.05	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	ug/L	< 0.01		0.01	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	ug/L	< 0.01		0.01	Pass	
LCS - % Recovery						
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA)	%	100		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	122		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	125		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	121		50-150	Pass	
Perfluorooctanoic acid (PFOA)	%	131		50-150	Pass	
Perfluorononanoic acid (PFNA)	%	131		50-150	Pass	
Perfluorodecanoic acid (PFDA)	%	130		50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	%	136		50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	%	146		50-150	Pass	
Perfluorotridecanoic acid (PFTTrDA)	%	104		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	%	125		50-150	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code		
LCS - % Recovery									
Perfluoroalkyl sulfonamido substances									
Perfluorooctane sulfonamide (FOSA)	%	123			50-150	Pass			
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	%	149			50-150	Pass			
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	%	59			50-150	Pass			
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	%	103			50-150	Pass			
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	%	114			50-150	Pass			
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	%	103			50-150	Pass			
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	%	76			50-150	Pass			
LCS - % Recovery									
Perfluoroalkyl sulfonic acids (PFSA)									
Perfluorobutanesulfonic acid (PFBS)	%	108			50-150	Pass			
Perfluorononanesulfonic acid (PFNS)	%	105			50-150	Pass			
Perfluoropropanesulfonic acid (PFPrS)	%	137			50-150	Pass			
Perfluoropentanesulfonic acid (PFPeS)	%	60			50-150	Pass			
Perfluorohexanesulfonic acid (PFHxS)	%	137			50-150	Pass			
Perfluoroheptanesulfonic acid (PFHpS)	%	131			50-150	Pass			
Perfluorooctanesulfonic acid (PFOS)	%	118			50-150	Pass			
Perfluorodecanesulfonic acid (PFDS)	%	96			50-150	Pass			
LCS - % Recovery									
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)									
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	%	129			50-150	Pass			
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	%	128			50-150	Pass			
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	%	125			50-150	Pass			
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	%	146			50-150	Pass			
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Duplicate									
Perfluoroalkyl carboxylic acids (PFCAs)									
Perfluorobutanoic acid (PFBA)	M22-My0004411	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
Perfluoropentanoic acid (PFPeA)	M22-My0004411	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorohexanoic acid (PFHxA)	M22-My0004411	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluoroheptanoic acid (PFHpA)	M22-My0004411	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorooctanoic acid (PFOA)	M22-My0004411	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorononanoic acid (PFNA)	M22-My0004411	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorodecanoic acid (PFDA)	M22-My0004411	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluoroundecanoic acid (PFUnDA)	M22-My0004411	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorododecanoic acid (PFDoDA)	M22-My0004411	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorotridecanoic acid (PFTrDA)	M22-My0004411	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorotetradecanoic acid (PFTeDA)	M22-My0004411	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Duplicate									
Perfluoroalkyl sulfonamido substances									
Perfluorooctane sulfonamide (FOSA)	M22-My0004411	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0004411	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0004411	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0004411	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0004411	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0004411	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0004411	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSAs)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-My0004411	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-My0004411	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-My0004411	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-My0004411	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-My0004411	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0004411	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-My0004411	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-My0004411	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0004411	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0004411	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0004411	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0004411	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
Perfluoroalkyl carboxylic acids (PFCAs)				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-My0004426	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-My0004426	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-My0004426	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-My0004426	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-My0004426	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-My0004426	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-My0004426	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-My0004426	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-My0004426	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotridecanoic acid (PFTrDA)	M22-My0004426	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-My0004426	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-My0004426	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0004426	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0004426	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0004426	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0004426	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0004426	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0004426	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-My0004426	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-My0004426	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-My0004426	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-My0004426	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-My0004426	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0004426	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-My0004426	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-My0004426	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0004426	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0004426	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0004426	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0004426	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass

Comments
Sample Integrity

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	No
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

Qualifier Codes/Comments

Code	Description
C01	Leachate Fluid Key: 1 - pH 5.0; 2 - pH 2.9; 3 - pH 9.2; 4 - Reagent (DI) water; 5 - Client sample, 6 - other
N11	Isotope dilution is used for calibration of each native compound for which an exact labelled analogue is available (Isotope Dilution Quantitation). The isotopically labelled analogues allow identification and recovery correction of the concentration of the associated native PFAS compounds.
N15	Where the native PFAS compound does not have labelled analogue then the quantification is made using the Extracted Internal Standard Analyte with the closest retention time to the analyte and no recovery correction has been made (Internal Standard Quantitation).

Authorised by:

Catherine Wilson	Analytical Services Manager
Mary Makarios	Senior Analyst (NSW)
Joseph Edouard	Senior Analyst (VIC)



Glenn Jackson
General Manager

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Agon Environmental Pty Ltd - VIC
3/224 Glen Osmond Road
Fullarton
SA 5063



NATA Accredited
Accreditation Number 1261
Site Number 1254

Accredited for compliance with ISO/IEC 17025 – Testing
NATA is a signatory to the ILAC Mutual Recognition
Arrangement for the mutual recognition of the
equivalence of testing, medical testing, calibration,
inspection, proficiency testing scheme providers and
reference materials producers reports and certificates.

Attention: **Agon Lab Reports (Spoil Project)**

Report **884546-S**
Project name **20220503042308-Eurofin-8**
Project ID **JC0927**
Received Date **May 03, 2022**

Client Sample ID			SX_IB_202205 02_08_15_SS TriPLICATE_EUF	SX_IB_202205 02_08_19_SS Primary_EUF	SX_IB_202205 02_08_30_SS Primary_EUF	SX_IB_202205 02_08_30_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0004391	M22- My0004392	M22- My0004393	M22- My0004394
Date Sampled			May 02, 2022	May 02, 2022	May 02, 2022	May 02, 2022
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
Naphthalene ^{N02}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) ^{N04}	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) ^{N01}	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
Volatile Organics						
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Volatile Organics						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_IB_202205 02_08_15_SS Triuplicate_EUF	SX_IB_202205 02_08_19_SS Primary_EUF	SX_IB_202205 02_08_30_SS Primary_EUF	SX_OB_20220 502_13_01_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0004391	M22- My0004392	M22- My0004393	M22- My0004394
Date Sampled			May 02, 2022	May 02, 2022	May 02, 2022	May 02, 2022
Test/Reference	LOR	Unit				
Volatile Organics						
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1,2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1,3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1,2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1,3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	102	100	97	100
Toluene-d8 (surr.)	1	%	94	94	93	95
Polycyclic Aromatic Hydrocarbons						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_IB_202205 02_08_15_SS TriPLICATE_EUF	SX_IB_202205 02_08_19_SS Primary_EUF	SX_IB_202205 02_08_30_SS Primary_EUF	SX_OB_20220 502_13_01_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0004391	M22- My0004392	M22- My0004393	M22- My0004394
Date Sampled			May 02, 2022	May 02, 2022	May 02, 2022	May 02, 2022
Test/Reference	LOR	Unit				
Polycyclic Aromatic Hydrocarbons						
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1,2,3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	88	94	79	88
p-Terphenyl-d14 (surr.)	1	%	96	130	95	131
Organochlorine Pesticides						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorodate (surr.)	1	%	93	75	99	93
Tetrachloro-m-xylene (surr.)	1	%	80	93	137	123

Client Sample ID			SX_IB_202205 02_08_15_SS TriPLICATE_EUF	SX_IB_202205 02_08_19_SS Primary_EUF	SX_IB_202205 02_08_30_SS Primary_EUF	SX_OB_20220 502_13_01_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0004391	M22- My0004392	M22- My0004393	M22- My0004394
Date Sampled			May 02, 2022	May 02, 2022	May 02, 2022	May 02, 2022
Test/Reference	LOR	Unit				
Polychlorinated Biphenyls						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	93	75	99	93
Tetrachloro-m-xylene (surr.)	1	%	80	93	137	123
Phenols (Halogenated)						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1
Phenols (non-Halogenated)						
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	53	31	49	34
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20
Chromium (hexavalent)						
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1	< 1
Cyanide (total)						
Cyanide (total)	5	mg/kg	< 5	< 5	< 5	< 5
Fluoride (Total)						
Fluoride (Total)	100	mg/kg	< 100	170	< 100	< 100
pH (1:5 Aqueous extract at 25°C as rec.)						
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	9.6	9.9	9.0	8.6
% Moisture						
% Moisture	1	%	30	25	33	30
Heavy Metals						
Arsenic	2	mg/kg	25	26	52	19
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	130	120	170	160
Copper	5	mg/kg	67	74	82	78
Lead	5	mg/kg	5.6	< 5	12	< 5
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202205 02_08_15_SS Triuplicate_EUF	SX_IB_202205 02_08_19_SS Primary_EUF	SX_IB_202205 02_08_30_SS Primary_EUF	SX_OB_20220 502_13_01_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0004391	M22- My0004392	M22- My0004393	M22- My0004394
Date Sampled			May 02, 2022	May 02, 2022	May 02, 2022	May 02, 2022
Test/Reference	LOR	Unit				
Heavy Metals						
Molybdenum	5	mg/kg	< 5	< 5	< 5	< 5
Nickel	5	mg/kg	230	210	240	230
Selenium	2	mg/kg	< 2	< 2	< 2	< 2
Silver	2	mg/kg	< 2	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10	< 10
Zinc	5	mg/kg	160	180	190	150
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTeDA) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	89	96	89	88
13C5-PFPeA (surr.)	1	%	93	96	91	95
13C5-PFHxA (surr.)	1	%	79	85	79	81
13C4-PFHpA (surr.)	1	%	73	82	76	76
13C8-PFOA (surr.)	1	%	67	82	77	83
13C5-PFNA (surr.)	1	%	53	68	72	55
13C6-PFDA (surr.)	1	%	73	88	86	78
13C2-PFUnDA (surr.)	1	%	99	99	92	96
13C2-PFDoDA (surr.)	1	%	86	95	85	79
13C2-PFTeDA (surr.)	1	%	82	87	78	75
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	93	111	100	94
D3-N-MeFOSA (surr.)	1	%	98	87	78	83
D5-N-EtFOSA (surr.)	1	%	98	103	109	99
D7-N-MeFOSE (surr.)	1	%	86	85	75	73
D9-N-EtFOSE (surr.)	1	%	95	95	94	78
D5-N-EtFOSAA (surr.)	1	%	116	83	105	88
D3-N-MeFOSAA (surr.)	1	%	108	85	83	107

Client Sample ID			SX_IB_202205 02_08_15_SS Triuplicate_EUF	SX_IB_202205 02_08_19_SS Primary_EUF	SX_IB_202205 02_08_30_SS Primary_EUF	SX_OB_20220 502_13_01_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0004391	M22- My0004392	M22- My0004393	M22- My0004394
Date Sampled			May 02, 2022	May 02, 2022	May 02, 2022	May 02, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl sulfonic acids (PFASs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	74	77	76	77
18O2-PFHxS (surr.)	1	%	70	95	79	76
13C8-PFOS (surr.)	1	%	92	92	82	72
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	64	61	56	55
13C2-6:2 FTSA (surr.)	1	%	56	55	52	64
13C2-8:2 FTSA (surr.)	1	%	77	87	71	79
13C2-10:2 FTSA (surr.)	1	%	61	51	59	59
PFASs Summations						
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50	< 50

Client Sample ID			SX_OB_20220 502_13_06_SS _Primary_EUF	SX_OB_20220 502_16_34_SS _Primary_EUF	SX_OB_20220 502_16_35_SS _Duplicate_EU F	SX_IB_202205 02_19_45_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0004395	M22- My0004396	M22- My0004397	M22- My0004398
Date Sampled			May 02, 2022	May 02, 2022	May 02, 2022	May 02, 2022
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
Naphthalene ^{N02}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) ^{N04}	20	mg/kg	< 20	< 20	< 20	< 20

Client Sample ID			SX_OB_20220 502_13_06_SS _Primary_EUF	SX_OB_20220 502_16_34_SS _Primary_EUF	SX_OB_20220 502_16_35_SS _Duplicate_EU F	SX_IB_202205 02_19_45_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0004395	M22- My0004396	M22- My0004397	M22- My0004398
Date Sampled			May 02, 2022	May 02, 2022	May 02, 2022	May 02, 2022
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons						
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) ^{N01}	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
Volatile Organics						
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Volatile Organics						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_OB_20220 502_13_06_SS _Primary_EUF	SX_OB_20220 502_16_34_SS _Primary_EUF	SX_OB_20220 502_16_35_SS _Duplicate_EU F	SX_IB_202205 02_19_45_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0004395	M22- My0004396	M22- My0004397	M22- My0004398
Date Sampled			May 02, 2022	May 02, 2022	May 02, 2022	May 02, 2022
Test/Reference	LOR	Unit				
Volatile Organics						
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	96	103	100	91
Toluene-d8 (surr.)	1	%	92	95	94	80
Polycyclic Aromatic Hydrocarbons						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	88	75	85	77
p-Terphenyl-d14 (surr.)	1	%	130	137	106	125

Client Sample ID			SX_OB_20220 502_13_06_SS _Primary_EUF	SX_OB_20220 502_16_34_SS _Primary_EUF	SX_OB_20220 502_16_35_SS _Duplicate_EU F	SX_IB_202205 02_19_45_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0004395	M22- My0004396	M22- My0004397	M22- My0004398
Date Sampled			May 02, 2022	May 02, 2022	May 02, 2022	May 02, 2022
Test/Reference	LOR	Unit				
Organochlorine Pesticides						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	97	75	95	99
Tetrachloro-m-xylene (surr.)	1	%	107	97	79	122
Polychlorinated Biphenyls						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	97	75	95	99
Tetrachloro-m-xylene (surr.)	1	%	107	97	79	122
Phenols (Halogenated)						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1

Client Sample ID			SX_OB_20220 502_13_06_SS _Primary_EUF	SX_OB_20220 502_16_34_SS _Primary_EUF	SX_OB_20220 502_16_35_SS _Duplicate_EU F	SX_IB_202205 02_19_45_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0004395	M22- My0004396	M22- My0004397	M22- My0004398
Date Sampled			May 02, 2022	May 02, 2022	May 02, 2022	May 02, 2022
Test/Reference	LOR	Unit				
Phenols (non-Halogenated)						
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	57	45	53	44
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20
Chromium (hexavalent)						
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1	< 1
Cyanide (total)	5	mg/kg	< 5	< 5	< 5	< 5
Fluoride (Total)	100	mg/kg	< 100	< 100	< 100	< 100
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	8.9	8.6	8.4	9.0
% Moisture	1	%	34	29	31	32
Heavy Metals						
Arsenic	2	mg/kg	20	18	22	49
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	160	150	210	160
Copper	5	mg/kg	80	74	97	71
Lead	5	mg/kg	< 5	< 5	< 5	6.6
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Molybdenum	5	mg/kg	< 5	< 5	< 5	< 5
Nickel	5	mg/kg	240	230	290	220
Selenium	2	mg/kg	< 2	< 2	< 2	< 2
Silver	2	mg/kg	< 2	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10	< 10
Zinc	5	mg/kg	140	130	180	140
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTTrDA) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	94	89	108	89
13C5-PFPeA (surr.)	1	%	92	93	113	91
13C5-PFHxA (surr.)	1	%	85	78	97	78

Client Sample ID			SX_OB_20220 502_13_06_SS _Primary_EUF	SX_OB_20220 502_16_34_SS _Primary_EUF	SX_OB_20220 502_16_35_SS _Duplicate_EU F	SX_IB_202205 02_19_45_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0004395	M22- My0004396	M22- My0004397	M22- My0004398
Date Sampled			May 02, 2022	May 02, 2022	May 02, 2022	May 02, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl carboxylic acids (PFCAs)						
13C4-PFHpA (surr.)	1	%	83	73	91	72
13C8-PFOA (surr.)	1	%	79	90	100	60
13C5-PFNA (surr.)	1	%	66	68	79	74
13C6-PFDA (surr.)	1	%	75	78	102	52
13C2-PFUnDA (surr.)	1	%	75	94	108	78
13C2-PFDoDA (surr.)	1	%	78	77	113	79
13C2-PFTeDA (surr.)	1	%	54	81	103	71
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	95	93	107	98
D3-N-MeFOSA (surr.)	1	%	93	77	108	78
D5-N-EtFOSA (surr.)	1	%	103	94	129	106
D7-N-MeFOSE (surr.)	1	%	87	81	95	83
D9-N-EtFOSE (surr.)	1	%	92	95	114	84
D5-N-EtFOSAA (surr.)	1	%	82	76	121	92
D3-N-MeFOSAA (surr.)	1	%	78	82	116	65
Perfluoroalkyl sulfonic acids (PFSA)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	79	76	96	68
18O2-PFHxS (surr.)	1	%	87	74	99	76
13C8-PFOS (surr.)	1	%	92	69	90	75
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	61	54	67	67
13C2-6:2 FTSA (surr.)	1	%	61	52	66	50

Client Sample ID			SX_OB_20220 502_13_06_SS _Primary_EUF	SX_OB_20220 502_16_34_SS _Primary_EUF	SX_OB_20220 502_16_35_SS _Duplicate_EU F	SX_IB_202205 02_19_45_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0004395	M22- My0004396	M22- My0004397	M22- My0004398
Date Sampled			May 02, 2022	May 02, 2022	May 02, 2022	May 02, 2022
Test/Reference	LOR	Unit				
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
13C2-8:2 FTSA (surr.)	1	%	91	74	97	72
13C2-10:2 FTSA (surr.)	1	%	62	62	66	55
PFASs Summations						
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50	< 50

Client Sample ID			SX_OB_20220 502_19_53_SS _Primary_EUF	SX_IB_202205 02_23_56_SS _Primary_EUF	SX_OB_20220 503_00_07_SS _Triplicate_EU F	SX_OB_20220 503_03_49_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0004399	M22- My0004400	M22- My0004401	M22- My0004402
Date Sampled			May 02, 2022	May 02, 2022	May 03, 2022	May 03, 2022
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
Naphthalene ^{N02}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) ^{N04}	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) ^{N01}	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
Volatile Organics						
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Volatile Organics						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_OB_20220 502_19_53_SS _Primary_EUF	SX_IB_202205 02_23_56_SS _Primary_EUF	SX_OB_20220 503_00_07_SS _Triplicate_EU F	SX_OB_20220 503_03_49_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0004399	M22- My0004400	M22- My0004401	M22- My0004402
Date Sampled			May 02, 2022	May 02, 2022	May 03, 2022	May 03, 2022
Test/Reference	LOR	Unit				
Volatile Organics						
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	100	103	100	90
Toluene-d8 (surr.)	1	%	95	98	94	84

Client Sample ID			SX_OB_20220 502_19_53_SS _Primary_EUF	SX_IB_202205 02_23_56_SS _Primary_EUF	SX_OB_20220 503_00_07_SS _Triplicate_EU F	SX_OB_20220 503_03_49_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0004399	M22- My0004400	M22- My0004401	M22- My0004402
Date Sampled			May 02, 2022	May 02, 2022	May 03, 2022	May 03, 2022
Test/Reference	LOR	Unit				
Polycyclic Aromatic Hydrocarbons						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	99	88	87	82
p-Terphenyl-d14 (surr.)	1	%	143	138	114	135
Organochlorine Pesticides						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_OB_20220 502_19_53_SS _Primary_EUF	SX_IB_202205 02_23_56_SS _Primary_EUF	SX_OB_20220 503_00_07_SS _Triplicate_EU F	SX_OB_20220 503_03_49_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0004399	M22- My0004400	M22- My0004401	M22- My0004402
Date Sampled			May 02, 2022	May 02, 2022	May 03, 2022	May 03, 2022
Test/Reference	LOR	Unit				
Organochlorine Pesticides						
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	118	79	84	66
Tetrachloro-m-xylene (surr.)	1	%	116	90	97	101
Polychlorinated Biphenyls						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	118	79	84	66
Tetrachloro-m-xylene (surr.)	1	%	116	90	97	101
Phenols (Halogenated)						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1
Phenols (non-Halogenated)						
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	36	34	43	42
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20
Chromium (hexavalent)						
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1	< 1
Cyanide (total)						
Cyanide (total)	5	mg/kg	< 5	< 5	< 5	< 5
Fluoride (Total)						
Fluoride (Total)	100	mg/kg	290	830	< 100	< 100
pH (1:5 Aqueous extract at 25°C as rec.)						
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	8.8	8.7	8.6	8.8
% Moisture						
% Moisture	1	%	32	33	31	32

Client Sample ID			SX_OB_20220 502_19_53_SS _Primary_EUF	SX_IB_202205 02_23_56_SS _Primary_EUF	SX_OB_20220 503_00_07_SS _Triplicate_EU F	SX_OB_20220 503_03_49_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0004399	M22- My0004400	M22- My0004401	M22- My0004402
Date Sampled			May 02, 2022	May 02, 2022	May 03, 2022	May 03, 2022
Test/Reference	LOR	Unit				
Heavy Metals						
Arsenic	2	mg/kg	15	47	23	18
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	160	130	120	140
Copper	5	mg/kg	71	65	75	74
Lead	5	mg/kg	< 5	6.5	< 5	< 5
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Molybdenum	5	mg/kg	< 5	< 5	< 5	< 5
Nickel	5	mg/kg	210	170	360	220
Selenium	2	mg/kg	< 2	< 2	< 2	< 2
Silver	2	mg/kg	< 2	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10	< 10
Zinc	5	mg/kg	130	120	180	140
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTriDA) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	92	89	90	91
13C5-PFPeA (surr.)	1	%	95	86	96	99
13C5-PFHxA (surr.)	1	%	86	81	84	81
13C4-PFHpA (surr.)	1	%	78	77	75	82
13C8-PFOA (surr.)	1	%	97	72	85	80
13C5-PFNA (surr.)	1	%	69	63	72	52
13C6-PFDA (surr.)	1	%	74	90	88	84
13C2-PFUnDA (surr.)	1	%	77	72	84	96
13C2-PFDoDA (surr.)	1	%	94	84	86	89
13C2-PFTeDA (surr.)	1	%	86	71	84	75
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	94	90	93	92

Client Sample ID			SX_OB_20220 502_19_53_SS _Primary_EUF	SX_IB_202205 02_23_56_SS _Primary_EUF	SX_OB_20220 503_00_07_SS _Triplicate_EU F	SX_OB_20220 503_03_49_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0004399	M22- My0004400	M22- My0004401	M22- My0004402
Date Sampled			May 02, 2022	May 02, 2022	May 03, 2022	May 03, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl sulfonamido substances						
D3-N-MeFOSA (surr.)	1	%	74	83	87	91
D5-N-EtFOSA (surr.)	1	%	109	93	108	106
D7-N-MeFOSE (surr.)	1	%	102	80	98	90
D9-N-EtFOSE (surr.)	1	%	97	90	95	89
D5-N-EtFOSAA (surr.)	1	%	86	107	94	85
D3-N-MeFOSAA (surr.)	1	%	114	105	90	96
Perfluoroalkyl sulfonic acids (PFASs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	78	75	82	78
18O2-PFHxS (surr.)	1	%	77	79	74	77
13C8-PFOS (surr.)	1	%	89	76	85	86
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	54	56	54	57
13C2-6:2 FTSA (surr.)	1	%	61	50	61	62
13C2-8:2 FTSA (surr.)	1	%	71	71	89	84
13C2-10:2 FTSA (surr.)	1	%	53	58	57	66
PFASs Summations						
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50	< 50

Client Sample ID			SX_IB_202205 03_03_55_SS_
Sample Matrix			Primary_EUF
Eurofins Sample No.			Soil
Date Sampled			M22- My0004403
Test/Reference	LOR	Unit	May 03, 2022
Total Recoverable Hydrocarbons			
TRH C6-C9	20	mg/kg	< 20
TRH C10-C14	20	mg/kg	< 20
TRH C15-C28	50	mg/kg	< 50
TRH C29-C36	50	mg/kg	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50
Naphthalene ^{N02}	0.5	mg/kg	< 0.5
TRH C6-C10	20	mg/kg	< 20
TRH C6-C10 less BTEX (F1) ^{N04}	20	mg/kg	< 20
TRH >C10-C16	50	mg/kg	< 50
TRH >C10-C16 less Naphthalene (F2) ^{N01}	50	mg/kg	< 50
TRH >C16-C34	100	mg/kg	< 100
TRH >C34-C40	100	mg/kg	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100
Volatile Organics			
Hexachlorobutadiene	0.5	mg/kg	< 0.5
Volatile Organics			
1.1-Dichloroethane	0.5	mg/kg	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5
Benzene	0.1	mg/kg	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5
Bromoform	0.5	mg/kg	< 0.5
Bromomethane	0.5	mg/kg	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5

Client Sample ID			SX_IB_202205 03_03_55_SS_
Sample Matrix			Primary_EUF
Eurofins Sample No.			Soil
Date Sampled			M22- My0004403
Test/Reference	LOR	Unit	May 03, 2022
Volatile Organics			
Chloroethane	0.5	mg/kg	< 0.5
Chloroform	0.5	mg/kg	< 0.5
Chloromethane	0.5	mg/kg	< 0.5
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1
Iodomethane	0.5	mg/kg	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5
o-Xylene	0.1	mg/kg	< 0.1
Styrene	0.5	mg/kg	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5
Toluene	0.1	mg/kg	< 0.1
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3
Total MAH*	0.5	mg/kg	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5
4-Bromofluorobenzene (surr.)	1	%	100
Toluene-d8 (surr.)	1	%	92
Polycyclic Aromatic Hydrocarbons			
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2
Acenaphthene	0.5	mg/kg	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5
Anthracene	0.5	mg/kg	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5
Chrysene	0.5	mg/kg	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5
Fluorene	0.5	mg/kg	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5
Naphthalene	0.5	mg/kg	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5
Pyrene	0.5	mg/kg	< 0.5

Client Sample ID			SX_IB_202205 03_03_55_SS_
Sample Matrix			Primary_EUF
Eurofins Sample No.			Soil
Date Sampled			M22- My0004403
Test/Reference	LOR	Unit	May 03, 2022
Polycyclic Aromatic Hydrocarbons			
Total PAH*	0.5	mg/kg	< 0.5
2-Fluorobiphenyl (surr.)	1	%	88
p-Terphenyl-d14 (surr.)	1	%	87
Organochlorine Pesticides			
Chlordanes - Total	0.1	mg/kg	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05
a-HCH	0.05	mg/kg	< 0.05
Aldrin	0.05	mg/kg	< 0.05
b-HCH	0.05	mg/kg	< 0.05
d-HCH	0.05	mg/kg	< 0.05
Dieldrin	0.05	mg/kg	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05
Endrin	0.05	mg/kg	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05
Heptachlor	0.05	mg/kg	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05
Toxaphene	0.5	mg/kg	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1
Dibutylchloroendate (surr.)	1	%	85
Tetrachloro-m-xylene (surr.)	1	%	123
Polychlorinated Biphenyls			
Aroclor-1016	0.1	mg/kg	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1
Total PCB*	0.1	mg/kg	< 0.1
Dibutylchloroendate (surr.)	1	%	85
Tetrachloro-m-xylene (surr.)	1	%	123
Phenols (Halogenated)			
2-Chlorophenol	0.5	mg/kg	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1

Client Sample ID			SX_IB_202205 03_03_55_SS_
Sample Matrix			Primary_EUF
Eurofins Sample No.			Soil
Date Sampled			M22- My0004403
Test/Reference	LOR	Unit	May 03, 2022
Phenols (Halogenated)			
2,6-Dichlorophenol	0.5	mg/kg	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1
Pentachlorophenol	1	mg/kg	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10
Total Halogenated Phenol*	1	mg/kg	< 1
Phenols (non-Halogenated)			
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5
2-Nitrophenol	1.0	mg/kg	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4
Total cresols*	0.5	mg/kg	< 0.5
4-Nitrophenol	5	mg/kg	< 5
Dinoseb	20	mg/kg	< 20
Phenol	0.5	mg/kg	< 0.5
Phenol-d6 (surr.)	1	%	38
Total Non-Halogenated Phenol*	20	mg/kg	< 20
Chromium (hexavalent)			
Chromium (hexavalent)	1	mg/kg	< 1
Cyanide (total)			
Cyanide (total)	5	mg/kg	< 5
Fluoride (Total)			
Fluoride (Total)	100	mg/kg	< 100
pH (1:5 Aqueous extract at 25°C as rec.)			
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	9.6
% Moisture			
% Moisture	1	%	33
Heavy Metals			
Arsenic	2	mg/kg	26
Cadmium	0.4	mg/kg	< 0.4
Chromium	5	mg/kg	100
Copper	5	mg/kg	56
Lead	5	mg/kg	5.5
Mercury	0.1	mg/kg	< 0.1
Molybdenum	5	mg/kg	< 5
Nickel	5	mg/kg	150
Selenium	2	mg/kg	< 2
Silver	2	mg/kg	< 2
Tin	10	mg/kg	< 10
Zinc	5	mg/kg	100
Perfluoroalkyl carboxylic acids (PFCAs)			
Perfluorobutanoic acid (PFBA) ^{N11}	5	ug/kg	< 5
Perfluoropentanoic acid (PFPeA) ^{N11}	5	ug/kg	< 5
Perfluorohexanoic acid (PFHxA) ^{N11}	5	ug/kg	< 5
Perfluoroheptanoic acid (PFHpA) ^{N11}	5	ug/kg	< 5
Perfluorooctanoic acid (PFOA) ^{N11}	5	ug/kg	< 5
Perfluorononanoic acid (PFNA) ^{N11}	5	ug/kg	< 5
Perfluorodecanoic acid (PFDA) ^{N11}	5	ug/kg	< 5
Perfluoroundecanoic acid (PFUnDA) ^{N11}	5	ug/kg	< 5

Client Sample ID			SX_IB_202205 03_03_55_SS_
Sample Matrix			Primary_EUF
Eurofins Sample No.			Soil
Date Sampled			M22- My0004403
Test/Reference	LOR	Unit	May 03, 2022
Perfluoroalkyl carboxylic acids (PFCAs)			
Perfluorododecanoic acid (PFDoDA) ^{N11}	5	ug/kg	< 5
Perfluorotridecanoic acid (PFTTrDA) ^{N15}	5	ug/kg	< 5
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	5	ug/kg	< 5
13C4-PFBA (surr.)	1	%	84
13C5-PFPeA (surr.)	1	%	81
13C5-PFHxA (surr.)	1	%	74
13C4-PFHpA (surr.)	1	%	72
13C8-PFOA (surr.)	1	%	59
13C5-PFNA (surr.)	1	%	52
13C6-PFDA (surr.)	1	%	59
13C2-PFUnDA (surr.)	1	%	77
13C2-PFDoDA (surr.)	1	%	85
13C2-PFTeDA (surr.)	1	%	75
Perfluoroalkyl sulfonamido substances			
Perfluorooctane sulfonamide (FOSA) ^{N11}	5	ug/kg	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	5	ug/kg	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	5	ug/kg	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	5	ug/kg	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	5	ug/kg	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	10	ug/kg	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	10	ug/kg	< 10
13C8-FOSA (surr.)	1	%	83
D3-N-MeFOSA (surr.)	1	%	89
D5-N-EtFOSA (surr.)	1	%	87
D7-N-MeFOSE (surr.)	1	%	70
D9-N-EtFOSE (surr.)	1	%	90
D5-N-EtFOSAA (surr.)	1	%	92
D3-N-MeFOSAA (surr.)	1	%	81
Perfluoroalkyl sulfonic acids (PFSA)			
Perfluorobutanesulfonic acid (PFBS) ^{N11}	5	ug/kg	< 5
Perfluorononanesulfonic acid (PFNS) ^{N15}	5	ug/kg	< 5
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	5	ug/kg	< 5
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	5	ug/kg	< 5
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	5	ug/kg	< 5
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	5	ug/kg	< 5
Perfluorooctanesulfonic acid (PFOS) ^{N11}	5	ug/kg	< 5
Perfluorodecanesulfonic acid (PFDS) ^{N15}	5	ug/kg	< 5
13C3-PFBS (surr.)	1	%	69
18O2-PFHxS (surr.)	1	%	72
13C8-PFOS (surr.)	1	%	71

Client Sample ID			SX_IB_202205 03_03_55_SS_
Sample Matrix			Primary_EUF
Eurofins Sample No.			Soil
Date Sampled			M22- My0004403
Test/Reference	LOR	Unit	May 03, 2022
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)			
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	5	ug/kg	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	10	ug/kg	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	5	ug/kg	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	5	ug/kg	< 5
13C2-4:2 FTSA (surr.)	1	%	60
13C2-6:2 FTSA (surr.)	1	%	57
13C2-8:2 FTSA (surr.)	1	%	64
13C2-10:2 FTSA (surr.)	1	%	67
PFASs Summations			
Sum (PFHxS + PFOS)*	5	ug/kg	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50

Sample History

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
IWRG 621 WGTP Suite			
Total Recoverable Hydrocarbons - 1999 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40	Melbourne	May 04, 2022	14 Days
Total Recoverable Hydrocarbons - 2013 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40	Melbourne	May 04, 2022	14 Days
Total Recoverable Hydrocarbons - 2013 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40	Melbourne	May 04, 2022	14 Days
Volatile Organics - Method: USEPA 8260 - MGT 350A Volatile Organics by GCMS	Melbourne	May 04, 2022	7 Days
Volatile Organics - Method: LTM-ORG-2150 VOCs in Soils Liquid and other Aqueous Matrices (USEPA 8260)	Melbourne	May 04, 2022	7 Days
Polycyclic Aromatic Hydrocarbons - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Melbourne	May 04, 2022	14 Days
Organochlorine Pesticides - Method: LTM-ORG-2220 OCP & PCB in Soil and Water (USEPA 8270)	Melbourne	May 04, 2022	14 Days
Polychlorinated Biphenyls - Method: LTM-ORG-2220 OCP & PCB in Soil and Water (USEPA 8082)	Melbourne	May 04, 2022	28 Days
Phenols (Halogenated) - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Melbourne	May 04, 2022	14 Days
Phenols (non-Halogenated) - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Melbourne	May 04, 2022	14 Days
Chromium (hexavalent) - Method: LTM-INO-4100 Hexavalent Chromium by Spectrometric detection	Melbourne	May 04, 2022	28 Days
Cyanide (total) - Method: LTM-INO-4020 Total Free WAD Cyanide by CFA	Melbourne	May 05, 2022	14 Days
Fluoride (Total) - Method: LTM-INO-4150 Determination of Total Fluoride PART A – CIC	Melbourne	May 05, 2022	28 Days
pH (1:5 Aqueous extract at 25°C as rec.) - Method: LTM-GEN-7090 pH in soil by ISE	Melbourne	May 04, 2022	7 Days
Metals IWRG 621 : Metals M12 - Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS	Melbourne	May 04, 2022	28 Days
% Moisture - Method: LTM-GEN-7080 Moisture	Melbourne	May 03, 2022	14 Days
Per- and Polyfluoroalkyl Substances (PFASs)			
Perfluoroalkyl carboxylic acids (PFCAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 04, 2022	28 Days
Perfluoroalkyl sulfonamido substances - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 04, 2022	28 Days
Perfluoroalkyl sulfonic acids (PFASs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 04, 2022	28 Days
n:2 Fluorotelomer sulfonic acids (n:2 FTSAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 04, 2022	28 Days
PFASs Summations - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 03, 2022	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 3, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884546	Due:	May 10, 2022
Project Name:	20220503042308-Eurofin-8	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	SX_IB_20220502_08_15_SS_Triplicate_EUF	May 02, 2022		Soil	M22-My0004391		X	X	X
2	SX_IB_20220502_08_19_SS_Primary_EUF	May 02, 2022		Soil	M22-My0004392		X	X	X
3	SX_IB_20220502_08_30_SS_Primary_EUF	May 02, 2022		Soil	M22-My0004393		X	X	X
4	SX_OB_20220502_13_01_S	May 02, 2022		Soil	M22-My0004394		X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 3, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884546	Due:	May 10, 2022
Project Name:	20220503042308-Eurofin-8	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	S_Primary_EU F								
5	SX_OB_20220 502_13_06_S S_Primary_EU F	May 02, 2022		Soil	M22- My0004395		X	X	X
6	SX_OB_20220 502_16_34_S S_Primary_EU F	May 02, 2022		Soil	M22- My0004396		X	X	X
7	SX_OB_20220 502_16_35_S S_Duplicate_E UF	May 02, 2022		Soil	M22- My0004397		X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 3, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884546	Due:	May 10, 2022
Project Name:	20220503042308-Eurofin-8	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
8	SX_IB_20220502_19_45_SS_Primary_EUF	May 02, 2022		Soil	M22-My0004398		X	X	X
9	SX_OB_20220502_19_53_S_S_Primary_EUF	May 02, 2022		Soil	M22-My0004399		X	X	X
10	SX_IB_20220502_23_56_SS_Primary_EUF	May 02, 2022		Soil	M22-My0004400		X	X	X
11	SX_OB_20220503_00_07_S_S_Triplicate_EUF	May 03, 2022		Soil	M22-My0004401		X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 3, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884546	Due:	May 10, 2022
Project Name:	20220503042308-Eurofin-8	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
12	SX_OB_20220503_03_49_S_S_Primary_EUF	May 03, 2022		Soil	M22-My0004402		X	X	X
13	SX_IB_20220503_03_55_SS_Primary_EUF	May 03, 2022		Soil	M22-My0004403		X	X	X
14	SX_IB_20220503_04_09_SR_Rinsate_EUF	May 03, 2022		Water	M22-My0004404			X	
15	SX_IB_20220503_04_10_SB_Blank_EUF	May 03, 2022		Water	M22-My0004405			X	
16	SX_IB_202205	May 02, 2022		AUS Leachate	M22-	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 3, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884546	Due:	May 10, 2022
Project Name:	20220503042308-Eurofin-8	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
16	SX_IB_20220502_08_15_SS_Triplicate_EU_F	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004406				
17	SX_IB_20220502_08_19_SS_Primary_EUF	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004407	X		X	
18	SX_IB_20220502_08_30_SS_Primary_EUF	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004408	X		X	
19	SX_OB_20220502_13_01_S_S_Primary_EU_F	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004409	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 3, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884546	Due:	May 10, 2022
Project Name:	20220503042308-Eurofin-8	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
20	SX_OB_20220502_13_06_S_S_Primary_EU_F	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004410	X		X	
21	SX_OB_20220502_16_34_S_S_Primary_EU_F	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004411	X		X	
22	SX_OB_20220502_16_35_S_S_Duplicate_EUF	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004412	X		X	
23	SX_IB_20220502_19_45_SS	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004413	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 3, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884546	Due:	May 10, 2022
Project Name:	20220503042308-Eurofin-8	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	_Primary_EUF								
24	SX_OB_20220502_19_53_S_S_Primary_EUF	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004414	X		X	
25	SX_IB_20220502_23_56_SS_Primary_EUF	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004415	X		X	
26	SX_OB_20220503_00_07_S_S_Triplicate_EUF	May 03, 2022		AUS Leachate - pH 5.0	M22-My0004416	X		X	
27	SX_OB_20220503_03_49_S	May 03, 2022		AUS Leachate - pH 5.0	M22-My0004417	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 3, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884546	Due:	May 10, 2022
Project Name:	20220503042308-Eurofin-8	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	S_Primary_EUF								
28	SX_IB_20220503_03_55_SS_Primary_EUF	May 03, 2022		AUS Leachate - pH 5.0	M22-My0004418	X		X	
29	SX_IB_20220502_08_15_SS_Triplicate_EUF	May 02, 2022		AUS Leachate - Reagent Water	M22-My0004419	X		X	
30	SX_IB_20220502_08_19_SS_Primary_EUF	May 02, 2022		AUS Leachate - Reagent Water	M22-My0004420	X		X	
31	SX_IB_20220502_08_30_SS	May 02, 2022		AUS Leachate - Reagent	M22-My0004421	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 3, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884546	Due:	May 10, 2022
Project Name:	20220503042308-Eurofin-8	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	02_08_30_SS _Primary_EUF			- Reagent Water	My0004421				
32	SX_OB_20220 502_13_01_S S_Primary_EU F	May 02, 2022		AUS Leachate - Reagent Water	M22- My0004422	X		X	
33	SX_OB_20220 502_13_06_S S_Primary_EU F	May 02, 2022		AUS Leachate - Reagent Water	M22- My0004423	X		X	
34	SX_OB_20220 502_16_34_S S_Primary_EU F	May 02, 2022		AUS Leachate - Reagent Water	M22- My0004424	X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220503042308-Eurofin-8
Project ID: JC0927

Order No.:
Report #: 884546
Phone: 08 8338 1009
Fax:

Received: May 3, 2022 2:10 PM
Due: May 10, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
35	SX_OB_20220502_16_35_S_S_Duplicate_EUF	May 02, 2022		AUS Leachate - Reagent Water	M22-My0004425	X		X	
36	SX_IB_20220502_19_45_SS_Primary_EUF	May 02, 2022		AUS Leachate - Reagent Water	M22-My0004426	X		X	
37	SX_OB_20220502_19_53_S_S_Primary_EUF	May 02, 2022		AUS Leachate - Reagent Water	M22-My0004427	X		X	
38	SX_IB_20220502_23_56_SS_Primary_EUF	May 02, 2022		AUS Leachate - Reagent Water	M22-My0004428	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 3, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884546	Due:	May 10, 2022
Project Name:	20220503042308-Eurofin-8	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
39	SX_OB_20220503_00_07_S_S_Triplicate_EUF	May 03, 2022		AUS Leachate - Reagent Water	M22-My0004429	X		X	
40	SX_OB_20220503_03_49_S_S_Primary_EUF	May 03, 2022		AUS Leachate - Reagent Water	M22-My0004430	X		X	
41	SX_IB_20220503_03_55_SS_Primary_EUF	May 03, 2022		AUS Leachate - Reagent Water	M22-My0004431	X		X	
Test Counts						26	13	41	13

Internal Quality Control Review and Glossary

General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer that may have an impact on the results.
- This report replaces any interim results previously issued.

Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

Units

mg/kg: milligrams per kilogram	mg/L: milligrams per litre	µg/L: micrograms per litre
ppm: parts per million	ppb: parts per billion	%: Percentage
org/100 mL: Organisms per 100 millilitres	NTU: Nephelometric Turbidity Units	MPN/100 mL: Most Probable Number of organisms per 100 millilitres

Terms

APHA	American Public Health Association
COC	Chain of Custody
CP	Client Parent - QC was performed on samples pertaining to this report
CRM	Certified Reference Material (ISO17034) - reported as percent recovery.
Dry	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
Duplicate	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
LOR	Limit of Reporting.
LCS	Laboratory Control Sample - reported as percent recovery.
Method Blank	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
NCP	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
RPD	Relative Percent Difference between two Duplicate pieces of analysis.
SPIKE	Addition of the analyte to the sample and reported as percentage recovery.
SRA	Sample Receipt Advice
Surr - Surrogate	The addition of a like compound to the analyte target and reported as percentage recovery.
TBTO	Tributyltin oxide (<i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment however free tributyltin was measured and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits.
TCLP	Toxicity Characteristic Leaching Procedure
TEQ	Toxic Equivalency Quotient or Total Equivalence
QSM	US Department of Defense Quality Systems Manual Version 5.4
US EPA	United States Environmental Protection Agency
WA DWER	Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

QC - Acceptance Criteria

The acceptance criteria should be used as a guide only and may be different when site specific Sampling Analysis and Quality Plan (SAQP) have been implemented

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR: No Limit

Results between 10-20 times the LOR: RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

NOTE: pH duplicates are reported as a range not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.4 where no positive PFAS results have been reported have been reviewed and no data was affected.

QC Data General Comments

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery the term "INT" appears against that analyte.
- For Matrix Spikes and LCS results a dash "-" in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

Quality Control Results

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Method Blank							
Total Recoverable Hydrocarbons							
TRH C6-C9	mg/kg	< 20			20	Pass	
TRH C10-C14	mg/kg	< 20			20	Pass	
TRH C15-C28	mg/kg	< 50			50	Pass	
TRH C29-C36	mg/kg	< 50			50	Pass	
Naphthalene	mg/kg	< 0.5			0.5	Pass	
TRH C6-C10	mg/kg	< 20			20	Pass	
TRH >C10-C16	mg/kg	< 50			50	Pass	
TRH >C16-C34	mg/kg	< 100			100	Pass	
TRH >C34-C40	mg/kg	< 100			100	Pass	
Method Blank							
Volatile Organics							
Hexachlorobutadiene	mg/kg	< 0.5			0.5	Pass	
Method Blank							
Volatile Organics							
1.1-Dichloroethane	mg/kg	< 0.5			0.5	Pass	
1.2.4-Trichlorobenzene	mg/kg	< 0.5			0.5	Pass	
1.1-Dichloroethene	mg/kg	< 0.5			0.5	Pass	
1.1.1-Trichloroethane	mg/kg	< 0.5			0.5	Pass	
1.1.1.2-Tetrachloroethane	mg/kg	< 0.5			0.5	Pass	
1.1.2-Trichloroethane	mg/kg	< 0.5			0.5	Pass	
1.1.2.2-Tetrachloroethane	mg/kg	< 0.5			0.5	Pass	
1.2-Dibromoethane	mg/kg	< 0.5			0.5	Pass	
1.2-Dichlorobenzene	mg/kg	< 0.5			0.5	Pass	
1.2-Dichloroethane	mg/kg	< 0.5			0.5	Pass	
1.2-Dichloropropane	mg/kg	< 0.5			0.5	Pass	
1.2.3-Trichloropropane	mg/kg	< 0.5			0.5	Pass	
1.2.4-Trimethylbenzene	mg/kg	< 0.5			0.5	Pass	
1.3-Dichlorobenzene	mg/kg	< 0.5			0.5	Pass	
1.3-Dichloropropane	mg/kg	< 0.5			0.5	Pass	
1.3.5-Trimethylbenzene	mg/kg	< 0.5			0.5	Pass	
1.4-Dichlorobenzene	mg/kg	< 0.5			0.5	Pass	
2-Butanone (MEK)	mg/kg	< 0.5			0.5	Pass	
2-Propanone (Acetone)	mg/kg	< 0.5			0.5	Pass	
4-Chlorotoluene	mg/kg	< 0.5			0.5	Pass	
4-Methyl-2-pentanone (MIBK)	mg/kg	< 0.5			0.5	Pass	
Allyl chloride	mg/kg	< 0.5			0.5	Pass	
Benzene	mg/kg	< 0.1			0.1	Pass	
Bromobenzene	mg/kg	< 0.5			0.5	Pass	
Bromochloromethane	mg/kg	< 0.5			0.5	Pass	
Bromodichloromethane	mg/kg	< 0.5			0.5	Pass	
Bromoform	mg/kg	< 0.5			0.5	Pass	
Bromomethane	mg/kg	< 0.5			0.5	Pass	
Carbon disulfide	mg/kg	< 0.5			0.5	Pass	
Carbon Tetrachloride	mg/kg	< 0.5			0.5	Pass	
Chlorobenzene	mg/kg	< 0.5			0.5	Pass	
Chloroethane	mg/kg	< 0.5			0.5	Pass	
Chloroform	mg/kg	< 0.5			0.5	Pass	
Chloromethane	mg/kg	< 0.5			0.5	Pass	
cis-1.2-Dichloroethene	mg/kg	< 0.5			0.5	Pass	
cis-1.3-Dichloropropene	mg/kg	< 0.5			0.5	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Dibromochloromethane	mg/kg	< 0.5			0.5	Pass	
Dibromomethane	mg/kg	< 0.5			0.5	Pass	
Dichlorodifluoromethane	mg/kg	< 0.5			0.5	Pass	
Ethylbenzene	mg/kg	< 0.1			0.1	Pass	
Iodomethane	mg/kg	< 0.5			0.5	Pass	
Isopropyl benzene (Cumene)	mg/kg	< 0.5			0.5	Pass	
m&p-Xylenes	mg/kg	< 0.2			0.2	Pass	
Methylene Chloride	mg/kg	< 0.5			0.5	Pass	
o-Xylene	mg/kg	< 0.1			0.1	Pass	
Styrene	mg/kg	< 0.5			0.5	Pass	
Tetrachloroethene	mg/kg	< 0.5			0.5	Pass	
Toluene	mg/kg	< 0.1			0.1	Pass	
trans-1,2-Dichloroethene	mg/kg	< 0.5			0.5	Pass	
trans-1,3-Dichloropropene	mg/kg	< 0.5			0.5	Pass	
Trichloroethene	mg/kg	< 0.5			0.5	Pass	
Trichlorofluoromethane	mg/kg	< 0.5			0.5	Pass	
Vinyl chloride	mg/kg	< 0.5			0.5	Pass	
Xylenes - Total*	mg/kg	< 0.3			0.3	Pass	
Method Blank							
Polycyclic Aromatic Hydrocarbons							
Acenaphthene	mg/kg	< 0.5			0.5	Pass	
Acenaphthylene	mg/kg	< 0.5			0.5	Pass	
Anthracene	mg/kg	< 0.5			0.5	Pass	
Benz(a)anthracene	mg/kg	< 0.5			0.5	Pass	
Benzo(a)pyrene	mg/kg	< 0.5			0.5	Pass	
Benzo(b&j)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Benzo(g,h,i)perylene	mg/kg	< 0.5			0.5	Pass	
Benzo(k)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Chrysene	mg/kg	< 0.5			0.5	Pass	
Dibenz(a,h)anthracene	mg/kg	< 0.5			0.5	Pass	
Fluoranthene	mg/kg	< 0.5			0.5	Pass	
Fluorene	mg/kg	< 0.5			0.5	Pass	
Indeno(1,2,3-cd)pyrene	mg/kg	< 0.5			0.5	Pass	
Naphthalene	mg/kg	< 0.5			0.5	Pass	
Phenanthrene	mg/kg	< 0.5			0.5	Pass	
Pyrene	mg/kg	< 0.5			0.5	Pass	
Method Blank							
Organochlorine Pesticides							
Chlordanes - Total	mg/kg	< 0.1			0.1	Pass	
4,4'-DDD	mg/kg	< 0.05			0.05	Pass	
4,4'-DDE	mg/kg	< 0.05			0.05	Pass	
4,4'-DDT	mg/kg	< 0.05			0.05	Pass	
a-HCH	mg/kg	< 0.05			0.05	Pass	
Aldrin	mg/kg	< 0.05			0.05	Pass	
b-HCH	mg/kg	< 0.05			0.05	Pass	
d-HCH	mg/kg	< 0.05			0.05	Pass	
Dieldrin	mg/kg	< 0.05			0.05	Pass	
Endosulfan I	mg/kg	< 0.05			0.05	Pass	
Endosulfan II	mg/kg	< 0.05			0.05	Pass	
Endosulfan sulphate	mg/kg	< 0.05			0.05	Pass	
Endrin	mg/kg	< 0.05			0.05	Pass	
Endrin aldehyde	mg/kg	< 0.05			0.05	Pass	
Endrin ketone	mg/kg	< 0.05			0.05	Pass	
g-HCH (Lindane)	mg/kg	< 0.05			0.05	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Heptachlor	mg/kg	< 0.05			0.05	Pass	
Heptachlor epoxide	mg/kg	< 0.05			0.05	Pass	
Hexachlorobenzene	mg/kg	< 0.05			0.05	Pass	
Methoxychlor	mg/kg	< 0.05			0.05	Pass	
Toxaphene	mg/kg	< 0.5			0.5	Pass	
Method Blank							
Polychlorinated Biphenyls							
Aroclor-1016	mg/kg	< 0.1			0.1	Pass	
Aroclor-1221	mg/kg	< 0.1			0.1	Pass	
Aroclor-1232	mg/kg	< 0.1			0.1	Pass	
Aroclor-1242	mg/kg	< 0.1			0.1	Pass	
Aroclor-1248	mg/kg	< 0.1			0.1	Pass	
Aroclor-1254	mg/kg	< 0.1			0.1	Pass	
Aroclor-1260	mg/kg	< 0.1			0.1	Pass	
Total PCB*	mg/kg	< 0.1			0.1	Pass	
Method Blank							
Phenols (Halogenated)							
2-Chlorophenol	mg/kg	< 0.5			0.5	Pass	
2,4-Dichlorophenol	mg/kg	< 0.5			0.5	Pass	
2,4,5-Trichlorophenol	mg/kg	< 1			1	Pass	
2,4,6-Trichlorophenol	mg/kg	< 1			1	Pass	
2,6-Dichlorophenol	mg/kg	< 0.5			0.5	Pass	
4-Chloro-3-methylphenol	mg/kg	< 1			1	Pass	
Pentachlorophenol	mg/kg	< 1			1	Pass	
Tetrachlorophenols - Total	mg/kg	< 10			10	Pass	
Method Blank							
Phenols (non-Halogenated)							
2-Cyclohexyl-4,6-dinitrophenol	mg/kg	< 20			20	Pass	
2-Methyl-4,6-dinitrophenol	mg/kg	< 5			5	Pass	
2-Nitrophenol	mg/kg	< 1			1.0	Pass	
2,4-Dimethylphenol	mg/kg	< 0.5			0.5	Pass	
2,4-Dinitrophenol	mg/kg	< 5			5	Pass	
2-Methylphenol (o-Cresol)	mg/kg	< 0.2			0.2	Pass	
3&4-Methylphenol (m&p-Cresol)	mg/kg	< 0.4			0.4	Pass	
4-Nitrophenol	mg/kg	< 5			5	Pass	
Dinoseb	mg/kg	< 20			20	Pass	
Phenol	mg/kg	< 0.5			0.5	Pass	
Method Blank							
Chromium (hexavalent)	mg/kg	< 1			1	Pass	
Cyanide (total)	mg/kg	< 5			5	Pass	
Fluoride (Total)	mg/kg	< 100			100	Pass	
Method Blank							
Heavy Metals							
Arsenic	mg/kg	< 2			2	Pass	
Cadmium	mg/kg	< 0.4			0.4	Pass	
Chromium	mg/kg	< 5			5	Pass	
Copper	mg/kg	< 5			5	Pass	
Lead	mg/kg	< 5			5	Pass	
Mercury	mg/kg	< 0.1			0.1	Pass	
Molybdenum	mg/kg	< 5			5	Pass	
Nickel	mg/kg	< 5			5	Pass	
Selenium	mg/kg	< 2			2	Pass	
Silver	mg/kg	< 2			2	Pass	
Tin	mg/kg	< 10			10	Pass	

Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Zinc	mg/kg	< 5		5	Pass	
Method Blank						
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA)	ug/kg	< 5		5	Pass	
Perfluoropentanoic acid (PFPeA)	ug/kg	< 5		5	Pass	
Perfluorohexanoic acid (PFHxA)	ug/kg	< 5		5	Pass	
Perfluoroheptanoic acid (PFHpA)	ug/kg	< 5		5	Pass	
Perfluorooctanoic acid (PFOA)	ug/kg	< 5		5	Pass	
Perfluorononanoic acid (PFNA)	ug/kg	< 5		5	Pass	
Perfluorodecanoic acid (PFDA)	ug/kg	< 5		5	Pass	
Perfluoroundecanoic acid (PFUnDA)	ug/kg	< 5		5	Pass	
Perfluorododecanoic acid (PFDoDA)	ug/kg	< 5		5	Pass	
Perfluorotridecanoic acid (PFTrDA)	ug/kg	< 5		5	Pass	
Perfluorotetradecanoic acid (PFTeDA)	ug/kg	< 5		5	Pass	
Method Blank						
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA)	ug/kg	< 5		5	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	ug/kg	< 5		5	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	ug/kg	< 5		5	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	ug/kg	< 5		5	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	ug/kg	< 5		5	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	ug/kg	< 10		10	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	ug/kg	< 10		10	Pass	
Method Blank						
Perfluoroalkyl sulfonic acids (PFSAs)						
Perfluorobutanesulfonic acid (PFBS)	ug/kg	< 5		5	Pass	
Perfluorononanesulfonic acid (PFNS)	ug/kg	< 5		5	Pass	
Perfluoropropanesulfonic acid (PFPrS)	ug/kg	< 5		5	Pass	
Perfluoropentanesulfonic acid (PFPeS)	ug/kg	< 5		5	Pass	
Perfluorohexanesulfonic acid (PFHxS)	ug/kg	< 5		5	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	ug/kg	< 5		5	Pass	
Perfluorooctanesulfonic acid (PFOS)	ug/kg	< 5		5	Pass	
Perfluorodecanesulfonic acid (PFDS)	ug/kg	< 5		5	Pass	
Method Blank						
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	ug/kg	< 5		5	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	ug/kg	< 10		10	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	ug/kg	< 5		5	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	ug/kg	< 5		5	Pass	
LCS - % Recovery						
Total Recoverable Hydrocarbons						
TRH C6-C9	%	90		70-130	Pass	
TRH C10-C14	%	114		70-130	Pass	
Naphthalene	%	98		70-130	Pass	
TRH C6-C10	%	93		70-130	Pass	
TRH >C10-C16	%	121		70-130	Pass	
LCS - % Recovery						
Volatile Organics						
1.1-Dichloroethene	%	82		70-130	Pass	
1.1.1-Trichloroethane	%	78		70-130	Pass	
1.2-Dichlorobenzene	%	85		70-130	Pass	
1.2-Dichloroethane	%	84		70-130	Pass	
Benzene	%	87		70-130	Pass	
Ethylbenzene	%	91		70-130	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
m&p-Xylenes	%	86			70-130	Pass	
Toluene	%	83			70-130	Pass	
Trichloroethene	%	89			70-130	Pass	
Xylenes - Total*	%	87			70-130	Pass	
LCS - % Recovery							
Polycyclic Aromatic Hydrocarbons							
Acenaphthene	%	106			70-130	Pass	
Acenaphthylene	%	112			70-130	Pass	
Anthracene	%	110			70-130	Pass	
Benz(a)anthracene	%	100			70-130	Pass	
Benzo(a)pyrene	%	99			70-130	Pass	
Benzo(b&i)fluoranthene	%	91			70-130	Pass	
Benzo(g,h,i)perylene	%	92			70-130	Pass	
Benzo(k)fluoranthene	%	103			70-130	Pass	
Chrysene	%	79			70-130	Pass	
Dibenz(a,h)anthracene	%	94			70-130	Pass	
Fluoranthene	%	118			70-130	Pass	
Fluorene	%	105			70-130	Pass	
Indeno(1,2,3-cd)pyrene	%	103			70-130	Pass	
Naphthalene	%	97			70-130	Pass	
Phenanthrene	%	95			70-130	Pass	
Pyrene	%	118			70-130	Pass	
LCS - % Recovery							
Organochlorine Pesticides							
Chlordanes - Total	%	110			70-130	Pass	
4,4'-DDD	%	90			70-130	Pass	
4,4'-DDE	%	127			70-130	Pass	
4,4'-DDT	%	88			70-130	Pass	
a-HCH	%	89			70-130	Pass	
Aldrin	%	114			70-130	Pass	
b-HCH	%	110			70-130	Pass	
d-HCH	%	104			70-130	Pass	
Dieldrin	%	126			70-130	Pass	
Endosulfan I	%	108			70-130	Pass	
Endosulfan II	%	105			70-130	Pass	
Endosulfan sulphate	%	105			70-130	Pass	
Endrin	%	107			70-130	Pass	
Endrin aldehyde	%	90			70-130	Pass	
Endrin ketone	%	119			70-130	Pass	
g-HCH (Lindane)	%	102			70-130	Pass	
Heptachlor	%	111			70-130	Pass	
Heptachlor epoxide	%	108			70-130	Pass	
Hexachlorobenzene	%	114			70-130	Pass	
Methoxychlor	%	96			70-130	Pass	
LCS - % Recovery							
Polychlorinated Biphenyls							
Aroclor-1260	%	96			70-130	Pass	
LCS - % Recovery							
Phenols (Halogenated)							
2-Chlorophenol	%	97			25-140	Pass	
2,4-Dichlorophenol	%	104			25-140	Pass	
2,4,5-Trichlorophenol	%	60			25-140	Pass	
2,4,6-Trichlorophenol	%	90			25-140	Pass	
2,6-Dichlorophenol	%	95			25-140	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
4-Chloro-3-methylphenol	%	100			25-140	Pass	
Pentachlorophenol	%	90			25-140	Pass	
Tetrachlorophenols - Total	%	85			25-140	Pass	
LCS - % Recovery							
Phenols (non-Halogenated)							
2-Cyclohexyl-4,6-dinitrophenol	%	41			25-140	Pass	
2-Methyl-4,6-dinitrophenol	%	59			25-140	Pass	
2-Nitrophenol	%	96			25-140	Pass	
2,4-Dimethylphenol	%	89			25-140	Pass	
2,4-Dinitrophenol	%	53			25-140	Pass	
2-Methylphenol (o-Cresol)	%	80			25-140	Pass	
3&4-Methylphenol (m&p-Cresol)	%	86			25-140	Pass	
4-Nitrophenol	%	109			25-140	Pass	
Dinoseb	%	74			25-140	Pass	
Phenol	%	88			25-140	Pass	
LCS - % Recovery							
Chromium (hexavalent)	%	71			70-130	Pass	
Cyanide (total)	%	100			70-130	Pass	
Fluoride (Total)	%	99			70-130	Pass	
LCS - % Recovery							
Heavy Metals							
Arsenic	%	94			80-120	Pass	
Cadmium	%	102			80-120	Pass	
Chromium	%	96			80-120	Pass	
Copper	%	99			80-120	Pass	
Lead	%	97			80-120	Pass	
Mercury	%	97			80-120	Pass	
Molybdenum	%	95			80-120	Pass	
Nickel	%	98			80-120	Pass	
Selenium	%	95			80-120	Pass	
Silver	%	103			80-120	Pass	
Tin	%	94			80-120	Pass	
Zinc	%	95			80-120	Pass	
LCS - % Recovery							
Perfluoroalkyl carboxylic acids (PFCAs)							
Perfluorobutanoic acid (PFBA)	%	104			50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	102			50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	103			50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	111			50-150	Pass	
Perfluorooctanoic acid (PFOA)	%	112			50-150	Pass	
Perfluorononanoic acid (PFNA)	%	108			50-150	Pass	
Perfluorodecanoic acid (PFDA)	%	96			50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	%	130			50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	%	116			50-150	Pass	
Perfluorotridecanoic acid (PFTrDA)	%	137			50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	%	123			50-150	Pass	
LCS - % Recovery							
Perfluoroalkyl sulfonamido substances							
Perfluorooctane sulfonamide (FOSA)	%	103			50-150	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	%	114			50-150	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	%	90			50-150	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	%	96			50-150	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	%	108			50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	%	115			50-150	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	%	104			50-150	Pass		
LCS - % Recovery								
Perfluoroalkyl sulfonic acids (PFASs)								
Perfluorobutanesulfonic acid (PFBS)	%	90			50-150	Pass		
Perfluorononanesulfonic acid (PFNS)	%	116			50-150	Pass		
Perfluoropropanesulfonic acid (PFPrS)	%	119			50-150	Pass		
Perfluoropentanesulfonic acid (PFPeS)	%	118			50-150	Pass		
Perfluorohexanesulfonic acid (PFHxS)	%	123			50-150	Pass		
Perfluoroheptanesulfonic acid (PFHpS)	%	72			50-150	Pass		
Perfluorooctanesulfonic acid (PFOS)	%	119			50-150	Pass		
Perfluorodecanesulfonic acid (PFDS)	%	138			50-150	Pass		
LCS - % Recovery								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)								
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	%	109			50-150	Pass		
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	%	108			50-150	Pass		
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	%	115			50-150	Pass		
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	%	101			50-150	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Spike - % Recovery								
Total Recoverable Hydrocarbons				Result 1				
TRH C10-C14	M22-Ap0060663	NCP	%	105		70-130	Pass	
TRH >C10-C16	M22-Ap0060663	NCP	%	105		70-130	Pass	
Spike - % Recovery								
Organochlorine Pesticides				Result 1				
Chlordanes - Total	M22-My0015341	NCP	%	81		70-130	Pass	
4,4'-DDD	M22-My0015341	NCP	%	123		70-130	Pass	
4,4'-DDE	M22-My0015341	NCP	%	85		70-130	Pass	
4,4'-DDT	M22-My0015341	NCP	%	85		70-130	Pass	
a-HCH	M22-My0015341	NCP	%	94		70-130	Pass	
Aldrin	M22-My0015341	NCP	%	89		70-130	Pass	
b-HCH	M22-My0015341	NCP	%	86		70-130	Pass	
d-HCH	M22-My0015341	NCP	%	103		70-130	Pass	
Dieldrin	M22-My0015341	NCP	%	101		70-130	Pass	
Endosulfan I	M22-My0015341	NCP	%	75		70-130	Pass	
Endosulfan II	M22-My0015341	NCP	%	76		70-130	Pass	
Endosulfan sulphate	M22-My0015341	NCP	%	76		70-130	Pass	
Endrin	M22-My0015341	NCP	%	86		70-130	Pass	
Endrin aldehyde	M22-My0015341	NCP	%	73		70-130	Pass	
Endrin ketone	M22-My0015341	NCP	%	89		70-130	Pass	
g-HCH (Lindane)	M22-My0015341	NCP	%	97		70-130	Pass	
Heptachlor	M22-My0015341	NCP	%	105		70-130	Pass	
Heptachlor epoxide	M22-My0015341	NCP	%	106		70-130	Pass	
Hexachlorobenzene	M22-My0015341	NCP	%	89		70-130	Pass	
Methoxychlor	M22-My0015341	NCP	%	110		70-130	Pass	
Spike - % Recovery								
Polychlorinated Biphenyls				Result 1				
Aroclor-1016	M22-Ap0054479	NCP	%	100		70-130	Pass	
Aroclor-1260	M22-Ap0054479	NCP	%	102		70-130	Pass	
Spike - % Recovery								
				Result 1				
Chromium (hexavalent)	M22-My0003078	NCP	%	85		70-130	Pass	
Fluoride (Total)	M22-Ap0055991	NCP	%	66		70-130	Fail	Q08
Spike - % Recovery								
Heavy Metals				Result 1				

Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Arsenic	M22-My0000805	NCP	%	94		75-125	Pass	
Cadmium	M22-My0000805	NCP	%	78		75-125	Pass	
Chromium	M22-My0000805	NCP	%	104		75-125	Pass	
Copper	M22-My0000805	NCP	%	110		75-125	Pass	
Lead	M22-My0000805	NCP	%	103		75-125	Pass	
Mercury	M22-My0000805	NCP	%	104		75-125	Pass	
Molybdenum	M22-My0000805	NCP	%	99		75-125	Pass	
Nickel	M22-My0000805	NCP	%	116		75-125	Pass	
Selenium	M22-My0000805	NCP	%	94		75-125	Pass	
Silver	M22-My0000805	NCP	%	78		75-125	Pass	
Tin	M22-My0000805	NCP	%	103		75-125	Pass	
Zinc	M22-My0000805	NCP	%	92		75-125	Pass	
Spike - % Recovery								
Total Recoverable Hydrocarbons				Result 1				
TRH C6-C9	M22-My0004392	CP	%	75		70-130	Pass	
Naphthalene	M22-My0004392	CP	%	82		70-130	Pass	
TRH C6-C10	M22-My0004392	CP	%	76		70-130	Pass	
Spike - % Recovery								
Volatile Organics				Result 1				
1.1-Dichloroethene	M22-My0004392	CP	%	86		70-130	Pass	
1.1.1-Trichloroethane	M22-My0004392	CP	%	87		70-130	Pass	
1.2-Dichlorobenzene	M22-My0004392	CP	%	72		70-130	Pass	
1.2-Dichloroethane	M22-My0004392	CP	%	81		70-130	Pass	
Benzene	M22-My0004392	CP	%	81		70-130	Pass	
Ethylbenzene	M22-My0004392	CP	%	86		70-130	Pass	
m&p-Xylenes	M22-My0004392	CP	%	81		70-130	Pass	
o-Xylene	M22-My0004392	CP	%	84		70-130	Pass	
Toluene	M22-My0004392	CP	%	76		70-130	Pass	
Trichloroethene	M22-My0004392	CP	%	82		70-130	Pass	
Xylenes - Total*	M22-My0004392	CP	%	82		70-130	Pass	
Spike - % Recovery								
Polycyclic Aromatic Hydrocarbons				Result 1				
Acenaphthene	M22-My0004393	CP	%	84		70-130	Pass	
Acenaphthylene	M22-My0004393	CP	%	93		70-130	Pass	
Anthracene	M22-My0004393	CP	%	106		70-130	Pass	
Benz(a)anthracene	M22-My0004393	CP	%	85		70-130	Pass	
Benzo(a)pyrene	M22-My0004393	CP	%	94		70-130	Pass	
Benzo(b&j)fluoranthene	M22-My0004393	CP	%	91		70-130	Pass	
Benzo(g,h,i)perylene	M22-My0004393	CP	%	77		70-130	Pass	
Benzo(k)fluoranthene	M22-My0004393	CP	%	104		70-130	Pass	
Chrysene	M22-My0004393	CP	%	105		70-130	Pass	
Dibenz(a,h)anthracene	M22-My0004393	CP	%	87		70-130	Pass	
Fluoranthene	M22-My0004393	CP	%	110		70-130	Pass	
Fluorene	M22-My0004393	CP	%	99		70-130	Pass	
Indeno(1,2,3-cd)pyrene	M22-My0004393	CP	%	87		70-130	Pass	
Naphthalene	M22-My0004393	CP	%	85		70-130	Pass	
Phenanthrene	M22-My0004393	CP	%	80		70-130	Pass	
Pyrene	M22-My0004393	CP	%	110		70-130	Pass	
Spike - % Recovery								
Phenols (Halogenated)				Result 1				
2-Chlorophenol	M22-My0004393	CP	%	81		30-130	Pass	
2,4-Dichlorophenol	M22-My0004393	CP	%	83		30-130	Pass	
2,4,5-Trichlorophenol	M22-My0004393	CP	%	72		30-130	Pass	
2,4,6-Trichlorophenol	M22-My0004393	CP	%	76		30-130	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
2,6-Dichlorophenol	M22-My0004393	CP	%	75		30-130	Pass	
4-Chloro-3-methylphenol	M22-My0004393	CP	%	80		30-130	Pass	
Pentachlorophenol	M22-My0004393	CP	%	66		30-130	Pass	
Tetrachlorophenols - Total	M22-My0004393	CP	%	76		30-130	Pass	
Spike - % Recovery								
Phenols (non-Halogenated)				Result 1				
2-Cyclohexyl-4,6-dinitrophenol	M22-My0004393	CP	%	34		30-130	Pass	
2-Methyl-4,6-dinitrophenol	M22-My0004393	CP	%	42		30-130	Pass	
2-Nitrophenol	M22-My0004393	CP	%	83		30-130	Pass	
2,4-Dimethylphenol	M22-My0004393	CP	%	81		30-130	Pass	
2,4-Dinitrophenol	M22-My0004393	CP	%	53		30-130	Pass	
2-Methylphenol (o-Cresol)	M22-My0004393	CP	%	65		30-130	Pass	
3&4-Methylphenol (m&p-Cresol)	M22-My0004393	CP	%	74		30-130	Pass	
4-Nitrophenol	M22-My0004393	CP	%	34		30-130	Pass	
Dinoseb	M22-My0004393	CP	%	41		30-130	Pass	
Phenol	M22-My0004393	CP	%	70		30-130	Pass	
Spike - % Recovery								
Perfluoroalkyl carboxylic acids (PFCAs)				Result 1				
Perfluorobutanoic acid (PFBA)	M22-My0004395	CP	%	101		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	M22-My0004395	CP	%	99		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	M22-My0004395	CP	%	101		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	M22-My0004395	CP	%	111		50-150	Pass	
Perfluorooctanoic acid (PFOA)	M22-My0004395	CP	%	115		50-150	Pass	
Perfluorononanoic acid (PFNA)	M22-My0004395	CP	%	127		50-150	Pass	
Perfluorodecanoic acid (PFDA)	M22-My0004395	CP	%	91		50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	M22-My0004395	CP	%	129		50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	M22-My0004395	CP	%	124		50-150	Pass	
Perfluorotridecanoic acid (PFTTrDA)	M22-My0004395	CP	%	140		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	M22-My0004395	CP	%	123		50-150	Pass	
Spike - % Recovery								
Perfluoroalkyl sulfonamido substances				Result 1				
Perfluorooctane sulfonamide (FOSA)	M22-My0004395	CP	%	120		50-150	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0004395	CP	%	95		50-150	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0004395	CP	%	83		50-150	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0004395	CP	%	105		50-150	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0004395	CP	%	102		50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0004395	CP	%	64		50-150	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0004395	CP	%	85		50-150	Pass	
Spike - % Recovery								
Perfluoroalkyl sulfonic acids (PFSA)				Result 1				
Perfluorobutanesulfonic acid (PFBS)	M22-My0004395	CP	%	102		50-150	Pass	
Perfluorononanesulfonic acid (PFNS)	M22-My0004395	CP	%	116		50-150	Pass	
Perfluoropropanesulfonic acid (PFPrS)	M22-My0004395	CP	%	141		50-150	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Perfluoropentanesulfonic acid (PFPeS)	M22-My0004395	CP	%	96			50-150	Pass	
Perfluorohexanesulfonic acid (PFHxS)	M22-My0004395	CP	%	99			50-150	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0004395	CP	%	72			50-150	Pass	
Perfluorooctanesulfonic acid (PFOS)	M22-My0004395	CP	%	121			50-150	Pass	
Perfluorodecanesulfonic acid (PFDS)	M22-My0004395	CP	%	134			50-150	Pass	
Spike - % Recovery									
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1					
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0004395	CP	%	108			50-150	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0004395	CP	%	105			50-150	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0004395	CP	%	137			50-150	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0004395	CP	%	121			50-150	Pass	
Spike - % Recovery									
				Result 1					
Cyanide (total)	M22-My0004401	CP	%	73			70-130	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Duplicate									
Total Recoverable Hydrocarbons				Result 1	Result 2	RPD			
TRH C6-C9	M22-Ap0054351	NCP	mg/kg	< 20	< 20	<1	30%	Pass	
Naphthalene	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
TRH C6-C10	M22-Ap0054351	NCP	mg/kg	< 20	< 20	<1	30%	Pass	
Duplicate									
Volatile Organics				Result 1	Result 2	RPD			
Hexachlorobutadiene	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Duplicate									
Volatile Organics				Result 1	Result 2	RPD			
1.1-Dichloroethane	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2.4-Trichlorobenzene	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1-Dichloroethene	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1.1-Trichloroethane	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1.1.2-Tetrachloroethane	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1.2-Trichloroethane	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1.2.2-Tetrachloroethane	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2-Dibromoethane	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2-Dichlorobenzene	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2-Dichloroethane	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2-Dichloropropane	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2.3-Trichloropropane	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2.4-Trimethylbenzene	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.3-Dichlorobenzene	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.3-Dichloropropane	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.3.5-Trimethylbenzene	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.4-Dichlorobenzene	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
2-Butanone (MEK)	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
2-Propanone (Acetone)	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
4-Chlorotoluene	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	

Duplicate								
Volatile Organics				Result 1	Result 2	RPD		
4-Methyl-2-pentanone (MIBK)	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Allyl chloride	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzene	M22-Ap0054351	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Bromobenzene	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromochloromethane	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromodichloromethane	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromoform	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromomethane	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Carbon disulfide	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Carbon Tetrachloride	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chlorobenzene	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloroethane	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloroform	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloromethane	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
cis-1.2-Dichloroethene	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
cis-1.3-Dichloropropene	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibromochloromethane	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibromomethane	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dichlorodifluoromethane	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Ethylbenzene	M22-Ap0054351	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Iodomethane	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Isopropyl benzene (Cumene)	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
m&p-Xylenes	M22-Ap0054351	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Methylene Chloride	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
o-Xylene	M22-Ap0054351	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Styrene	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Tetrachloroethene	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Toluene	M22-Ap0054351	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
trans-1.2-Dichloroethene	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
trans-1.3-Dichloropropene	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Trichloroethene	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Trichlorofluoromethane	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Vinyl chloride	M22-Ap0054351	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Xylenes - Total*	M22-Ap0054351	NCP	mg/kg	< 0.3	< 0.3	<1	30%	Pass
Duplicate								
Polycyclic Aromatic Hydrocarbons				Result 1	Result 2	RPD		
Acenaphthene	M22-My0004391	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Acenaphthylene	M22-My0004391	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Anthracene	M22-My0004391	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(a)anthracene	M22-My0004391	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(a)pyrene	M22-My0004391	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(b&j)fluoranthene	M22-My0004391	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(g,h,i)perylene	M22-My0004391	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(k)fluoranthene	M22-My0004391	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chrysene	M22-My0004391	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibenz(a,h)anthracene	M22-My0004391	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Fluoranthene	M22-My0004391	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Fluorene	M22-My0004391	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Indeno(1.2.3-cd)pyrene	M22-My0004391	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Naphthalene	M22-My0004391	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Phenanthrene	M22-My0004391	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Pyrene	M22-My0004391	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass

Duplicate								
Organochlorine Pesticides				Result 1	Result 2	RPD		
Chlordanes - Total	M22-My0004391	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
4.4'-DDD	M22-My0004391	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
4.4'-DDE	M22-My0004391	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
4.4'-DDT	M22-My0004391	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
a-HCH	M22-My0004391	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Aldrin	M22-My0004391	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
b-HCH	M22-My0004391	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
d-HCH	M22-My0004391	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Dieldrin	M22-My0004391	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan I	M22-My0004391	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan II	M22-My0004391	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan sulphate	M22-My0004391	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin	M22-My0004391	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin aldehyde	M22-My0004391	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin ketone	M22-My0004391	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
g-HCH (Lindane)	M22-My0004391	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Heptachlor	M22-My0004391	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Heptachlor epoxide	M22-My0004391	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Hexachlorobenzene	M22-My0004391	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Methoxychlor	M22-My0004391	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Toxaphene	M22-My0004391	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
Polychlorinated Biphenyls				Result 1	Result 2	RPD		
Aroclor-1016	M22-My0004391	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1221	M22-My0004391	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1232	M22-My0004391	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1242	M22-My0004391	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1248	M22-My0004391	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1254	M22-My0004391	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1260	M22-My0004391	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Total PCB*	M22-My0004391	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Duplicate								
Phenols (Halogenated)				Result 1	Result 2	RPD		
2-Chlorophenol	M22-My0004391	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2.4-Dichlorophenol	M22-My0004391	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2.4.5-Trichlorophenol	M22-My0004391	CP	mg/kg	< 1	< 1	<1	30%	Pass
2.4.6-Trichlorophenol	M22-My0004391	CP	mg/kg	< 1	< 1	<1	30%	Pass
2.6-Dichlorophenol	M22-My0004391	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Chloro-3-methylphenol	M22-My0004391	CP	mg/kg	< 1	< 1	<1	30%	Pass
Pentachlorophenol	M22-My0004391	CP	mg/kg	< 1	< 1	<1	30%	Pass
Tetrachlorophenols - Total	M22-My0004391	CP	mg/kg	< 10	< 10	<1	30%	Pass
Duplicate								
Phenols (non-Halogenated)				Result 1	Result 2	RPD		
2-Cyclohexyl-4.6-dinitrophenol	M22-My0004391	CP	mg/kg	< 20	< 20	<1	30%	Pass
2-Methyl-4.6-dinitrophenol	M22-My0004391	CP	mg/kg	< 5	< 5	<1	30%	Pass
2-Nitrophenol	M22-My0004391	CP	mg/kg	< 1	< 1	<1	30%	Pass
2.4-Dimethylphenol	M22-My0004391	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2.4-Dinitrophenol	M22-My0004391	CP	mg/kg	< 5	< 5	<1	30%	Pass
2-Methylphenol (o-Cresol)	M22-My0004391	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
3&4-Methylphenol (m&p-Cresol)	M22-My0004391	CP	mg/kg	< 0.4	< 0.4	<1	30%	Pass
4-Nitrophenol	M22-My0004391	CP	mg/kg	< 5	< 5	<1	30%	Pass
Dinoseb	M22-My0004391	CP	mg/kg	< 20	< 20	<1	30%	Pass
Phenol	M22-My0004391	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass

Duplicate								
				Result 1	Result 2	RPD		
Chromium (hexavalent)	M22-My0005585	NCP	mg/kg	< 1	< 1	<1	30%	Pass
Fluoride (Total)	M22-Ap0055988	NCP	mg/kg	< 100	< 100	<1	30%	Pass
pH (1:5 Aqueous extract at 25°C as rec.)	M22-My0004391	CP	pH Units	9.6	9.6	pass	30%	Pass
Duplicate								
Heavy Metals				Result 1	Result 2	RPD		
Arsenic	M22-My0000805	NCP	mg/kg	4.0	3.9	2.0	30%	Pass
Cadmium	M22-My0000805	NCP	mg/kg	< 0.4	< 0.4	<1	30%	Pass
Chromium	M22-My0000805	NCP	mg/kg	29	29	2.0	30%	Pass
Copper	M22-My0000805	NCP	mg/kg	13	13	2.0	30%	Pass
Lead	M22-My0000805	NCP	mg/kg	13	14	3.0	30%	Pass
Mercury	M22-My0000805	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Molybdenum	M22-My0000805	NCP	mg/kg	< 5	< 5	<1	30%	Pass
Nickel	M22-My0000805	NCP	mg/kg	31	32	3.0	30%	Pass
Selenium	M22-My0000805	NCP	mg/kg	< 2	< 2	<1	30%	Pass
Silver	M22-My0000805	NCP	mg/kg	< 2	< 2	<1	30%	Pass
Tin	M22-My0000805	NCP	mg/kg	< 10	< 10	<1	30%	Pass
Zinc	M22-My0000805	NCP	mg/kg	37	38	2.0	30%	Pass
Duplicate								
Polycyclic Aromatic Hydrocarbons				Result 1	Result 2	RPD		
Acenaphthene	M22-My0004392	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Acenaphthylene	M22-My0004392	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Anthracene	M22-My0004392	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benz(a)anthracene	M22-My0004392	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(a)pyrene	M22-My0004392	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(b&j)fluoranthene	M22-My0004392	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(g,h,i)perylene	M22-My0004392	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(k)fluoranthene	M22-My0004392	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chrysene	M22-My0004392	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibenz(a,h)anthracene	M22-My0004392	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Fluoranthene	M22-My0004392	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Fluorene	M22-My0004392	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Indeno(1,2,3-cd)pyrene	M22-My0004392	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Naphthalene	M22-My0004392	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Phenanthrene	M22-My0004392	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Pyrene	M22-My0004392	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
Organochlorine Pesticides				Result 1	Result 2	RPD		
Chlordanes - Total	M22-My0004392	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
4,4'-DDD	M22-My0004392	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
4,4'-DDE	M22-My0004392	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
4,4'-DDT	M22-My0004392	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
a-HCH	M22-My0004392	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Aldrin	M22-My0004392	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
b-HCH	M22-My0004392	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
d-HCH	M22-My0004392	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Dieldrin	M22-My0004392	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan I	M22-My0004392	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan II	M22-My0004392	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan sulphate	M22-My0004392	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin	M22-My0004392	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin aldehyde	M22-My0004392	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin ketone	M22-My0004392	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
g-HCH (Lindane)	M22-My0004392	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass

Duplicate								
Organochlorine Pesticides				Result 1	Result 2	RPD		
Heptachlor	M22-My0004392	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Heptachlor epoxide	M22-My0004392	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Hexachlorobenzene	M22-My0004392	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Methoxychlor	M22-My0004392	CP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Toxaphene	M22-My0004392	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
Polychlorinated Biphenyls				Result 1	Result 2	RPD		
Aroclor-1016	M22-My0004392	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1221	M22-My0004392	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1232	M22-My0004392	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1242	M22-My0004392	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1248	M22-My0004392	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1254	M22-My0004392	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1260	M22-My0004392	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Total PCB*	M22-My0004392	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Duplicate								
Phenols (Halogenated)				Result 1	Result 2	RPD		
2-Chlorophenol	M22-My0004392	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2,4-Dichlorophenol	M22-My0004392	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2,4,5-Trichlorophenol	M22-My0004392	CP	mg/kg	< 1	< 1	<1	30%	Pass
2,4,6-Trichlorophenol	M22-My0004392	CP	mg/kg	< 1	< 1	<1	30%	Pass
2,6-Dichlorophenol	M22-My0004392	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Chloro-3-methylphenol	M22-My0004392	CP	mg/kg	< 1	< 1	<1	30%	Pass
Pentachlorophenol	M22-My0004392	CP	mg/kg	< 1	< 1	<1	30%	Pass
Tetrachlorophenols - Total	M22-My0004392	CP	mg/kg	< 10	< 10	<1	30%	Pass
Duplicate								
Phenols (non-Halogenated)				Result 1	Result 2	RPD		
2-Cyclohexyl-4,6-dinitrophenol	M22-My0004392	CP	mg/kg	< 20	< 20	<1	30%	Pass
2-Methyl-4,6-dinitrophenol	M22-My0004392	CP	mg/kg	< 5	< 5	<1	30%	Pass
2-Nitrophenol	M22-My0004392	CP	mg/kg	< 1	< 1	<1	30%	Pass
2,4-Dimethylphenol	M22-My0004392	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2,4-Dinitrophenol	M22-My0004392	CP	mg/kg	< 5	< 5	<1	30%	Pass
2-Methylphenol (o-Cresol)	M22-My0004392	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
3&4-Methylphenol (m&p-Cresol)	M22-My0004392	CP	mg/kg	< 0.4	< 0.4	<1	30%	Pass
4-Nitrophenol	M22-My0004392	CP	mg/kg	< 5	< 5	<1	30%	Pass
Dinoseb	M22-My0004392	CP	mg/kg	< 20	< 20	<1	30%	Pass
Phenol	M22-My0004392	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
				Result 1	Result 2	RPD		
% Moisture	M22-My0004392	CP	%	25	28	11	30%	Pass
Duplicate								
Perfluoroalkyl carboxylic acids (PFCAs)				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-My0004394	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-My0004394	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-My0004394	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-My0004394	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-My0004394	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-My0004394	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-My0004394	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-My0004394	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-My0004394	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorotridecanoic acid (PFTrDA)	M22-My0004394	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-My0004394	CP	ug/kg	< 5	< 5	<1	30%	Pass

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-My0004394	CP	ug/kg	< 5	< 5	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0004394	CP	ug/kg	< 5	< 5	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0004394	CP	ug/kg	< 5	< 5	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0004394	CP	ug/kg	< 5	< 5	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0004394	CP	ug/kg	< 5	< 5	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0004394	CP	ug/kg	< 10	< 10	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0004394	CP	ug/kg	< 10	< 10	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-My0004394	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-My0004394	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-My0004394	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-My0004394	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-My0004394	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0004394	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-My0004394	CP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-My0004394	CP	ug/kg	< 5	< 5	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0004394	CP	ug/kg	< 5	< 5	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0004394	CP	ug/kg	< 10	< 10	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0004394	CP	ug/kg	< 5	< 5	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0004394	CP	ug/kg	< 5	< 5	<1	30%	Pass
Duplicate								
				Result 1	Result 2	RPD		
pH (1:5 Aqueous extract at 25°C as rec.)	M22-My0004399	CP	pH Units	8.8	8.7	pass	30%	Pass
Duplicate								
				Result 1	Result 2	RPD		
Cyanide (total)	M22-My0004400	CP	mg/kg	< 5	< 5	<1	30%	Pass
Duplicate								
Total Recoverable Hydrocarbons				Result 1	Result 2	RPD		
TRH C10-C14	M22-My0004401	CP	mg/kg	< 20	< 20	<1	30%	Pass
TRH C15-C28	M22-My0004401	CP	mg/kg	< 50	< 50	<1	30%	Pass
TRH C29-C36	M22-My0004401	CP	mg/kg	< 50	< 50	<1	30%	Pass
TRH >C10-C16	M22-My0004401	CP	mg/kg	< 50	< 50	<1	30%	Pass
TRH >C16-C34	M22-My0004401	CP	mg/kg	< 100	< 100	<1	30%	Pass
TRH >C34-C40	M22-My0004401	CP	mg/kg	< 100	< 100	<1	30%	Pass

Duplicate									
				Result 1	Result 2	RPD			
% Moisture	M22-My0004402	CP	%	32	31	4.0	30%	Pass	

Comments
Sample Integrity

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	No
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

Qualifier Codes/Comments

Code	Description
N01	F2 is determined by arithmetically subtracting the "naphthalene" value from the ">C10-C16" value. The naphthalene value used in this calculation is obtained from volatiles (Purge & Trap analysis).
N02	Where we have reported both volatile (P&T GCMS) and semivolatile (GCMS) naphthalene data, results may not be identical. Provided correct sample handling protocols have been followed, any observed differences in results are likely to be due to procedural differences within each methodology. Results determined by both techniques have passed all QAQC acceptance criteria, and are entirely technically valid.
N04	F1 is determined by arithmetically subtracting the "Total BTEX" value from the "C6-C10" value. The "Total BTEX" value is obtained by summing the concentrations of BTEX analytes. The "C6-C10" value is obtained by quantitating against a standard of mixed aromatic/aliphatic analytes.
N07	Please note:- These two PAH isomers closely co-elute using the most contemporary analytical methods and both the reported concentration (and the TEQ) apply specifically to the total of the two co-eluting PAHs
N11	Isotope dilution is used for calibration of each native compound for which an exact labelled analogue is available (Isotope Dilution Quantitation). The isotopically labelled analogues allow identification and recovery correction of the concentration of the associated native PFAS compounds.
N15	Where the native PFAS compound does not have labelled analogue then the quantification is made using the Extracted Internal Standard Analyte with the closest retention time to the analyte and no recovery correction has been made (Internal Standard Quantitation).
Q08	The matrix spike recovery is outside of the recommended acceptance criteria. An acceptable recovery was obtained for the laboratory control sample indicating a sample matrix interference.

Authorised by:

Catherine Wilson	Analytical Services Manager
Joseph Edouard	Senior Analyst (VIC)
Caitlin Breeze	Senior Analyst (VIC)
Vivian Wang	Senior Analyst (VIC)
Mary Makarios	Senior Analyst (NSW)
Scott Beddoes	Senior Analyst (NSW)



Glenn Jackson
General Manager

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Agon Environmental Pty Ltd - VIC
3/224 Glen Osmond Road
Fullarton
SA 5063



NATA Accredited
Accreditation Number 1261
Site Number 1254

Accredited for compliance with ISO/IEC 17025 – Testing
NATA is a signatory to the ILAC Mutual Recognition
Arrangement for the mutual recognition of the
equivalence of testing, medical testing, calibration,
inspection, proficiency testing scheme providers and
reference materials producers reports and certificates.

Attention: **Agon Lab Reports (Spoil Project)**

Report **884546-W**
Project name **20220503042308-Eurofin-8**
Project ID **JC0927**
Received Date **May 03, 2022**

Client Sample ID			SX_IB_202205 03_04_09_SR_ Rinsate_EUF	SX_IB_202205 03_04_10_SB_ Blank_EUF
Sample Matrix			Water	Water
Eurofins Sample No.			M22- My0004404	M22- My0004405
Date Sampled			May 03, 2022	May 03, 2022
Test/Reference	LOR	Unit		
Perfluoroalkyl carboxylic acids (PFCAs)				
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	80	84
13C5-PFPeA (surr.)	1	%	65	70
13C5-PFHxA (surr.)	1	%	72	78
13C4-PFHpA (surr.)	1	%	64	72
13C8-PFOA (surr.)	1	%	69	80
13C5-PFNA (surr.)	1	%	68	82
13C6-PFDA (surr.)	1	%	51	77
13C2-PFUnDA (surr.)	1	%	31	62
13C2-PFDoDA (surr.)	1	%	29	65
13C2-PFTeDA (surr.)	1	%	25	42
Perfluoroalkyl sulfonamido substances				
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	41	68

Client Sample ID			SX_IB_202205 03_04_09_SR_ Rinsate_EUF	SX_IB_202205 03_04_10_SB_ Blank_EUF
Sample Matrix			Water	Water
Eurofins Sample No.			M22- My0004404	M22- My0004405
Date Sampled			May 03, 2022	May 03, 2022
Test/Reference	LOR	Unit		
Perfluoroalkyl sulfonamido substances				
D3-N-MeFOSA (surr.)	1	%	44	34
D5-N-EtFOSA (surr.)	1	%	33	31
D7-N-MeFOSE (surr.)	1	%	62	119
D9-N-EtFOSE (surr.)	1	%	43	67
D5-N-EtFOSAA (surr.)	1	%	26	94
D3-N-MeFOSAA (surr.)	1	%	40	80
Perfluoroalkyl sulfonic acids (PFASs)				
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	75	84
18O2-PFHxS (surr.)	1	%	72	92
13C8-PFOS (surr.)	1	%	61	83
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	36	36
13C2-6:2 FTSA (surr.)	1	%	35	40
13C2-8:2 FTSA (surr.)	1	%	43	53
13C2-10:2 FTSA (surr.)	1	%	43	94
PFASs Summations				
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1

Sample History

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
Per- and Polyfluoroalkyl Substances (PFASs)			
Perfluoroalkyl carboxylic acids (PFCAs)	Melbourne	May 03, 2022	28 Days
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			
Perfluoroalkyl sulfonamido substances	Melbourne	May 03, 2022	28 Days
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			
Perfluoroalkyl sulfonic acids (PFSAs)	Melbourne	May 03, 2022	28 Days
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			
n:2 Fluorotelomer sulfonic acids (n:2 FTSAs)	Melbourne	May 03, 2022	28 Days
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			
PFASs Summations	Melbourne	May 03, 2022	
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220503042308-Eurofin-8
Project ID: JC0927

Order No.:
Report #: 884546
Phone: 08 8338 1009
Fax:

Received: May 3, 2022 2:10 PM
Due: May 10, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	SX_IB_20220502_08_15_SS_Triplicate_EUF	May 02, 2022		Soil	M22-My0004391		X	X	X
2	SX_IB_20220502_08_19_SS_Primary_EUF	May 02, 2022		Soil	M22-My0004392		X	X	X
3	SX_IB_20220502_08_30_SS_Primary_EUF	May 02, 2022		Soil	M22-My0004393		X	X	X
4	SX_OB_20220502_13_01_S	May 02, 2022		Soil	M22-My0004394		X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 3, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884546	Due:	May 10, 2022
Project Name:	20220503042308-Eurofin-8	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	S_Primary_EU F								
5	SX_OB_20220 502_13_06_S S_Primary_EU F	May 02, 2022		Soil	M22- My0004395		X	X	X
6	SX_OB_20220 502_16_34_S S_Primary_EU F	May 02, 2022		Soil	M22- My0004396		X	X	X
7	SX_OB_20220 502_16_35_S S_Duplicate_E UF	May 02, 2022		Soil	M22- My0004397		X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 3, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884546	Due:	May 10, 2022
Project Name:	20220503042308-Eurofin-8	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
8	SX_IB_20220502_19_45_SS_Primary_EUF	May 02, 2022		Soil	M22-My0004398		X	X	X
9	SX_OB_20220502_19_53_S_S_Primary_EUF	May 02, 2022		Soil	M22-My0004399		X	X	X
10	SX_IB_20220502_23_56_SS_Primary_EUF	May 02, 2022		Soil	M22-My0004400		X	X	X
11	SX_OB_20220503_00_07_S_S_Triplicate_EUF	May 03, 2022		Soil	M22-My0004401		X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 3, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884546	Due:	May 10, 2022
Project Name:	20220503042308-Eurofin-8	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
12	SX_OB_20220503_03_49_S_S_Primary_EUF	May 03, 2022		Soil	M22-My0004402		X	X	X
13	SX_IB_20220503_03_55_SS_Primary_EUF	May 03, 2022		Soil	M22-My0004403		X	X	X
14	SX_IB_20220503_04_09_SR_Rinsate_EUF	May 03, 2022		Water	M22-My0004404			X	
15	SX_IB_20220503_04_10_SB_Blank_EUF	May 03, 2022		Water	M22-My0004405			X	
16	SX_IB_202205	May 02, 2022		AUS Leachate	M22-	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 3, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884546	Due:	May 10, 2022
Project Name:	20220503042308-Eurofin-8	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
16	SX_IB_20220502_08_15_SS_Triplicate_EU_F	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004406				
17	SX_IB_20220502_08_19_SS_Primary_EUF	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004407	X		X	
18	SX_IB_20220502_08_30_SS_Primary_EUF	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004408	X		X	
19	SX_OB_20220502_13_01_S_S_Primary_EU_F	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004409	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 3, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884546	Due:	May 10, 2022
Project Name:	20220503042308-Eurofin-8	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
20	SX_OB_20220502_13_06_S_S_Primary_EU_F	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004410	X		X	
21	SX_OB_20220502_16_34_S_S_Primary_EU_F	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004411	X		X	
22	SX_OB_20220502_16_35_S_S_Duplicate_EUF	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004412	X		X	
23	SX_IB_20220502_19_45_SS	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004413	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 3, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884546	Due:	May 10, 2022
Project Name:	20220503042308-Eurofin-8	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	_Primary_EUF								
24	SX_OB_20220502_19_53_S_S_Primary_EUF	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004414	X		X	
25	SX_IB_20220502_23_56_SS_Primary_EUF	May 02, 2022		AUS Leachate - pH 5.0	M22-My0004415	X		X	
26	SX_OB_20220503_00_07_S_S_Triplicate_EUF	May 03, 2022		AUS Leachate - pH 5.0	M22-My0004416	X		X	
27	SX_OB_20220503_03_49_S	May 03, 2022		AUS Leachate - pH 5.0	M22-My0004417	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 3, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884546	Due:	May 10, 2022
Project Name:	20220503042308-Eurofin-8	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	S_Primary_EUF								
28	SX_IB_20220503_03_55_SS_Primary_EUF	May 03, 2022		AUS Leachate - pH 5.0	M22-My0004418	X		X	
29	SX_IB_20220502_08_15_SS_Triplicate_EUF	May 02, 2022		AUS Leachate - Reagent Water	M22-My0004419	X		X	
30	SX_IB_20220502_08_19_SS_Primary_EUF	May 02, 2022		AUS Leachate - Reagent Water	M22-My0004420	X		X	
31	SX_IB_20220502_08_30_SS	May 02, 2022		AUS Leachate - Reagent	M22-My0004421	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 3, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884546	Due:	May 10, 2022
Project Name:	20220503042308-Eurofin-8	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	02_08_30_SS _Primary_EUF			- Reagent Water	My0004421				
32	SX_OB_20220 502_13_01_S S_Primary_EU F	May 02, 2022		AUS Leachate - Reagent Water	M22- My0004422	X		X	
33	SX_OB_20220 502_13_06_S S_Primary_EU F	May 02, 2022		AUS Leachate - Reagent Water	M22- My0004423	X		X	
34	SX_OB_20220 502_16_34_S S_Primary_EU F	May 02, 2022		AUS Leachate - Reagent Water	M22- My0004424	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 3, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884546	Due:	May 10, 2022
Project Name:	20220503042308-Eurofin-8	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
35	SX_OB_20220502_16_35_S_S_Duplicate_EUF	May 02, 2022		AUS Leachate - Reagent Water	M22-My0004425	X		X	
36	SX_IB_20220502_19_45_SS_Primary_EUF	May 02, 2022		AUS Leachate - Reagent Water	M22-My0004426	X		X	
37	SX_OB_20220502_19_53_S_S_Primary_EUF	May 02, 2022		AUS Leachate - Reagent Water	M22-My0004427	X		X	
38	SX_IB_20220502_23_56_SS_Primary_EUF	May 02, 2022		AUS Leachate - Reagent Water	M22-My0004428	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 3, 2022 2:10 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884546	Due:	May 10, 2022
Project Name:	20220503042308-Eurofin-8	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
39	SX_OB_20220503_00_07_S_S_Triplicate_EUF	May 03, 2022		AUS Leachate - Reagent Water	M22-My0004429	X		X	
40	SX_OB_20220503_03_49_S_S_Primary_EUF	May 03, 2022		AUS Leachate - Reagent Water	M22-My0004430	X		X	
41	SX_IB_20220503_03_55_SS_Primary_EUF	May 03, 2022		AUS Leachate - Reagent Water	M22-My0004431	X		X	
Test Counts						26	13	41	13

Internal Quality Control Review and Glossary
General

1. Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
2. All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
3. All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
4. Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
5. Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
6. SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
7. Samples were analysed on an 'as received' basis.
8. Information identified on this report with blue colour, indicates data provided by customer that may have an impact on the results.
9. This report replaces any interim results previously issued.

Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

Units

mg/kg: milligrams per kilogram	mg/L: milligrams per litre	µg/L: micrograms per litre
ppm: parts per million	ppb: parts per billion	%: Percentage
org/100 mL: Organisms per 100 millilitres	NTU: Nephelometric Turbidity Units	MPN/100 mL: Most Probable Number of organisms per 100 millilitres

Terms

APHA	American Public Health Association
COC	Chain of Custody
CP	Client Parent - QC was performed on samples pertaining to this report
CRM	Certified Reference Material (ISO17034) - reported as percent recovery.
Dry	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
Duplicate	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
LOR	Limit of Reporting.
LCS	Laboratory Control Sample - reported as percent recovery.
Method Blank	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
NCP	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
RPD	Relative Percent Difference between two Duplicate pieces of analysis.
SPIKE	Addition of the analyte to the sample and reported as percentage recovery.
SRA	Sample Receipt Advice
Surr - Surrogate	The addition of a like compound to the analyte target and reported as percentage recovery.
TBTO	Tributyltin oxide (<i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment however free tributyltin was measured and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits.
TCLP	Toxicity Characteristic Leaching Procedure
TEQ	Toxic Equivalency Quotient or Total Equivalence
QSM	US Department of Defense Quality Systems Manual Version 5.4
US EPA	United States Environmental Protection Agency
WA DWER	Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

QC - Acceptance Criteria

The acceptance criteria should be used as a guide only and may be different when site specific Sampling Analysis and Quality Plan (SAQP) have been implemented

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR: No Limit

Results between 10-20 times the LOR: RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

NOTE: pH duplicates are reported as a range not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.4 where no positive PFAS results have been reported have been reviewed and no data was affected.

QC Data General Comments

1. Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
2. Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
3. pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
4. Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery the term "INT" appears against that analyte.
5. For Matrix Spikes and LCS results a dash "-" in the report means that the specific analyte was not added to the QC sample.
6. Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

Quality Control Results

Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Method Blank						
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA)	ug/L	< 0.05		0.05	Pass	
Perfluoropentanoic acid (PFPeA)	ug/L	< 0.01		0.01	Pass	
Perfluorohexanoic acid (PFHxA)	ug/L	< 0.01		0.01	Pass	
Perfluoroheptanoic acid (PFHpA)	ug/L	< 0.01		0.01	Pass	
Perfluorooctanoic acid (PFOA)	ug/L	< 0.01		0.01	Pass	
Perfluorononanoic acid (PFNA)	ug/L	< 0.01		0.01	Pass	
Perfluorodecanoic acid (PFDA)	ug/L	< 0.01		0.01	Pass	
Perfluoroundecanoic acid (PFUnDA)	ug/L	< 0.01		0.01	Pass	
Perfluorododecanoic acid (PFDoDA)	ug/L	< 0.01		0.01	Pass	
Perfluorotridecanoic acid (PFTTrDA)	ug/L	< 0.01		0.01	Pass	
Perfluorotetradecanoic acid (PFTeDA)	ug/L	< 0.01		0.01	Pass	
Method Blank						
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA)	ug/L	< 0.05		0.05	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	ug/L	< 0.05		0.05	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	ug/L	< 0.05		0.05	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	ug/L	< 0.05		0.05	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	ug/L	< 0.05		0.05	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	ug/L	< 0.05		0.05	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	ug/L	< 0.05		0.05	Pass	
Method Blank						
Perfluoroalkyl sulfonic acids (PFASs)						
Perfluorobutanesulfonic acid (PFBS)	ug/L	< 0.01		0.01	Pass	
Perfluorononanesulfonic acid (PFNS)	ug/L	< 0.01		0.01	Pass	
Perfluoropropanesulfonic acid (PFPrS)	ug/L	< 0.01		0.01	Pass	
Perfluoropentanesulfonic acid (PFPeS)	ug/L	< 0.01		0.01	Pass	
Perfluorohexanesulfonic acid (PFHxS)	ug/L	< 0.01		0.01	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	ug/L	< 0.01		0.01	Pass	
Perfluorooctanesulfonic acid (PFOS)	ug/L	< 0.01		0.01	Pass	
Perfluorodecanesulfonic acid (PFDS)	ug/L	< 0.01		0.01	Pass	
Method Blank						
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	ug/L	< 0.01		0.01	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	ug/L	< 0.05		0.05	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	ug/L	< 0.01		0.01	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	ug/L	< 0.01		0.01	Pass	
LCS - % Recovery						
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA)	%	88		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	104		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	96		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	109		50-150	Pass	
Perfluorooctanoic acid (PFOA)	%	102		50-150	Pass	
Perfluorononanoic acid (PFNA)	%	109		50-150	Pass	
Perfluorodecanoic acid (PFDA)	%	102		50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	%	120		50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	%	110		50-150	Pass	
Perfluorotridecanoic acid (PFTTrDA)	%	120		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	%	125		50-150	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code	
LCS - % Recovery								
Perfluoroalkyl sulfonamido substances								
Perfluorooctane sulfonamide (FOSA)	%	87			50-150	Pass		
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	%	113			50-150	Pass		
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	%	110			50-150	Pass		
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	%	106			50-150	Pass		
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	%	105			50-150	Pass		
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	%	120			50-150	Pass		
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	%	115			50-150	Pass		
LCS - % Recovery								
Perfluoroalkyl sulfonic acids (PFSA's)								
Perfluorobutanesulfonic acid (PFBS)	%	89			50-150	Pass		
Perfluorononanesulfonic acid (PFNS)	%	88			50-150	Pass		
Perfluoropropanesulfonic acid (PFPrS)	%	120			50-150	Pass		
Perfluoropentanesulfonic acid (PFPeS)	%	107			50-150	Pass		
Perfluorohexanesulfonic acid (PFHxS)	%	104			50-150	Pass		
Perfluoroheptanesulfonic acid (PFHpS)	%	98			50-150	Pass		
Perfluorooctanesulfonic acid (PFOS)	%	136			50-150	Pass		
Perfluorodecanesulfonic acid (PFDS)	%	62			50-150	Pass		
LCS - % Recovery								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA's)								
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	%	104			50-150	Pass		
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	%	106			50-150	Pass		
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	%	112			50-150	Pass		
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	%	127			50-150	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Spike - % Recovery								
Perfluoroalkyl carboxylic acids (PFCAs)								
Perfluorobutanoic acid (PFBA)	M22-My0011771	NCP	%	77		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	M22-My0011771	NCP	%	104		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	M22-My0011771	NCP	%	103		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	M22-My0011771	NCP	%	120		50-150	Pass	
Perfluorooctanoic acid (PFOA)	M22-My0011771	NCP	%	121		50-150	Pass	
Perfluorononanoic acid (PFNA)	M22-My0011771	NCP	%	107		50-150	Pass	
Perfluorodecanoic acid (PFDA)	M22-My0011771	NCP	%	125		50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	M22-My0011771	NCP	%	134		50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	M22-My0011771	NCP	%	116		50-150	Pass	
Perfluorotridecanoic acid (PFTrDA)	M22-My0011771	NCP	%	124		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	M22-My0011771	NCP	%	84		50-150	Pass	
Spike - % Recovery								
Perfluoroalkyl sulfonamido substances								
Perfluorooctane sulfonamide (FOSA)	M22-My0011771	NCP	%	90		50-150	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0011771	NCP	%	138		50-150	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0011771	NCP	%	127		50-150	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0011771	NCP	%	142		50-150	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0011771	NCP	%	116		50-150	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0011771	NCP	%	111			50-150	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0011771	NCP	%	132			50-150	Pass	
Spike - % Recovery									
Perfluoroalkyl sulfonic acids (PFSA)				Result 1					
Perfluorobutanesulfonic acid (PFBS)	M22-My0011771	NCP	%	98			50-150	Pass	
Perfluorononanesulfonic acid (PFNS)	M22-My0011771	NCP	%	87			50-150	Pass	
Perfluoropropanesulfonic acid (PFPrS)	M22-My0011771	NCP	%	112			50-150	Pass	
Perfluoropentanesulfonic acid (PFPeS)	M22-My0011771	NCP	%	114			50-150	Pass	
Perfluorohexanesulfonic acid (PFHxS)	M22-My0011771	NCP	%	101			50-150	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0011771	NCP	%	92			50-150	Pass	
Perfluorooctanesulfonic acid (PFOS)	M22-My0011771	NCP	%	99			50-150	Pass	
Perfluorodecanesulfonic acid (PFDS)	M22-My0011771	NCP	%	84			50-150	Pass	
Spike - % Recovery									
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1					
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0011771	NCP	%	109			50-150	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0011771	NCP	%	128			50-150	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0011771	NCP	%	106			50-150	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0011771	NCP	%	95			50-150	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Duplicate									
Perfluoroalkyl carboxylic acids (PFCA)				Result 1	Result 2	RPD			
Perfluorobutanoic acid (PFBA)	M22-My0011854	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
Perfluoropentanoic acid (PFPeA)	M22-My0011854	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorohexanoic acid (PFHxA)	M22-My0011854	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluoroheptanoic acid (PFHpA)	M22-My0011854	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorooctanoic acid (PFOA)	M22-My0011854	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorononanoic acid (PFNA)	M22-My0011854	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorodecanoic acid (PFDA)	M22-My0011854	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluoroundecanoic acid (PFUnDA)	M22-My0011854	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorododecanoic acid (PFDoDA)	M22-My0011854	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorotridecanoic acid (PFTTrDA)	M22-My0011854	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorotetradecanoic acid (PFTEDA)	M22-My0011854	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-My0011854	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0011854	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0011854	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0011854	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0011854	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0011854	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0011854	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFASs)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-My0011854	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-My0011854	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-My0011854	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-My0011854	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-My0011854	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0011854	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-My0011854	NCP	ug/L	0.07	0.08	5.0	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-My0011854	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0011854	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0011854	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0011854	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0011854	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass

Comments
Sample Integrity

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	No
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

Qualifier Codes/Comments

Code	Description
N11	Isotope dilution is used for calibration of each native compound for which an exact labelled analogue is available (Isotope Dilution Quantitation). The isotopically labelled analogues allow identification and recovery correction of the concentration of the associated native PFAS compounds.
N15	Where the native PFAS compound does not have labelled analogue then the quantification is made using the Extracted Internal Standard Analyte with the closest retention time to the analyte and no recovery correction has been made (Internal Standard Quantitation).

Authorised by:

Catherine Wilson	Analytical Services Manager
Joseph Edouard	Senior Analyst (VIC)



Glenn Jackson
General Manager

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

CHAIN OF CUSTODY RECORD

Sydney Laboratory
Unit F3 D3 F 16 Mars Road Lane Cove West NSW 2066
02 9500 8400 EnviroSampleNSW@eurofins.com

Brisbane Laboratory
Unit 1 21 Smallwood Place Muramba QLD 4172
07 3902 4600 EnviroSampleQLD@eurofins.com

Perth Laboratory
Unit 2 91 Leach Highway Kewdale WA 6105
08 9251 9500 EnviroSampleWA@eurofins.com

Melbourne Laboratory
8 Monterey Road Dandenong South VIC 3175
03 8564 5000 EnviroSampleVic@eurofins.com

Company	AGON Environmental - Tunnel Spoil Testing	Project No	JC0927	Project Manager	Craig Trimbur	Sampler(s)	DB DL TG Agon																		
Address	Unit H76, 63-85 Turner St, Port Melbourne VIC 3207	Project Name	WGTP-Tunnel WGTP-Ref: 20220504045330-Eurofin-12	EDD Format	ESdat	Handed over by	D. BIRNERT																		
Contact Name	Craig Trimbur David Lawson	Analyses	Spot Sample Preparation Suite WGTP-A1-TRH/PAP/Phenols/CP/PCB/VOC/Vinyl Chloride Metals (As, Cd, Cr, Cu, Ni, Pb, Hg, Ag, Sn, Mo, Se, Zn)/Cr6+/CN/ Total Fluoride pH PFAS Extended Suite - 0.1 - 5ug/kg ASLP PH 5 - PFAS 0.01-0.05 ug/l ASLP Reagent - PFAS 0.01-0.05ug/l	Email for Invoice	finance@agonenviro.com.au LabReports.TST@agonenviro.com.au	Email for Results	LabReports.TST@agonenviro.com.au agonenvironmental@esdat.com.au motherhublabresults1@wgtp.com.au Amrit.Kaur@agile-analytics.com.au																		
Phone No	+61 400 826 907 (Craig) +61 490 411 004 (David)	Special Directions	Please provide an interim lab report if finalised report has not been provided by 14 days from sample receipt. Please provide eSRN along with oter sample receipt upon submission.	Containers	<table border="1"> <tr> <th>Container</th> <th>Required Turnaround Time (TA1)</th> </tr> <tr> <td>50mL Plastic</td> <td>1 day</td> </tr> <tr> <td>250mL Plastic</td> <td>1 day</td> </tr> <tr> <td>125mL Plastic</td> <td>1 day</td> </tr> <tr> <td>20mL Amber Glass</td> <td>1 day</td> </tr> <tr> <td>40mL VOA vial</td> <td>1 day</td> </tr> <tr> <td>500mL PFAS Bottle</td> <td>1 day</td> </tr> <tr> <td>Jar (Glass or HDPE)</td> <td>1 day</td> </tr> <tr> <td>Other (Reference 163864, WA Guidelines)</td> <td>1 day</td> </tr> </table>			Container	Required Turnaround Time (TA1)	50mL Plastic	1 day	250mL Plastic	1 day	125mL Plastic	1 day	20mL Amber Glass	1 day	40mL VOA vial	1 day	500mL PFAS Bottle	1 day	Jar (Glass or HDPE)	1 day	Other (Reference 163864, WA Guidelines)	1 day
Container	Required Turnaround Time (TA1)																								
50mL Plastic	1 day																								
250mL Plastic	1 day																								
125mL Plastic	1 day																								
20mL Amber Glass	1 day																								
40mL VOA vial	1 day																								
500mL PFAS Bottle	1 day																								
Jar (Glass or HDPE)	1 day																								
Other (Reference 163864, WA Guidelines)	1 day																								
Purchase Order	Agon WGTP TST	Quote ID No	Agon WGTP TST	Sample Comments	/ Dangerous Goods Hazard Warning																				

No	Client Sample ID	Sampled Date/Time	Matrix	AS	CP	PCB	Vinyl Chloride	Metals	Cr6+	CN	Fluoride	PFAS	TA1	Sample Comments
1	SX_IB_20220503_07_59_SS_Triplicate_EUF	03/05/2022 07:59	S	X	X	X	X	X					1	
2	SX_IB_20220503_08_04_SS_Primary_EUF	03/05/2022 08:04	S	X	X	X	X	X					1	
3	SX_IB_20220503_12_15_SS_Primary_EUF	03/05/2022 12:15	S	X	X	X	X	X					1	
4	SX_OB_20220503_12_19_SS_Primary_EUF	03/05/2022 12:19	S	X	X	X	X	X					1	
5	SX_IB_20220503_15_59_SS_Primary_EUF	03/05/2022 15:59	S	X	X	X	X	X					1	
6	SX_IB_20220503_16_00_SS_Duplicate_EUF	03/05/2022 16:00	S	X	X	X	X	X					1	
7	SX_OB_20220503_19_54_SS_Primary_EUF	03/05/2022 19:54:00 PM	S	X	X	X	X	X					1	
8	SX_IB_20220503_20_05_SS_Primary_EUF	03/05/2022 20:05:00 PM	S	X	X	X	X	X					1	
9	SX_IB_20220503_20_06_SS_Duplicate_EUF	03/05/2022 20:06:00 PM	S	X	X	X	X	X					1	
10	SX_IB_20220504_00_07_SS_Primary_EUF	04/05/2022 12:07	S	X	X	X	X	X					1	
11	SX_IB_20220504_04_14_SS_Primary_EUF	04/05/2022 16:14	S	X	X	X	X	X					1	
12													1	
13													1	
14													1	
15													1	
16													1	
17													1	
18													1	
19													1	
20													1	
21													1	
22													1	
23													1	
24													1	
25													1	
26													1	
27													1	
Total Counts				11	11	11	11	11					15	

4/5 12
14.3
- 0.1
14.2

Method of Shipment	<input checked="" type="checkbox"/> Courier (#)	<input type="checkbox"/> Hand Delivered	<input type="checkbox"/> Postal	Name	Signature	Date	Time
Received By	Tahira	Signature	TW	Date	4/5	Time	12
Received By		Signature		Date		Time	

884937
Jake

Tax Invoice

Agon Environmental Pty Ltd - VIC
 3/224 Glen Osmond Road
 Fullarton
 SA 5063

Purchase Order #: Not provided
 Invoice #: 691273
 Date: May 10, 2022
 Report #: 884937
 Project Name: 20220504045330-Eurofin-12
 Project ID: JC0927
 Contact: David Lawson

Description	Quantity	Price	Total	Notes
Solid Samples				
IWRG 621 WGTP Suite	11	\$145.00	\$1,595.00	
Per- and Polyfluoroalkyl Substances (PFASs)	11	\$105.00	\$1,155.00	
Leachate Samples				
PFAS ASLP pH 5 and pH7	11	\$229.60	\$2,525.60	
Extract storage	11	\$10.00	\$110.00	
SAQP Method Sample Preparation - 10L bucket	11	\$275.00	\$3,025.00	

Notes: Quote: Agon WGTP TST	Nett Total	\$8,410.60
	GST	\$841.06
	Total Inc GST	\$9,251.66

This invoice is subject to Eurofins General Terms of Sales. Copies available on request or at <http://environment.eurofins.com.au>

Please detach and return with payment to:
Postal:
 Eurofins Environment Testing
 6 Monterey Road
 Dandenong South
 Victoria, 3175

Please EFT Payments to:
 Eurofins Environment Testing
 BSB 063-498
 Acct No: 10057019
 e.mail Remittances:
 EnviroRemittances@eurofins.com

Invoice Number : 691273
Amount Inc GST : \$9,251.66
TERMS STRICTLY 30 DAYS

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne

6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney

179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane

1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle

4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth

46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland

35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch

43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

Sample Receipt Advice

Company name: Agon Environmental Pty Ltd - VIC
Contact name: Agon Lab Reports (Spoil Project)
Project name: 20220504045330-Eurofin-12
Project ID: JC0927
Turnaround time: 5 Day
Date/Time received: May 4, 2022 12:00 PM
Eurofins reference: 884937

Sample Information

- ✓ A detailed list of analytes logged into our LIMS, is included in the attached summary table.
- ✓ All samples have been received as described on the above COC.
- ✓ COC has been completed correctly.
- ✗ Attempt to chill was evident.
- ✓ Appropriately preserved sample containers have been used.
- ✓ All samples were received in good condition.
- ✓ Samples have been provided with adequate time to commence analysis in accordance with the relevant holding times.
- ✓ Appropriate sample containers have been used.
- ✓ Sample containers for volatile analysis received with zero headspace.
- ✗ Split sample sent to requested external lab.
- ✗ Some samples have been subcontracted.
- N/A Custody Seals intact (if used).

Notes

Contact

If you have any questions with respect to these samples, please contact your Analytical Services Manager:

Michael Cassidy on phone : +61 3 8564 5000 or by email: MichaelCassidy@eurofins.com

Results will be delivered electronically via email to Agon Lab Reports (Spoil Project) - labreports.TST@agonenviro.com.au.

Note: A copy of these results will also be delivered to the general Agon Environmental Pty Ltd - VIC email address.



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220504045330-Eurofin-12
Project ID: JC0927

Order No.:
Report #: 884937
Phone: 08 8338 1009
Fax:

Received: May 4, 2022 12:00 PM
Due: May 11, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	SX_IB_20220503_07_59_SS_Triplicate_EUF	Mar 05, 2022	7:59AM	Soil	M22-My0007222		X	X	X
2	SX_IB_20220503_08_04_SS_Primary_EUF	Mar 05, 2022	8:04AM	Soil	M22-My0007223		X	X	X
3	SX_IB_20220503_12_15_SS_Primary_EUF	Mar 05, 2022	12:15PM	Soil	M22-My0007224		X	X	X
4	SX_OB_20220503_12_19_S	Mar 05, 2022	12:19PM	Soil	M22-My0007225		X	X	X



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220504045330-Eurofin-12
Project ID: JC0927

Order No.:
Report #: 884937
Phone: 08 8338 1009
Fax:

Received: May 4, 2022 12:00 PM
Due: May 11, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	S_Primary_EU F								
5	SX_IB_202205 03_15_59_SS _Primary_EUF	Mar 05, 2022	3:59PM	Soil	M22- My0007226		X	X	X
6	SX_IB_202205 03_16_00_SS _Duplicate_EU F	Mar 05, 2022	4:00PM	Soil	M22- My0007227		X	X	X
7	SX_OB_20220 503_19_54_S S_Primary_EU F	Mar 05, 2022	7:54PM	Soil	M22- My0007228		X	X	X
8	SX_IB_202205	Mar 05, 2022	8:05PM	Soil	M22-		X	X	X



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220504045330-Eurofin-12
Project ID: JC0927

Order No.:
Report #: 884937
Phone: 08 8338 1009
Fax:

Received: May 4, 2022 12:00 PM
Due: May 11, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
8	SX_IB_20220503_20_05_SS_Primary_EUF	Mar 05, 2022	8:05PM	Soil	M22-My0007229				
9	SX_IB_20220503_20_06_SS_Duplicate_EUF	Mar 05, 2022	8:06PM	Soil	M22-My0007230		X	X	X
10	SX_IB_20220504_00_07_SS_Primary_EUF	Apr 05, 2022	12:07AM	Soil	M22-My0007231		X	X	X
11	SX_IB_20220504_04_14_SS_Primary_EUF	Apr 05, 2022	4:14AM	Soil	M22-My0007232		X	X	X
12	SX_IB_202205	Mar 05, 2022	7:59AM	AUS Leachate	M22-	X		X	



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220504045330-Eurofin-12
Project ID: JC0927

Order No.:
Report #: 884937
Phone: 08 8338 1009
Fax:

Received: May 4, 2022 12:00 PM
Due: May 11, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	03_07_59_SS _Triplicate_EU _F			- pH 5.0	My0007233				
13	SX_IB_202205 03_08_04_SS _Primary_EUF	Mar 05, 2022	8:04AM	AUS Leachate - pH 5.0	M22- My0007234	X		X	
14	SX_IB_202205 03_12_15_SS _Primary_EUF	Mar 05, 2022	12:15PM	AUS Leachate - pH 5.0	M22- My0007235	X		X	
15	SX_OB_20220 503_12_19_S S_Primary_EU F	Mar 05, 2022	12:19PM	AUS Leachate - pH 5.0	M22- My0007236	X		X	
16	SX_IB_202205	Mar 05, 2022	3:59PM	AUS Leachate	M22-	X		X	



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220504045330-Eurofin-12
Project ID: JC0927

Order No.:
Report #: 884937
Phone: 08 8338 1009
Fax:

Received: May 4, 2022 12:00 PM
Due: May 11, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
16	SX_IB_20220503_15_59_SS_Primary_EUF	Mar 05, 2022	3:59PM	AUS Leachate - pH 5.0	M22-My0007237				
17	SX_IB_20220503_16_00_SS_Duplicate_EUF	Mar 05, 2022	4:00PM	AUS Leachate - pH 5.0	M22-My0007238	X		X	
18	SX_OB_20220503_19_54_SS_Primary_EUF	Mar 05, 2022	7:54PM	AUS Leachate - pH 5.0	M22-My0007239	X		X	
19	SX_IB_20220503_20_05_SS_Primary_EUF	Mar 05, 2022	8:05PM	AUS Leachate - pH 5.0	M22-My0007240	X		X	



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220504045330-Eurofin-12
Project ID: JC0927

Order No.:
Report #: 884937
Phone: 08 8338 1009
Fax:

Received: May 4, 2022 12:00 PM
Due: May 11, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
20	SX_IB_20220503_20_06_SS_Duplicate_EU_F	Mar 05, 2022	8:06PM	AUS Leachate - pH 5.0	M22-My0007241	X		X	
21	SX_IB_20220504_00_07_SS_Primary_EUF	Apr 05, 2022	12:07AM	AUS Leachate - pH 5.0	M22-My0007242	X		X	
22	SX_IB_20220504_04_14_SS_Primary_EUF	Apr 05, 2022	4:14AM	AUS Leachate - pH 5.0	M22-My0007243	X		X	
23	SX_IB_20220503_07_59_SS_Triplicate_EU_F	Mar 05, 2022	7:59AM	AUS Leachate - Reagent Water	M22-My0007244	X		X	



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220504045330-Eurofin-12
Project ID: JC0927

Order No.:
Report #: 884937
Phone: 08 8338 1009
Fax:

Received: May 4, 2022 12:00 PM
Due: May 11, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
24	SX_IB_20220503_08_04_SS_Primary_EUF	Mar 05, 2022	8:04AM	AUS Leachate - Reagent Water	M22-My0007245	X		X	
25	SX_IB_20220503_12_15_SS_Primary_EUF	Mar 05, 2022	12:15PM	AUS Leachate - Reagent Water	M22-My0007246	X		X	
26	SX_OB_20220503_12_19_S_S_Primary_EUF	Mar 05, 2022	12:19PM	AUS Leachate - Reagent Water	M22-My0007247	X		X	
27	SX_IB_20220503_15_59_SS_Primary_EUF	Mar 05, 2022	3:59PM	AUS Leachate - Reagent Water	M22-My0007248	X		X	
28	SX_IB_20220503_15_59_SS_Primary_EUF	Mar 05, 2022	4:00PM	AUS Leachate	M22-	X		X	



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220504045330-Eurofin-12
Project ID: JC0927

Order No.:
Report #: 884937
Phone: 08 8338 1009
Fax:

Received: May 4, 2022 12:00 PM
Due: May 11, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	03_16_00_SS_Duplicate_EU_F			- Reagent Water	My0007249				
29	SX_OB_20220503_19_54_SS_Primary_EU_F	Mar 05, 2022	7:54PM	AUS Leachate - Reagent Water	M22-My0007250	X		X	
30	SX_IB_20220503_20_05_SS_Primary_EUF	Mar 05, 2022	8:05PM	AUS Leachate - Reagent Water	M22-My0007251	X		X	
31	SX_IB_20220503_20_06_SS_Duplicate_EU_F	Mar 05, 2022	8:06PM	AUS Leachate - Reagent Water	M22-My0007252	X		X	



Environment Testing

Eurofins Environment Testing Australia Pty Ltd

ABN: 50 005 085 521

Melbourne
6 Monterey Road
Dandenong South VIC 3175
Phone : +61 3 8564 5000
NATA # 1261 Site # 1254

Sydney
179 Magowar Road
Girraween NSW 2066
Phone : +61 2 9900 8400
NATA # 1261 Site # 18217

Brisbane
1/21 Smallwood Place
Murarrie QLD 4172
Phone : +61 7 3902 4600
NATA # 1261 Site # 20794

Newcastle
4/52 Industrial Drive
Mayfield East NSW 2304
PO Box 60 Wickham 2293
Phone : +61 2 4968 8448
NATA # 1261 Site # 25079

Eurofins ARL Pty Ltd

ABN: 91 05 0159 898

Perth
46-48 Banksia Road
Welshpool WA 6106
Phone : +61 8 6253 4444
NATA # 2377 Site # 2370

Eurofins Environment Testing NZ Limited

NZBN: 9429046024954

Auckland
35 O'Rorke Road
Penrose, Auckland 1061
Phone : +64 9 526 45 51
IANZ # 1327

Christchurch
43 Detroit Drive
Rolleston, Christchurch 7675
Phone : 0800 856 450
IANZ # 1290

web: www.eurofins.com.au
email: EnviroSales@eurofins.com

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220504045330-Eurofin-12
Project ID: JC0927

Order No.:
Report #: 884937
Phone: 08 8338 1009
Fax:

Received: May 4, 2022 12:00 PM
Due: May 11, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
32	SX_IB_20220504_00_07_SS_Primary_EUF	Apr 05, 2022	12:07AM	AUS Leachate - Reagent Water	M22-My0007253	X		X	
33	SX_IB_20220504_04_14_SS_Primary_EUF	Apr 05, 2022	4:14AM	AUS Leachate - Reagent Water	M22-My0007254	X		X	
Test Counts						22	11	33	11

Agon Environmental Pty Ltd - VIC
3/224 Glen Osmond Road
Fullarton
SA 5063



NATA Accredited
Accreditation Number 1261
Site Number 1254

Accredited for compliance with ISO/IEC 17025 – Testing
NATA is a signatory to the ILAC Mutual Recognition
Arrangement for the mutual recognition of the
equivalence of testing, medical testing, calibration,
inspection, proficiency testing scheme providers and
reference materials producers reports and certificates.

Attention: **Agon Lab Reports (Spoil Project)**

Report **884937-L**
Project name **20220504045330-Eurofin-12**
Project ID **JC0927**
Received Date **May 04, 2022**

Client Sample ID			SX_IB_202205 03_07_59_SS TriPLICATE_EUF	SX_IB_202205 03_08_04_SS Primary_EUF	SX_IB_202205 03_12_15_SS Primary_EUF	SX_OB_20220 503_12_19_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0007233	M22- My0007234	M22- My0007235	M22- My0007236
Date Sampled			Mar 05, 2022	Mar 05, 2022	Mar 05, 2022	Mar 05, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.1	5.1	5.1	5.1
pH (off)	0.1	pH Units	5.3	5.1	5.1	5.0
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	98	99	102	103
13C5-PFPeA (surr.)	1	%	92	83	92	82
13C5-PFHxA (surr.)	1	%	72	63	69	74
13C4-PFHpA (surr.)	1	%	91	94	91	80
13C8-PFOA (surr.)	1	%	109	95	121	93
13C5-PFNA (surr.)	1	%	99	96	98	75
13C6-PFDA (surr.)	1	%	67	71	70	54
13C2-PFUnDA (surr.)	1	%	58	61	57	43
13C2-PFDoDA (surr.)	1	%	69	69	83	51
13C2-PFTeDA (surr.)	1	%	130	112	137	94
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05

Client Sample ID			SX_IB_202205 03_07_59_SS TriPLICATE_EUF	SX_IB_202205 03_08_04_SS Primary_EUF	SX_IB_202205 03_12_15_SS Primary_EUF	SX_OB_20220 503_12_19_SS _Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0007233	M22- My0007234	M22- My0007235	M22- My0007236
Date Sampled			Mar 05, 2022	Mar 05, 2022	Mar 05, 2022	Mar 05, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl sulfonamido substances						
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	78	72	82	60
D3-N-MeFOSA (surr.)	1	%	111	97	108	82
D5-N-EtFOSA (surr.)	1	%	105	88	98	73
D7-N-MeFOSE (surr.)	1	%	101	93	104	91
D9-N-EtFOSE (surr.)	1	%	97	87	99	80
D5-N-EtFOSAA (surr.)	1	%	54	56	70	41
D3-N-MeFOSAA (surr.)	1	%	41	48	11	40
Perfluoroalkyl sulfonic acids (PFASs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	70	59	65	71
18O2-PFHxS (surr.)	1	%	93	80	87	89
13C8-PFOS (surr.)	1	%	83	78	84	68
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	99	104	114	93
13C2-6:2 FTSA (surr.)	1	%	78	12	77	67
13C2-8:2 FTSA (surr.)	1	%	87	83	92	73
13C2-10:2 FTSA (surr.)	1	%	124	106	153	103
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202205 03_15_59_SS_ Primary_EUF	SX_IB_202205 03_16_00_SS_ Duplicate_EUF	SX_OB_20220 503_19_54_SS_ Primary_EUF	SX_IB_202205 03_20_05_SS_ Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0007237	M22- My0007238	M22- My0007239	M22- My0007240
Date Sampled			Mar 05, 2022	Mar 05, 2022	Mar 05, 2022	Mar 05, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	1.0	1.0	1.0	1.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.1	5.1	5.1	5.1
pH (off)	0.1	pH Units	5.1	5.1	5.0	5.2
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	108	102	108	100
13C5-PFPeA (surr.)	1	%	95	94	87	95
13C5-PFHxA (surr.)	1	%	77	73	78	68
13C4-PFHpA (surr.)	1	%	99	94	92	94
13C8-PFOA (surr.)	1	%	106	94	103	103
13C5-PFNA (surr.)	1	%	98	104	95	103
13C6-PFDA (surr.)	1	%	74	72	66	64
13C2-PFUnDA (surr.)	1	%	67	72	52	68
13C2-PFDoDA (surr.)	1	%	77	88	62	89
13C2-PFTeDA (surr.)	1	%	114	163	99	153
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	84	95	69	87
D3-N-MeFOSA (surr.)	1	%	114	120	90	119
D5-N-EtFOSA (surr.)	1	%	103	112	79	108
D7-N-MeFOSE (surr.)	1	%	106	124	84	104
D9-N-EtFOSE (surr.)	1	%	107	108	85	111
D5-N-EtFOSAA (surr.)	1	%	63	94	37	83
D3-N-MeFOSAA (surr.)	1	%	56	59	67	64

Client Sample ID			SX_IB_202205 03_15_59_SS_ Primary_EUF	SX_IB_202205 03_16_00_SS_ Duplicate_EUF	SX_OB_20220 503_19_54_SS_ Primary_EUF	SX_IB_202205 03_20_05_SS_ Primary_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0
Eurofins Sample No.			M22- My0007237	M22- My0007238	M22- My0007239	M22- My0007240
Date Sampled			Mar 05, 2022	Mar 05, 2022	Mar 05, 2022	Mar 05, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl sulfonic acids (PFASs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	70	59	66	60
18O2-PFHxS (surr.)	1	%	93	91	92	97
13C8-PFOS (surr.)	1	%	85	89	82	97
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	116	117	103	102
13C2-6:2 FTSA (surr.)	1	%	77	83	62	84
13C2-8:2 FTSA (surr.)	1	%	93	96	95	98
13C2-10:2 FTSA (surr.)	1	%	121	181	113	163
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202205 03_20_06_SS_ Duplicate_EUF	SX_IB_202205 04_00_07_SS_ Primary_EUF	SX_IB_202205 04_04_14_SS_ Primary_EUF	SX_IB_202205 03_07_59_SS_ Triplicate_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0007241	M22- My0007242	M22- My0007243	M22- My0007244
Date Sampled			Mar 05, 2022	Apr 05, 2022	Apr 05, 2022	Mar 05, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	1.0	1.0	1.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	5.1	5.1	5.1	6.4
pH (off)	0.1	pH Units	5.3	5.2	5.2	8.4

Client Sample ID			SX_IB_202205 03_20_06_SS Duplicate_EUF	SX_IB_202205 04_00_07_SS Primary_EUF	SX_IB_202205 04_04_14_SS Primary_EUF	SX_IB_202205 03_07_59_SS Triplicate_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0007241	M22- My0007242	M22- My0007243	M22- My0007244
Date Sampled			Mar 05, 2022	Apr 05, 2022	Apr 05, 2022	Mar 05, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	109	88	104	112
13C5-PFPeA (surr.)	1	%	101	90	82	107
13C5-PFHxA (surr.)	1	%	77	88	74	103
13C4-PFHpA (surr.)	1	%	98	79	88	114
13C8-PFOA (surr.)	1	%	110	87	105	63
13C5-PFNA (surr.)	1	%	100	93	92	95
13C6-PFDA (surr.)	1	%	82	69	81	117
13C2-PFUnDA (surr.)	1	%	58	70	60	140
13C2-PFDoDA (surr.)	1	%	80	73	65	127
13C2-PFTTeDA (surr.)	1	%	124	56	100	125
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	83	82	75	119
D3-N-MeFOSA (surr.)	1	%	119	99	100	117
D5-N-EtFOSA (surr.)	1	%	108	118	92	118
D7-N-MeFOSE (surr.)	1	%	131	88	122	122
D9-N-EtFOSE (surr.)	1	%	113	82	102	127
D5-N-EtFOSAA (surr.)	1	%	71	67	83	44
D3-N-MeFOSAA (surr.)	1	%	62	69	54	95
Perfluoroalkyl sulfonic acids (PFSAs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01

Client Sample ID			SX_IB_202205 03_20_06_SS_ Duplicate_EUF	SX_IB_202205 04_00_07_SS_ Primary_EUF	SX_IB_202205 04_04_14_SS_ Primary_EUF	SX_IB_202205 03_07_59_SS_ Triplicate_EUF
Sample Matrix			AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - pH 5.0	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0007241	M22- My0007242	M22- My0007243	M22- My0007244
Date Sampled			Mar 05, 2022	Apr 05, 2022	Apr 05, 2022	Mar 05, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl sulfonic acids (PFASs)						
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	67	65	61	77
18O2-PFHxS (surr.)	1	%	88	76	99	117
13C8-PFOS (surr.)	1	%	94	69	85	105
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	0.06	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	117	56	103	108
13C2-6:2 FTSA (surr.)	1	%	93	56	15	68
13C2-8:2 FTSA (surr.)	1	%	94	81	81	117
13C2-10:2 FTSA (surr.)	1	%	141	60	119	106
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	0.06	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202205 03_08_04_SS_ Primary_EUF	SX_IB_202205 03_12_15_SS_ Primary_EUF	SX_IB_202205 03_12_19_SS_ Primary_EUF	SX_IB_202205 03_15_59_SS_ Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0007245	M22- My0007246	M22- My0007247	M22- My0007248
Date Sampled			Mar 05, 2022	Mar 05, 2022	Mar 05, 2022	Mar 05, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	6.4	6.4	6.4	6.4
pH (off)	0.1	pH Units	8.8	9.3	8.8	8.8
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	0.02	0.02	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01

Client Sample ID			SX_IB_202205 03_08_04_SS_ Primary_EUF	SX_IB_202205 03_12_15_SS_ Primary_EUF	SX_IB_202205 03_15_59_SS_ Primary_EUF	SX_IB_202205 03_15_59_SS_ Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0007245	M22- My0007246	M22- My0007247	M22- My0007248
Date Sampled			Mar 05, 2022	Mar 05, 2022	Mar 05, 2022	Mar 05, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	104	83	116	128
13C5-PFPeA (surr.)	1	%	101	83	86	77
13C5-PFHxA (surr.)	1	%	100	87	66	57
13C4-PFHpA (surr.)	1	%	107	97	79	94
13C8-PFOA (surr.)	1	%	51	57	92	122
13C5-PFNA (surr.)	1	%	92	95	70	89
13C6-PFDA (surr.)	1	%	116	133	58	91
13C2-PFUnDA (surr.)	1	%	124	132	45	53
13C2-PFDoDA (surr.)	1	%	106	110	26	34
13C2-PFTeDA (surr.)	1	%	104	119	16	25
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	139	147	60	86
D3-N-MeFOSA (surr.)	1	%	102	117	39	99
D5-N-EtFOSA (surr.)	1	%	105	122	32	57
D7-N-MeFOSE (surr.)	1	%	94	87	16	33
D9-N-EtFOSE (surr.)	1	%	99	94	43	44
D5-N-EtFOSAA (surr.)	1	%	36	60	61	82
D3-N-MeFOSAA (surr.)	1	%	64	95	78	75
Perfluoroalkyl sulfonic acids (PFSA)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	74	73	108	101
18O2-PFHxS (surr.)	1	%	120	123	105	116
13C8-PFOS (surr.)	1	%	103	92	71	102

Client Sample ID			SX_IB_202205_03_08_04_SS_Primary_EUF	SX_IB_202205_03_12_15_SS_Primary_EUF	SX_IB_202205_03_12_19_SS_Primary_EUF	SX_IB_202205_03_15_59_SS_Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22-My0007245	M22-My0007246	M22-My0007247	M22-My0007248
Date Sampled			Mar 05, 2022	Mar 05, 2022	Mar 05, 2022	Mar 05, 2022
Test/Reference	LOR	Unit				
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	88	107	164	165
13C2-6:2 FTSA (surr.)	1	%	67	57	129	159
13C2-8:2 FTSA (surr.)	1	%	110	117	50	79
13C2-10:2 FTSA (surr.)	1	%	79	80	56	54
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202205_03_16_00_SS_Duplicate_EUF	SX_IB_202205_03_19_54_SS_Primary_EUF	SX_IB_202205_03_20_05_SS_Primary_EUF	SX_IB_202205_03_20_06_SS_Duplicate_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22-My0007249	M22-My0007250	M22-My0007251	M22-My0007252
Date Sampled			Mar 05, 2022	Mar 05, 2022	Mar 05, 2022	Mar 05, 2022
Test/Reference	LOR	Unit				
AUS Leaching Procedure						
Leachate Fluid ^{C01}		comment	4.0	4.0	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	6.4	6.4	6.4	6.4
pH (off)	0.1	pH Units	9.0	8.7	9.3	9.4
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	97	80	99	115
13C5-PFPeA (surr.)	1	%	69	67	68	82

Client Sample ID			SX_IB_202205 03_16_00_SS Duplicate_EUF	SX_OB_20220 503_19_54_SS Primary_EUF	SX_IB_202205 03_20_05_SS Primary_EUF	SX_IB_202205 03_20_06_SS Duplicate_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0007249	M22- My0007250	M22- My0007251	M22- My0007252
Date Sampled			Mar 05, 2022	Mar 05, 2022	Mar 05, 2022	Mar 05, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl carboxylic acids (PFCAs)						
13C5-PFHxA (surr.)	1	%	66	69	64	51
13C4-PFHpA (surr.)	1	%	83	62	68	85
13C8-PFOA (surr.)	1	%	96	74	72	91
13C5-PFNA (surr.)	1	%	76	67	60	82
13C6-PFDA (surr.)	1	%	67	56	58	61
13C2-PFUnDA (surr.)	1	%	44	44	28	41
13C2-PFDoDA (surr.)	1	%	32	31	14	31
13C2-PFTeDA (surr.)	1	%	15	17	14	19
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	67	55	53	76
D3-N-MeFOSA (surr.)	1	%	40	26	111	130
D5-N-EtFOSA (surr.)	1	%	24	21	48	55
D7-N-MeFOSE (surr.)	1	%	13	29	12	51
D9-N-EtFOSE (surr.)	1	%	40	38	24	42
D5-N-EtFOSAA (surr.)	1	%	84	94	44	66
D3-N-MeFOSAA (surr.)	1	%	67	57	46	65
Perfluoroalkyl sulfonic acids (PFSA)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	98	100	81	109
18O2-PFHxS (surr.)	1	%	103	104	80	113
13C8-PFOS (surr.)	1	%	81	83	60	88
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01

Client Sample ID			SX_IB_202205 03_16_00_SS Duplicate_EUF	SX_OB_20220 503_19_54_SS Primary_EUF	SX_IB_202205 03_20_05_SS Primary_EUF	SX_IB_202205 03_20_06_SS Duplicate_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0007249	M22- My0007250	M22- My0007251	M22- My0007252
Date Sampled			Mar 05, 2022	Mar 05, 2022	Mar 05, 2022	Mar 05, 2022
Test/Reference	LOR	Unit				
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
13C2-4:2 FTSA (surr.)	1	%	155	124	144	157
13C2-6:2 FTSA (surr.)	1	%	146	102	113	111
13C2-8:2 FTSA (surr.)	1	%	52	52	41	60
13C2-10:2 FTSA (surr.)	1	%	60	70	22	69
PFASs Summations						
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202205 04_00_07_SS Primary_EUF	SX_IB_202205 04_04_14_SS Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0007253	M22- My0007254
Date Sampled			Apr 05, 2022	Apr 05, 2022
Test/Reference	LOR	Unit		
AUS Leaching Procedure				
Leachate Fluid ^{C01}		comment	4.0	4.0
pH (initial)	0.1	pH Units	N/A	N/A
pH (Leachate fluid)	0.1	pH Units	6.4	6.4
pH (off)	0.1	pH Units	9.4	9.4
Perfluoroalkyl carboxylic acids (PFCAs)				
Perfluorobutanoic acid (PFBA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	119	112
13C5-PFPeA (surr.)	1	%	91	75
13C5-PFHxA (surr.)	1	%	62	74
13C4-PFHpA (surr.)	1	%	82	79
13C8-PFOA (surr.)	1	%	81	105
13C5-PFNA (surr.)	1	%	67	82
13C6-PFDA (surr.)	1	%	66	67
13C2-PFUnDA (surr.)	1	%	56	47
13C2-PFDoDA (surr.)	1	%	53	36
13C2-PFTeDA (surr.)	1	%	32	52

Client Sample ID			SX_IB_202205 04_00_07_SS_ Primary_EUF	SX_IB_202205 04_04_14_SS_ Primary_EUF
Sample Matrix			AUS Leachate - Reagent Water	AUS Leachate - Reagent Water
Eurofins Sample No.			M22- My0007253	M22- My0007254
Date Sampled			Apr 05, 2022	Apr 05, 2022
Test/Reference	LOR	Unit		
Perfluoroalkyl sulfonamido substances				
Perfluorooctane sulfonamide (FOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	0.05	ug/L	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	70	67
D3-N-MeFOSA (surr.)	1	%	64	63
D5-N-EtFOSA (surr.)	1	%	26	40
D7-N-MeFOSE (surr.)	1	%	55	17
D9-N-EtFOSE (surr.)	1	%	66	34
D5-N-EtFOSAA (surr.)	1	%	83	73
D3-N-MeFOSAA (surr.)	1	%	79	67
Perfluoroalkyl sulfonic acids (PFSA)				
Perfluorobutanesulfonic acid (PFBS) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorononanesulfonic acid (PFNS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) ^{N11}	0.01	ug/L	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) ^{N15}	0.01	ug/L	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	103	102
18O2-PFHxS (surr.)	1	%	91	98
13C8-PFOS (surr.)	1	%	77	75
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	0.05	ug/L	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	0.01	ug/L	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	177	165
13C2-6:2 FTSA (surr.)	1	%	109	161
13C2-8:2 FTSA (surr.)	1	%	58	44
13C2-10:2 FTSA (surr.)	1	%	112	63
PFASs Summations				
Sum (PFHxS + PFOS)*	0.01	ug/L	< 0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05
Sum of PFASs (n=30)*	0.1	ug/L	< 0.1	< 0.1

Sample History

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
AUS Leaching Procedure			
pH (initial) - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Melbourne	May 04, 2022	0 Days
pH (Leachate fluid) - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Melbourne	May 04, 2022	0 Days
pH (off) - Method: LTM-GEN-7010 Leaching Procedure for Soils & Solid Wastes	Melbourne	May 04, 2022	0 Days
Per- and Polyfluoroalkyl Substances (PFASs)			
Perfluoroalkyl carboxylic acids (PFCAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 04, 2022	28 Days
Perfluoroalkyl sulfonamido substances - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 04, 2022	28 Days
Perfluoroalkyl sulfonic acids (PFASs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 04, 2022	28 Days
n:2 Fluorotelomer sulfonic acids (n:2 FTSAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 04, 2022	28 Days
PFASs Summations - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 04, 2022	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 4, 2022 12:00 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884937	Due:	May 11, 2022
Project Name:	20220504045330-Eurofin-12	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	SX_IB_20220503_07_59_SS_Triplicate_EUF	Mar 05, 2022	7:59AM	Soil	M22-My0007222		X	X	X
2	SX_IB_20220503_08_04_SS_Primary_EUF	Mar 05, 2022	8:04AM	Soil	M22-My0007223		X	X	X
3	SX_IB_20220503_12_15_SS_Primary_EUF	Mar 05, 2022	12:15PM	Soil	M22-My0007224		X	X	X
4	SX_OB_20220503_12_19_S	Mar 05, 2022	12:19PM	Soil	M22-My0007225		X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 4, 2022 12:00 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884937	Due:	May 11, 2022
Project Name:	20220504045330-Eurofin-12	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	S_Primary_EU F								
5	SX_IB_202205 03_15_59_SS _Primary_EUF	Mar 05, 2022	3:59PM	Soil	M22- My0007226		X	X	X
6	SX_IB_202205 03_16_00_SS _Duplicate_EU F	Mar 05, 2022	4:00PM	Soil	M22- My0007227		X	X	X
7	SX_OB_20220 503_19_54_S S_Primary_EU F	Mar 05, 2022	7:54PM	Soil	M22- My0007228		X	X	X
8	SX_IB_202205	Mar 05, 2022	8:05PM	Soil	M22-		X	X	X

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220504045330-Eurofin-12
Project ID: JC0927

Order No.:
Report #: 884937
Phone: 08 8338 1009
Fax:

Received: May 4, 2022 12:00 PM
Due: May 11, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
8	SX_IB_20220503_20_05_SS_Primary_EUF	Mar 05, 2022	8:05PM	Soil	M22-My0007229				
9	SX_IB_20220503_20_06_SS_Duplicate_EUF	Mar 05, 2022	8:06PM	Soil	M22-My0007230		X	X	X
10	SX_IB_20220504_00_07_SS_Primary_EUF	Apr 05, 2022	12:07AM	Soil	M22-My0007231		X	X	X
11	SX_IB_20220504_04_14_SS_Primary_EUF	Apr 05, 2022	4:14AM	Soil	M22-My0007232		X	X	X
12	SX_IB_202205	Mar 05, 2022	7:59AM	AUS Leachate	M22-	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 4, 2022 12:00 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884937	Due:	May 11, 2022
Project Name:	20220504045330-Eurofin-12	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	03_07_59_SS _TriPLICATE_EU _F			- pH 5.0	My0007233				
13	SX_IB_202205 03_08_04_SS _Primary_EUF	Mar 05, 2022	8:04AM	AUS Leachate - pH 5.0	M22- My0007234	X		X	
14	SX_IB_202205 03_12_15_SS _Primary_EUF	Mar 05, 2022	12:15PM	AUS Leachate - pH 5.0	M22- My0007235	X		X	
15	SX_OB_20220 503_12_19_S S_Primary_EU F	Mar 05, 2022	12:19PM	AUS Leachate - pH 5.0	M22- My0007236	X		X	
16	SX_IB_202205	Mar 05, 2022	3:59PM	AUS Leachate	M22-	X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220504045330-Eurofin-12
Project ID: JC0927

Order No.:
Report #: 884937
Phone: 08 8338 1009
Fax:

Received: May 4, 2022 12:00 PM
Due: May 11, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
16	SX_IB_20220503_15_59_SS_Primary_EUF	Mar 05, 2022	3:59PM	AUS Leachate - pH 5.0	M22-My0007237				
17	SX_IB_20220503_16_00_SS_Duplicate_EUF	Mar 05, 2022	4:00PM	AUS Leachate - pH 5.0	M22-My0007238	X		X	
18	SX_OB_20220503_19_54_SS_Primary_EUF	Mar 05, 2022	7:54PM	AUS Leachate - pH 5.0	M22-My0007239	X		X	
19	SX_IB_20220503_20_05_SS_Primary_EUF	Mar 05, 2022	8:05PM	AUS Leachate - pH 5.0	M22-My0007240	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 4, 2022 12:00 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884937	Due:	May 11, 2022
Project Name:	20220504045330-Eurofin-12	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
20	SX_IB_20220503_20_06_SS_Duplicate_EU_F	Mar 05, 2022	8:06PM	AUS Leachate - pH 5.0	M22-My0007241	X		X	
21	SX_IB_20220504_00_07_SS_Primary_EUF	Apr 05, 2022	12:07AM	AUS Leachate - pH 5.0	M22-My0007242	X		X	
22	SX_IB_20220504_04_14_SS_Primary_EUF	Apr 05, 2022	4:14AM	AUS Leachate - pH 5.0	M22-My0007243	X		X	
23	SX_IB_20220503_07_59_SS_Triplicate_EU_F	Mar 05, 2022	7:59AM	AUS Leachate - Reagent Water	M22-My0007244	X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220504045330-Eurofin-12
Project ID: JC0927

Order No.:
Report #: 884937
Phone: 08 8338 1009
Fax:

Received: May 4, 2022 12:00 PM
Due: May 11, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
24	SX_IB_20220503_08_04_SS_Primary_EUF	Mar 05, 2022	8:04AM	AUS Leachate - Reagent Water	M22-My0007245	X		X	
25	SX_IB_20220503_12_15_SS_Primary_EUF	Mar 05, 2022	12:15PM	AUS Leachate - Reagent Water	M22-My0007246	X		X	
26	SX_OB_20220503_12_19_S_S_Primary_EUF	Mar 05, 2022	12:19PM	AUS Leachate - Reagent Water	M22-My0007247	X		X	
27	SX_IB_20220503_15_59_SS_Primary_EUF	Mar 05, 2022	3:59PM	AUS Leachate - Reagent Water	M22-My0007248	X		X	
28	SX_IB_202205	Mar 05, 2022	4:00PM	AUS Leachate	M22-	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 4, 2022 12:00 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884937	Due:	May 11, 2022
Project Name:	20220504045330-Eurofin-12	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	03_16_00_SS_Duplicate_EU_F			- Reagent Water	My0007249				
29	SX_OB_20220503_19_54_SS_Primary_EU_F	Mar 05, 2022	7:54PM	AUS Leachate - Reagent Water	M22-My0007250	X		X	
30	SX_IB_20220503_20_05_SS_Primary_EUF	Mar 05, 2022	8:05PM	AUS Leachate - Reagent Water	M22-My0007251	X		X	
31	SX_IB_20220503_20_06_SS_Duplicate_EU_F	Mar 05, 2022	8:06PM	AUS Leachate - Reagent Water	M22-My0007252	X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220504045330-Eurofin-12
Project ID: JC0927

Order No.:
Report #: 884937
Phone: 08 8338 1009
Fax:

Received: May 4, 2022 12:00 PM
Due: May 11, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
32	SX_IB_20220504_00_07_SS_Primary_EUF	Apr 05, 2022	12:07AM	AUS Leachate - Reagent Water	M22-My0007253	X		X	
33	SX_IB_20220504_04_14_SS_Primary_EUF	Apr 05, 2022	4:14AM	AUS Leachate - Reagent Water	M22-My0007254	X		X	
Test Counts						22	11	33	11

Internal Quality Control Review and Glossary

General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer that may have an impact on the results.
- This report replaces any interim results previously issued.

Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

Units

mg/kg: milligrams per kilogram	mg/L: milligrams per litre	µg/L: micrograms per litre
ppm: parts per million	ppb: parts per billion	%: Percentage
org/100 mL: Organisms per 100 millilitres	NTU: Nephelometric Turbidity Units	MPN/100 mL: Most Probable Number of organisms per 100 millilitres

Terms

APHA	American Public Health Association
COC	Chain of Custody
CP	Client Parent - QC was performed on samples pertaining to this report
CRM	Certified Reference Material (ISO17034) - reported as percent recovery.
Dry	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
Duplicate	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
LOR	Limit of Reporting.
LCS	Laboratory Control Sample - reported as percent recovery.
Method Blank	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
NCP	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
RPD	Relative Percent Difference between two Duplicate pieces of analysis.
SPIKE	Addition of the analyte to the sample and reported as percentage recovery.
SRA	Sample Receipt Advice
Surr - Surrogate	The addition of a like compound to the analyte target and reported as percentage recovery.
TBTO	Tributyltin oxide (<i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment however free tributyltin was measured and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits.
TCLP	Toxicity Characteristic Leaching Procedure
TEQ	Toxic Equivalency Quotient or Total Equivalence
QSM	US Department of Defense Quality Systems Manual Version 5.4
US EPA	United States Environmental Protection Agency
WA DWER	Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

QC - Acceptance Criteria

The acceptance criteria should be used as a guide only and may be different when site specific Sampling Analysis and Quality Plan (SAQP) have been implemented

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR: No Limit

Results between 10-20 times the LOR: RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

NOTE: pH duplicates are reported as a range not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.4 where no positive PFAS results have been reported have been reviewed and no data was affected.

QC Data General Comments

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery the term "INT" appears against that analyte.
- For Matrix Spikes and LCS results a dash "-" in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

Quality Control Results

Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Method Blank						
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA)	ug/L	< 0.05		0.05	Pass	
Perfluoropentanoic acid (PFPeA)	ug/L	< 0.01		0.01	Pass	
Perfluorohexanoic acid (PFHxA)	ug/L	< 0.01		0.01	Pass	
Perfluoroheptanoic acid (PFHpA)	ug/L	< 0.01		0.01	Pass	
Perfluorooctanoic acid (PFOA)	ug/L	< 0.01		0.01	Pass	
Perfluorononanoic acid (PFNA)	ug/L	< 0.01		0.01	Pass	
Perfluorodecanoic acid (PFDA)	ug/L	< 0.01		0.01	Pass	
Perfluoroundecanoic acid (PFUnDA)	ug/L	< 0.01		0.01	Pass	
Perfluorododecanoic acid (PFDoDA)	ug/L	< 0.01		0.01	Pass	
Perfluorotridecanoic acid (PFTTrDA)	ug/L	< 0.01		0.01	Pass	
Perfluorotetradecanoic acid (PFTeDA)	ug/L	< 0.01		0.01	Pass	
Method Blank						
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA)	ug/L	< 0.05		0.05	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	ug/L	< 0.05		0.05	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	ug/L	< 0.05		0.05	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	ug/L	< 0.05		0.05	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	ug/L	< 0.05		0.05	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	ug/L	< 0.05		0.05	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	ug/L	< 0.05		0.05	Pass	
Method Blank						
Perfluoroalkyl sulfonic acids (PFASs)						
Perfluorobutanesulfonic acid (PFBS)	ug/L	< 0.01		0.01	Pass	
Perfluorononanesulfonic acid (PFNS)	ug/L	< 0.01		0.01	Pass	
Perfluoropropanesulfonic acid (PFPrS)	ug/L	< 0.01		0.01	Pass	
Perfluoropentanesulfonic acid (PFPeS)	ug/L	< 0.01		0.01	Pass	
Perfluorohexanesulfonic acid (PFHxS)	ug/L	< 0.01		0.01	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	ug/L	< 0.01		0.01	Pass	
Perfluorooctanesulfonic acid (PFOS)	ug/L	< 0.01		0.01	Pass	
Perfluorodecanesulfonic acid (PFDS)	ug/L	< 0.01		0.01	Pass	
Method Blank						
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	ug/L	< 0.01		0.01	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	ug/L	< 0.05		0.05	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	ug/L	< 0.01		0.01	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	ug/L	< 0.01		0.01	Pass	
LCS - % Recovery						
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA)	%	84		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	126		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	106		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	120		50-150	Pass	
Perfluorooctanoic acid (PFOA)	%	121		50-150	Pass	
Perfluorononanoic acid (PFNA)	%	114		50-150	Pass	
Perfluorodecanoic acid (PFDA)	%	115		50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	%	124		50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	%	112		50-150	Pass	
Perfluorotridecanoic acid (PFTTrDA)	%	92		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	%	124		50-150	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code		
LCS - % Recovery									
Perfluoroalkyl sulfonamido substances									
Perfluorooctane sulfonamide (FOSA)	%	87			50-150	Pass			
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	%	135			50-150	Pass			
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	%	121			50-150	Pass			
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	%	96			50-150	Pass			
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	%	104			50-150	Pass			
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	%	73			50-150	Pass			
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	%	136			50-150	Pass			
LCS - % Recovery									
Perfluoroalkyl sulfonic acids (PFSA)									
Perfluorobutanesulfonic acid (PFBS)	%	91			50-150	Pass			
Perfluorononanesulfonic acid (PFNS)	%	119			50-150	Pass			
Perfluoropropanesulfonic acid (PFPrS)	%	116			50-150	Pass			
Perfluoropentanesulfonic acid (PFPeS)	%	108			50-150	Pass			
Perfluorohexanesulfonic acid (PFHxS)	%	102			50-150	Pass			
Perfluoroheptanesulfonic acid (PFHpS)	%	91			50-150	Pass			
Perfluorooctanesulfonic acid (PFOS)	%	118			50-150	Pass			
Perfluorodecanesulfonic acid (PFDS)	%	118			50-150	Pass			
LCS - % Recovery									
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)									
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	%	102			50-150	Pass			
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	%	106			50-150	Pass			
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	%	112			50-150	Pass			
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	%	112			50-150	Pass			
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Duplicate									
Perfluoroalkyl carboxylic acids (PFCAs)									
				Result 1	Result 2	RPD			
Perfluorobutanoic acid (PFBA)	M22-My0007233	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
Perfluoropentanoic acid (PFPeA)	M22-My0007233	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorohexanoic acid (PFHxA)	M22-My0007233	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluoroheptanoic acid (PFHpA)	M22-My0007233	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorooctanoic acid (PFOA)	M22-My0007233	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorononanoic acid (PFNA)	M22-My0007233	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorodecanoic acid (PFDA)	M22-My0007233	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluoroundecanoic acid (PFUnDA)	M22-My0007233	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorododecanoic acid (PFDoDA)	M22-My0007233	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorotridecanoic acid (PFTrDA)	M22-My0007233	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorotetradecanoic acid (PFTeDA)	M22-My0007233	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Duplicate									
Perfluoroalkyl sulfonamido substances									
				Result 1	Result 2	RPD			
Perfluorooctane sulfonamide (FOSA)	M22-My0007233	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0007233	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0007233	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0007233	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0007233	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass	

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0007233	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0007233	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA's)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-My0007233	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-My0007233	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-My0007233	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-My0007233	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-My0007233	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0007233	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-My0007233	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-My0007233	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA's)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0007233	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0007233	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0007233	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0007233	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
Perfluoroalkyl carboxylic acids (PFCA's)				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-My0007243	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-My0007243	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-My0007243	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-My0007243	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-My0007243	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-My0007243	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-My0007243	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-My0007243	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotridecanoic acid (PFTrDA)	M22-My0007243	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-My0007243	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-My0007243	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0007243	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0007243	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0007243	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0007243	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0007243	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0007243	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-My0007243	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-My0007243	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-My0007243	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-My0007243	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-My0007243	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0007243	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-My0007243	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-My0007243	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0007243	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0007243	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0007243	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0007243	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
Perfluoroalkyl carboxylic acids (PFCA)				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-My0007245	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-My0007245	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-My0007245	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-My0007245	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-My0007245	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-My0007245	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-My0007245	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-My0007245	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotridecanoic acid (PFTrDA)	M22-My0007245	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-My0007245	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-My0007245	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0007245	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0007245	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0007245	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0007245	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0007245	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0007245	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-My0007245	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-My0007245	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-My0007245	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-My0007245	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-My0007245	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0007245	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-My0007245	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-My0007245	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0007245	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0007245	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0007245	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0007245	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
Perfluoroalkyl carboxylic acids (PFCA)				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-My0007253	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-My0007253	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-My0007253	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-My0007253	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-My0007253	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-My0007253	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-My0007253	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-My0007253	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-My0007253	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotridecanoic acid (PFTrDA)	M22-My0007253	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-My0007253	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-My0007253	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0007253	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0007253	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0007253	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0007253	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0007253	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0007253	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-My0007253	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-My0007253	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-My0007253	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-My0007253	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-My0007253	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0007253	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-My0007253	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-My0007253	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0007253	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0007253	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0007253	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0007253	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
Perfluoroalkyl carboxylic acids (PFCA)				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-My0007254	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-My0007254	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-My0007254	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-My0007254	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-My0007254	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-My0007254	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-My0007254	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-My0007254	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-My0007254	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotridecanoic acid (PFTTrDA)	M22-My0007254	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-My0007254	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-My0007254	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0007254	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0007254	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0007254	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0007254	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0007254	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0007254	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-My0007254	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-My0007254	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-My0007254	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-My0007254	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-My0007254	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0007254	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-My0007254	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-My0007254	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0007254	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0007254	CP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0007254	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0007254	CP	ug/L	< 0.01	< 0.01	<1	30%	Pass

Comments
Sample Integrity

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	No
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

Qualifier Codes/Comments

Code	Description
C01	Leachate Fluid Key: 1 - pH 5.0; 2 - pH 2.9; 3 - pH 9.2; 4 - Reagent (DI) water; 5 - Client sample, 6 - other
N11	Isotope dilution is used for calibration of each native compound for which an exact labelled analogue is available (Isotope Dilution Quantitation). The isotopically labelled analogues allow identification and recovery correction of the concentration of the associated native PFAS compounds.
N15	Where the native PFAS compound does not have labelled analogue then the quantification is made using the Extracted Internal Standard Analyte with the closest retention time to the analyte and no recovery correction has been made (Internal Standard Quantitation).

Authorised by:

Catherine Wilson	Analytical Services Manager
Mary Makarios	Senior Analyst (VIC)
Joseph Edouard	Senior Analyst (VIC)



Glenn Jackson
General Manager

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Agon Environmental Pty Ltd - VIC
3/224 Glen Osmond Road
Fullarton
SA 5063



NATA Accredited
Accreditation Number 1261
Site Number 1254

Accredited for compliance with ISO/IEC 17025 – Testing
NATA is a signatory to the ILAC Mutual Recognition
Arrangement for the mutual recognition of the
equivalence of testing, medical testing, calibration,
inspection, proficiency testing scheme providers and
reference materials producers reports and certificates.

Attention: **Agon Lab Reports (Spoil Project)**

Report **884937-S**
Project name **20220504045330-Eurofin-12**
Project ID **JC0927**
Received Date **May 04, 2022**

Client Sample ID			SX_IB_202205 03_07_59_SS TriPLICATE_EUF	SX_IB_202205 03_08_04_SS Primary_EUF	SX_IB_202205 03_12_15_SS Primary_EUF	SX_OB_20220 503_12_19_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0007222	M22- My0007223	M22- My0007224	M22- My0007225
Date Sampled			Mar 05, 2022	Mar 05, 2022	Mar 05, 2022	Mar 05, 2022
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
Naphthalene ^{N02}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) ^{N04}	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) ^{N01}	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
Volatile Organics						
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Volatile Organics						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_IB_202205 03_07_59_SS TriPLICATE_EUF	SX_IB_202205 03_08_04_SS Primary_EUF	SX_IB_202205 03_12_15_SS Primary_EUF	SX_OB_20220 503_12_19_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0007222	M22- My0007223	M22- My0007224	M22- My0007225
Date Sampled			Mar 05, 2022	Mar 05, 2022	Mar 05, 2022	Mar 05, 2022
Test/Reference	LOR	Unit				
Volatile Organics						
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1,2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1,3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1,2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1,3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	97	142	121	97
Toluene-d8 (surr.)	1	%	149	129	97	81
Polycyclic Aromatic Hydrocarbons						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_IB_202205 03_07_59_SS TriPLICATE_EUF	SX_IB_202205 03_08_04_SS Primary_EUF	SX_IB_202205 03_12_15_SS Primary_EUF	SX_OB_20220 503_12_19_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0007222	M22- My0007223	M22- My0007224	M22- My0007225
Date Sampled			Mar 05, 2022	Mar 05, 2022	Mar 05, 2022	Mar 05, 2022
Test/Reference	LOR	Unit				
Polycyclic Aromatic Hydrocarbons						
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1,2,3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	128	123	118	132
p-Terphenyl-d14 (surr.)	1	%	101	95	96	97
Organochlorine Pesticides						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	96	117	117	96
Tetrachloro-m-xylene (surr.)	1	%	96	85	109	139

Client Sample ID			SX_IB_202205 03_07_59_SS TriPLICATE_EUF	SX_IB_202205 03_08_04_SS Primary_EUF	SX_IB_202205 03_12_15_SS Primary_EUF	SX_OB_20220 503_12_19_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0007222	M22- My0007223	M22- My0007224	M22- My0007225
Date Sampled			Mar 05, 2022	Mar 05, 2022	Mar 05, 2022	Mar 05, 2022
Test/Reference	LOR	Unit				
Polychlorinated Biphenyls						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	96	117	117	96
Tetrachloro-m-xylene (surr.)	1	%	96	85	109	139
Phenols (Halogenated)						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1
Phenols (non-Halogenated)						
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	114	98	106	65
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20
Chromium (hexavalent)						
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1	< 1
Cyanide (total)						
Cyanide (total)	5	mg/kg	< 5	< 5	< 5	< 5
Fluoride (Total)						
Fluoride (Total)	100	mg/kg	< 100	< 100	< 100	< 100
pH (1:5 Aqueous extract at 25°C as rec.)						
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	9.7	8.5	9.7	8.4
% Moisture						
% Moisture	1	%	31	29	34	32
Heavy Metals						
Arsenic	2	mg/kg	25	50	38	31
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	130	170	150	190
Copper	5	mg/kg	62	90	78	110
Lead	5	mg/kg	5.6	5.6	6.4	< 5
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202205 03_07_59_SS Triuplicate_EUF	SX_IB_202205 03_08_04_SS Primary_EUF	SX_IB_202205 03_12_15_SS Primary_EUF	SX_OB_20220 503_12_19_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0007222	M22- My0007223	M22- My0007224	M22- My0007225
Date Sampled			Mar 05, 2022	Mar 05, 2022	Mar 05, 2022	Mar 05, 2022
Test/Reference	LOR	Unit				
Heavy Metals						
Molybdenum	5	mg/kg	< 5	< 5	< 5	< 5
Nickel	5	mg/kg	200	280	200	320
Selenium	2	mg/kg	< 2	< 2	< 2	< 2
Silver	2	mg/kg	< 2	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10	< 10
Zinc	5	mg/kg	150	190	160	190
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTeDA) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	92	93	90	93
13C5-PFPeA (surr.)	1	%	95	93	90	95
13C5-PFHxA (surr.)	1	%	85	82	80	82
13C4-PFHpA (surr.)	1	%	75	78	84	78
13C8-PFOA (surr.)	1	%	81	63	64	91
13C5-PFNA (surr.)	1	%	47	55	39	45
13C6-PFDA (surr.)	1	%	72	92	61	69
13C2-PFUnDA (surr.)	1	%	87	88	72	72
13C2-PFDoDA (surr.)	1	%	86	93	107	99
13C2-PFTeDA (surr.)	1	%	81	76	80	85
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	90	98	98	95
D3-N-MeFOSA (surr.)	1	%	85	95	95	86
D5-N-EtFOSA (surr.)	1	%	111	117	113	115
D7-N-MeFOSE (surr.)	1	%	89	76	101	110
D9-N-EtFOSE (surr.)	1	%	101	105	98	112
D5-N-EtFOSAA (surr.)	1	%	136	118	150	109
D3-N-MeFOSAA (surr.)	1	%	86	148	119	95

Client Sample ID			SX_IB_202205 03_07_59_SS TriPLICATE_EUF	SX_IB_202205 03_08_04_SS Primary_EUF	SX_IB_202205 03_12_15_SS Primary_EUF	SX_OB_20220 503_12_19_SS _Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0007222	M22- My0007223	M22- My0007224	M22- My0007225
Date Sampled			Mar 05, 2022	Mar 05, 2022	Mar 05, 2022	Mar 05, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl sulfonic acids (PFASs)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	79	77	77	78
18O2-PFHxS (surr.)	1	%	87	94	83	71
13C8-PFOS (surr.)	1	%	65	68	67	69
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	61	62	63	57
13C2-6:2 FTSA (surr.)	1	%	59	55	59	64
13C2-8:2 FTSA (surr.)	1	%	56	65	59	57
13C2-10:2 FTSA (surr.)	1	%	72	90	90	85
PFASs Summations						
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50	< 50

Client Sample ID			SX_IB_202205 03_15_59_SS Primary_EUF	SX_IB_202205 03_16_00_SS Duplicate_EUF	SX_OB_20220 503_19_54_SS _Primary_EUF	SX_IB_202205 03_20_05_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0007226	M22- My0007227	M22- My0007228	M22- My0007229
Date Sampled			Mar 05, 2022	Mar 05, 2022	Mar 05, 2022	Mar 05, 2022
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
Naphthalene ^{N02}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) ^{N04}	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50

Client Sample ID			SX_IB_202205 03_15_59_SS_ Primary_EUF	SX_IB_202205 03_16_00_SS_ Duplicate_EUF	SX_OB_20220 503_19_54_SS_ Primary_EUF	SX_IB_202205 03_20_05_SS_ Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0007226	M22- My0007227	M22- My0007228	M22- My0007229
Date Sampled			Mar 05, 2022	Mar 05, 2022	Mar 05, 2022	Mar 05, 2022
Test/Reference	LOR	Unit				
Total Recoverable Hydrocarbons						
TRH >C10-C16 less Naphthalene (F2) ^{N01}	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
Volatile Organics						
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Volatile Organics						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202205 03_15_59_SS Primary_EUF	SX_IB_202205 03_16_00_SS Duplicate_EUF	SX_IB_202205 03_19_54_SS Primary_EUF	SX_IB_202205 03_20_05_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0007226	M22- My0007227	M22- My0007228	M22- My0007229
Date Sampled			Mar 05, 2022	Mar 05, 2022	Mar 05, 2022	Mar 05, 2022
Test/Reference	LOR	Unit				
Volatile Organics						
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
trans-1,2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
trans-1,3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	112	107	93	85
Toluene-d8 (surr.)	1	%	89	85	79	71
Polycyclic Aromatic Hydrocarbons						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1,2,3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	107	134	107	105
p-Terphenyl-d14 (surr.)	1	%	70	116	95	120
Organochlorine Pesticides						
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05

Client Sample ID			SX_IB_202205 03_15_59_SS_ Primary_EUF	SX_IB_202205 03_16_00_SS_ Duplicate_EUF	SX_IB_202205 03_19_54_SS_ Primary_EUF	SX_IB_202205 03_20_05_SS_ Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0007226	M22- My0007227	M22- My0007228	M22- My0007229
Date Sampled			Mar 05, 2022	Mar 05, 2022	Mar 05, 2022	Mar 05, 2022
Test/Reference	LOR	Unit				
Organochlorine Pesticides						
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	75	78	109	130
Tetrachloro-m-xylene (surr.)	1	%	108	149	124	132
Polychlorinated Biphenyls						
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	75	78	109	130
Tetrachloro-m-xylene (surr.)	1	%	108	149	124	132
Phenols (Halogenated)						
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1	< 1

Client Sample ID			SX_IB_202205 03_15_59_SS_ Primary_EUF	SX_IB_202205 03_16_00_SS_ Duplicate_EUF	SX_IB_202205 03_19_54_SS_ Primary_EUF	SX_IB_202205 03_20_05_SS_ Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0007226	M22- My0007227	M22- My0007228	M22- My0007229
Date Sampled			Mar 05, 2022	Mar 05, 2022	Mar 05, 2022	Mar 05, 2022
Test/Reference	LOR	Unit				
Phenols (non-Halogenated)						
2-Cyclohexyl-4.6-dinitrophenol	20	mg/kg	< 20	< 20	< 20	< 20
2-Methyl-4.6-dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1	< 1
2.4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2.4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	95	91	77	88
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20	< 20
Chromium (hexavalent)						
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1	< 1
Cyanide (total)						
Cyanide (total)	5	mg/kg	< 5	< 5	< 5	< 5
Fluoride (Total)						
Fluoride (Total)	100	mg/kg	830	< 100	< 100	< 100
pH (1:5 Aqueous extract at 25°C as rec.)						
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	8.7	9.0	8.0	9.7
% Moisture						
% Moisture	1	%	33	32	30	35
Heavy Metals						
Arsenic	2	mg/kg	45	46	28	37
Cadmium	0.4	mg/kg	< 0.4	< 0.4	0.5	< 0.4
Chromium	5	mg/kg	140	150	190	130
Copper	5	mg/kg	67	75	110	80
Lead	5	mg/kg	6.5	6.5	< 5	7.2
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Molybdenum	5	mg/kg	< 5	< 5	5.1	< 5
Nickel	5	mg/kg	190	200	340	200
Selenium	2	mg/kg	< 2	< 2	< 2	< 2
Silver	2	mg/kg	< 2	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10	< 10
Zinc	5	mg/kg	130	130	210	160
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTTrDA) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	91	96	90	86
13C5-PFPeA (surr.)	1	%	94	97	91	84
13C5-PFHxA (surr.)	1	%	82	85	80	75

Client Sample ID			SX_IB_202205 03_15_59_SS_ Primary_EUF	SX_IB_202205 03_16_00_SS_ Duplicate_EUF	SX_IB_202205 03_19_54_SS_ Primary_EUF	SX_IB_202205 03_20_05_SS_ Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0007226	M22- My0007227	M22- My0007228	M22- My0007229
Date Sampled			Mar 05, 2022	Mar 05, 2022	Mar 05, 2022	Mar 05, 2022
Test/Reference	LOR	Unit				
Perfluoroalkyl carboxylic acids (PFCAs)						
13C4-PFHpA (surr.)	1	%	80	85	74	73
13C8-PFOA (surr.)	1	%	70	83	85	72
13C5-PFNA (surr.)	1	%	80	51	43	42
13C6-PFDA (surr.)	1	%	73	104	59	72
13C2-PFUnDA (surr.)	1	%	100	68	74	77
13C2-PFDoDA (surr.)	1	%	85	91	91	94
13C2-PFTeDA (surr.)	1	%	84	75	86	77
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	95	90	92	89
D3-N-MeFOSA (surr.)	1	%	94	86	78	81
D5-N-EtFOSA (surr.)	1	%	111	118	108	109
D7-N-MeFOSE (surr.)	1	%	98	94	90	79
D9-N-EtFOSE (surr.)	1	%	100	111	92	104
D5-N-EtFOSAA (surr.)	1	%	73	146	100	106
D3-N-MeFOSAA (surr.)	1	%	84	101	111	102
Perfluoroalkyl sulfonic acids (PFSA)						
Perfluorobutanesulfonic acid (PFBS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) ^{N15}	5	ug/kg	< 5	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	77	83	74	72
18O2-PFHxS (surr.)	1	%	68	81	70	80
13C8-PFOS (surr.)	1	%	114	64	66	60
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	10	ug/kg	< 10	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	57	60	56	58
13C2-6:2 FTSA (surr.)	1	%	52	57	63	51

Client Sample ID			SX_IB_202205 03_15_59_SS_ Primary_EUF	SX_IB_202205 03_16_00_SS_ Duplicate_EUF	SX_IB_202205 03_19_54_SS_ Primary_EUF	SX_IB_202205 03_20_05_SS_ Primary_EUF
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins Sample No.			M22- My0007226	M22- My0007227	M22- My0007228	M22- My0007229
Date Sampled			Mar 05, 2022	Mar 05, 2022	Mar 05, 2022	Mar 05, 2022
Test/Reference	LOR	Unit				
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)						
13C2-8:2 FTSA (surr.)	1	%	97	64	55	66
13C2-10:2 FTSA (surr.)	1	%	30	71	76	77
PFASs Summations						
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50	< 50

Client Sample ID			SX_IB_202205 03_20_06_SS_ Duplicate_EUF	SX_IB_202205 04_00_07_SS_ Primary_EUF	SX_IB_202205 04_04_14_SS_ Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- My0007230	M22- My0007231	M22- My0007232
Date Sampled			Mar 05, 2022	Apr 05, 2022	Apr 05, 2022
Test/Reference	LOR	Unit			
Total Recoverable Hydrocarbons					
TRH C6-C9	20	mg/kg	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50
TRH C10-C36 (Total)	50	mg/kg	< 50	< 50	< 50
Naphthalene ^{N02}	0.5	mg/kg	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) ^{N04}	20	mg/kg	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) ^{N01}	50	mg/kg	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100
Volatile Organics					
Hexachlorobutadiene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Volatile Organics					
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2.4-Trichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5

Client Sample ID			SX_IB_202205 03_20_06_SS Duplicate_EUF	SX_IB_202205 04_00_07_SS Primary_EUF	SX_IB_202205 04_04_14_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- My0007230	M22- My0007231	M22- My0007232
Date Sampled			Mar 05, 2022	Apr 05, 2022	Apr 05, 2022
Test/Reference	LOR	Unit			
Volatile Organics					
1,3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1,3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1,3,5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
1,4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
cis-1,2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
cis-1,3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1
trans-1,2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
trans-1,3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Xylenes - Total*	0.3	mg/kg	< 0.3	< 0.3	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	< 0.5
4-Bromofluorobenzene (surr.)	1	%	114	99	108
Toluene-d8 (surr.)	1	%	92	85	84

Client Sample ID			SX_IB_202205 03_20_06_SS Duplicate_EUF	SX_IB_202205 04_00_07_SS Primary_EUF	SX_IB_202205 04_04_14_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- My0007230	M22- My0007231	M22- My0007232
Date Sampled			Mar 05, 2022	Apr 05, 2022	Apr 05, 2022
Test/Reference	LOR	Unit			
Polycyclic Aromatic Hydrocarbons					
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene ^{N07}	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Indeno(1,2,3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	138	132	119
p-Terphenyl-d14 (surr.)	1	%	101	88	105
Organochlorine Pesticides					
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	< 0.05	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	< 0.05	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	< 0.05	< 0.05
a-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05
b-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05
d-HCH	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05	< 0.05
g-HCH (Lindane)	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Toxaphene	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	< 0.05	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	< 0.1	< 0.1

Client Sample ID			SX_IB_202205 03_20_06_SS Duplicate_EUF	SX_IB_202205 04_00_07_SS Primary_EUF	SX_IB_202205 04_04_14_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- My0007230	M22- My0007231	M22- My0007232
Date Sampled			Mar 05, 2022	Apr 05, 2022	Apr 05, 2022
Test/Reference	LOR	Unit			
Organochlorine Pesticides					
Dibutylchlorendate (surr.)	1	%	121	83	126
Tetrachloro-m-xylene (surr.)	1	%	140	124	103
Polychlorinated Biphenyls					
Aroclor-1016	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Dibutylchlorendate (surr.)	1	%	121	83	126
Tetrachloro-m-xylene (surr.)	1	%	140	124	103
Phenols (Halogenated)					
2-Chlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2,4-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2,4,5-Trichlorophenol	1	mg/kg	< 1	< 1	< 1
2,4,6-Trichlorophenol	1	mg/kg	< 1	< 1	< 1
2,6-Dichlorophenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5
4-Chloro-3-methylphenol	1	mg/kg	< 1	< 1	< 1
Pentachlorophenol	1	mg/kg	< 1	< 1	< 1
Tetrachlorophenols - Total	10	mg/kg	< 10	< 10	< 10
Total Halogenated Phenol*	1	mg/kg	< 1	< 1	< 1
Phenols (non-Halogenated)					
2-Cyclohexyl-4,6-dinitrophenol	20	mg/kg	< 20	< 20	< 20
2-Methyl-4,6-dinitrophenol	5	mg/kg	< 5	< 5	< 5
2-Nitrophenol	1.0	mg/kg	< 1	< 1	< 1
2,4-Dimethylphenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5
2,4-Dinitrophenol	5	mg/kg	< 5	< 5	< 5
2-Methylphenol (o-Cresol)	0.2	mg/kg	< 0.2	< 0.2	< 0.2
3&4-Methylphenol (m&p-Cresol)	0.4	mg/kg	< 0.4	< 0.4	< 0.4
Total cresols*	0.5	mg/kg	< 0.5	< 0.5	< 0.5
4-Nitrophenol	5	mg/kg	< 5	< 5	< 5
Dinoseb	20	mg/kg	< 20	< 20	< 20
Phenol	0.5	mg/kg	< 0.5	< 0.5	< 0.5
Phenol-d6 (surr.)	1	%	123	130	127
Total Non-Halogenated Phenol*	20	mg/kg	< 20	< 20	< 20
Chromium (hexavalent)					
Chromium (hexavalent)	1	mg/kg	< 1	< 1	< 1
Cyanide (total)	5	mg/kg	< 5	< 5	< 5
Fluoride (Total)	100	mg/kg	< 100	< 100	< 100
pH (1:5 Aqueous extract at 25°C as rec.)	0.1	pH Units	9.8	9.4	9.4
% Moisture	1	%	30	31	33

Client Sample ID			SX_IB_202205 03_20_06_SS Duplicate_EUF	SX_IB_202205 04_00_07_SS Primary_EUF	SX_IB_202205 04_04_14_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- My0007230	M22- My0007231	M22- My0007232
Date Sampled			Mar 05, 2022	Apr 05, 2022	Apr 05, 2022
Test/Reference	LOR	Unit			
Heavy Metals					
Arsenic	2	mg/kg	30	39	40
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	120	160	170
Copper	5	mg/kg	60	68	75
Lead	5	mg/kg	5.1	6.5	7.8
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1
Molybdenum	5	mg/kg	< 5	< 5	< 5
Nickel	5	mg/kg	170	210	220
Selenium	2	mg/kg	< 2	< 2	< 2
Silver	2	mg/kg	< 2	< 2	< 2
Tin	10	mg/kg	< 10	< 10	< 10
Zinc	5	mg/kg	130	160	160
Perfluoroalkyl carboxylic acids (PFCAs)					
Perfluorobutanoic acid (PFBA) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluoropentanoic acid (PFPeA) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluorohexanoic acid (PFHxA) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluoroheptanoic acid (PFHpA) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluorooctanoic acid (PFOA) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluorononanoic acid (PFNA) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluorodecanoic acid (PFDA) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluoroundecanoic acid (PFUnDA) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluorododecanoic acid (PFDoDA) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluorotridecanoic acid (PFTrDA) ^{N15}	5	ug/kg	< 5	< 5	< 5
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	5	ug/kg	< 5	< 5	< 5
13C4-PFBA (surr.)	1	%	91	93	93
13C5-PFPeA (surr.)	1	%	98	93	95
13C5-PFHxA (surr.)	1	%	82	84	84
13C4-PFHpA (surr.)	1	%	79	82	78
13C8-PFOA (surr.)	1	%	80	83	87
13C5-PFNA (surr.)	1	%	31	44	43
13C6-PFDA (surr.)	1	%	67	75	53
13C2-PFUnDA (surr.)	1	%	75	82	66
13C2-PFDoDA (surr.)	1	%	103	96	99
13C2-PFTeDA (surr.)	1	%	90	95	92
Perfluoroalkyl sulfonamido substances					
Perfluorooctane sulfonamide (FOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	5	ug/kg	< 5	< 5	< 5
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	5	ug/kg	< 5	< 5	< 5
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	10	ug/kg	< 10	< 10	< 10
13C8-FOSA (surr.)	1	%	99	98	92
D3-N-MeFOSA (surr.)	1	%	103	95	82

Client Sample ID			SX_IB_202205 03_20_06_SS Duplicate_EUF	SX_IB_202205 04_00_07_SS Primary_EUF	SX_IB_202205 04_04_14_SS Primary_EUF
Sample Matrix			Soil	Soil	Soil
Eurofins Sample No.			M22- My0007230	M22- My0007231	M22- My0007232
Date Sampled			Mar 05, 2022	Apr 05, 2022	Apr 05, 2022
Test/Reference	LOR	Unit			
Perfluoroalkyl sulfonamido substances					
D5-N-EtFOSA (surr.)	1	%	119	117	123
D7-N-MeFOSE (surr.)	1	%	84	96	91
D9-N-EtFOSE (surr.)	1	%	111	106	97
D5-N-EtFOSAA (surr.)	1	%	136	116	137
D3-N-MeFOSAA (surr.)	1	%	121	112	118
Perfluoroalkyl sulfonic acids (PFASs)					
Perfluorobutanesulfonic acid (PFBS) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluorononanesulfonic acid (PFNS) ^{N15}	5	ug/kg	< 5	< 5	< 5
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	5	ug/kg	< 5	< 5	< 5
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	5	ug/kg	< 5	< 5	< 5
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	5	ug/kg	< 5	< 5	< 5
Perfluorooctanesulfonic acid (PFOS) ^{N11}	5	ug/kg	< 5	< 5	< 5
Perfluorodecanesulfonic acid (PFDS) ^{N15}	5	ug/kg	< 5	< 5	< 5
13C3-PFBS (surr.)	1	%	71	77	74
18O2-PFHxS (surr.)	1	%	71	81	72
13C8-PFOS (surr.)	1	%	54	71	73
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)					
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	10	ug/kg	< 10	< 10	< 10
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	5	ug/kg	< 5	< 5	< 5
13C2-4:2 FTSA (surr.)	1	%	61	58	62
13C2-6:2 FTSA (surr.)	1	%	52	54	61
13C2-8:2 FTSA (surr.)	1	%	57	60	65
13C2-10:2 FTSA (surr.)	1	%	94	62	78
PFASs Summations					
Sum (PFHxS + PFOS)*	5	ug/kg	< 5	< 5	< 5
Sum of US EPA PFAS (PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	5	ug/kg	< 5	< 5	< 5
Sum of WA DWER PFAS (n=10)*	10	ug/kg	< 10	< 10	< 10
Sum of PFASs (n=30)*	50	ug/kg	< 50	< 50	< 50

Sample History

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
IWRG 621 WGTP Suite			
Total Recoverable Hydrocarbons - 1999 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40	Melbourne	May 04, 2022	14 Days
Total Recoverable Hydrocarbons - 2013 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40	Melbourne	May 04, 2022	14 Days
Total Recoverable Hydrocarbons - 2013 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40	Melbourne	May 04, 2022	14 Days
Volatile Organics - Method: USEPA 8260 - MGT 350A Volatile Organics by GCMS	Melbourne	May 04, 2022	7 Days
Volatile Organics - Method: LTM-ORG-2150 VOCs in Soils Liquid and other Aqueous Matrices (USEPA 8260)	Melbourne	May 04, 2022	7 Days
Polycyclic Aromatic Hydrocarbons - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Melbourne	May 04, 2022	14 Days
Organochlorine Pesticides - Method: LTM-ORG-2220 OCP & PCB in Soil and Water (USEPA 8270)	Melbourne	May 04, 2022	14 Days
Polychlorinated Biphenyls - Method: LTM-ORG-2220 OCP & PCB in Soil and Water (USEPA 8082)	Melbourne	May 04, 2022	28 Days
Phenols (Halogenated) - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Melbourne	May 04, 2022	14 Days
Phenols (non-Halogenated) - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water	Melbourne	May 04, 2022	14 Days
Chromium (hexavalent) - Method: LTM-INO-4100 Hexavalent Chromium by Spectrometric detection	Melbourne	May 04, 2022	28 Days
Cyanide (total) - Method: LTM-INO-4020 Total Free WAD Cyanide by CFA	Melbourne	May 05, 2022	14 Days
Fluoride (Total) - Method: LTM-INO-4150 Determination of Total Fluoride PART A – CIC	Melbourne	May 05, 2022	28 Days
pH (1:5 Aqueous extract at 25°C as rec.) - Method: LTM-GEN-7090 pH in soil by ISE	Melbourne	May 04, 2022	7 Days
Metals IWRG 621 : Metals M12 - Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS	Melbourne	May 04, 2022	28 Days
% Moisture - Method: LTM-GEN-7080 Moisture	Melbourne	May 04, 2022	14 Days
Per- and Polyfluoroalkyl Substances (PFASs)			
Perfluoroalkyl carboxylic acids (PFCAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 04, 2022	28 Days
Perfluoroalkyl sulfonamido substances - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 04, 2022	28 Days
Perfluoroalkyl sulfonic acids (PFASs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 04, 2022	28 Days
n:2 Fluorotelomer sulfonic acids (n:2 FTSAs) - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 04, 2022	28 Days
PFASs Summations - Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)	Melbourne	May 04, 2022	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 4, 2022 12:00 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884937	Due:	May 11, 2022
Project Name:	20220504045330-Eurofin-12	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	SX_IB_20220503_07_59_SS_Triplicate_EUF	Mar 05, 2022	7:59AM	Soil	M22-My0007222		X	X	X
2	SX_IB_20220503_08_04_SS_Primary_EUF	Mar 05, 2022	8:04AM	Soil	M22-My0007223		X	X	X
3	SX_IB_20220503_12_15_SS_Primary_EUF	Mar 05, 2022	12:15PM	Soil	M22-My0007224		X	X	X
4	SX_OB_20220503_12_19_S	Mar 05, 2022	12:19PM	Soil	M22-My0007225		X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 4, 2022 12:00 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884937	Due:	May 11, 2022
Project Name:	20220504045330-Eurofin-12	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	S_Primary_EU F								
5	SX_IB_202205 03_15_59_SS _Primary_EUF	Mar 05, 2022	3:59PM	Soil	M22- My0007226		X	X	X
6	SX_IB_202205 03_16_00_SS _Duplicate_EU F	Mar 05, 2022	4:00PM	Soil	M22- My0007227		X	X	X
7	SX_OB_20220 503_19_54_S S_Primary_EU F	Mar 05, 2022	7:54PM	Soil	M22- My0007228		X	X	X
8	SX_IB_202205	Mar 05, 2022	8:05PM	Soil	M22-		X	X	X

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 4, 2022 12:00 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884937	Due:	May 11, 2022
Project Name:	20220504045330-Eurofin-12	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
8	SX_IB_20220503_20_05_SS_Primary_EUF	Mar 05, 2022	8:05PM	Soil	M22-My0007229				
9	SX_IB_20220503_20_06_SS_Duplicate_EUF	Mar 05, 2022	8:06PM	Soil	M22-My0007230		X	X	X
10	SX_IB_20220504_00_07_SS_Primary_EUF	Apr 05, 2022	12:07AM	Soil	M22-My0007231		X	X	X
11	SX_IB_20220504_04_14_SS_Primary_EUF	Apr 05, 2022	4:14AM	Soil	M22-My0007232		X	X	X
12	SX_IB_202205	Mar 05, 2022	7:59AM	AUS Leachate	M22-	X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063

Project Name: 20220504045330-Eurofin-12
Project ID: JC0927

Order No.:
Report #: 884937
Phone: 08 8338 1009
Fax:

Received: May 4, 2022 12:00 PM
Due: May 11, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	03_07_59_SS _TriPLICATE_EU _F			- pH 5.0	My0007233				
13	SX_IB_202205 03_08_04_SS _Primary_EUF	Mar 05, 2022	8:04AM	AUS Leachate - pH 5.0	M22- My0007234	X		X	
14	SX_IB_202205 03_12_15_SS _Primary_EUF	Mar 05, 2022	12:15PM	AUS Leachate - pH 5.0	M22- My0007235	X		X	
15	SX_OB_20220 503_12_19_S S_Primary_EU F	Mar 05, 2022	12:19PM	AUS Leachate - pH 5.0	M22- My0007236	X		X	
16	SX_IB_202205	Mar 05, 2022	3:59PM	AUS Leachate	M22-	X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220504045330-Eurofin-12
Project ID: JC0927

Order No.:
Report #: 884937
Phone: 08 8338 1009
Fax:

Received: May 4, 2022 12:00 PM
Due: May 11, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
16	SX_IB_20220503_15_59_SS_Primary_EUF	Mar 05, 2022	3:59PM	AUS Leachate - pH 5.0	M22-My0007237				
17	SX_IB_20220503_16_00_SS_Duplicate_EUF	Mar 05, 2022	4:00PM	AUS Leachate - pH 5.0	M22-My0007238	X		X	
18	SX_OB_20220503_19_54_SS_Primary_EUF	Mar 05, 2022	7:54PM	AUS Leachate - pH 5.0	M22-My0007239	X		X	
19	SX_IB_20220503_20_05_SS_Primary_EUF	Mar 05, 2022	8:05PM	AUS Leachate - pH 5.0	M22-My0007240	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 4, 2022 12:00 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884937	Due:	May 11, 2022
Project Name:	20220504045330-Eurofin-12	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
20	SX_IB_20220503_20_06_SS_Duplicate_EU_F	Mar 05, 2022	8:06PM	AUS Leachate - pH 5.0	M22-My0007241	X		X	
21	SX_IB_20220504_00_07_SS_Primary_EUF	Apr 05, 2022	12:07AM	AUS Leachate - pH 5.0	M22-My0007242	X		X	
22	SX_IB_20220504_04_14_SS_Primary_EUF	Apr 05, 2022	4:14AM	AUS Leachate - pH 5.0	M22-My0007243	X		X	
23	SX_IB_20220503_07_59_SS_Triplicate_EU_F	Mar 05, 2022	7:59AM	AUS Leachate - Reagent Water	M22-My0007244	X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220504045330-Eurofin-12
Project ID: JC0927

Order No.:
Report #: 884937
Phone: 08 8338 1009
Fax:

Received: May 4, 2022 12:00 PM
Due: May 11, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
24	SX_IB_20220503_08_04_SS_Primary_EUF	Mar 05, 2022	8:04AM	AUS Leachate - Reagent Water	M22-My0007245	X		X	
25	SX_IB_20220503_12_15_SS_Primary_EUF	Mar 05, 2022	12:15PM	AUS Leachate - Reagent Water	M22-My0007246	X		X	
26	SX_OB_20220503_12_19_S_S_Primary_EUF	Mar 05, 2022	12:19PM	AUS Leachate - Reagent Water	M22-My0007247	X		X	
27	SX_IB_20220503_15_59_SS_Primary_EUF	Mar 05, 2022	3:59PM	AUS Leachate - Reagent Water	M22-My0007248	X		X	
28	SX_IB_202205	Mar 05, 2022	4:00PM	AUS Leachate	M22-	X		X	

Company Name: Agon Environmental Pty Ltd - VIC
Address: 3/224 Glen Osmond Road
Fullarton
SA 5063
Project Name: 20220504045330-Eurofin-12
Project ID: JC0927

Order No.:
Report #: 884937
Phone: 08 8338 1009
Fax:

Received: May 4, 2022 12:00 PM
Due: May 11, 2022
Priority: 5 Day
Contact Name: Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
	03_16_00_SS_Duplicate_EU F			- Reagent Water	My0007249				
29	SX_OB_20220503_19_54_S_S_Primary_EU F	Mar 05, 2022	7:54PM	AUS Leachate - Reagent Water	M22-My0007250	X		X	
30	SX_IB_20220503_20_05_SS_Primary_EU F	Mar 05, 2022	8:05PM	AUS Leachate - Reagent Water	M22-My0007251	X		X	
31	SX_IB_20220503_20_06_SS_Duplicate_EU F	Mar 05, 2022	8:06PM	AUS Leachate - Reagent Water	M22-My0007252	X		X	

Company Name:	Agon Environmental Pty Ltd - VIC	Order No.:		Received:	May 4, 2022 12:00 PM
Address:	3/224 Glen Osmond Road Fullarton SA 5063	Report #:	884937	Due:	May 11, 2022
Project Name:	20220504045330-Eurofin-12	Phone:	08 8338 1009	Priority:	5 Day
Project ID:	JC0927	Fax:		Contact Name:	Agon Lab Reports (Spoil Project)

Eurofins Analytical Services Manager : Michael Cassidy

Sample Detail						AUS Leaching Procedure	Moisture Set	Per- and Polyfluoroalkyl Substances (PFASs)	IWRG 621 WQTP Suite
Melbourne Laboratory - NATA # 1261 Site # 1254						X	X	X	X
Sydney Laboratory - NATA # 1261 Site # 18217									
Brisbane Laboratory - NATA # 1261 Site # 20794									
Mayfield Laboratory - NATA # 1261 Site # 25079									
Perth Laboratory - NATA # 2377 Site # 2370									
External Laboratory									
32	SX_IB_20220504_00_07_SS_Primary_EUF	Apr 05, 2022	12:07AM	AUS Leachate - Reagent Water	M22-My0007253	X		X	
33	SX_IB_20220504_04_14_SS_Primary_EUF	Apr 05, 2022	4:14AM	AUS Leachate - Reagent Water	M22-My0007254	X		X	
Test Counts						22	11	33	11

Internal Quality Control Review and Glossary

General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer that may have an impact on the results.
- This report replaces any interim results previously issued.

Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

Units

mg/kg: milligrams per kilogram	mg/L: milligrams per litre	µg/L: micrograms per litre
ppm: parts per million	ppb: parts per billion	%: Percentage
org/100 mL: Organisms per 100 millilitres	NTU: Nephelometric Turbidity Units	MPN/100 mL: Most Probable Number of organisms per 100 millilitres

Terms

APHA	American Public Health Association
COC	Chain of Custody
CP	Client Parent - QC was performed on samples pertaining to this report
CRM	Certified Reference Material (ISO17034) - reported as percent recovery.
Dry	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
Duplicate	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
LOR	Limit of Reporting.
LCS	Laboratory Control Sample - reported as percent recovery.
Method Blank	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
NCP	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
RPD	Relative Percent Difference between two Duplicate pieces of analysis.
SPIKE	Addition of the analyte to the sample and reported as percentage recovery.
SRA	Sample Receipt Advice
Surr - Surrogate	The addition of a like compound to the analyte target and reported as percentage recovery.
TBTO	Tributyltin oxide (<i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment however free tributyltin was measured and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits.
TCLP	Toxicity Characteristic Leaching Procedure
TEQ	Toxic Equivalency Quotient or Total Equivalence
QSM	US Department of Defense Quality Systems Manual Version 5.4
US EPA	United States Environmental Protection Agency
WA DWER	Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

QC - Acceptance Criteria

The acceptance criteria should be used as a guide only and may be different when site specific Sampling Analysis and Quality Plan (SAQP) have been implemented

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR: No Limit

Results between 10-20 times the LOR: RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

NOTE: pH duplicates are reported as a range not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.4 where no positive PFAS results have been reported have been reviewed and no data was affected.

QC Data General Comments

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery the term "INT" appears against that analyte.
- For Matrix Spikes and LCS results a dash "-" in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

Quality Control Results

Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Method Blank						
Total Recoverable Hydrocarbons						
TRH C6-C9	mg/kg	< 20		20	Pass	
TRH C10-C14	mg/kg	< 20		20	Pass	
TRH C15-C28	mg/kg	< 50		50	Pass	
TRH C29-C36	mg/kg	< 50		50	Pass	
Naphthalene	mg/kg	< 0.5		0.5	Pass	
TRH C6-C10	mg/kg	< 20		20	Pass	
TRH >C10-C16	mg/kg	< 50		50	Pass	
TRH >C16-C34	mg/kg	< 100		100	Pass	
TRH >C34-C40	mg/kg	< 100		100	Pass	
Method Blank						
Volatile Organics						
Hexachlorobutadiene	mg/kg	< 0.5		0.5	Pass	
Method Blank						
Volatile Organics						
1.1-Dichloroethane	mg/kg	< 0.5		0.5	Pass	
1.2.4-Trichlorobenzene	mg/kg	< 0.5		0.5	Pass	
1.1-Dichloroethene	mg/kg	< 0.5		0.5	Pass	
1.1.1-Trichloroethane	mg/kg	< 0.5		0.5	Pass	
1.1.1.2-Tetrachloroethane	mg/kg	< 0.5		0.5	Pass	
1.1.2-Trichloroethane	mg/kg	< 0.5		0.5	Pass	
1.1.2.2-Tetrachloroethane	mg/kg	< 0.5		0.5	Pass	
1.2-Dibromoethane	mg/kg	< 0.5		0.5	Pass	
1.2-Dichlorobenzene	mg/kg	< 0.5		0.5	Pass	
1.2-Dichloroethane	mg/kg	< 0.5		0.5	Pass	
1.2-Dichloropropane	mg/kg	< 0.5		0.5	Pass	
1.2.3-Trichloropropane	mg/kg	< 0.5		0.5	Pass	
1.2.4-Trimethylbenzene	mg/kg	< 0.5		0.5	Pass	
1.3-Dichlorobenzene	mg/kg	< 0.5		0.5	Pass	
1.3-Dichloropropane	mg/kg	< 0.5		0.5	Pass	
1.3.5-Trimethylbenzene	mg/kg	< 0.5		0.5	Pass	
1.4-Dichlorobenzene	mg/kg	< 0.5		0.5	Pass	
2-Butanone (MEK)	mg/kg	< 0.5		0.5	Pass	
2-Propanone (Acetone)	mg/kg	< 0.5		0.5	Pass	
4-Chlorotoluene	mg/kg	< 0.5		0.5	Pass	
4-Methyl-2-pentanone (MIBK)	mg/kg	< 0.5		0.5	Pass	
Allyl chloride	mg/kg	< 0.5		0.5	Pass	
Benzene	mg/kg	< 0.1		0.1	Pass	
Bromobenzene	mg/kg	< 0.5		0.5	Pass	
Bromochloromethane	mg/kg	< 0.5		0.5	Pass	
Bromodichloromethane	mg/kg	< 0.5		0.5	Pass	
Bromoform	mg/kg	< 0.5		0.5	Pass	
Bromomethane	mg/kg	< 0.5		0.5	Pass	
Carbon disulfide	mg/kg	< 0.5		0.5	Pass	
Carbon Tetrachloride	mg/kg	< 0.5		0.5	Pass	
Chlorobenzene	mg/kg	< 0.5		0.5	Pass	
Chloroethane	mg/kg	< 0.5		0.5	Pass	
Chloroform	mg/kg	< 0.5		0.5	Pass	
Chloromethane	mg/kg	< 0.5		0.5	Pass	
cis-1.2-Dichloroethene	mg/kg	< 0.5		0.5	Pass	
cis-1.3-Dichloropropene	mg/kg	< 0.5		0.5	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Dibromochloromethane	mg/kg	< 0.5			0.5	Pass	
Dibromomethane	mg/kg	< 0.5			0.5	Pass	
Dichlorodifluoromethane	mg/kg	< 0.5			0.5	Pass	
Ethylbenzene	mg/kg	< 0.1			0.1	Pass	
Iodomethane	mg/kg	< 0.5			0.5	Pass	
Isopropyl benzene (Cumene)	mg/kg	< 0.5			0.5	Pass	
m&p-Xylenes	mg/kg	< 0.2			0.2	Pass	
Methylene Chloride	mg/kg	< 0.5			0.5	Pass	
o-Xylene	mg/kg	< 0.1			0.1	Pass	
Styrene	mg/kg	< 0.5			0.5	Pass	
Tetrachloroethene	mg/kg	< 0.5			0.5	Pass	
Toluene	mg/kg	< 0.1			0.1	Pass	
trans-1,2-Dichloroethene	mg/kg	< 0.5			0.5	Pass	
trans-1,3-Dichloropropene	mg/kg	< 0.5			0.5	Pass	
Trichloroethene	mg/kg	< 0.5			0.5	Pass	
Trichlorofluoromethane	mg/kg	< 0.5			0.5	Pass	
Vinyl chloride	mg/kg	< 0.5			0.5	Pass	
Xylenes - Total*	mg/kg	< 0.3			0.3	Pass	
Method Blank							
Polycyclic Aromatic Hydrocarbons							
Acenaphthene	mg/kg	< 0.5			0.5	Pass	
Acenaphthylene	mg/kg	< 0.5			0.5	Pass	
Anthracene	mg/kg	< 0.5			0.5	Pass	
Benz(a)anthracene	mg/kg	< 0.5			0.5	Pass	
Benzo(a)pyrene	mg/kg	< 0.5			0.5	Pass	
Benzo(b&j)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Benzo(g,h,i)perylene	mg/kg	< 0.5			0.5	Pass	
Benzo(k)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Chrysene	mg/kg	< 0.5			0.5	Pass	
Dibenz(a,h)anthracene	mg/kg	< 0.5			0.5	Pass	
Fluoranthene	mg/kg	< 0.5			0.5	Pass	
Fluorene	mg/kg	< 0.5			0.5	Pass	
Indeno(1,2,3-cd)pyrene	mg/kg	< 0.5			0.5	Pass	
Naphthalene	mg/kg	< 0.5			0.5	Pass	
Phenanthrene	mg/kg	< 0.5			0.5	Pass	
Pyrene	mg/kg	< 0.5			0.5	Pass	
Method Blank							
Organochlorine Pesticides							
Chlordanes - Total	mg/kg	< 0.1			0.1	Pass	
4,4'-DDD	mg/kg	< 0.05			0.05	Pass	
4,4'-DDE	mg/kg	< 0.05			0.05	Pass	
4,4'-DDT	mg/kg	< 0.05			0.05	Pass	
a-HCH	mg/kg	< 0.05			0.05	Pass	
Aldrin	mg/kg	< 0.05			0.05	Pass	
b-HCH	mg/kg	< 0.05			0.05	Pass	
d-HCH	mg/kg	< 0.05			0.05	Pass	
Dieldrin	mg/kg	< 0.05			0.05	Pass	
Endosulfan I	mg/kg	< 0.05			0.05	Pass	
Endosulfan II	mg/kg	< 0.05			0.05	Pass	
Endosulfan sulphate	mg/kg	< 0.05			0.05	Pass	
Endrin	mg/kg	< 0.05			0.05	Pass	
Endrin aldehyde	mg/kg	< 0.05			0.05	Pass	
Endrin ketone	mg/kg	< 0.05			0.05	Pass	
g-HCH (Lindane)	mg/kg	< 0.05			0.05	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Heptachlor	mg/kg	< 0.05			0.05	Pass	
Heptachlor epoxide	mg/kg	< 0.05			0.05	Pass	
Hexachlorobenzene	mg/kg	< 0.05			0.05	Pass	
Methoxychlor	mg/kg	< 0.05			0.05	Pass	
Toxaphene	mg/kg	< 0.5			0.5	Pass	
Method Blank							
Polychlorinated Biphenyls							
Aroclor-1016	mg/kg	< 0.1			0.1	Pass	
Aroclor-1221	mg/kg	< 0.1			0.1	Pass	
Aroclor-1232	mg/kg	< 0.1			0.1	Pass	
Aroclor-1242	mg/kg	< 0.1			0.1	Pass	
Aroclor-1248	mg/kg	< 0.1			0.1	Pass	
Aroclor-1254	mg/kg	< 0.1			0.1	Pass	
Aroclor-1260	mg/kg	< 0.1			0.1	Pass	
Total PCB*	mg/kg	< 0.1			0.1	Pass	
Method Blank							
Phenols (Halogenated)							
2-Chlorophenol	mg/kg	< 0.5			0.5	Pass	
2,4-Dichlorophenol	mg/kg	< 0.5			0.5	Pass	
2,4,5-Trichlorophenol	mg/kg	< 1			1	Pass	
2,4,6-Trichlorophenol	mg/kg	< 1			1	Pass	
2,6-Dichlorophenol	mg/kg	< 0.5			0.5	Pass	
4-Chloro-3-methylphenol	mg/kg	< 1			1	Pass	
Pentachlorophenol	mg/kg	< 1			1	Pass	
Tetrachlorophenols - Total	mg/kg	< 10			10	Pass	
Method Blank							
Phenols (non-Halogenated)							
2-Cyclohexyl-4,6-dinitrophenol	mg/kg	< 20			20	Pass	
2-Methyl-4,6-dinitrophenol	mg/kg	< 5			5	Pass	
2-Nitrophenol	mg/kg	< 1			1.0	Pass	
2,4-Dimethylphenol	mg/kg	< 0.5			0.5	Pass	
2,4-Dinitrophenol	mg/kg	< 5			5	Pass	
2-Methylphenol (o-Cresol)	mg/kg	< 0.2			0.2	Pass	
3&4-Methylphenol (m&p-Cresol)	mg/kg	< 0.4			0.4	Pass	
4-Nitrophenol	mg/kg	< 5			5	Pass	
Dinoseb	mg/kg	< 20			20	Pass	
Phenol	mg/kg	< 0.5			0.5	Pass	
Method Blank							
Chromium (hexavalent)	mg/kg	< 1			1	Pass	
Cyanide (total)	mg/kg	< 5			5	Pass	
Fluoride (Total)	mg/kg	< 100			100	Pass	
Method Blank							
Heavy Metals							
Arsenic	mg/kg	< 2			2	Pass	
Cadmium	mg/kg	< 0.4			0.4	Pass	
Chromium	mg/kg	< 5			5	Pass	
Copper	mg/kg	< 5			5	Pass	
Lead	mg/kg	< 5			5	Pass	
Mercury	mg/kg	< 0.1			0.1	Pass	
Molybdenum	mg/kg	< 5			5	Pass	
Nickel	mg/kg	< 5			5	Pass	
Selenium	mg/kg	< 2			2	Pass	
Silver	mg/kg	< 2			2	Pass	
Tin	mg/kg	< 10			10	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Zinc	mg/kg	< 5			5	Pass	
Method Blank							
Perfluoroalkyl carboxylic acids (PFCAs)							
Perfluorobutanoic acid (PFBA)	ug/kg	< 5			5	Pass	
Perfluoropentanoic acid (PFPeA)	ug/kg	< 5			5	Pass	
Perfluorohexanoic acid (PFHxA)	ug/kg	< 5			5	Pass	
Perfluoroheptanoic acid (PFHpA)	ug/kg	< 5			5	Pass	
Perfluorooctanoic acid (PFOA)	ug/kg	< 5			5	Pass	
Perfluorononanoic acid (PFNA)	ug/kg	< 5			5	Pass	
Perfluorodecanoic acid (PFDA)	ug/kg	< 5			5	Pass	
Perfluoroundecanoic acid (PFUnDA)	ug/kg	< 5			5	Pass	
Perfluorododecanoic acid (PFDoDA)	ug/kg	< 5			5	Pass	
Perfluorotridecanoic acid (PFTrDA)	ug/kg	< 5			5	Pass	
Perfluorotetradecanoic acid (PFTeDA)	ug/kg	< 5			5	Pass	
Method Blank							
Perfluoroalkyl sulfonamido substances							
Perfluorooctane sulfonamide (FOSA)	ug/kg	< 5			5	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	ug/kg	< 5			5	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	ug/kg	< 5			5	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	ug/kg	< 5			5	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	ug/kg	< 5			5	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	ug/kg	< 10			10	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	ug/kg	< 10			10	Pass	
Method Blank							
Perfluoroalkyl sulfonic acids (PFSAs)							
Perfluorobutanesulfonic acid (PFBS)	ug/kg	< 5			5	Pass	
Perfluorononanesulfonic acid (PFNS)	ug/kg	< 5			5	Pass	
Perfluoropropanesulfonic acid (PFPrS)	ug/kg	< 5			5	Pass	
Perfluoropentanesulfonic acid (PFPeS)	ug/kg	< 5			5	Pass	
Perfluorohexanesulfonic acid (PFHxS)	ug/kg	< 5			5	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	ug/kg	< 5			5	Pass	
Perfluorooctanesulfonic acid (PFOS)	ug/kg	< 5			5	Pass	
Perfluorodecanesulfonic acid (PFDS)	ug/kg	< 5			5	Pass	
Method Blank							
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)							
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	ug/kg	< 5			5	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	ug/kg	< 10			10	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	ug/kg	< 5			5	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	ug/kg	< 5			5	Pass	
LCS - % Recovery							
Total Recoverable Hydrocarbons							
TRH C6-C9	%	121			70-130	Pass	
TRH C10-C14	%	121			70-130	Pass	
Naphthalene	%	77			70-130	Pass	
TRH C6-C10	%	121			70-130	Pass	
TRH >C10-C16	%	122			70-130	Pass	
LCS - % Recovery							
Volatile Organics							
1.1-Dichloroethene	%	86			70-130	Pass	
1.1.1-Trichloroethane	%	81			70-130	Pass	
1.2-Dichlorobenzene	%	80			70-130	Pass	
1.2-Dichloroethane	%	104			70-130	Pass	
Benzene	%	70			70-130	Pass	
Ethylbenzene	%	72			70-130	Pass	

Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
m&p-Xylenes	%	71		70-130	Pass	
Toluene	%	73		70-130	Pass	
Trichloroethene	%	79		70-130	Pass	
Xylenes - Total*	%	72		70-130	Pass	
LCS - % Recovery						
Polycyclic Aromatic Hydrocarbons						
Acenaphthene	%	101		70-130	Pass	
Acenaphthylene	%	115		70-130	Pass	
Anthracene	%	115		70-130	Pass	
Benz(a)anthracene	%	111		70-130	Pass	
Benzo(a)pyrene	%	124		70-130	Pass	
Benzo(b&i)fluoranthene	%	86		70-130	Pass	
Benzo(g,h,i)perylene	%	94		70-130	Pass	
Benzo(k)fluoranthene	%	117		70-130	Pass	
Chrysene	%	107		70-130	Pass	
Dibenz(a,h)anthracene	%	128		70-130	Pass	
Fluoranthene	%	105		70-130	Pass	
Fluorene	%	128		70-130	Pass	
Indeno(1,2,3-cd)pyrene	%	118		70-130	Pass	
Naphthalene	%	125		70-130	Pass	
Phenanthrene	%	129		70-130	Pass	
Pyrene	%	121		70-130	Pass	
LCS - % Recovery						
Organochlorine Pesticides						
Chlordanes - Total	%	110		70-130	Pass	
4,4'-DDD	%	114		70-130	Pass	
4,4'-DDE	%	123		70-130	Pass	
4,4'-DDT	%	127		70-130	Pass	
a-HCH	%	128		70-130	Pass	
Aldrin	%	101		70-130	Pass	
b-HCH	%	109		70-130	Pass	
d-HCH	%	93		70-130	Pass	
Dieldrin	%	99		70-130	Pass	
Endosulfan I	%	91		70-130	Pass	
Endosulfan II	%	93		70-130	Pass	
Endosulfan sulphate	%	129		70-130	Pass	
Endrin	%	127		70-130	Pass	
Endrin aldehyde	%	89		70-130	Pass	
Endrin ketone	%	101		70-130	Pass	
g-HCH (Lindane)	%	110		70-130	Pass	
Heptachlor	%	94		70-130	Pass	
Heptachlor epoxide	%	122		70-130	Pass	
Hexachlorobenzene	%	103		70-130	Pass	
Methoxychlor	%	123		70-130	Pass	
LCS - % Recovery						
Polychlorinated Biphenyls						
Aroclor-1260	%	98		70-130	Pass	
LCS - % Recovery						
Phenols (Halogenated)						
2-Chlorophenol	%	124		25-140	Pass	
2,4-Dichlorophenol	%	127		25-140	Pass	
2,4,5-Trichlorophenol	%	87		25-140	Pass	
2,4,6-Trichlorophenol	%	124		25-140	Pass	
2,6-Dichlorophenol	%	121		25-140	Pass	

Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
4-Chloro-3-methylphenol	%	100		25-140	Pass	
Pentachlorophenol	%	91		25-140	Pass	
Tetrachlorophenols - Total	%	97		25-140	Pass	
LCS - % Recovery						
Phenols (non-Halogenated)						
2-Cyclohexyl-4,6-dinitrophenol	%	32		25-140	Pass	
2-Methyl-4,6-dinitrophenol	%	65		25-140	Pass	
2-Nitrophenol	%	128		25-140	Pass	
2,4-Dimethylphenol	%	123		25-140	Pass	
2,4-Dinitrophenol	%	44		25-140	Pass	
2-Methylphenol (o-Cresol)	%	107		25-140	Pass	
3&4-Methylphenol (m&p-Cresol)	%	118		25-140	Pass	
4-Nitrophenol	%	104		25-140	Pass	
Dinoseb	%	71		25-140	Pass	
Phenol	%	104		25-140	Pass	
LCS - % Recovery						
Chromium (hexavalent)	%	112		70-130	Pass	
Cyanide (total)	%	97		70-130	Pass	
Fluoride (Total)	%	80		70-130	Pass	
LCS - % Recovery						
Heavy Metals						
Arsenic	%	99		80-120	Pass	
Cadmium	%	100		80-120	Pass	
Chromium	%	103		80-120	Pass	
Copper	%	100		80-120	Pass	
Lead	%	103		80-120	Pass	
Mercury	%	100		80-120	Pass	
Molybdenum	%	97		80-120	Pass	
Nickel	%	98		80-120	Pass	
Selenium	%	99		80-120	Pass	
Silver	%	101		80-120	Pass	
Tin	%	97		80-120	Pass	
Zinc	%	99		80-120	Pass	
LCS - % Recovery						
Perfluoroalkyl carboxylic acids (PFCAs)						
Perfluorobutanoic acid (PFBA)	%	92		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	89		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	92		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	95		50-150	Pass	
Perfluorooctanoic acid (PFOA)	%	102		50-150	Pass	
Perfluorononanoic acid (PFNA)	%	97		50-150	Pass	
Perfluorodecanoic acid (PFDA)	%	67		50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	%	109		50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	%	102		50-150	Pass	
Perfluorotridecanoic acid (PFTrDA)	%	119		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	%	113		50-150	Pass	
LCS - % Recovery						
Perfluoroalkyl sulfonamido substances						
Perfluorooctane sulfonamide (FOSA)	%	90		50-150	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	%	102		50-150	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	%	79		50-150	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	%	100		50-150	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	%	94		50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	%	68		50-150	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	%	91			50-150	Pass		
LCS - % Recovery								
Perfluoroalkyl sulfonic acids (PFASs)								
Perfluorobutanesulfonic acid (PFBS)	%	90			50-150	Pass		
Perfluorononanesulfonic acid (PFNS)	%	127			50-150	Pass		
Perfluoropropanesulfonic acid (PFPrS)	%	121			50-150	Pass		
Perfluoropentanesulfonic acid (PFPeS)	%	90			50-150	Pass		
Perfluorohexanesulfonic acid (PFHxS)	%	93			50-150	Pass		
Perfluoroheptanesulfonic acid (PFHpS)	%	54			50-150	Pass		
Perfluorooctanesulfonic acid (PFOS)	%	92			50-150	Pass		
Perfluorodecanesulfonic acid (PFDS)	%	117			50-150	Pass		
LCS - % Recovery								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)								
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	%	95			50-150	Pass		
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	%	116			50-150	Pass		
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	%	112			50-150	Pass		
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	%	91			50-150	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Spike - % Recovery								
Total Recoverable Hydrocarbons				Result 1				
TRH C6-C9	M22-My0007222	CP	%	104		70-130	Pass	
TRH C10-C14	M22-My0003018	NCP	%	130		70-130	Pass	
Naphthalene	M22-My0002108	NCP	%	74		70-130	Pass	
TRH C6-C10	M22-My0002108	NCP	%	121		70-130	Pass	
TRH >C10-C16	M22-My0003018	NCP	%	130		70-130	Pass	
Spike - % Recovery								
Volatile Organics				Result 1				
1.1-Dichloroethene	M22-My0002108	NCP	%	76		70-130	Pass	
1.1.1-Trichloroethane	M22-My0002108	NCP	%	79		70-130	Pass	
1.2-Dichlorobenzene	M22-My0002108	NCP	%	82		70-130	Pass	
1.2-Dichloroethane	M22-My0002108	NCP	%	89		70-130	Pass	
Benzene	M22-My0002108	NCP	%	76		70-130	Pass	
Ethylbenzene	M22-My0002108	NCP	%	75		70-130	Pass	
m&p-Xylenes	M22-My0002108	NCP	%	72		70-130	Pass	
o-Xylene	M22-My0002108	NCP	%	72		70-130	Pass	
Toluene	M22-My0002108	NCP	%	76		70-130	Pass	
Trichloroethene	M22-My0002108	NCP	%	76		70-130	Pass	
Xylenes - Total*	M22-My0002108	NCP	%	72		70-130	Pass	
Spike - % Recovery								
Polycyclic Aromatic Hydrocarbons				Result 1				
Acenaphthene	M22-My0006775	NCP	%	109		70-130	Pass	
Acenaphthylene	M22-My0006775	NCP	%	96		70-130	Pass	
Anthracene	M22-My0006775	NCP	%	118		70-130	Pass	
Benz(a)anthracene	M22-My0006775	NCP	%	84		70-130	Pass	
Benzo(a)pyrene	M22-My0006775	NCP	%	100		70-130	Pass	
Benzo(b&j)fluoranthene	M22-My0006775	NCP	%	79		70-130	Pass	
Benzo(g,h,i)perylene	M22-My0006775	NCP	%	83		70-130	Pass	
Benzo(k)fluoranthene	M22-My0006775	NCP	%	113		70-130	Pass	
Chrysene	M22-My0006775	NCP	%	97		70-130	Pass	
Dibenz(a,h)anthracene	M22-My0006775	NCP	%	98		70-130	Pass	
Fluoranthene	M22-My0006775	NCP	%	77		70-130	Pass	
Fluorene	M22-My0006775	NCP	%	107		70-130	Pass	
Indeno(1,2,3-cd)pyrene	M22-My0006775	NCP	%	91		70-130	Pass	
Naphthalene	M22-My0006775	NCP	%	101		70-130	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Phenanthrene	M22-My0006775	NCP	%	92		70-130	Pass	
Pyrene	M22-My0006775	NCP	%	83		70-130	Pass	
Spike - % Recovery								
Organochlorine Pesticides				Result 1				
Chlordanes - Total	M22-My0004031	NCP	%	85		70-130	Pass	
4.4'-DDD	M22-My0004031	NCP	%	113		70-130	Pass	
4.4'-DDE	M22-My0004031	NCP	%	119		70-130	Pass	
4.4'-DDT	M22-My0004031	NCP	%	121		70-130	Pass	
a-HCH	M22-My0004031	NCP	%	79		70-130	Pass	
Aldrin	M22-My0004031	NCP	%	93		70-130	Pass	
b-HCH	M22-My0004031	NCP	%	83		70-130	Pass	
d-HCH	M22-My0004031	NCP	%	86		70-130	Pass	
Dieldrin	M22-My0004031	NCP	%	71		70-130	Pass	
Endosulfan I	M22-My0004031	NCP	%	90		70-130	Pass	
Endosulfan II	M22-My0004031	NCP	%	98		70-130	Pass	
Endosulfan sulphate	M22-My0004031	NCP	%	127		70-130	Pass	
Endrin	M22-My0004031	NCP	%	117		70-130	Pass	
Endrin aldehyde	M22-My0004031	NCP	%	126		70-130	Pass	
Endrin ketone	M22-My0004031	NCP	%	102		70-130	Pass	
g-HCH (Lindane)	M22-My0004031	NCP	%	78		70-130	Pass	
Heptachlor	M22-My0004031	NCP	%	89		70-130	Pass	
Heptachlor epoxide	M22-My0004031	NCP	%	87		70-130	Pass	
Hexachlorobenzene	M22-My0004031	NCP	%	98		70-130	Pass	
Methoxychlor	M22-My0004031	NCP	%	123		70-130	Pass	
Spike - % Recovery								
Phenols (Halogenated)				Result 1				
2-Chlorophenol	M22-My0006775	NCP	%	93		30-130	Pass	
2,4-Dichlorophenol	M22-My0006775	NCP	%	62		30-130	Pass	
2,4,5-Trichlorophenol	M22-My0006775	NCP	%	118		30-130	Pass	
2,4,6-Trichlorophenol	M22-My0006775	NCP	%	99		30-130	Pass	
2,6-Dichlorophenol	M22-My0006775	NCP	%	57		30-130	Pass	
4-Chloro-3-methylphenol	M22-My0006775	NCP	%	115		30-130	Pass	
Pentachlorophenol	M22-My0006775	NCP	%	65		30-130	Pass	
Tetrachlorophenols - Total	M22-My0006775	NCP	%	73		30-130	Pass	
Spike - % Recovery								
Phenols (non-Halogenated)				Result 1				
2-Cyclohexyl-4,6-dinitrophenol	M22-My0006775	NCP	%	75		30-130	Pass	
2-Methyl-4,6-dinitrophenol	M22-My0006775	NCP	%	85		30-130	Pass	
2-Nitrophenol	M22-My0006775	NCP	%	136		30-130	Fail	Q08
2,4-Dimethylphenol	M22-My0006775	NCP	%	63		30-130	Pass	
2,4-Dinitrophenol	M22-My0006775	NCP	%	85		30-130	Pass	
2-Methylphenol (o-Cresol)	M22-My0006775	NCP	%	78		30-130	Pass	
3&4-Methylphenol (m&p-Cresol)	M22-My0006775	NCP	%	73		30-130	Pass	
4-Nitrophenol	M22-My0006775	NCP	%	88		30-130	Pass	
Dinoseb	M22-My0006775	NCP	%	80		30-130	Pass	
Phenol	M22-My0006775	NCP	%	102		30-130	Pass	
Spike - % Recovery								
				Result 1				
Cyanide (total)	M22-My0004401	NCP	%	73		70-130	Pass	
Spike - % Recovery								
Heavy Metals				Result 1				
Arsenic	M22-My0010133	NCP	%	112		75-125	Pass	
Cadmium	M22-My0010133	NCP	%	105		75-125	Pass	
Chromium	M22-My0010133	NCP	%	115		75-125	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Copper	M22-My0010133	NCP	%	108		75-125	Pass	
Lead	M22-My0010133	NCP	%	113		75-125	Pass	
Mercury	M22-My0010133	NCP	%	114		75-125	Pass	
Molybdenum	M22-My0010133	NCP	%	111		75-125	Pass	
Nickel	M22-My0010133	NCP	%	98		75-125	Pass	
Selenium	M22-My0010133	NCP	%	97		75-125	Pass	
Silver	M22-My0010133	NCP	%	108		75-125	Pass	
Tin	M22-My0010133	NCP	%	111		75-125	Pass	
Zinc	M22-My0010133	NCP	%	112		75-125	Pass	
Spike - % Recovery								
Perfluoroalkyl carboxylic acids (PFCAs)				Result 1				
Perfluorobutanoic acid (PFBA)	M22-My0001719	NCP	%	98		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	M22-My0001719	NCP	%	88		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	M22-My0001719	NCP	%	98		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	M22-My0001719	NCP	%	98		50-150	Pass	
Perfluorooctanoic acid (PFOA)	M22-My0001719	NCP	%	104		50-150	Pass	
Perfluorononanoic acid (PFNA)	M22-My0001719	NCP	%	113		50-150	Pass	
Perfluorodecanoic acid (PFDA)	M22-My0001719	NCP	%	97		50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	M22-My0001719	NCP	%	133		50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	M22-My0001719	NCP	%	122		50-150	Pass	
Perfluorotridecanoic acid (PFTrDA)	M22-My0001719	NCP	%	113		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	M22-My0001719	NCP	%	111		50-150	Pass	
Spike - % Recovery								
Perfluoroalkyl sulfonamido substances				Result 1				
Perfluorooctane sulfonamide (FOSA)	M22-My0001719	NCP	%	97		50-150	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0001719	NCP	%	118		50-150	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0001719	NCP	%	77		50-150	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0001719	NCP	%	96		50-150	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0001719	NCP	%	105		50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0001719	NCP	%	79		50-150	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0001719	NCP	%	81		50-150	Pass	
Spike - % Recovery								
Perfluoroalkyl sulfonic acids (PFSAs)				Result 1				
Perfluorobutanesulfonic acid (PFBS)	M22-My0001719	NCP	%	97		50-150	Pass	
Perfluorononanesulfonic acid (PFNS)	M22-My0001719	NCP	%	122		50-150	Pass	
Perfluoropropanesulfonic acid (PFPrS)	M22-My0001719	NCP	%	129		50-150	Pass	
Perfluoropentanesulfonic acid (PFPeS)	M22-My0001719	NCP	%	94		50-150	Pass	
Perfluorohexanesulfonic acid (PFHxS)	M22-My0001719	NCP	%	92		50-150	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0001719	NCP	%	59		50-150	Pass	
Perfluorooctanesulfonic acid (PFOS)	M22-My0001719	NCP	%	120		50-150	Pass	
Perfluorodecanesulfonic acid (PFDS)	M22-My0001719	NCP	%	123		50-150	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Spike - % Recovery									
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1					
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0001719	NCP	%	107			50-150	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0001719	NCP	%	101			50-150	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0001719	NCP	%	120			50-150	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0001719	NCP	%	99			50-150	Pass	
Spike - % Recovery									
				Result 1					
Fluoride (Total)	M22-My0007224	CP	%	93			70-130	Pass	
Spike - % Recovery									
Polychlorinated Biphenyls				Result 1					
Aroclor-1016	M22-My0007227	CP	%	87			70-130	Pass	
Aroclor-1260	M22-My0007227	CP	%	89			70-130	Pass	
Spike - % Recovery									
				Result 1					
Chromium (hexavalent)	M22-My0007231	CP	%	108			70-130	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Duplicate									
Total Recoverable Hydrocarbons				Result 1	Result 2	RPD			
TRH C6-C9	M22-My0003206	NCP	mg/kg	< 20	< 20	<1	30%	Pass	
TRH C10-C14	M22-My0003366	NCP	mg/kg	< 20	< 20	<1	30%	Pass	
TRH C15-C28	M22-My0003366	NCP	mg/kg	< 50	< 50	<1	30%	Pass	
TRH C29-C36	M22-My0003366	NCP	mg/kg	75	83	10	30%	Pass	
Naphthalene	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
TRH C6-C10	M22-My0003206	NCP	mg/kg	< 20	< 20	<1	30%	Pass	
TRH >C10-C16	M22-My0003366	NCP	mg/kg	< 50	< 50	<1	30%	Pass	
TRH >C16-C34	M22-My0003366	NCP	mg/kg	< 100	< 100	<1	30%	Pass	
TRH >C34-C40	M22-My0003366	NCP	mg/kg	< 100	< 100	<1	30%	Pass	
Duplicate									
Volatile Organics				Result 1	Result 2	RPD			
Hexachlorobutadiene	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Duplicate									
Volatile Organics				Result 1	Result 2	RPD			
1.1-Dichloroethane	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2.4-Trichlorobenzene	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1-Dichloroethene	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1.1-Trichloroethane	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1.1.2-Tetrachloroethane	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1.2-Trichloroethane	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.1.2.2-Tetrachloroethane	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2-Dibromoethane	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2-Dichlorobenzene	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2-Dichloroethane	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2-Dichloropropane	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2.3-Trichloropropane	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.2.4-Trimethylbenzene	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.3-Dichlorobenzene	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
1.3-Dichloropropane	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	

Duplicate								
Volatile Organics				Result 1	Result 2	RPD		
1.3.5-Trimethylbenzene	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.4-Dichlorobenzene	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2-Butanone (MEK)	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2-Propanone (Acetone)	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Chlorotoluene	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Methyl-2-pentanone (MIBK)	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Allyl chloride	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzene	M22-My0003206	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Bromobenzene	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromochloromethane	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromodichloromethane	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromoform	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromomethane	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Carbon disulfide	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Carbon Tetrachloride	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chlorobenzene	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloroethane	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloroform	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloromethane	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
cis-1.2-Dichloroethene	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
cis-1.3-Dichloropropene	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibromochloromethane	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibromomethane	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dichlorodifluoromethane	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Ethylbenzene	M22-My0003206	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Iodomethane	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Isopropyl benzene (Cumene)	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
m&p-Xylenes	M22-My0003206	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Methylene Chloride	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
o-Xylene	M22-My0003206	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Styrene	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Tetrachloroethene	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Toluene	M22-My0003206	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
trans-1.2-Dichloroethene	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
trans-1.3-Dichloropropene	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Trichloroethene	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Trichlorofluoromethane	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Vinyl chloride	M22-My0003206	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Xylenes - Total*	M22-My0003206	NCP	mg/kg	< 0.3	< 0.3	<1	30%	Pass
Duplicate								
Polycyclic Aromatic Hydrocarbons				Result 1	Result 2	RPD		
Acenaphthene	M22-My0004027	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Acenaphthylene	M22-My0004027	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Anthracene	M22-My0004027	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibenz(a,h)anthracene	M22-My0004027	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Fluorene	M22-My0004027	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Naphthalene	M22-My0004027	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Phenanthrene	M22-My0004027	NCP	mg/kg	0.6	< 0.5	26	30%	Pass
Duplicate								
Organochlorine Pesticides				Result 1	Result 2	RPD		
Chlordanes - Total	M22-My0004027	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
4.4'-DDD	M22-My0004027	NCP	mg/kg	0.06	< 0.05	22	30%	Pass
a-HCH	M22-My0004027	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Aldrin	M22-My0004027	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass

Duplicate								
Organochlorine Pesticides				Result 1	Result 2	RPD		
b-HCH	M22-My0004027	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
d-HCH	M22-My0004027	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Dieldrin	M22-My0004027	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan I	M22-My0004027	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan II	M22-My0004027	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan sulphate	M22-My0004027	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin	M22-My0004027	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin aldehyde	M22-My0004027	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin ketone	M22-My0004027	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
g-HCH (Lindane)	M22-My0004027	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Heptachlor	M22-My0004027	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Heptachlor epoxide	M22-My0004027	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Hexachlorobenzene	M22-My0004027	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Methoxychlor	M22-My0004027	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Toxaphene	M22-My0004027	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
Polychlorinated Biphenyls				Result 1	Result 2	RPD		
Aroclor-1016	M22-My0004027	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1221	M22-My0004027	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1232	M22-My0004027	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1242	M22-My0004027	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1248	M22-My0004027	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1254	M22-My0004027	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1260	M22-My0004027	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Total PCB*	M22-My0004027	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Duplicate								
Phenols (Halogenated)				Result 1	Result 2	RPD		
2-Chlorophenol	M22-My0004027	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2,4-Dichlorophenol	M22-My0004027	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2,4,5-Trichlorophenol	M22-My0004027	NCP	mg/kg	< 1	< 1	<1	30%	Pass
2,4,6-Trichlorophenol	M22-My0004027	NCP	mg/kg	< 1	< 1	<1	30%	Pass
2,6-Dichlorophenol	M22-My0004027	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Chloro-3-methylphenol	M22-My0004027	NCP	mg/kg	< 1	< 1	<1	30%	Pass
Pentachlorophenol	M22-My0004027	NCP	mg/kg	< 1	< 1	<1	30%	Pass
Tetrachlorophenols - Total	M22-My0004027	NCP	mg/kg	< 10	< 10	<1	30%	Pass
Duplicate								
Phenols (non-Halogenated)				Result 1	Result 2	RPD		
2-Cyclohexyl-4,6-dinitrophenol	M22-My0004027	NCP	mg/kg	< 20	< 20	<1	30%	Pass
2-Methyl-4,6-dinitrophenol	M22-My0004027	NCP	mg/kg	< 5	< 5	<1	30%	Pass
2-Nitrophenol	M22-My0004027	NCP	mg/kg	< 1	< 1	<1	30%	Pass
2,4-Dimethylphenol	M22-My0004027	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2,4-Dinitrophenol	M22-My0004027	NCP	mg/kg	< 5	< 5	<1	30%	Pass
2-Methylphenol (o-Cresol)	M22-My0004027	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
3&4-Methylphenol (m&p-Cresol)	M22-My0004027	NCP	mg/kg	< 0.4	< 0.4	<1	30%	Pass
4-Nitrophenol	M22-My0004027	NCP	mg/kg	< 5	< 5	<1	30%	Pass
Dinoseb	M22-My0004027	NCP	mg/kg	< 20	< 20	<1	30%	Pass
Phenol	M22-My0004027	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
				Result 1	Result 2	RPD		
Cyanide (total)	M22-My0003036	NCP	mg/kg	< 5	< 5	<1	30%	Pass
Fluoride (Total)	M22-My0007222	CP	mg/kg	< 100	< 100	<1	30%	Pass
pH (1:5 Aqueous extract at 25°C as rec.)	M22-My0004001	NCP	pH Units	6.6	6.7	pass	30%	Pass

Duplicate								
Perfluoroalkyl carboxylic acids (PFCAs)				Result 1	Result 2	RPD		
Perfluorobutanoic acid (PFBA)	M22-My0010972	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	M22-My0010972	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	M22-My0010972	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	M22-My0010972	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	M22-My0010972	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorononanoic acid (PFNA)	M22-My0010972	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	M22-My0010972	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroundecanoic acid (PFUnDA)	M22-My0010972	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorododecanoic acid (PFDoDA)	M22-My0010972	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorotridecanoic acid (PFTrDA)	M22-My0010972	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	M22-My0010972	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	M22-My0010972	NCP	ug/kg	< 5	< 5	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M22-My0010972	NCP	ug/kg	< 5	< 5	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M22-My0010972	NCP	ug/kg	< 5	< 5	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M22-My0010972	NCP	ug/kg	< 5	< 5	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M22-My0010972	NCP	ug/kg	< 5	< 5	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M22-My0010972	NCP	ug/kg	< 10	< 10	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M22-My0010972	NCP	ug/kg	< 10	< 10	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSAs)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	M22-My0010972	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	M22-My0010972	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	M22-My0010972	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	M22-My0010972	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	M22-My0010972	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	M22-My0010972	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	M22-My0010972	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	M22-My0010972	NCP	ug/kg	< 5	< 5	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M22-My0010972	NCP	ug/kg	< 5	< 5	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M22-My0010972	NCP	ug/kg	< 10	< 10	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M22-My0010972	NCP	ug/kg	< 5	< 5	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M22-My0010972	NCP	ug/kg	< 5	< 5	<1	30%	Pass

Duplicate				Result 1	Result 2	RPD		
Chromium (hexavalent)	M22-My0007224	CP	mg/kg	< 1	< 1	<1	30%	Pass
Duplicate				Result 1	Result 2	RPD		
% Moisture	M22-My0007226	CP	%	33	33	2.0	30%	Pass
Duplicate				Result 1	Result 2	RPD		
Heavy Metals				Result 1	Result 2	RPD		
Arsenic	M22-My0007227	CP	mg/kg	46	50	10	30%	Pass
Cadmium	M22-My0007227	CP	mg/kg	< 0.4	< 0.4	<1	30%	Pass
Chromium	M22-My0007227	CP	mg/kg	150	160	6.0	30%	Pass
Copper	M22-My0007227	CP	mg/kg	75	80	6.0	30%	Pass
Lead	M22-My0007227	CP	mg/kg	6.5	6.5	1.0	30%	Pass
Mercury	M22-My0007227	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Molybdenum	M22-My0007227	CP	mg/kg	< 5	< 5	<1	30%	Pass
Nickel	M22-My0007227	CP	mg/kg	200	210	8.0	30%	Pass
Selenium	M22-My0007227	CP	mg/kg	< 2	< 2	<1	30%	Pass
Silver	M22-My0007227	CP	mg/kg	< 2	< 2	<1	30%	Pass
Tin	M22-My0007227	CP	mg/kg	< 10	< 10	<1	30%	Pass
Zinc	M22-My0007227	CP	mg/kg	130	160	21	30%	Pass
Duplicate				Result 1	Result 2	RPD		
Fluoride (Total)	M22-My0007229	CP	mg/kg	< 100	< 100	<1	30%	Pass

Comments
Sample Integrity

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	No
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

Qualifier Codes/Comments

Code	Description
N01	F2 is determined by arithmetically subtracting the "naphthalene" value from the ">C10-C16" value. The naphthalene value used in this calculation is obtained from volatiles (Purge & Trap analysis).
N02	Where we have reported both volatile (P&T GCMS) and semivolatile (GCMS) naphthalene data, results may not be identical. Provided correct sample handling protocols have been followed, any observed differences in results are likely to be due to procedural differences within each methodology. Results determined by both techniques have passed all QAQC acceptance criteria, and are entirely technically valid.
N04	F1 is determined by arithmetically subtracting the "Total BTEX" value from the "C6-C10" value. The "Total BTEX" value is obtained by summing the concentrations of BTEX analytes. The "C6-C10" value is obtained by quantitating against a standard of mixed aromatic/aliphatic analytes.
N07	Please note:- These two PAH isomers closely co-elute using the most contemporary analytical methods and both the reported concentration (and the TEQ) apply specifically to the total of the two co-eluting PAHs
N11	Isotope dilution is used for calibration of each native compound for which an exact labelled analogue is available (Isotope Dilution Quantitation). The isotopically labelled analogues allow identification and recovery correction of the concentration of the associated native PFAS compounds.
N15	Where the native PFAS compound does not have labelled analogue then the quantification is made using the Extracted Internal Standard Analyte with the closest retention time to the analyte and no recovery correction has been made (Internal Standard Quantitation).
Q08	The matrix spike recovery is outside of the recommended acceptance criteria. An acceptable recovery was obtained for the laboratory control sample indicating a sample matrix interference.
Q15	The RPD reported passes Eurofins Environment Testing's QC - Acceptance Criteria as defined in the Internal Quality Control Review and Glossary page of this report.

Authorised by:

Catherine Wilson	Analytical Services Manager
Joseph Edouard	Senior Analyst (VIC)
Caitlin Breeze	Senior Analyst (VIC)
Mary Makarios	Senior Analyst (VIC)
Harry Bacalis	Senior Analyst (NSW)
Mele Singh	Senior Analyst (VIC)



Glenn Jackson
General Manager

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

From: David Lawson <David.Lawson@agonenviro.com.au>
Sent: Monday, 9 May 2022 2:07 PM
To: Josh Alexander <josh.alexander@ALSGlobal.com>
Cc: Bronwyn Sheen <bronwyn.sheen@alsglobal.com>; ALS WGTP <ALS.WGTP@ALSGlobal.com>;
Craig Trimbur <Craig.Trimbur@eprisk.com.au>
Subject: [EXTERNAL] - Reissue EM2207807 with spelling correction

CAUTION: This email originated from outside of ALS. Do not click links or open attachments unless you recognize the sender and are sure content is relevant to you.

Hi Josh,

Can you please reissue report EM2207807 with the following correction?

EM2207807004	SX_IB_20220430_11_51_SS_Primary_ALS
EM2207807031	SX_IB_20220430_11_51_SS_Primary_ALS

This sample was incorrectly labelled as outbound on the COC

Regards,

agon

ENVIRONMENTAL



David Lawson
Environmental Scientist

Agon Environmental
ADELAIDE | CANBERRA | DARWIN | MELBOURNE
H76, 63-85 Turner St, Port Melbourne VIC 3207
+61 3 8566 1567
+61 4 9041 1004
David.Lawson@agonenviro.com.au
agonenviro.com.au

Disclaimer: The information contained in this e-mail and any attached file is confidential. It is intended solely for the addressee, and may not be used, reproduced, disclosed or distributed without Agon's permission. Agon accepts no liability for loss or damage (whether caused by negligence or not) resulting from the use of any attached files. **Please consider the environment before printing this email.**

CERTIFICATE OF ANALYSIS

Work Order	: EM2207807	Page	: 1 of 65
Amendment	: 1	Laboratory	: Environmental Division Melbourne
Client	: AGON ENVIRONMENTAL PTY LTD	Contact	: Josh Alexander
Contact	: DAVID LAWSON	Address	: 4 Westall Rd Springvale VIC Australia 3171
Address	: D1.1 63-85 TURNER STREET PORT MELBOURNE 3207	Telephone	: +61-3-8549 9600
Telephone	: ----	Date Samples Received	: 02-May-2022 11:55
Project	: JC0927	Date Analysis Commenced	: 02-May-2022
Order number	: ----	Issue Date	: 09-May-2022 14:20
C-O-C number	: 20220502042154-ALS-21		
Sampler	: WOH + TB + DL + LR		
Site	: 20220502042154-ALS-21		
Quote number	: EN/150/19 -WGTP -Bulk Sample Quote		
No. of samples received	: 50		
No. of samples analysed	: 48		



Accreditation No. 825
Accredited for compliance with
ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Dilani Fernando	Laboratory Coordinator	Melbourne Inorganics, Springvale, VIC
Nikki Stepniewski	Senior Inorganic Instrument Chemist	Melbourne Inorganics, Springvale, VIC
Xing Lin	Senior Organic Chemist	Melbourne Organics, Springvale, VIC



General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.
LOR = Limit of reporting
^ = This result is computed from individual analyte detections at or above the level of reporting
ø = ALS is not NATA accredited for these tests.
~ = Indicates an estimated value.

- EP231X: Poor matrix spike recovery for sample EM2207807-029 due to sample matrix interference.
- EG048G: EM2207807 #6 result for hexavalent chromium has been confirmed by re-preparation and re-analysis.
- Benzo(a)pyrene Toxicity Equivalent Quotient (TEQ) per the NEPM (2013) is the sum total of the concentration of the eight carcinogenic PAHs multiplied by their Toxicity Equivalence Factor (TEF) relative to Benzo(a)pyrene. TEF values are provided in brackets as follows: Benz(a)anthracene (0.1), Chrysene (0.01), Benzo(b+j) & Benzo(k)fluoranthene (0.1), Benzo(a)pyrene (1.0), Indeno(1.2.3.cd)pyrene (0.1), Dibenz(a,h)anthracene (1.0), Benzo(g,h,i)perylene (0.01). Less than LOR results for 'TEQ Zero' are treated as zero, for 'TEQ 1/2LOR' are treated as half the reported LOR, and for 'TEQ LOR' are treated as being equal to the reported LOR. Note: TEQ 1/2LOR and TEQ LOR will calculate as 0.6mg/Kg and 1.2mg/Kg respectively for samples with non-detects for all of the eight TEQ PAHs.
- EP231X - Per- and Polyfluoroalkyl Substances (PFAS): Samples received in 20ml or 125ml bottles have been tested in accordance with the QSM5.3 compliant, NATA accredited method. 60mL or 250mL bottles have been tested to the legacy QSM 5.1 aligned, NATA accredited method.
- EP074-UT: Where reported, Total Xylenes is the sum of the reported concentrations of m&p-Xylene and o-Xylene at or above the LOR.
- EP074-WF: Where reported, Sum of trichlorobenzenes is the sum of the reported concentrations of 1,2,3-Trichlorobenzene and 1,2,4-Trichlorobenzene, and 1,3,5-Trichlorobenzene at or above the LOR.
- Amendment (9/05/2022): This report has been amended as a result of a request to change sample identification numbers (IDs) received from David Lawson on 9/05/2022 for EM2207807 sample 004 and 031. All analysis results are as per the previous report.
- EP231: Stable isotope enriched internal standards are added to samples prior to extraction. Target compounds have a direct analogous internal standard with the exception of PFPeS, PFHpA, PFDS, PFTrDA and 10:2 FTS. These compounds use an internal standard that is chemically related and has a retention time close to that of the target compound. The DQO for internal standard response is 50-150% of that established at initial calibration. PFOS is quantified using a certified, traceable standard consisting of linear and branched PFOS isomers. These practices are in line with recommendations in the National Environmental Management Plan for PFAS (Australian HEPA) and also conform to QSM 5.3 (US DoD) requirements.
- EN60: Where leachable PFAS analysis is requested, centrifugation rather than pressure filtration is used as the default approach for removal of particulates, in line with AS 4439.3.
- EN60-DI: Where leachable PFAS analysis is requested, centrifugation rather than pressure filtration is used as the default approach for removal of particulates, in line with AS 4439.3.



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220430_07_47_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS	SX_OB_20220430_08_01_SS_Primary_ALS	SX_IB_20220430_11_51_SS_Primary_ALS	SX_OB_20220430_11_55_SS_Primary_ALS
Sampling date / time				30-Apr-2022 07:47	30-Apr-2022 07:51	30-Apr-2022 08:01	30-Apr-2022 11:51	30-Apr-2022 11:55
Compound	CAS Number	LOR	Unit	EM2207807-001	EM2207807-002	EM2207807-003	EM2207807-004	EM2207807-005
				Result	Result	Result	Result	Result
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220430_07_47_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS	SX_OB_20220430_08_01_SS_Primary_ALS	SX_IB_20220430_11_51_SS_Primary_ALS	SX_OB_20220430_11_55_SS_Primary_ALS
Sampling date / time				30-Apr-2022 07:47	30-Apr-2022 07:51	30-Apr-2022 08:01	30-Apr-2022 11:51	30-Apr-2022 11:55
Compound	CAS Number	LOR	Unit	EM2207807-001	EM2207807-002	EM2207807-003	EM2207807-004	EM2207807-005
				Result	Result	Result	Result	Result
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	97.8	93.2	104	95.7	92.0
13C8-PFOA	----	0.02	%	105	113	84.1	106	95.8



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220430_15_52_SS_Primary_ALS	SX_OB_20220430_15_58_SS_Triplicate_ALS	SX_OB_20220430_16_02_SS_Primary_ALS	SX_OB_20220430_20_08_SS_Primary_ALS	SX_OB_20220501_00_12_SS_Primary_ALS
Sampling date / time				30-Apr-2022 15:52	30-Apr-2022 15:58	30-Apr-2022 16:02	30-Apr-2022 20:08	01-May-2022 00:12
Compound	CAS Number	LOR	Unit	EM2207807-006	EM2207807-007	EM2207807-008	EM2207807-009	EM2207807-012
				Result	Result	Result	Result	Result
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220430_15_52_SS_Primary_ALS	SX_OB_20220430_15_58_SS_Triplicate_ALS	SX_OB_20220430_16_02_SS_Primary_ALS	SX_OB_20220430_20_08_SS_Primary_ALS	SX_OB_20220501_00_12_SS_Primary_ALS
Sampling date / time				30-Apr-2022 15:52	30-Apr-2022 15:58	30-Apr-2022 16:02	30-Apr-2022 20:08	01-May-2022 00:12
Compound	CAS Number	LOR	Unit	EM2207807-006	EM2207807-007	EM2207807-008	EM2207807-009	EM2207807-012
				Result	Result	Result	Result	Result
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	87.9	95.2	87.3	91.3	86.5
13C8-PFOA	----	0.02	%	96.0	87.0	99.6	85.6	98.5



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_OB_20220501_04_13_SS_Primary_ALS	SX_IB_20220501_08_17_SS_Primary_ALS	SX_IB_20220501_08_20_SS_Duplicate_ALS	SX_IB_20220501_12_15_SS_Primary_ALS	SX_IB_20220501_12_21_SS_Primary_ALS
Sampling date / time				01-May-2022 04:13	01-May-2022 08:17	01-May-2022 08:20	01-May-2022 12:15	01-May-2022 12:21
Compound	CAS Number	LOR	Unit	EM2207807-013	EM2207807-014	EM2207807-015	EM2207807-016	EM2207807-017
				Result	Result	Result	Result	Result
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_OB_20220501_04_13_SS_Primary_ALS	SX_IB_20220501_08_17_SS_Primary_ALS	SX_IB_20220501_08_20_SS_Duplicate_ALS	SX_IB_20220501_12_15_SS_Primary_ALS	SX_IB_20220501_12_21_SS_Primary_ALS
Sampling date / time				01-May-2022 04:13	01-May-2022 08:17	01-May-2022 08:20	01-May-2022 12:15	01-May-2022 12:21
Compound	CAS Number	LOR	Unit	EM2207807-013	EM2207807-014	EM2207807-015	EM2207807-016	EM2207807-017
				Result	Result	Result	Result	Result
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	74.4	93.0	92.7	77.9	90.3
13C8-PFOA	----	0.02	%	86.0	88.1	92.5	99.6	94.8



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_OB_20220501_12_24_SS_Primary_ALS	SX_IB_20220501_16_12_SS_Primary_ALS	SX_IB_20220501_16_18_SS_Primary_ALS	SX_OB_20220501_16_24_SS_Triplicate_ALS	SX_IB_20220501_19_49_SS_Primary_ALS
Sampling date / time				01-May-2022 12:24	01-May-2022 16:12	01-May-2022 16:18	01-May-2022 16:24	01-May-2022 19:49
Compound	CAS Number	LOR	Unit	EM2207807-018	EM2207807-019	EM2207807-020	EM2207807-021	EM2207807-022
				Result	Result	Result	Result	Result
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_OB_20220501_12_24_SS_Primary_ALS	SX_IB_20220501_16_12_SS_Primary_ALS	SX_IB_20220501_16_18_SS_Primary_ALS	SX_OB_20220501_16_24_SS_Triplicate_ALS	SX_IB_20220501_19_49_SS_Primary_ALS
Sampling date / time				01-May-2022 12:24	01-May-2022 16:12	01-May-2022 16:18	01-May-2022 16:24	01-May-2022 19:49
Compound	CAS Number	LOR	Unit	EM2207807-018	EM2207807-019	EM2207807-020	EM2207807-021	EM2207807-022
				Result	Result	Result	Result	Result
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	104	85.8	98.1	105	85.4
13C8-PFOA	----	0.02	%	102	98.8	91.1	90.5	96.7



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220501_19_58_SS_Primary_ALS	SX_IB_20220501_23_56_SS_Primary_ALS	SX_IB_20220502_04_06_SS_Primary_ALS	----	----
		Sampling date / time		01-May-2022 19:58	01-May-2022 23:56	02-May-2022 15:00	----	----
Compound	CAS Number	LOR	Unit	EM2207807-023	EM2207807-025	EM2207807-027	-----	-----
				Result	Result	Result	----	----
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	----	----
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	----	----
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	----	----
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	----	----
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	----	----



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220501_19_58_SS_Primary_ALS	SX_IB_20220501_23_56_SS_Primary_ALS	SX_IB_20220502_04_06_SS_Primary_ALS	----	----
				01-May-2022 19:58	01-May-2022 23:56	02-May-2022 15:00	----	----
Compound	CAS Number	LOR	Unit	EM2207807-023	EM2207807-025	EM2207807-027	-----	-----
Sampling date / time				Result	Result	Result	----	----
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	----	----
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	----	----
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	----	----
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	----	----
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	----	----
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	----	----
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	93.4	89.7	95.4	----	----
13C8-PFOA	----	0.02	%	87.0	116	116	----	----



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220430_07_47_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS	SX_OB_20220430_08_01_SS_Primary_ALS	SX_IB_20220430_11_51_SS_Primary_ALS	SX_OB_20220430_11_55_SS_Primary_ALS
Sampling date / time				30-Apr-2022 15:00	30-Apr-2022 15:00	30-Apr-2022 15:00	30-Apr-2022 15:00	30-Apr-2022 15:00
Compound	CAS Number	LOR	Unit	EM2207807-028	EM2207807-029	EM2207807-030	EM2207807-031	EM2207807-032
				Result	Result	Result	Result	Result
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220430_07_47_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS	SX_OB_20220430_08_01_SS_Primary_ALS	SX_IB_20220430_11_51_SS_Primary_ALS	SX_OB_20220430_11_55_SS_Primary_ALS
Sampling date / time				30-Apr-2022 15:00	30-Apr-2022 15:00	30-Apr-2022 15:00	30-Apr-2022 15:00	30-Apr-2022 15:00
Compound	CAS Number	LOR	Unit	EM2207807-028	EM2207807-029	EM2207807-030	EM2207807-031	EM2207807-032
				Result	Result	Result	Result	Result
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	101	108	96.0	101	99.6
13C8-PFOA	----	0.02	%	95.1	91.3	91.9	89.3	89.4



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220430_15_52_SS_Primary_ALS	SX_OB_20220430_15_58_SS_Triplicate_ALS	SX_OB_20220430_16_02_SS_Primary_ALS	SX_OB_20220430_20_08_SS_Primary_ALS	SX_OB_20220501_00_12_SS_Primary_ALS
Sampling date / time				30-Apr-2022 15:00	30-Apr-2022 15:00	30-Apr-2022 15:00	30-Apr-2022 15:00	01-May-2022 15:00
Compound	CAS Number	LOR	Unit	EM2207807-033	EM2207807-034	EM2207807-035	EM2207807-036	EM2207807-037
				Result	Result	Result	Result	Result
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220430_15_52_SS_Primary_ALS	SX_OB_20220430_15_58_SS_Triplicate_ALS	SX_OB_20220430_16_02_SS_Primary_ALS	SX_OB_20220430_20_08_SS_Primary_ALS	SX_OB_20220501_00_12_SS_Primary_ALS
Sampling date / time				30-Apr-2022 15:00	30-Apr-2022 15:00	30-Apr-2022 15:00	30-Apr-2022 15:00	01-May-2022 15:00
Compound	CAS Number	LOR	Unit	EM2207807-033	EM2207807-034	EM2207807-035	EM2207807-036	EM2207807-037
				Result	Result	Result	Result	Result
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	103	95.9	103	98.5	105
13C8-PFOA	----	0.02	%	92.0	91.9	93.6	94.8	92.0



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_OB_20220501_04_13_SS_Primary_ALS	SX_IB_20220501_08_17_SS_Primary_ALS	SX_IB_20220501_08_20_SS_Duplicate_ALS	SX_IB_20220501_12_15_SS_Primary_ALS	SX_IB_20220501_12_21_SS_Primary_ALS
Sampling date / time				01-May-2022 15:00	01-May-2022 15:00	01-May-2022 15:00	01-May-2022 15:00	01-May-2022 15:00
Compound	CAS Number	LOR	Unit	EM2207807-038	EM2207807-039	EM2207807-040	EM2207807-041	EM2207807-042
				Result	Result	Result	Result	Result
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_OB_20220501_04_13_SS_Primary_ALS	SX_IB_20220501_08_17_SS_Primary_ALS	SX_IB_20220501_08_20_SS_Duplicate_ALS	SX_IB_20220501_12_15_SS_Primary_ALS	SX_IB_20220501_12_21_SS_Primary_ALS
Sampling date / time				01-May-2022 15:00	01-May-2022 15:00	01-May-2022 15:00	01-May-2022 15:00	01-May-2022 15:00
Compound	CAS Number	LOR	Unit	EM2207807-038	EM2207807-039	EM2207807-040	EM2207807-041	EM2207807-042
				Result	Result	Result	Result	Result
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	98.9	103	105	114	107
13C8-PFOA	----	0.02	%	96.6	93.8	93.8	95.7	97.2



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_OB_20220501_12_24_SS_Primary_ALS	SX_IB_20220501_16_12_SS_Primary_ALS	SX_IB_20220501_16_18_SS_Primary_ALS	SX_OB_20220501_16_24_SS_Triplicate_ALS	SX_IB_20220501_19_49_SS_Primary_ALS
Sampling date / time				01-May-2022 15:00	01-May-2022 15:00	01-May-2022 15:00	01-May-2022 16:24	01-May-2022 19:49
Compound	CAS Number	LOR	Unit	EM2207807-043	EM2207807-044	EM2207807-045	EM2207807-046	EM2207807-047
				Result	Result	Result	Result	Result
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_OB_20220501_12_24_SS_Primary_ALS	SX_IB_20220501_16_12_SS_Primary_ALS	SX_IB_20220501_16_18_SS_Primary_ALS	SX_OB_20220501_16_24_SS_Triplicate_ALS	SX_IB_20220501_19_49_SS_Primary_ALS
Sampling date / time				01-May-2022 15:00	01-May-2022 15:00	01-May-2022 15:00	01-May-2022 16:24	01-May-2022 19:49
Compound	CAS Number	LOR	Unit	EM2207807-043	EM2207807-044	EM2207807-045	EM2207807-046	EM2207807-047
				Result	Result	Result	Result	Result
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	99.0	105	110	97.9	110
13C8-PFOA	----	0.02	%	93.4	95.4	91.8	95.4	93.1



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220501_19_58_SS_Primary_ALS	SX_IB_20220501_23_56_SS_Primary_ALS	SX_IB_20220502_04_06_SS_Primary_ALS	----	----
		Sampling date / time		01-May-2022 19:58	01-May-2022 23:56	02-May-2022 04:06	----	----
Compound	CAS Number	LOR	Unit	EM2207807-048	EM2207807-049	EM2207807-050	-----	-----
				Result	Result	Result	----	----
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	----	----
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	----	----
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	----	----
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	----	----
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	----	----



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220501_19_58_SS_Primary_ALS	SX_IB_20220501_23_56_SS_Primary_ALS	SX_IB_20220502_04_06_SS_Primary_ALS	----	----
Sampling date / time				01-May-2022 19:58	01-May-2022 23:56	02-May-2022 04:06	----	----
Compound	CAS Number	LOR	Unit	EM2207807-048	EM2207807-049	EM2207807-050	-----	-----
				Result	Result	Result	----	----
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	----	----
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	----	----
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	----	----
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	----	----
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	----	----
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	----	----
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	110	108	107	----	----
13C8-PFOA	----	0.02	%	94.3	96.2	92.6	----	----



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220430_07_47_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS	SX_OB_20220430_08_01_SS_Primary_ALS	SX_IB_20220430_11_51_SS_Primary_ALS	SX_OB_20220430_11_55_SS_Primary_ALS
Sampling date / time				30-Apr-2022 07:47	30-Apr-2022 07:51	30-Apr-2022 08:01	30-Apr-2022 11:51	30-Apr-2022 11:55
Compound	CAS Number	LOR	Unit	EM2207807-001	EM2207807-002	EM2207807-003	EM2207807-004	EM2207807-005
				Result	Result	Result	Result	Result
EA001: pH in soil using 0.01M CaCl extract								
pH (CaCl ₂)	----	0.1	pH Unit	8.9	8.9	7.5	8.7	7.6
EA055: Moisture Content (Dried @ 105-110°C)								
Moisture Content	----	1.0	%	29.4	30.6	29.3	29.9	25.8
EG005(ED093)T: Total Metals by ICP-AES								
Arsenic	7440-38-2	5	mg/kg	20	22	23	20	12
Cadmium	7440-43-9	1	mg/kg	<1	<1	<1	<1	<1
Chromium	7440-47-3	5	mg/kg	80	82	113	72	99
Copper	7440-50-8	5	mg/kg	65	59	66	67	57
Lead	7439-92-1	5	mg/kg	<5	<5	<5	<5	<5
Molybdenum	7439-98-7	5	mg/kg	<5	<5	<5	<5	<5
Nickel	7440-02-0	5	mg/kg	183	167	187	187	154
Selenium	7782-49-2	5	mg/kg	<5	<5	<5	<5	<5
Silver	7440-22-4	2	mg/kg	<2	<2	<2	<2	<2
Tin	7440-31-5	10	mg/kg	<10	<10	<10	<10	<10
Zinc	7440-66-6	5	mg/kg	145	118	115	147	88
EG035T: Total Recoverable Mercury by FIMS								
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
EG048: Hexavalent Chromium (Alkaline Digest)								
Hexavalent Chromium	18540-29-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
EK026SF: Total CN by Segmented Flow Analyser								
Total Cyanide	57-12-5	5	mg/kg	<5	<5	<5	<5	<5
EK040T: Fluoride Total								
Fluoride	16984-48-8	100	mg/kg	220	240	170	240	170
EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Initial pH	----	0.1	pH Unit	9.6	9.7	9.0	9.1	9.1
After HCl pH	----	0.1	pH Unit	1.6	1.5	1.5	1.5	1.4
Extraction Fluid pH	----	0.1	pH Unit	5.0	5.0	5.0	5.0	5.0
Final pH	----	0.1	pH Unit	5.2	5.2	5.2	5.3	5.1
EP066: Polychlorinated Biphenyls (PCB)								
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
EP074A: Monocyclic Aromatic Hydrocarbons								
Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	<0.2	<0.2	<0.2
Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220430_07_47_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS	SX_OB_20220430_08_01_SS_Primary_ALS	SX_IB_20220430_11_51_SS_Primary_ALS	SX_OB_20220430_11_55_SS_Primary_ALS
Sampling date / time				30-Apr-2022 07:47	30-Apr-2022 07:51	30-Apr-2022 08:01	30-Apr-2022 11:51	30-Apr-2022 11:55
Compound	CAS Number	LOR	Unit	EM2207807-001	EM2207807-002	EM2207807-003	EM2207807-004	EM2207807-005
				Result	Result	Result	Result	Result
EP074A: Monocyclic Aromatic Hydrocarbons - Continued								
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
meta- & para-Xylene	108-38-3	106-42-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5
Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
[^] Sum of monocyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
[^] Total Xylenes	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
EP074H: Naphthalene								
Naphthalene	91-20-3	1	mg/kg	<1	<1	<1	<1	<1
EP074I: Volatile Halogenated Compounds								
Vinyl chloride	75-01-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethene	75-35-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Methylene chloride	75-09-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
trans-1,2-Dichloroethene	156-60-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	156-59-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroform	67-66-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1-Trichloroethane	71-55-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Carbon Tetrachloride	56-23-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloroethane	107-06-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Trichloroethene	79-01-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2-Trichloroethane	79-00-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene	127-18-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1,2-Tetrachloroethane	630-20-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2,2-Tetrachloroethane	79-34-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Hexachlorobutadiene	87-68-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chlorobenzene	108-90-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dichlorobenzene	106-46-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichlorobenzene	95-50-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2,4-Trichlorobenzene	120-82-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
[^] Sum of volatile chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
[^] Sum of other chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
EP075A: Phenolic Compounds (Halogenated)								
2-Chlorophenol	95-57-8	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,4-Dichlorophenol	120-83-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220430_07_47_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS	SX_OB_20220430_08_01_SS_Primary_ALS	SX_IB_20220430_11_51_SS_Primary_ALS	SX_OB_20220430_11_55_SS_Primary_ALS
Sampling date / time				30-Apr-2022 07:47	30-Apr-2022 07:51	30-Apr-2022 08:01	30-Apr-2022 11:51	30-Apr-2022 11:55
Compound	CAS Number	LOR	Unit	EM2207807-001	EM2207807-002	EM2207807-003	EM2207807-004	EM2207807-005
				Result	Result	Result	Result	Result
EP075A: Phenolic Compounds (Halogenated) - Continued								
2,6-Dichlorophenol	87-65-0	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
4-Chloro-3-methylphenol	59-50-7	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,5-Trichlorophenol	95-95-4	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,6-Trichlorophenol	88-06-2	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-90-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Pentachlorophenol	87-86-5	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
^ Sum of Phenols (halogenated)	----	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
EP075A: Phenolic Compounds (Non-halogenated)								
Phenol	108-95-2	1	mg/kg	<1	<1	<1	<1	<1
2-Methylphenol	95-48-7	1	mg/kg	<1	<1	<1	<1	<1
3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	<1	<1	<1
2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	<5	<5	<5
4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	<5	<5	<5
2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	<5	<5	<5
Dinoseb	88-85-7	20	mg/kg	<20	<20	<20	<20	<20
2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	20	mg/kg	<20	<20	<20	<20	<20
^ Sum of Phenols (non-halogenated)	----	20	mg/kg	<20	<20	<20	<20	<20
EP075B: Polynuclear Aromatic Hydrocarbons								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220430_07_47_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS	SX_OB_20220430_08_01_SS_Primary_ALS	SX_IB_20220430_11_51_SS_Primary_ALS	SX_OB_20220430_11_55_SS_Primary_ALS
Sampling date / time				30-Apr-2022 07:47	30-Apr-2022 07:51	30-Apr-2022 08:01	30-Apr-2022 11:51	30-Apr-2022 11:55
Compound	CAS Number	LOR	Unit	EM2207807-001	EM2207807-002	EM2207807-003	EM2207807-004	EM2207807-005
				Result	Result	Result	Result	Result
EP075B: Polynuclear Aromatic Hydrocarbons - Continued								
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	0.6	0.6	0.6	0.6	0.6
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	1.2	1.2	1.2	1.2	1.2
EP075I: Organochlorine Pesticides								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
Endosulfan 1	959-98-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan 2	33213-65-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4,4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Methoxychlor	72-43-5	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Sum of organochlorine pesticides	----	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.30	mg/kg	<0.30	<0.30	<0.30	<0.30	<0.30
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Chlordane	57-74-9	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220430_07_47_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS	SX_OB_20220430_08_01_SS_Primary_ALS	SX_IB_20220430_11_51_SS_Primary_ALS	SX_OB_20220430_11_55_SS_Primary_ALS	
Sampling date / time				30-Apr-2022 07:47	30-Apr-2022 07:51	30-Apr-2022 08:01	30-Apr-2022 11:51	30-Apr-2022 11:55		
Compound	CAS Number	LOR	Unit	EM2207807-001	EM2207807-002	EM2207807-003	EM2207807-004	EM2207807-005		
				Result	Result	Result	Result	Result		
EP075I: Organochlorine Pesticides - Continued										
^ Sum of other organochlorine pesticides				----	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03
EP080/071: Total Petroleum Hydrocarbons										
C6 - C9 Fraction				----	20	mg/kg	<20	<20	<20	<20
C10 - C14 Fraction				----	50	mg/kg	<50	<50	<50	<50
C6 - C10 Fraction				C6_C10	20	mg/kg	<20	<20	<20	<20
C15 - C28 Fraction				----	100	mg/kg	<100	<100	<100	<100
C29 - C36 Fraction				----	100	mg/kg	<100	<100	<100	<100
^ C10 - C36 Fraction (sum)				----	50	mg/kg	<50	<50	<50	<50
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions										
>C10 - C16 Fraction				----	50	mg/kg	<50	<50	<50	<50
>C16 - C34 Fraction				----	100	mg/kg	<100	<100	<100	<100
>C34 - C40 Fraction				----	100	mg/kg	<100	<100	<100	<100
^ >C10 - C40 Fraction (sum)				----	50	mg/kg	<50	<50	<50	<50
>C10 - C16 Fraction minus Naphthalene (F2)				----	50	mg/kg	<50	<50	<50	<50
C6 - C10 Fraction minus BTEX (F1)				C6_C10-BTEX	20	mg/kg	<20	<20	<20	<20
EP231A: Perfluoroalkyl Sulfonic Acids										
Perfluorobutane sulfonic acid (PFBS)				375-73-5	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0
Perfluoropentane sulfonic acid (PFPeS)				2706-91-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0
Perfluorohexane sulfonic acid (PFHxS)				355-46-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0
Perfluoroheptane sulfonic acid (PFHpS)				375-92-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0
Perfluorooctane sulfonic acid (PFOS)				1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0
Perfluorodecane sulfonic acid (PFDS)				335-77-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0
EP231B: Perfluoroalkyl Carboxylic Acids										
Perfluorobutanoic acid (PFBA)				375-22-4	5	µg/kg	<5	<5	<5	<5
Perfluoropentanoic acid (PFPeA)				2706-90-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0
Perfluorohexanoic acid (PFHxA)				307-24-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0
Perfluoroheptanoic acid (PFHpA)				375-85-9	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220430_07_47_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS	SX_OB_20220430_08_01_SS_Primary_ALS	SX_IB_20220430_11_51_SS_Primary_ALS	SX_OB_20220430_11_55_SS_Primary_ALS
Sampling date / time				30-Apr-2022 07:47	30-Apr-2022 07:51	30-Apr-2022 08:01	30-Apr-2022 11:51	30-Apr-2022 11:55	
Compound	CAS Number	LOR	Unit	EM2207807-001	EM2207807-002	EM2207807-003	EM2207807-004	EM2207807-005	
				Result	Result	Result	Result	Result	
EP231B: Perfluoroalkyl Carboxylic Acids - Continued									
Perfluorooctanoic acid (PFOA)	335-67-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorononanoic acid (PFNA)	375-95-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorodecanoic acid (PFDA)	335-76-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorododecanoic acid (PFDoDA)	307-55-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
EP231C: Perfluoroalkyl Sulfonamides									
Perfluorooctane sulfonamide (FOSA)	754-91-6	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
EP231D: (n:2) Fluorotelomer Sulfonic Acids									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220430_07_47_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS	SX_OB_20220430_08_01_SS_Primary_ALS	SX_IB_20220430_11_51_SS_Primary_ALS	SX_OB_20220430_11_55_SS_Primary_ALS
Sampling date / time				30-Apr-2022 07:47	30-Apr-2022 07:51	30-Apr-2022 08:01	30-Apr-2022 11:51	30-Apr-2022 11:55	
Compound	CAS Number	LOR	Unit	EM2207807-001	EM2207807-002	EM2207807-003	EM2207807-004	EM2207807-005	
				Result	Result	Result	Result	Result	
EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued									
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
EP231P: PFAS Sums									
Sum of PFAS	----	50.0	µg/kg	<50.0	<50.0	<50.0	<50.0	<50.0	
Sum of PFHxS and PFOS	355-46-4/1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Sum of PFAS (WA DER List)	----	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
EP066S: PCB Surrogate									
Decachlorobiphenyl	2051-24-3	0.1	%	105	108	97.6	111	104	
EP074S: VOC Surrogates (Ultra-Trace)									
1,2-Dichloroethane-D4	17060-07-0	0.1	%	79.6	85.5	98.8	92.1	92.2	
Toluene-D8	2037-26-5	0.1	%	78.6	82.3	101	94.8	94.9	
4-Bromofluorobenzene	460-00-4	0.1	%	89.1	90.5	108	102	102	
EP075S: Acid Extractable Surrogates (Waste Classification)									
Phenol-d6	13127-88-3	0.025	%	87.9	88.9	84.2	93.0	90.7	
2-Chlorophenol-D4	93951-73-6	0.025	%	82.2	83.1	78.1	86.2	83.7	
2,4,6-Tribromophenol	118-79-6	0.025	%	75.6	76.3	70.1	78.2	75.4	
EP075T: Base/Neutral Extractable Surrogates (Waste Classification)									
Nitrobenzene-D5	4165-60-0	0.025	%	87.6	87.7	84.6	92.4	91.3	
1,2-Dichlorobenzene-D4	2199-69-1	0.025	%	78.8	77.3	76.8	83.5	82.8	
2-Fluorobiphenyl	321-60-8	0.025	%	90.0	88.4	85.9	95.6	92.4	
Anthracene-d10	1719-06-8	0.025	%	82.9	84.9	78.3	87.5	85.3	
4-Terphenyl-d14	1718-51-0	0.025	%	86.2	89.3	83.2	91.9	89.9	
EP231S: PFAS Surrogate									
13C4-PFOS	----	0.0002	%	118	118	124	120	110	
13C8-PFOA	----	0.0002	%	95.0	95.2	104	96.8	94.8	



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220430_15_52_SS_Primary_ALS	SX_OB_20220430_15_58_SS_Triplicate_ALS	SX_OB_20220430_16_02_SS_Primary_ALS	SX_OB_20220430_20_08_SS_Primary_ALS	SX_OB_20220501_00_12_SS_Primary_ALS
Sampling date / time				30-Apr-2022 15:52	30-Apr-2022 15:58	30-Apr-2022 16:02	30-Apr-2022 20:08	01-May-2022 00:12
Compound	CAS Number	LOR	Unit	EM2207807-006	EM2207807-007	EM2207807-008	EM2207807-009	EM2207807-012
				Result	Result	Result	Result	Result
EA001: pH in soil using 0.01M CaCl extract								
pH (CaCl2)	----	0.1	pH Unit	8.8	7.8	7.8	7.7	7.8
EA055: Moisture Content (Dried @ 105-110°C)								
Moisture Content	----	1.0	%	30.5	26.5	29.4	30.0	32.4
EG005(ED093)T: Total Metals by ICP-AES								
Arsenic	7440-38-2	5	mg/kg	22	12	15	18	30
Cadmium	7440-43-9	1	mg/kg	<1	<1	<1	1	<1
Chromium	7440-47-3	5	mg/kg	85	115	127	135	114
Copper	7440-50-8	5	mg/kg	54	67	71	74	55
Lead	7439-92-1	5	mg/kg	<5	<5	<5	<5	<5
Molybdenum	7439-98-7	5	mg/kg	<5	<5	<5	<5	<5
Nickel	7440-02-0	5	mg/kg	155	173	189	238	168
Selenium	7782-49-2	5	mg/kg	<5	<5	<5	<5	<5
Silver	7440-22-4	2	mg/kg	<2	<2	<2	<2	<2
Tin	7440-31-5	10	mg/kg	<10	<10	<10	<10	<10
Zinc	7440-66-6	5	mg/kg	111	101	124	130	97
EG035T: Total Recoverable Mercury by FIMS								
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
EG048: Hexavalent Chromium (Alkaline Digest)								
Hexavalent Chromium	18540-29-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
EK026SF: Total CN by Segmented Flow Analyser								
Total Cyanide	57-12-5	5	mg/kg	<5	<5	<5	<5	<5
EK040T: Fluoride Total								
Fluoride	16984-48-8	100	mg/kg	320	170	160	180	190
EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Initial pH	----	0.1	pH Unit	10.0	9.3	9.2	9.0	9.1
After HCl pH	----	0.1	pH Unit	1.5	1.4	4.5	1.4	1.5
Extraction Fluid pH	----	0.1	pH Unit	5.0	5.0	5.0	5.0	5.0
Final pH	----	0.1	pH Unit	5.3	5.1	5.1	5.1	5.1
EP066: Polychlorinated Biphenyls (PCB)								
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
EP074A: Monocyclic Aromatic Hydrocarbons								
Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	<0.2	<0.2	<0.2



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220430_15_52_SS_Primary_ALS	SX_OB_20220430_15_58_SS_Triplicate_ALS	SX_OB_20220430_16_02_SS_Primary_ALS	SX_OB_20220430_20_08_SS_Primary_ALS	SX_OB_20220501_00_12_SS_Primary_ALS
Sampling date / time				30-Apr-2022 15:52	30-Apr-2022 15:58	30-Apr-2022 16:02	30-Apr-2022 20:08	01-May-2022 00:12
Compound	CAS Number	LOR	Unit	EM2207807-006	EM2207807-007	EM2207807-008	EM2207807-009	EM2207807-012
				Result	Result	Result	Result	Result
EP074A: Monocyclic Aromatic Hydrocarbons - Continued								
Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of monocyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Total Xylenes	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
EP074H: Naphthalene								
Naphthalene	91-20-3	1	mg/kg	<1	<1	<1	<1	<1
EP074I: Volatile Halogenated Compounds								
Vinyl chloride	75-01-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethene	75-35-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Methylene chloride	75-09-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
trans-1,2-Dichloroethene	156-60-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	156-59-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroform	67-66-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1-Trichloroethane	71-55-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Carbon Tetrachloride	56-23-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloroethane	107-06-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Trichloroethene	79-01-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2-Trichloroethane	79-00-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene	127-18-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1,2-Tetrachloroethane	630-20-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2,2-Tetrachloroethane	79-34-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Hexachlorobutadiene	87-68-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chlorobenzene	108-90-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dichlorobenzene	106-46-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichlorobenzene	95-50-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2,4-Trichlorobenzene	120-82-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of volatile chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of other chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
EP075A: Phenolic Compounds (Halogenated)								



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220430_15_52_SS_Primary_ALS	SX_OB_20220430_15_58_SS_Triplicate_ALS	SX_OB_20220430_16_02_SS_Primary_ALS	SX_OB_20220430_20_08_SS_Primary_ALS	SX_OB_20220501_00_12_SS_Primary_ALS
Sampling date / time				30-Apr-2022 15:52	30-Apr-2022 15:58	30-Apr-2022 16:02	30-Apr-2022 20:08	01-May-2022 00:12
Compound	CAS Number	LOR	Unit	EM2207807-006	EM2207807-007	EM2207807-008	EM2207807-009	EM2207807-012
				Result	Result	Result	Result	Result
EP075A: Phenolic Compounds (Halogenated) - Continued								
2-Chlorophenol	95-57-8	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,4-Dichlorophenol	120-83-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,6-Dichlorophenol	87-65-0	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
4-Chloro-3-methylphenol	59-50-7	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,5-Trichlorophenol	95-95-4	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,6-Trichlorophenol	88-06-2	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-90-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Pentachlorophenol	87-86-5	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
^ Sum of Phenols (halogenated)	----	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
EP075A: Phenolic Compounds (Non-halogenated)								
Phenol	108-95-2	1	mg/kg	<1	<1	<1	<1	<1
2-Methylphenol	95-48-7	1	mg/kg	<1	<1	<1	<1	<1
3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	<1	<1	<1
2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	<5	<5	<5
4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	<5	<5	<5
2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	<5	<5	<5
Dinoseb	88-85-7	20	mg/kg	<20	<20	<20	<20	<20
2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	20	mg/kg	<20	<20	<20	<20	<20
^ Sum of Phenols (non-halogenated)	----	20	mg/kg	<20	<20	<20	<20	<20
EP075B: Polynuclear Aromatic Hydrocarbons								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220430_15_52_SS_Primary_ALS	SX_OB_20220430_15_58_SS_Triplicate_ALS	SX_OB_20220430_16_02_SS_Primary_ALS	SX_OB_20220430_20_08_SS_Primary_ALS	SX_OB_20220501_00_12_SS_Primary_ALS
Sampling date / time				30-Apr-2022 15:52	30-Apr-2022 15:58	30-Apr-2022 16:02	30-Apr-2022 20:08	01-May-2022 00:12
Compound	CAS Number	LOR	Unit	EM2207807-006	EM2207807-007	EM2207807-008	EM2207807-009	EM2207807-012
				Result	Result	Result	Result	Result
EP075B: Polynuclear Aromatic Hydrocarbons - Continued								
Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	0.6	0.6	0.6	0.6	0.6
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	1.2	1.2	1.2	1.2	1.2
EP075I: Organochlorine Pesticides								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
Endosulfan 1	959-98-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan 2	33213-65-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Methoxychlor	72-43-5	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Sum of organochlorine pesticides	----	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220430_15_52_SS_Primary_ALS	SX_OB_20220430_15_58_SS_Triplicate_ALS	SX_OB_20220430_16_02_SS_Primary_ALS	SX_OB_20220430_20_08_SS_Primary_ALS	SX_OB_20220501_00_12_SS_Primary_ALS
Sampling date / time				30-Apr-2022 15:52	30-Apr-2022 15:58	30-Apr-2022 16:02	30-Apr-2022 20:08	01-May-2022 00:12
Compound	CAS Number	LOR	Unit	EM2207807-006	EM2207807-007	EM2207807-008	EM2207807-009	EM2207807-012
				Result	Result	Result	Result	Result
EP075I: Organochlorine Pesticides - Continued								
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.30	mg/kg	<0.30	<0.30	<0.30	<0.30	<0.30
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Chlordane	57-74-9	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10
^ Sum of other organochlorine pesticides	----	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
EP080/071: Total Petroleum Hydrocarbons								
C6 - C9 Fraction	----	20	mg/kg	<20	<20	<20	<20	<20
C10 - C14 Fraction	----	50	mg/kg	<50	<50	<50	<50	<50
C6 - C10 Fraction	C6_C10	20	mg/kg	<20	<20	<20	<20	<20
C15 - C28 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
C29 - C36 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
^ C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	<50	<50	<50
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions								
>C10 - C16 Fraction	----	50	mg/kg	<50	<50	<50	<50	<50
>C16 - C34 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
>C34 - C40 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	<50	<50	<50
>C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	<50	<50	<50	<50	<50
C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	20	mg/kg	<20	<20	<20	<20	<20
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorodecane sulfonic acid (PFDS)	335-77-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220430_15_52_SS_Primary_ALS	SX_OB_20220430_15_58_SS_Triplicate_ALS	SX_OB_20220430_16_02_SS_Primary_ALS	SX_OB_20220430_20_08_SS_Primary_ALS	SX_OB_20220501_00_12_SS_Primary_ALS
Sampling date / time				30-Apr-2022 15:52	30-Apr-2022 15:58	30-Apr-2022 16:02	30-Apr-2022 20:08	01-May-2022 00:12
Compound	CAS Number	LOR	Unit	EM2207807-006	EM2207807-007	EM2207807-008	EM2207807-009	EM2207807-012
				Result	Result	Result	Result	Result
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	5	µg/kg	<5	<5	<5	<5	<5
Perfluoropentanoic acid (PFPeA)	2706-90-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorohexanoic acid (PFHxA)	307-24-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroheptanoic acid (PFHpA)	375-85-9	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorooctanoic acid (PFOA)	335-67-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorononanoic acid (PFNA)	375-95-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorodecanoic acid (PFDA)	335-76-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorododecanoic acid (PFDoDA)	307-55-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
EP231D: (n:2) Fluorotelomer Sulfonic Acids								



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220430_15_52_SS_Primary_ALS	SX_OB_20220430_15_58_SS_Triplicate_ALS	SX_OB_20220430_16_02_SS_Primary_ALS	SX_OB_20220430_20_08_SS_Primary_ALS	SX_OB_20220501_00_12_SS_Primary_ALS
Sampling date / time				30-Apr-2022 15:52	30-Apr-2022 15:58	30-Apr-2022 16:02	30-Apr-2022 20:08	01-May-2022 00:12
Compound	CAS Number	LOR	Unit	EM2207807-006	EM2207807-007	EM2207807-008	EM2207807-009	EM2207807-012
				Result	Result	Result	Result	Result
EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
EP231P: PFAS Sums								
Sum of PFAS	----	50.0	µg/kg	<50.0	<50.0	<50.0	<50.0	<50.0
Sum of PFHxS and PFOS	355-46-4/1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Sum of PFAS (WA DER List)	----	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
EP066S: PCB Surrogate								
Decachlorobiphenyl	2051-24-3	0.1	%	104	118	103	108	112
EP074S: VOC Surrogates (Ultra-Trace)								
1,2-Dichloroethane-D4	17060-07-0	0.1	%	92.6	82.7	92.4	89.4	96.0
Toluene-D8	2037-26-5	0.1	%	93.2	85.5	94.0	90.5	96.8
4-Bromofluorobenzene	460-00-4	0.1	%	102	90.4	102	99.5	106
EP075S: Acid Extractable Surrogates (Waste Classification)								
Phenol-d6	13127-88-3	0.025	%	90.6	94.9	87.1	94.0	95.5
2-Chlorophenol-D4	93951-73-6	0.025	%	82.6	87.6	79.6	86.0	87.3
2,4,6-Tribromophenol	118-79-6	0.025	%	74.5	78.7	70.8	77.3	83.3
EP075T: Base/Neutral Extractable Surrogates (Waste Classification)								
Nitrobenzene-D5	4165-60-0	0.025	%	89.8	94.2	86.0	93.6	95.6
1,2-Dichlorobenzene-D4	2199-69-1	0.025	%	81.6	85.3	78.8	85.5	86.4
2-Fluorobiphenyl	321-60-8	0.025	%	92.3	97.7	89.2	96.5	99.3
Anthracene-d10	1719-06-8	0.025	%	84.8	89.1	82.2	88.7	92.5
4-Terphenyl-d14	1718-51-0	0.025	%	88.6	94.6	87.4	93.6	99.7
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.0002	%	123	111	102	110	110
13C8-PFOA	----	0.0002	%	94.5	97.6	97.3	98.1	91.0



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220501_04_13_SS_Primary_ALS	SX_IB_20220501_08_17_SS_Primary_ALS	SX_IB_20220501_08_20_SS_Duplicate_ALS	SX_IB_20220501_12_15_SS_Primary_ALS	SX_IB_20220501_12_21_SS_Primary_ALS
Sampling date / time				01-May-2022 04:13	01-May-2022 08:17	01-May-2022 08:20	01-May-2022 12:15	01-May-2022 12:21
Compound	CAS Number	LOR	Unit	EM2207807-013	EM2207807-014	EM2207807-015	EM2207807-016	EM2207807-017
				Result	Result	Result	Result	Result
EA001: pH in soil using 0.01M CaCl extract								
pH (CaCl ₂)	----	0.1	pH Unit	7.6	8.6	8.6	8.8	8.8
EA055: Moisture Content (Dried @ 105-110°C)								
Moisture Content	----	1.0	%	30.3	31.9	32.8	33.3	32.3
EG005(ED093)T: Total Metals by ICP-AES								
Arsenic	7440-38-2	5	mg/kg	9	27	23	20	20
Cadmium	7440-43-9	1	mg/kg	<1	<1	<1	<1	<1
Chromium	7440-47-3	5	mg/kg	106	90	85	78	76
Copper	7440-50-8	5	mg/kg	48	54	60	58	56
Lead	7439-92-1	5	mg/kg	<5	<5	<5	<5	<5
Molybdenum	7439-98-7	5	mg/kg	<5	<5	<5	<5	<5
Nickel	7440-02-0	5	mg/kg	131	163	153	167	142
Selenium	7782-49-2	5	mg/kg	<5	<5	<5	<5	<5
Silver	7440-22-4	2	mg/kg	<2	<2	<2	<2	<2
Tin	7440-31-5	10	mg/kg	<10	<10	<10	<10	<10
Zinc	7440-66-6	5	mg/kg	84	119	122	107	103
EG035T: Total Recoverable Mercury by FIMS								
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
EG048: Hexavalent Chromium (Alkaline Digest)								
Hexavalent Chromium	18540-29-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
EK026SF: Total CN by Segmented Flow Analyser								
Total Cyanide	57-12-5	5	mg/kg	<5	<5	<5	<5	<5
EK040T: Fluoride Total								
Fluoride	16984-48-8	100	mg/kg	180	280	200	190	240
EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Initial pH	----	0.1	pH Unit	9.3	9.9	9.6	9.8	9.8
After HCl pH	----	0.1	pH Unit	1.5	1.4	1.6	1.5	1.5
Extraction Fluid pH	----	0.1	pH Unit	5.0	5.0	5.0	5.0	5.0
Final pH	----	0.1	pH Unit	5.2	5.2	5.2	5.2	5.3
EP066: Polychlorinated Biphenyls (PCB)								
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
EP074A: Monocyclic Aromatic Hydrocarbons								
Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	<0.2	<0.2	<0.2
Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220501_04_13_SS_Primary_ALS	SX_IB_20220501_08_17_SS_Primary_ALS	SX_IB_20220501_08_20_SS_Duplicate_ALS	SX_IB_20220501_12_15_SS_Primary_ALS	SX_IB_20220501_12_21_SS_Primary_ALS
Sampling date / time				01-May-2022 04:13	01-May-2022 08:17	01-May-2022 08:20	01-May-2022 12:15	01-May-2022 12:21
Compound	CAS Number	LOR	Unit	EM2207807-013	EM2207807-014	EM2207807-015	EM2207807-016	EM2207807-017
				Result	Result	Result	Result	Result
EP074A: Monocyclic Aromatic Hydrocarbons - Continued								
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of monocyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Total Xylenes	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
EP074H: Naphthalene								
Naphthalene	91-20-3	1	mg/kg	<1	<1	<1	<1	<1
EP074I: Volatile Halogenated Compounds								
Vinyl chloride	75-01-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethene	75-35-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Methylene chloride	75-09-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
trans-1,2-Dichloroethene	156-60-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	156-59-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroform	67-66-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1-Trichloroethane	71-55-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Carbon Tetrachloride	56-23-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloroethane	107-06-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Trichloroethene	79-01-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2-Trichloroethane	79-00-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene	127-18-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1,2-Tetrachloroethane	630-20-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2,2-Tetrachloroethane	79-34-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Hexachlorobutadiene	87-68-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chlorobenzene	108-90-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dichlorobenzene	106-46-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichlorobenzene	95-50-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2,4-Trichlorobenzene	120-82-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of volatile chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of other chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
EP075A: Phenolic Compounds (Halogenated)								
2-Chlorophenol	95-57-8	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,4-Dichlorophenol	120-83-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220501_04_13_SS_Primary_ALS	SX_IB_20220501_08_17_SS_Primary_ALS	SX_IB_20220501_08_20_SS_Duplicate_ALS	SX_IB_20220501_12_15_SS_Primary_ALS	SX_IB_20220501_12_21_SS_Primary_ALS
Sampling date / time				01-May-2022 04:13	01-May-2022 08:17	01-May-2022 08:20	01-May-2022 12:15	01-May-2022 12:21
Compound	CAS Number	LOR	Unit	EM2207807-013	EM2207807-014	EM2207807-015	EM2207807-016	EM2207807-017
				Result	Result	Result	Result	Result
EP075A: Phenolic Compounds (Halogenated) - Continued								
2,6-Dichlorophenol	87-65-0	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
4-Chloro-3-methylphenol	59-50-7	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,5-Trichlorophenol	95-95-4	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,6-Trichlorophenol	88-06-2	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-90-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Pentachlorophenol	87-86-5	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
^ Sum of Phenols (halogenated)	----	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
EP075A: Phenolic Compounds (Non-halogenated)								
Phenol	108-95-2	1	mg/kg	<1	<1	<1	<1	<1
2-Methylphenol	95-48-7	1	mg/kg	<1	<1	<1	<1	<1
3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	<1	<1	<1
2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	<5	<5	<5
4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	<5	<5	<5
2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	<5	<5	<5
Dinoseb	88-85-7	20	mg/kg	<20	<20	<20	<20	<20
2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	20	mg/kg	<20	<20	<20	<20	<20
^ Sum of Phenols (non-halogenated)	----	20	mg/kg	<20	<20	<20	<20	<20
EP075B: Polynuclear Aromatic Hydrocarbons								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220501_04_13_SS_Primary_ALS	SX_IB_20220501_08_17_SS_Primary_ALS	SX_IB_20220501_08_20_SS_Duplicate_ALS	SX_IB_20220501_12_15_SS_Primary_ALS	SX_IB_20220501_12_21_SS_Primary_ALS
Sampling date / time				01-May-2022 04:13	01-May-2022 08:17	01-May-2022 08:20	01-May-2022 12:15	01-May-2022 12:21
Compound	CAS Number	LOR	Unit	EM2207807-013	EM2207807-014	EM2207807-015	EM2207807-016	EM2207807-017
				Result	Result	Result	Result	Result
EP075B: Polynuclear Aromatic Hydrocarbons - Continued								
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	0.6	0.6	0.6	0.6	0.6
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	1.2	1.2	1.2	1.2	1.2
EP075I: Organochlorine Pesticides								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
Endosulfan 1	959-98-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan 2	33213-65-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Methoxychlor	72-43-5	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Sum of organochlorine pesticides	----	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.30	mg/kg	<0.30	<0.30	<0.30	<0.30	<0.30
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Chlordane	57-74-9	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_OB_20220501_04_13_SS_Primary_ALS	SX_IB_20220501_08_17_SS_Primary_ALS	SX_IB_20220501_08_20_SS_Duplicate_ALS	SX_IB_20220501_12_15_SS_Primary_ALS	SX_IB_20220501_12_21_SS_Primary_ALS
Sampling date / time				01-May-2022 04:13	01-May-2022 08:17	01-May-2022 08:20	01-May-2022 12:15	01-May-2022 12:21	
Compound	CAS Number	LOR	Unit	EM2207807-013	EM2207807-014	EM2207807-015	EM2207807-016	EM2207807-017	
				Result	Result	Result	Result	Result	
EP075I: Organochlorine Pesticides - Continued									
^ Sum of other organochlorine pesticides				----	0.03	mg/kg	<0.03	<0.03	<0.03
EP080/071: Total Petroleum Hydrocarbons									
C6 - C9 Fraction				----	20	mg/kg	<20	<20	<20
C10 - C14 Fraction				----	50	mg/kg	<50	<50	<50
C6 - C10 Fraction				C6_C10	20	mg/kg	<20	<20	<20
C15 - C28 Fraction				----	100	mg/kg	<100	<100	<100
C29 - C36 Fraction				----	100	mg/kg	<100	<100	<100
^ C10 - C36 Fraction (sum)				----	50	mg/kg	<50	<50	<50
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions									
>C10 - C16 Fraction				----	50	mg/kg	<50	<50	<50
>C16 - C34 Fraction				----	100	mg/kg	<100	<100	<100
>C34 - C40 Fraction				----	100	mg/kg	<100	<100	<100
^ >C10 - C40 Fraction (sum)				----	50	mg/kg	<50	<50	<50
>C10 - C16 Fraction minus Naphthalene (F2)				----	50	mg/kg	<50	<50	<50
C6 - C10 Fraction minus BTEX (F1)				C6_C10-BTEX	20	mg/kg	<20	<20	<20
EP231A: Perfluoroalkyl Sulfonic Acids									
Perfluorobutane sulfonic acid (PFBS)				375-73-5	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluoropentane sulfonic acid (PFPeS)				2706-91-4	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorohexane sulfonic acid (PFHxS)				355-46-4	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluoroheptane sulfonic acid (PFHpS)				375-92-8	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorooctane sulfonic acid (PFOS)				1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorodecane sulfonic acid (PFDS)				335-77-3	5.0	µg/kg	<5.0	<5.0	<5.0
EP231B: Perfluoroalkyl Carboxylic Acids									
Perfluorobutanoic acid (PFBA)				375-22-4	5	µg/kg	<5	<5	<5
Perfluoropentanoic acid (PFPeA)				2706-90-3	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorohexanoic acid (PFHxA)				307-24-4	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluoroheptanoic acid (PFHpA)				375-85-9	5.0	µg/kg	<5.0	<5.0	<5.0



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_OB_20220501_04_13_SS_Primary_ALS	SX_IB_20220501_08_17_SS_Primary_ALS	SX_IB_20220501_08_20_SS_Duplicate_ALS	SX_IB_20220501_12_15_SS_Primary_ALS	SX_IB_20220501_12_21_SS_Primary_ALS
Sampling date / time				01-May-2022 04:13	01-May-2022 08:17	01-May-2022 08:20	01-May-2022 12:15	01-May-2022 12:21	
Compound	CAS Number	LOR	Unit	EM2207807-013	EM2207807-014	EM2207807-015	EM2207807-016	EM2207807-017	
				Result	Result	Result	Result	Result	
EP231B: Perfluoroalkyl Carboxylic Acids - Continued									
Perfluorooctanoic acid (PFOA)	335-67-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorononanoic acid (PFNA)	375-95-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorodecanoic acid (PFDA)	335-76-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorododecanoic acid (PFDoDA)	307-55-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
EP231C: Perfluoroalkyl Sulfonamides									
Perfluorooctane sulfonamide (FOSA)	754-91-6	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
EP231D: (n:2) Fluorotelomer Sulfonic Acids									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_OB_20220501_04_13_SS_Primary_ALS	SX_IB_20220501_08_17_SS_Primary_ALS	SX_IB_20220501_08_20_SS_Duplicate_ALS	SX_IB_20220501_12_15_SS_Primary_ALS	SX_IB_20220501_12_21_SS_Primary_ALS
Sampling date / time				01-May-2022 04:13	01-May-2022 08:17	01-May-2022 08:20	01-May-2022 12:15	01-May-2022 12:21	
Compound	CAS Number	LOR	Unit	EM2207807-013	EM2207807-014	EM2207807-015	EM2207807-016	EM2207807-017	
				Result	Result	Result	Result	Result	
EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued									
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
EP231P: PFAS Sums									
Sum of PFAS	----	50.0	µg/kg	<50.0	<50.0	<50.0	<50.0	<50.0	
Sum of PFHxS and PFOS	355-46-4/1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Sum of PFAS (WA DER List)	----	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
EP066S: PCB Surrogate									
Decachlorobiphenyl	2051-24-3	0.1	%	120	110	121	107	104	
EP074S: VOC Surrogates (Ultra-Trace)									
1,2-Dichloroethane-D4	17060-07-0	0.1	%	64.5	87.6	93.1	83.7	89.7	
Toluene-D8	2037-26-5	0.1	%	62.8	89.0	91.0	82.6	88.6	
4-Bromofluorobenzene	460-00-4	0.1	%	79.7	96.6	94.2	86.4	89.5	
EP075S: Acid Extractable Surrogates (Waste Classification)									
Phenol-d6	13127-88-3	0.025	%	96.4	101	112	95.0	90.5	
2-Chlorophenol-D4	93951-73-6	0.025	%	88.8	94.7	105	88.4	84.6	
2,4,6-Tribromophenol	118-79-6	0.025	%	80.6	88.4	98.4	83.6	78.7	
EP075T: Base/Neutral Extractable Surrogates (Waste Classification)									
Nitrobenzene-D5	4165-60-0	0.025	%	97.4	103	114	96.0	91.8	
1,2-Dichlorobenzene-D4	2199-69-1	0.025	%	87.5	91.2	101	86.3	82.0	
2-Fluorobiphenyl	321-60-8	0.025	%	99.0	101	114	96.5	92.9	
Anthracene-d10	1719-06-8	0.025	%	90.7	96.1	108	90.7	86.2	
4-Terphenyl-d14	1718-51-0	0.025	%	95.5	98.9	108	92.1	89.0	
EP231S: PFAS Surrogate									
13C4-PFOS	----	0.0002	%	109	121	113	129	121	
13C8-PFOA	----	0.0002	%	92.0	90.2	91.8	93.9	94.7	



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220501_12_24_SS_Primary_ALS	SX_IB_20220501_16_12_SS_Primary_ALS	SX_IB_20220501_16_18_SS_Primary_ALS	SX_OB_20220501_16_24_SS_Triplicate_ALS	SX_IB_20220501_19_49_SS_Primary_ALS
Sampling date / time				01-May-2022 12:24	01-May-2022 16:12	01-May-2022 16:18	01-May-2022 16:24	01-May-2022 19:49
Compound	CAS Number	LOR	Unit	EM2207807-018	EM2207807-019	EM2207807-020	EM2207807-021	EM2207807-022
				Result	Result	Result	Result	Result
EA001: pH in soil using 0.01M CaCl extract								
pH (CaCl ₂)	----	0.1	pH Unit	7.6	8.9	8.9	7.5	8.7
EA055: Moisture Content (Dried @ 105-110°C)								
Moisture Content	----	1.0	%	31.1	30.0	34.0	28.4	30.6
EG005(ED093)T: Total Metals by ICP-AES								
Arsenic	7440-38-2	5	mg/kg	12	18	24	14	21
Cadmium	7440-43-9	1	mg/kg	1	<1	<1	<1	<1
Chromium	7440-47-3	5	mg/kg	124	73	79	116	78
Copper	7440-50-8	5	mg/kg	67	45	49	66	54
Lead	7439-92-1	5	mg/kg	<5	<5	<5	<5	<5
Molybdenum	7439-98-7	5	mg/kg	<5	<5	<5	<5	<5
Nickel	7440-02-0	5	mg/kg	183	123	132	172	140
Selenium	7782-49-2	5	mg/kg	<5	<5	<5	<5	<5
Silver	7440-22-4	2	mg/kg	<2	<2	<2	<2	<2
Tin	7440-31-5	10	mg/kg	<10	<10	<10	<10	<10
Zinc	7440-66-6	5	mg/kg	113	80	97	101	97
EG035T: Total Recoverable Mercury by FIMS								
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
EG048: Hexavalent Chromium (Alkaline Digest)								
Hexavalent Chromium	18540-29-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
EK026SF: Total CN by Segmented Flow Analyser								
Total Cyanide	57-12-5	5	mg/kg	<5	<5	<5	<5	<5
EK040T: Fluoride Total								
Fluoride	16984-48-8	100	mg/kg	190	220	<100	170	210
EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Initial pH	----	0.1	pH Unit	9.1	10.0	10.0	9.2	9.9
After HCl pH	----	0.1	pH Unit	1.5	1.5	1.5	1.5	1.5
Extraction Fluid pH	----	0.1	pH Unit	5.0	5.0	5.0	5.0	5.0
Final pH	----	0.1	pH Unit	5.1	5.2	5.3	5.2	5.2
EP066: Polychlorinated Biphenyls (PCB)								
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
EP074A: Monocyclic Aromatic Hydrocarbons								
Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	<0.2	<0.2	<0.2



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220501_12_24_SS_Primary_ALS	SX_IB_20220501_16_12_SS_Primary_ALS	SX_IB_20220501_16_18_SS_Primary_ALS	SX_OB_20220501_16_24_SS_Triplicate_ALS	SX_IB_20220501_19_49_SS_Primary_ALS
Sampling date / time				01-May-2022 12:24	01-May-2022 16:12	01-May-2022 16:18	01-May-2022 16:24	01-May-2022 19:49
Compound	CAS Number	LOR	Unit	EM2207807-018	EM2207807-019	EM2207807-020	EM2207807-021	EM2207807-022
				Result	Result	Result	Result	Result
EP074A: Monocyclic Aromatic Hydrocarbons - Continued								
Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of monocyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Total Xylenes	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
EP074H: Naphthalene								
Naphthalene	91-20-3	1	mg/kg	<1	<1	<1	<1	<1
EP074I: Volatile Halogenated Compounds								
Vinyl chloride	75-01-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethene	75-35-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Methylene chloride	75-09-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
trans-1,2-Dichloroethene	156-60-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	156-59-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroform	67-66-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1-Trichloroethane	71-55-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Carbon Tetrachloride	56-23-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloroethane	107-06-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Trichloroethene	79-01-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2-Trichloroethane	79-00-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene	127-18-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1,2-Tetrachloroethane	630-20-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2,2-Tetrachloroethane	79-34-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Hexachlorobutadiene	87-68-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chlorobenzene	108-90-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dichlorobenzene	106-46-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichlorobenzene	95-50-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2,4-Trichlorobenzene	120-82-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of volatile chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of other chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
EP075A: Phenolic Compounds (Halogenated)								



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220501_12_24_SS_Primary_ALS	SX_IB_20220501_16_12_SS_Primary_ALS	SX_IB_20220501_16_18_SS_Primary_ALS	SX_OB_20220501_16_24_SS_Triplicate_ALS	SX_IB_20220501_19_49_SS_Primary_ALS
Sampling date / time				01-May-2022 12:24	01-May-2022 16:12	01-May-2022 16:18	01-May-2022 16:24	01-May-2022 19:49
Compound	CAS Number	LOR	Unit	EM2207807-018	EM2207807-019	EM2207807-020	EM2207807-021	EM2207807-022
				Result	Result	Result	Result	Result
EP075A: Phenolic Compounds (Halogenated) - Continued								
2-Chlorophenol	95-57-8	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,4-Dichlorophenol	120-83-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,6-Dichlorophenol	87-65-0	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
4-Chloro-3-methylphenol	59-50-7	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,5-Trichlorophenol	95-95-4	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,6-Trichlorophenol	88-06-2	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-90-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Pentachlorophenol	87-86-5	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
^ Sum of Phenols (halogenated)	----	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
EP075A: Phenolic Compounds (Non-halogenated)								
Phenol	108-95-2	1	mg/kg	<1	<1	<1	<1	<1
2-Methylphenol	95-48-7	1	mg/kg	<1	<1	<1	<1	<1
3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	<1	<1	<1
2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	<5	<5	<5
4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	<5	<5	<5
2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	<5	<5	<5
Dinoseb	88-85-7	20	mg/kg	<20	<20	<20	<20	<20
2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	20	mg/kg	<20	<20	<20	<20	<20
^ Sum of Phenols (non-halogenated)	----	20	mg/kg	<20	<20	<20	<20	<20
EP075B: Polynuclear Aromatic Hydrocarbons								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220501_12_24_SS_Primary_ALS	SX_IB_20220501_16_12_SS_Primary_ALS	SX_IB_20220501_16_18_SS_Primary_ALS	SX_OB_20220501_16_24_SS_Triplicate_ALS	SX_IB_20220501_19_49_SS_Primary_ALS
Sampling date / time				01-May-2022 12:24	01-May-2022 16:12	01-May-2022 16:18	01-May-2022 16:24	01-May-2022 19:49
Compound	CAS Number	LOR	Unit	EM2207807-018	EM2207807-019	EM2207807-020	EM2207807-021	EM2207807-022
				Result	Result	Result	Result	Result
EP075B: Polynuclear Aromatic Hydrocarbons - Continued								
Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	0.6	0.6	0.6	0.6	0.6
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	1.2	1.2	1.2	1.2	1.2
EP075I: Organochlorine Pesticides								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
Endosulfan 1	959-98-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan 2	33213-65-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Methoxychlor	72-43-5	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Sum of organochlorine pesticides	----	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220501_12_24_SS_Primary_ALS	SX_IB_20220501_16_12_SS_Primary_ALS	SX_IB_20220501_16_18_SS_Primary_ALS	SX_OB_20220501_16_24_SS_Triplicate_ALS	SX_IB_20220501_19_49_SS_Primary_ALS
Sampling date / time				01-May-2022 12:24	01-May-2022 16:12	01-May-2022 16:18	01-May-2022 16:24	01-May-2022 19:49
Compound	CAS Number	LOR	Unit	EM2207807-018	EM2207807-019	EM2207807-020	EM2207807-021	EM2207807-022
				Result	Result	Result	Result	Result
EP075I: Organochlorine Pesticides - Continued								
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.30	mg/kg	<0.30	<0.30	<0.30	<0.30	<0.30
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Chlordane	57-74-9	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10
^ Sum of other organochlorine pesticides	----	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
EP080/071: Total Petroleum Hydrocarbons								
C6 - C9 Fraction	----	20	mg/kg	<20	<20	<20	<20	<20
C10 - C14 Fraction	----	50	mg/kg	<50	<50	<50	<50	<50
C6 - C10 Fraction	C6_C10	20	mg/kg	<20	<20	<20	<20	<20
C15 - C28 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
C29 - C36 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
^ C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	<50	<50	<50
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions								
>C10 - C16 Fraction	----	50	mg/kg	<50	<50	<50	<50	<50
>C16 - C34 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
>C34 - C40 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	<50	<50	<50
>C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	<50	<50	<50	<50	<50
C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	20	mg/kg	<20	<20	<20	<20	<20
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorodecane sulfonic acid (PFDS)	335-77-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220501_12_24_SS_Primary_ALS	SX_IB_20220501_16_12_SS_Primary_ALS	SX_IB_20220501_16_18_SS_Primary_ALS	SX_OB_20220501_16_24_SS_Triplicate_ALS	SX_IB_20220501_19_49_SS_Primary_ALS
Sampling date / time				01-May-2022 12:24	01-May-2022 16:12	01-May-2022 16:18	01-May-2022 16:24	01-May-2022 19:49
Compound	CAS Number	LOR	Unit	EM2207807-018	EM2207807-019	EM2207807-020	EM2207807-021	EM2207807-022
				Result	Result	Result	Result	Result
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	5	µg/kg	<5	<5	<5	<5	<5
Perfluoropentanoic acid (PFPeA)	2706-90-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorohexanoic acid (PFHxA)	307-24-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroheptanoic acid (PFHpA)	375-85-9	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorooctanoic acid (PFOA)	335-67-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorononanoic acid (PFNA)	375-95-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorodecanoic acid (PFDA)	335-76-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorododecanoic acid (PFDoDA)	307-55-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
EP231D: (n:2) Fluorotelomer Sulfonic Acids								



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220501_12_24_SS_Primary_ALS	SX_IB_20220501_16_12_SS_Primary_ALS	SX_IB_20220501_16_18_SS_Primary_ALS	SX_OB_20220501_16_24_SS_Triplicate_ALS	SX_IB_20220501_19_49_SS_Primary_ALS
Sampling date / time				01-May-2022 12:24	01-May-2022 16:12	01-May-2022 16:18	01-May-2022 16:24	01-May-2022 19:49
Compound	CAS Number	LOR	Unit	EM2207807-018	EM2207807-019	EM2207807-020	EM2207807-021	EM2207807-022
				Result	Result	Result	Result	Result
EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
EP231P: PFAS Sums								
Sum of PFAS	----	50.0	µg/kg	<50.0	<50.0	<50.0	<50.0	<50.0
Sum of PFHxS and PFOS	355-46-4/1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Sum of PFAS (WA DER List)	----	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
EP066S: PCB Surrogate								
Decachlorobiphenyl	2051-24-3	0.1	%	96.6	104	97.9	96.7	96.8
EP074S: VOC Surrogates (Ultra-Trace)								
1,2-Dichloroethane-D4	17060-07-0	0.1	%	96.8	87.0	93.4	93.4	93.7
Toluene-D8	2037-26-5	0.1	%	98.5	84.1	94.8	93.4	96.5
4-Bromofluorobenzene	460-00-4	0.1	%	99.9	87.6	98.5	95.3	95.6
EP075S: Acid Extractable Surrogates (Waste Classification)								
Phenol-d6	13127-88-3	0.025	%	89.2	94.7	87.3	86.1	91.7
2-Chlorophenol-D4	93951-73-6	0.025	%	83.6	87.5	80.9	79.5	84.3
2,4,6-Tribromophenol	118-79-6	0.025	%	77.3	80.3	73.6	73.1	77.8
EP075T: Base/Neutral Extractable Surrogates (Waste Classification)								
Nitrobenzene-D5	4165-60-0	0.025	%	90.8	95.5	87.8	86.5	91.6
1,2-Dichlorobenzene-D4	2199-69-1	0.025	%	80.2	86.3	77.2	77.3	83.2
2-Fluorobiphenyl	321-60-8	0.025	%	91.3	96.5	87.6	87.2	93.0
Anthracene-d10	1719-06-8	0.025	%	85.6	90.2	82.4	81.7	86.9
4-Terphenyl-d14	1718-51-0	0.025	%	89.1	93.5	85.0	85.0	89.6
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.0002	%	103	120	128	106	119
13C8-PFOA	----	0.0002	%	97.3	89.8	92.6	96.7	96.4



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220501_19_58_SS_Primary_ALS	SX_IB_20220501_23_56_SS_Primary_ALS	SX_IB_20220502_04_06_SS_Primary_ALS	SX_IB_20220430_07_47_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS
Sampling date / time				01-May-2022 19:58	01-May-2022 23:56	02-May-2022 15:00	30-Apr-2022 15:00	30-Apr-2022 15:00	
Compound	CAS Number	LOR	Unit	EM2207807-023	EM2207807-025	EM2207807-027	EM2207807-028	EM2207807-029	
				Result	Result	Result	Result	Result	
EA001: pH in soil using 0.01M CaCl extract									
pH (CaCl2)	----	0.1	pH Unit	9.0	9.0	8.9	----	----	
EA055: Moisture Content (Dried @ 105-110°C)									
Moisture Content	----	1.0	%	31.8	32.4	31.7	----	----	
EG005(ED093)T: Total Metals by ICP-AES									
Arsenic	7440-38-2	5	mg/kg	22	26	22	----	----	
Cadmium	7440-43-9	1	mg/kg	<1	<1	<1	----	----	
Chromium	7440-47-3	5	mg/kg	81	80	76	----	----	
Copper	7440-50-8	5	mg/kg	48	58	49	----	----	
Lead	7439-92-1	5	mg/kg	<5	<5	<5	----	----	
Molybdenum	7439-98-7	5	mg/kg	<5	<5	<5	----	----	
Nickel	7440-02-0	5	mg/kg	124	143	118	----	----	
Selenium	7782-49-2	5	mg/kg	<5	<5	<5	----	----	
Silver	7440-22-4	2	mg/kg	<2	<2	<2	----	----	
Tin	7440-31-5	10	mg/kg	<10	<10	<10	----	----	
Zinc	7440-66-6	5	mg/kg	82	104	92	----	----	
EG035T: Total Recoverable Mercury by FIMS									
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	<0.1	----	----	
EG048: Hexavalent Chromium (Alkaline Digest)									
Hexavalent Chromium	18540-29-9	1.0	mg/kg	<1.0	<1.0	<1.0	----	----	
EK026SF: Total CN by Segmented Flow Analyser									
Total Cyanide	57-12-5	5	mg/kg	<5	<5	<5	----	----	
EK040T: Fluoride Total									
Fluoride	16984-48-8	100	mg/kg	210	<100	180	----	----	
EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)									
Initial pH	----	0.1	pH Unit	10.0	10.1	9.9	----	----	
After HCl pH	----	0.1	pH Unit	1.4	1.4	1.5	----	----	
Extraction Fluid pH	----	0.1	pH Unit	5.0	5.0	5.0	----	----	
Final pH	----	0.1	pH Unit	5.2	5.2	5.2	----	----	
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)									
Final pH	----	0.1	pH Unit	----	----	----	10.3	10.3	
EP066: Polychlorinated Biphenyls (PCB)									
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	<0.1	----	----	
EP074A: Monocyclic Aromatic Hydrocarbons									



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220501_19_58_SS_Primary_ALS	SX_IB_20220501_23_56_SS_Primary_ALS	SX_IB_20220502_04_06_SS_Primary_ALS	SX_IB_20220430_07_47_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS
Sampling date / time				01-May-2022 19:58	01-May-2022 23:56	02-May-2022 15:00	30-Apr-2022 15:00	30-Apr-2022 15:00
Compound	CAS Number	LOR	Unit	EM2207807-023	EM2207807-025	EM2207807-027	EM2207807-028	EM2207807-029
				Result	Result	Result	Result	Result
EP074A: Monocyclic Aromatic Hydrocarbons - Continued								
Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	<0.2	----	----
Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
^ Sum of monocyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
^ Total Xylenes	----	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
EP074H: Naphthalene								
Naphthalene	91-20-3	1	mg/kg	<1	<1	<1	----	----
EP074I: Volatile Halogenated Compounds								
Vinyl chloride	75-01-4	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
1,1-Dichloroethene	75-35-4	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
Methylene chloride	75-09-2	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
trans-1,2-Dichloroethene	156-60-5	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
cis-1,2-Dichloroethene	156-59-2	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
Chloroform	67-66-3	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
1,1,1-Trichloroethane	71-55-6	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
Carbon Tetrachloride	56-23-5	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
1,2-Dichloroethane	107-06-2	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
Trichloroethene	79-01-6	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
1,1,2-Trichloroethane	79-00-5	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
Tetrachloroethene	127-18-4	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
1,1,1,2-Tetrachloroethane	630-20-6	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
1,1,2,2-Tetrachloroethane	79-34-5	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
Hexachlorobutadiene	87-68-3	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
Chlorobenzene	108-90-7	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
1,4-Dichlorobenzene	106-46-7	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
1,2-Dichlorobenzene	95-50-1	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
1,2,4-Trichlorobenzene	120-82-1	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
^ Sum of volatile chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
^ Sum of other chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
EP075A: Phenolic Compounds (Halogenated)								



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220501_19_58_SS_Primary_ALS	SX_IB_20220501_23_56_SS_Primary_ALS	SX_IB_20220502_04_06_SS_Primary_ALS	SX_IB_20220430_07_47_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS
Sampling date / time				01-May-2022 19:58	01-May-2022 23:56	02-May-2022 15:00	30-Apr-2022 15:00	30-Apr-2022 15:00
Compound	CAS Number	LOR	Unit	EM2207807-023	EM2207807-025	EM2207807-027	EM2207807-028	EM2207807-029
				Result	Result	Result	Result	Result
EP075A: Phenolic Compounds (Halogenated) - Continued								
2-Chlorophenol	95-57-8	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
2,4-Dichlorophenol	120-83-2	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
2,6-Dichlorophenol	87-65-0	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
4-Chloro-3-methylphenol	59-50-7	1.00	mg/kg	<1.00	<1.00	<1.00	----	----
2,4,5-Trichlorophenol	95-95-4	1.00	mg/kg	<1.00	<1.00	<1.00	----	----
2,4,6-Trichlorophenol	88-06-2	1.00	mg/kg	<1.00	<1.00	<1.00	----	----
2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	<0.03	----	----
2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-90-2	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
Pentachlorophenol	87-86-5	1.0	mg/kg	<1.0	<1.0	<1.0	----	----
^ Sum of Phenols (halogenated)	----	1.00	mg/kg	<1.00	<1.00	<1.00	----	----
EP075A: Phenolic Compounds (Non-halogenated)								
Phenol	108-95-2	1	mg/kg	<1	<1	<1	----	----
2-Methylphenol	95-48-7	1	mg/kg	<1	<1	<1	----	----
3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	<1	----	----
2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	<1	----	----
2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	<1	----	----
2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	<5	----	----
4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	<5	----	----
2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	<5	----	----
Dinoseb	88-85-7	20	mg/kg	<20	<20	<20	----	----
2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	20	mg/kg	<20	<20	<20	----	----
^ Sum of Phenols (non-halogenated)	----	20	mg/kg	<20	<20	<20	----	----
EP075B: Polynuclear Aromatic Hydrocarbons								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	<0.5	----	----



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220501_19_58_SS_Primary_ALS	SX_IB_20220501_23_56_SS_Primary_ALS	SX_IB_20220502_04_06_SS_Primary_ALS	SX_IB_20220430_07_47_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS
Sampling date / time				01-May-2022 19:58	01-May-2022 23:56	02-May-2022 15:00	30-Apr-2022 15:00	30-Apr-2022 15:00
Compound	CAS Number	LOR	Unit	EM2207807-023	EM2207807-025	EM2207807-027	EM2207807-028	EM2207807-029
				Result	Result	Result	Result	Result
EP075B: Polynuclear Aromatic Hydrocarbons - Continued								
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1.0	mg/kg	<1.0	<1.0	<1.0	----	----
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	0.6	0.6	0.6	----	----
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	1.2	1.2	1.2	----	----
EP075I: Organochlorine Pesticides								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	<0.03	----	----
trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	<0.03	----	----
Endosulfan 1	959-98-8	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
Endosulfan 2	33213-65-9	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
4,4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
Methoxychlor	72-43-5	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
^ Sum of organochlorine pesticides	----	0.10	mg/kg	<0.10	<0.10	<0.10	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.30	mg/kg	<0.30	<0.30	<0.30	----	----



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220501_19_58_SS_Primary_ALS	SX_IB_20220501_23_56_SS_Primary_ALS	SX_IB_20220502_04_06_SS_Primary_ALS	SX_IB_20220430_07_47_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS
Sampling date / time				01-May-2022 19:58	01-May-2022 23:56	02-May-2022 15:00	30-Apr-2022 15:00	30-Apr-2022 15:00	
Compound	CAS Number	LOR	Unit	EM2207807-023	EM2207807-025	EM2207807-027	EM2207807-028	EM2207807-029	
				Result	Result	Result	Result	Result	
EP075I: Organochlorine Pesticides - Continued									
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg	<0.05	<0.05	<0.05	----	----	
^ Chlordane	57-74-9	0.10	mg/kg	<0.10	<0.10	<0.10	----	----	
^ Sum of other organochlorine pesticides	----	0.03	mg/kg	<0.03	<0.03	<0.03	----	----	
EP080/071: Total Petroleum Hydrocarbons									
C6 - C9 Fraction	----	20	mg/kg	<20	<20	<20	----	----	
C10 - C14 Fraction	----	50	mg/kg	<50	<50	<50	----	----	
C6 - C10 Fraction	C6_C10	20	mg/kg	<20	<20	<20	----	----	
C15 - C28 Fraction	----	100	mg/kg	<100	<100	<100	----	----	
C29 - C36 Fraction	----	100	mg/kg	<100	<100	<100	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	<50	----	----	
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions									
>C10 - C16 Fraction	----	50	mg/kg	<50	<50	<50	----	----	
>C16 - C34 Fraction	----	100	mg/kg	<100	<100	<100	----	----	
>C34 - C40 Fraction	----	100	mg/kg	<100	<100	<100	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	<50	----	----	
>C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	<50	<50	<50	----	----	
C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	20	mg/kg	<20	<20	<20	----	----	
EP231A: Perfluoroalkyl Sulfonic Acids									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	5.0	µg/kg	<5.0	<5.0	<5.0	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	5.0	µg/kg	<5.0	<5.0	<5.0	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	5.0	µg/kg	<5.0	<5.0	<5.0	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	5.0	µg/kg	<5.0	<5.0	<5.0	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	----	----	
Perfluorodecane sulfonic acid (PFDS)	335-77-3	5.0	µg/kg	<5.0	<5.0	<5.0	----	----	
EP231B: Perfluoroalkyl Carboxylic Acids									
Perfluorobutanoic acid (PFBA)	375-22-4	5	µg/kg	<5	<5	<5	----	----	



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220501_19_58_SS_Primary_ALS	SX_IB_20220501_23_56_SS_Primary_ALS	SX_IB_20220502_04_06_SS_Primary_ALS	SX_IB_20220430_07_47_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS
Sampling date / time				01-May-2022 19:58	01-May-2022 23:56	02-May-2022 15:00	30-Apr-2022 15:00	30-Apr-2022 15:00	
Compound	CAS Number	LOR	Unit	EM2207807-023	EM2207807-025	EM2207807-027	EM2207807-028	EM2207807-029	
				Result	Result	Result	Result	Result	
EP231B: Perfluoroalkyl Carboxylic Acids - Continued									
Perfluoropentanoic acid (PFPeA)	2706-90-3	5.0	µg/kg	<5.0	<5.0	<5.0	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	5.0	µg/kg	<5.0	<5.0	<5.0	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	5.0	µg/kg	<5.0	<5.0	<5.0	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	5.0	µg/kg	<5.0	<5.0	<5.0	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	5.0	µg/kg	<5.0	<5.0	<5.0	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	5.0	µg/kg	<5.0	<5.0	<5.0	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	5.0	µg/kg	<5.0	<5.0	<5.0	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	5.0	µg/kg	<5.0	<5.0	<5.0	----	----	
EP231C: Perfluoroalkyl Sulfonamides									
Perfluorooctane sulfonamide (FOSA)	754-91-6	5.0	µg/kg	<5.0	<5.0	<5.0	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	5.0	µg/kg	<5.0	<5.0	<5.0	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	5.0	µg/kg	<5.0	<5.0	<5.0	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	5.0	µg/kg	<5.0	<5.0	<5.0	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	5.0	µg/kg	<5.0	<5.0	<5.0	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	10.0	µg/kg	<10.0	<10.0	<10.0	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	10.0	µg/kg	<10.0	<10.0	<10.0	----	----	
EP231D: (n:2) Fluorotelomer Sulfonic Acids									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	5.0	µg/kg	<5.0	<5.0	<5.0	----	----	



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220501_19_58_SS_Primary_ALS	SX_IB_20220501_23_56_SS_Primary_ALS	SX_IB_20220502_04_06_SS_Primary_ALS	SX_IB_20220430_07_47_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS
Sampling date / time				01-May-2022 19:58	01-May-2022 23:56	02-May-2022 15:00	30-Apr-2022 15:00	30-Apr-2022 15:00	
Compound	CAS Number	LOR	Unit	EM2207807-023	EM2207807-025	EM2207807-027	EM2207807-028	EM2207807-029	
				Result	Result	Result	Result	Result	
EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued									
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	10.0	µg/kg	<10.0	<10.0	<10.0	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	5.0	µg/kg	<5.0	<5.0	<5.0	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	5.0	µg/kg	<5.0	<5.0	<5.0	----	----	
EP231P: PFAS Sums									
Sum of PFAS	----	50.0	µg/kg	<50.0	<50.0	<50.0	----	----	
Sum of PFHxS and PFOS	355-46-4/1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	----	----	
Sum of PFAS (WA DER List)	----	10.0	µg/kg	<10.0	<10.0	<10.0	----	----	
EP066S: PCB Surrogate									
Decachlorobiphenyl	2051-24-3	0.1	%	112	107	101	----	----	
EP074S: VOC Surrogates (Ultra-Trace)									
1,2-Dichloroethane-D4	17060-07-0	0.1	%	85.2	81.6	80.2	----	----	
Toluene-D8	2037-26-5	0.1	%	83.9	83.5	80.3	----	----	
4-Bromofluorobenzene	460-00-4	0.1	%	86.9	86.4	85.9	----	----	
EP075S: Acid Extractable Surrogates (Waste Classification)									
Phenol-d6	13127-88-3	0.025	%	103	96.8	95.1	----	----	
2-Chlorophenol-D4	93951-73-6	0.025	%	95.5	89.4	88.2	----	----	
2,4,6-Tribromophenol	118-79-6	0.025	%	88.6	82.0	80.8	----	----	
EP075T: Base/Neutral Extractable Surrogates (Waste Classification)									
Nitrobenzene-D5	4165-60-0	0.025	%	104	97.3	96.0	----	----	
1,2-Dichlorobenzene-D4	2199-69-1	0.025	%	92.6	87.2	84.6	----	----	
2-Fluorobiphenyl	321-60-8	0.025	%	104	98.4	96.0	----	----	
Anthracene-d10	1719-06-8	0.025	%	98.7	91.8	89.8	----	----	
4-Terphenyl-d14	1718-51-0	0.025	%	100	93.8	92.0	----	----	
EP231S: PFAS Surrogate									
13C4-PFOS	----	0.0002	%	111	100	101	----	----	
13C8-PFOA	----	0.0002	%	94.6	92.0	90.2	----	----	



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220430_08_01_SS_Primary_ALS	SX_IB_20220430_11_51_SS_Primary_ALS	SX_OB_20220430_11_55_SS_Primary_ALS	SX_IB_20220430_15_52_SS_Primary_ALS	SX_OB_20220430_15_58_SS_Triplicate_ALS
Sampling date / time				30-Apr-2022 15:00	30-Apr-2022 15:00	30-Apr-2022 15:00	30-Apr-2022 15:00	30-Apr-2022 15:00
Compound	CAS Number	LOR	Unit	EM2207807-030	EM2207807-031	EM2207807-032	EM2207807-033	EM2207807-034
				Result	Result	Result	Result	Result
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Final pH	----	0.1	pH Unit	9.3	10.2	9.4	10.2	9.6



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220430_16 _02_SS_Primary_ALS	SX_OB_20220430_20 _08_SS_Primary_ALS	SX_OB_20220501_00 _12_SS_Primary_ALS	SX_OB_20220501_04 _13_SS_Primary_ALS	SX_IB_20220501_08_ 17_SS_Primary_ALS
Sampling date / time				30-Apr-2022 15:00	30-Apr-2022 15:00	01-May-2022 15:00	01-May-2022 15:00	01-May-2022 15:00
Compound	CAS Number	LOR	Unit	EM2207807-035	EM2207807-036	EM2207807-037	EM2207807-038	EM2207807-039
				Result	Result	Result	Result	Result
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Final pH	----	0.1	pH Unit	9.5	9.3	9.3	9.4	10.1



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220501_08_20_SS_Duplicate_ALS	SX_IB_20220501_12_15_SS_Primary_ALS	SX_IB_20220501_12_21_SS_Primary_ALS	SX_OB_20220501_12_24_SS_Primary_ALS	SX_IB_20220501_16_12_SS_Primary_ALS
Sampling date / time				01-May-2022 15:00	01-May-2022 15:00	01-May-2022 15:00	01-May-2022 15:00	01-May-2022 15:00
Compound	CAS Number	LOR	Unit	EM2207807-040	EM2207807-041	EM2207807-042	EM2207807-043	EM2207807-044
				Result	Result	Result	Result	Result
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Final pH	----	0.1	pH Unit	10.2	10.2	10.3	9.4	10.3



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220501_16_18_SS_Primary_ALS	SX_OB_20220501_16_24_SS_Triplicate_ALS	SX_IB_20220501_19_49_SS_Primary_ALS	SX_IB_20220501_19_58_SS_Primary_ALS	SX_IB_20220501_23_56_SS_Primary_ALS
Sampling date / time				01-May-2022 15:00	01-May-2022 16:24	01-May-2022 19:49	01-May-2022 19:58	01-May-2022 23:56
Compound	CAS Number	LOR	Unit	EM2207807-045	EM2207807-046	EM2207807-047	EM2207807-048	EM2207807-049
				Result	Result	Result	Result	Result
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Final pH	----	0.1	pH Unit	10.3	9.5	10.2	10.3	10.3



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)			Sample ID	SX_IB_20220502_04_06_SS_Primary_ALS	----	----	----	----
			Sampling date / time	02-May-2022 04:06	----	----	----	----
Compound	CAS Number	LOR	Unit	EM2207807-050	-----	-----	-----	-----
				Result	---	---	---	---
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Final pH	----	0.1	pH Unit	10.2	----	----	----	----



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)			Sample ID		SX_OB_20220430_20 _14_SR_Rinsate_ALS	SX_OB_20220430_20 _15_SB_Blank_ALS	----	----	----
Sampling date / time			30-Apr-2022 20:14		30-Apr-2022 20:15		----	----	----
Compound	CAS Number	LOR	Unit	EM2207807-010	EM2207807-011	-----	-----	-----	
				Result	Result	---	---	---	
EP231A: Perfluoroalkyl Sulfonic Acids									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	----	----	----	
EP231B: Perfluoroalkyl Carboxylic Acids									
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	----	----	----	
EP231C: Perfluoroalkyl Sulfonamides									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	----	----	----	



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	SX_OB_20220430_20 _14_SR_Rinsate_ALS	SX_OB_20220430_20 _15_SB_Blank_ALS	----	----	----
Sampling date / time				30-Apr-2022 20:14	30-Apr-2022 20:15	----	----	----	
Compound	CAS Number	LOR	Unit	EM2207807-010	EM2207807-011	-----	-----	-----	
				Result	Result	---	---	---	
EP231C: Perfluoroalkyl Sulfonamides - Continued									
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	----	----	----	
EP231D: (n:2) Fluorotelomer Sulfonic Acids									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	----	----	----	
EP231P: PFAS Sums									
Sum of PFAS	----	0.01	µg/L	<0.01	<0.01	----	----	----	
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	----	----	----	
Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	<0.01	----	----	----	
EP231S: PFAS Surrogate									
13C4-PFOS	----	0.02	%	90.6	92.3	----	----	----	
13C8-PFOA	----	0.02	%	95.3	97.2	----	----	----	



Surrogate Control Limits

Sub-Matrix: ASLP LEACHATE		Recovery Limits (%)	
Compound	CAS Number	Low	High
EP231S: PFAS Surrogate			
13C4-PFOS	----	65	140
13C8-PFOA	----	71	133

Sub-Matrix: DI WATER LEACHATE		Recovery Limits (%)	
Compound	CAS Number	Low	High
EP231S: PFAS Surrogate			
13C4-PFOS	----	65	140
13C8-PFOA	----	71	133

Sub-Matrix: SOIL		Recovery Limits (%)	
Compound	CAS Number	Low	High
EP066S: PCB Surrogate			
Decachlorobiphenyl	2051-24-3	41	122
EP074S: VOC Surrogates (Ultra-Trace)			
1,2-Dichloroethane-D4	17060-07-0	59	119
Toluene-D8	2037-26-5	55	117
4-Bromofluorobenzene	460-00-4	59	123
EP075S: Acid Extractable Surrogates (Waste Classification)			
Phenol-d6	13127-88-3	63	134
2-Chlorophenol-D4	93951-73-6	60	125
2,4,6-Tribromophenol	118-79-6	54	129
EP075T: Base/Neutral Extractable Surrogates (Waste Classification)			
Nitrobenzene-D5	4165-60-0	63	131
1,2-Dichlorobenzene-D4	2199-69-1	61	124
2-Fluorobiphenyl	321-60-8	69	131
Anthracene-d10	1719-06-8	70	133
4-Terphenyl-d14	1718-51-0	59	141
EP231S: PFAS Surrogate			
13C4-PFOS	----	68	136
13C8-PFOA	----	69	133

Sub-Matrix: WATER		Recovery Limits (%)	
Compound	CAS Number	Low	High
EP231S: PFAS Surrogate			
13C4-PFOS	----	65	140
13C8-PFOA	----	71	133

QUALITY CONTROL REPORT

Work Order	: EM2207807	Page	: 1 of 56
Amendment	: 1		
Client	: AGON ENVIRONMENTAL PTY LTD	Laboratory	: Environmental Division Melbourne
Contact	: DAVID LAWSON	Contact	: Josh Alexander
Address	: D1.1 63-85 TURNER STREET PORT MELBOURNE 3207	Address	: 4 Westall Rd Springvale VIC Australia 3171
Telephone	: ----	Telephone	: +61-3-8549 9600
Project	: JC0927	Date Samples Received	: 02-May-2022
Order number	: ----	Date Analysis Commenced	: 02-May-2022
C-O-C number	: 20220502042154-ALS-21	Issue Date	: 09-May-2022
Sampler	: WOH + TB + DL + LR		
Site	: 20220502042154-ALS-21		
Quote number	: EN/150/19 -WGTP -Bulk Sample Quote		
No. of samples received	: 50		
No. of samples analysed	: 48		



Accreditation No. 825
Accredited for compliance with
ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Dilani Fernando	Laboratory Coordinator	Melbourne Inorganics, Springvale, VIC
Nikki Stepniewski	Senior Inorganic Instrument Chemist	Melbourne Inorganics, Springvale, VIC
Xing Lin	Senior Organic Chemist	Melbourne Organics, Springvale, VIC



General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Key :
 Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot
 CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.
 LOR = Limit of reporting
 RPD = Relative Percentage Difference
 # = Indicates failed QC

Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EG005(ED093)T: Total Metals by ICP-AES (QC Lot: 4315474)									
EM2207719-001	Anonymous	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.0	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	86	90	4.4	0% - 50%
		EG005T: Molybdenum	7439-98-7	2	mg/kg	<5	<5	0.0	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	173	167	3.8	0% - 20%
		EG005T: Silver	7440-22-4	2	mg/kg	<2	<2	0.0	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	29	24	19.9	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	73	64	12.1	0% - 50%
		EG005T: Lead	7439-92-1	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Selenium	7782-49-2	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Tin	7440-31-5	5	mg/kg	<10	<10	0.0	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	121	116	4.3	0% - 20%
EM2207807-002	SX_IB_20220430_07_51_S S_Duplicate_ALS	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.0	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	82	80	2.3	0% - 50%
		EG005T: Molybdenum	7439-98-7	2	mg/kg	<5	<5	0.0	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	167	154	7.8	0% - 20%
		EG005T: Silver	7440-22-4	2	mg/kg	<2	<2	0.0	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	22	20	9.4	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	59	54	8.2	0% - 50%
		EG005T: Lead	7439-92-1	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Selenium	7782-49-2	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Tin	7440-31-5	5	mg/kg	<10	<10	0.0	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	118	114	3.0	0% - 20%
EG005(ED093)T: Total Metals by ICP-AES (QC Lot: 4315477)									



Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EG005(ED093)T: Total Metals by ICP-AES (QC Lot: 4315477) - continued									
EM2207807-015	SX_IB_20220501_08_20_S S_Duplicate_ALS	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.0	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	85	88	3.7	0% - 50%
		EG005T: Molybdenum	7439-98-7	2	mg/kg	<5	<5	0.0	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	153	160	4.6	0% - 20%
		EG005T: Silver	7440-22-4	2	mg/kg	<2	<2	0.0	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	23	24	4.3	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	60	62	3.2	0% - 50%
		EG005T: Lead	7439-92-1	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Selenium	7782-49-2	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Tin	7440-31-5	5	mg/kg	<10	<10	0.0	No Limit
EG005T: Zinc	7440-66-6	5	mg/kg	122	126	3.1	0% - 20%		
EM2207807-025	SX_IB_20220501_23_56_S S_Primary_ALS	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.0	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	80	88	8.5	0% - 50%
		EG005T: Molybdenum	7439-98-7	2	mg/kg	<5	<5	0.0	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	143	160	11.5	0% - 20%
		EG005T: Silver	7440-22-4	2	mg/kg	<2	<2	0.0	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	26	28	8.1	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	58	73	23.7	0% - 50%
		EG005T: Lead	7439-92-1	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Selenium	7782-49-2	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Tin	7440-31-5	5	mg/kg	<10	<10	0.0	No Limit
EG005T: Zinc	7440-66-6	5	mg/kg	104	116	11.1	0% - 20%		
EA001: pH in soil using 0.01M CaCl extract (QC Lot: 4317687)									
EM2207664-001	Anonymous	EA001: pH (CaCl2)	----	0.1	pH Unit	7.4	7.5	0.0	0% - 20%
EM2207719-006	Anonymous	EA001: pH (CaCl2)	----	0.1	pH Unit	7.6	7.6	0.0	0% - 20%
EA001: pH in soil using 0.01M CaCl extract (QC Lot: 4317688)									
EM2207807-007	SX_OB_20220430_15_58_ SS_Triplicate_ALS	EA001: pH (CaCl2)	----	0.1	pH Unit	7.8	7.7	1.7	0% - 20%
EM2207807-018	SX_OB_20220501_12_24_ SS_Primary_ALS	EA001: pH (CaCl2)	----	0.1	pH Unit	7.6	7.6	0.0	0% - 20%
EA055: Moisture Content (Dried @ 105-110°C) (QC Lot: 4315804)									
EM2207664-001	Anonymous	EA055: Moisture Content	----	0.1	%	34.1	31.0	9.5	0% - 20%
EM2207719-007	Anonymous	EA055: Moisture Content	----	0.1	%	29.4	25.5	14.2	0% - 20%
EA055: Moisture Content (Dried @ 105-110°C) (QC Lot: 4315805)									
EM2207807-007	SX_OB_20220430_15_58_ SS_Triplicate_ALS	EA055: Moisture Content	----	0.1	%	26.5	26.0	1.9	0% - 20%
EM2207807-019	SX_IB_20220501_16_12_S S_Primary_ALS	EA055: Moisture Content	----	0.1	%	30.0	31.5	4.7	0% - 20%



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EG035T: Total Recoverable Mercury by FIMS (QC Lot: 4315475)									
EM2207719-001	Anonymous	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EM2207807-002	SX_IB_20220430_07_51_S S_Duplicate_ALS	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EG035T: Total Recoverable Mercury by FIMS (QC Lot: 4315476)									
EM2207807-015	SX_IB_20220501_08_20_S S_Duplicate_ALS	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EM2207807-025	SX_IB_20220501_23_56_S S_Primary_ALS	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EG048: Hexavalent Chromium (Alkaline Digest) (QC Lot: 4316693)									
EM2207664-001	Anonymous	EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<1.0	<1.0	0.0	No Limit
EM2207719-006	Anonymous	EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<1.0	<1.0	0.0	No Limit
EG048: Hexavalent Chromium (Alkaline Digest) (QC Lot: 4316694)									
EM2207807-007	SX_OB_20220430_15_58_ SS_Triplicate_ALS	EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<1.0	<1.0	0.0	No Limit
EM2207807-018	SX_OB_20220501_12_24_ SS_Primary_ALS	EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<1.0	<1.0	0.0	No Limit
EK026SF: Total CN by Segmented Flow Analyser (QC Lot: 4319101)									
EM2207794-021	Anonymous	EK026SF: Total Cyanide	57-12-5	1	mg/kg	<1	<1	0.0	No Limit
EM2207807-004	SX_IB_20220430_11_51_S S_Primary_ALS	EK026SF: Total Cyanide	57-12-5	1	mg/kg	<5	<5	0.0	No Limit
EK026SF: Total CN by Segmented Flow Analyser (QC Lot: 4319102)									
EM2207807-017	SX_IB_20220501_12_21_S S_Primary_ALS	EK026SF: Total Cyanide	57-12-5	1	mg/kg	<5	<5	0.0	No Limit
EM2207862-007	Anonymous	EK026SF: Total Cyanide	57-12-5	1	mg/kg	1	1	0.0	No Limit
EK040T: Fluoride Total (QC Lot: 4316697)									
EM2207664-001	Anonymous	EK040T: Fluoride	16984-48-8	40	mg/kg	210	180	12.6	No Limit
EM2207719-006	Anonymous	EK040T: Fluoride	16984-48-8	40	mg/kg	170	150	13.8	No Limit
EK040T: Fluoride Total (QC Lot: 4316698)									
EM2207807-007	SX_OB_20220430_15_58_ SS_Triplicate_ALS	EK040T: Fluoride	16984-48-8	40	mg/kg	170	140	14.4	No Limit
EM2207807-018	SX_OB_20220501_12_24_ SS_Primary_ALS	EK040T: Fluoride	16984-48-8	40	mg/kg	190	200	0.0	No Limit
EP066: Polychlorinated Biphenyls (PCB) (QC Lot: 4316040)									
EM2207719-001	Anonymous	EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EM2207807-003	SX_OB_20220430_08_01_ SS_Primary_ALS	EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EP066: Polychlorinated Biphenyls (PCB) (QC Lot: 4316043)									
EM2207664-001	Anonymous	EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP066: Polychlorinated Biphenyls (PCB) (QC Lot: 4316043) - continued									
EM2207807-018	SX_OB_20220501_12_24_SS_Primary_ALS	EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EP074A: Monocyclic Aromatic Hydrocarbons (QC Lot: 4314584)									
EM2207807-001	SX_IB_20220430_07_47_S_S_Primary_ALS	EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.0	No Limit
		EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
EM2207807-013	SX_OB_20220501_04_13_SS_Primary_ALS	EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.0	No Limit
		EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
EP074A: Monocyclic Aromatic Hydrocarbons (QC Lot: 4314585)									
EM2207807-015	SX_IB_20220501_08_20_S_S_Duplicate_ALS	EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.0	No Limit
		EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
EM2207807-027	SX_IB_20220502_04_06_S_S_Primary_ALS	EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.0	No Limit
		EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
EP074H: Naphthalene (QC Lot: 4314584)									
EM2207807-001	SX_IB_20220430_07_47_S_S_Primary_ALS	EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.0	No Limit



Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP074H: Naphthalene (QC Lot: 4314584) - continued									
EM2207807-013	SX_OB_20220501_04_13_SS_Primary_ALS	EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.0	No Limit
EP074H: Naphthalene (QC Lot: 4314585)									
EM2207807-015	SX_IB_20220501_08_20_S_S_Duplicate_ALS	EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.0	No Limit
EM2207807-027	SX_IB_20220502_04_06_S_S_Primary_ALS	EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.0	No Limit
EP074I: Volatile Halogenated Compounds (QC Lot: 4314584)									
EM2207807-001	SX_IB_20220430_07_47_S_S_Primary_ALS	EP074-UT: 1.1-Dichloroethene	75-35-4	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: cis-1.2-Dichloroethene	156-59-2	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.1-Trichloroethane	71-55-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Carbon Tetrachloride	56-23-5	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.1.2-Tetrachloroethane	630-20-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.2.4-Trichlorobenzene	120-82-1	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Vinyl chloride	75-01-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: trans-1.2-Dichloroethene	156-60-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chloroform	67-66-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.2-Dichloroethane	107-06-2	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Trichloroethene	79-01-6	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Tetrachloroethene	127-18-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.2.2-Tetrachloroethane	79-34-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Hexachlorobutadiene	87-68-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chlorobenzene	108-90-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.4-Dichlorobenzene	106-46-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.2-Dichlorobenzene	95-50-1	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.2-Trichloroethane	79-00-5	0.04	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.5	<0.5	0.0	No Limit		
EM2207807-013	SX_OB_20220501_04_13_SS_Primary_ALS	EP074-UT: 1.1-Dichloroethene	75-35-4	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: cis-1.2-Dichloroethene	156-59-2	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.1-Trichloroethane	71-55-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Carbon Tetrachloride	56-23-5	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.1.2-Tetrachloroethane	630-20-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.2.4-Trichlorobenzene	120-82-1	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Vinyl chloride	75-01-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: trans-1.2-Dichloroethene	156-60-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chloroform	67-66-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.2-Dichloroethane	107-06-2	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Trichloroethene	79-01-6	0.02	mg/kg	<0.50	<0.50	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP074I: Volatile Halogenated Compounds (QC Lot: 4314584) - continued									
EM2207807-013	SX_OB_20220501_04_13_S SS_Primary_ALS	EP074-UT: Tetrachloroethene	127-18-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.2.2-Tetrachloroethane	79-34-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Hexachlorobutadiene	87-68-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chlorobenzene	108-90-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.4-Dichlorobenzene	106-46-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.2-Dichlorobenzene	95-50-1	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.2-Trichloroethane	79-00-5	0.04	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.5	<0.5	0.0	No Limit
EP074I: Volatile Halogenated Compounds (QC Lot: 4314585)									
EM2207807-015	SX_IB_20220501_08_20_S S_Duplicate_ALS	EP074-UT: 1.1-Dichloroethene	75-35-4	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: cis-1.2-Dichloroethene	156-59-2	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.1-Trichloroethane	71-55-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Carbon Tetrachloride	56-23-5	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.1.2-Tetrachloroethane	630-20-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.2.4-Trichlorobenzene	120-82-1	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Vinyl chloride	75-01-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: trans-1.2-Dichloroethene	156-60-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chloroform	67-66-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.2-Dichloroethane	107-06-2	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Trichloroethene	79-01-6	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Tetrachloroethene	127-18-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.2.2-Tetrachloroethane	79-34-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Hexachlorobutadiene	87-68-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chlorobenzene	108-90-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.4-Dichlorobenzene	106-46-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.2-Dichlorobenzene	95-50-1	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.2-Trichloroethane	79-00-5	0.04	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.5	<0.5	0.0	No Limit		
EM2207807-027	SX_IB_20220502_04_06_S S_Primary_ALS	EP074-UT: 1.1-Dichloroethene	75-35-4	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: cis-1.2-Dichloroethene	156-59-2	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.1-Trichloroethane	71-55-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Carbon Tetrachloride	56-23-5	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.1.2-Tetrachloroethane	630-20-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.2.4-Trichlorobenzene	120-82-1	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Vinyl chloride	75-01-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: trans-1.2-Dichloroethene	156-60-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: Chloroform	67-66-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit		



Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP074I: Volatile Halogenated Compounds (QC Lot: 4314585) - continued									
EM2207807-027	SX_IB_20220502_04_06_S S_Primary_ALS	EP074-UT: 1,2-Dichloroethane	107-06-2	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Trichloroethene	79-01-6	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Tetrachloroethene	127-18-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,1,2,2-Tetrachloroethane	79-34-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Hexachlorobutadiene	87-68-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chlorobenzene	108-90-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,4-Dichlorobenzene	106-46-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,2-Dichlorobenzene	95-50-1	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,1,2-Trichloroethane	79-00-5	0.04	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.5	<0.5	0.0	No Limit		
EP075A: Phenolic Compounds (Halogenated) (QC Lot: 4316042)									
EM2207719-001	Anonymous	EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2,4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2,6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: 2,4,5-Trichlorophenol	95-95-4	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2,4,6-Trichlorophenol	88-06-2	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-9 0-2	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<1.0	<1.0	0.0	No Limit
EM2207807-003	SX_OB_20220430_08_01_ SS_Primary_ALS	EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2,4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2,6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: 2,4,5-Trichlorophenol	95-95-4	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2,4,6-Trichlorophenol	88-06-2	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-9 0-2	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<1.0	<1.0	0.0	No Limit
EP075A: Phenolic Compounds (Halogenated) (QC Lot: 4316045)									
EM2207664-001	Anonymous	EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2,4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2,6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: 2,4,5-Trichlorophenol	95-95-4	0.05	mg/kg	<1.00	<1.00	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP075A: Phenolic Compounds (Halogenated) (QC Lot: 4316045) - continued									
EM2207664-001	Anonymous	EP075-EM: 2.4.6-Trichlorophenol	88-06-2	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.4.5 & 2.3.4.6-Tetrachlorophenol	4901-51-3/58-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		0-2							
EM2207807-018	SX_OB_20220501_12_24_SS_Primary_ALS	EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<1.0	<1.0	0.0	No Limit
		EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.5.6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: 2.4.5-Trichlorophenol	95-95-4	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.4.6-Trichlorophenol	88-06-2	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.4.5 & 2.3.4.6-Tetrachlorophenol	4901-51-3/58-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
0-2									
EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<1.0	<1.0	0.0	No Limit		
EP075A: Phenolic Compounds (Non-halogenated) (QC Lot: 4316042)									
EM2207719-001	Anonymous	EP075-EM: Phenol	108-95-2	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2.4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2.4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 2-Methyl-4.6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: Dinoseb	88-85-7	5	mg/kg	<20	<20	0.0	No Limit
		EP075-EM: 2-Cyclohexyl-4.6-Dinitrophenol	131-89-5	5	mg/kg	<20	<20	0.0	No Limit
EM2207807-003	SX_OB_20220430_08_01_SS_Primary_ALS	EP075-EM: Phenol	108-95-2	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2.4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2.4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 2-Methyl-4.6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: Dinoseb	88-85-7	5	mg/kg	<20	<20	0.0	No Limit
		EP075-EM: 2-Cyclohexyl-4.6-Dinitrophenol	131-89-5	5	mg/kg	<20	<20	0.0	No Limit
EP075A: Phenolic Compounds (Non-halogenated) (QC Lot: 4316045)									
EM2207664-001	Anonymous	EP075-EM: Phenol	108-95-2	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	<1	0.0	No Limit



Sub-Matrix: SOIL

Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Laboratory Duplicate (DUP) Report					
				LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP075A: Phenolic Compounds (Non-halogenated) (QC Lot: 4316045) - continued									
EM2207664-001	Anonymous	EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: Dinoseb	88-85-7	5	mg/kg	<20	<20	0.0	No Limit
		EP075-EM: 2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	5	mg/kg	<20	<20	0.0	No Limit
EM2207807-018	SX_OB_20220501_12_24_ SS_Primary_ALS	EP075-EM: Phenol	108-95-2	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: Dinoseb	88-85-7	5	mg/kg	<20	<20	0.0	No Limit
		EP075-EM: 2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	5	mg/kg	<20	<20	0.0	No Limit
EP075B: Polynuclear Aromatic Hydrocarbons (QC Lot: 4316042)									
EM2207719-001	Anonymous	EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Indeno(1,2,3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	<1.0	0.0	No Limit
EM2207807-003	SX_OB_20220430_08_01_ SS_Primary_ALS	EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP075B: Polynuclear Aromatic Hydrocarbons (QC Lot: 4316042) - continued									
EM2207807-003	SX_OB_20220430_08_01_ SS_Primary_ALS	EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Dibenzo(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	<1.0	0.0	No Limit
EP075B: Polynuclear Aromatic Hydrocarbons (QC Lot: 4316045)									
EM2207664-001	Anonymous	EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Dibenzo(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	<1.0	0.0	No Limit
EM2207807-018	SX_OB_20220501_12_24_ SS_Primary_ALS	EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP075B: Polynuclear Aromatic Hydrocarbons (QC Lot: 4316045) - continued									
EM2207807-018	SX_OB_20220501_12_24_ SS_Primary_ALS	EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	<1.0	0.0	No Limit
EP075I: Organochlorine Pesticides (QC Lot: 4316042)									
EM2207719-001	Anonymous	EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4,4`-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4,4`-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4,4`-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
EM2207807-003	SX_OB_20220430_08_01_ SS_Primary_ALS	EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	0.0	No Limit		



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP075I: Organochlorine Pesticides (QC Lot: 4316042) - continued									
EM2207807-003	SX_OB_20220430_08_01_ SS_Primary_ALS	EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
EP075-EM: 4,4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	0.0	No Limit		
EP075I: Organochlorine Pesticides (QC Lot: 4316045)									
EM2207664-001	Anonymous	EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
EP075-EM: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit		
EP075-EM: 4,4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	0.0	No Limit		
EM2207807-018	SX_OB_20220501_12_24_ SS_Primary_ALS	EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP075I: Organochlorine Pesticides (QC Lot: 4316045) - continued									
EM2207807-018	SX_OB_20220501_12_24_ SS_Primary_ALS	EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
EP075-EM: 4,4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	0.0	No Limit		
EP080/071: Total Petroleum Hydrocarbons (QC Lot: 4314584)									
EM2207807-001	SX_IB_20220430_07_47_S S_Primary_ALS	EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<20	<20	0.0	No Limit
EM2207807-013	SX_OB_20220501_04_13_ SS_Primary_ALS	EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<20	<20	0.0	No Limit
EP080/071: Total Petroleum Hydrocarbons (QC Lot: 4314585)									
EM2207807-015	SX_IB_20220501_08_20_S S_Duplicate_ALS	EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<20	<20	0.0	No Limit
EM2207807-027	SX_IB_20220502_04_06_S S_Primary_ALS	EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<20	<20	0.0	No Limit
EP080/071: Total Petroleum Hydrocarbons (QC Lot: 4316041)									
EM2207719-001	Anonymous	EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EM2207807-003	SX_OB_20220430_08_01_ SS_Primary_ALS	EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EP080/071: Total Petroleum Hydrocarbons (QC Lot: 4316044)									
EM2207664-001	Anonymous	EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit



Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP080/071: Total Petroleum Hydrocarbons (QC Lot: 4316044) - continued									
EM2207807-018	SX_OB_20220501_12_24_SS_Primary_ALS	EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 4314584)									
EM2207807-001	SX_IB_20220430_07_47_S_S_Primary_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<20	<20	0.0	No Limit
		EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<20	<20	0.0	No Limit
EM2207807-013	SX_OB_20220501_04_13_SS_Primary_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<20	<20	0.0	No Limit
		EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<20	<20	0.0	No Limit
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 4314585)									
EM2207807-015	SX_IB_20220501_08_20_S_S_Duplicate_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<20	<20	0.0	No Limit
		EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<20	<20	0.0	No Limit
EM2207807-027	SX_IB_20220502_04_06_S_S_Primary_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<20	<20	0.0	No Limit
		EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<20	<20	0.0	No Limit
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 4316041)									
EM2207719-001	Anonymous	EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EM2207807-003	SX_OB_20220430_08_01_SS_Primary_ALS	EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 4316044)									
EM2207664-001	Anonymous	EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EM2207807-018	SX_OB_20220501_12_24_SS_Primary_ALS	EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4315018)									



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4315018) - continued									
EM2207807-001	SX_IB_20220430_07_47_S S_Primary_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EM2207807-013	SX_OB_20220501_04_13_ SS_Primary_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4315022)									
EM2207535-002	Anonymous	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	0.0003	0.0003	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
EM2207719-005	Anonymous	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4315018)									
EM2207807-001	SX_IB_20220430_07_47_S S_Primary_ALS	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<5 µg/kg	<0.005	0.0	No Limit



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4315018) - continued									
EM2207807-013	SX_OB_20220501_04_13_S SS_Primary_ALS	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<5 µg/kg	<0.005	0.0	No Limit		
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4315022)									
EM2207535-002	Anonymous	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	0.0002	0.0002	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	<0.001	0.0	No Limit		
EM2207719-005	Anonymous	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<5 µg/kg	<0.005	0.0	No Limit		
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4315018)									
EM2207807-001	SX_IB_20220430_07_47_S S_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit



Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4315018) - continued									
EM2207807-001	SX_IB_20220430_07_47_S S_Primary_ALS	EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EM2207807-013	SX_OB_20220501_04_13_ SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4315022)									
EM2207535-002	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
EM2207719-005	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit



Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4315022) - continued									
EM2207719-005	Anonymous	EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4315018)									
EM2207807-001	SX_IB_20220430_07_47_S S_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EM2207807-013	SX_OB_20220501_04_13_ SS_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4315022)									
EM2207535-002	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
EM2207719-005	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit



Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4315022) - continued									
EM2207719-005	Anonymous	EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231P: PFAS Sums (QC Lot: 4315018)									
EM2207807-001	SX_IB_20220430_07_47_S S_Primary_ALS	EP231X: Sum of PFAS	----	0.0002	mg/kg	<50.0 µg/kg	<0.0500	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
EM2207807-013	SX_OB_20220501_04_13_ SS_Primary_ALS	EP231X: Sum of PFAS	----	0.0002	mg/kg	<50.0 µg/kg	<0.0500	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
EP231P: PFAS Sums (QC Lot: 4315022)									
EM2207535-002	Anonymous	EP231X: Sum of PFAS	----	0.0002	mg/kg	0.0005	0.0005	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.0002	mg/kg	0.0003	0.0003	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	0.0005	0.0005	0.0	No Limit
EM2207719-005	Anonymous	EP231X: Sum of PFAS	----	0.0002	mg/kg	<50.0 µg/kg	<0.0500	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit

Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4317373)									
EM2207712-001	Anonymous	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	3.41	3.14	8.4	0% - 20%
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	6.52	6.03	7.8	0% - 20%
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	0.37	0.37	0.0	0% - 50%
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	0.40	0.38	3.1	0% - 50%
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	0.30	0.28	4.6	0% - 50%
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EM2207797-002	Anonymous	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	0.12	0.12	0.0	0% - 50%
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	1.46	1.54	5.7	0% - 20%
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit

EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4318654)



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4318654) - continued									
EM2207807-001	SX_IB_20220430_07_47_S S_Primary_ALS	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EM2207807-020	SX_IB_20220501_16_18_S S_Primary_ALS	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4318698)									
EM2207807-028	SX_IB_20220430_07_47_S S_Primary_ALS	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EM2207807-036	SX_OB_20220430_20_08_ SS_Primary_ALS	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4318981)									
EM2207616-012	Anonymous	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EM2207807-048	SX_IB_20220501_19_58_S S_Primary_ALS	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4318981) - continued									
EM2207807-048	SX_IB_20220501_19_58_S S_Primary_ALS	EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4318982)									
EM2207616-011	Anonymous	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4317373)									
EM2207712-001	Anonymous	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	0.45	0.45	0.0	0% - 20%
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	0.93	0.92	1.8	0% - 20%
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	1.53	1.48	3.1	0% - 20%
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	0.39	0.37	4.9	0% - 50%
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	0.3	0.3	0.0	No Limit
		EM2207797-002	Anonymous	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	0.02	0.02
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3			0.02	µg/L	0.15	0.15	0.0	No Limit
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4			0.02	µg/L	0.12	0.11	0.0	No Limit
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9			0.02	µg/L	0.02	0.02	0.0	No Limit
EP231X: Perfluorononanoic acid (PFNA)	375-95-1			0.02	µg/L	<0.02	<0.02	0.0	No Limit
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2			0.02	µg/L	<0.02	<0.02	0.0	No Limit
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8			0.02	µg/L	<0.02	<0.02	0.0	No Limit
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1			0.02	µg/L	<0.02	<0.02	0.0	No Limit
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8			0.02	µg/L	<0.02	<0.02	0.0	No Limit
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7			0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4			0.1	µg/L	<0.1	<0.1	0.0	No Limit
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4318654)									
EM2207807-001	SX_IB_20220430_07_47_S S_Primary_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4318654) - continued									
EM2207807-001	SX_IB_20220430_07_47_S S_Primary_ALS	EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit
		EM2207807-020	SX_IB_20220501_16_18_S S_Primary_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4318698)									
EM2207807-028	SX_IB_20220430_07_47_S S_Primary_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit
		EM2207807-036	SX_OB_20220430_20_08_ SS_Primary_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4318698) - continued									
EM2207807-036	SX_OB_20220430_20_08_ SS_Primary_ALS	EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4318981)									
EM2207616-012	Anonymous	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit
EM2207807-048	SX_IB_20220501_19_58_S S_Primary_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4318982)									
EM2207616-011	Anonymous	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4318982) - continued									
EM2207616-011	Anonymous	EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4317373)									
EM2207712-001	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	0.04	0.04	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2207797-002	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4318654)									
EM2207807-001	SX_IB_20220430_07_47_S S_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4318654) - continued									
EM2207807-001	SX_IB_20220430_07_47_S S_Primary_ALS	EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2207807-020	SX_IB_20220501_16_18_S S_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4318698)									
EM2207807-028	SX_IB_20220430_07_47_S S_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2207807-036	SX_OB_20220430_20_08_ SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4318698) - continued									
EM2207807-036	SX_OB_20220430_20_08_ SS_Primary_ALS	EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4318981)									
EM2207616-012	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2207807-048	SX_IB_20220501_19_58_S S_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4318982)									
EM2207616-011	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	0.0	No Limit



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4318982) - continued									
EM2207616-011	Anonymous	EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4317373)									
EM2207712-001	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	0.73	0.73	0.0	0% - 50%
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2207797-002	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	0.14	0.15	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4318654)									
EM2207807-001	SX_IB_20220430_07_47_S S_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2207807-020	SX_IB_20220501_16_18_S S_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4318654) - continued									
EM2207807-020	SX_IB_20220501_16_18_S S_Primary_ALS	EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4318698)									
EM2207807-028	SX_IB_20220430_07_47_S S_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2207807-036	SX_OB_20220430_20_08_ SS_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4318981)									
EM2207616-012	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2207807-048	SX_IB_20220501_19_58_S S_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4318982)									
EM2207616-011	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4318982) - continued									
EM2207616-011	Anonymous	EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231P: PFAS Sums (QC Lot: 4317373)									
EM2207712-001	Anonymous	EP231X: Sum of PFAS	----	0.01	µg/L	15.4	14.5	6.0	0% - 20%
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	9.93	9.17	8.0	0% - 20%
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	14.6	13.8	5.9	0% - 20%
EM2207797-002	Anonymous	EP231X: Sum of PFAS	----	0.01	µg/L	2.05	2.11	2.9	0% - 20%
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	1.58	1.66	4.9	0% - 20%
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	2.05	2.11	2.9	0% - 20%
EP231P: PFAS Sums (QC Lot: 4318654)									
EM2207807-001	SX_IB_20220430_07_47_S S_Primary_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.10	<0.10	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.05	<0.05	0.0	No Limit
EM2207807-020	SX_IB_20220501_16_18_S S_Primary_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.10	<0.10	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.05	<0.05	0.0	No Limit
EP231P: PFAS Sums (QC Lot: 4318698)									
EM2207807-028	SX_IB_20220430_07_47_S S_Primary_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.10	<0.10	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.05	<0.05	0.0	No Limit
EM2207807-036	SX_OB_20220430_20_08_ SS_Primary_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.10	<0.10	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.05	<0.05	0.0	No Limit
EP231P: PFAS Sums (QC Lot: 4318981)									
EM2207616-012	Anonymous	EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231P: PFAS Sums (QC Lot: 4318981) - continued									
EM2207807-048	SX_IB_20220501_19_58_S S_Primary_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.10	<0.10	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.05	<0.05	0.0	No Limit
EP231P: PFAS Sums (QC Lot: 4318982)									
EM2207616-011	Anonymous	EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	<0.01	0.0	No Limit



Method Blank (MB) and Laboratory Control Sample (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Sample (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: **SOIL**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
EG005(ED093)T: Total Metals by ICP-AES (QCLot: 4315474)									
EG005T: Arsenic	7440-38-2	5	mg/kg	<5	123 mg/kg	97.2	70.0	130	
EG005T: Cadmium	7440-43-9	1	mg/kg	<1	1.23 mg/kg	58.1	50.0	130	
EG005T: Chromium	7440-47-3	2	mg/kg	<2	20.2 mg/kg	95.8	70.0	130	
EG005T: Copper	7440-50-8	5	mg/kg	<5	55.9 mg/kg	90.4	70.0	130	
EG005T: Lead	7439-92-1	5	mg/kg	<5	62.4 mg/kg	90.7	70.0	130	
EG005T: Molybdenum	7439-98-7	2	mg/kg	<2	2.19 mg/kg	89.6	70.0	130	
EG005T: Nickel	7440-02-0	2	mg/kg	<2	15.4 mg/kg	91.5	70.0	130	
EG005T: Selenium	7782-49-2	5	mg/kg	<5	----	----	----	----	
EG005T: Silver	7440-22-4	2	mg/kg	<2	2.9 mg/kg	88.9	70.0	130	
EG005T: Tin	7440-31-5	5	mg/kg	<5	5.33 mg/kg	83.3	70.0	130	
EG005T: Zinc	7440-66-6	5	mg/kg	<5	162 mg/kg	72.2	70.0	130	
EG005(ED093)T: Total Metals by ICP-AES (QCLot: 4315477)									
EG005T: Arsenic	7440-38-2	5	mg/kg	<5	123 mg/kg	97.0	70.0	130	
EG005T: Cadmium	7440-43-9	1	mg/kg	<1	1.23 mg/kg	61.6	50.0	130	
EG005T: Chromium	7440-47-3	2	mg/kg	<2	20.2 mg/kg	95.5	70.0	130	
EG005T: Copper	7440-50-8	5	mg/kg	<5	55.9 mg/kg	90.2	70.0	130	
EG005T: Lead	7439-92-1	5	mg/kg	<5	62.4 mg/kg	91.2	70.0	130	
EG005T: Molybdenum	7439-98-7	2	mg/kg	<2	2.19 mg/kg	87.5	70.0	130	
EG005T: Nickel	7440-02-0	2	mg/kg	<2	15.4 mg/kg	91.2	70.0	130	
EG005T: Selenium	7782-49-2	5	mg/kg	<5	----	----	----	----	
EG005T: Silver	7440-22-4	2	mg/kg	<2	2.9 mg/kg	87.8	70.0	130	
EG005T: Tin	7440-31-5	5	mg/kg	<5	5.33 mg/kg	82.9	70.0	130	
EG005T: Zinc	7440-66-6	5	mg/kg	<5	162 mg/kg	71.8	70.0	130	
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel) (QCLot: 4316453)									
EN60-DIa-P: Final pH	----	0.1	pH Unit	7.1	----	----	----	----	
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel) (QCLot: 4316454)									
EN60-DIa-P: Final pH	----	0.1	pH Unit	7.1	----	----	----	----	
EA001: pH in soil using 0.01M CaCl extract (QCLot: 4317687)									
EA001: pH (CaCl2)	----	----	pH Unit	----	4 pH Unit	100	98.8	101	
				----	7 pH Unit	100	99.3	101	
EA001: pH in soil using 0.01M CaCl extract (QCLot: 4317688)									
EA001: pH (CaCl2)	----	----	pH Unit	----	4 pH Unit	100	98.8	101	
				----	7 pH Unit	100	99.3	101	
EG035T: Total Recoverable Mercury by FIMS (QCLot: 4315475)									



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
				Result	Spike Concentration	Spike Recovery (%)	Acceptable Limits (%)	
					LCS	Low	High	
EG035T: Total Recoverable Mercury by FIMS (QCLot: 4315475) - continued								
EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	0.64 mg/kg	95.3	70.0	130
EG035T: Total Recoverable Mercury by FIMS (QCLot: 4315476)								
EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	0.64 mg/kg	90.6	70.0	130
EG048: Hexavalent Chromium (Alkaline Digest) (QCLot: 4316693)								
EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<0.5	20 mg/kg	79.4	70.0	130
EG048: Hexavalent Chromium (Alkaline Digest) (QCLot: 4316694)								
EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<0.5	20 mg/kg	80.7	70.0	130
EK026SF: Total CN by Segmented Flow Analyser (QCLot: 4319101)								
EK026SF: Total Cyanide	57-12-5	1	mg/kg	<1	20 mg/kg	71.6	70.0	130
EK026SF: Total CN by Segmented Flow Analyser (QCLot: 4319102)								
EK026SF: Total Cyanide	57-12-5	1	mg/kg	<1	20 mg/kg	87.1	70.0	130
EK040T: Fluoride Total (QCLot: 4316697)								
EK040T: Fluoride	16984-48-8	40	mg/kg	<40	400 mg/kg	92.5	75.2	110
EK040T: Fluoride Total (QCLot: 4316698)								
EK040T: Fluoride	16984-48-8	40	mg/kg	<200	400 mg/kg	95.2	75.2	110
EP066: Polychlorinated Biphenyls (PCB) (QCLot: 4316040)								
EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	1 mg/kg	102	67.4	136
EP066: Polychlorinated Biphenyls (PCB) (QCLot: 4316043)								
EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	1 mg/kg	105	67.4	136
EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 4314584)								
EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	2.1 mg/kg	99.6	69.2	116
EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	2.1 mg/kg	98.0	67.7	116
EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	2.1 mg/kg	96.5	66.6	115
EP074-UT: meta- & para-Xylene	108-38-3	0.5	mg/kg	<0.5	4.2 mg/kg	93.0	65.2	112
	106-42-3							
EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	2.1 mg/kg	94.1	69.4	111
EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	2.1 mg/kg	93.1	68.4	110
EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 4314585)								
EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	2.1 mg/kg	96.2	69.2	116
EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	2.1 mg/kg	96.7	67.7	116
EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	2.1 mg/kg	95.6	66.6	115
EP074-UT: meta- & para-Xylene	108-38-3	0.5	mg/kg	<0.5	4.2 mg/kg	93.9	65.2	112
	106-42-3							
EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	2.1 mg/kg	92.4	69.4	111
EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	2.1 mg/kg	94.4	68.4	110
EP074H: Naphthalene (QCLot: 4314584)								
EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	0.6 mg/kg	88.7	72.3	114



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
EP074H: Naphthalene (QCLot: 4314585)									
EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	0.6 mg/kg	88.2	72.3	114	
EP074I: Volatile Halogenated Compounds (QCLot: 4314584)									
EP074-UT: Vinyl chloride	75-01-4	0.02	mg/kg	<0.02	0.1 mg/kg	94.0	47.0	138	
EP074-UT: 1.1-Dichloroethene	75-35-4	0.01	mg/kg	<0.01	0.1 mg/kg	103	57.6	125	
EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.4	2.1 mg/kg	97.8	72.3	115	
EP074-UT: trans-1.2-Dichloroethene	156-60-5	0.02	mg/kg	<0.02	0.1 mg/kg	101	60.5	122	
EP074-UT: cis-1.2-Dichloroethene	156-59-2	0.01	mg/kg	<0.01	0.1 mg/kg	96.8	70.3	112	
EP074-UT: Chloroform	67-66-3	0.02	mg/kg	<0.02	0.1 mg/kg	96.8	66.6	115	
EP074-UT: 1.1.1-Trichloroethane	71-55-6	0.01	mg/kg	<0.01	0.1 mg/kg	99.2	64.4	122	
EP074-UT: Carbon Tetrachloride	56-23-5	0.01	mg/kg	<0.01	0.1 mg/kg	98.0	58.4	127	
EP074-UT: 1.2-Dichloroethane	107-06-2	0.02	mg/kg	<0.02	0.1 mg/kg	103	72.9	114	
EP074-UT: Trichloroethene	79-01-6	0.02	mg/kg	<0.02	0.1 mg/kg	96.6	64.7	115	
EP074-UT: 1.1.2-Trichloroethane	79-00-5	0.04	mg/kg	<0.04	0.1 mg/kg	101	72.6	116	
EP074-UT: Tetrachloroethene	127-18-4	0.02	mg/kg	<0.02	0.1 mg/kg	94.6	60.0	119	
EP074-UT: 1.1.1.2-Tetrachloroethane	630-20-6	0.01	mg/kg	<0.01	0.1 mg/kg	95.0	71.8	116	
EP074-UT: 1.1.2.2-Tetrachloroethane	79-34-5	0.02	mg/kg	<0.02	0.1 mg/kg	94.4	66.1	116	
EP074-UT: Hexachlorobutadiene	87-68-3	0.02	mg/kg	<0.02	0.1 mg/kg	85.0	39.8	128	
EP074-UT: Chlorobenzene	108-90-7	0.02	mg/kg	<0.02	0.1 mg/kg	97.0	70.3	113	
EP074-UT: 1.4-Dichlorobenzene	106-46-7	0.02	mg/kg	<0.02	0.1 mg/kg	93.2	62.6	113	
EP074-UT: 1.2-Dichlorobenzene	95-50-1	0.02	mg/kg	<0.02	0.1 mg/kg	95.2	70.8	110	
EP074-UT: 1.2.4-Trichlorobenzene	120-82-1	0.01	mg/kg	<0.01	0.1 mg/kg	89.7	48.4	120	
EP074I: Volatile Halogenated Compounds (QCLot: 4314585)									
EP074-UT: Vinyl chloride	75-01-4	0.02	mg/kg	<0.02	0.1 mg/kg	77.8	47.0	138	
EP074-UT: 1.1-Dichloroethene	75-35-4	0.01	mg/kg	<0.01	0.1 mg/kg	88.7	57.6	125	
EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.4	2.1 mg/kg	90.2	72.3	115	
EP074-UT: trans-1.2-Dichloroethene	156-60-5	0.02	mg/kg	<0.02	0.1 mg/kg	96.1	60.5	122	
EP074-UT: cis-1.2-Dichloroethene	156-59-2	0.01	mg/kg	<0.01	0.1 mg/kg	94.2	70.3	112	
EP074-UT: Chloroform	67-66-3	0.02	mg/kg	<0.02	0.1 mg/kg	96.6	66.6	115	
EP074-UT: 1.1.1-Trichloroethane	71-55-6	0.01	mg/kg	<0.01	0.1 mg/kg	95.1	64.4	122	
EP074-UT: Carbon Tetrachloride	56-23-5	0.01	mg/kg	<0.01	0.1 mg/kg	95.4	58.4	127	
EP074-UT: 1.2-Dichloroethane	107-06-2	0.02	mg/kg	<0.02	0.1 mg/kg	96.4	72.9	114	
EP074-UT: Trichloroethene	79-01-6	0.02	mg/kg	<0.02	0.1 mg/kg	97.9	64.7	115	
EP074-UT: 1.1.2-Trichloroethane	79-00-5	0.04	mg/kg	<0.04	0.1 mg/kg	99.1	72.6	116	
EP074-UT: Tetrachloroethene	127-18-4	0.02	mg/kg	<0.02	0.1 mg/kg	97.6	60.0	119	
EP074-UT: 1.1.1.2-Tetrachloroethane	630-20-6	0.01	mg/kg	<0.01	0.1 mg/kg	100	71.8	116	
EP074-UT: 1.1.2.2-Tetrachloroethane	79-34-5	0.02	mg/kg	<0.02	0.1 mg/kg	93.8	66.1	116	
EP074-UT: Hexachlorobutadiene	87-68-3	0.02	mg/kg	<0.02	0.1 mg/kg	95.8	39.8	128	
EP074-UT: Chlorobenzene	108-90-7	0.02	mg/kg	<0.02	0.1 mg/kg	96.6	70.3	113	
EP074-UT: 1.4-Dichlorobenzene	106-46-7	0.02	mg/kg	<0.02	0.1 mg/kg	94.4	62.6	113	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
EP074I: Volatile Halogenated Compounds (QCLot: 4314585) - continued									
EP074-UT: 1,2-Dichlorobenzene	95-50-1	0.02	mg/kg	<0.02	0.1 mg/kg	98.0	70.8	110	
EP074-UT: 1,2,4-Trichlorobenzene	120-82-1	0.01	mg/kg	<0.01	0.1 mg/kg	94.4	48.4	120	
EP075A: Phenolic Compounds (Halogenated) (QCLot: 4316042)									
EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.03	2 mg/kg	82.6	74.5	126	
EP075-EM: 2,4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.03	2 mg/kg	84.2	72.7	126	
EP075-EM: 2,6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.03	2 mg/kg	84.4	73.5	132	
EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<0.03	2 mg/kg	92.5	72.8	128	
EP075-EM: 2,4,5-Trichlorophenol	95-95-4	0.05	mg/kg	<0.05	2 mg/kg	83.6	73.3	134	
EP075-EM: 2,4,6-Trichlorophenol	88-06-2	0.05	mg/kg	<0.05	2 mg/kg	82.6	72.4	128	
EP075-EM: 2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	2 mg/kg	88.1	69.4	126	
EP075-EM: 2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/5 8-90-2	0.05	mg/kg	<0.05	4 mg/kg	92.3	71.9	128	
EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<0.2	4 mg/kg	84.0	54.4	135	
EP075A: Phenolic Compounds (Halogenated) (QCLot: 4316045)									
EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.03	2 mg/kg	83.0	74.5	126	
EP075-EM: 2,4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.03	2 mg/kg	84.9	72.7	126	
EP075-EM: 2,6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.03	2 mg/kg	85.6	73.5	132	
EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<0.03	2 mg/kg	91.7	72.8	128	
EP075-EM: 2,4,5-Trichlorophenol	95-95-4	0.05	mg/kg	<0.05	2 mg/kg	85.4	73.3	134	
EP075-EM: 2,4,6-Trichlorophenol	88-06-2	0.05	mg/kg	<0.05	2 mg/kg	83.9	72.4	128	
EP075-EM: 2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	2 mg/kg	85.2	69.4	126	
EP075-EM: 2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/5 8-90-2	0.05	mg/kg	<0.05	4 mg/kg	88.0	71.9	128	
EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<0.2	4 mg/kg	82.0	54.4	135	
EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4316042)									
EP075-EM: Phenol	108-95-2	1	mg/kg	<1	2 mg/kg	89.8	71.5	130	
EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	2 mg/kg	84.2	73.4	129	
EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	4 mg/kg	82.5	74.3	129	
EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	2 mg/kg	80.8	70.9	133	
EP075-EM: 2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	2 mg/kg	85.6	71.8	132	
EP075-EM: 2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	10 mg/kg	72.6	41.0	156	
EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	10 mg/kg	87.5	65.3	134	
EP075-EM: 2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	10 mg/kg	78.0	43.6	128	
EP075-EM: Dinoseb	88-85-7	5	mg/kg	<5	10 mg/kg	83.0	62.0	128	
EP075-EM: 2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	5	mg/kg	<5	10 mg/kg	77.8	34.5	137	
EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4316045)									
EP075-EM: Phenol	108-95-2	1	mg/kg	<1	2 mg/kg	88.2	71.5	130	
EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	2 mg/kg	83.5	73.4	129	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4316045) - continued									
EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	4 mg/kg	82.2	74.3	129	
EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	2 mg/kg	82.6	70.9	133	
EP075-EM: 2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	2 mg/kg	84.6	71.8	132	
EP075-EM: 2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	10 mg/kg	70.8	41.0	156	
EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	10 mg/kg	82.5	65.3	134	
EP075-EM: 2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	10 mg/kg	78.5	43.6	128	
EP075-EM: Dinoseb	88-85-7	5	mg/kg	<5	10 mg/kg	82.8	62.0	128	
EP075-EM: 2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	5	mg/kg	<5	10 mg/kg	74.8	34.5	137	
EP075B: Polynuclear Aromatic Hydrocarbons (QCLot: 4316042)									
EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	2 mg/kg	86.0	73.0	131	
EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	2 mg/kg	89.2	76.3	130	
EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	2 mg/kg	90.4	72.0	135	
EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	2 mg/kg	90.9	74.4	131	
EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	2 mg/kg	84.8	73.3	130	
EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	2 mg/kg	83.9	78.4	127	
EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	2 mg/kg	87.3	75.3	132	
EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	2 mg/kg	89.6	75.4	130	
EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	2 mg/kg	89.9	69.6	133	
EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	2 mg/kg	93.4	75.0	133	
EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	4 mg/kg	102	75.8	133	
EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	2 mg/kg	98.3	65.1	130	
EP075-EM: Indeno(1,2,3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	2 mg/kg	87.1	72.1	134	
EP075-EM: Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	2 mg/kg	87.0	72.9	135	
EP075-EM: Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	2 mg/kg	88.9	71.3	134	
EP075B: Polynuclear Aromatic Hydrocarbons (QCLot: 4316045)									
EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	2 mg/kg	86.7	73.0	131	
EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	2 mg/kg	87.0	76.3	130	
EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	2 mg/kg	88.4	72.0	135	
EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	2 mg/kg	88.6	74.4	131	
EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	2 mg/kg	85.4	73.3	130	
EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	2 mg/kg	84.6	78.4	127	
EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	2 mg/kg	88.0	75.3	132	
EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	2 mg/kg	89.8	75.4	130	
EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	2 mg/kg	84.2	69.6	133	
EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	2 mg/kg	85.9	75.0	133	
EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	4 mg/kg	90.9	75.8	133	
EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	2 mg/kg	88.9	65.1	130	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
				Result	Spike	Spike Recovery (%)	Acceptable Limits (%)	
					Concentration	LCS	Low	High
EP075B: Polynuclear Aromatic Hydrocarbons (QCLot: 4316045) - continued								
EP075-EM: Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	2 mg/kg	81.8	72.1	134
EP075-EM: Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	2 mg/kg	81.4	72.9	135
EP075-EM: Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	2 mg/kg	83.0	71.3	134
EP075I: Organochlorine Pesticides (QCLot: 4316042)								
EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.03	2 mg/kg	85.2	71.0	129
EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.03	2 mg/kg	84.0	74.8	126
EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.03	2 mg/kg	93.1	75.7	130
EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.03	2 mg/kg	86.4	70.8	130
EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.03	2 mg/kg	87.4	76.5	134
EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.03	2 mg/kg	87.7	75.5	131
EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.03	2 mg/kg	91.7	76.8	130
EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.03	2 mg/kg	84.8	73.6	130
EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	2 mg/kg	89.1	75.0	133
EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	2 mg/kg	89.4	75.3	131
EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.03	2 mg/kg	85.8	69.4	134
EP075-EM: 4.4`-DDE	72-55-9	0.05	mg/kg	<0.05	2 mg/kg	89.4	71.0	132
EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.03	2 mg/kg	89.0	78.0	133
EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.03	2 mg/kg	77.2	69.0	143
EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.03	2 mg/kg	94.2	55.7	145
EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.03	2 mg/kg	82.9	71.4	135
EP075-EM: 4.4`-DDD	72-54-8	0.05	mg/kg	<0.05	2 mg/kg	89.2	74.8	134
EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.03	2 mg/kg	87.2	70.2	135
EP075-EM: 4.4`-DDT	50-29-3	0.05	mg/kg	<0.05	2 mg/kg	87.8	77.7	133
EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.03	2 mg/kg	91.3	63.6	135
EP075I: Organochlorine Pesticides (QCLot: 4316045)								
EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.03	2 mg/kg	85.8	71.0	129
EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.03	2 mg/kg	83.6	74.8	126
EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.03	2 mg/kg	91.6	75.7	130
EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.03	2 mg/kg	87.5	70.8	130
EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.03	2 mg/kg	87.2	76.5	134
EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.03	2 mg/kg	85.0	75.5	131
EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.03	2 mg/kg	88.6	76.8	130
EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.03	2 mg/kg	86.3	73.6	130
EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	2 mg/kg	88.5	75.0	133
EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	2 mg/kg	89.2	75.3	131
EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.03	2 mg/kg	86.5	69.4	134
EP075-EM: 4.4`-DDE	72-55-9	0.05	mg/kg	<0.05	2 mg/kg	83.5	71.0	132
EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.03	2 mg/kg	81.8	78.0	133
EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.03	2 mg/kg	# 68.2	69.0	143



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report				
					Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	High
EP075I: Organochlorine Pesticides (QCLot: 4316045) - continued									
EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.03	2 mg/kg	62.0	55.7	145	
EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.03	2 mg/kg	79.3	71.4	135	
EP075-EM: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	2 mg/kg	81.2	74.8	134	
EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.03	2 mg/kg	79.6	70.2	135	
EP075-EM: 4,4'-DDT	50-29-3	0.05	mg/kg	<0.05	2 mg/kg	80.6	77.7	133	
EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.03	2 mg/kg	83.0	63.6	135	
EP080/071: Total Petroleum Hydrocarbons (QCLot: 4314584)									
EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<10	39.6 mg/kg	99.1	61.1	119	
EP080/071: Total Petroleum Hydrocarbons (QCLot: 4314585)									
EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<10	39.6 mg/kg	85.4	61.1	119	
EP080/071: Total Petroleum Hydrocarbons (QCLot: 4316041)									
EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	670 mg/kg	110	74.4	129	
EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	2860 mg/kg	110	81.0	123	
EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	1490 mg/kg	102	81.8	121	
EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	5020 mg/kg	108	70.0	130	
EP080/071: Total Petroleum Hydrocarbons (QCLot: 4316044)									
EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	670 mg/kg	91.9	74.4	129	
EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	2860 mg/kg	104	81.0	123	
EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	1490 mg/kg	101	81.8	121	
EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	5020 mg/kg	102	70.0	130	
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4314584)									
EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	48.9 mg/kg	96.4	59.9	119	
EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<10	----	----	----	----	
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4314585)									
EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	48.9 mg/kg	88.3	59.9	119	
EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<10	----	----	----	----	
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4316041)									
EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	1000 mg/kg	105	75.4	132	
EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	3770 mg/kg	112	80.8	120	
EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	250 mg/kg	119	73.3	136	
EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	5020 mg/kg	111	70.0	130	
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4316044)									
EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	1000 mg/kg	94.3	75.4	132	
EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	3770 mg/kg	113	80.8	120	
EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	250 mg/kg	92.1	73.3	136	
EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	5020 mg/kg	108	70.0	130	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4315018)									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	0.00111 mg/kg	90.5	72.0	128	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	0.00118 mg/kg	99.7	73.0	123	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	0.0014 mg/kg	71.0	67.0	130	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	0.00119 mg/kg	80.2	70.0	132	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	0.00116 mg/kg	87.7	68.0	136	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<0.0002	0.00121 mg/kg	88.9	59.0	134	
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4315022)									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	0.00111 mg/kg	94.1	72.0	128	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	0.00118 mg/kg	89.0	73.0	123	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	0.0014 mg/kg	70.1	67.0	130	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	0.00119 mg/kg	96.7	70.0	132	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	0.00116 mg/kg	88.6	68.0	136	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<0.0002	0.00121 mg/kg	85.7	59.0	134	
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4315018)									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	0.00625 mg/kg	75.5	71.0	135	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	0.00125 mg/kg	93.9	69.0	132	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	77.6	70.0	132	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	89.6	71.0	131	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	87.6	69.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	87.9	72.0	129	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	0.00125 mg/kg	74.5	69.0	133	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	91.8	64.0	136	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	84.5	69.0	135	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	81.8	66.0	139	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	93.5	69.0	133	
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4315022)									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	0.00625 mg/kg	79.2	71.0	135	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	0.00125 mg/kg	94.8	69.0	132	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	89.0	70.0	132	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	93.0	71.0	131	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	91.3	69.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	102	72.0	129	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	0.00125 mg/kg	77.7	69.0	133	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	89.8	64.0	136	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	87.8	69.0	135	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	75.6	66.0	139	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	92.1	69.0	133	
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4315018)									



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4315018) - continued									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	82.4	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	0.00312 mg/kg	86.1	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	92.5	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	77.5	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	98.2	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	107	63.0	144	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	86.6	61.0	139	
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4315022)									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	95.0	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	0.00312 mg/kg	89.1	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	80.6	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	77.1	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	86.7	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	98.2	63.0	144	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	89.4	61.0	139	
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4315018)									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	0.00117 mg/kg	92.7	62.0	145	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	0.00119 mg/kg	82.0	64.0	140	
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	0.0012 mg/kg	101	65.0	137	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	0.00121 mg/kg	107	70.0	130	
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4315022)									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	0.00117 mg/kg	98.6	62.0	145	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	0.00119 mg/kg	94.0	64.0	140	
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	0.0012 mg/kg	106	65.0	137	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	0.00121 mg/kg	102	70.0	130	
EP231P: PFAS Sums (QCLot: 4315018)									
EP231X: Sum of PFAS	----	0.0002	mg/kg	<0.0002	----	----	----	----	
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	
EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	----	----	----	----	
EP231P: PFAS Sums (QCLot: 4315022)									



Sub-Matrix: **SOIL**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report				
					Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
EP231P: PFAS Sums (QCLot: 4315022) - continued									
EP231X: Sum of PFAS	----	0.0002	mg/kg	<0.0002	----	----	----	----	
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	
EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	----	----	----	----	

Sub-Matrix: **WATER**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report				
					Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4317373)									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.222 µg/L	97.3	72.0	130	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.235 µg/L	96.9	71.0	127	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.228 µg/L	92.1	68.0	131	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.25 µg/L	92.2	69.0	134	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.232 µg/L	94.9	65.0	140	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.241 µg/L	94.4	53.0	142	
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4318654)									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.222 µg/L	98.7	72.0	130	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.235 µg/L	109	71.0	127	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.228 µg/L	113	68.0	131	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.25 µg/L	110	69.0	134	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.232 µg/L	90.6	65.0	140	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.241 µg/L	112	53.0	142	
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4318698)									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.222 µg/L	99.5	72.0	130	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.235 µg/L	100	71.0	127	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.228 µg/L	86.9	68.0	131	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.25 µg/L	93.8	69.0	134	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.232 µg/L	89.2	65.0	140	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.241 µg/L	91.2	53.0	142	
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4318981)									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.222 µg/L	95.3	72.0	130	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.235 µg/L	97.9	71.0	127	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.228 µg/L	92.2	68.0	131	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.25 µg/L	95.8	69.0	134	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.232 µg/L	92.0	65.0	140	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.241 µg/L	94.2	53.0	142	
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4318982)									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.222 µg/L	89.0	72.0	130	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.235 µg/L	110	71.0	127	



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4318982) - continued									
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.228 µg/L	111	68.0	131	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.25 µg/L	112	69.0	134	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.232 µg/L	96.3	65.0	140	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.241 µg/L	108	53.0	142	
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4317373)									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	1.25 µg/L	94.1	73.0	129	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.25 µg/L	101	72.0	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.25 µg/L	95.4	72.0	129	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.25 µg/L	91.7	72.0	130	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.25 µg/L	96.5	71.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.25 µg/L	94.6	69.0	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.25 µg/L	99.6	71.0	129	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.25 µg/L	90.7	69.0	133	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.25 µg/L	101	72.0	134	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.25 µg/L	86.9	65.0	144	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	0.625 µg/L	103	71.0	132	
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4318654)									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	1.25 µg/L	88.6	73.0	129	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.25 µg/L	93.3	72.0	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.25 µg/L	120	72.0	129	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.25 µg/L	97.5	72.0	130	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.25 µg/L	99.1	71.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.25 µg/L	87.1	69.0	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.25 µg/L	95.2	71.0	129	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.25 µg/L	79.3	69.0	133	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.25 µg/L	98.0	72.0	134	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.25 µg/L	90.0	65.0	144	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	0.625 µg/L	113	71.0	132	
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4318698)									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	1.25 µg/L	88.5	73.0	129	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.25 µg/L	105	72.0	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.25 µg/L	85.7	72.0	129	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.25 µg/L	101	72.0	130	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.25 µg/L	96.0	71.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.25 µg/L	105	69.0	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.25 µg/L	82.3	71.0	129	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.25 µg/L	97.6	69.0	133	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.25 µg/L	94.4	72.0	134	



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4318698) - continued									
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.25 µg/L	86.6	65.0	144	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	0.625 µg/L	100.0	71.0	132	
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4318981)									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	1.25 µg/L	93.0	73.0	129	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.25 µg/L	101	72.0	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.25 µg/L	83.9	72.0	129	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.25 µg/L	95.5	72.0	130	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.25 µg/L	94.7	71.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.25 µg/L	96.6	69.0	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.25 µg/L	86.2	71.0	129	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.25 µg/L	101	69.0	133	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.25 µg/L	96.4	72.0	134	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.25 µg/L	87.9	65.0	144	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	0.625 µg/L	105	71.0	132	
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4318982)									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	1.25 µg/L	85.8	73.0	129	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.25 µg/L	83.5	72.0	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.25 µg/L	114	72.0	129	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.25 µg/L	100	72.0	130	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.25 µg/L	85.9	71.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.25 µg/L	75.5	69.0	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.25 µg/L	89.0	71.0	129	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.25 µg/L	74.8	69.0	133	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.25 µg/L	107	72.0	134	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.25 µg/L	90.6	65.0	144	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	0.625 µg/L	115	71.0	132	
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4317373)									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.25 µg/L	102	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	0.625 µg/L	119	68.0	141	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	0.625 µg/L	98.3	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	0.625 µg/L	93.2	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	0.625 µg/L	97.8	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.25 µg/L	100	65.0	136	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.25 µg/L	96.2	61.0	135	



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4318654)									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.25 µg/L	101	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	0.625 µg/L	109	68.0	141	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	0.625 µg/L	100	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	0.625 µg/L	98.6	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	0.625 µg/L	106	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.25 µg/L	107	65.0	136	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.25 µg/L	105	61.0	135	
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4318698)									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.25 µg/L	96.2	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	0.625 µg/L	98.2	68.0	141	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	0.625 µg/L	91.0	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	0.625 µg/L	90.7	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	0.625 µg/L	95.2	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.25 µg/L	108	65.0	136	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.25 µg/L	96.1	61.0	135	
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4318981)									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.25 µg/L	103	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	0.625 µg/L	98.7	68.0	141	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	0.625 µg/L	89.8	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	0.625 µg/L	90.4	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	0.625 µg/L	99.8	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.25 µg/L	117	65.0	136	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.25 µg/L	95.5	61.0	135	
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4318982)									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.25 µg/L	93.5	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	0.625 µg/L	119	68.0	141	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	0.625 µg/L	105	70.0	130	



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
				Result	Spike	Spike Recovery (%)	Acceptable Limits (%)	
					Concentration	LCS	Low	High
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4318982) - continued								
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	0.625 µg/L	97.7	70.0	130
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	0.625 µg/L	104	70.0	130
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.25 µg/L	104	65.0	136
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.25 µg/L	100	61.0	135
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4317373)								
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.234 µg/L	96.0	63.0	143
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.238 µg/L	100	64.0	140
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.24 µg/L	107	67.0	138
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.242 µg/L	82.6	70.0	130
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4318654)								
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.234 µg/L	101	63.0	143
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.238 µg/L	102	64.0	140
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.24 µg/L	107	67.0	138
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.242 µg/L	72.1	70.0	130
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4318698)								
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.234 µg/L	101	63.0	143
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.238 µg/L	99.8	64.0	140
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.24 µg/L	108	67.0	138
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.242 µg/L	87.7	70.0	130
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4318981)								
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.234 µg/L	95.7	63.0	143
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.238 µg/L	99.1	64.0	140
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.24 µg/L	114	67.0	138
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.242 µg/L	83.9	70.0	130
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4318982)								
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.234 µg/L	99.6	63.0	143
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.238 µg/L	108	64.0	140
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.24 µg/L	104	67.0	138
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.242 µg/L	71.6	70.0	130
EP231P: PFAS Sums (QCLot: 4317373)								
EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----



Sub-Matrix: **WATER**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report			
					Spike Concentration	Spike Recovery (%)	Acceptable Limits (%)	
						LCS	Low	High
EP231P: PFAS Sums (QCLot: 4318654)								
EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----
EP231P: PFAS Sums (QCLot: 4318698)								
EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----
EP231P: PFAS Sums (QCLot: 4318981)								
EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----
EP231P: PFAS Sums (QCLot: 4318982)								
EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----

Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: **SOIL**

Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Matrix Spike (MS) Report			
				Spike Concentration	Spike Recovery (%)	Acceptable Limits (%)	
				MS	Low	High	
EG005(ED093)T: Total Metals by ICP-AES (QCLot: 4315474)							
EM2207719-002	Anonymous	EG005T: Arsenic	7440-38-2	50 mg/kg	95.4	78.0	124
		EG005T: Cadmium	7440-43-9	50 mg/kg	88.3	79.7	116
		EG005T: Chromium	7440-47-3	50 mg/kg	94.4	79.0	121
		EG005T: Copper	7440-50-8	250 mg/kg	96.4	80.0	120
		EG005T: Lead	7439-92-1	250 mg/kg	89.2	80.0	120
		EG005T: Nickel	7440-02-0	50 mg/kg	83.0	78.0	120
		EG005T: Zinc	7440-66-6	250 mg/kg	83.4	80.0	120
EG005(ED093)T: Total Metals by ICP-AES (QCLot: 4315477)							
EM2207807-016	SX_IB_20220501_12_15_SS_Primary_ALS	EG005T: Arsenic	7440-38-2	50 mg/kg	80.5	78.0	124
		EG005T: Cadmium	7440-43-9	50 mg/kg	92.5	79.7	116



Sub-Matrix: **SOIL**

				Matrix Spike (MS) Report			
				Spike Concentration	SpikeRecovery(%) MS	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EG005(ED093)T: Total Metals by ICP-AES (QCLot: 4315477) - continued							
EM2207807-016	SX_IB_20220501_12_15_SS_Primary_ALS	EG005T: Chromium	7440-47-3	50 mg/kg	104	79.0	121
		EG005T: Copper	7440-50-8	250 mg/kg	100	80.0	120
		EG005T: Lead	7439-92-1	250 mg/kg	93.8	80.0	120
		EG005T: Nickel	7440-02-0	50 mg/kg	86.0	78.0	120
		EG005T: Zinc	7440-66-6	250 mg/kg	84.2	80.0	120
EG035T: Total Recoverable Mercury by FIMS (QCLot: 4315475)							
EM2207719-002	Anonymous	EG035T: Mercury	7439-97-6	0.5 mg/kg	106	76.0	116
EG035T: Total Recoverable Mercury by FIMS (QCLot: 4315476)							
EM2207807-016	SX_IB_20220501_12_15_SS_Primary_ALS	EG035T: Mercury	7439-97-6	0.5 mg/kg	110	76.0	116
EG048: Hexavalent Chromium (Alkaline Digest) (QCLot: 4316693)							
EM2207664-002	Anonymous	EG048G: Hexavalent Chromium	18540-29-9	20 mg/kg	87.3	58.0	114
EM2207664-002	Anonymous	EG048G: Hexavalent Chromium	18540-29-9	20 mg/kg	101	58.0	114
EG048: Hexavalent Chromium (Alkaline Digest) (QCLot: 4316694)							
EM2207807-008	SX_OB_20220430_16_02_SS_Primary_ALS	EG048G: Hexavalent Chromium	18540-29-9	20 mg/kg	85.6	58.0	114
EM2207807-008	SX_OB_20220430_16_02_SS_Primary_ALS	EG048G: Hexavalent Chromium	18540-29-9	20 mg/kg	101	58.0	114
EK026SF: Total CN by Segmented Flow Analyser (QCLot: 4319101)							
EM2207794-030	Anonymous	EK026SF: Total Cyanide	57-12-5	20 mg/kg	73.6	70.0	130
EK026SF: Total CN by Segmented Flow Analyser (QCLot: 4319102)							
EM2207807-018	SX_OB_20220501_12_24_SS_Primary_ALS	EK026SF: Total Cyanide	57-12-5	20 mg/kg	83.8	70.0	130
EK040T: Fluoride Total (QCLot: 4316697)							
EM2207664-002	Anonymous	EK040T: Fluoride	16984-48-8	400 mg/kg	76.8	70.0	130
EK040T: Fluoride Total (QCLot: 4316698)							
EM2207807-008	SX_OB_20220430_16_02_SS_Primary_ALS	EK040T: Fluoride	16984-48-8	400 mg/kg	74.2	70.0	130
EP066: Polychlorinated Biphenyls (PCB) (QCLot: 4316040)							
EM2207719-005	Anonymous	EP066-EM: Total Polychlorinated biphenyls	----	1 mg/kg	100	59.6	152
EP066: Polychlorinated Biphenyls (PCB) (QCLot: 4316043)							
EM2207664-003	Anonymous	EP066-EM: Total Polychlorinated biphenyls	----	1 mg/kg	103	59.6	152
EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 4314584)							
EM2207807-002	SX_IB_20220430_07_51_SS_Duplicate_ALS	EP074-UT: Benzene	71-43-2	2 mg/kg	96.5	53.7	130
		EP074-UT: Toluene	108-88-3	2 mg/kg	103	55.1	124
EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 4314585)							
EM2207807-016	SX_IB_20220501_12_15_SS_Primary_ALS	EP074-UT: Benzene	71-43-2	2 mg/kg	78.8	53.7	130
		EP074-UT: Toluene	108-88-3	2 mg/kg	82.7	55.1	124
EP074I: Volatile Halogenated Compounds (QCLot: 4314584)							



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike Concentration	Spike Recovery(%) MS	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP074I: Volatile Halogenated Compounds (QCLot: 4314584) - continued							
EM2207807-002	SX_IB_20220430_07_51_SS_Duplicate_ALS	EP074-UT: 1,1-Dichloroethene	75-35-4	2 mg/kg	77.7	38.4	145
		EP074-UT: Trichloroethene	79-01-6	2 mg/kg	88.2	48.1	128
		EP074-UT: Chlorobenzene	108-90-7	2 mg/kg	94.2	55.5	122
EP074I: Volatile Halogenated Compounds (QCLot: 4314585)							
EM2207807-016	SX_IB_20220501_12_15_SS_Primary_ALS	EP074-UT: 1,1-Dichloroethene	75-35-4	2 mg/kg	67.0	38.4	145
		EP074-UT: Trichloroethene	79-01-6	2 mg/kg	76.0	48.1	128
		EP074-UT: Chlorobenzene	108-90-7	2 mg/kg	77.7	55.5	122
EP075A: Phenolic Compounds (Halogenated) (QCLot: 4316042)							
EM2207719-002	Anonymous	EP075-EM: 2-Chlorophenol	95-57-8	3 mg/kg	87.1	44.0	143
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	3 mg/kg	95.4	41.5	139
		EP075-EM: Pentachlorophenol	87-86-5	3 mg/kg	77.7	10.0	144
EP075A: Phenolic Compounds (Halogenated) (QCLot: 4316045)							
EM2207664-002	Anonymous	EP075-EM: 2-Chlorophenol	95-57-8	3 mg/kg	85.1	44.0	143
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	3 mg/kg	88.2	41.5	139
		EP075-EM: Pentachlorophenol	87-86-5	3 mg/kg	78.0	10.0	144
EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4316042)							
EM2207719-002	Anonymous	EP075-EM: Phenol	108-95-2	3 mg/kg	92.5	44.2	134
		EP075-EM: 2-Nitrophenol	88-75-5	3 mg/kg	78.8	34.2	129
EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4316045)							
EM2207664-002	Anonymous	EP075-EM: Phenol	108-95-2	3 mg/kg	88.8	44.2	134
		EP075-EM: 2-Nitrophenol	88-75-5	3 mg/kg	79.1	34.2	129
EP075B: Polynuclear Aromatic Hydrocarbons (QCLot: 4316042)							
EM2207719-002	Anonymous	EP075-EM: Acenaphthene	83-32-9	3 mg/kg	83.5	42.6	138
		EP075-EM: Pyrene	129-00-0	3 mg/kg	88.5	37.8	152
EP075B: Polynuclear Aromatic Hydrocarbons (QCLot: 4316045)							
EM2207664-002	Anonymous	EP075-EM: Acenaphthene	83-32-9	3 mg/kg	79.5	42.6	138
		EP075-EM: Pyrene	129-00-0	3 mg/kg	85.5	37.8	152
EP080/071: Total Petroleum Hydrocarbons (QCLot: 4314584)							
EM2207807-002	SX_IB_20220430_07_51_SS_Duplicate_ALS	EP074-UT: C6 - C9 Fraction	----	28 mg/kg	94.6	42.3	111
EP080/071: Total Petroleum Hydrocarbons (QCLot: 4314585)							
EM2207807-016	SX_IB_20220501_12_15_SS_Primary_ALS	EP074-UT: C6 - C9 Fraction	----	28 mg/kg	73.4	42.3	111
EP080/071: Total Petroleum Hydrocarbons (QCLot: 4316041)							
EM2207719-006	Anonymous	EP071-EM: C10 - C14 Fraction	----	670 mg/kg	110	71.3	126
		EP071-EM: C15 - C28 Fraction	----	2860 mg/kg	108	75.1	123
		EP071-EM: C29 - C36 Fraction	----	1490 mg/kg	99.0	78.1	120



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP080/071: Total Petroleum Hydrocarbons (QCLot: 4316041) - continued							
EM2207719-006	Anonymous	EP071-EM: C10 - C36 Fraction (sum)	----	5020 mg/kg	105	70.0	130
EP080/071: Total Petroleum Hydrocarbons (QCLot: 4316044)							
EM2207664-009	Anonymous	EP071-EM: C10 - C14 Fraction	----	670 mg/kg	94.8	71.3	126
		EP071-EM: C15 - C28 Fraction	----	2860 mg/kg	107	75.1	123
		EP071-EM: C29 - C36 Fraction	----	1490 mg/kg	103	78.1	120
		EP071-EM: C10 - C36 Fraction (sum)	----	5020 mg/kg	104	70.0	130
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4314584)							
EM2207807-002	SX_IB_20220430_07_51_SS_Duplicate_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	33 mg/kg	92.2	39.9	109
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4314585)							
EM2207807-016	SX_IB_20220501_12_15_SS_Primary_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	33 mg/kg	69.0	39.9	109
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4316041)							
EM2207719-006	Anonymous	EP071-EM: >C10 - C16 Fraction	----	1000 mg/kg	104	71.5	130
		EP071-EM: >C16 - C34 Fraction	----	3770 mg/kg	110	76.9	119
		EP071-EM: >C34 - C40 Fraction	----	250 mg/kg	115	65.3	139
		EP071-EM: >C10 - C40 Fraction (sum)	----	5020 mg/kg	109	70.0	130
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4316044)							
EM2207664-009	Anonymous	EP071-EM: >C10 - C16 Fraction	----	1000 mg/kg	97.0	71.5	130
		EP071-EM: >C16 - C34 Fraction	----	3770 mg/kg	116	76.9	119
		EP071-EM: >C34 - C40 Fraction	----	250 mg/kg	95.3	65.3	139
		EP071-EM: >C10 - C40 Fraction (sum)	----	5020 mg/kg	111	70.0	130
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4315018)							
EM2207807-002	SX_IB_20220430_07_51_SS_Duplicate_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.00111 mg/kg	85.1	72.0	128
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.00118 mg/kg	84.2	73.0	123
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.00114 mg/kg	89.0	67.0	130
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.00119 mg/kg	81.1	70.0	132
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.00116 mg/kg	92.4	68.0	136
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.00121 mg/kg	119	59.0	134
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4315022)							
EM2207617-001	Anonymous	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.00111 mg/kg	87.0	72.0	128
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.00118 mg/kg	75.8	73.0	123
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.00114 mg/kg	91.4	67.0	130
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.00119 mg/kg	101	70.0	132
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.00116 mg/kg	95.5	68.0	136
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.00121 mg/kg	84.5	59.0	134
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4315018)							
EM2207807-002	SX_IB_20220430_07_51_SS_Duplicate_ALS	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.00625 mg/kg	72.5	71.0	135



Sub-Matrix: SOIL

Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Matrix Spike (MS) Report			
				Spike Concentration	SpikeRecovery(%) MS	Acceptable Limits (%)	
				Low	High		
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4315018) - continued							
EM2207807-002	SX_IB_20220430_07_51_SS_Duplicate_ALS	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.00125 mg/kg	88.8	69.0	132
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.00125 mg/kg	79.8	70.0	132
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.00125 mg/kg	89.2	71.0	131
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.00125 mg/kg	89.0	69.0	133
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.00125 mg/kg	88.6	72.0	129
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.00125 mg/kg	72.4	69.0	133
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.00125 mg/kg	89.2	64.0	136
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.00125 mg/kg	79.5	69.0	135
		EP231X: Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.00125 mg/kg	74.3	66.0	139
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.00312 mg/kg	95.9	69.0	133
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4315022)							
EM2207617-001	Anonymous	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.00625 mg/kg	76.3	71.0	135
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.00125 mg/kg	91.0	69.0	132
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.00125 mg/kg	88.4	70.0	132
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.00125 mg/kg	91.7	71.0	131
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.00125 mg/kg	88.3	69.0	133
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.00125 mg/kg	106	72.0	129
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.00125 mg/kg	74.0	69.0	133
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.00125 mg/kg	84.1	64.0	136
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.00125 mg/kg	85.7	69.0	135
		EP231X: Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.00125 mg/kg	73.2	66.0	139
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.00312 mg/kg	89.2	69.0	133
		EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4315018)					
EM2207807-002	SX_IB_20220430_07_51_SS_Duplicate_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.00125 mg/kg	87.3	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.00312 mg/kg	80.7	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.00312 mg/kg	84.2	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.00312 mg/kg	75.6	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.00312 mg/kg	93.3	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.00125 mg/kg	107	63.0	144
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.00125 mg/kg	90.1	61.0	139
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4315022)							
EM2207617-001	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.00125 mg/kg	93.2	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.00312 mg/kg	85.7	70.0	130



Sub-Matrix: **SOIL**

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4315022) - continued							
EM2207617-001	Anonymous	EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.00312 mg/kg	74.4	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.00312 mg/kg	78.5	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.00312 mg/kg	85.1	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.00125 mg/kg	91.8	63.0	144
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.00125 mg/kg	85.2	61.0	139
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4315018)							
EM2207807-002	SX_IB_20220430_07_51_SS_Duplicate_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.00117 mg/kg	88.7	62.0	145
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.00119 mg/kg	96.9	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0012 mg/kg	95.1	65.0	137
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.00121 mg/kg	78.7	70.0	130
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4315022)							
EM2207617-001	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.00117 mg/kg	98.1	62.0	145
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.00119 mg/kg	95.9	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0012 mg/kg	97.6	65.0	137
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.00121 mg/kg	76.4	70.0	130

Sub-Matrix: **WATER**

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4317373)							
EM2207797-001	Anonymous	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.222 µg/L	102	72.0	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.235 µg/L	92.0	71.0	127
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.228 µg/L	98.8	68.0	131
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.238 µg/L	102	69.0	134
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.232 µg/L	88.5	65.0	140
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.241 µg/L	91.0	53.0	142
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4318654)							
EM2207807-004	SX_IB_20220430_11_51_SS_Primary_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.222 µg/L	90.0	72.0	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.235 µg/L	109	71.0	127
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.228 µg/L	115	68.0	131
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.238 µg/L	120	69.0	134
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.232 µg/L	87.7	65.0	140
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.241 µg/L	98.5	53.0	142
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4318698)							



Sub-Matrix: WATER

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4318698) - continued							
EM2207807-029	SX_IB_20220430_07_51_SS_Duplicate_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.222 µg/L	102	72.0	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.235 µg/L	99.4	71.0	127
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.228 µg/L	97.0	68.0	131
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.238 µg/L	114	69.0	134
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.232 µg/L	92.3	65.0	140
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.241 µg/L	70.2	53.0	142
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4318981)							
EM2207616-013	Anonymous	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.222 µg/L	94.6	72.0	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.235 µg/L	98.6	71.0	127
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.228 µg/L	90.4	68.0	131
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.238 µg/L	97.4	69.0	134
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.232 µg/L	87.6	65.0	140
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.241 µg/L	86.4	53.0	142
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4318982)							
EM2207807-025	SX_IB_20220501_23_56_SS_Primary_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.222 µg/L	100	72.0	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.235 µg/L	104	71.0	127
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.228 µg/L	110	68.0	131
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.238 µg/L	116	69.0	134
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.232 µg/L	112	65.0	140
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.241 µg/L	127	53.0	142
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4317373)							
EM2207797-001	Anonymous	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	1.25 µg/L	95.4	73.0	129
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.25 µg/L	102	72.0	129
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.25 µg/L	99.0	72.0	129
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.25 µg/L	95.4	72.0	130
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.25 µg/L	93.0	71.0	133
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.25 µg/L	98.5	69.0	130
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.25 µg/L	96.6	71.0	129
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.25 µg/L	89.1	69.0	133
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.25 µg/L	96.5	72.0	134
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.25 µg/L	81.0	65.0	144
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.625 µg/L	102	71.0	132
		EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4318654)					
EM2207807-004	SX_IB_20220430_11_51_SS_Primary_ALS	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	1.25 µg/L	87.6	73.0	129
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.25 µg/L	88.2	72.0	129
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.25 µg/L	113	72.0	129
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.25 µg/L	90.3	72.0	130
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.25 µg/L	93.5	71.0	133



Sub-Matrix: WATER

				Matrix Spike (MS) Report					
				Spike	SpikeRecovery(%)	Acceptable Limits (%)			
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High		
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4318654) - continued									
EM2207807-004	SX_IB_20220430_11_51_SS_Primary_ALS	EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.25 µg/L	100	69.0	130		
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.25 µg/L	92.7	71.0	129		
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.25 µg/L	83.9	69.0	133		
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.25 µg/L	106	72.0	134		
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.25 µg/L	80.7	65.0	144		
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.625 µg/L	117	71.0	132		
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4318698)									
EM2207807-029	SX_IB_20220430_07_51_SS_Duplicate_ALS	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	1.25 µg/L	87.4	73.0	129		
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.25 µg/L	106	72.0	129		
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.25 µg/L	90.7	72.0	129		
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.25 µg/L	100	72.0	130		
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.25 µg/L	98.9	71.0	133		
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.25 µg/L	105	69.0	130		
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.25 µg/L	79.9	71.0	129		
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.25 µg/L	89.4	69.0	133		
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.25 µg/L	# 71.8	72.0	134		
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.25 µg/L	# 44.1	65.0	144		
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.625 µg/L	# 53.0	71.0	132		
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4318981)									
EM2207616-013	Anonymous	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	1.25 µg/L	94.4	73.0	129		
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.25 µg/L	96.8	72.0	129		
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.25 µg/L	85.0	72.0	129		
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.25 µg/L	92.1	72.0	130		
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.25 µg/L	93.5	71.0	133		
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.25 µg/L	95.1	69.0	130		
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.25 µg/L	81.8	71.0	129		
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.25 µg/L	92.1	69.0	133		
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.25 µg/L	93.8	72.0	134		
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.25 µg/L	85.5	65.0	144		
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.625 µg/L	103	71.0	132		
		EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4318982)							
		EM2207807-025	SX_IB_20220501_23_56_SS_Primary_ALS	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	1.25 µg/L	104	73.0	129
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3			0.25 µg/L	83.4	72.0	129		
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4			0.25 µg/L	109	72.0	129		
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9			0.25 µg/L	92.8	72.0	130		
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1			0.25 µg/L	94.3	71.0	133		
EP231X: Perfluorononanoic acid (PFNA)	375-95-1			0.25 µg/L	84.3	69.0	130		
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2			0.25 µg/L	91.3	71.0	129		



Sub-Matrix: WATER

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4318982) - continued							
EM2207807-025	SX_IB_20220501_23_56_SS_Primary_ALS	EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.25 µg/L	83.2	69.0	133
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.25 µg/L	110	72.0	134
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.25 µg/L	90.4	65.0	144
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.625 µg/L	109	71.0	132
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4317373)							
EM2207797-001	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.25 µg/L	98.7	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.625 µg/L	104	68.0	141
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.625 µg/L	94.5	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.625 µg/L	94.1	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.625 µg/L	99.7	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.25 µg/L	100	65.0	136
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.25 µg/L	102	61.0	135
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4318654)							
EM2207807-004	SX_IB_20220430_11_51_SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.25 µg/L	109	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.625 µg/L	98.1	68.0	141
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.625 µg/L	95.6	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.625 µg/L	93.4	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.625 µg/L	103	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.25 µg/L	105	65.0	136
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.25 µg/L	97.9	61.0	135
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4318698)							
EM2207807-029	SX_IB_20220430_07_51_SS_Duplicate_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.25 µg/L	95.5	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.625 µg/L	# 63.0	68.0	141
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.625 µg/L	# 46.2	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.625 µg/L	82.8	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.625 µg/L	72.0	70.0	130



Sub-Matrix: WATER

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4318698) - continued							
EM2207807-029	SX_IB_20220430_07_51_SS_Duplicate_ALS	EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.25 µg/L	77.3	65.0	136
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.25 µg/L	# 56.2	61.0	135
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4318981)							
EM2207616-013	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.25 µg/L	98.8	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.625 µg/L	106	68.0	141
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.625 µg/L	99.4	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.625 µg/L	90.6	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.625 µg/L	92.1	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.25 µg/L	100	65.0	136
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.25 µg/L	95.2	61.0	135
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4318982)							
EM2207807-025	SX_IB_20220501_23_56_SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.25 µg/L	105	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.625 µg/L	133	68.0	141
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.625 µg/L	123	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.625 µg/L	96.9	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.625 µg/L	106	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.25 µg/L	106	65.0	136
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.25 µg/L	101	61.0	135
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4317373)							
EM2207797-001	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.234 µg/L	95.8	63.0	143
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.238 µg/L	100	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.24 µg/L	99.7	67.0	138
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.242 µg/L	88.6	70.0	130
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4318654)							
EM2207807-004	SX_IB_20220430_11_51_SS_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.234 µg/L	104	63.0	143
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.238 µg/L	99.7	64.0	140



Sub-Matrix: WATER

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4318654) - continued							
EM2207807-004	SX_IB_20220430_11_51_SS_Primary_ALS	EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.24 µg/L	106	67.0	138
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.242 µg/L	# 66.7	70.0	130
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4318698)							
EM2207807-029	SX_IB_20220430_07_51_SS_Duplicate_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.234 µg/L	102	63.0	143
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.238 µg/L	111	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.24 µg/L	106	67.0	138
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.242 µg/L	# 54.0	70.0	130
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4318981)							
EM2207616-013	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.234 µg/L	95.8	63.0	143
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.238 µg/L	99.1	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.24 µg/L	108	67.0	138
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.242 µg/L	83.6	70.0	130
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4318982)							
EM2207807-025	SX_IB_20220501_23_56_SS_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.234 µg/L	102	63.0	143
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.238 µg/L	108	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.24 µg/L	99.8	67.0	138
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.242 µg/L	# 66.7	70.0	130

QA/QC Compliance Assessment to assist with Quality Review

Work Order	: EM2207807	Page	: 1 of 26
Amendment	: 1		
Client	: AGON ENVIRONMENTAL PTY LTD	Laboratory	: Environmental Division Melbourne
Contact	: DAVID LAWSON	Telephone	: +61-3-8549 9600
Project	: JC0927	Date Samples Received	: 02-May-2022
Site	: 20220502042154-ALS-21	Issue Date	: 09-May-2022
Sampler	: WOH + TB + DL + LR	No. of samples received	: 50
Order number	: ----	No. of samples analysed	: 48

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

Summary of Outliers

Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO** Method Blank value outliers occur.
- **NO** Duplicate outliers occur.
- Laboratory Control outliers exist - please see following pages for full details.
- Matrix Spike outliers exist - please see following pages for full details.
- For all regular sample matrices, **NO** surrogate recovery outliers occur.

Outliers : Analysis Holding Time Compliance

- **NO** Analysis Holding Time Outliers exist.

Outliers : Frequency of Quality Control Samples

- **NO** Quality Control Sample Frequency Outliers exist.



Outliers : Quality Control Samples

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: **SOIL**

Compound Group Name	Laboratory Sample ID	Client Sample ID	Analyte	CAS Number	Data	Limits	Comment
Laboratory Control Spike (LCS) Recoveries							
EP075I: Organochlorine Pesticides	QC-4316045-001	----	Endrin aldehyde	7421-93-4	68.2 %	69.0-143%	Recovery less than lower control limit

Matrix: **WATER**

Compound Group Name	Laboratory Sample ID	Client Sample ID	Analyte	CAS Number	Data	Limits	Comment
Matrix Spike (MS) Recoveries							
EP231B: Perfluoroalkyl Carboxylic Acids	EM2207807--029	SX_IB_20220430_07_51_SS_	Perfluorododecanoic acid (PFDoDA)	307-55-1	71.8 %	72.0-134%	Recovery less than lower data quality objective
EP231B: Perfluoroalkyl Carboxylic Acids	EM2207807--029	SX_IB_20220430_07_51_SS_	Perfluorotridecanoic acid (PFTrDA)	72629-94-8	44.1 %	65.0-144%	Recovery less than lower data quality objective
EP231B: Perfluoroalkyl Carboxylic Acids	EM2207807--029	SX_IB_20220430_07_51_SS_	Perfluorotetradecanoic acid (PFTeDA)	376-06-7	53.0 %	71.0-132%	Recovery less than lower data quality objective
EP231C: Perfluoroalkyl Sulfonamides	EM2207807--029	SX_IB_20220430_07_51_SS_	N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	63.0 %	68.0-141%	Recovery less than lower data quality objective
EP231C: Perfluoroalkyl Sulfonamides	EM2207807--029	SX_IB_20220430_07_51_SS_	N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	46.2 %	70.0-130%	Recovery less than lower data quality objective
EP231C: Perfluoroalkyl Sulfonamides	EM2207807--029	SX_IB_20220430_07_51_SS_	N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	56.2 %	61.0-135%	Recovery less than lower data quality objective
EP231D: (n:2) Fluorotelomer Sulfonic Acids	EM2207807--004	SX_IB_20220430_11_51_SS_	10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	66.7 %	70.0-130%	Recovery less than lower data quality objective
EP231D: (n:2) Fluorotelomer Sulfonic Acids	EM2207807--029	SX_IB_20220430_07_51_SS_	10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	54.0 %	70.0-130%	Recovery less than lower data quality objective
EP231D: (n:2) Fluorotelomer Sulfonic Acids	EM2207807--025	SX_IB_20220501_23_56_SS_	10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	66.7 %	70.0-130%	Recovery less than lower data quality objective

Analysis Holding Time Compliance

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results.

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for **VOC in soils** vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **SOIL**

Evaluation: * = Holding time breach ; ✓ = Within holding time.



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EA001: pH in soil using 0.01M CaCl extract								
Soil Glass Jar - Unpreserved (EA001)								
SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS, SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_IB_20220501_19_49_SS_Primary_ALS, SX_IB_20220501_23_56_SS_Primary_ALS	SX_OB_20220501_04_13_SS_Primary_ALS, SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_IB_20220501_19_58_SS_Primary_ALS,	01-May-2022	04-May-2022	08-May-2022	✓	04-May-2022	04-May-2022	✓
Soil Glass Jar - Unpreserved (EA001)								
SX_IB_20220502_04_06_SS_Primary_ALS		02-May-2022	04-May-2022	09-May-2022	✓	04-May-2022	04-May-2022	✓
Soil Glass Jar - Unpreserved (EA001)								
SX_IB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS,	30-Apr-2022	04-May-2022	07-May-2022	✓	04-May-2022	04-May-2022	✓
EA055: Moisture Content (Dried @ 105-110°C)								
Soil Glass Jar - Unpreserved (EA055)								
SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS, SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_IB_20220501_19_49_SS_Primary_ALS, SX_IB_20220501_23_56_SS_Primary_ALS	SX_OB_20220501_04_13_SS_Primary_ALS, SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_IB_20220501_19_58_SS_Primary_ALS,	01-May-2022	----	----	----	03-May-2022	15-May-2022	✓
Soil Glass Jar - Unpreserved (EA055)								
SX_IB_20220502_04_06_SS_Primary_ALS		02-May-2022	----	----	----	03-May-2022	16-May-2022	✓
Soil Glass Jar - Unpreserved (EA055)								
SX_IB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS,	30-Apr-2022	----	----	----	03-May-2022	14-May-2022	✓



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EG005(ED093)T: Total Metals by ICP-AES								
Soil Glass Jar - Unpreserved (EG005T) SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS, SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_IB_20220501_19_49_SS_Primary_ALS, SX_IB_20220501_23_56_SS_Primary_ALS	SX_OB_20220501_04_13_SS_Primary_ALS, SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_IB_20220501_19_58_SS_Primary_ALS,	01-May-2022	03-May-2022	29-Oct-2022	✓	04-May-2022	29-Oct-2022	✓
Soil Glass Jar - Unpreserved (EG005T) SX_IB_20220502_04_06_SS_Primary_ALS		02-May-2022	03-May-2022	29-Oct-2022	✓	04-May-2022	29-Oct-2022	✓
Soil Glass Jar - Unpreserved (EG005T) SX_IB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS,	30-Apr-2022	03-May-2022	27-Oct-2022	✓	04-May-2022	27-Oct-2022	✓
EG035T: Total Recoverable Mercury by FIMS								
Soil Glass Jar - Unpreserved (EG035T) SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS, SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_IB_20220501_19_49_SS_Primary_ALS, SX_IB_20220501_23_56_SS_Primary_ALS	SX_OB_20220501_04_13_SS_Primary_ALS, SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_IB_20220501_19_58_SS_Primary_ALS,	01-May-2022	03-May-2022	29-May-2022	✓	04-May-2022	29-May-2022	✓
Soil Glass Jar - Unpreserved (EG035T) SX_IB_20220502_04_06_SS_Primary_ALS		02-May-2022	03-May-2022	30-May-2022	✓	04-May-2022	30-May-2022	✓
Soil Glass Jar - Unpreserved (EG035T) SX_IB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS,	30-Apr-2022	03-May-2022	28-May-2022	✓	04-May-2022	28-May-2022	✓



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EG048: Hexavalent Chromium (Alkaline Digest)								
Soil Glass Jar - Unpreserved (EG048G) SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS, SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_IB_20220501_19_49_SS_Primary_ALS, SX_IB_20220501_23_56_SS_Primary_ALS	SX_OB_20220501_04_13_SS_Primary_ALS, SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_IB_20220501_19_58_SS_Primary_ALS,	01-May-2022	03-May-2022	29-May-2022	✓	04-May-2022	10-May-2022	✓
Soil Glass Jar - Unpreserved (EG048G) SX_IB_20220502_04_06_SS_Primary_ALS		02-May-2022	03-May-2022	30-May-2022	✓	04-May-2022	10-May-2022	✓
Soil Glass Jar - Unpreserved (EG048G) SX_IB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS,	30-Apr-2022	03-May-2022	28-May-2022	✓	04-May-2022	10-May-2022	✓
EK026SF: Total CN by Segmented Flow Analyser								
Soil Glass Jar - Unpreserved (EK026SF) SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS, SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_IB_20220501_19_49_SS_Primary_ALS, SX_IB_20220501_23_56_SS_Primary_ALS	SX_OB_20220501_04_13_SS_Primary_ALS, SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_IB_20220501_19_58_SS_Primary_ALS,	01-May-2022	04-May-2022	15-May-2022	✓	05-May-2022	18-May-2022	✓
Soil Glass Jar - Unpreserved (EK026SF) SX_IB_20220502_04_06_SS_Primary_ALS		02-May-2022	04-May-2022	16-May-2022	✓	05-May-2022	18-May-2022	✓
Soil Glass Jar - Unpreserved (EK026SF) SX_IB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS,	30-Apr-2022	04-May-2022	14-May-2022	✓	05-May-2022	18-May-2022	✓



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EK040T: Fluoride Total								
Soil Glass Jar - Unpreserved (EK040T) SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS, SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_IB_20220501_19_49_SS_Primary_ALS, SX_IB_20220501_23_56_SS_Primary_ALS	SX_OB_20220501_04_13_SS_Primary_ALS, SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_IB_20220501_19_58_SS_Primary_ALS,	01-May-2022	04-May-2022	29-May-2022	✓	06-May-2022	29-May-2022	✓
Soil Glass Jar - Unpreserved (EK040T) SX_IB_20220502_04_06_SS_Primary_ALS		02-May-2022	04-May-2022	30-May-2022	✓	06-May-2022	30-May-2022	✓
Soil Glass Jar - Unpreserved (EK040T) SX_IB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS,	30-Apr-2022	04-May-2022	28-May-2022	✓	06-May-2022	28-May-2022	✓
EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60a-P) SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS, SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_IB_20220501_19_49_SS_Primary_ALS, SX_IB_20220501_23_56_SS_Primary_ALS	SX_OB_20220501_04_13_SS_Primary_ALS, SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_IB_20220501_19_58_SS_Primary_ALS,	01-May-2022	03-May-2022	29-Oct-2022	✓	----	----	----
Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60a-P) SX_IB_20220502_04_06_SS_Primary_ALS		02-May-2022	03-May-2022	29-Oct-2022	✓	----	----	----
Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60a-P) SX_IB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS,	30-Apr-2022	03-May-2022	27-Oct-2022	✓	----	----	----



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60-DIa-P)								
SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS, SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_IB_20220501_19_49_SS_Primary_ALS, SX_IB_20220501_23_56_SS_Primary_ALS	SX_OB_20220501_04_13_SS_Primary_ALS, SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_IB_20220501_19_58_SS_Primary_ALS,	01-May-2022	03-May-2022	29-Oct-2022	✓	----	----	----
Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60-DIa-P)								
SX_IB_20220502_04_06_SS_Primary_ALS		02-May-2022	03-May-2022	29-Oct-2022	✓	----	----	----
Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60-DIa-P)								
SX_IB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS,	30-Apr-2022	03-May-2022	27-Oct-2022	✓	----	----	----
EP066: Polychlorinated Biphenyls (PCB)								
Soil Glass Jar - Unpreserved (EP066-EM)								
SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS, SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_IB_20220501_19_49_SS_Primary_ALS, SX_IB_20220501_23_56_SS_Primary_ALS	SX_OB_20220501_04_13_SS_Primary_ALS, SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_IB_20220501_19_58_SS_Primary_ALS,	01-May-2022	04-May-2022	15-May-2022	✓	04-May-2022	13-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP066-EM)								
SX_IB_20220502_04_06_SS_Primary_ALS		02-May-2022	04-May-2022	16-May-2022	✓	04-May-2022	13-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP066-EM)								
SX_IB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS,	30-Apr-2022	04-May-2022	14-May-2022	✓	04-May-2022	13-Jun-2022	✓



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP074A: Monocyclic Aromatic Hydrocarbons								
Soil Glass Jar - Unpreserved (EP074-UT) SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS	SX_OB_20220501_04_13_SS_Primary_ALS,	01-May-2022	02-May-2022	08-May-2022	✓	03-May-2022	08-May-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_IB_20220501_19_58_SS_Primary_ALS,	SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_IB_20220501_19_49_SS_Primary_ALS, SX_IB_20220501_23_56_SS_Primary_ALS	01-May-2022	03-May-2022	08-May-2022	✓	03-May-2022	08-May-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_IB_20220502_04_06_SS_Primary_ALS		02-May-2022	03-May-2022	09-May-2022	✓	03-May-2022	09-May-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_IB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS,	30-Apr-2022	02-May-2022	07-May-2022	✓	03-May-2022	07-May-2022	✓
EP074H: Naphthalene								
Soil Glass Jar - Unpreserved (EP074-UT) SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS	SX_OB_20220501_04_13_SS_Primary_ALS,	01-May-2022	02-May-2022	08-May-2022	✓	03-May-2022	08-May-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_IB_20220501_19_58_SS_Primary_ALS,	SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_IB_20220501_19_49_SS_Primary_ALS, SX_IB_20220501_23_56_SS_Primary_ALS	01-May-2022	03-May-2022	08-May-2022	✓	03-May-2022	08-May-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_IB_20220502_04_06_SS_Primary_ALS		02-May-2022	03-May-2022	09-May-2022	✓	03-May-2022	09-May-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_IB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS,	30-Apr-2022	02-May-2022	07-May-2022	✓	03-May-2022	07-May-2022	✓



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP074I: Volatile Halogenated Compounds								
Soil Glass Jar - Unpreserved (EP074-UT) SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS	SX_OB_20220501_04_13_SS_Primary_ALS,	01-May-2022	02-May-2022	08-May-2022	✓	03-May-2022	08-May-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_IB_20220501_19_58_SS_Primary_ALS,	SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_IB_20220501_19_49_SS_Primary_ALS, SX_IB_20220501_23_56_SS_Primary_ALS	01-May-2022	03-May-2022	08-May-2022	✓	03-May-2022	08-May-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_IB_20220502_04_06_SS_Primary_ALS		02-May-2022	03-May-2022	09-May-2022	✓	03-May-2022	09-May-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_IB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS,	30-Apr-2022	02-May-2022	07-May-2022	✓	03-May-2022	07-May-2022	✓
EP075A: Phenolic Compounds (Halogenated)								
Soil Glass Jar - Unpreserved (EP075-EM) SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS, SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_IB_20220501_19_49_SS_Primary_ALS, SX_IB_20220501_23_56_SS_Primary_ALS	SX_OB_20220501_04_13_SS_Primary_ALS, SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_IB_20220501_19_58_SS_Primary_ALS,	01-May-2022	04-May-2022	15-May-2022	✓	04-May-2022	13-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP075-EM) SX_IB_20220502_04_06_SS_Primary_ALS		02-May-2022	04-May-2022	16-May-2022	✓	04-May-2022	13-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP075-EM) SX_IB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS,	30-Apr-2022	04-May-2022	14-May-2022	✓	04-May-2022	13-Jun-2022	✓



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP075A: Phenolic Compounds (Non-halogenated)								
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS, SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_IB_20220501_19_49_SS_Primary_ALS, SX_IB_20220501_23_56_SS_Primary_ALS	SX_OB_20220501_04_13_SS_Primary_ALS, SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_IB_20220501_19_58_SS_Primary_ALS,	01-May-2022	04-May-2022	15-May-2022	✓	04-May-2022	13-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_IB_20220502_04_06_SS_Primary_ALS		02-May-2022	04-May-2022	16-May-2022	✓	04-May-2022	13-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_IB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS,	30-Apr-2022	04-May-2022	14-May-2022	✓	04-May-2022	13-Jun-2022	✓
EP075B: Polynuclear Aromatic Hydrocarbons								
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS, SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_IB_20220501_19_49_SS_Primary_ALS, SX_IB_20220501_23_56_SS_Primary_ALS	SX_OB_20220501_04_13_SS_Primary_ALS, SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_IB_20220501_19_58_SS_Primary_ALS,	01-May-2022	04-May-2022	15-May-2022	✓	04-May-2022	13-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_IB_20220502_04_06_SS_Primary_ALS		02-May-2022	04-May-2022	16-May-2022	✓	04-May-2022	13-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_IB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS,	30-Apr-2022	04-May-2022	14-May-2022	✓	04-May-2022	13-Jun-2022	✓



Matrix: **SOIL**

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP075I: Organochlorine Pesticides								
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS, SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_IB_20220501_19_49_SS_Primary_ALS, SX_IB_20220501_23_56_SS_Primary_ALS	SX_OB_20220501_04_13_SS_Primary_ALS, SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_IB_20220501_19_58_SS_Primary_ALS,	01-May-2022	04-May-2022	15-May-2022	✓	04-May-2022	13-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_IB_20220502_04_06_SS_Primary_ALS		02-May-2022	04-May-2022	16-May-2022	✓	04-May-2022	13-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_IB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS,	30-Apr-2022	04-May-2022	14-May-2022	✓	04-May-2022	13-Jun-2022	✓



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP080/071: Total Petroleum Hydrocarbons								
Soil Glass Jar - Unpreserved (EP074-UT) SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS	SX_OB_20220501_04_13_SS_Primary_ALS,	01-May-2022	02-May-2022	08-May-2022	✓	03-May-2022	08-May-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_IB_20220501_19_58_SS_Primary_ALS,	SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_IB_20220501_19_49_SS_Primary_ALS, SX_IB_20220501_23_56_SS_Primary_ALS	01-May-2022	03-May-2022	08-May-2022	✓	03-May-2022	08-May-2022	✓
Soil Glass Jar - Unpreserved (EP071-EM) SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS, SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_IB_20220501_19_49_SS_Primary_ALS, SX_IB_20220501_23_56_SS_Primary_ALS	SX_OB_20220501_04_13_SS_Primary_ALS, SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_IB_20220501_19_58_SS_Primary_ALS,	01-May-2022	04-May-2022	15-May-2022	✓	04-May-2022	13-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_IB_20220502_04_06_SS_Primary_ALS		02-May-2022	03-May-2022	09-May-2022	✓	03-May-2022	09-May-2022	✓
Soil Glass Jar - Unpreserved (EP071-EM) SX_IB_20220502_04_06_SS_Primary_ALS		02-May-2022	04-May-2022	16-May-2022	✓	04-May-2022	13-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_IB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS,	30-Apr-2022	02-May-2022	07-May-2022	✓	03-May-2022	07-May-2022	✓
Soil Glass Jar - Unpreserved (EP071-EM) SX_IB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS,	30-Apr-2022	04-May-2022	14-May-2022	✓	04-May-2022	13-Jun-2022	✓



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions								
Soil Glass Jar - Unpreserved (EP074-UT) SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS	SX_OB_20220501_04_13_SS_Primary_ALS,	01-May-2022	02-May-2022	08-May-2022	✓	03-May-2022	08-May-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_IB_20220501_19_58_SS_Primary_ALS,	SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_IB_20220501_19_49_SS_Primary_ALS, SX_IB_20220501_23_56_SS_Primary_ALS	01-May-2022	03-May-2022	08-May-2022	✓	03-May-2022	08-May-2022	✓
Soil Glass Jar - Unpreserved (EP071-EM) SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS, SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_IB_20220501_19_49_SS_Primary_ALS, SX_IB_20220501_23_56_SS_Primary_ALS	SX_OB_20220501_04_13_SS_Primary_ALS, SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_IB_20220501_19_58_SS_Primary_ALS,	01-May-2022	04-May-2022	15-May-2022	✓	04-May-2022	13-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_IB_20220502_04_06_SS_Primary_ALS		02-May-2022	03-May-2022	09-May-2022	✓	03-May-2022	09-May-2022	✓
Soil Glass Jar - Unpreserved (EP071-EM) SX_IB_20220502_04_06_SS_Primary_ALS		02-May-2022	04-May-2022	16-May-2022	✓	04-May-2022	13-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_IB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS,	30-Apr-2022	02-May-2022	07-May-2022	✓	03-May-2022	07-May-2022	✓
Soil Glass Jar - Unpreserved (EP071-EM) SX_IB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS,	30-Apr-2022	04-May-2022	14-May-2022	✓	04-May-2022	13-Jun-2022	✓



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis				
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation		
EP231A: Perfluoroalkyl Sulfonic Acids									
HDPE Soil Jar (EP231X) SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS, SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_IB_20220501_19_49_SS_Primary_ALS	SX_OB_20220501_04_13_SS_Primary_ALS, SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS,	01-May-2022	03-May-2022	28-Oct-2022	✓	03-May-2022	12-Jun-2022	✓	
HDPE Soil Jar (EP231X) SX_IB_20220501_19_58_SS_Primary_ALS,	SX_IB_20220501_23_56_SS_Primary_ALS	01-May-2022	03-May-2022	29-Oct-2022	✓	04-May-2022	12-Jun-2022	✓	
HDPE Soil Jar (EP231X) SX_IB_20220502_04_06_SS_Primary_ALS		02-May-2022	03-May-2022	29-Oct-2022	✓	04-May-2022	12-Jun-2022	✓	
HDPE Soil Jar (EP231X) SX_IB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS,	30-Apr-2022	03-May-2022	27-Oct-2022	✓	03-May-2022	12-Jun-2022	✓	
EP231B: Perfluoroalkyl Carboxylic Acids									
HDPE Soil Jar (EP231X) SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS, SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_IB_20220501_19_49_SS_Primary_ALS	SX_OB_20220501_04_13_SS_Primary_ALS, SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS,	01-May-2022	03-May-2022	28-Oct-2022	✓	03-May-2022	12-Jun-2022	✓	
HDPE Soil Jar (EP231X) SX_IB_20220501_19_58_SS_Primary_ALS,	SX_IB_20220501_23_56_SS_Primary_ALS	01-May-2022	03-May-2022	29-Oct-2022	✓	04-May-2022	12-Jun-2022	✓	
HDPE Soil Jar (EP231X) SX_IB_20220502_04_06_SS_Primary_ALS		02-May-2022	03-May-2022	29-Oct-2022	✓	04-May-2022	12-Jun-2022	✓	
HDPE Soil Jar (EP231X) SX_IB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS,	30-Apr-2022	03-May-2022	27-Oct-2022	✓	03-May-2022	12-Jun-2022	✓	



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis				
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation		
EP231C: Perfluoroalkyl Sulfonamides									
HDPE Soil Jar (EP231X) SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS, SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_IB_20220501_19_49_SS_Primary_ALS	SX_OB_20220501_04_13_SS_Primary_ALS, SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS,	01-May-2022	03-May-2022	28-Oct-2022	✓	03-May-2022	12-Jun-2022	✓	
HDPE Soil Jar (EP231X) SX_IB_20220501_19_58_SS_Primary_ALS,	SX_IB_20220501_23_56_SS_Primary_ALS	01-May-2022	03-May-2022	29-Oct-2022	✓	04-May-2022	12-Jun-2022	✓	
HDPE Soil Jar (EP231X) SX_IB_20220502_04_06_SS_Primary_ALS		02-May-2022	03-May-2022	29-Oct-2022	✓	04-May-2022	12-Jun-2022	✓	
HDPE Soil Jar (EP231X) SX_IB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS,	30-Apr-2022	03-May-2022	27-Oct-2022	✓	03-May-2022	12-Jun-2022	✓	
EP231D: (n:2) Fluorotelomer Sulfonic Acids									
HDPE Soil Jar (EP231X) SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS, SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_IB_20220501_19_49_SS_Primary_ALS	SX_OB_20220501_04_13_SS_Primary_ALS, SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS,	01-May-2022	03-May-2022	28-Oct-2022	✓	03-May-2022	12-Jun-2022	✓	
HDPE Soil Jar (EP231X) SX_IB_20220501_19_58_SS_Primary_ALS,	SX_IB_20220501_23_56_SS_Primary_ALS	01-May-2022	03-May-2022	29-Oct-2022	✓	04-May-2022	12-Jun-2022	✓	
HDPE Soil Jar (EP231X) SX_IB_20220502_04_06_SS_Primary_ALS		02-May-2022	03-May-2022	29-Oct-2022	✓	04-May-2022	12-Jun-2022	✓	
HDPE Soil Jar (EP231X) SX_IB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS,	30-Apr-2022	03-May-2022	27-Oct-2022	✓	03-May-2022	12-Jun-2022	✓	



Matrix: **SOIL**

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis				
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation		
EP231P: PFAS Sums									
HDPE Soil Jar (EP231X)									
SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS, SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_IB_20220501_19_49_SS_Primary_ALS	SX_OB_20220501_04_13_SS_Primary_ALS, SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS,	01-May-2022	03-May-2022	28-Oct-2022	✓	03-May-2022	12-Jun-2022	✓	
HDPE Soil Jar (EP231X)									
SX_IB_20220501_19_58_SS_Primary_ALS,	SX_IB_20220501_23_56_SS_Primary_ALS	01-May-2022	03-May-2022	29-Oct-2022	✓	04-May-2022	12-Jun-2022	✓	
HDPE Soil Jar (EP231X)									
SX_IB_20220502_04_06_SS_Primary_ALS		02-May-2022	03-May-2022	29-Oct-2022	✓	04-May-2022	12-Jun-2022	✓	
HDPE Soil Jar (EP231X)									
SX_IB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS	SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS,	30-Apr-2022	03-May-2022	27-Oct-2022	✓	03-May-2022	12-Jun-2022	✓	

Matrix: **WATER**

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis		
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation



Matrix: **WATER** Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP231A: Perfluoroalkyl Sulfonic Acids								
HDPE (no PTFE) (EP231X)								
SX_IB_20220430_07_47_SS_Primary_ALS, SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_51_SS_Primary_ALS, SX_OB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS, SX_OB_20220501_04_13_SS_Primary_ALS, SX_OB_20220501_08_20_SS_Duplicate_ALS, SX_OB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_21_SS_Primary_ALS, SX_OB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_OB_20220501_19_58_SS_Primary_ALS, SX_OB_20220502_04_06_SS_Primary_ALS, SX_OB_20220430_07_51_SS_Duplicate_ALS, SX_OB_20220430_11_51_SS_Primary_ALS, SX_OB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_16_02_SS_Primary_ALS, SX_OB_20220430_20_08_SS_Primary_ALS, SX_OB_20220501_04_13_SS_Primary_ALS, SX_OB_20220501_08_17_SS_Primary_ALS, SX_OB_20220501_08_20_SS_Duplicate_ALS, SX_OB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_21_SS_Primary_ALS, SX_OB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_OB_20220501_19_49_SS_Primary_ALS, SX_OB_20220501_19_58_SS_Primary_ALS, SX_OB_20220501_23_56_SS_Primary_ALS,	SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS, SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS, SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_IB_20220501_19_49_SS_Primary_ALS, SX_IB_20220501_23_56_SS_Primary_ALS, SX_IB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS, SX_OB_20220501_04_13_SS_Primary_ALS, SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_IB_20220501_19_58_SS_Primary_ALS, SX_IB_20220502_04_06_SS_Primary_ALS	03-May-2022	04-May-2022	30-Oct-2022	✓	04-May-2022	30-Oct-2022	✓
HDPE (no PTFE) (EP231X)								
SX_OB_20220430_20_14_SR_Rinsate_ALS,	SX_OB_20220430_20_15_SB_Blank_ALS	30-Apr-2022	04-May-2022	27-Oct-2022	✓	04-May-2022	27-Oct-2022	✓



Matrix: **WATER**

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP231B: Perfluoroalkyl Carboxylic Acids								
HDPE (no PTFE) (EP231X)								
SX_IB_20220430_07_47_SS_Primary_ALS, SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_51_SS_Primary_ALS, SX_OB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS, SX_OB_20220501_04_13_SS_Primary_ALS, SX_OB_20220501_08_20_SS_Duplicate_ALS, SX_OB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_21_SS_Primary_ALS, SX_OB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_OB_20220501_19_58_SS_Primary_ALS, SX_OB_20220502_04_06_SS_Primary_ALS, SX_OB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_07_51_SS_Duplicate_ALS, SX_OB_20220430_11_51_SS_Primary_ALS, SX_OB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_16_02_SS_Primary_ALS, SX_OB_20220430_20_08_SS_Primary_ALS, SX_OB_20220501_04_13_SS_Primary_ALS, SX_OB_20220501_08_17_SS_Primary_ALS, SX_OB_20220501_08_20_SS_Duplicate_ALS, SX_OB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_21_SS_Primary_ALS, SX_OB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_OB_20220501_19_49_SS_Primary_ALS, SX_OB_20220501_19_58_SS_Primary_ALS, SX_OB_20220501_23_56_SS_Primary_ALS,	SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS, SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS, SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_IB_20220501_19_49_SS_Primary_ALS, SX_IB_20220501_23_56_SS_Primary_ALS, SX_OB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS, SX_OB_20220501_04_13_SS_Primary_ALS, SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_IB_20220501_19_58_SS_Primary_ALS, SX_IB_20220502_04_06_SS_Primary_ALS	03-May-2022	04-May-2022	30-Oct-2022	✓	04-May-2022	30-Oct-2022	✓
HDPE (no PTFE) (EP231X)								
SX_OB_20220430_20_14_SR_Rinsate_ALS,	SX_OB_20220430_20_15_SB_Blank_ALS	30-Apr-2022	04-May-2022	27-Oct-2022	✓	04-May-2022	27-Oct-2022	✓



Matrix: WATER

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP231C: Perfluoroalkyl Sulfonamides								
HDPE (no PTFE) (EP231X)								
SX_IB_20220430_07_47_SS_Primary_ALS, SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_51_SS_Primary_ALS, SX_OB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS, SX_OB_20220501_04_13_SS_Primary_ALS, SX_OB_20220501_08_20_SS_Duplicate_ALS, SX_OB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_21_SS_Primary_ALS, SX_OB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_OB_20220501_19_58_SS_Primary_ALS, SX_OB_20220502_04_06_SS_Primary_ALS, SX_OB_20220430_07_51_SS_Duplicate_ALS, SX_OB_20220430_11_51_SS_Primary_ALS, SX_OB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_16_02_SS_Primary_ALS, SX_OB_20220430_20_08_SS_Primary_ALS, SX_OB_20220501_04_13_SS_Primary_ALS, SX_OB_20220501_08_17_SS_Primary_ALS, SX_OB_20220501_08_20_SS_Duplicate_ALS, SX_OB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_21_SS_Primary_ALS, SX_OB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_OB_20220501_19_49_SS_Primary_ALS, SX_OB_20220501_19_58_SS_Primary_ALS, SX_OB_20220501_23_56_SS_Primary_ALS,	SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS, SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS, SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_IB_20220501_19_49_SS_Primary_ALS, SX_IB_20220501_23_56_SS_Primary_ALS, SX_IB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS, SX_OB_20220501_04_13_SS_Primary_ALS, SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_IB_20220501_19_58_SS_Primary_ALS, SX_IB_20220502_04_06_SS_Primary_ALS	03-May-2022	04-May-2022	30-Oct-2022	✓	04-May-2022	30-Oct-2022	✓
HDPE (no PTFE) (EP231X)								
SX_OB_20220430_20_14_SR_Rinsate_ALS,	SX_OB_20220430_20_15_SB_Blank_ALS	30-Apr-2022	04-May-2022	27-Oct-2022	✓	04-May-2022	27-Oct-2022	✓



Matrix: **WATER**

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
HDPE (no PTFE) (EP231X)								
SX_IB_20220430_07_47_SS_Primary_ALS, SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS, SX_OB_20220501_04_13_SS_Primary_ALS, SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_IB_20220501_19_58_SS_Primary_ALS, SX_IB_20220502_04_06_SS_Primary_ALS, SX_IB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS, SX_OB_20220501_00_12_SS_Primary_ALS, SX_OB_20220501_04_13_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS, SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_IB_20220501_19_49_SS_Primary_ALS, SX_IB_20220501_23_56_SS_Primary_ALS,	SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS, SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS, SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_IB_20220501_19_49_SS_Primary_ALS, SX_IB_20220501_23_56_SS_Primary_ALS, SX_OB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS, SX_OB_20220501_04_13_SS_Primary_ALS, SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_OB_20220501_19_58_SS_Primary_ALS, SX_IB_20220502_04_06_SS_Primary_ALS	03-May-2022	04-May-2022	30-Oct-2022	✓	04-May-2022	30-Oct-2022	✓
HDPE (no PTFE) (EP231X)								
SX_OB_20220430_20_14_SR_Rinsate_ALS,	SX_OB_20220430_20_15_SB_Blank_ALS	30-Apr-2022	04-May-2022	27-Oct-2022	✓	04-May-2022	27-Oct-2022	✓



Matrix: WATER

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP231P: PFAS Sums								
HDPE (no PTFE) (EP231X)								
SX_IB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS, SX_OB_20220501_04_13_SS_Primary_ALS, SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_IB_20220501_19_58_SS_Primary_ALS, SX_IB_20220502_04_06_SS_Primary_ALS, SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS, SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS, SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_OB_20220501_19_49_SS_Primary_ALS, SX_IB_20220501_23_56_SS_Primary_ALS, SX_IB_20220430_07_47_SS_Primary_ALS, SX_OB_20220430_08_01_SS_Primary_ALS, SX_OB_20220430_11_55_SS_Primary_ALS, SX_OB_20220430_15_58_SS_Triplicate_ALS, SX_OB_20220430_20_08_SS_Primary_ALS, SX_OB_20220501_04_13_SS_Primary_ALS, SX_IB_20220501_08_20_SS_Duplicate_ALS, SX_IB_20220501_12_21_SS_Primary_ALS, SX_IB_20220501_16_12_SS_Primary_ALS, SX_OB_20220501_16_24_SS_Triplicate_ALS, SX_IB_20220501_19_49_SS_Primary_ALS, SX_IB_20220501_23_56_SS_Primary_ALS,	SX_IB_20220430_07_51_SS_Duplicate_ALS, SX_IB_20220430_11_51_SS_Primary_ALS, SX_IB_20220430_15_52_SS_Primary_ALS, SX_OB_20220430_16_02_SS_Primary_ALS, SX_OB_20220501_00_12_SS_Primary_ALS, SX_IB_20220501_08_17_SS_Primary_ALS, SX_IB_20220501_12_15_SS_Primary_ALS, SX_OB_20220501_12_24_SS_Primary_ALS, SX_IB_20220501_16_18_SS_Primary_ALS, SX_IB_20220501_19_49_SS_Primary_ALS, SX_IB_20220501_23_56_SS_Primary_ALS,	03-May-2022	04-May-2022	30-Oct-2022	✓	04-May-2022	30-Oct-2022	✓
HDPE (no PTFE) (EP231X)								
SX_OB_20220430_20_14_SR_Rinsate_ALS,	SX_OB_20220430_20_15_SB_Blank_ALS	30-Apr-2022	04-May-2022	27-Oct-2022	✓	04-May-2022	27-Oct-2022	✓



Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **SOIL**

Evaluation: * = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
Laboratory Duplicates (DUP)							
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	4	37	10.81	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Moisture Content	EA055	4	37	10.81	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	4	37	10.81	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	4	40	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
pH in soil using a 0.01M CaCl2 extract	EA001	4	37	10.81	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	4	37	10.81	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	4	36	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	4	37	10.81	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	4	31	12.90	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	4	31	12.90	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	4	37	10.81	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	4	23	17.39	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Laboratory Control Samples (LCS)							
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	4	37	10.81	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	2	37	5.41	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	2	40	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
pH in soil using a 0.01M CaCl2 extract	EA001	4	37	10.81	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	2	37	5.41	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	2	36	5.56	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	2	37	5.41	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	2	31	6.45	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	2	31	6.45	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	2	37	5.41	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	2	23	8.70	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Method Blanks (MB)							
Deionised Water Leach - Plastic Leaching Vessel	EN60-DIa-P	2	23	8.70	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	2	37	5.41	5.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	2	37	5.41	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	2	40	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	2	37	5.41	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	2	36	5.56	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	2	37	5.41	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	2	31	6.45	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	2	31	6.45	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	2	37	5.41	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	2	23	8.70	5.00	✓	NEPM 2013 B3 & ALS QC Standard



Matrix: **SOIL** Evaluation: * = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Regular	Actual	Expected	Evaluation	
Analytical Methods							
Matrix Spikes (MS)							
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	4	37	10.81	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	2	37	5.41	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	2	40	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	2	37	5.41	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	2	36	5.56	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	2	37	5.41	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	2	31	6.45	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	2	31	6.45	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	2	37	5.41	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	2	23	8.70	5.00	✓	NEPM 2013 B3 & ALS QC Standard

Matrix: **WATER** Evaluation: * = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Regular	Actual	Expected	Evaluation	
Analytical Methods							
Laboratory Duplicates (DUP)							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	9	70	12.86	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Laboratory Control Samples (LCS)							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	5	70	7.14	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Method Blanks (MB)							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	5	70	7.14	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Matrix Spikes (MS)							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	5	70	7.14	5.00	✓	NEPM 2013 B3 & ALS QC Standard



Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

Analytical Methods	Method	Matrix	Method Descriptions
pH in soil using a 0.01M CaCl ₂ extract	EA001	SOIL	In house: Referenced to Rayment and Lyons 4B3 (mod.) or 4B4 (mod.) 10 g of soil is mixed with 50 mL of 0.01M CaCl ₂ and tumbled end over end for 1 hour. pH is measured from the continuous suspension. This method is compliant with NEPM Schedule B(3).
Moisture Content	EA055	SOIL	In house: A gravimetric procedure based on weight loss over a 12 hour drying period at 105-110 degrees C. This method is compliant with NEPM Schedule B(3).
Total Metals by ICP-AES	EG005T	SOIL	In house: Referenced to APHA 3120; USEPA SW 846 - 6010. Metals are determined following an appropriate acid digestion of the soil. The ICPAES technique ionises samples in a plasma, emitting a characteristic spectrum based on metals present. Intensities at selected wavelengths are compared against those of matrix matched standards. This method is compliant with NEPM Schedule B(3)
Total Mercury by FIMS	EG035T	SOIL	In house: Referenced to APHA 3112 Hg - B (Flow-injection (SnCl ₂) (Cold Vapour generation) AAS) FIM-AAS is an automated flameless atomic absorption technique. Mercury in solids are determined following an appropriate acid digestion. Ionic mercury is reduced online to atomic mercury vapour by SnCl ₂ which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM Schedule B(3)
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	SOIL	In house: Referenced to USEPA SW846, Method 3060. Hexavalent chromium is extracted by alkaline digestion. The digest is determined by photometrically by automatic discrete analyser, following pH adjustment. The instrument uses colour development using dephenylcarbazide. Each run of samples is measured against a five-point calibration curve. This method is compliant with NEPM Schedule B(3)
Total Cyanide by Segmented Flow Analyser	EK026SF	SOIL	In house: Referenced to APHA 4500-CN C / ASTM D7511 / ISO 14403. Caustic leachates of soil samples are introduced into an automated segmented flow analyser. Complex bound cyanide is decomposed in a continuously flowing stream, at a pH of 3.8, by the effect of UV light. A UV-B lamp (312 nm) and a decomposition spiral of borosilicate glass are used to filter out UV light with a wavelength of less than 290 nm thus preventing the conversion of thiocyanate into cyanide. The hydrogen cyanide present at a pH of 3.8 is separated by gas dialysis. The hydrogen cyanide is then determined photometrically, based on the reaction of cyanide with chloramine-T to form cyanogen chloride. This then reacts with 4-pyridine carboxylic acid and 1,3-dimethylbarbituric acid to give a red colour which is measured at 600 nm. This method is compliant with NEPM Schedule B(3).
Total Fluoride	EK040T	SOIL	(In-house) Total fluoride is determined by ion specific electrode (ISE) in a solution obtained after a Sodium Carbonate / Potassium Carbonate fusion dissolution.
PCB - VIC EPA 448.3 Screen	EP066-EM	SOIL	In house: Referenced to USEPA SW 846 - 8270 Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This method is compliant with NEPM Schedule B(3).
TRH - Semivolatile Fraction	EP071-EM	SOIL	In house: Referenced to USEPA SW 846 - 8015A Sample extracts are analysed by Capillary GC/FID and quantified against alkane standards over the range C10 - C40.
Volatile Organic Compounds - Ultra-trace	EP074-UT	SOIL	In house: Referenced to USEPA SW 846 - 8260 Extracts are analysed by Purge and Trap, Capillary GC/MS in partial SIM/Scan mode. Quantification is by comparison against an established multi-point calibration curves. This method is compliant with NEPM Schedule B(3).



Analytical Methods	Method	Matrix	Method Descriptions
Volatile Organic Compounds - Ultra-trace - Summations	EP074-UT-SUM	SOIL	Summation of MAHs and VHCs
Semivolatile Organic Compounds - Waste Classification	EP075-EM	SOIL	In house: Referenced to USEPA SW 846 - 8270 Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This technique is compliant with NEPM Schedule B(3).
SVOC - Waste Classification (Sums)	EP075-EM-SUM	SOIL	Summations for EP075 (EM variation)
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	SOIL	In-house: Analysis of soils by solvent extraction followed by LC-Electrospray-MS-MS, Negative Mode using MRM using internal standard quantitation. Isotopically labelled analogues of target analytes used as internal standards and surrogates are added to a portion of soil which is then extracted with MTBE and an ion pairing reagent. A portion of extract is exchanged into the analytical solvent mixture, combined with an equal volume reagent water and filtered for analysis. Method procedures and data quality objectives conform to US DoD QSM 5.3, table B-15 requirements.
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	WATER	In-house: Analysis of fresh and saline waters by Solid Phase Extraction (SPE) followed by LC-Electrospray-MS-MS, Negative Mode using MRM and internal standard quantitation. Isotopically labelled analogues of target analytes used as internal standards and surrogates are added to the sample container. The entire contents are transferred to a solid phase extraction (SPE) cartridge. The sample container is successively rinsed with aliquots of the elution solvent. The eluted extract is combined with an equal volume of reagent water and a portion is filtered for analysis. Method procedures and data quality objectives conform to US DoD QSM 5.3, table B-15 requirements.

Preparation Methods	Method	Matrix	Method Descriptions
NaOH leach for CN in Soils	CN-PR	SOIL	In house: APHA 4500 CN. Samples are extracted by end-over-end tumbling with NaOH.
pH in soil using a 0.01M CaCl ₂ extract	EA001-PR	SOIL	In house: Referenced to Rayment and Lyons 4B1, 10 g of soil is mixed with 50 mL of 0.01M CaCl ₂ and tumbled end over end for 1 hour. pH is measured from the continuous suspension. This method is compliant with NEPM Schedule B(3).
Alkaline digestion for Hexavalent Chromium	EG048PR	SOIL	In house: Referenced to USEPA SW846, Method 3060A.
Total Fluoride	EK040T-PR	SOIL	In house: Samples are fused with Sodium Carbonate / Potassium Carbonate flux.
ASLP for Non & Semivolatile Analytes - Plastic Leaching Vessel	EN60a-P	SOIL	In house QWI-EN/60 referenced to AS4439.3 Preparation of Leachates.
Deionised Water Leach - Plastic Leaching Vessel	EN60-DIa-P	SOIL	In house QWI-EN/60 referenced to AS4439.3 Preparation of Leachates
Hot Block Digest for metals in soils sediments and sludges	EN69	SOIL	In house: Referenced to USEPA 200.2. Hot Block Acid Digestion 1.0g of sample is heated with Nitric and Hydrochloric acids, then cooled. Peroxide is added and samples heated and cooled again before being filtered and bulked to volume for analysis. Digest is appropriate for determination of selected metals in sludge, sediments, and soils. This method is compliant with NEPM Schedule B(3).
Methanolic Extraction of Soils - Ultra-trace.	ORG16-UT	SOIL	In house: Referenced to USEPA SW 846 - 5030A. 5g of solid is shaken with surrogate and 10mL methanol prior to analysis by Purge and Trap - GC/MS.
Tumbler Extraction of Solids - VIC EPA Screen	ORG17-EM	SOIL	In house: Mechanical agitation (tumbler). 10g of sample, Na ₂ SO ₄ and surrogate are extracted with 30mL 1:1 DCM/Acetone by end over end tumble. The solvent is decanted, dehydrated and concentrated (by KD) to the desired volume for analysis.



<i>Preparation Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
QuEChERS Extraction of Solids	ORG71	SOIL	In house: Sequential extractions with Acetonitrile/Methanol by shaking. Extraction efficiency aided by the addition of salts under acidic conditions. Where relevant, interferences from co-extracted organics are removed with dispersive clean-up media (dSPE). The extract is either diluted or concentrated and exchanged into the analytical solvent.
Solid Phase Extraction (SPE) for PFAS in water	ORG72	SOIL	In-house: Isotopically labelled analogues of target analytes used as internal standards and surrogates are added to the sample container. The entire contents are transferred to a solid phase extraction (SPE) cartridge. The sample container is successively rinsed with aliquots of the elution solvent. The eluted extract is combined with an equal volume of reagent water and a portion is filtered for analysis. Method procedures conform to US DoD QSM 5.3, table B-15 requirements.
Solid Phase Extraction (SPE) for PFAS in water	ORG72	WATER	In-house: Isotopically labelled analogues of target analytes used as internal standards and surrogates are added to the sample container. The entire contents are transferred to a solid phase extraction (SPE) cartridge. The sample container is successively rinsed with aliquots of the elution solvent. The eluted extract is combined with an equal volume of reagent water and a portion is filtered for analysis. Method procedures conform to US DoD QSM 5.3, table B-15 requirements.



Australian Laboratory Services Pty Ltd

CHAIN OF CUSTODY DOCUMENTATION

CLIENT: Agon Environmental		SAMPLER: Dave + Will Agon	
ADDRESS / OFFICE: Melbourne		MOBILE 1: +61 400 826 907 (Craig Trimbur)	
PROJECT MANAGER (PM): Craig Trimbur		MOBILE 2: +61 490 411 004 (David Lawson)	
PROJECT ID: JC0927		EMAIL REPORT TO: Labreports.TST@agonenviro.com.au agonenvironmental@esdat.com.au	
SITE: 20220503041552-ALS-8 P.O. NO.:		motherhublabresults1@wgtp.com.au	
RESULTS REQUIRED (Date): 5 days QUOTE NO.: ME-150-19 WGTP		EMAIL INVOICE TO: (if different to report) Labreports.TST@agonenviro.com.au agonenvironmental@esdat.com.au	

ANALYSIS REQUIRED including SUITES (note - suite codes must be listed to attract suite prices)

SAMPLE INFORMATION (note: S = Soil, W=Water)							CONTAINER INFORMATION		Spoil Sample Prep	P16 plus Cr	PFAS 28 Extended suite	ASIP PFAS - Extended Suite (Lab to determine pH)	DI Leachate PFAS - Extended Suite										Notes:
ALS ID	SAMPLE ID	MATRIX	DATE	Time	Type / Code	Total bottles																	
16	1	SX_IB_20220502_08_11_SS_Primary_ALS	S	2/05/2022	8:11	Bucket	1	X	X	X	X	X											
17	2	SX_IB_20220502_08_15_SS_Duplicate_ALS	S	2/05/2022	8:15	Bucket	1	X	X	X	X	X											
18	3	SX_OB_20220502_08_23_SS_Primary_ALS	S	2/05/2022	8:23	Bucket	1	X	X	X	X	X											
19	4	SX_IB_20220502_08_31_SS_Primary_ALS	S	2/05/2022	8:31	Bucket	1	X	X	X	X	X											
20	5	SX_IB_20220502_12_53_SS_Primary_ALS	S	2/05/2022	12:53	Bucket	1	X	X	X	X	X											
21	6	SX_IB_20220502_16_29_SS_Primary_ALS	S	2/05/2022	16:29	Bucket	1	X	X	X	X	X											
22	7	SX_OB_20220502_16_35_SS_Triplicate_ALS	S	2/05/2022	16:35	Bucket	1	X	X	X	X	X											
23	8	SX_IB_20220502_16_44_SS_Primary_ALS	S	2/05/2022	16:44	Bucket	1	X	X	X	X	X											
24	9	SX_IB_20220502_19_49_SS_Primary_ALS	S	2/05/2022	19:49	Bucket	1	X	X	X	X	X											
25	10	SX_IB_20220502_23_51_SS_Primary_ALS	S	2/05/2022	23:51	Bucket	1	X	X	X	X	X											
26	11	SX_OB_20220503_00_00_SS_Primary_ALS	S	3/05/2022	00:00	Bucket	1	X	X	X	X	X											
27	12	SX_OB_20220503_00_06_SS_Duplicate_ALS	S	3/05/2022	00:06	Bucket	1	X	X	X	X	X											
28	13	SX_OB_20220503_03_44_SS_Primary_ALS	S	3/05/2022	3:44	Bucket	1	X	X	X	X	X											
	14	SX_OB_20220503_04_11_SR_Rinsate_ALS	W	3/05/2022	4:11	Bottle	1			X													
	15	SX_OB_20220503_04_12_SB_Blank_ALS	S	3/05/2022	4:12	Bottle	1			X													

Environmental Division
Melbourne
Work Order Reference
EM2207892

Telephone: + 61-3-8549 9600

RELINQUISHED BY:				RECEIVED BY:				METHOD OF SHIPMENT:			
Name:	Date:	Name:	Date:	Name:	Date:	Con' Note No:					
Of:	Time:	Of:	Time:	Of:	Time:	Transport Co:					
Name:	Date:	Name:	Date:								
Of:	Time:	Of:	Time:								

Water Container Codes: P = Unpreserved Plastic; N = Nitric Preserved Plastic; ORC = Nitric Preserved ORC; SH = Sodium Hydroxide/Cd Preserved; S = Sodium Hydroxide Preserved Plastic; AG = Amber Glass Unpreserved; V = VOA Vial HCl Preserved; VS = VOA Vial Sulphuric Preserved; SG = Sulphuric Preserved Amber Glass; H = HCl preserved Plastic; HS = HCl preserved Speciation bottle; SP = Sulphuric Preserved Plastic; F = Formaldehyde Preserved Glass; Z = Zinc Acetate Preserved Bottle; E = EDTA Preserved Bottles; ST = Sterile Bottle; ASS = Plastic Bad for Acid Sulphate Soils; B = Unpreserved Bag.

From: Labreports.TST <labreports.tst@agonenviro.com.au>

Sent: Thursday, 12 May 2022 10:47 AM

To: Josh Alexander <josh.alexander@ALSGlobal.com>

Cc: ALS WGTP <ALS.WGTP@ALSGlobal.com>

Subject: [EXTERNAL] - FW: RESULTS & EDD for ALS Workorder : EM2207892 | Overall Description: 20220503041552-ALS-8

CAUTION: This email originated from outside of ALS. Do not click links or open attachments unless you recognize the sender and are sure content is relevant to you.

Hi Josh,

Can you please reissue this report with SX_OB_20220503_03_44_SS_Primary_ALS renamed to SX_IB_20220503_03_44_SS_Primary_ALS.

COC was incorrect but the bucket was correct.

I will investigate our COC procedures as I think this has happened a few times now.

Thanks and regards,

David Lawson

Environmental Scientist

Agon Environmental

+61 4 9041 1004

David.Lawson@agonenviro.com.au

CERTIFICATE OF ANALYSIS

Work Order : EM2207892 Amendment : 1 Client : AGON ENVIRONMENTAL PTY LTD Contact : DAVID LAWSON Address : D1.1 63-85 TURNER STREET PORT MELBOURNE 3207 Telephone : ---- Project : JC0927 Order number : ---- C-O-C number : 20220503041552-ALS-8 Sampler : Dave + Will Agon Site : 20220503041552-ALS-8 Quote number : EN/150/19 -WGTP -Bulk Sample Quote No. of samples received : 28 No. of samples analysed : 28	Page : 1 of 41 Laboratory : Environmental Division Melbourne Contact : Josh Alexander Address : 4 Westall Rd Springvale VIC Australia 3171 Telephone : +61-3-8549 9600 Date Samples Received : 03-May-2022 12:40 Date Analysis Commenced : 04-May-2022 Issue Date : 12-May-2022 11:06
--	--



Accreditation No. 825
Accredited for compliance with
ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Dilani Fernando	Laboratory Coordinator	Melbourne Inorganics, Springvale, VIC
Jarwis Nheu	Senior Inorganic Chemist	Melbourne Inorganics, Springvale, VIC
Nancy Wang	2IC Organic Chemist	Melbourne Organics, Springvale, VIC
Nikki Stepniewski	Senior Inorganic Instrument Chemist	Melbourne Inorganics, Springvale, VIC
Xing Lin	Senior Organic Chemist	Melbourne Inorganics, Springvale, VIC
Xing Lin	Senior Organic Chemist	Melbourne Organics, Springvale, VIC



General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.
LOR = Limit of reporting
^ = This result is computed from individual analyte detections at or above the level of reporting
ø = ALS is not NATA accredited for these tests.
~ = Indicates an estimated value.

- Total Fluoride (EK040T) conducted by ALS Scoresby, NATA accreditation no. 992, site no. 989.
- Benzo(a)pyrene Toxicity Equivalent Quotient (TEQ) per the NEPM (2013) is the sum total of the concentration of the eight carcinogenic PAHs multiplied by their Toxicity Equivalence Factor (TEF) relative to Benzo(a)pyrene. TEF values are provided in brackets as follows: Benz(a)anthracene (0.1), Chrysene (0.01), Benzo(b+j) & Benzo(k)fluoranthene (0.1), Benzo(a)pyrene (1.0), Indeno(1.2.3.cd)pyrene (0.1), Dibenz(a,h)anthracene (1.0), Benzo(g,h,i)perylene (0.01). Less than LOR results for 'TEQ Zero' are treated as zero, for 'TEQ 1/2LOR' are treated as half the reported LOR, and for 'TEQ LOR' are treated as being equal to the reported LOR. Note: TEQ 1/2LOR and TEQ LOR will calculate as 0.6mg/Kg and 1.2mg/Kg respectively for samples with non-detects for all of the eight TEQ PAHs.
- EP231X - Per- and Polyfluoroalkyl Substances (PFAS): Samples received in 20ml or 125ml bottles have been tested in accordance with the QSM5.3 compliant, NATA accredited method. 60mL or 250mL bottles have been tested to the legacy QSM 5.1 aligned, NATA accredited method.
- EP074-UT: Where reported, Total Xylenes is the sum of the reported concentrations of m&p-Xylene and o-Xylene at or above the LOR.
- EP074-WF: Where reported, Sum of trichlorobenzenes is the sum of the reported concentrations of 1,2,3-Trichlorobenzene and 1,2,4-Trichlorobenzene, and 1,3,5-Trichlorobenzene at or above the LOR.
- Amendment (12/05/2022): This report has been amended as a result of a request to change sample identification numbers (IDs) received from David Lawson on 12/05/2022. All analysis results are as per the previous report.
- EP231: Stable isotope enriched internal standards are added to samples prior to extraction. Target compounds have a direct analogous internal standard with the exception of PFPeS, PFHpA, PFDS, PFTrDA and 10:2 FTS. These compounds use an internal standard that is chemically related and has a retention time close to that of the target compound. The DQO for internal standard response is 50-150% of that established at initial calibration. PFOS is quantified using a certified, traceable standard consisting of linear and branched PFOS isomers. These practices are in line with recommendations in the National Environmental Management Plan for PFAS (Australian HEPA) and also conform to QSM 5.3 (US DoD) requirements.
- EN60: Where leachable PFAS analysis is requested, centrifugation rather than pressure filtration is used as the default approach for removal of particulates, in line with AS 4439.3.
- EN60-DI: Where leachable PFAS analysis is requested, centrifugation rather than pressure filtration is used as the default approach for removal of particulates, in line with AS 4439.3.
- EP231X-INJ: The direct injection LCMSMS method may be used where the sample matrix is not suitable for Solid Phase Extraction (e.g. significant particulate load) or where only a single sample container is received.



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220502_08_11_SS_Primary_ALS	SX_IB_20220502_08_15_SS_Duplicate_ALS	SX_OB_20220502_08_23_SS_Primary_ALS	SX_IB_20220502_08_31_SS_Primary_ALS	SX_IB_20220502_12_53_SS_Primary_ALS
Sampling date / time				02-May-2022 08:11	02-May-2022 08:15	02-May-2022 08:23	02-May-2022 08:31	02-May-2022 12:53
Compound	CAS Number	LOR	Unit	EM2207892-001	EM2207892-002	EM2207892-003	EM2207892-004	EM2207892-005
				Result	Result	Result	Result	Result
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220502_08_11_SS_Primary_ALS	SX_IB_20220502_08_15_SS_Duplicate_ALS	SX_OB_20220502_08_23_SS_Primary_ALS	SX_IB_20220502_08_31_SS_Primary_ALS	SX_IB_20220502_12_53_SS_Primary_ALS
Sampling date / time				02-May-2022 08:11	02-May-2022 08:15	02-May-2022 08:23	02-May-2022 08:31	02-May-2022 12:53
Compound	CAS Number	LOR	Unit	EM2207892-001	EM2207892-002	EM2207892-003	EM2207892-004	EM2207892-005
				Result	Result	Result	Result	Result
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	96.2	98.9	95.7	95.0	93.7
13C8-PFOA	----	0.02	%	94.4	93.2	94.8	95.6	94.9



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220502_16_29_SS_Primary_ALS	SX_OB_20220502_16_35_SS_Triplicate_ALS	SX_IB_20220502_16_44_SS_Primary_ALS	SX_IB_20220502_19_49_SS_Primary_ALS	SX_IB_20220502_23_51_SS_Primary_ALS
Sampling date / time				02-May-2022 16:29	02-May-2022 16:35	02-May-2022 16:44	02-May-2022 19:49	02-May-2022 23:51
Compound	CAS Number	LOR	Unit	EM2207892-006	EM2207892-007	EM2207892-008	EM2207892-009	EM2207892-010
				Result	Result	Result	Result	Result
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220502_16_29_SS_Primary_ALS	SX_OB_20220502_16_35_SS_Triplicate_ALS	SX_IB_20220502_16_44_SS_Primary_ALS	SX_IB_20220502_19_49_SS_Primary_ALS	SX_IB_20220502_23_51_SS_Primary_ALS
Sampling date / time				02-May-2022 16:29	02-May-2022 16:35	02-May-2022 16:44	02-May-2022 19:49	02-May-2022 23:51
Compound	CAS Number	LOR	Unit	EM2207892-006	EM2207892-007	EM2207892-008	EM2207892-009	EM2207892-010
				Result	Result	Result	Result	Result
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	101	92.1	94.2	93.9	92.2
13C8-PFOA	----	0.02	%	94.0	94.0	93.8	94.7	91.3



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_OB_20220503_00_00_SS_Primary_ALS	SX_OB_20220503_00_06_SS_Duplicate_ALS	SX_IB_20220503_03_44_SS_Primary_ALS	----	----
Sampling date / time				03-May-2022 00:00	03-May-2022 00:06	03-May-2022 03:44	----	----
Compound	CAS Number	LOR	Unit	EM2207892-011	EM2207892-012	EM2207892-013	-----	-----
				Result	Result	Result	----	----
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	----	----
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	----	----
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	----	----
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	----	----
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	----	----



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_OB_20220503_00_00_SS_Primary_ALS	SX_OB_20220503_00_06_SS_Duplicate_ALS	SX_IB_20220503_03_44_SS_Primary_ALS	----	----
Sampling date / time				03-May-2022 00:00	03-May-2022 00:06	03-May-2022 03:44	----	----
Compound	CAS Number	LOR	Unit	EM2207892-011	EM2207892-012	EM2207892-013	-----	-----
				Result	Result	Result	----	----
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	----	----
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	----	----
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	----	----
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	----	----
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	----	----
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	----	----
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	93.0	95.2	92.2	----	----
13C8-PFOA	----	0.02	%	92.3	95.1	93.5	----	----



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220502_08_11_SS_Primary_ALS	SX_IB_20220502_08_15_SS_Duplicate_ALS	SX_OB_20220502_08_23_SS_Primary_ALS	SX_IB_20220502_08_31_SS_Primary_ALS	SX_IB_20220502_12_53_SS_Primary_ALS
Sampling date / time				02-May-2022 08:11	02-May-2022 08:15	02-May-2022 08:23	02-May-2022 08:31	02-May-2022 12:53
Compound	CAS Number	LOR	Unit	EM2207892-016	EM2207892-017	EM2207892-018	EM2207892-019	EM2207892-020
				Result	Result	Result	Result	Result
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220502_08_11_SS_Primary_ALS	SX_IB_20220502_08_15_SS_Duplicate_ALS	SX_OB_20220502_08_23_SS_Primary_ALS	SX_IB_20220502_08_31_SS_Primary_ALS	SX_IB_20220502_12_53_SS_Primary_ALS
Sampling date / time				02-May-2022 08:11	02-May-2022 08:15	02-May-2022 08:23	02-May-2022 08:31	02-May-2022 12:53
Compound	CAS Number	LOR	Unit	EM2207892-016	EM2207892-017	EM2207892-018	EM2207892-019	EM2207892-020
				Result	Result	Result	Result	Result
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	95.2	92.7	90.3	93.6	88.8
13C8-PFOA	----	0.02	%	97.2	94.6	95.7	99.6	94.3



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220502_16_29_SS_Primary_ALS	SX_OB_20220502_16_35_SS_Triplicate_ALS	SX_IB_20220502_16_44_SS_Primary_ALS	SX_IB_20220502_19_49_SS_Primary_ALS	SX_IB_20220502_23_51_SS_Primary_ALS
Sampling date / time				02-May-2022 16:29	02-May-2022 16:35	02-May-2022 16:44	02-May-2022 19:49	02-May-2022 23:51
Compound	CAS Number	LOR	Unit	EM2207892-021	EM2207892-022	EM2207892-023	EM2207892-024	EM2207892-025
				Result	Result	Result	Result	Result
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220502_16_29_SS_Primary_ALS	SX_OB_20220502_16_35_SS_Triplicate_ALS	SX_IB_20220502_16_44_SS_Primary_ALS	SX_IB_20220502_19_49_SS_Primary_ALS	SX_IB_20220502_23_51_SS_Primary_ALS
Sampling date / time				02-May-2022 16:29	02-May-2022 16:35	02-May-2022 16:44	02-May-2022 19:49	02-May-2022 23:51
Compound	CAS Number	LOR	Unit	EM2207892-021	EM2207892-022	EM2207892-023	EM2207892-024	EM2207892-025
				Result	Result	Result	Result	Result
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	101	95.0	95.5	99.7	95.2
13C8-PFOA	----	0.02	%	100	93.8	91.8	96.9	94.3



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_OB_20220503_00_00_SS_Primary_ALS	SX_OB_20220503_00_06_SS_Duplicate_ALS	SX_IB_20220503_03_44_SS_Primary_ALS	----	----
Sampling date / time				03-May-2022 00:00	03-May-2022 00:06	03-May-2022 03:44	----	----
Compound	CAS Number	LOR	Unit	EM2207892-026	EM2207892-027	EM2207892-028	-----	-----
				Result	Result	Result	----	----
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	----	----
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	----	----
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	----	----
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	----	----
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	----	----



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_OB_20220503_00_00_SS_Primary_ALS	SX_OB_20220503_00_06_SS_Duplicate_ALS	SX_IB_20220503_03_44_SS_Primary_ALS	----	----
Sampling date / time				03-May-2022 00:00	03-May-2022 00:06	03-May-2022 03:44	----	----
Compound	CAS Number	LOR	Unit	EM2207892-026	EM2207892-027	EM2207892-028	-----	-----
				Result	Result	Result	----	----
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	----	----
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	----	----
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	----	----
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	----	----
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	----	----
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	----	----
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	95.2	97.8	98.5	----	----
13C8-PFOA	----	0.02	%	92.5	92.9	98.0	----	----



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220502_08_11_SS_Primary_ALS	SX_IB_20220502_08_15_SS_Duplicate_ALS	SX_OB_20220502_08_23_SS_Primary_ALS	SX_IB_20220502_08_31_SS_Primary_ALS	SX_IB_20220502_12_53_SS_Primary_ALS
Sampling date / time				02-May-2022 08:11	02-May-2022 08:15	02-May-2022 08:23	02-May-2022 08:31	02-May-2022 12:53
Compound	CAS Number	LOR	Unit	EM2207892-001	EM2207892-002	EM2207892-003	EM2207892-004	EM2207892-005
				Result	Result	Result	Result	Result
EA001: pH in soil using 0.01M CaCl extract								
pH (CaCl2)	----	0.1	pH Unit	8.7	8.6	7.8	8.4	8.3
EA055: Moisture Content (Dried @ 105-110°C)								
Moisture Content	----	1.0	%	27.9	29.3	29.0	31.3	33.5
EG005(ED093)T: Total Metals by ICP-AES								
Arsenic	7440-38-2	5	mg/kg	21	18	12	32	27
Cadmium	7440-43-9	1	mg/kg	<1	<1	<1	<1	<1
Chromium	7440-47-3	5	mg/kg	82	85	114	106	73
Copper	7440-50-8	5	mg/kg	58	53	60	46	42
Lead	7439-92-1	5	mg/kg	<5	<5	<5	<5	<5
Molybdenum	7439-98-7	5	mg/kg	<5	<5	<5	<5	<5
Nickel	7440-02-0	5	mg/kg	154	142	154	119	113
Selenium	7782-49-2	5	mg/kg	<5	<5	<5	<5	<5
Silver	7440-22-4	2	mg/kg	<2	<2	<2	<2	<2
Tin	7440-31-5	10	mg/kg	<10	<10	<10	<10	<10
Zinc	7440-66-6	5	mg/kg	112	105	99	97	90
EG035T: Total Recoverable Mercury by FIMS								
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
EG048: Hexavalent Chromium (Alkaline Digest)								
Hexavalent Chromium	18540-29-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
EK026SF: Total CN by Segmented Flow Analyser								
Total Cyanide	57-12-5	5	mg/kg	<5	<5	<5	<5	<5
EK040T: Fluoride Total								
Fluoride	16984-48-8	100	mg/kg	260	260	210	150	160
EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Initial pH	----	0.1	pH Unit	10.1	10.1	8.9	9.1	9.4
After HCl pH	----	0.1	pH Unit	1.8	1.6	1.6	1.6	1.5
Extraction Fluid pH	----	0.1	pH Unit	5.0	5.0	5.0	5.0	5.0
Final pH	----	0.1	pH Unit	5.3	5.2	5.2	5.1	5.1
EP066: Polychlorinated Biphenyls (PCB)								
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
EP074A: Monocyclic Aromatic Hydrocarbons								
Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	<0.2	<0.2	<0.2
Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220502_08_11_SS_Primary_ALS	SX_IB_20220502_08_15_SS_Duplicate_ALS	SX_OB_20220502_08_23_SS_Primary_ALS	SX_IB_20220502_08_31_SS_Primary_ALS	SX_IB_20220502_12_53_SS_Primary_ALS
Sampling date / time				02-May-2022 08:11	02-May-2022 08:15	02-May-2022 08:23	02-May-2022 08:31	02-May-2022 12:53
Compound	CAS Number	LOR	Unit	EM2207892-001	EM2207892-002	EM2207892-003	EM2207892-004	EM2207892-005
				Result	Result	Result	Result	Result
EP074A: Monocyclic Aromatic Hydrocarbons - Continued								
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
meta- & para-Xylene	108-38-3	106-42-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5
Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
[^] Sum of monocyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
[^] Total Xylenes	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
EP074H: Naphthalene								
Naphthalene	91-20-3	1	mg/kg	<1	<1	<1	<1	<1
EP074I: Volatile Halogenated Compounds								
Vinyl chloride	75-01-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethene	75-35-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Methylene chloride	75-09-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
trans-1,2-Dichloroethene	156-60-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	156-59-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroform	67-66-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1-Trichloroethane	71-55-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Carbon Tetrachloride	56-23-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloroethane	107-06-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Trichloroethene	79-01-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2-Trichloroethane	79-00-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene	127-18-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1,2-Tetrachloroethane	630-20-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1,2,2-Tetrachloroethane	79-34-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Hexachlorobutadiene	87-68-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chlorobenzene	108-90-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dichlorobenzene	106-46-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichlorobenzene	95-50-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2,4-Trichlorobenzene	120-82-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
[^] Sum of volatile chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
[^] Sum of other chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
EP075A: Phenolic Compounds (Halogenated)								
2-Chlorophenol	95-57-8	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,4-Dichlorophenol	120-83-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220502_08_11_SS_Primary_ALS	SX_IB_20220502_08_15_SS_Duplicate_ALS	SX_OB_20220502_08_23_SS_Primary_ALS	SX_IB_20220502_08_31_SS_Primary_ALS	SX_IB_20220502_12_53_SS_Primary_ALS
Sampling date / time				02-May-2022 08:11	02-May-2022 08:15	02-May-2022 08:23	02-May-2022 08:31	02-May-2022 12:53
Compound	CAS Number	LOR	Unit	EM2207892-001	EM2207892-002	EM2207892-003	EM2207892-004	EM2207892-005
				Result	Result	Result	Result	Result
EP075A: Phenolic Compounds (Halogenated) - Continued								
2,6-Dichlorophenol	87-65-0	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
4-Chloro-3-methylphenol	59-50-7	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,5-Trichlorophenol	95-95-4	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,6-Trichlorophenol	88-06-2	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-90-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Pentachlorophenol	87-86-5	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
^ Sum of Phenols (halogenated)	----	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
EP075A: Phenolic Compounds (Non-halogenated)								
Phenol	108-95-2	1	mg/kg	<1	<1	<1	<1	<1
2-Methylphenol	95-48-7	1	mg/kg	<1	<1	<1	<1	<1
3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	<1	<1	<1
2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	<5	<5	<5
4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	<5	<5	<5
2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	<5	<5	<5
Dinoseb	88-85-7	20	mg/kg	<20	<20	<20	<20	<20
2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	20	mg/kg	<20	<20	<20	<20	<20
^ Sum of Phenols (non-halogenated)	----	20	mg/kg	<20	<20	<20	<20	<20
EP075B: Polynuclear Aromatic Hydrocarbons								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220502_08_11_SS_Primary_ALS	SX_IB_20220502_08_15_SS_Duplicate_ALS	SX_OB_20220502_08_23_SS_Primary_ALS	SX_IB_20220502_08_31_SS_Primary_ALS	SX_IB_20220502_12_53_SS_Primary_ALS
Sampling date / time				02-May-2022 08:11	02-May-2022 08:15	02-May-2022 08:23	02-May-2022 08:31	02-May-2022 12:53
Compound	CAS Number	LOR	Unit	EM2207892-001	EM2207892-002	EM2207892-003	EM2207892-004	EM2207892-005
				Result	Result	Result	Result	Result
EP075B: Polynuclear Aromatic Hydrocarbons - Continued								
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	0.6	0.6	0.6	0.6	0.6
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	1.2	1.2	1.2	1.2	1.2
EP075I: Organochlorine Pesticides								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
Endosulfan 1	959-98-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan 2	33213-65-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4,4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Methoxychlor	72-43-5	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Sum of organochlorine pesticides	----	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.30	mg/kg	<0.30	<0.30	<0.30	<0.30	<0.30
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Chlordane	57-74-9	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220502_08_11_SS_Primary_ALS	SX_IB_20220502_08_15_SS_Duplicate_ALS	SX_OB_20220502_08_23_SS_Primary_ALS	SX_IB_20220502_08_31_SS_Primary_ALS	SX_IB_20220502_12_53_SS_Primary_ALS
Sampling date / time				02-May-2022 08:11	02-May-2022 08:15	02-May-2022 08:23	02-May-2022 08:31	02-May-2022 12:53	
Compound	CAS Number	LOR	Unit	EM2207892-001	EM2207892-002	EM2207892-003	EM2207892-004	EM2207892-005	
				Result	Result	Result	Result	Result	
EP075I: Organochlorine Pesticides - Continued									
^ Sum of other organochlorine pesticides				----	0.03	mg/kg	<0.03	<0.03	<0.03
EP080/071: Total Petroleum Hydrocarbons									
C6 - C9 Fraction				----	20	mg/kg	<20	<20	<20
C10 - C14 Fraction				----	50	mg/kg	<50	<50	<50
C6 - C10 Fraction				C6_C10	20	mg/kg	<20	<20	<20
C15 - C28 Fraction				----	100	mg/kg	<100	<100	<100
C29 - C36 Fraction				----	100	mg/kg	<100	<100	<100
^ C10 - C36 Fraction (sum)				----	50	mg/kg	<50	<50	<50
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions									
>C10 - C16 Fraction				----	50	mg/kg	<50	<50	<50
>C16 - C34 Fraction				----	100	mg/kg	<100	<100	<100
>C34 - C40 Fraction				----	100	mg/kg	<100	<100	<100
^ >C10 - C40 Fraction (sum)				----	50	mg/kg	<50	<50	<50
>C10 - C16 Fraction minus Naphthalene (F2)				----	50	mg/kg	<50	<50	<50
C6 - C10 Fraction minus BTEX (F1)				C6_C10-BTEX	20	mg/kg	<20	<20	<20
EP231A: Perfluoroalkyl Sulfonic Acids									
Perfluorobutane sulfonic acid (PFBS)				375-73-5	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluoropentane sulfonic acid (PFPeS)				2706-91-4	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorohexane sulfonic acid (PFHxS)				355-46-4	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluoroheptane sulfonic acid (PFHpS)				375-92-8	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorooctane sulfonic acid (PFOS)				1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorodecane sulfonic acid (PFDS)				335-77-3	5.0	µg/kg	<5.0	<5.0	<5.0
EP231B: Perfluoroalkyl Carboxylic Acids									
Perfluorobutanoic acid (PFBA)				375-22-4	5	µg/kg	<5	<5	<5
Perfluoropentanoic acid (PFPeA)				2706-90-3	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorohexanoic acid (PFHxA)				307-24-4	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluoroheptanoic acid (PFHpA)				375-85-9	5.0	µg/kg	<5.0	<5.0	<5.0



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220502_08_11_SS_Primary_ALS	SX_IB_20220502_08_15_SS_Duplicate_ALS	SX_OB_20220502_08_23_SS_Primary_ALS	SX_IB_20220502_08_31_SS_Primary_ALS	SX_IB_20220502_12_53_SS_Primary_ALS
Sampling date / time				02-May-2022 08:11	02-May-2022 08:15	02-May-2022 08:23	02-May-2022 08:31	02-May-2022 12:53	
Compound	CAS Number	LOR	Unit	EM2207892-001	EM2207892-002	EM2207892-003	EM2207892-004	EM2207892-005	
				Result	Result	Result	Result	Result	
EP231B: Perfluoroalkyl Carboxylic Acids - Continued									
Perfluorooctanoic acid (PFOA)	335-67-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorononanoic acid (PFNA)	375-95-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorodecanoic acid (PFDA)	335-76-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorododecanoic acid (PFDoDA)	307-55-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
EP231C: Perfluoroalkyl Sulfonamides									
Perfluorooctane sulfonamide (FOSA)	754-91-6	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
EP231D: (n:2) Fluorotelomer Sulfonic Acids									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220502_08_11_SS_Primary_ALS	SX_IB_20220502_08_15_SS_Duplicate_ALS	SX_OB_20220502_08_23_SS_Primary_ALS	SX_IB_20220502_08_31_SS_Primary_ALS	SX_IB_20220502_12_53_SS_Primary_ALS
Sampling date / time				02-May-2022 08:11	02-May-2022 08:15	02-May-2022 08:23	02-May-2022 08:31	02-May-2022 12:53	
Compound	CAS Number	LOR	Unit	EM2207892-001	EM2207892-002	EM2207892-003	EM2207892-004	EM2207892-005	
				Result	Result	Result	Result	Result	
EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued									
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
EP231P: PFAS Sums									
Sum of PFAS	----	50.0	µg/kg	<50.0	<50.0	<50.0	<50.0	<50.0	
Sum of PFHxS and PFOS	355-46-4/1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Sum of PFAS (WA DER List)	----	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
EP066S: PCB Surrogate									
Decachlorobiphenyl	2051-24-3	0.1	%	120	108	106	108	104	
EP074S: VOC Surrogates (Ultra-Trace)									
1,2-Dichloroethane-D4	17060-07-0	0.1	%	85.8	60.2	74.4	65.7	66.2	
Toluene-D8	2037-26-5	0.1	%	84.5	60.8	75.2	64.1	63.2	
4-Bromofluorobenzene	460-00-4	0.1	%	93.7	73.0	85.4	79.6	77.8	
EP075S: Acid Extractable Surrogates (Waste Classification)									
Phenol-d6	13127-88-3	0.025	%	102	95.1	103	88.3	89.6	
2-Chlorophenol-D4	93951-73-6	0.025	%	94.6	88.8	97.9	83.8	85.4	
2,4,6-Tribromophenol	118-79-6	0.025	%	82.3	74.9	85.0	69.6	71.6	
EP075T: Base/Neutral Extractable Surrogates (Waste Classification)									
Nitrobenzene-D5	4165-60-0	0.025	%	108	101	114	95.0	99.2	
1,2-Dichlorobenzene-D4	2199-69-1	0.025	%	91.8	88.2	98.0	82.1	85.5	
2-Fluorobiphenyl	321-60-8	0.025	%	97.3	92.3	103	87.2	90.1	
Anthracene-d10	1719-06-8	0.025	%	94.8	89.3	100	84.7	88.5	
4-Terphenyl-d14	1718-51-0	0.025	%	101	95.1	107	90.4	93.6	
EP231S: PFAS Surrogate									
13C4-PFOS	----	0.0002	%	116	107	111	110	115	
13C8-PFOA	----	0.0002	%	94.4	95.0	97.2	92.5	102	



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220502_16_29_SS_Primary_ALS	SX_OB_20220502_16_35_SS_Triplicate_ALS	SX_IB_20220502_16_44_SS_Primary_ALS	SX_IB_20220502_19_49_SS_Primary_ALS	SX_IB_20220502_23_51_SS_Primary_ALS
Sampling date / time				02-May-2022 16:29	02-May-2022 16:35	02-May-2022 16:44	02-May-2022 19:49	02-May-2022 23:51
Compound	CAS Number	LOR	Unit	EM2207892-006	EM2207892-007	EM2207892-008	EM2207892-009	EM2207892-010
				Result	Result	Result	Result	Result
EA001: pH in soil using 0.01M CaCl extract								
pH (CaCl2)	----	0.1	pH Unit	7.9	7.8	8.6	7.8	8.3
EA055: Moisture Content (Dried @ 105-110°C)								
Moisture Content	----	1.0	%	32.3	31.5	32.9	30.4	33.1
EG005(ED093)T: Total Metals by ICP-AES								
Arsenic	7440-38-2	5	mg/kg	34	14	28	58	27
Cadmium	7440-43-9	1	mg/kg	<1	<1	<1	<1	<1
Chromium	7440-47-3	5	mg/kg	72	111	81	105	69
Copper	7440-50-8	5	mg/kg	45	60	52	51	48
Lead	7439-92-1	5	mg/kg	<5	<5	<5	6	<5
Molybdenum	7439-98-7	5	mg/kg	<5	<5	<5	<5	<5
Nickel	7440-02-0	5	mg/kg	111	154	141	146	122
Selenium	7782-49-2	5	mg/kg	<5	<5	<5	<5	<5
Silver	7440-22-4	2	mg/kg	<2	<2	<2	<2	<2
Tin	7440-31-5	10	mg/kg	<10	<10	<10	<10	<10
Zinc	7440-66-6	5	mg/kg	82	98	128	84	90
EG035T: Total Recoverable Mercury by FIMS								
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
EG048: Hexavalent Chromium (Alkaline Digest)								
Hexavalent Chromium	18540-29-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
EK026SF: Total CN by Segmented Flow Analyser								
Total Cyanide	57-12-5	5	mg/kg	<5	<5	<5	<5	<5
EK040T: Fluoride Total								
Fluoride	16984-48-8	100	mg/kg	200	220	250	190	180
EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Initial pH	----	0.1	pH Unit	9.0	8.7	9.9	8.8	9.4
After HCl pH	----	0.1	pH Unit	1.6	3.1	1.6	1.6	1.5
Extraction Fluid pH	----	0.1	pH Unit	5.0	5.0	5.0	5.0	5.0
Final pH	----	0.1	pH Unit	5.0	5.1	5.2	5.0	5.1
EP066: Polychlorinated Biphenyls (PCB)								
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
EP074A: Monocyclic Aromatic Hydrocarbons								
Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	<0.2	<0.2	<0.2



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220502_16_29_SS_Primary_ALS	SX_OB_20220502_16_35_SS_Triplicate_ALS	SX_IB_20220502_16_44_SS_Primary_ALS	SX_IB_20220502_19_49_SS_Primary_ALS	SX_IB_20220502_23_51_SS_Primary_ALS
Sampling date / time				02-May-2022 16:29	02-May-2022 16:35	02-May-2022 16:44	02-May-2022 19:49	02-May-2022 23:51
Compound	CAS Number	LOR	Unit	EM2207892-006	EM2207892-007	EM2207892-008	EM2207892-009	EM2207892-010
				Result	Result	Result	Result	Result
EP074A: Monocyclic Aromatic Hydrocarbons - Continued								
Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of monocyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Total Xylenes	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
EP074H: Naphthalene								
Naphthalene	91-20-3	1	mg/kg	<1	<1	<1	<1	<1
EP074I: Volatile Halogenated Compounds								
Vinyl chloride	75-01-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethene	75-35-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Methylene chloride	75-09-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
trans-1,2-Dichloroethene	156-60-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	156-59-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroform	67-66-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1-Trichloroethane	71-55-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Carbon Tetrachloride	56-23-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloroethane	107-06-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Trichloroethene	79-01-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2-Trichloroethane	79-00-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene	127-18-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1,2-Tetrachloroethane	630-20-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2,2-Tetrachloroethane	79-34-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Hexachlorobutadiene	87-68-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chlorobenzene	108-90-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dichlorobenzene	106-46-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichlorobenzene	95-50-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2,4-Trichlorobenzene	120-82-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of volatile chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
^ Sum of other chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
EP075A: Phenolic Compounds (Halogenated)								



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220502_16_29_SS_Primary_ALS	SX_OB_20220502_16_35_SS_Triplicate_ALS	SX_IB_20220502_16_44_SS_Primary_ALS	SX_IB_20220502_19_49_SS_Primary_ALS	SX_IB_20220502_23_51_SS_Primary_ALS
Sampling date / time				02-May-2022 16:29	02-May-2022 16:35	02-May-2022 16:44	02-May-2022 19:49	02-May-2022 23:51
Compound	CAS Number	LOR	Unit	EM2207892-006	EM2207892-007	EM2207892-008	EM2207892-009	EM2207892-010
				Result	Result	Result	Result	Result
EP075A: Phenolic Compounds (Halogenated) - Continued								
2-Chlorophenol	95-57-8	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,4-Dichlorophenol	120-83-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,6-Dichlorophenol	87-65-0	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
4-Chloro-3-methylphenol	59-50-7	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,5-Trichlorophenol	95-95-4	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,6-Trichlorophenol	88-06-2	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-90-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Pentachlorophenol	87-86-5	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
^ Sum of Phenols (halogenated)	----	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
EP075A: Phenolic Compounds (Non-halogenated)								
Phenol	108-95-2	1	mg/kg	<1	<1	<1	<1	<1
2-Methylphenol	95-48-7	1	mg/kg	<1	<1	<1	<1	<1
3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	<1	<1	<1
2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	<5	<5	<5
4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	<5	<5	<5
2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	<5	<5	<5
Dinoseb	88-85-7	20	mg/kg	<20	<20	<20	<20	<20
2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	20	mg/kg	<20	<20	<20	<20	<20
^ Sum of Phenols (non-halogenated)	----	20	mg/kg	<20	<20	<20	<20	<20
EP075B: Polynuclear Aromatic Hydrocarbons								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220502_16_29_SS_Primary_ALS	SX_OB_20220502_16_35_SS_Triplicate_ALS	SX_IB_20220502_16_44_SS_Primary_ALS	SX_IB_20220502_19_49_SS_Primary_ALS	SX_IB_20220502_23_51_SS_Primary_ALS
Sampling date / time				02-May-2022 16:29	02-May-2022 16:35	02-May-2022 16:44	02-May-2022 19:49	02-May-2022 23:51
Compound	CAS Number	LOR	Unit	EM2207892-006	EM2207892-007	EM2207892-008	EM2207892-009	EM2207892-010
				Result	Result	Result	Result	Result
EP075B: Polynuclear Aromatic Hydrocarbons - Continued								
Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	0.6	0.6	0.6	0.6	0.6
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	1.2	1.2	1.2	1.2	1.2
EP075I: Organochlorine Pesticides								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
Endosulfan 1	959-98-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan 2	33213-65-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4`-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Methoxychlor	72-43-5	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Sum of organochlorine pesticides	----	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220502_16_29_SS_Primary_ALS	SX_OB_20220502_16_35_SS_Triplicate_ALS	SX_IB_20220502_16_44_SS_Primary_ALS	SX_IB_20220502_19_49_SS_Primary_ALS	SX_IB_20220502_23_51_SS_Primary_ALS
Sampling date / time				02-May-2022 16:29	02-May-2022 16:35	02-May-2022 16:44	02-May-2022 19:49	02-May-2022 23:51
Compound	CAS Number	LOR	Unit	EM2207892-006	EM2207892-007	EM2207892-008	EM2207892-009	EM2207892-010
				Result	Result	Result	Result	Result
EP075I: Organochlorine Pesticides - Continued								
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.30	mg/kg	<0.30	<0.30	<0.30	<0.30	<0.30
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Chlordane	57-74-9	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10
^ Sum of other organochlorine pesticides	----	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
EP080/071: Total Petroleum Hydrocarbons								
C6 - C9 Fraction	----	20	mg/kg	<20	<20	<20	<20	<20
C10 - C14 Fraction	----	50	mg/kg	<50	<50	<50	<50	<50
C6 - C10 Fraction	C6_C10	20	mg/kg	<20	<20	<20	<20	<20
C15 - C28 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
C29 - C36 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
^ C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	<50	<50	<50
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions								
>C10 - C16 Fraction	----	50	mg/kg	<50	<50	<50	<50	<50
>C16 - C34 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
>C34 - C40 Fraction	----	100	mg/kg	<100	<100	<100	<100	<100
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	<50	<50	<50
>C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	<50	<50	<50	<50	<50
C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	20	mg/kg	<20	<20	<20	<20	<20
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorodecane sulfonic acid (PFDS)	335-77-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220502_16_29_SS_Primary_ALS	SX_OB_20220502_16_35_SS_Triplicate_ALS	SX_IB_20220502_16_44_SS_Primary_ALS	SX_IB_20220502_19_49_SS_Primary_ALS	SX_IB_20220502_23_51_SS_Primary_ALS
Sampling date / time				02-May-2022 16:29	02-May-2022 16:35	02-May-2022 16:44	02-May-2022 19:49	02-May-2022 23:51
Compound	CAS Number	LOR	Unit	EM2207892-006	EM2207892-007	EM2207892-008	EM2207892-009	EM2207892-010
				Result	Result	Result	Result	Result
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	5	µg/kg	<5	<5	<5	<5	<5
Perfluoropentanoic acid (PFPeA)	2706-90-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorohexanoic acid (PFHxA)	307-24-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroheptanoic acid (PFHpA)	375-85-9	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorooctanoic acid (PFOA)	335-67-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorononanoic acid (PFNA)	375-95-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorodecanoic acid (PFDA)	335-76-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorododecanoic acid (PFDoDA)	307-55-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
EP231D: (n:2) Fluorotelomer Sulfonic Acids								



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220502_16_29_SS_Primary_ALS	SX_OB_20220502_16_35_SS_Triplicate_ALS	SX_IB_20220502_16_44_SS_Primary_ALS	SX_IB_20220502_19_49_SS_Primary_ALS	SX_IB_20220502_23_51_SS_Primary_ALS
Sampling date / time				02-May-2022 16:29	02-May-2022 16:35	02-May-2022 16:44	02-May-2022 19:49	02-May-2022 23:51
Compound	CAS Number	LOR	Unit	EM2207892-006	EM2207892-007	EM2207892-008	EM2207892-009	EM2207892-010
				Result	Result	Result	Result	Result
EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
EP231P: PFAS Sums								
Sum of PFAS	----	50.0	µg/kg	<50.0	<50.0	<50.0	<50.0	<50.0
Sum of PFHxS and PFOS	355-46-4/1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0
Sum of PFAS (WA DER List)	----	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0
EP066S: PCB Surrogate								
Decachlorobiphenyl	2051-24-3	0.1	%	112	112	102	109	109
EP074S: VOC Surrogates (Ultra-Trace)								
1,2-Dichloroethane-D4	17060-07-0	0.1	%	59.2	78.8	77.4	79.6	85.9
Toluene-D8	2037-26-5	0.1	%	58.4	79.2	76.0	77.2	85.8
4-Bromofluorobenzene	460-00-4	0.1	%	64.3	89.4	90.0	85.7	97.0
EP075S: Acid Extractable Surrogates (Waste Classification)								
Phenol-d6	13127-88-3	0.025	%	93.5	89.1	85.3	89.3	95.4
2-Chlorophenol-D4	93951-73-6	0.025	%	88.8	83.6	79.4	84.8	89.3
2,4,6-Tribromophenol	118-79-6	0.025	%	74.7	71.7	66.5	70.9	75.7
EP075T: Base/Neutral Extractable Surrogates (Waste Classification)								
Nitrobenzene-D5	4165-60-0	0.025	%	104	98.5	92.3	101	105
1,2-Dichlorobenzene-D4	2199-69-1	0.025	%	88.9	81.0	80.6	85.3	89.4
2-Fluorobiphenyl	321-60-8	0.025	%	94.6	87.9	83.6	90.9	94.3
Anthracene-d10	1719-06-8	0.025	%	92.1	86.9	82.1	89.5	92.6
4-Terphenyl-d14	1718-51-0	0.025	%	96.5	92.1	87.9	94.1	97.8
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.0002	%	126	101	105	107	107
13C8-PFOA	----	0.0002	%	91.2	97.6	95.5	91.8	95.8



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220503_00_00_SS_Primary_ALS	SX_OB_20220503_00_06_SS_Duplicate_ALS	SX_IB_20220503_03_44_SS_Primary_ALS	SX_IB_20220502_08_11_SS_Primary_ALS	SX_IB_20220502_08_15_SS_Duplicate_ALS
Sampling date / time				03-May-2022 00:00	03-May-2022 00:06	03-May-2022 03:44	02-May-2022 08:11	02-May-2022 08:15
Compound	CAS Number	LOR	Unit	EM2207892-011	EM2207892-012	EM2207892-013	EM2207892-016	EM2207892-017
				Result	Result	Result	Result	Result
EA001: pH in soil using 0.01M CaCl extract								
pH (CaCl ₂)	----	0.1	pH Unit	7.8	7.8	8.0	----	----
EA055: Moisture Content (Dried @ 105-110°C)								
Moisture Content	----	1.0	%	31.0	29.7	31.1	----	----
EG005(ED093)T: Total Metals by ICP-AES								
Arsenic	7440-38-2	5	mg/kg	12	13	27	----	----
Cadmium	7440-43-9	1	mg/kg	<1	<1	<1	----	----
Chromium	7440-47-3	5	mg/kg	94	103	80	----	----
Copper	7440-50-8	5	mg/kg	52	54	45	----	----
Lead	7439-92-1	5	mg/kg	<5	<5	<5	----	----
Molybdenum	7439-98-7	5	mg/kg	<5	<5	<5	----	----
Nickel	7440-02-0	5	mg/kg	145	151	135	----	----
Selenium	7782-49-2	5	mg/kg	<5	<5	<5	----	----
Silver	7440-22-4	2	mg/kg	<2	<2	<2	----	----
Tin	7440-31-5	10	mg/kg	<10	<10	<10	----	----
Zinc	7440-66-6	5	mg/kg	89	94	91	----	----
EG035T: Total Recoverable Mercury by FIMS								
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	<0.1	----	----
EG048: Hexavalent Chromium (Alkaline Digest)								
Hexavalent Chromium	18540-29-9	1.0	mg/kg	<1.0	<1.0	<1.0	----	----
EK026SF: Total CN by Segmented Flow Analyser								
Total Cyanide	57-12-5	5	mg/kg	<5	<5	<5	----	----
EK040T: Fluoride Total								
Fluoride	16984-48-8	100	mg/kg	210	210	240	----	----
EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Initial pH	----	0.1	pH Unit	8.8	8.7	8.8	----	----
After HCl pH	----	0.1	pH Unit	1.5	1.5	1.7	----	----
Extraction Fluid pH	----	0.1	pH Unit	5.0	5.0	5.0	----	----
Final pH	----	0.1	pH Unit	5.1	5.1	5.1	----	----
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Final pH	----	0.1	pH Unit	----	----	----	10.0	10.2
EP066: Polychlorinated Biphenyls (PCB)								
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	<0.1	----	----



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220503_00_00_SS_Primary_ALS	SX_OB_20220503_00_06_SS_Duplicate_ALS	SX_IB_20220503_03_44_SS_Primary_ALS	SX_IB_20220502_08_11_SS_Primary_ALS	SX_IB_20220502_08_15_SS_Duplicate_ALS
Sampling date / time				03-May-2022 00:00	03-May-2022 00:06	03-May-2022 03:44	02-May-2022 08:11	02-May-2022 08:15
Compound	CAS Number	LOR	Unit	EM2207892-011	EM2207892-012	EM2207892-013	EM2207892-016	EM2207892-017
				Result	Result	Result	Result	Result
EP074A: Monocyclic Aromatic Hydrocarbons								
Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	<0.2	----	----
Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
^ Sum of monocyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
^ Total Xylenes	----	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
EP074H: Naphthalene								
Naphthalene	91-20-3	1	mg/kg	<1	<1	<1	----	----
EP074I: Volatile Halogenated Compounds								
Vinyl chloride	75-01-4	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
1,1-Dichloroethene	75-35-4	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
Methylene chloride	75-09-2	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
trans-1,2-Dichloroethene	156-60-5	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
cis-1,2-Dichloroethene	156-59-2	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
Chloroform	67-66-3	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
1,1,1-Trichloroethane	71-55-6	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
Carbon Tetrachloride	56-23-5	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
1,2-Dichloroethane	107-06-2	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
Trichloroethene	79-01-6	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
1,1,2-Trichloroethane	79-00-5	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
Tetrachloroethene	127-18-4	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
1,1,1,2-Tetrachloroethane	630-20-6	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
1,1,2,2-Tetrachloroethane	79-34-5	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
Hexachlorobutadiene	87-68-3	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
Chlorobenzene	108-90-7	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
1,4-Dichlorobenzene	106-46-7	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
1,2-Dichlorobenzene	95-50-1	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
1,2,4-Trichlorobenzene	120-82-1	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
^ Sum of volatile chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
^ Sum of other chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	----	----



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220503_00_00_SS_Primary_ALS	SX_OB_20220503_00_06_SS_Duplicate_ALS	SX_IB_20220503_03_44_SS_Primary_ALS	SX_IB_20220502_08_11_SS_Primary_ALS	SX_IB_20220502_08_15_SS_Duplicate_ALS
Sampling date / time				03-May-2022 00:00	03-May-2022 00:06	03-May-2022 03:44	02-May-2022 08:11	02-May-2022 08:15
Compound	CAS Number	LOR	Unit	EM2207892-011	EM2207892-012	EM2207892-013	EM2207892-016	EM2207892-017
				Result	Result	Result	Result	Result
EP075A: Phenolic Compounds (Halogenated)								
2-Chlorophenol	95-57-8	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
2,4-Dichlorophenol	120-83-2	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
2,6-Dichlorophenol	87-65-0	0.50	mg/kg	<0.50	<0.50	<0.50	----	----
4-Chloro-3-methylphenol	59-50-7	1.00	mg/kg	<1.00	<1.00	<1.00	----	----
2,4,5-Trichlorophenol	95-95-4	1.00	mg/kg	<1.00	<1.00	<1.00	----	----
2,4,6-Trichlorophenol	88-06-2	1.00	mg/kg	<1.00	<1.00	<1.00	----	----
2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	<0.03	----	----
2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-90-2	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
Pentachlorophenol	87-86-5	1.0	mg/kg	<1.0	<1.0	<1.0	----	----
^ Sum of Phenols (halogenated)	----	1.00	mg/kg	<1.00	<1.00	<1.00	----	----
EP075A: Phenolic Compounds (Non-halogenated)								
Phenol	108-95-2	1	mg/kg	<1	<1	<1	----	----
2-Methylphenol	95-48-7	1	mg/kg	<1	<1	<1	----	----
3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	<1	----	----
2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	<1	----	----
2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	<1	----	----
2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	<5	----	----
4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	<5	----	----
2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	<5	----	----
Dinoseb	88-85-7	20	mg/kg	<20	<20	<20	----	----
2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	20	mg/kg	<20	<20	<20	----	----
^ Sum of Phenols (non-halogenated)	----	20	mg/kg	<20	<20	<20	----	----
EP075B: Polynuclear Aromatic Hydrocarbons								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	<0.5	----	----



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220503_00_00_SS_Primary_ALS	SX_OB_20220503_00_06_SS_Duplicate_ALS	SX_IB_20220503_03_44_SS_Primary_ALS	SX_IB_20220502_08_11_SS_Primary_ALS	SX_IB_20220502_08_15_SS_Duplicate_ALS
Sampling date / time				03-May-2022 00:00	03-May-2022 00:06	03-May-2022 03:44	02-May-2022 08:11	02-May-2022 08:15
Compound	CAS Number	LOR	Unit	EM2207892-011	EM2207892-012	EM2207892-013	EM2207892-016	EM2207892-017
				Result	Result	Result	Result	Result
EP075B: Polynuclear Aromatic Hydrocarbons - Continued								
Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1.0	mg/kg	<1.0	<1.0	<1.0	----	----
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	<0.5	----	----
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	0.6	0.6	0.6	----	----
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	1.2	1.2	1.2	----	----
EP075I: Organochlorine Pesticides								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	<0.03	----	----
trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	<0.03	----	----
Endosulfan 1	959-98-8	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
4.4`-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
Endosulfan 2	33213-65-9	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
4.4`-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
4.4`-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
Methoxychlor	72-43-5	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
^ Sum of organochlorine pesticides	----	0.10	mg/kg	<0.10	<0.10	<0.10	----	----



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220503_00_00_SS_Primary_ALS	SX_OB_20220503_00_06_SS_Duplicate_ALS	SX_IB_20220503_03_44_SS_Primary_ALS	SX_IB_20220502_08_11_SS_Primary_ALS	SX_IB_20220502_08_15_SS_Duplicate_ALS
Sampling date / time				03-May-2022 00:00	03-May-2022 00:06	03-May-2022 03:44	02-May-2022 08:11	02-May-2022 08:15
Compound	CAS Number	LOR	Unit	EM2207892-011	EM2207892-012	EM2207892-013	EM2207892-016	EM2207892-017
				Result	Result	Result	Result	Result
EP075I: Organochlorine Pesticides - Continued								
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.30	mg/kg	<0.30	<0.30	<0.30	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg	<0.05	<0.05	<0.05	----	----
^ Chlordane	57-74-9	0.10	mg/kg	<0.10	<0.10	<0.10	----	----
^ Sum of other organochlorine pesticides	----	0.03	mg/kg	<0.03	<0.03	<0.03	----	----
EP080/071: Total Petroleum Hydrocarbons								
C6 - C9 Fraction	----	20	mg/kg	<20	<20	<20	----	----
C10 - C14 Fraction	----	50	mg/kg	<50	<50	<50	----	----
C6 - C10 Fraction	C6_C10	20	mg/kg	<20	<20	<20	----	----
C15 - C28 Fraction	----	100	mg/kg	<100	<100	<100	----	----
C29 - C36 Fraction	----	100	mg/kg	<100	<100	<100	----	----
^ C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	<50	----	----
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions								
>C10 - C16 Fraction	----	50	mg/kg	<50	<50	<50	----	----
>C16 - C34 Fraction	----	100	mg/kg	<100	<100	<100	----	----
>C34 - C40 Fraction	----	100	mg/kg	<100	<100	<100	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	<50	----	----
>C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	<50	<50	<50	----	----
C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	20	mg/kg	<20	<20	<20	----	----
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	5.0	µg/kg	<5.0	<5.0	<5.0	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	5.0	µg/kg	<5.0	<5.0	<5.0	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	5.0	µg/kg	<5.0	<5.0	<5.0	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	5.0	µg/kg	<5.0	<5.0	<5.0	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	----	----
Perfluorodecane sulfonic acid (PFDS)	335-77-3	5.0	µg/kg	<5.0	<5.0	<5.0	----	----



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220503_00_00_SS_Primary_ALS	SX_OB_20220503_00_06_SS_Duplicate_ALS	SX_IB_20220503_03_44_SS_Primary_ALS	SX_IB_20220502_08_11_SS_Primary_ALS	SX_IB_20220502_08_15_SS_Duplicate_ALS
Sampling date / time				03-May-2022 00:00	03-May-2022 00:06	03-May-2022 03:44	02-May-2022 08:11	02-May-2022 08:15
Compound	CAS Number	LOR	Unit	EM2207892-011	EM2207892-012	EM2207892-013	EM2207892-016	EM2207892-017
				Result	Result	Result	Result	Result
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	5	µg/kg	<5	<5	<5	----	----
Perfluoropentanoic acid (PFPeA)	2706-90-3	5.0	µg/kg	<5.0	<5.0	<5.0	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	5.0	µg/kg	<5.0	<5.0	<5.0	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	5.0	µg/kg	<5.0	<5.0	<5.0	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	5.0	µg/kg	<5.0	<5.0	<5.0	----	----
Perfluorononanoic acid (PFNA)	375-95-1	5.0	µg/kg	<5.0	<5.0	<5.0	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	5.0	µg/kg	<5.0	<5.0	<5.0	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	5.0	µg/kg	<5.0	<5.0	<5.0	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	5.0	µg/kg	<5.0	<5.0	<5.0	----	----
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	5.0	µg/kg	<5.0	<5.0	<5.0	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	5.0	µg/kg	<5.0	<5.0	<5.0	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	5.0	µg/kg	<5.0	<5.0	<5.0	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	5.0	µg/kg	<5.0	<5.0	<5.0	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	5.0	µg/kg	<5.0	<5.0	<5.0	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	10.0	µg/kg	<10.0	<10.0	<10.0	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	10.0	µg/kg	<10.0	<10.0	<10.0	----	----
EP231D: (n:2) Fluorotelomer Sulfonic Acids								



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220503_00_00_SS_Primary_ALS	SX_OB_20220503_00_06_SS_Duplicate_ALS	SX_IB_20220503_03_44_SS_Primary_ALS	SX_IB_20220502_08_11_SS_Primary_ALS	SX_IB_20220502_08_15_SS_Duplicate_ALS
Sampling date / time				03-May-2022 00:00	03-May-2022 00:06	03-May-2022 03:44	02-May-2022 08:11	02-May-2022 08:15
Compound	CAS Number	LOR	Unit	EM2207892-011	EM2207892-012	EM2207892-013	EM2207892-016	EM2207892-017
				Result	Result	Result	Result	Result
EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	5.0	µg/kg	<5.0	<5.0	<5.0	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	10.0	µg/kg	<10.0	<10.0	<10.0	----	----
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	5.0	µg/kg	<5.0	<5.0	<5.0	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	5.0	µg/kg	<5.0	<5.0	<5.0	----	----
EP231P: PFAS Sums								
Sum of PFAS	----	50.0	µg/kg	<50.0	<50.0	<50.0	----	----
Sum of PFHxS and PFOS	355-46-4/1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	----	----
Sum of PFAS (WA DER List)	----	10.0	µg/kg	<10.0	<10.0	<10.0	----	----
EP066S: PCB Surrogate								
Decachlorobiphenyl	2051-24-3	0.1	%	96.9	111	101	----	----
EP074S: VOC Surrogates (Ultra-Trace)								
1,2-Dichloroethane-D4	17060-07-0	0.1	%	66.7	89.7	83.3	----	----
Toluene-D8	2037-26-5	0.1	%	65.6	90.3	85.9	----	----
4-Bromofluorobenzene	460-00-4	0.1	%	77.8	97.7	94.0	----	----
EP075S: Acid Extractable Surrogates (Waste Classification)								
Phenol-d6	13127-88-3	0.025	%	82.2	91.2	85.3	----	----
2-Chlorophenol-D4	93951-73-6	0.025	%	75.8	83.8	78.5	----	----
2,4,6-Tribromophenol	118-79-6	0.025	%	63.2	69.7	65.2	----	----
EP075T: Base/Neutral Extractable Surrogates (Waste Classification)								
Nitrobenzene-D5	4165-60-0	0.025	%	90.3	99.4	93.7	----	----
1,2-Dichlorobenzene-D4	2199-69-1	0.025	%	77.5	85.3	79.4	----	----
2-Fluorobiphenyl	321-60-8	0.025	%	81.0	89.2	85.2	----	----
Anthracene-d10	1719-06-8	0.025	%	78.7	87.0	83.8	----	----
4-Terphenyl-d14	1718-51-0	0.025	%	85.1	93.6	89.6	----	----
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.0002	%	105	106	110	----	----
13C8-PFOA	----	0.0002	%	98.0	96.6	99.2	----	----



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_OB_20220502_08_23_SS_Primary_ALS	SX_IB_20220502_08_31_SS_Primary_ALS	SX_IB_20220502_12_53_SS_Primary_ALS	SX_IB_20220502_16_29_SS_Primary_ALS	SX_OB_20220502_16_35_SS_Triplicate_ALS
Sampling date / time				02-May-2022 08:23	02-May-2022 08:31	02-May-2022 12:53	02-May-2022 16:29	02-May-2022 16:35
Compound	CAS Number	LOR	Unit	EM2207892-018	EM2207892-019	EM2207892-020	EM2207892-021	EM2207892-022
				Result	Result	Result	Result	Result
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Final pH	----	0.1	pH Unit	9.2	9.7	9.6	9.1	9.1



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220502_16_44_SS_Primary_ALS	SX_IB_20220502_19_49_SS_Primary_ALS	SX_IB_20220502_23_51_SS_Primary_ALS	SX_OB_20220503_00_00_SS_Primary_ALS	SX_OB_20220503_00_06_SS_Duplicate_ALS
Sampling date / time				02-May-2022 16:44	02-May-2022 19:49	02-May-2022 23:51	03-May-2022 00:00	03-May-2022 00:06
Compound	CAS Number	LOR	Unit	EM2207892-023	EM2207892-024	EM2207892-025	EM2207892-026	EM2207892-027
				Result	Result	Result	Result	Result
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Final pH	----	0.1	pH Unit	10.0	9.8	9.8	9.2	9.1



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)			Sample ID	SX_IB_20220503_03_44_SS_Primary_ALS	----	----	----	----
			Sampling date / time	03-May-2022 03:44	----	----	----	----
Compound	CAS Number	LOR	Unit	EM2207892-028	-----	-----	-----	-----
				Result	---	---	---	---
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Final pH	----	0.1	pH Unit	9.2	----	----	----	----



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)			Sample ID		SX_OB_20220503_04 _11_SR_Rinsate_ALS	SX_OB_20220503_04 _12_SB_Blank_ALS	----	----	----
Sampling date / time			03-May-2022 04:11		03-May-2022 04:12		----	----	----
Compound	CAS Number	LOR	Unit	EM2207892-014	EM2207892-015	-----	-----	-----	
				Result	Result	---	---	---	
EP231A: Perfluoroalkyl Sulfonic Acids									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	----	----	----	
EP231B: Perfluoroalkyl Carboxylic Acids									
Perfluorobutanoic acid (PFBA)	375-22-4	0.10	µg/L	<0.10	<0.10	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	----	----	----	
EP231C: Perfluoroalkyl Sulfonamides									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	----	----	----	



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	SX_OB_20220503_04 _11_SR_Rinsate_ALS	SX_OB_20220503_04 _12_SB_Blank_ALS	----	----	----
Sampling date / time				03-May-2022 04:11	03-May-2022 04:12	----	----	----	
Compound	CAS Number	LOR	Unit	EM2207892-014	EM2207892-015	-----	-----	-----	
				Result	Result	---	---	---	
EP231C: Perfluoroalkyl Sulfonamides - Continued									
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	----	----	----	
EP231D: (n:2) Fluorotelomer Sulfonic Acids									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	----	----	----	
EP231P: PFAS Sums									
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	----	----	----	
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	----	----	----	
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	----	----	----	
EP231S: PFAS Surrogate									
13C4-PFOS	----	0.02	%	94.8	94.4	----	----	----	
13C8-PFOA	----	0.02	%	97.0	94.0	----	----	----	



Surrogate Control Limits

Sub-Matrix: ASLP LEACHATE		Recovery Limits (%)	
Compound	CAS Number	Low	High
EP231S: PFAS Surrogate			
13C4-PFOS	----	65	140
13C8-PFOA	----	71	133

Sub-Matrix: DI WATER LEACHATE		Recovery Limits (%)	
Compound	CAS Number	Low	High
EP231S: PFAS Surrogate			
13C4-PFOS	----	65	140
13C8-PFOA	----	71	133

Sub-Matrix: SOIL		Recovery Limits (%)	
Compound	CAS Number	Low	High
EP066S: PCB Surrogate			
Decachlorobiphenyl	2051-24-3	41	122
EP074S: VOC Surrogates (Ultra-Trace)			
1,2-Dichloroethane-D4	17060-07-0	59	119
Toluene-D8	2037-26-5	55	117
4-Bromofluorobenzene	460-00-4	59	123
EP075S: Acid Extractable Surrogates (Waste Classification)			
Phenol-d6	13127-88-3	63	134
2-Chlorophenol-D4	93951-73-6	60	125
2,4,6-Tribromophenol	118-79-6	54	129
EP075T: Base/Neutral Extractable Surrogates (Waste Classification)			
Nitrobenzene-D5	4165-60-0	63	131
1,2-Dichlorobenzene-D4	2199-69-1	61	124
2-Fluorobiphenyl	321-60-8	69	131
Anthracene-d10	1719-06-8	70	133
4-Terphenyl-d14	1718-51-0	59	141
EP231S: PFAS Surrogate			
13C4-PFOS	----	68	136
13C8-PFOA	----	69	133

Sub-Matrix: WATER		Recovery Limits (%)	
Compound	CAS Number	Low	High
EP231S: PFAS Surrogate			
13C4-PFOS	----	65	140
13C8-PFOA	----	71	133

Automated Guideline Comparison Report

EPA Victoria Publication IWRG 621 (2009) - Table 2: Soil Hazard Categorisation

Work Order	: EM2207892	Page	: 1 of 39
Amendment	: 1		
Client	: AGON ENVIRONMENTAL PTY LTD	Laboratory	: Environmental Division Melbourne
Contact	: DAVID LAWSON		
Address	: D1.1 63-85 TURNER STREET PORT MELBOURNE 3207	Address	: 4 Westall Rd Springvale VIC Australia 3171
E-mail	: david.lawson@agonenviro.com.au	E-mail	: Josh.Alexander@alsglobal.com
Telephone	: ----	Telephone	: +61-3-8549 9600
Facsimile	: ----	Facsimile	: +61-3-8549 9626
Project	: JC0927	Date Received	: 03-May-2022 12:40
Order number	: ----	Date Analysed	: 04-May-2022
C-O-C number	: 20220503041552-ALS-8	Date Issued	: 12-May-2022 11:38
No. of samples received	: 28		
No. of samples analysed	: 28	Quote number	: EN/150/19 -WGTP -Bulk Sample Quote

General Comments

This guideline comparison report **only** provides comparison of total concentration data against upper limit thresholds for the 'Fill Material', 'C', 'B' Categories in Table 2 of EPA Publication IWRG621.

This guideline comparison report is **NOT** a soil classification report. Classification of soils as Fill Material, Category C, Category B or Category A requires consideration of a number of other factors including preliminary site investigation, sampling density and statistical calculations, as set out in EPA Publication IWRG 702 and measurement uncertainty.

This guideline comparison report only provides comparison data for parameters, specifically listed within the IWRG621 (2009) guideline, that are analysed by ALS.

Only results in the 'Analytical Results' section have been compared to the guideline.

Additional information pertinent to this report will be found in the following separate attachments: Certificate of Analysis, Quality Control Report, QA/QC Compliance Assessment to Assist with Quality Review and Sample Receipt Notification.



Summary of Thresholds Reached or Exceeded

EPA Victoria Publication IWRG 621 (2009)

Table 2: Soil Hazard Categorisation Thresholds : Fill Material

Client Sample ID	ALS Sample ID	Compound	Method	LOR	Limits	Result
SX_IB_20220502_08_11_S S_Primary_ALS	EM2207892-001	Arsenic	EG005T	5	< 20 mg/kg	21 mg/kg
SX_IB_20220502_08_11_S S_Primary_ALS	EM2207892-001	Nickel	EG005T	5	< 60 mg/kg	154 mg/kg
SX_IB_20220502_08_15_S S_Duplicate_ALS	EM2207892-002	Nickel	EG005T	5	< 60 mg/kg	142 mg/kg
SX_OB_20220502_08_23_ SS_Primary_ALS	EM2207892-003	Nickel	EG005T	5	< 60 mg/kg	154 mg/kg
SX_IB_20220502_08_31_S S_Primary_ALS	EM2207892-004	Arsenic	EG005T	5	< 20 mg/kg	32 mg/kg
SX_IB_20220502_08_31_S S_Primary_ALS	EM2207892-004	Nickel	EG005T	5	< 60 mg/kg	119 mg/kg
SX_IB_20220502_12_53_S S_Primary_ALS	EM2207892-005	Arsenic	EG005T	5	< 20 mg/kg	27 mg/kg
SX_IB_20220502_12_53_S S_Primary_ALS	EM2207892-005	Nickel	EG005T	5	< 60 mg/kg	113 mg/kg
SX_IB_20220502_16_29_S S_Primary_ALS	EM2207892-006	Arsenic	EG005T	5	< 20 mg/kg	34 mg/kg
SX_IB_20220502_16_29_S S_Primary_ALS	EM2207892-006	Nickel	EG005T	5	< 60 mg/kg	111 mg/kg
SX_OB_20220502_16_35_ SS_Triplicate_ALS	EM2207892-007	Nickel	EG005T	5	< 60 mg/kg	154 mg/kg
SX_IB_20220502_16_44_S S_Primary_ALS	EM2207892-008	Arsenic	EG005T	5	< 20 mg/kg	28 mg/kg
SX_IB_20220502_16_44_S S_Primary_ALS	EM2207892-008	Nickel	EG005T	5	< 60 mg/kg	141 mg/kg
SX_IB_20220502_19_49_S S_Primary_ALS	EM2207892-009	Arsenic	EG005T	5	< 20 mg/kg	58 mg/kg
SX_IB_20220502_19_49_S S_Primary_ALS	EM2207892-009	Nickel	EG005T	5	< 60 mg/kg	146 mg/kg
SX_IB_20220502_23_51_S S_Primary_ALS	EM2207892-010	Arsenic	EG005T	5	< 20 mg/kg	27 mg/kg
SX_IB_20220502_23_51_S S_Primary_ALS	EM2207892-010	Nickel	EG005T	5	< 60 mg/kg	122 mg/kg
SX_OB_20220503_00_00_ SS_Primary_ALS	EM2207892-011	Nickel	EG005T	5	< 60 mg/kg	145 mg/kg
SX_OB_20220503_00_06_ SS_Duplicate_ALS	EM2207892-012	Nickel	EG005T	5	< 60 mg/kg	151 mg/kg



EPA Victoria Publication IWRG 621 (2009)

Table 2: Soil Hazard Categorisation Thresholds : Fill Material

Client Sample ID	ALS Sample ID	Compound	Method	LOR	Limits	Result
SX_IB_20220503_03_44_S S_Primary_ALS	EM2207892-013	Arsenic	EG005T	5	< 20 mg/kg	27 mg/kg
SX_IB_20220503_03_44_S S_Primary_ALS	EM2207892-013	Nickel	EG005T	5	< 60 mg/kg	135 mg/kg



Analytical Results

Soil Hazard Categorisation and Management

Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		Guideline	Guideline	SX_IB_20220	SX_IB_20220	SX_IB_20220	SX_IB_20220	SX_IB_20220
				Sampling date/time				502_08_11_S	502_08_15_S	502_08_23_S	502_08_31_S	502_12_53_S
				Lower Limit	Upper Limit			S_Primary_AL S	S_Duplicate_ ALS	S_Primary_AL S	S_Primary_AL S	S_Primary_AL S
							02-May-2022 08:11	02-May-2022 08:15	02-May-2022 08:23	02-May-2022 08:31	02-May-2022 12:53	
							EM2207892-001 MU	EM2207892-002 MU	EM2207892-003 MU	EM2207892-004 MU	EM2207892-005 MU	
EA001: pH in soil using 0.01M CaCl extract												
pH (CaCl2)	EA001	0.1	pH Unit	2	12.5		8.7 ± 0.1	8.6 ± 0.1	7.8 ± 0.1	8.4 ± 0.1	8.3 ± 0.1	
EG005(ED093)T: Total Metals by ICP-AES												
Arsenic	EG005T	5	mg/kg	----	2000		21 ± 3	18 ± 3	12 ± 2	32 ± 4	27 ± 4	
Cadmium	EG005T	1	mg/kg	----	400		<1 ..	<1 ..	<1 ..	<1 ..	<1 ..	
Copper	EG005T	5	mg/kg	----	20000		58 ± 7	53 ± 6	60 ± 7	46 ± 6	42 ± 5	
Lead	EG005T	5	mg/kg	----	6000		<5 ..	<5 ..	<5 ..	<5 ..	<5 ..	
Molybdenum	EG005T	5	mg/kg	----	4000		<5 ..	<5 ..	<5 ..	<5 ..	<5 ..	
Nickel	EG005T	5	mg/kg	----	12000		154 ± 15	142 ± 14	154 ± 15	119 ± 12	113 ± 11	
Selenium	EG005T	5	mg/kg	----	200		<5 ..	<5 ..	<5 ..	<5 ..	<5 ..	
Silver	EG005T	2	mg/kg	----	720		<2 ..	<2 ..	<2 ..	<2 ..	<2 ..	
Zinc	EG005T	5	mg/kg	----	140000		112 ± 12	105 ± 12	99 ± 11	97 ± 11	90 ± 10	
EG035T: Total Recoverable Mercury by FIMS												
Mercury	EG035T	0.1	mg/kg	----	300		<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	
EG048: Hexavalent Chromium (Alkaline Digest)												
Hexavalent Chromium	EG048G	1.0	mg/kg	----	2000		<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..	
EK026SF: Total CN by Segmented Flow Analyser												
Total Cyanide	EK026SF	5	mg/kg	----	10000		<5 ..	<5 ..	<5 ..	<5 ..	<5 ..	
EK040T: Fluoride Total												
Fluoride	EK040T	100	mg/kg	----	40000		260 ± 50	260 ± 50	210 ± 40	150 ± 40	160 ± 40	
EP074A: Monocyclic Aromatic Hydrocarbons												
Benzene	EP074-UT	0.2	mg/kg	----	16		<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	240		<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	
EP074I: Volatile Halogenated Compounds												
Vinyl chloride	EP074-UT	0.50	mg/kg	----	4.8		<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	11		<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	50		<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	
EP075A: Phenolic Compounds (Halogenated)												
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	320		<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	



Soil Hazard Categorisation and Management

Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220 502_08_11_S S_Primary_AL S	SX_IB_20220 502_08_15_S S_Duplicate_ ALS	SX_OB_20220 502_08_23_S S_Primary_AL S	SX_IB_20220 502_08_31_S S_Primary_AL S	SX_IB_20220 502_12_53_S S_Primary_AL S	
				Sampling date/time	Guideline						Guideline
				Lower Limit	Upper Limit						
						02-May-2022 08:11	02-May-2022 08:15	02-May-2022 08:23	02-May-2022 08:31	02-May-2022 12:53	
						EM2207892-001 MU	EM2207892-002 MU	EM2207892-003 MU	EM2207892-004 MU	EM2207892-005 MU	
EP075A: Phenolic Compounds (Non-halogenated)											
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	2200	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..	
EP075B: Polynuclear Aromatic Hydrocarbons											
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	20	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	400	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	
EP075I: Organochlorine Pesticides											
Heptachlor	EP075-EM	0.05	mg/kg	----	4.8	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	
Sum of Aldrin + Dieldrin	EP075-EM-SUM	0.30	mg/kg	----	4.8	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..	
Sum of DDD + DDE + DDT	EP075-EM-SUM	0.05	mg/kg	----	50	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	
Chlordane	EP075-EM-SUM	0.10	mg/kg	----	16	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	
Sum of other organochlorine pesticides	EP075-EM-SUM	0.03	mg/kg	----	50	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..	
EP080/071: Total Petroleum Hydrocarbons											
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	2600	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..	
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	40000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..	



Soil Hazard Categorisation and Management

Table 2: Soil Hazard Categorisation Thresholds : Category C: Table 2: Soil Hazard Categorisation Thresholds : Category C

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_IB_20220	SX_OB_20220	SX_IB_20220	SX_IB_20220
				Lower Limit	Upper Limit	502_08_11_S	502_08_15_S	502_08_23_S	502_08_31_S	502_12_53_S
						S_Primary_ALS	S_Duplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS
				Guideline	Guideline	02-May-2022 08:11	02-May-2022 08:15	02-May-2022 08:23	02-May-2022 08:31	02-May-2022 12:53
						EM2207892-001 MU	EM2207892-002 MU	EM2207892-003 MU	EM2207892-004 MU	EM2207892-005 MU
EA001: pH in soil using 0.01M CaCl extract										
pH (CaCl2)	EA001	0.1	pH Unit	4	9	8.7 ± 0.1	8.6 ± 0.1	7.8 ± 0.1	8.4 ± 0.1	8.3 ± 0.1
EG005(ED093)T: Total Metals by ICP-AES										
Arsenic	EG005T	5	mg/kg	----	500	21 ± 3	18 ± 3	12 ± 2	32 ± 4	27 ± 4
Cadmium	EG005T	1	mg/kg	----	100	<1 ..	<1 ..	<1 ..	<1 ..	<1 ..
Copper	EG005T	5	mg/kg	----	5000	58 ± 7	53 ± 6	60 ± 7	46 ± 6	42 ± 5
Lead	EG005T	5	mg/kg	----	1500	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Molybdenum	EG005T	5	mg/kg	----	1000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Nickel	EG005T	5	mg/kg	----	3000	154 ± 15	142 ± 14	154 ± 15	119 ± 12	113 ± 11
Selenium	EG005T	5	mg/kg	----	50	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Silver	EG005T	2	mg/kg	----	180	<2 ..	<2 ..	<2 ..	<2 ..	<2 ..
Tin	EG005T	10	mg/kg	----	500	<10 ..	<10 ..	<10 ..	<10 ..	<10 ..
Zinc	EG005T	5	mg/kg	----	35000	112 ± 12	105 ± 12	99 ± 11	97 ± 11	90 ± 10
EG035T: Total Recoverable Mercury by FIMS										
Mercury	EG035T	0.1	mg/kg	----	75	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
EG048: Hexavalent Chromium (Alkaline Digest)										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	500	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..
EK026SF: Total CN by Segmented Flow Analyser										
Total Cyanide	EK026SF	5	mg/kg	----	2500	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
EK040T: Fluoride Total										
Fluoride	EK040T	100	mg/kg	----	10000	260 ± 50	260 ± 50	210 ± 40	150 ± 40	160 ± 40
EP074A: Monocyclic Aromatic Hydrocarbons										
Benzene	EP074-UT	0.2	mg/kg	----	4	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	70	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
EP074I: Volatile Halogenated Compounds										
Vinyl chloride	EP074-UT	0.50	mg/kg	----	1.2	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	2.8	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	10	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
EP075A: Phenolic Compounds (Halogenated)										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	10	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..



Soil Hazard Categorisation and Management

Table 2: Soil Hazard Categorisation Thresholds : Category C: Table 2: Soil Hazard Categorisation Thresholds : Category C

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220 502_08_11_S S_Primary_AL S	SX_IB_20220 502_08_15_S S_Duplicate_ ALS	SX_OB_20220 502_08_23_S S_Primary_AL S	SX_IB_20220 502_08_31_S S_Primary_AL S	SX_IB_20220 502_12_53_S S_Primary_AL S	
				Sampling date/time	Guideline						Guideline
				Lower Limit	Upper Limit						
						02-May-2022 08:11	02-May-2022 08:15	02-May-2022 08:23	02-May-2022 08:31	02-May-2022 12:53	
						EM2207892-001 MU	EM2207892-002 MU	EM2207892-003 MU	EM2207892-004 MU	EM2207892-005 MU	
EP075A: Phenolic Compounds (Non-halogenated)											
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	560	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..	
EP075B: Polynuclear Aromatic Hydrocarbons											
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	5	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	100	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	
EP075I: Organochlorine Pesticides											
Heptachlor	EP075-EM	0.05	mg/kg	----	1.2	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	
Sum of Aldrin + Dieldrin	EP075-EM-SUM	0.30	mg/kg	----	1.2	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..	
Sum of DDD + DDE + DDT	EP075-EM-SUM	0.05	mg/kg	----	50	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	
Chlordane	EP075-EM-SUM	0.10	mg/kg	----	4	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	
Sum of other organochlorine pesticides	EP075-EM-SUM	0.03	mg/kg	----	10	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..	
EP080/071: Total Petroleum Hydrocarbons											
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	650	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..	
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	10000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..	



Soil Hazard Categorisation and Management

Table 2: Soil Hazard Categorisation Thresholds : Fill Material: Table 2: Soil Hazard Categorisation Thresholds : Fill Material

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_IB_20220	SX_OB_20220	SX_IB_20220	SX_IB_20220
				Lower Limit	Upper Limit	502_08_11_S	502_08_15_S	502_08_23_S	502_08_31_S	502_12_53_S
						S_Primary_ALS	S_Duplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS
				Guideline	Guideline	02-May-2022 08:11	02-May-2022 08:15	02-May-2022 08:23	02-May-2022 08:31	02-May-2022 12:53
						EM2207892-001 MU	EM2207892-002 MU	EM2207892-003 MU	EM2207892-004 MU	EM2207892-005 MU
EA001: pH in soil using 0.01M CaCl extract										
pH (CaCl2)	EA001	0.1	pH Unit	4	9	8.7 ± 0.1	8.6 ± 0.1	7.8 ± 0.1	8.4 ± 0.1	8.3 ± 0.1
EG005(ED093)T: Total Metals by ICP-AES										
Arsenic	EG005T	5	mg/kg	----	20	21 ± 3	18 ± 3	12 ± 2	32 ± 4	27 ± 4
Cadmium	EG005T	1	mg/kg	----	3	<1 ..	<1 ..	<1 ..	<1 ..	<1 ..
Copper	EG005T	5	mg/kg	----	100	58 ± 7	53 ± 6	60 ± 7	46 ± 6	42 ± 5
Lead	EG005T	5	mg/kg	----	300	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Molybdenum	EG005T	5	mg/kg	----	40	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Nickel	EG005T	5	mg/kg	----	60	154 ± 15	142 ± 14	154 ± 15	119 ± 12	113 ± 11
Selenium	EG005T	5	mg/kg	----	10	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Silver	EG005T	2	mg/kg	----	10	<2 ..	<2 ..	<2 ..	<2 ..	<2 ..
Tin	EG005T	10	mg/kg	----	50	<10 ..	<10 ..	<10 ..	<10 ..	<10 ..
Zinc	EG005T	5	mg/kg	----	200	112 ± 12	105 ± 12	99 ± 11	97 ± 11	90 ± 10
EG035T: Total Recoverable Mercury by FIMS										
Mercury	EG035T	0.1	mg/kg	----	1	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
EG048: Hexavalent Chromium (Alkaline Digest)										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	1	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..
EK026SF: Total CN by Segmented Flow Analyser										
Total Cyanide	EK026SF	5	mg/kg	----	50	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
EK040T: Fluoride Total										
Fluoride	EK040T	100	mg/kg	----	450	260 ± 50	260 ± 50	210 ± 40	150 ± 40	160 ± 40
EP066: Polychlorinated Biphenyls (PCB)										
Total Polychlorinated biphenyls	EP066-EM	0.1	mg/kg	----	2	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
EP074A: Monocyclic Aromatic Hydrocarbons										
Benzene	EP074-UT	0.2	mg/kg	----	1	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	7	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
EP074I: Volatile Halogenated Compounds										
Sum of volatile chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	1	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
EP075A: Phenolic Compounds (Halogenated)										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	1	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..
EP075A: Phenolic Compounds (Non-halogenated)										



Soil Hazard Categorisation and Management

Table 2: Soil Hazard Categorisation Thresholds : Fill Material: Table 2: Soil Hazard Categorisation Thresholds : Fill Material

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_IB_20220	SX_OB_20220	SX_IB_20220	SX_IB_20220
				Guideline	Guideline	502_08_11_S	502_08_15_S	502_08_23_S	502_08_31_S	502_12_53_S
						S_Primary_ALS	S_Duplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS
				Lower Limit	Upper Limit	02-May-2022 08:11	02-May-2022 08:15	02-May-2022 08:23	02-May-2022 08:31	02-May-2022 12:53
						EM2207892-001 MU	EM2207892-002 MU	EM2207892-003 MU	EM2207892-004 MU	EM2207892-005 MU
EP075A: Phenolic Compounds (Non-halogenated) - Continued										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	60	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
EP075B: Polynuclear Aromatic Hydrocarbons										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	1	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	20	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
EP075I: Organochlorine Pesticides										
Sum of organochlorine pesticides	EP075-EM-SUM	0.10	mg/kg	----	1	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..
EP080/071: Total Petroleum Hydrocarbons										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	100	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	1000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..



Soil Hazard Categorisation and Management

Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_OB_20220	SX_IB_20220	SX_IB_20220	SX_IB_20220
				Guideline	Guideline	502_16_29_S	502_16_35_S	502_16_44_S	502_19_49_S	502_23_51_S
						S_Primary_ALS	S_Triplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS
				Lower Limit	Upper Limit	02-May-2022 16:29	02-May-2022 16:35	02-May-2022 16:44	02-May-2022 19:49	02-May-2022 23:51
						EM2207892-006 MU	EM2207892-007 MU	EM2207892-008 MU	EM2207892-009 MU	EM2207892-010 MU
EA001: pH in soil using 0.01M CaCl extract										
pH (CaCl2)	EA001	0.1	pH Unit	2	12.5	7.9 ± 0.1	7.8 ± 0.1	8.6 ± 0.1	7.8 ± 0.1	8.3 ± 0.1
EG005(ED093)T: Total Metals by ICP-AES										
Arsenic	EG005T	5	mg/kg	----	2000	34 ± 5	14 ± 2	28 ± 4	58 ± 7	27 ± 4
Cadmium	EG005T	1	mg/kg	----	400	<1 ..	<1 ..	<1 ..	<1 ..	<1 ..
Copper	EG005T	5	mg/kg	----	20000	45 ± 6	60 ± 7	52 ± 6	51 ± 6	48 ± 6
Lead	EG005T	5	mg/kg	----	6000	<5 ..	<5 ..	<5 ..	6 ± 1	<5 ..
Molybdenum	EG005T	5	mg/kg	----	4000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Nickel	EG005T	5	mg/kg	----	12000	111 ± 11	154 ± 15	141 ± 14	146 ± 14	122 ± 12
Selenium	EG005T	5	mg/kg	----	200	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Silver	EG005T	2	mg/kg	----	720	<2 ..	<2 ..	<2 ..	<2 ..	<2 ..
Zinc	EG005T	5	mg/kg	----	140000	82 ± 9	98 ± 11	128 ± 14	84 ± 9	90 ± 10
EG035T: Total Recoverable Mercury by FIMS										
Mercury	EG035T	0.1	mg/kg	----	300	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
EG048: Hexavalent Chromium (Alkaline Digest)										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	2000	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..
EK026SF: Total CN by Segmented Flow Analyser										
Total Cyanide	EK026SF	5	mg/kg	----	10000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
EK040T: Fluoride Total										
Fluoride	EK040T	100	mg/kg	----	40000	200 ± 40	220 ± 40	250 ± 50	190 ± 40	180 ± 40
EP074A: Monocyclic Aromatic Hydrocarbons										
Benzene	EP074-UT	0.2	mg/kg	----	16	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	240	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
EP074I: Volatile Halogenated Compounds										
Vinyl chloride	EP074-UT	0.50	mg/kg	----	4.8	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	11	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	50	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
EP075A: Phenolic Compounds (Halogenated)										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	320	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..
EP075A: Phenolic Compounds (Non-halogenated)										



Soil Hazard Categorisation and Management

Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_OB_20220	SX_IB_20220	SX_IB_20220	SX_IB_20220	
				Sampling date/time	Guideline	Guideline	502_16_29_S	502_16_35_S	502_16_44_S	502_19_49_S	502_23_51_S
							S_Primary_ALS	S_Triplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS
Lower Limit	Upper Limit	02-May-2022 16:29	02-May-2022 16:35	02-May-2022 16:44	02-May-2022 19:49	02-May-2022 23:51					
						EM2207892-006 MU	EM2207892-007 MU	EM2207892-008 MU	EM2207892-009 MU	EM2207892-010 MU	
EP075A: Phenolic Compounds (Non-halogenated) - Continued											
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	2200	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..	
EP075B: Polynuclear Aromatic Hydrocarbons											
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	20	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	400	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	
EP075I: Organochlorine Pesticides											
Heptachlor	EP075-EM	0.05	mg/kg	----	4.8	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	
Sum of Aldrin + Dieldrin	EP075-EM-SUM	0.30	mg/kg	----	4.8	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..	
Sum of DDD + DDE + DDT	EP075-EM-SUM	0.05	mg/kg	----	50	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	
Chlordane	EP075-EM-SUM	0.10	mg/kg	----	16	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	
Sum of other organochlorine pesticides	EP075-EM-SUM	0.03	mg/kg	----	50	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..	
EP080/071: Total Petroleum Hydrocarbons											
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	2600	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..	
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	40000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..	



Soil Hazard Categorisation and Management

Table 2: Soil Hazard Categorisation Thresholds : Category C: Table 2: Soil Hazard Categorisation Thresholds : Category C

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_OB_20220	SX_IB_20220	SX_IB_20220	SX_IB_20220
				Sampling date/time		502_16_29_S	502_16_35_S	502_16_44_S	502_19_49_S	502_23_51_S
				Lower Limit	Upper Limit	S_Primary_ALS	S_Triplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS
						02-May-2022 16:29	02-May-2022 16:35	02-May-2022 16:44	02-May-2022 19:49	02-May-2022 23:51
						EM2207892-006 MU	EM2207892-007 MU	EM2207892-008 MU	EM2207892-009 MU	EM2207892-010 MU
EA001: pH in soil using 0.01M CaCl extract										
pH (CaCl2)	EA001	0.1	pH Unit	4	9	7.9 ± 0.1	7.8 ± 0.1	8.6 ± 0.1	7.8 ± 0.1	8.3 ± 0.1
EG005(ED093)T: Total Metals by ICP-AES										
Arsenic	EG005T	5	mg/kg	----	500	34 ± 5	14 ± 2	28 ± 4	58 ± 7	27 ± 4
Cadmium	EG005T	1	mg/kg	----	100	<1 ..	<1 ..	<1 ..	<1 ..	<1 ..
Copper	EG005T	5	mg/kg	----	5000	45 ± 6	60 ± 7	52 ± 6	51 ± 6	48 ± 6
Lead	EG005T	5	mg/kg	----	1500	<5 ..	<5 ..	<5 ..	6 ± 1	<5 ..
Molybdenum	EG005T	5	mg/kg	----	1000	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Nickel	EG005T	5	mg/kg	----	3000	111 ± 11	154 ± 15	141 ± 14	146 ± 14	122 ± 12
Selenium	EG005T	5	mg/kg	----	50	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Silver	EG005T	2	mg/kg	----	180	<2 ..	<2 ..	<2 ..	<2 ..	<2 ..
Tin	EG005T	10	mg/kg	----	500	<10 ..	<10 ..	<10 ..	<10 ..	<10 ..
Zinc	EG005T	5	mg/kg	----	35000	82 ± 9	98 ± 11	128 ± 14	84 ± 9	90 ± 10
EG035T: Total Recoverable Mercury by FIMS										
Mercury	EG035T	0.1	mg/kg	----	75	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
EG048: Hexavalent Chromium (Alkaline Digest)										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	500	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..
EK026SF: Total CN by Segmented Flow Analyser										
Total Cyanide	EK026SF	5	mg/kg	----	2500	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
EK040T: Fluoride Total										
Fluoride	EK040T	100	mg/kg	----	10000	200 ± 40	220 ± 40	250 ± 50	190 ± 40	180 ± 40
EP074A: Monocyclic Aromatic Hydrocarbons										
Benzene	EP074-UT	0.2	mg/kg	----	4	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	70	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
EP074I: Volatile Halogenated Compounds										
Vinyl chloride	EP074-UT	0.50	mg/kg	----	1.2	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	2.8	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	10	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
EP075A: Phenolic Compounds (Halogenated)										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	10	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..



Soil Hazard Categorisation and Management

Table 2: Soil Hazard Categorisation Thresholds : Category C: Table 2: Soil Hazard Categorisation Thresholds : Category C

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_OB_20220	SX_IB_20220	SX_IB_20220	SX_IB_20220
				Guideline	Guideline	502_16_29_S	502_16_35_S	502_16_44_S	502_19_49_S	502_23_51_S
						S_Primary_ALS	S_Triplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS
				Lower Limit	Upper Limit	02-May-2022 16:29	02-May-2022 16:35	02-May-2022 16:44	02-May-2022 19:49	02-May-2022 23:51
						EM2207892-006 MU	EM2207892-007 MU	EM2207892-008 MU	EM2207892-009 MU	EM2207892-010 MU
EP075A: Phenolic Compounds (Non-halogenated)										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	560	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
EP075B: Polynuclear Aromatic Hydrocarbons										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	5	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	100	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
EP075I: Organochlorine Pesticides										
Heptachlor	EP075-EM	0.05	mg/kg	----	1.2	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Sum of Aldrin + Dieldrin	EP075-EM-SUM	0.30	mg/kg	----	1.2	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..	<0.30 ..
Sum of DDD + DDE + DDT	EP075-EM-SUM	0.05	mg/kg	----	50	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..	<0.05 ..
Chlordane	EP075-EM-SUM	0.10	mg/kg	----	4	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..
Sum of other organochlorine pesticides	EP075-EM-SUM	0.03	mg/kg	----	10	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..	<0.03 ..
EP080/071: Total Petroleum Hydrocarbons										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	650	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	10000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..



Soil Hazard Categorisation and Management

Table 2: Soil Hazard Categorisation Thresholds : Fill Material: Table 2: Soil Hazard Categorisation Thresholds : Fill Material

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_OB_20220	SX_IB_20220	SX_IB_20220	SX_IB_20220
				Guideline	Guideline	502_16_29_S	502_16_35_S	502_16_44_S	502_19_49_S	502_23_51_S
						S_Primary_ALS	S_Triplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS
				Lower Limit	Upper Limit	02-May-2022 16:29	02-May-2022 16:35	02-May-2022 16:44	02-May-2022 19:49	02-May-2022 23:51
						EM2207892-006 MU	EM2207892-007 MU	EM2207892-008 MU	EM2207892-009 MU	EM2207892-010 MU
EA001: pH in soil using 0.01M CaCl extract										
pH (CaCl2)	EA001	0.1	pH Unit	4	9	7.9 ± 0.1	7.8 ± 0.1	8.6 ± 0.1	7.8 ± 0.1	8.3 ± 0.1
EG005(ED093)T: Total Metals by ICP-AES										
Arsenic	EG005T	5	mg/kg	----	20	34 ± 5	14 ± 2	28 ± 4	58 ± 7	27 ± 4
Cadmium	EG005T	1	mg/kg	----	3	<1 ..	<1 ..	<1 ..	<1 ..	<1 ..
Copper	EG005T	5	mg/kg	----	100	45 ± 6	60 ± 7	52 ± 6	51 ± 6	48 ± 6
Lead	EG005T	5	mg/kg	----	300	<5 ..	<5 ..	<5 ..	6 ± 1	<5 ..
Molybdenum	EG005T	5	mg/kg	----	40	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Nickel	EG005T	5	mg/kg	----	60	111 ± 11	154 ± 15	141 ± 14	146 ± 14	122 ± 12
Selenium	EG005T	5	mg/kg	----	10	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
Silver	EG005T	2	mg/kg	----	10	<2 ..	<2 ..	<2 ..	<2 ..	<2 ..
Tin	EG005T	10	mg/kg	----	50	<10 ..	<10 ..	<10 ..	<10 ..	<10 ..
Zinc	EG005T	5	mg/kg	----	200	82 ± 9	98 ± 11	128 ± 14	84 ± 9	90 ± 10
EG035T: Total Recoverable Mercury by FIMS										
Mercury	EG035T	0.1	mg/kg	----	1	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
EG048: Hexavalent Chromium (Alkaline Digest)										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	1	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..	<1.0 ..
EK026SF: Total CN by Segmented Flow Analyser										
Total Cyanide	EK026SF	5	mg/kg	----	50	<5 ..	<5 ..	<5 ..	<5 ..	<5 ..
EK040T: Fluoride Total										
Fluoride	EK040T	100	mg/kg	----	450	200 ± 40	220 ± 40	250 ± 50	190 ± 40	180 ± 40
EP066: Polychlorinated Biphenyls (PCB)										
Total Polychlorinated biphenyls	EP066-EM	0.1	mg/kg	----	2	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..	<0.1 ..
EP074A: Monocyclic Aromatic Hydrocarbons										
Benzene	EP074-UT	0.2	mg/kg	----	1	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..	<0.2 ..
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	7	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
EP074I: Volatile Halogenated Compounds										
Sum of volatile chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	1	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..	<0.50 ..
EP075A: Phenolic Compounds (Halogenated)										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	1	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..	<1.00 ..
EP075A: Phenolic Compounds (Non-halogenated)										



Soil Hazard Categorisation and Management

Table 2: Soil Hazard Categorisation Thresholds : Fill Material: Table 2: Soil Hazard Categorisation Thresholds : Fill Material

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_OB_20220	SX_IB_20220	SX_IB_20220	SX_IB_20220
				Guideline	Guideline	502_16_29_S	502_16_35_S	502_16_44_S	502_19_49_S	502_23_51_S
						S_Primary_ALS	S_Triplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS
				Lower Limit	Upper Limit	02-May-2022 16:29	02-May-2022 16:35	02-May-2022 16:44	02-May-2022 19:49	02-May-2022 23:51
						EM2207892-006 MU	EM2207892-007 MU	EM2207892-008 MU	EM2207892-009 MU	EM2207892-010 MU
EP075A: Phenolic Compounds (Non-halogenated) - Continued										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	60	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
EP075B: Polynuclear Aromatic Hydrocarbons										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	1	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	20	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..	<0.5 ..
EP075I: Organochlorine Pesticides										
Sum of organochlorine pesticides	EP075-EM-SUM	0.10	mg/kg	----	1	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..	<0.10 ..
EP080/071: Total Petroleum Hydrocarbons										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	100	<20 ..	<20 ..	<20 ..	<20 ..	<20 ..
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	1000	<50 ..	<50 ..	<50 ..	<50 ..	<50 ..



Soil Hazard Categorisation and Management

Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220	SX_OB_20220	SX_IB_20220	SX_IB_20220	SX_IB_20220
				Guideline	Guideline	503_00_00_S	503_00_06_S	503_03_44_S	502_08_11_S	502_08_15_S
						S_Primary_ALS	S_Duplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Duplicate_ALS
				Lower Limit	Upper Limit	03-May-2022 00:00	03-May-2022 00:06	03-May-2022 03:44	02-May-2022 08:11	02-May-2022 08:15
						EM2207892-011 MU	EM2207892-012 MU	EM2207892-013 MU	EM2207892-016 MU	EM2207892-017 MU
EA001: pH in soil using 0.01M CaCl extract										
pH (CaCl2)	EA001	0.1	pH Unit	2	12.5	7.8 ± 0.1	7.8 ± 0.1	8.0 ± 0.1	----	----
EG005(ED093T): Total Metals by ICP-AES										
Arsenic	EG005T	5	mg/kg	----	2000	12 ± 2	13 ± 2	27 ± 4	----	----
Cadmium	EG005T	1	mg/kg	----	400	<1 --	<1 --	<1 --	----	----
Copper	EG005T	5	mg/kg	----	20000	52 ± 6	54 ± 6	45 ± 5	----	----
Lead	EG005T	5	mg/kg	----	6000	<5 --	<5 --	<5 --	----	----
Molybdenum	EG005T	5	mg/kg	----	4000	<5 --	<5 --	<5 --	----	----
Nickel	EG005T	5	mg/kg	----	12000	145 ± 14	151 ± 15	135 ± 13	----	----
Selenium	EG005T	5	mg/kg	----	200	<5 --	<5 --	<5 --	----	----
Silver	EG005T	2	mg/kg	----	720	<2 --	<2 --	<2 --	----	----
Zinc	EG005T	5	mg/kg	----	140000	89 ± 10	94 ± 10	91 ± 10	----	----
EG035T: Total Recoverable Mercury by FIMS										
Mercury	EG035T	0.1	mg/kg	----	300	<0.1 --	<0.1 --	<0.1 --	----	----
EG048: Hexavalent Chromium (Alkaline Digest)										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	2000	<1.0 --	<1.0 --	<1.0 --	----	----
EK026SF: Total CN by Segmented Flow Analyser										
Total Cyanide	EK026SF	5	mg/kg	----	10000	<5 --	<5 --	<5 --	----	----
EK040T: Fluoride Total										
Fluoride	EK040T	100	mg/kg	----	40000	210 ± 40	210 ± 40	240 ± 50	----	----
EP074A: Monocyclic Aromatic Hydrocarbons										
Benzene	EP074-UT	0.2	mg/kg	----	16	<0.2 --	<0.2 --	<0.2 --	----	----
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	240	<0.5 --	<0.5 --	<0.5 --	----	----
EP074I: Volatile Halogenated Compounds										
Vinyl chloride	EP074-UT	0.50	mg/kg	----	4.8	<0.50 --	<0.50 --	<0.50 --	----	----
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	11	<0.50 --	<0.50 --	<0.50 --	----	----
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	50	<0.50 --	<0.50 --	<0.50 --	----	----
EP075A: Phenolic Compounds (Halogenated)										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	320	<1.00 --	<1.00 --	<1.00 --	----	----
EP075A: Phenolic Compounds (Non-halogenated)										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	2200	<20 --	<20 --	<20 --	----	----
EP075B: Polynuclear Aromatic Hydrocarbons										



Soil Hazard Categorisation and Management

Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220	SX_OB_20220	SX_IB_20220	SX_IB_20220	SX_IB_20220
				Guideline	Guideline	503_00_00_S	503_00_06_S	503_03_44_S	502_08_11_S	502_08_15_S
						S_Primary_ALS	S_Duplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Duplicate_ALS
				Lower Limit	Upper Limit	03-May-2022 00:00	03-May-2022 00:06	03-May-2022 03:44	02-May-2022 08:11	02-May-2022 08:15
						EM2207892-011 MU	EM2207892-012 MU	EM2207892-013 MU	EM2207892-016 MU	EM2207892-017 MU
EP075B: Polynuclear Aromatic Hydrocarbons - Continued										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	20	<0.5	<0.5	<0.5	----	----
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	400	<0.5	<0.5	<0.5	----	----
EP075I: Organochlorine Pesticides										
Heptachlor	EP075-EM	0.05	mg/kg	----	4.8	<0.05	<0.05	<0.05	----	----
Sum of Aldrin + Dieldrin	EP075-EM-SUM	0.30	mg/kg	----	4.8	<0.30	<0.30	<0.30	----	----
Sum of DDD + DDE + DDT	EP075-EM-SUM	0.05	mg/kg	----	50	<0.05	<0.05	<0.05	----	----
Chlordane	EP075-EM-SUM	0.10	mg/kg	----	16	<0.10	<0.10	<0.10	----	----
Sum of other organochlorine pesticides	EP075-EM-SUM	0.03	mg/kg	----	50	<0.03	<0.03	<0.03	----	----
EP080/071: Total Petroleum Hydrocarbons										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	2600	<20	<20	<20	----	----
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	40000	<50	<50	<50	----	----



Soil Hazard Categorisation and Management

Table 2: Soil Hazard Categorisation Thresholds : Category C: Table 2: Soil Hazard Categorisation Thresholds : Category C

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220	SX_OB_20220	SX_IB_20220	SX_IB_20220	SX_IB_20220
				Guideline	Guideline	503_00_00_S	503_00_06_S	503_03_44_S	502_08_11_S	502_08_15_S
						S_Primary_ALS	S_Duplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Duplicate_ALS
				Lower Limit	Upper Limit	03-May-2022 00:00	03-May-2022 00:06	03-May-2022 03:44	02-May-2022 08:11	02-May-2022 08:15
						EM2207892-011 MU	EM2207892-012 MU	EM2207892-013 MU	EM2207892-016 MU	EM2207892-017 MU
EA001: pH in soil using 0.01M CaCl extract										
pH (CaCl2)	EA001	0.1	pH Unit	4	9	7.8 ± 0.1	7.8 ± 0.1	8.0 ± 0.1	----	----
EG005(ED093T): Total Metals by ICP-AES										
Arsenic	EG005T	5	mg/kg	----	500	12 ± 2	13 ± 2	27 ± 4	----	----
Cadmium	EG005T	1	mg/kg	----	100	<1 --	<1 --	<1 --	----	----
Copper	EG005T	5	mg/kg	----	5000	52 ± 6	54 ± 6	45 ± 5	----	----
Lead	EG005T	5	mg/kg	----	1500	<5 --	<5 --	<5 --	----	----
Molybdenum	EG005T	5	mg/kg	----	1000	<5 --	<5 --	<5 --	----	----
Nickel	EG005T	5	mg/kg	----	3000	145 ± 14	151 ± 15	135 ± 13	----	----
Selenium	EG005T	5	mg/kg	----	50	<5 --	<5 --	<5 --	----	----
Silver	EG005T	2	mg/kg	----	180	<2 --	<2 --	<2 --	----	----
Tin	EG005T	10	mg/kg	----	500	<10 --	<10 --	<10 --	----	----
Zinc	EG005T	5	mg/kg	----	35000	89 ± 10	94 ± 10	91 ± 10	----	----
EG035T: Total Recoverable Mercury by FIMS										
Mercury	EG035T	0.1	mg/kg	----	75	<0.1 --	<0.1 --	<0.1 --	----	----
EG048: Hexavalent Chromium (Alkaline Digest)										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	500	<1.0 --	<1.0 --	<1.0 --	----	----
EK026SF: Total CN by Segmented Flow Analyser										
Total Cyanide	EK026SF	5	mg/kg	----	2500	<5 --	<5 --	<5 --	----	----
EK040T: Fluoride Total										
Fluoride	EK040T	100	mg/kg	----	10000	210 ± 40	210 ± 40	240 ± 50	----	----
EP074A: Monocyclic Aromatic Hydrocarbons										
Benzene	EP074-UT	0.2	mg/kg	----	4	<0.2 --	<0.2 --	<0.2 --	----	----
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	70	<0.5 --	<0.5 --	<0.5 --	----	----
EP074I: Volatile Halogenated Compounds										
Vinyl chloride	EP074-UT	0.50	mg/kg	----	1.2	<0.50 --	<0.50 --	<0.50 --	----	----
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	2.8	<0.50 --	<0.50 --	<0.50 --	----	----
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	10	<0.50 --	<0.50 --	<0.50 --	----	----
EP075A: Phenolic Compounds (Halogenated)										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	10	<1.00 --	<1.00 --	<1.00 --	----	----
EP075A: Phenolic Compounds (Non-halogenated)										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	560	<20 --	<20 --	<20 --	----	----



Soil Hazard Categorisation and Management

Table 2: Soil Hazard Categorisation Thresholds : Category C: Table 2: Soil Hazard Categorisation Thresholds : Category C

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220	SX_OB_20220	SX_IB_20220	SX_IB_20220	SX_IB_20220
				Guideline	Guideline	503_00_00_S	503_00_06_S	503_03_44_S	502_08_11_S	502_08_15_S
						S_Primary_ALS	S_Duplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Duplicate_ALS
				Lower Limit	Upper Limit	03-May-2022 00:00	03-May-2022 00:06	03-May-2022 03:44	02-May-2022 08:11	02-May-2022 08:15
						EM2207892-011 MU	EM2207892-012 MU	EM2207892-013 MU	EM2207892-016 MU	EM2207892-017 MU
EP075B: Polynuclear Aromatic Hydrocarbons										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	5	<0.5 ..	<0.5 ..	<0.5 ..	----	----
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	100	<0.5 ..	<0.5 ..	<0.5 ..	----	----
EP075I: Organochlorine Pesticides										
Heptachlor	EP075-EM	0.05	mg/kg	----	1.2	<0.05 ..	<0.05 ..	<0.05 ..	----	----
Sum of Aldrin + Dieldrin	EP075-EM-SUM	0.30	mg/kg	----	1.2	<0.30 ..	<0.30 ..	<0.30 ..	----	----
Sum of DDD + DDE + DDT	EP075-EM-SUM	0.05	mg/kg	----	50	<0.05 ..	<0.05 ..	<0.05 ..	----	----
Chlordane	EP075-EM-SUM	0.10	mg/kg	----	4	<0.10 ..	<0.10 ..	<0.10 ..	----	----
Sum of other organochlorine pesticides	EP075-EM-SUM	0.03	mg/kg	----	10	<0.03 ..	<0.03 ..	<0.03 ..	----	----
EP080/071: Total Petroleum Hydrocarbons										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	650	<20 ..	<20 ..	<20 ..	----	----
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	10000	<50 ..	<50 ..	<50 ..	----	----



Soil Hazard Categorisation and Management

Table 2: Soil Hazard Categorisation Thresholds : Fill Material: Table 2: Soil Hazard Categorisation Thresholds : Fill Material

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220	SX_OB_20220	SX_IB_20220	SX_IB_20220	SX_IB_20220
				Guideline	Guideline	503_00_00_S	503_00_06_S	503_03_44_S	502_08_11_S	502_08_15_S
						S_Primary_ALS	S_Duplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Duplicate_ALS
				Lower Limit	Upper Limit	03-May-2022 00:00	03-May-2022 00:06	03-May-2022 03:44	02-May-2022 08:11	02-May-2022 08:15
						EM2207892-011 MU	EM2207892-012 MU	EM2207892-013 MU	EM2207892-016 MU	EM2207892-017 MU
EA001: pH in soil using 0.01M CaCl extract										
pH (CaCl2)	EA001	0.1	pH Unit	4	9	7.8 ± 0.1	7.8 ± 0.1	8.0 ± 0.1	----	----
EG005(ED093T): Total Metals by ICP-AES										
Arsenic	EG005T	5	mg/kg	----	20	12 ± 2	13 ± 2	27 ± 4	----	----
Cadmium	EG005T	1	mg/kg	----	3	<1 --	<1 --	<1 --	----	----
Copper	EG005T	5	mg/kg	----	100	52 ± 6	54 ± 6	45 ± 5	----	----
Lead	EG005T	5	mg/kg	----	300	<5 --	<5 --	<5 --	----	----
Molybdenum	EG005T	5	mg/kg	----	40	<5 --	<5 --	<5 --	----	----
Nickel	EG005T	5	mg/kg	----	60	145 ± 14	151 ± 15	135 ± 13	----	----
Selenium	EG005T	5	mg/kg	----	10	<5 --	<5 --	<5 --	----	----
Silver	EG005T	2	mg/kg	----	10	<2 --	<2 --	<2 --	----	----
Tin	EG005T	10	mg/kg	----	50	<10 --	<10 --	<10 --	----	----
Zinc	EG005T	5	mg/kg	----	200	89 ± 10	94 ± 10	91 ± 10	----	----
EG035T: Total Recoverable Mercury by FIMS										
Mercury	EG035T	0.1	mg/kg	----	1	<0.1 --	<0.1 --	<0.1 --	----	----
EG048: Hexavalent Chromium (Alkaline Digest)										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	1	<1.0 --	<1.0 --	<1.0 --	----	----
EK026SF: Total CN by Segmented Flow Analyser										
Total Cyanide	EK026SF	5	mg/kg	----	50	<5 --	<5 --	<5 --	----	----
EK040T: Fluoride Total										
Fluoride	EK040T	100	mg/kg	----	450	210 ± 40	210 ± 40	240 ± 50	----	----
EP066: Polychlorinated Biphenyls (PCB)										
Total Polychlorinated biphenyls	EP066-EM	0.1	mg/kg	----	2	<0.1 --	<0.1 --	<0.1 --	----	----
EP074A: Monocyclic Aromatic Hydrocarbons										
Benzene	EP074-UT	0.2	mg/kg	----	1	<0.2 --	<0.2 --	<0.2 --	----	----
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	7	<0.5 --	<0.5 --	<0.5 --	----	----
EP074I: Volatile Halogenated Compounds										
Sum of volatile chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	1	<0.50 --	<0.50 --	<0.50 --	----	----
EP075A: Phenolic Compounds (Halogenated)										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	1	<1.00 --	<1.00 --	<1.00 --	----	----
EP075A: Phenolic Compounds (Non-halogenated)										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	60	<20 --	<20 --	<20 --	----	----



Soil Hazard Categorisation and Management

Table 2: Soil Hazard Categorisation Thresholds : Fill Material: Table 2: Soil Hazard Categorisation Thresholds : Fill Material

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220	SX_OB_20220	SX_IB_20220	SX_IB_20220	SX_IB_20220
				Guideline	Guideline	503_00_00_S	503_00_06_S	503_03_44_S	502_08_11_S	502_08_15_S
						S_Primary_ALS	S_Duplicate_ALS	S_Primary_ALS	S_Primary_ALS	S_Duplicate_ALS
				Lower Limit	Upper Limit	03-May-2022 00:00	03-May-2022 00:06	03-May-2022 03:44	02-May-2022 08:11	02-May-2022 08:15
						EM2207892-011 MU	EM2207892-012 MU	EM2207892-013 MU	EM2207892-016 MU	EM2207892-017 MU
EP075B: Polynuclear Aromatic Hydrocarbons										
Benzo(a)pyrene	EP075-EM	0.5	mg/kg	----	1	<0.5 ..	<0.5 ..	<0.5 ..	----	----
Sum of polycyclic aromatic hydrocarbons	EP075-EM-SUM	0.5	mg/kg	----	20	<0.5 ..	<0.5 ..	<0.5 ..	----	----
EP075I: Organochlorine Pesticides										
Sum of organochlorine pesticides	EP075-EM-SUM	0.10	mg/kg	----	1	<0.10 ..	<0.10 ..	<0.10 ..	----	----
EP080/071: Total Petroleum Hydrocarbons										
C6 - C9 Fraction	EP074-UT	20	mg/kg	----	100	<20 ..	<20 ..	<20 ..	----	----
C10 - C36 Fraction (sum)	EP071-EM	50	mg/kg	----	1000	<50 ..	<50 ..	<50 ..	----	----



Soil Hazard Categorisation and Management

Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_OB_20220 502_08_23_S S_Primary_AL S	SX_IB_20220 502_08_31_S S_Primary_AL S	SX_IB_20220 502_12_53_S S_Primary_AL S	SX_IB_20220 502_16_29_S S_Primary_AL S	SX_OB_20220 502_16_35_S S_Triplicate_ ALS	
				Sampling date/time	Guideline						Guideline
				Lower Limit	Upper Limit						
						02-May-2022 08:23	02-May-2022 08:31	02-May-2022 12:53	02-May-2022 16:29	02-May-2022 16:35	
						EM2207892-018 MU	EM2207892-019 MU	EM2207892-020 MU	EM2207892-021 MU	EM2207892-022 MU	
EA001: pH in soil using 0.01M CaCl extract											
pH (CaCl2)	EA001	0.1	pH Unit	----	----	----	----	----	----	----	
EG005(ED093T): Total Metals by ICP-AES											
Arsenic	EG005T	5	mg/kg	----	----	----	----	----	----	----	
Cadmium	EG005T	1	mg/kg	----	----	----	----	----	----	----	
Copper	EG005T	5	mg/kg	----	----	----	----	----	----	----	
Lead	EG005T	5	mg/kg	----	----	----	----	----	----	----	
Molybdenum	EG005T	5	mg/kg	----	----	----	----	----	----	----	
Nickel	EG005T	5	mg/kg	----	----	----	----	----	----	----	
Selenium	EG005T	5	mg/kg	----	----	----	----	----	----	----	
Silver	EG005T	2	mg/kg	----	----	----	----	----	----	----	
Zinc	EG005T	5	mg/kg	----	----	----	----	----	----	----	
EG035T: Total Recoverable Mercury by FIMS											
Mercury	EG035T	0.1	mg/kg	----	----	----	----	----	----	----	
EG048: Hexavalent Chromium (Alkaline Digest)											
Hexavalent Chromium	EG048G	1.0	mg/kg	----	----	----	----	----	----	----	
EK026SF: Total CN by Segmented Flow Analyser											
Total Cyanide	EK026SF	5	mg/kg	----	----	----	----	----	----	----	
EK040T: Fluoride Total											
Fluoride	EK040T	100	mg/kg	----	----	----	----	----	----	----	
EP074A: Monocyclic Aromatic Hydrocarbons											
Benzene	EP074-UT	0.2	mg/kg	----	----	----	----	----	----	----	
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	----	----	----	----	----	----	
EP074I: Volatile Halogenated Compounds											
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	----	----	----	----	----	----	
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	----	----	----	----	----	----	
Vinyl chloride	EP074-UT	0.50	mg/kg	----	----	----	----	----	----	----	
EP075A: Phenolic Compounds (Halogenated)											
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	----	----	----	----	----	----	
EP075A: Phenolic Compounds (Non-halogenated)											
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	----	----	----	----	----	----	
EP075B: Polynuclear Aromatic Hydrocarbons											



Soil Hazard Categorisation and Management

Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220	SX_IB_20220	SX_IB_20220	SX_OB_20220	SX_OB_20220
				Guideline	Guideline	502_16_44_S	502_19_49_S	502_23_51_S	503_00_00_S	503_00_06_S
						S_Primary_ALS	S_Primary_ALS	S_Primary_ALS	S_Primary_ALS	S_Duplicate_ALS
				Lower Limit	Upper Limit	02-May-2022 16:44	02-May-2022 19:49	02-May-2022 23:51	03-May-2022 00:00	03-May-2022 00:06
						EM2207892-023 MU	EM2207892-024 MU	EM2207892-025 MU	EM2207892-026 MU	EM2207892-027 MU
EA001: pH in soil using 0.01M CaCl extract										
pH (CaCl2)	EA001	0.1	pH Unit	----	----	----	----	----	----	----
EG005(ED093T): Total Metals by ICP-AES										
Arsenic	EG005T	5	mg/kg	----	----	----	----	----	----	----
Cadmium	EG005T	1	mg/kg	----	----	----	----	----	----	----
Copper	EG005T	5	mg/kg	----	----	----	----	----	----	----
Lead	EG005T	5	mg/kg	----	----	----	----	----	----	----
Molybdenum	EG005T	5	mg/kg	----	----	----	----	----	----	----
Nickel	EG005T	5	mg/kg	----	----	----	----	----	----	----
Selenium	EG005T	5	mg/kg	----	----	----	----	----	----	----
Silver	EG005T	2	mg/kg	----	----	----	----	----	----	----
Zinc	EG005T	5	mg/kg	----	----	----	----	----	----	----
EG035T: Total Recoverable Mercury by FIMS										
Mercury	EG035T	0.1	mg/kg	----	----	----	----	----	----	----
EG048: Hexavalent Chromium (Alkaline Digest)										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	----	----	----	----	----	----
EK026SF: Total CN by Segmented Flow Analyser										
Total Cyanide	EK026SF	5	mg/kg	----	----	----	----	----	----	----
EK040T: Fluoride Total										
Fluoride	EK040T	100	mg/kg	----	----	----	----	----	----	----
EP074A: Monocyclic Aromatic Hydrocarbons										
Benzene	EP074-UT	0.2	mg/kg	----	----	----	----	----	----	----
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	----	----	----	----	----	----
EP074I: Volatile Halogenated Compounds										
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	----	----	----	----	----	----
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	----	----	----	----	----	----
Vinyl chloride	EP074-UT	0.50	mg/kg	----	----	----	----	----	----	----
EP075A: Phenolic Compounds (Halogenated)										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	----	----	----	----	----	----
EP075A: Phenolic Compounds (Non-halogenated)										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	----	----	----	----	----	----
EP075B: Polynuclear Aromatic Hydrocarbons										



Soil Hazard Categorisation and Management

Table 2: Soil Hazard Categorisation Thresholds : Category B: Table 2: Soil Hazard Categorisation Thresholds : Category B

Sub-Matrix: SOIL

Compound	Method	LOR	Unit	Sample ID		SX_IB_20220 503_03_44_S S_Primary_AL S	----	----	----	----
				Guideline	Guideline					
				Lower Limit	Upper Limit	03-May-2022 03:44	----	----	----	----
						EM2207892-028 MU				
EA001: pH in soil using 0.01M CaCl extract										
pH (CaCl2)	EA001	0.1	pH Unit	----	----	----	----	----	----	----
EG005(ED093T): Total Metals by ICP-AES										
Arsenic	EG005T	5	mg/kg	----	----	----	----	----	----	----
Cadmium	EG005T	1	mg/kg	----	----	----	----	----	----	----
Copper	EG005T	5	mg/kg	----	----	----	----	----	----	----
Lead	EG005T	5	mg/kg	----	----	----	----	----	----	----
Molybdenum	EG005T	5	mg/kg	----	----	----	----	----	----	----
Nickel	EG005T	5	mg/kg	----	----	----	----	----	----	----
Selenium	EG005T	5	mg/kg	----	----	----	----	----	----	----
Silver	EG005T	2	mg/kg	----	----	----	----	----	----	----
Zinc	EG005T	5	mg/kg	----	----	----	----	----	----	----
EG035T: Total Recoverable Mercury by FIMS										
Mercury	EG035T	0.1	mg/kg	----	----	----	----	----	----	----
EG048: Hexavalent Chromium (Alkaline Digest)										
Hexavalent Chromium	EG048G	1.0	mg/kg	----	----	----	----	----	----	----
EK026SF: Total CN by Segmented Flow Analyser										
Total Cyanide	EK026SF	5	mg/kg	----	----	----	----	----	----	----
EK040T: Fluoride Total										
Fluoride	EK040T	100	mg/kg	----	----	----	----	----	----	----
EP074A: Monocyclic Aromatic Hydrocarbons										
Benzene	EP074-UT	0.2	mg/kg	----	----	----	----	----	----	----
Sum of monocyclic aromatic hydrocarbons	EP074-UT-SUM	0.5	mg/kg	----	----	----	----	----	----	----
EP074I: Volatile Halogenated Compounds										
Hexachlorobutadiene	EP074-UT	0.50	mg/kg	----	----	----	----	----	----	----
Sum of other chlorinated hydrocarbons	EP074-UT-SUM	0.50	mg/kg	----	----	----	----	----	----	----
Vinyl chloride	EP074-UT	0.50	mg/kg	----	----	----	----	----	----	----
EP075A: Phenolic Compounds (Halogenated)										
Sum of Phenols (halogenated)	EP075-EM-SUM	1.00	mg/kg	----	----	----	----	----	----	----
EP075A: Phenolic Compounds (Non-halogenated)										
Sum of Phenols (non-halogenated)	EP075-EM-SUM	20	mg/kg	----	----	----	----	----	----	----
EP075B: Polynuclear Aromatic Hydrocarbons										

QUALITY CONTROL REPORT

Work Order	: EM2207892	Page	: 1 of 31
Amendment	: 1		
Client	: AGON ENVIRONMENTAL PTY LTD	Laboratory	: Environmental Division Melbourne
Contact	: DAVID LAWSON	Contact	: Josh Alexander
Address	: D1.1 63-85 TURNER STREET PORT MELBOURNE 3207	Address	: 4 Westall Rd Springvale VIC Australia 3171
Telephone	: ----	Telephone	: +61-3-8549 9600
Project	: JC0927	Date Samples Received	: 03-May-2022
Order number	: ----	Date Analysis Commenced	: 04-May-2022
C-O-C number	: 20220503041552-ALS-8	Issue Date	: 12-May-2022
Sampler	: Dave + Will Agon		
Site	: 20220503041552-ALS-8		
Quote number	: EN/150/19 -WGTP -Bulk Sample Quote		
No. of samples received	: 28		
No. of samples analysed	: 28		



Accreditation No. 825
Accredited for compliance with
ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Dilani Fernando	Laboratory Coordinator	Melbourne Inorganics, Springvale, VIC
Jarwis Nheu	Senior Inorganic Chemist	Melbourne Inorganics, Springvale, VIC
Nancy Wang	2IC Organic Chemist	Melbourne Organics, Springvale, VIC
Nikki Stepniewski	Senior Inorganic Instrument Chemist	Melbourne Inorganics, Springvale, VIC
Xing Lin	Senior Organic Chemist	Melbourne Inorganics, Springvale, VIC
Xing Lin	Senior Organic Chemist	Melbourne Organics, Springvale, VIC



General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Key :
 Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot
 CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.
 LOR = Limit of reporting
 RPD = Relative Percentage Difference
 # = Indicates failed QC

Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EG005(ED093)T: Total Metals by ICP-AES (QC Lot: 4321383)									
EM2207892-001	SX_IB_20220502_08_11_S S_Primary_ALS	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.0	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	82	82	0.0	0% - 50%
		EG005T: Molybdenum	7439-98-7	2	mg/kg	<5	<5	0.0	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	154	162	5.6	0% - 20%
		EG005T: Silver	7440-22-4	2	mg/kg	<2	<2	0.0	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	21	21	0.0	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	58	64	9.5	0% - 50%
		EG005T: Lead	7439-92-1	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Selenium	7782-49-2	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Tin	7440-31-5	5	mg/kg	<10	<10	0.0	No Limit
EG005T: Zinc	7440-66-6	5	mg/kg	112	123	9.1	0% - 20%		
EM2207892-010	SX_IB_20220502_23_51_S S_Primary_ALS	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.0	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	69	80	14.2	0% - 50%
		EG005T: Molybdenum	7439-98-7	2	mg/kg	<5	<5	0.0	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	122	110	9.9	0% - 20%
		EG005T: Silver	7440-22-4	2	mg/kg	<2	<2	0.0	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	27	26	5.9	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	48	45	7.0	No Limit
		EG005T: Lead	7439-92-1	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Selenium	7782-49-2	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Tin	7440-31-5	5	mg/kg	<10	<10	0.0	No Limit
EG005T: Zinc	7440-66-6	5	mg/kg	90	79	12.8	0% - 50%		



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EA001: pH in soil using 0.01M CaCl extract (QC Lot: 4324921)									
EM2207869-002	Anonymous	EA001: pH (CaCl2)	----	0.1	pH Unit	5.2	5.1	2.1	0% - 20%
EM2207892-008	SX_IB_20220502_16_44_S S_Primary_ALS	EA001: pH (CaCl2)	----	0.1	pH Unit	8.6	8.5	1.3	0% - 20%
EA055: Moisture Content (Dried @ 105-110°C) (QC Lot: 4321192)									
EM2207818-001	Anonymous	EA055: Moisture Content	----	0.1	%	6.7	7.7	13.0	No Limit
EM2207892-007	SX_OB_20220502_16_35_ SS_Triplicate_ALS	EA055: Moisture Content	----	0.1	%	31.5	33.4	5.7	0% - 20%
EG035T: Total Recoverable Mercury by FIMS (QC Lot: 4321384)									
EM2207892-001	SX_IB_20220502_08_11_S S_Primary_ALS	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EM2207892-010	SX_IB_20220502_23_51_S S_Primary_ALS	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EG048: Hexavalent Chromium (Alkaline Digest) (QC Lot: 4322848)									
EM2207892-001	SX_IB_20220502_08_11_S S_Primary_ALS	EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<1.0	<1.0	0.0	No Limit
EM2207892-010	SX_IB_20220502_23_51_S S_Primary_ALS	EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<1.0	<1.0	0.0	No Limit
EK026SF: Total CN by Segmented Flow Analyser (QC Lot: 4323937)									
EM2207892-006	SX_IB_20220502_16_29_S S_Primary_ALS	EK026SF: Total Cyanide	57-12-5	1	mg/kg	<5	<5	0.0	No Limit
EM2207463-006	Anonymous	EK026SF: Total Cyanide	57-12-5	1	mg/kg	<1	<1	0.0	No Limit
EK040T: Fluoride Total (QC Lot: 4322862)									
EM2207892-008	SX_IB_20220502_16_44_S S_Primary_ALS	EK040T: Fluoride	16984-48-8	40	mg/kg	250	240	6.2	No Limit
EM2207905-002	Anonymous	EK040T: Fluoride	16984-48-8	40	mg/kg	150	200	28.1	No Limit
EP066: Polychlorinated Biphenyls (PCB) (QC Lot: 4321234)									
EM2207892-001	SX_IB_20220502_08_11_S S_Primary_ALS	EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EM2207892-011	SX_OB_20220503_00_00_ SS_Primary_ALS	EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EP074A: Monocyclic Aromatic Hydrocarbons (QC Lot: 4316621)									
EM2207892-001	SX_IB_20220502_08_11_S S_Primary_ALS	EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.0	No Limit
		EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.0	No Limit



Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP074A: Monocyclic Aromatic Hydrocarbons (QC Lot: 4316621) - continued									
EM2207892-011	SX_OB_20220503_00_00_ SS_Primary_ALS	EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.0	No Limit
		EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
EP074H: Naphthalene (QC Lot: 4316621)									
EM2207892-001	SX_IB_20220502_08_11_S S_Primary_ALS	EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.0	No Limit
EM2207892-011	SX_OB_20220503_00_00_ SS_Primary_ALS	EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.0	No Limit
EP074I: Volatile Halogenated Compounds (QC Lot: 4316621)									
EM2207892-001	SX_IB_20220502_08_11_S S_Primary_ALS	EP074-UT: 1,1-Dichloroethene	75-35-4	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: cis-1,2-Dichloroethene	156-59-2	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,1,1-Trichloroethane	71-55-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Carbon Tetrachloride	56-23-5	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,1,1,2-Tetrachloroethane	630-20-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,2,4-Trichlorobenzene	120-82-1	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Vinyl chloride	75-01-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: trans-1,2-Dichloroethene	156-60-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chloroform	67-66-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,2-Dichloroethane	107-06-2	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Trichloroethene	79-01-6	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Tetrachloroethene	127-18-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,1,1,2-Tetrachloroethane	79-34-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Hexachlorobutadiene	87-68-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chlorobenzene	108-90-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,4-Dichlorobenzene	106-46-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,2-Dichlorobenzene	95-50-1	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1,1,2-Trichloroethane	79-00-5	0.04	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.5	<0.5	0.0	No Limit
		EM2207892-011	SX_OB_20220503_00_00_ SS_Primary_ALS	EP074-UT: 1,1-Dichloroethene	75-35-4	0.01	mg/kg	<0.50	<0.50
EP074-UT: cis-1,2-Dichloroethene	156-59-2			0.01	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: 1,1,1-Trichloroethane	71-55-6			0.01	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: Carbon Tetrachloride	56-23-5			0.01	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: 1,1,1,2-Tetrachloroethane	630-20-6			0.01	mg/kg	<0.50	<0.50	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP074I: Volatile Halogenated Compounds (QC Lot: 4316621) - continued									
EM2207892-011	SX_OB_20220503_00_00_ SS_Primary_ALS	EP074-UT: 1.2.4-Trichlorobenzene	120-82-1	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Vinyl chloride	75-01-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: trans-1.2-Dichloroethene	156-60-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chloroform	67-66-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.2-Dichloroethane	107-06-2	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Trichloroethene	79-01-6	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Tetrachloroethene	127-18-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.2.2-Tetrachloroethane	79-34-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Hexachlorobutadiene	87-68-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chlorobenzene	108-90-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.4-Dichlorobenzene	106-46-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.2-Dichlorobenzene	95-50-1	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.2-Trichloroethane	79-00-5	0.04	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.5	<0.5	0.0	No Limit		
EP075A: Phenolic Compounds (Halogenated) (QC Lot: 4321236)									
EM2207892-001	SX_IB_20220502_08_11_S S_Primary_ALS	EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.5.6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: 2.4.5-Trichlorophenol	95-95-4	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.4.6-Trichlorophenol	88-06-2	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.4.5 & 2.3.4.6-Tetrachlorophenol	4901-51-3/58-9 0-2	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<1.0	<1.0	0.0	No Limit		
EM2207892-011	SX_OB_20220503_00_00_ SS_Primary_ALS	EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.5.6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: 2.4.5-Trichlorophenol	95-95-4	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.4.6-Trichlorophenol	88-06-2	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.4.5 & 2.3.4.6-Tetrachlorophenol	4901-51-3/58-9 0-2	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<1.0	<1.0	0.0	No Limit		
EP075A: Phenolic Compounds (Non-halogenated) (QC Lot: 4321236)									



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP075A: Phenolic Compounds (Non-halogenated) (QC Lot: 4321236) - continued									
EM2207892-001	SX_IB_20220502_08_11_S S_Primary_ALS	EP075-EM: Phenol	108-95-2	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: Dinoseb	88-85-7	5	mg/kg	<20	<20	0.0	No Limit
EP075-EM: 2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	5	mg/kg	<20	<20	0.0	No Limit		
EM2207892-011	SX_OB_20220503_00_00_ SS_Primary_ALS	EP075-EM: Phenol	108-95-2	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: Dinoseb	88-85-7	5	mg/kg	<20	<20	0.0	No Limit
EP075-EM: 2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	5	mg/kg	<20	<20	0.0	No Limit		
EP075B: Polynuclear Aromatic Hydrocarbons (QC Lot: 4321236)									
EM2207892-001	SX_IB_20220502_08_11_S S_Primary_ALS	EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Indeno(1,2,3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	<1.0	0.0	No Limit		



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP075B: Polynuclear Aromatic Hydrocarbons (QC Lot: 4321236) - continued									
EM2207892-011	SX_OB_20220503_00_00_ SS_Primary_ALS	EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	<1.0	0.0	No Limit		
EP075I: Organochlorine Pesticides (QC Lot: 4321236)									
EM2207892-001	SX_IB_20220502_08_11_S S_Primary_ALS	EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4,4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP075I: Organochlorine Pesticides (QC Lot: 4321236) - continued									
EM2207892-011	SX_OB_20220503_00_00_ SS_Primary_ALS	EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
EP075-EM: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit		
EP075-EM: 4,4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	0.0	No Limit		
EP080/071: Total Petroleum Hydrocarbons (QC Lot: 4316621)									
EM2207892-001	SX_IB_20220502_08_11_S S_Primary_ALS	EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<20	<20	0.0	No Limit
EM2207892-011	SX_OB_20220503_00_00_ SS_Primary_ALS	EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<20	<20	0.0	No Limit
EP080/071: Total Petroleum Hydrocarbons (QC Lot: 4321235)									
EM2207892-001	SX_IB_20220502_08_11_S S_Primary_ALS	EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EM2207892-011	SX_OB_20220503_00_00_ SS_Primary_ALS	EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 4316621)									
EM2207892-001	SX_IB_20220502_08_11_S S_Primary_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<20	<20	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 4316621) - continued									
EM2207892-001	SX_IB_20220502_08_11_S S_Primary_ALS	EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<20	<20	0.0	No Limit
EM2207892-011	SX_OB_20220503_00_00_ SS_Primary_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<20	<20	0.0	No Limit
		EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<20	<20	0.0	No Limit
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 4321235)									
EM2207892-001	SX_IB_20220502_08_11_S S_Primary_ALS	EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EM2207892-011	SX_OB_20220503_00_00_ SS_Primary_ALS	EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4319567)									
EM2207802-001	Anonymous	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
EM2207892-010	SX_IB_20220502_23_51_S S_Primary_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4319567)									
EM2207802-001	Anonymous	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit



Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4319567) - continued									
EM2207802-001	Anonymous	EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	<0.001	0.0	No Limit
EM2207892-010	SX_IB_20220502_23_51_S S_Primary_ALS	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<5 µg/kg	<0.005	0.0	No Limit
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4319567)									
EM2207802-001	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
EM2207892-010	SX_IB_20220502_23_51_S S_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4319567) - continued									
EM2207892-010	SX_IB_20220502_23_51_S S_Primary_ALS	EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4319567)									
EM2207802-001	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
EM2207892-010	SX_IB_20220502_23_51_S S_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231P: PFAS Sums (QC Lot: 4319567)									
EM2207802-001	Anonymous	EP231X: Sum of PFAS	----	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
EM2207892-010	SX_IB_20220502_23_51_S S_Primary_ALS	EP231X: Sum of PFAS	----	0.0002	mg/kg	<50.0 µg/kg	<0.0500	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit

Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4320960)									
EM2207664-005	Anonymous	EP231X-INJ: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X-INJ: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X-INJ: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4320960) - continued									
EM2207664-005	Anonymous	EP231X-INJ: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4322434)									
EM2207892-001	SX_IB_20220502_08_11_S S_Primary_ALS	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EM2207892-011	SX_OB_20220503_00_00_ SS_Primary_ALS	EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EM2207892-011	SX_OB_20220503_00_00_ SS_Primary_ALS	EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4322435)									
EM2207892-016	SX_IB_20220502_08_11_S S_Primary_ALS	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EM2207892-024	SX_IB_20220502_19_49_S S_Primary_ALS	EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EM2207892-024	SX_IB_20220502_19_49_S S_Primary_ALS	EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4320960)									
EM2207664-005	Anonymous	EP231X-INJ: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X-INJ: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4320960) - continued									
EM2207664-005	Anonymous	EP231X-INJ: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.10	<0.10	0.0	No Limit
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4322434)									
EM2207892-001	SX_IB_20220502_08_11_S S_Primary_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit
EM2207892-011	SX_OB_20220503_00_00_ SS_Primary_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4322435)									
EM2207892-016	SX_IB_20220502_08_11_S S_Primary_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4322435) - continued									
EM2207892-016	SX_IB_20220502_08_11_S S_Primary_ALS	EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit
EM2207892-024	SX_IB_20220502_19_49_S S_Primary_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit		
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4320960)									
EM2207664-005	Anonymous	EP231X-INJ: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4322434)									
EM2207892-001	SX_IB_20220502_08_11_S S_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4322434) - continued									
EM2207892-001	SX_IB_20220502_08_11_S S_Primary_ALS	EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2207892-011	SX_OB_20220503_00_00_ SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4322435)									
EM2207892-016	SX_IB_20220502_08_11_S S_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2207892-024	SX_IB_20220502_19_49_S S_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.05	<0.05	0.0	No Limit



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4322435) - continued									
EM2207892-024	SX_IB_20220502_19_49_S S_Primary_ALS	EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4320960)									
EM2207664-005	Anonymous	EP231X-INJ: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4322434)									
EM2207892-001	SX_IB_20220502_08_11_S S_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2207892-011	SX_OB_20220503_00_00_ SS_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4322435)									
EM2207892-016	SX_IB_20220502_08_11_S S_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4322435) - continued									
EM2207892-016	SX_IB_20220502_08_11_S S_Primary_ALS	EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2207892-024	SX_IB_20220502_19_49_S S_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231P: PFAS Sums (QC Lot: 4320960)									
EM2207664-005	Anonymous	EP231X-INJ: Sum of PFAS	----	0.01	µg/L	<0.10	<0.10	0.0	No Limit
		EP231X-INJ: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X-INJ: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.05	<0.05	0.0	No Limit
EP231P: PFAS Sums (QC Lot: 4322434)									
EM2207892-001	SX_IB_20220502_08_11_S S_Primary_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.10	<0.10	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.05	<0.05	0.0	No Limit
EM2207892-011	SX_OB_20220503_00_00_ SS_Primary_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.10	<0.10	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.05	<0.05	0.0	No Limit
EP231P: PFAS Sums (QC Lot: 4322435)									
EM2207892-016	SX_IB_20220502_08_11_S S_Primary_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.10	<0.10	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.05	<0.05	0.0	No Limit
EM2207892-024	SX_IB_20220502_19_49_S S_Primary_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.10	<0.10	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.05	<0.05	0.0	No Limit



Method Blank (MB) and Laboratory Control Sample (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Sample (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: **SOIL**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
EG005(ED093)T: Total Metals by ICP-AES (QCLot: 4321383)									
EG005T: Arsenic	7440-38-2	5	mg/kg	<5	123 mg/kg	97.9	70.0	130	
EG005T: Cadmium	7440-43-9	1	mg/kg	<1	1.23 mg/kg	59.5	50.0	130	
EG005T: Chromium	7440-47-3	2	mg/kg	<2	20.2 mg/kg	93.0	70.0	130	
EG005T: Copper	7440-50-8	5	mg/kg	<5	55.9 mg/kg	90.0	70.0	130	
EG005T: Lead	7439-92-1	5	mg/kg	<5	62.4 mg/kg	90.5	70.0	130	
EG005T: Molybdenum	7439-98-7	2	mg/kg	<2	2.19 mg/kg	91.9	70.0	130	
EG005T: Nickel	7440-02-0	2	mg/kg	<2	15.4 mg/kg	89.6	70.0	130	
EG005T: Selenium	7782-49-2	5	mg/kg	<5	----	----	----	----	
EG005T: Silver	7440-22-4	2	mg/kg	<2	2.9 mg/kg	108	70.0	130	
EG005T: Tin	7440-31-5	5	mg/kg	<5	5.33 mg/kg	93.1	70.0	130	
EG005T: Zinc	7440-66-6	5	mg/kg	<5	162 mg/kg	76.7	70.0	130	
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel) (QCLot: 4319388)									
EN60-DIa-P: Final pH	----	0.1	pH Unit	7.1	----	----	----	----	
EA001: pH in soil using 0.01M CaCl extract (QCLot: 4324921)									
EA001: pH (CaCl2)	----	----	pH Unit	----	4 pH Unit	101	98.8	101	
					7 pH Unit	101	99.3	101	
EG035T: Total Recoverable Mercury by FIMS (QCLot: 4321384)									
EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	0.64 mg/kg	89.8	70.0	130	
EG048G: Hexavalent Chromium (Alkaline Digest) (QCLot: 4322848)									
EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<0.5	20 mg/kg	80.1	70.0	130	
EK026SF: Total CN by Segmented Flow Analyser (QCLot: 4323937)									
EK026SF: Total Cyanide	57-12-5	1	mg/kg	<1	20 mg/kg	83.1	70.0	130	
EK040T: Fluoride Total (QCLot: 4322862)									
EK040T: Fluoride	16984-48-8	40	mg/kg	<40	400 mg/kg	95.0	75.2	110	
EP066: Polychlorinated Biphenyls (PCB) (QCLot: 4321234)									
EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	1 mg/kg	91.2	67.4	136	
EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 4316621)									
EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	2.1 mg/kg	91.4	69.2	116	
EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	2.1 mg/kg	89.2	67.7	116	
EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	2.1 mg/kg	89.4	66.6	115	
EP074-UT: meta- & para-Xylene	108-38-3	0.5	mg/kg	<0.5	4.2 mg/kg	87.6	65.2	112	
	106-42-3								
EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	2.1 mg/kg	87.6	69.4	111	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 4316621) - continued									
EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	2.1 mg/kg	86.4	68.4	110	
EP074H: Naphthalene (QCLot: 4316621)									
EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	0.6 mg/kg	88.3	72.3	114	
EP074I: Volatile Halogenated Compounds (QCLot: 4316621)									
EP074-UT: Vinyl chloride	75-01-4	0.02	mg/kg	<0.02	0.1 mg/kg	78.2	47.0	138	
EP074-UT: 1,1-Dichloroethene	75-35-4	0.01	mg/kg	<0.01	0.1 mg/kg	85.8	57.6	125	
EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.4	2.1 mg/kg	90.7	72.3	115	
EP074-UT: trans-1,2-Dichloroethene	156-60-5	0.02	mg/kg	<0.02	0.1 mg/kg	92.6	60.5	122	
EP074-UT: cis-1,2-Dichloroethene	156-59-2	0.01	mg/kg	<0.01	0.1 mg/kg	89.1	70.3	112	
EP074-UT: Chloroform	67-66-3	0.02	mg/kg	<0.02	0.1 mg/kg	90.2	66.6	115	
EP074-UT: 1,1,1-Trichloroethane	71-55-6	0.01	mg/kg	<0.01	0.1 mg/kg	88.0	64.4	122	
EP074-UT: Carbon Tetrachloride	56-23-5	0.01	mg/kg	<0.01	0.1 mg/kg	87.0	58.4	127	
EP074-UT: 1,2-Dichloroethane	107-06-2	0.02	mg/kg	<0.02	0.1 mg/kg	96.1	72.9	114	
EP074-UT: Trichloroethene	79-01-6	0.02	mg/kg	<0.02	0.1 mg/kg	89.1	64.7	115	
EP074-UT: 1,1,2-Trichloroethane	79-00-5	0.04	mg/kg	<0.04	0.1 mg/kg	91.2	72.6	116	
EP074-UT: Tetrachloroethene	127-18-4	0.02	mg/kg	<0.02	0.1 mg/kg	90.5	60.0	119	
EP074-UT: 1,1,1,2-Tetrachloroethane	630-20-6	0.01	mg/kg	<0.01	0.1 mg/kg	88.9	71.8	116	
EP074-UT: 1,1,1,2,2-Tetrachloroethane	79-34-5	0.02	mg/kg	<0.02	0.1 mg/kg	87.7	66.1	116	
EP074-UT: Hexachlorobutadiene	87-68-3	0.02	mg/kg	<0.02	0.1 mg/kg	81.7	39.8	128	
EP074-UT: Chlorobenzene	108-90-7	0.02	mg/kg	<0.02	0.1 mg/kg	90.5	70.3	113	
EP074-UT: 1,4-Dichlorobenzene	106-46-7	0.02	mg/kg	<0.02	0.1 mg/kg	89.7	62.6	113	
EP074-UT: 1,2-Dichlorobenzene	95-50-1	0.02	mg/kg	<0.02	0.1 mg/kg	87.4	70.8	110	
EP074-UT: 1,2,4-Trichlorobenzene	120-82-1	0.01	mg/kg	<0.01	0.1 mg/kg	88.0	48.4	120	
EP075A: Phenolic Compounds (Halogenated) (QCLot: 4321236)									
EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.03	2 mg/kg	101	74.5	126	
EP075-EM: 2,4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.03	2 mg/kg	92.2	72.7	126	
EP075-EM: 2,6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.03	2 mg/kg	92.6	73.5	132	
EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<0.03	2 mg/kg	97.9	72.8	128	
EP075-EM: 2,4,5-Trichlorophenol	95-95-4	0.05	mg/kg	<0.05	2 mg/kg	89.0	73.3	134	
EP075-EM: 2,4,6-Trichlorophenol	88-06-2	0.05	mg/kg	<0.05	2 mg/kg	89.7	72.4	128	
EP075-EM: 2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	2 mg/kg	91.1	69.4	126	
EP075-EM: 2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/5 8-90-2	0.05	mg/kg	<0.05	4 mg/kg	93.7	71.9	128	
EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<0.2	4 mg/kg	75.0	54.4	135	
EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4321236)									
EP075-EM: Phenol	108-95-2	1	mg/kg	<1	2 mg/kg	90.2	71.5	130	
EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	2 mg/kg	93.3	73.4	129	
EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	4 mg/kg	95.6	74.3	129	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4321236) - continued									
EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	2 mg/kg	94.2	70.9	133	
EP075-EM: 2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	2 mg/kg	88.6	71.8	132	
EP075-EM: 2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	10 mg/kg	72.8	41.0	156	
EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	10 mg/kg	87.2	65.3	134	
EP075-EM: 2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	10 mg/kg	90.4	43.6	128	
EP075-EM: Dinoseb	88-85-7	5	mg/kg	<5	10 mg/kg	93.8	62.0	128	
EP075-EM: 2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	5	mg/kg	<5	10 mg/kg	92.0	34.5	137	
EP075B: Polynuclear Aromatic Hydrocarbons (QCLot: 4321236)									
EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	2 mg/kg	95.9	73.0	131	
EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	2 mg/kg	84.8	76.3	130	
EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	2 mg/kg	84.0	72.0	135	
EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	2 mg/kg	86.9	74.4	131	
EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	2 mg/kg	88.3	73.3	130	
EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	2 mg/kg	88.3	78.4	127	
EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	2 mg/kg	93.4	75.3	132	
EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	2 mg/kg	96.3	75.4	130	
EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	2 mg/kg	98.4	69.6	133	
EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	2 mg/kg	101	75.0	133	
EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	4 mg/kg	104	75.8	133	
EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	2 mg/kg	101	65.1	130	
EP075-EM: Indeno(1,2,3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	2 mg/kg	96.5	72.1	134	
EP075-EM: Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	2 mg/kg	97.5	72.9	135	
EP075-EM: Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	2 mg/kg	95.4	71.3	134	
EP075I: Organochlorine Pesticides (QCLot: 4321236)									
EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.03	2 mg/kg	88.9	71.0	129	
EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.03	2 mg/kg	79.3	74.8	126	
EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.03	2 mg/kg	87.6	75.7	130	
EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.03	2 mg/kg	90.2	70.8	130	
EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.03	2 mg/kg	91.1	76.5	134	
EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.03	2 mg/kg	80.7	75.5	131	
EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.03	2 mg/kg	86.0	76.8	130	
EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.03	2 mg/kg	92.2	73.6	130	
EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	2 mg/kg	98.2	75.0	133	
EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	2 mg/kg	98.5	75.3	131	
EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.03	2 mg/kg	94.0	69.4	134	
EP075-EM: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	2 mg/kg	89.9	71.0	132	
EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.03	2 mg/kg	88.4	78.0	133	
EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.03	2 mg/kg	98.3	69.0	143	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
				Result	Spike Concentration	Spike Recovery (%)	Acceptable Limits (%)	
					LCS	Low	High	
EP075I: Organochlorine Pesticides (QCLot: 4321236) - continued								
EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.03	2 mg/kg	85.9	55.7	145
EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.03	2 mg/kg	95.8	71.4	135
EP075-EM: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	2 mg/kg	98.7	74.8	134
EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.03	2 mg/kg	86.0	70.2	135
EP075-EM: 4,4'-DDT	50-29-3	0.05	mg/kg	<0.05	2 mg/kg	99.4	77.7	133
EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.03	2 mg/kg	107	63.6	135
EP080/071: Total Petroleum Hydrocarbons (QCLot: 4316621)								
EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<10	39.6 mg/kg	95.8	61.1	119
EP080/071: Total Petroleum Hydrocarbons (QCLot: 4321235)								
EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	670 mg/kg	107	74.4	129
EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	2860 mg/kg	108	81.0	123
EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	1490 mg/kg	98.2	81.8	121
EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	5020 mg/kg	105	70.0	130
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4316621)								
EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	48.9 mg/kg	92.9	59.9	119
EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<10	----	----	----	----
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4321235)								
EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	1000 mg/kg	104	75.4	132
EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	3770 mg/kg	108	80.8	120
EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	250 mg/kg	105	73.3	136
EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	5020 mg/kg	107	70.0	130
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4319567)								
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	0.00111 mg/kg	96.8	72.0	128
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	0.00118 mg/kg	97.8	73.0	123
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	0.0014 mg/kg	68.2	67.0	130
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	0.00119 mg/kg	97.6	70.0	132
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	0.00116 mg/kg	85.7	68.0	136
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<0.0002	0.00121 mg/kg	88.5	59.0	134
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4319567)								
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	0.00625 mg/kg	81.9	71.0	135
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	0.00125 mg/kg	97.0	69.0	132
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	77.3	70.0	132
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	95.0	71.0	131
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	94.4	69.0	133
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	102	72.0	129
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	0.00125 mg/kg	71.8	69.0	133
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	96.7	64.0	136



Sub-Matrix: **SOIL**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report				
					Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	High
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4319567) - continued									
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	93.0	69.0	135	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	80.8	66.0	139	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	95.8	69.0	133	
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4319567)									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	93.4	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	0.00312 mg/kg	84.6	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	88.0	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	81.2	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	96.4	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	116	63.0	144	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	99.0	61.0	139	
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4319567)									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	0.00117 mg/kg	103	62.0	145	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	0.00119 mg/kg	83.3	64.0	140	
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	0.0012 mg/kg	104	65.0	137	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	0.00121 mg/kg	98.2	70.0	130	
EP231P: PFAS Sums (QCLot: 4319567)									
EP231X: Sum of PFAS	----	0.0002	mg/kg	<0.0002	----	----	----	----	
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	
EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	----	----	----	----	

Sub-Matrix: **WATER**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report				
					Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	High
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4320960)									
EP231X-INJ: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.444 µg/L	84.8	72.0	130	
EP231X-INJ: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.47 µg/L	90.3	71.0	127	
EP231X-INJ: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.457 µg/L	79.7	68.0	131	
EP231X-INJ: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.477 µg/L	92.5	69.0	134	
EP231X-INJ: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.465 µg/L	84.5	65.0	140	
EP231X-INJ: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.482 µg/L	86.1	53.0	142	
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4322434)									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.222 µg/L	92.9	72.0	130	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.235 µg/L	92.0	71.0	127	



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4322434) - continued									
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.228 µg/L	97.4	68.0	131	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.25 µg/L	88.5	69.0	134	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.232 µg/L	94.3	65.0	140	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.241 µg/L	86.2	53.0	142	
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4322435)									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.222 µg/L	92.9	72.0	130	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.235 µg/L	84.1	71.0	127	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.228 µg/L	82.1	68.0	131	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.25 µg/L	90.7	69.0	134	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.232 µg/L	89.4	65.0	140	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.241 µg/L	88.8	53.0	142	
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4320960)									
EP231X-INJ: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.10	2.5 µg/L	78.8	73.0	129	
EP231X-INJ: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.5 µg/L	90.4	72.0	129	
EP231X-INJ: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.5 µg/L	89.8	72.0	129	
EP231X-INJ: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.5 µg/L	92.0	72.0	130	
EP231X-INJ: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.5 µg/L	86.5	71.0	133	
EP231X-INJ: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.5 µg/L	99.2	69.0	130	
EP231X-INJ: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.5 µg/L	81.4	71.0	129	
EP231X-INJ: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.5 µg/L	93.5	69.0	133	
EP231X-INJ: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.5 µg/L	89.3	72.0	134	
EP231X-INJ: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.5 µg/L	82.3	65.0	144	
EP231X-INJ: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	1.25 µg/L	92.4	71.0	132	
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4322434)									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	1.25 µg/L	90.2	73.0	129	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.25 µg/L	94.8	72.0	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.25 µg/L	91.8	72.0	129	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.25 µg/L	95.1	72.0	130	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.25 µg/L	90.1	71.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.25 µg/L	93.4	69.0	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.25 µg/L	94.1	71.0	129	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.25 µg/L	95.5	69.0	133	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.25 µg/L	97.8	72.0	134	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.25 µg/L	91.2	65.0	144	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	0.625 µg/L	92.9	71.0	132	
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4322435)									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	1.25 µg/L	83.4	73.0	129	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.25 µg/L	91.3	72.0	129	



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
				Result	Spike Concentration	Spike Recovery (%)	Acceptable Limits (%)	
					LCS	Low	High	
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4322435) - continued								
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.25 µg/L	94.7	72.0	129
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.25 µg/L	87.5	72.0	130
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.25 µg/L	91.0	71.0	133
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.25 µg/L	93.8	69.0	130
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.25 µg/L	87.7	71.0	129
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.25 µg/L	92.7	69.0	133
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.25 µg/L	88.2	72.0	134
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.25 µg/L	85.5	65.0	144
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	0.625 µg/L	94.3	71.0	132
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4320960)								
EP231X-INJ: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.5 µg/L	87.6	67.0	137
EP231X-INJ: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	1.25 µg/L	88.3	68.0	141
EP231X-INJ: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	1.25 µg/L	83.8	70.0	130
EP231X-INJ: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	1.25 µg/L	74.3	70.0	130
EP231X-INJ: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	1.25 µg/L	85.3	70.0	130
EP231X-INJ: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.5 µg/L	99.3	65.0	136
EP231X-INJ: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.5 µg/L	93.5	61.0	135
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4322434)								
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.25 µg/L	94.8	67.0	137
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	0.625 µg/L	107	68.0	141
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	0.625 µg/L	102	70.0	130
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	0.625 µg/L	99.6	70.0	130
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	0.625 µg/L	95.0	70.0	130
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.25 µg/L	98.9	65.0	136
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.25 µg/L	103	61.0	135
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4322435)								
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.25 µg/L	93.9	67.0	137
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	0.625 µg/L	98.6	68.0	141
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	0.625 µg/L	91.4	70.0	130



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
				Result	Spike	Spike Recovery (%)	Acceptable Limits (%)	
					Concentration	LCS	Low	High
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4322435) - continued								
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	0.625 µg/L	85.3	70.0	130
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	0.625 µg/L	84.2	70.0	130
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.25 µg/L	98.1	65.0	136
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.25 µg/L	89.5	61.0	135
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4320960)								
EP231X-INJ: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.469 µg/L	92.7	63.0	143
EP231X-INJ: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.476 µg/L	90.3	64.0	140
EP231X-INJ: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.48 µg/L	98.9	67.0	138
EP231X-INJ: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.483 µg/L	89.9	70.0	130
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4322434)								
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.234 µg/L	99.0	63.0	143
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.238 µg/L	101	64.0	140
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.24 µg/L	99.6	67.0	138
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.242 µg/L	87.2	70.0	130
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4322435)								
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.234 µg/L	95.7	63.0	143
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.238 µg/L	99.5	64.0	140
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.24 µg/L	96.2	67.0	138
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.242 µg/L	79.2	70.0	130
EP231P: PFAS Sums (QCLot: 4320960)								
EP231X-INJ: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----
EP231X-INJ: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----
EP231X-INJ: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----
EP231P: PFAS Sums (QCLot: 4322434)								
EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----
EP231P: PFAS Sums (QCLot: 4322435)								
EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----



Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: **SOIL**

Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Matrix Spike (MS) Report			
				Concentration	Spike Recovery(%) MS	Acceptable Limits (%)	
						Low	High
EG005(ED093)T: Total Metals by ICP-AES (QCLot: 4321383)							
EM2207892-002	SX_IB_20220502_08_15_SS_Duplicate_ALS	EG005T: Arsenic	7440-38-2	50 mg/kg	106	78.0	124
		EG005T: Cadmium	7440-43-9	50 mg/kg	89.1	79.7	116
		EG005T: Chromium	7440-47-3	50 mg/kg	80.3	79.0	121
		EG005T: Copper	7440-50-8	250 mg/kg	84.8	80.0	120
		EG005T: Lead	7439-92-1	250 mg/kg	86.8	80.0	120
		EG005T: Nickel	7440-02-0	50 mg/kg	102	78.0	120
		EG005T: Zinc	7440-66-6	250 mg/kg	86.5	80.0	120
EG035T: Total Recoverable Mercury by FIMS (QCLot: 4321384)							
EM2207892-002	SX_IB_20220502_08_15_SS_Duplicate_ALS	EG035T: Mercury	7439-97-6	0.5 mg/kg	106	76.0	116
EG048: Hexavalent Chromium (Alkaline Digest) (QCLot: 4322848)							
EM2207892-002	SX_IB_20220502_08_15_SS_Duplicate_ALS	EG048G: Hexavalent Chromium	18540-29-9	20 mg/kg	76.5	58.0	114
EM2207892-002	SX_IB_20220502_08_15_SS_Duplicate_ALS	EG048G: Hexavalent Chromium	18540-29-9	20 mg/kg	90.2	58.0	114
EK026SF: Total CN by Segmented Flow Analyser (QCLot: 4323937)							
EM2207463-006	Anonymous	EK026SF: Total Cyanide	57-12-5	20 mg/kg	99.3	70.0	130
EK040T: Fluoride Total (QCLot: 4322862)							
EM2207892-004	SX_IB_20220502_08_31_SS_Primary_ALS	EK040T: Fluoride	16984-48-8	400 mg/kg	102	70.0	130
EP066: Polychlorinated Biphenyls (PCB) (QCLot: 4321234)							
EM2207892-003	SX_OB_20220502_08_23_SS_Primary_ALS	EP066-EM: Total Polychlorinated biphenyls	----	1 mg/kg	93.9	59.6	152
EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 4316621)							
EM2207892-002	SX_IB_20220502_08_15_SS_Duplicate_ALS	EP074-UT: Benzene	71-43-2	2 mg/kg	69.4	53.7	130
		EP074-UT: Toluene	108-88-3	2 mg/kg	74.7	55.1	124
EP074I: Volatile Halogenated Compounds (QCLot: 4316621)							
EM2207892-002	SX_IB_20220502_08_15_SS_Duplicate_ALS	EP074-UT: 1,1-Dichloroethene	75-35-4	2 mg/kg	52.3	38.4	145
		EP074-UT: Trichloroethene	79-01-6	2 mg/kg	63.9	48.1	128
		EP074-UT: Chlorobenzene	108-90-7	2 mg/kg	69.6	55.5	122
EP075A: Phenolic Compounds (Halogenated) (QCLot: 4321236)							
EM2207892-002	SX_IB_20220502_08_15_SS_Duplicate_ALS	EP075-EM: 2-Chlorophenol	95-57-8	3 mg/kg	101	44.0	143
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	3 mg/kg	95.1	41.5	139
		EP075-EM: Pentachlorophenol	87-86-5	3 mg/kg	63.1	10.0	144
EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4321236)							
EM2207892-002	SX_IB_20220502_08_15_SS_Duplicate_ALS	EP075-EM: Phenol	108-95-2	3 mg/kg	91.2	44.2	134



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4321236) - continued							
EM2207892-002	SX_IB_20220502_08_15_SS_Duplicate_ALS	EP075-EM: 2-Nitrophenol	88-75-5	3 mg/kg	89.2	34.2	129
EP075B: Polynuclear Aromatic Hydrocarbons (QCLot: 4321236)							
EM2207892-002	SX_IB_20220502_08_15_SS_Duplicate_ALS	EP075-EM: Acenaphthene	83-32-9	3 mg/kg	80.1	42.6	138
		EP075-EM: Pyrene	129-00-0	3 mg/kg	93.4	37.8	152
EP080/071: Total Petroleum Hydrocarbons (QCLot: 4316621)							
EM2207892-002	SX_IB_20220502_08_15_SS_Duplicate_ALS	EP074-UT: C6 - C9 Fraction	----	28 mg/kg	77.6	42.3	111
EP080/071: Total Petroleum Hydrocarbons (QCLot: 4321235)							
EM2207892-004	SX_IB_20220502_08_31_SS_Primary_ALS	EP071-EM: C10 - C14 Fraction	----	670 mg/kg	95.1	71.3	126
		EP071-EM: C15 - C28 Fraction	----	2860 mg/kg	110	75.1	123
		EP071-EM: C29 - C36 Fraction	----	1490 mg/kg	104	78.1	120
		EP071-EM: C10 - C36 Fraction (sum)	----	5020 mg/kg	106	70.0	130
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4316621)							
EM2207892-002	SX_IB_20220502_08_15_SS_Duplicate_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	33 mg/kg	76.0	39.9	109
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4321235)							
EM2207892-004	SX_IB_20220502_08_31_SS_Primary_ALS	EP071-EM: >C10 - C16 Fraction	----	1000 mg/kg	97.5	71.5	130
		EP071-EM: >C16 - C34 Fraction	----	3770 mg/kg	118	76.9	119
		EP071-EM: >C34 - C40 Fraction	----	250 mg/kg	93.2	65.3	139
		EP071-EM: >C10 - C40 Fraction (sum)	----	5020 mg/kg	113	70.0	130
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4319567)							
EM2207892-001	SX_IB_20220502_08_11_SS_Primary_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.00111 mg/kg	85.3	72.0	128
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.00118 mg/kg	78.2	73.0	123
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.00114 mg/kg	82.9	67.0	130
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.00119 mg/kg	102	70.0	132
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.00116 mg/kg	88.0	68.0	136
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.00121 mg/kg	95.9	59.0	134
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4319567)							
EM2207892-001	SX_IB_20220502_08_11_SS_Primary_ALS	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.00625 mg/kg	79.4	71.0	135
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.00125 mg/kg	101	69.0	132
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.00125 mg/kg	85.0	70.0	132
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.00125 mg/kg	91.2	71.0	131
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.00125 mg/kg	91.5	69.0	133
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.00125 mg/kg	97.7	72.0	129
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.00125 mg/kg	70.9	69.0	133
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.00125 mg/kg	89.6	64.0	136
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.00125 mg/kg	87.5	69.0	135
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.00125 mg/kg	70.9	66.0	139
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.00312 mg/kg	96.5	69.0	133



Sub-Matrix: **SOIL**

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4319567)							
EM2207892-001	SX_IB_20220502_08_11_SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.00125 mg/kg	91.9	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.00312 mg/kg	77.8	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.00312 mg/kg	85.1	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.00312 mg/kg	75.7	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.00312 mg/kg	90.4	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.00125 mg/kg	117	63.0	144
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.00125 mg/kg	95.6	61.0	139
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4319567)							
EM2207892-001	SX_IB_20220502_08_11_SS_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.00117 mg/kg	96.2	62.0	145
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.00119 mg/kg	106	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0012 mg/kg	110	65.0	137
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.00121 mg/kg	81.2	70.0	130

Sub-Matrix: **WATER**

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4320960)							
EM2207664-006	Anonymous	EP231X-INJ: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.444 µg/L	91.3	72.0	130
		EP231X-INJ: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.47 µg/L	87.6	71.0	127
		EP231X-INJ: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.457 µg/L	78.5	68.0	131
		EP231X-INJ: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.477 µg/L	94.0	69.0	134
		EP231X-INJ: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.465 µg/L	89.6	65.0	140
		EP231X-INJ: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.482 µg/L	86.4	53.0	142
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4322434)							
EM2207892-004	SX_IB_20220502_08_31_SS_Primary_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.222 µg/L	94.8	72.0	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.235 µg/L	88.8	71.0	127
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.228 µg/L	94.2	68.0	131
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.238 µg/L	91.5	69.0	134
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.232 µg/L	96.4	65.0	140
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.241 µg/L	103	53.0	142
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4322435)							
EM2207892-017	SX_IB_20220502_08_15_SS_Duplicate_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.222 µg/L	94.1	72.0	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.235 µg/L	87.8	71.0	127
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.228 µg/L	88.3	68.0	131



Sub-Matrix: WATER

				Matrix Spike (MS) Report					
				Spike	SpikeRecovery(%)	Acceptable Limits (%)			
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High		
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4322435) - continued									
EM2207892-017	SX_IB_20220502_08_15_SS_Duplicate_ALS	EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.238 µg/L	103	69.0	134		
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.232 µg/L	92.1	65.0	140		
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.241 µg/L	92.3	53.0	142		
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4320960)									
EM2207664-006	Anonymous	EP231X-INJ: Perfluorobutanoic acid (PFBA)	375-22-4	2.5 µg/L	81.7	73.0	129		
		EP231X-INJ: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.5 µg/L	91.9	72.0	129		
		EP231X-INJ: Perfluorohexanoic acid (PFHxA)	307-24-4	0.5 µg/L	92.0	72.0	129		
		EP231X-INJ: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.5 µg/L	94.7	72.0	130		
		EP231X-INJ: Perfluorooctanoic acid (PFOA)	335-67-1	0.5 µg/L	90.7	71.0	133		
		EP231X-INJ: Perfluorononanoic acid (PFNA)	375-95-1	0.5 µg/L	105	69.0	130		
		EP231X-INJ: Perfluorodecanoic acid (PFDA)	335-76-2	0.5 µg/L	85.0	71.0	129		
		EP231X-INJ: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.5 µg/L	93.1	69.0	133		
		EP231X-INJ: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.5 µg/L	95.7	72.0	134		
		EP231X-INJ: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.5 µg/L	86.6	65.0	144		
		EP231X-INJ: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	1.25 µg/L	94.1	71.0	132		
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4322434)									
EM2207892-004	SX_IB_20220502_08_31_SS_Primary_ALS	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	1.25 µg/L	90.1	73.0	129		
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.25 µg/L	96.9	72.0	129		
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.25 µg/L	95.2	72.0	129		
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.25 µg/L	93.7	72.0	130		
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.25 µg/L	91.9	71.0	133		
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.25 µg/L	88.8	69.0	130		
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.25 µg/L	98.6	71.0	129		
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.25 µg/L	96.2	69.0	133		
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.25 µg/L	94.9	72.0	134		
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.25 µg/L	86.3	65.0	144		
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.625 µg/L	97.4	71.0	132		
		EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4322435)							
		EM2207892-017	SX_IB_20220502_08_15_SS_Duplicate_ALS	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	1.25 µg/L	84.7	73.0	129
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3			0.25 µg/L	94.1	72.0	129		
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4			0.25 µg/L	93.0	72.0	129		
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9			0.25 µg/L	93.2	72.0	130		
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1			0.25 µg/L	90.7	71.0	133		
EP231X: Perfluorononanoic acid (PFNA)	375-95-1			0.25 µg/L	102	69.0	130		
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2			0.25 µg/L	92.2	71.0	129		
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8			0.25 µg/L	101	69.0	133		
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1			0.25 µg/L	89.2	72.0	134		
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8			0.25 µg/L	77.5	65.0	144		



Sub-Matrix: WATER

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4322435) - continued							
EM2207892-017	SX_IB_20220502_08_15_SS_Duplicate_ALS	EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.625 µg/L	97.4	71.0	132
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4320960)							
EM2207664-006	Anonymous	EP231X-INJ: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.5 µg/L	92.1	67.0	137
		EP231X-INJ: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	1.25 µg/L	93.0	68.0	141
		EP231X-INJ: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	1.25 µg/L	82.5	70.0	130
		EP231X-INJ: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	1.25 µg/L	76.9	70.0	130
		EP231X-INJ: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	1.25 µg/L	85.5	70.0	130
		EP231X-INJ: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.5 µg/L	100	65.0	136
		EP231X-INJ: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.5 µg/L	94.8	61.0	135
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4322434)							
EM2207892-004	SX_IB_20220502_08_31_SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.25 µg/L	97.2	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.625 µg/L	106	68.0	141
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.625 µg/L	97.8	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.625 µg/L	100	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.625 µg/L	98.4	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.25 µg/L	102	65.0	136
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.25 µg/L	94.2	61.0	135
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4322435)							
EM2207892-017	SX_IB_20220502_08_15_SS_Duplicate_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.25 µg/L	102	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.625 µg/L	111	68.0	141
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.625 µg/L	96.2	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.625 µg/L	92.4	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.625 µg/L	87.2	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.25 µg/L	95.0	65.0	136



Sub-Matrix: WATER

				Matrix Spike (MS) Report			
Laboratory sample ID		Sample ID	Method: Compound	CAS Number	Spike Concentration	SpikeRecovery(%) MS	Acceptable Limits (%) Low High
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4322435) - continued							
EM2207892-017	SX_IB_20220502_08_15_SS_Duplicate_ALS	EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.25 µg/L	91.6	61.0	135
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4320960)							
EM2207664-006	Anonymous	EP231X-INJ: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.469 µg/L	101	63.0	143
		EP231X-INJ: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.476 µg/L	103	64.0	140
		EP231X-INJ: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.48 µg/L	101	67.0	138
		EP231X-INJ: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.483 µg/L	87.1	70.0	130
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4322434)							
EM2207892-004	SX_IB_20220502_08_31_SS_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.234 µg/L	99.4	63.0	143
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.238 µg/L	95.8	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.24 µg/L	98.8	67.0	138
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.242 µg/L	77.1	70.0	130
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4322435)							
EM2207892-017	SX_IB_20220502_08_15_SS_Duplicate_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.234 µg/L	97.2	63.0	143
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.238 µg/L	103	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.24 µg/L	104	67.0	138
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.242 µg/L	# 68.8	70.0	130

QA/QC Compliance Assessment to assist with Quality Review

Work Order	: EM2207892	Page	: 1 of 16
Amendment	: 1		
Client	: AGON ENVIRONMENTAL PTY LTD	Laboratory	: Environmental Division Melbourne
Contact	: DAVID LAWSON	Telephone	: +61-3-8549 9600
Project	: JC0927	Date Samples Received	: 03-May-2022
Site	: 20220503041552-ALS-8	Issue Date	: 12-May-2022
Sampler	: Dave + Will Agon	No. of samples received	: 28
Order number	: ----	No. of samples analysed	: 28

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

Summary of Outliers

Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO** Method Blank value outliers occur.
- **NO** Duplicate outliers occur.
- **NO** Laboratory Control outliers occur.
- Matrix Spike outliers exist - please see following pages for full details.
- For all regular sample matrices, **NO** surrogate recovery outliers occur.

Outliers : Analysis Holding Time Compliance

- **NO** Analysis Holding Time Outliers exist.

Outliers : Frequency of Quality Control Samples

- **NO** Quality Control Sample Frequency Outliers exist.



Outliers : Quality Control Samples

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: **WATER**

Compound Group Name	Laboratory Sample ID	Client Sample ID	Analyte	CAS Number	Data	Limits	Comment
Matrix Spike (MS) Recoveries							
EP231D: (n:2) Fluorotelomer Sulfonic Acids	EM2207892--017	SX_IB_20220502_08_15_SS_	10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	68.8 %	70.0-130%	Recovery less than lower data quality objective

Analysis Holding Time Compliance

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results.

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **SOIL**

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EA001: pH in soil using 0.01M CaCl extract								
Soil Glass Jar - Unpreserved (EA001)								
SX_IB_20220502_08_11_SS_Primary_ALS, SX_OB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_19_49_SS_Primary_ALS,	SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS	02-May-2022	09-May-2022	09-May-2022	✓	09-May-2022	09-May-2022	✓
Soil Glass Jar - Unpreserved (EA001)								
SX_OB_20220503_00_00_SS_Primary_ALS, SX_IB_20220503_03_44_SS_Primary_ALS	SX_OB_20220503_00_06_SS_Duplicate_ALS,	03-May-2022	09-May-2022	10-May-2022	✓	09-May-2022	09-May-2022	✓
EA055: Moisture Content (Dried @ 105-110°C)								
Soil Glass Jar - Unpreserved (EA055)								
SX_IB_20220502_08_11_SS_Primary_ALS, SX_OB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_19_49_SS_Primary_ALS,	SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS	02-May-2022	----	----	----	05-May-2022	16-May-2022	✓
Soil Glass Jar - Unpreserved (EA055)								
SX_OB_20220503_00_00_SS_Primary_ALS, SX_IB_20220503_03_44_SS_Primary_ALS	SX_OB_20220503_00_06_SS_Duplicate_ALS,	03-May-2022	----	----	----	05-May-2022	17-May-2022	✓



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EG005(ED093)T: Total Metals by ICP-AES								
Soil Glass Jar - Unpreserved (EG005T)								
SX_IB_20220502_08_11_SS_Primary_ALS, SX_IB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_19_49_SS_Primary_ALS,	SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS	02-May-2022	06-May-2022	30-Oct-2022	✓	06-May-2022	30-Oct-2022	✓
Soil Glass Jar - Unpreserved (EG005T)								
SX_OB_20220503_00_00_SS_Primary_ALS, SX_IB_20220503_03_44_SS_Primary_ALS	SX_OB_20220503_00_06_SS_Duplicate_ALS,	03-May-2022	06-May-2022	30-Oct-2022	✓	06-May-2022	30-Oct-2022	✓
EG035T: Total Recoverable Mercury by FIMS								
Soil Glass Jar - Unpreserved (EG035T)								
SX_IB_20220502_08_11_SS_Primary_ALS, SX_OB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_19_49_SS_Primary_ALS,	SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS	02-May-2022	06-May-2022	30-May-2022	✓	07-May-2022	30-May-2022	✓
Soil Glass Jar - Unpreserved (EG035T)								
SX_OB_20220503_00_00_SS_Primary_ALS, SX_IB_20220503_03_44_SS_Primary_ALS	SX_OB_20220503_00_06_SS_Duplicate_ALS,	03-May-2022	06-May-2022	31-May-2022	✓	07-May-2022	31-May-2022	✓
EG048: Hexavalent Chromium (Alkaline Digest)								
Soil Glass Jar - Unpreserved (EG048G)								
SX_IB_20220502_08_11_SS_Primary_ALS, SX_OB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_19_49_SS_Primary_ALS,	SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS	02-May-2022	06-May-2022	30-May-2022	✓	07-May-2022	13-May-2022	✓
Soil Glass Jar - Unpreserved (EG048G)								
SX_OB_20220503_00_00_SS_Primary_ALS, SX_IB_20220503_03_44_SS_Primary_ALS	SX_OB_20220503_00_06_SS_Duplicate_ALS,	03-May-2022	06-May-2022	31-May-2022	✓	07-May-2022	13-May-2022	✓
EK026SF: Total CN by Segmented Flow Analyser								
Soil Glass Jar - Unpreserved (EK026SF)								
SX_IB_20220502_08_11_SS_Primary_ALS, SX_OB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_19_49_SS_Primary_ALS,	SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS	02-May-2022	06-May-2022	16-May-2022	✓	07-May-2022	20-May-2022	✓
Soil Glass Jar - Unpreserved (EK026SF)								
SX_OB_20220503_00_00_SS_Primary_ALS, SX_IB_20220503_03_44_SS_Primary_ALS	SX_OB_20220503_00_06_SS_Duplicate_ALS,	03-May-2022	06-May-2022	17-May-2022	✓	07-May-2022	20-May-2022	✓



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis		
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation
EK040T: Fluoride Total							
Soil Glass Jar - Unpreserved (EK040T) SX_IB_20220502_08_11_SS_Primary_ALS, SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_OB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_19_49_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS	02-May-2022	06-May-2022	30-May-2022	✓	11-May-2022	30-May-2022	✓
Soil Glass Jar - Unpreserved (EK040T) SX_OB_20220503_00_00_SS_Primary_ALS, SX_OB_20220503_00_06_SS_Duplicate_ALS, SX_IB_20220503_03_44_SS_Primary_ALS	03-May-2022	06-May-2022	31-May-2022	✓	11-May-2022	31-May-2022	✓
EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)							
Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60a-P) SX_IB_20220502_08_11_SS_Primary_ALS, SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_OB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_19_49_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS	02-May-2022	04-May-2022	30-Oct-2022	✓	----	----	----
Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60a-P) SX_OB_20220503_00_00_SS_Primary_ALS, SX_OB_20220503_00_06_SS_Duplicate_ALS, SX_IB_20220503_03_44_SS_Primary_ALS	03-May-2022	04-May-2022	30-Oct-2022	✓	----	----	----
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)							
Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60-DIa-P) SX_IB_20220502_08_11_SS_Primary_ALS, SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_OB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_19_49_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS	02-May-2022	04-May-2022	30-Oct-2022	✓	----	----	----
Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60-DIa-P) SX_OB_20220503_00_00_SS_Primary_ALS, SX_OB_20220503_00_06_SS_Duplicate_ALS, SX_IB_20220503_03_44_SS_Primary_ALS	03-May-2022	04-May-2022	30-Oct-2022	✓	----	----	----
EP066: Polychlorinated Biphenyls (PCB)							
Soil Glass Jar - Unpreserved (EP066-EM) SX_IB_20220502_08_11_SS_Primary_ALS, SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_OB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_19_49_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS	02-May-2022	06-May-2022	16-May-2022	✓	06-May-2022	15-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP066-EM) SX_OB_20220503_00_00_SS_Primary_ALS, SX_OB_20220503_00_06_SS_Duplicate_ALS, SX_IB_20220503_03_44_SS_Primary_ALS	03-May-2022	06-May-2022	17-May-2022	✓	06-May-2022	15-Jun-2022	✓



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP074A: Monocyclic Aromatic Hydrocarbons								
Soil Glass Jar - Unpreserved (EP074-UT)								
SX_IB_20220502_08_11_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_IB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_19_49_SS_Primary_ALS,	SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS	02-May-2022	04-May-2022	09-May-2022	✓	04-May-2022	09-May-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT)								
SX_IB_20220503_03_44_SS_Primary_ALS	SX_IB_20220503_00_06_SS_Duplicate_ALS,	03-May-2022	04-May-2022	10-May-2022	✓	04-May-2022	10-May-2022	✓
EP074H: Naphthalene								
Soil Glass Jar - Unpreserved (EP074-UT)								
SX_IB_20220502_08_11_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_IB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_19_49_SS_Primary_ALS,	SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS	02-May-2022	04-May-2022	09-May-2022	✓	04-May-2022	09-May-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT)								
SX_IB_20220503_03_44_SS_Primary_ALS	SX_IB_20220503_00_06_SS_Duplicate_ALS,	03-May-2022	04-May-2022	10-May-2022	✓	04-May-2022	10-May-2022	✓
EP074I: Volatile Halogenated Compounds								
Soil Glass Jar - Unpreserved (EP074-UT)								
SX_IB_20220502_08_11_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_IB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_19_49_SS_Primary_ALS,	SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS	02-May-2022	04-May-2022	09-May-2022	✓	04-May-2022	09-May-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT)								
SX_IB_20220503_03_44_SS_Primary_ALS	SX_IB_20220503_00_06_SS_Duplicate_ALS,	03-May-2022	04-May-2022	10-May-2022	✓	04-May-2022	10-May-2022	✓
EP075A: Phenolic Compounds (Halogenated)								
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_IB_20220502_08_11_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_IB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_19_49_SS_Primary_ALS,	SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS	02-May-2022	06-May-2022	16-May-2022	✓	06-May-2022	15-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_IB_20220503_03_44_SS_Primary_ALS	SX_IB_20220503_00_06_SS_Duplicate_ALS,	03-May-2022	06-May-2022	17-May-2022	✓	06-May-2022	15-Jun-2022	✓



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP075A: Phenolic Compounds (Non-halogenated)								
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_IB_20220502_08_11_SS_Primary_ALS, SX_IB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_19_49_SS_Primary_ALS,	SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS	02-May-2022	06-May-2022	16-May-2022	✓	06-May-2022	15-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_OB_20220503_00_00_SS_Primary_ALS, SX_IB_20220503_03_44_SS_Primary_ALS	SX_OB_20220503_00_06_SS_Duplicate_ALS,	03-May-2022	06-May-2022	17-May-2022	✓	06-May-2022	15-Jun-2022	✓
EP075B: Polynuclear Aromatic Hydrocarbons								
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_IB_20220502_08_11_SS_Primary_ALS, SX_OB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_19_49_SS_Primary_ALS,	SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS	02-May-2022	06-May-2022	16-May-2022	✓	06-May-2022	15-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_OB_20220503_00_00_SS_Primary_ALS, SX_IB_20220503_03_44_SS_Primary_ALS	SX_OB_20220503_00_06_SS_Duplicate_ALS,	03-May-2022	06-May-2022	17-May-2022	✓	06-May-2022	15-Jun-2022	✓
EP075I: Organochlorine Pesticides								
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_IB_20220502_08_11_SS_Primary_ALS, SX_OB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_19_49_SS_Primary_ALS,	SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS	02-May-2022	06-May-2022	16-May-2022	✓	06-May-2022	15-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP075-EM)								
SX_OB_20220503_00_00_SS_Primary_ALS, SX_IB_20220503_03_44_SS_Primary_ALS	SX_OB_20220503_00_06_SS_Duplicate_ALS,	03-May-2022	06-May-2022	17-May-2022	✓	06-May-2022	15-Jun-2022	✓



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP080/071: Total Petroleum Hydrocarbons								
Soil Glass Jar - Unpreserved (EP074-UT)								
SX_IB_20220502_08_11_SS_Primary_ALS, SX_OB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_19_49_SS_Primary_ALS,	SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS	02-May-2022	04-May-2022	09-May-2022	✓	04-May-2022	09-May-2022	✓
Soil Glass Jar - Unpreserved (EP071-EM)								
SX_IB_20220502_08_11_SS_Primary_ALS, SX_OB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_19_49_SS_Primary_ALS,	SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS	02-May-2022	06-May-2022	16-May-2022	✓	06-May-2022	15-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT)								
SX_OB_20220503_00_00_SS_Primary_ALS, SX_IB_20220503_03_44_SS_Primary_ALS	SX_OB_20220503_00_06_SS_Duplicate_ALS,	03-May-2022	04-May-2022	10-May-2022	✓	04-May-2022	10-May-2022	✓
Soil Glass Jar - Unpreserved (EP071-EM)								
SX_OB_20220503_00_00_SS_Primary_ALS, SX_IB_20220503_03_44_SS_Primary_ALS	SX_OB_20220503_00_06_SS_Duplicate_ALS,	03-May-2022	06-May-2022	17-May-2022	✓	06-May-2022	15-Jun-2022	✓
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions								
Soil Glass Jar - Unpreserved (EP074-UT)								
SX_IB_20220502_08_11_SS_Primary_ALS, SX_OB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_19_49_SS_Primary_ALS,	SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS	02-May-2022	04-May-2022	09-May-2022	✓	04-May-2022	09-May-2022	✓
Soil Glass Jar - Unpreserved (EP071-EM)								
SX_IB_20220502_08_11_SS_Primary_ALS, SX_OB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_19_49_SS_Primary_ALS,	SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS	02-May-2022	06-May-2022	16-May-2022	✓	06-May-2022	15-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT)								
SX_OB_20220503_00_00_SS_Primary_ALS, SX_IB_20220503_03_44_SS_Primary_ALS	SX_OB_20220503_00_06_SS_Duplicate_ALS,	03-May-2022	04-May-2022	10-May-2022	✓	04-May-2022	10-May-2022	✓
Soil Glass Jar - Unpreserved (EP071-EM)								
SX_OB_20220503_00_00_SS_Primary_ALS, SX_IB_20220503_03_44_SS_Primary_ALS	SX_OB_20220503_00_06_SS_Duplicate_ALS,	03-May-2022	06-May-2022	17-May-2022	✓	06-May-2022	15-Jun-2022	✓



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP231A: Perfluoroalkyl Sulfonic Acids								
HDPE Soil Jar (EP231X) SX_IB_20220502_08_11_SS_Primary_ALS, SX_OB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_19_49_SS_Primary_ALS,	SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS	02-May-2022	05-May-2022	30-Oct-2022	✓	05-May-2022	14-Jun-2022	✓
HDPE Soil Jar (EP231X) SX_OB_20220503_00_00_SS_Primary_ALS, SX_IB_20220503_03_44_SS_Primary_ALS	SX_OB_20220503_00_06_SS_Duplicate_ALS,	03-May-2022	05-May-2022	30-Oct-2022	✓	05-May-2022	14-Jun-2022	✓
EP231B: Perfluoroalkyl Carboxylic Acids								
HDPE Soil Jar (EP231X) SX_IB_20220502_08_11_SS_Primary_ALS, SX_OB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_19_49_SS_Primary_ALS,	SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS	02-May-2022	05-May-2022	30-Oct-2022	✓	05-May-2022	14-Jun-2022	✓
HDPE Soil Jar (EP231X) SX_OB_20220503_00_00_SS_Primary_ALS, SX_IB_20220503_03_44_SS_Primary_ALS	SX_OB_20220503_00_06_SS_Duplicate_ALS,	03-May-2022	05-May-2022	30-Oct-2022	✓	05-May-2022	14-Jun-2022	✓
EP231C: Perfluoroalkyl Sulfonamides								
HDPE Soil Jar (EP231X) SX_IB_20220502_08_11_SS_Primary_ALS, SX_OB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_19_49_SS_Primary_ALS,	SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS	02-May-2022	05-May-2022	30-Oct-2022	✓	05-May-2022	14-Jun-2022	✓
HDPE Soil Jar (EP231X) SX_OB_20220503_00_00_SS_Primary_ALS, SX_IB_20220503_03_44_SS_Primary_ALS	SX_OB_20220503_00_06_SS_Duplicate_ALS,	03-May-2022	05-May-2022	30-Oct-2022	✓	05-May-2022	14-Jun-2022	✓
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
HDPE Soil Jar (EP231X) SX_IB_20220502_08_11_SS_Primary_ALS, SX_OB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_19_49_SS_Primary_ALS,	SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS	02-May-2022	05-May-2022	30-Oct-2022	✓	05-May-2022	14-Jun-2022	✓
HDPE Soil Jar (EP231X) SX_OB_20220503_00_00_SS_Primary_ALS, SX_IB_20220503_03_44_SS_Primary_ALS	SX_OB_20220503_00_06_SS_Duplicate_ALS,	03-May-2022	05-May-2022	30-Oct-2022	✓	05-May-2022	14-Jun-2022	✓



Matrix: **SOIL** Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP231P: PFAS Sums								
HDPE Soil Jar (EP231X) SX_IB_20220502_08_11_SS_Primary_ALS, SX_OB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_19_49_SS_Primary_ALS,	SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS	02-May-2022	05-May-2022	30-Oct-2022	✓	05-May-2022	14-Jun-2022	✓
HDPE Soil Jar (EP231X) SX_OB_20220503_00_00_SS_Primary_ALS, SX_IB_20220503_03_44_SS_Primary_ALS	SX_OB_20220503_00_06_SS_Duplicate_ALS,	03-May-2022	05-May-2022	30-Oct-2022	✓	05-May-2022	14-Jun-2022	✓

Matrix: **WATER** Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP231A: Perfluoroalkyl Sulfonic Acids								
HDPE (no PTFE) (EP231X-INJ) SX_OB_20220503_04_11_SR_Rinsate_ALS,	SX_OB_20220503_04_12_SB_Blank_ALS	03-May-2022	05-May-2022	30-Oct-2022	✓	05-May-2022	30-Oct-2022	✓
HDPE (no PTFE) (EP231X) SX_IB_20220502_08_11_SS_Primary_ALS, SX_OB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_19_49_SS_Primary_ALS, SX_OB_20220503_00_00_SS_Primary_ALS, SX_IB_20220503_03_44_SS_Primary_ALS, SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS, SX_OB_20220503_00_06_SS_Duplicate_ALS, SX_IB_20220502_08_11_SS_Primary_ALS, SX_OB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_19_49_SS_Primary_ALS, SX_OB_20220503_00_00_SS_Primary_ALS, SX_OB_20220503_03_44_SS_Primary_ALS	SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS, SX_OB_20220503_00_06_SS_Duplicate_ALS, SX_IB_20220502_08_11_SS_Primary_ALS, SX_OB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_19_49_SS_Primary_ALS, SX_OB_20220503_00_00_SS_Primary_ALS, SX_IB_20220503_03_44_SS_Primary_ALS	04-May-2022	06-May-2022	31-Oct-2022	✓	06-May-2022	31-Oct-2022	✓



Matrix: WATER

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP231B: Perfluoroalkyl Carboxylic Acids								
HDPE (no PTFE) (EP231X-INJ)								
SX_OB_20220503_04_11_SR_Rinsate_ALS,	SX_OB_20220503_04_12_SB_Blank_ALS	03-May-2022	05-May-2022	30-Oct-2022	✓	05-May-2022	30-Oct-2022	✓
HDPE (no PTFE) (EP231X)								
SX_IB_20220502_08_11_SS_Primary_ALS, SX_OB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_19_49_SS_Primary_ALS, SX_OB_20220503_00_00_SS_Primary_ALS, SX_IB_20220503_03_44_SS_Primary_ALS, SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_OB_20220502_19_49_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS, SX_OB_20220503_00_06_SS_Duplicate_ALS,	SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS, SX_OB_20220503_00_06_SS_Duplicate_ALS, SX_IB_20220502_08_11_SS_Primary_ALS, SX_OB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_OB_20220502_19_49_SS_Primary_ALS, SX_OB_20220503_00_00_SS_Primary_ALS, SX_IB_20220503_03_44_SS_Primary_ALS	04-May-2022	06-May-2022	31-Oct-2022	✓	06-May-2022	31-Oct-2022	✓
EP231C: Perfluoroalkyl Sulfonamides								
HDPE (no PTFE) (EP231X-INJ)								
SX_OB_20220503_04_11_SR_Rinsate_ALS,	SX_OB_20220503_04_12_SB_Blank_ALS	03-May-2022	05-May-2022	30-Oct-2022	✓	05-May-2022	30-Oct-2022	✓
HDPE (no PTFE) (EP231X)								
SX_IB_20220502_08_11_SS_Primary_ALS, SX_OB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_19_49_SS_Primary_ALS, SX_OB_20220503_00_00_SS_Primary_ALS, SX_IB_20220503_03_44_SS_Primary_ALS, SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_OB_20220502_19_49_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS, SX_OB_20220503_00_06_SS_Duplicate_ALS,	SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS, SX_OB_20220503_00_06_SS_Duplicate_ALS, SX_IB_20220502_08_11_SS_Primary_ALS, SX_OB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_OB_20220502_19_49_SS_Primary_ALS, SX_OB_20220503_00_00_SS_Primary_ALS, SX_IB_20220503_03_44_SS_Primary_ALS	04-May-2022	06-May-2022	31-Oct-2022	✓	06-May-2022	31-Oct-2022	✓



Matrix: WATER

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
HDPE (no PTFE) (EP231X-INJ)								
SX_OB_20220503_04_11_SR_Rinsate_ALS,	SX_OB_20220503_04_12_SB_Blank_ALS	03-May-2022	05-May-2022	30-Oct-2022	✓	05-May-2022	30-Oct-2022	✓
HDPE (no PTFE) (EP231X)								
SX_IB_20220502_08_11_SS_Primary_ALS, SX_OB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_19_49_SS_Primary_ALS, SX_OB_20220503_00_00_SS_Primary_ALS, SX_IB_20220503_03_44_SS_Primary_ALS, SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_OB_20220502_19_49_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS, SX_OB_20220503_00_00_SS_Primary_ALS, SX_OB_20220503_00_06_SS_Duplicate_ALS,	SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS, SX_OB_20220503_00_06_SS_Duplicate_ALS, SX_IB_20220502_08_11_SS_Primary_ALS, SX_OB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_OB_20220502_19_49_SS_Primary_ALS, SX_OB_20220503_00_00_SS_Primary_ALS, SX_IB_20220503_03_44_SS_Primary_ALS	04-May-2022	06-May-2022	31-Oct-2022	✓	06-May-2022	31-Oct-2022	✓
EP231P: PFAS Sums								
HDPE (no PTFE) (EP231X-INJ)								
SX_OB_20220503_04_11_SR_Rinsate_ALS,	SX_OB_20220503_04_12_SB_Blank_ALS	03-May-2022	05-May-2022	30-Oct-2022	✓	05-May-2022	30-Oct-2022	✓
HDPE (no PTFE) (EP231X)								
SX_IB_20220502_08_11_SS_Primary_ALS, SX_OB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_IB_20220502_19_49_SS_Primary_ALS, SX_OB_20220503_00_00_SS_Primary_ALS, SX_IB_20220503_03_44_SS_Primary_ALS, SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_OB_20220502_19_49_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS, SX_OB_20220503_00_00_SS_Primary_ALS, SX_OB_20220503_00_06_SS_Duplicate_ALS,	SX_IB_20220502_08_15_SS_Duplicate_ALS, SX_IB_20220502_08_31_SS_Primary_ALS, SX_IB_20220502_16_29_SS_Primary_ALS, SX_IB_20220502_16_44_SS_Primary_ALS, SX_IB_20220502_23_51_SS_Primary_ALS, SX_OB_20220503_00_06_SS_Duplicate_ALS, SX_IB_20220502_08_11_SS_Primary_ALS, SX_OB_20220502_08_23_SS_Primary_ALS, SX_IB_20220502_12_53_SS_Primary_ALS, SX_OB_20220502_16_35_SS_Triplicate_ALS, SX_OB_20220502_19_49_SS_Primary_ALS, SX_OB_20220503_00_00_SS_Primary_ALS, SX_IB_20220503_03_44_SS_Primary_ALS	04-May-2022	06-May-2022	31-Oct-2022	✓	06-May-2022	31-Oct-2022	✓



Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **SOIL**

Evaluation: * = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
Analytical Methods							
Laboratory Duplicates (DUP)							
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Moisture Content	EA055	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	2	19	10.53	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	2	18	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
pH in soil using a 0.01M CaCl2 extract	EA001	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	2	19	10.53	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	2	19	10.53	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	2	13	15.38	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Laboratory Control Samples (LCS)							
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	18	5.56	5.00	✓	NEPM 2013 B3 & ALS QC Standard
pH in soil using a 0.01M CaCl2 extract	EA001	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Method Blanks (MB)							
Deionised Water Leach - Plastic Leaching Vessel	EN60-DIa-P	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	18	5.56	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard



Matrix: **SOIL** Evaluation: * = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reular	Actual	Expected	Evaluation	
Analytical Methods							
Matrix Spikes (MS)							
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	18	5.56	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard

Matrix: **WATER** Evaluation: * = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reular	Actual	Expected	Evaluation	
Analytical Methods							
Laboratory Duplicates (DUP)							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	4	26	15.38	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X-INJ	1	9	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Laboratory Control Samples (LCS)							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	2	26	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X-INJ	1	9	11.11	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Method Blanks (MB)							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	2	26	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X-INJ	1	9	11.11	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Matrix Spikes (MS)							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	2	26	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X-INJ	1	9	11.11	5.00	✓	NEPM 2013 B3 & ALS QC Standard



Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

Analytical Methods	Method	Matrix	Method Descriptions
pH in soil using a 0.01M CaCl ₂ extract	EA001	SOIL	In house: Referenced to Rayment and Lyons 4B3 (mod.) or 4B4 (mod.) 10 g of soil is mixed with 50 mL of 0.01M CaCl ₂ and tumbled end over end for 1 hour. pH is measured from the continuous suspension. This method is compliant with NEPM Schedule B(3).
Moisture Content	EA055	SOIL	In house: A gravimetric procedure based on weight loss over a 12 hour drying period at 105-110 degrees C. This method is compliant with NEPM Schedule B(3).
Total Metals by ICP-AES	EG005T	SOIL	In house: Referenced to APHA 3120; USEPA SW 846 - 6010. Metals are determined following an appropriate acid digestion of the soil. The ICPAES technique ionises samples in a plasma, emitting a characteristic spectrum based on metals present. Intensities at selected wavelengths are compared against those of matrix matched standards. This method is compliant with NEPM Schedule B(3)
Total Mercury by FIMS	EG035T	SOIL	In house: Referenced to APHA 3112 Hg - B (Flow-injection (SnCl ₂) (Cold Vapour generation) AAS) FIM-AAS is an automated flameless atomic absorption technique. Mercury in solids are determined following an appropriate acid digestion. Ionic mercury is reduced online to atomic mercury vapour by SnCl ₂ which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM Schedule B(3)
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	SOIL	In house: Referenced to USEPA SW846, Method 3060. Hexavalent chromium is extracted by alkaline digestion. The digest is determined by photometrically by automatic discrete analyser, following pH adjustment. The instrument uses colour development using dephenylcarbazide. Each run of samples is measured against a five-point calibration curve. This method is compliant with NEPM Schedule B(3)
Total Cyanide by Segmented Flow Analyser	EK026SF	SOIL	In house: Referenced to APHA 4500-CN C / ASTM D7511 / ISO 14403. Caustic leachates of soil samples are introduced into an automated segmented flow analyser. Complex bound cyanide is decomposed in a continuously flowing stream, at a pH of 3.8, by the effect of UV light. A UV-B lamp (312 nm) and a decomposition spiral of borosilicate glass are used to filter out UV light with a wavelength of less than 290 nm thus preventing the conversion of thiocyanate into cyanide. The hydrogen cyanide present at a pH of 3.8 is separated by gas dialysis. The hydrogen cyanide is then determined photometrically, based on the reaction of cyanide with chloramine-T to form cyanogen chloride. This then reacts with 4-pyridine carboxylic acid and 1,3-dimethylbarbituric acid to give a red colour which is measured at 600 nm. This method is compliant with NEPM Schedule B(3).
Total Fluoride	EK040T	SOIL	(In-house) Total fluoride is determined by ion specific electrode (ISE) in a solution obtained after a Sodium Carbonate / Potassium Carbonate fusion dissolution.
PCB - VIC EPA 448.3 Screen	EP066-EM	SOIL	In house: Referenced to USEPA SW 846 - 8270 Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This method is compliant with NEPM Schedule B(3).
TRH - Semivolatile Fraction	EP071-EM	SOIL	In house: Referenced to USEPA SW 846 - 8015A Sample extracts are analysed by Capillary GC/FID and quantified against alkane standards over the range C10 - C40.
Volatile Organic Compounds - Ultra-trace	EP074-UT	SOIL	In house: Referenced to USEPA SW 846 - 8260 Extracts are analysed by Purge and Trap, Capillary GC/MS in partial SIM/Scan mode. Quantification is by comparison against an established multi-point calibration curves. This method is compliant with NEPM Schedule B(3).




Analytical Methods	Method	Matrix	Method Descriptions
Volatile Organic Compounds - Ultra-trace - Summations	EP074-UT-SUM	SOIL	Summation of MAHs and VHCs
Semivolatile Organic Compounds - Waste Classification	EP075-EM	SOIL	In house: Referenced to USEPA SW 846 - 8270 Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This technique is compliant with NEPM Schedule B(3).
SVOC - Waste Classification (Sums)	EP075-EM-SUM	SOIL	Summations for EP075 (EM variation)
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	SOIL	In-house: Analysis of fresh and saline waters by Solid Phase Extraction (SPE) followed by LC-Electrospray-MS-MS, Negative Mode using MRM and internal standard quantitation. Isotopically labelled analogues of target analytes used as internal standards and surrogates are added to the sample container. The entire contents are transferred to a solid phase extraction (SPE) cartridge. The sample container is successively rinsed with aliquots of the elution solvent. The eluted extract is combined with an equal volume of reagent water and a portion is filtered for analysis. Method procedures and data quality objectives conform to US DoD QSM 5.3, table B-15 requirements.
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X-INJ	WATER	In house: Direct injection analysis of fresh waters after dilution (1:1) with mobile phase solvent. Analysis by LC-Electrospray-MS-MS, Negative Mode using MRM. Where commercially available, isotopically labelled analogues of the target analytes are used as internal standards for quantification. Where a labelled analogue is not commercially available, the internal standard with similar chemistry and the closest retention time to the target is used for quantification. The DQO for internal standard response is 50-150% of that established at initial calibration. PFOS is quantified using a certified, traceable standard consisting of linear and branched PFOS isomers.


Preparation Methods	Method	Matrix	Method Descriptions
NaOH leach for CN in Soils	CN-PR	SOIL	In house: APHA 4500 CN. Samples are extracted by end-over-end tumbling with NaOH.
pH in soil using a 0.01M CaCl ₂ extract	EA001-PR	SOIL	In house: Referenced to Rayment and Lyons 4B1, 10 g of soil is mixed with 50 mL of 0.01M CaCl ₂ and tumbled end over end for 1 hour. pH is measured from the continuous suspension. This method is compliant with NEPM Schedule B(3).
Alkaline digestion for Hexavalent Chromium	EG048PR	SOIL	In house: Referenced to USEPA SW846, Method 3060A.
Total Fluoride	EK040T-PR	SOIL	In house: Samples are fused with Sodium Carbonate / Potassium Carbonate flux.
ASLP for Non & Semivolatile Analytes - Plastic Leaching Vessel	EN60a-P	SOIL	In house QWI-EN/60 referenced to AS4439.3 Preparation of Leachates.
Deionised Water Leach - Plastic Leaching Vessel	EN60-DIa-P	SOIL	In house QWI-EN/60 referenced to AS4439.3 Preparation of Leachates
Hot Block Digest for metals in soils sediments and sludges	EN69	SOIL	In house: Referenced to USEPA 200.2. Hot Block Acid Digestion 1.0g of sample is heated with Nitric and Hydrochloric acids, then cooled. Peroxide is added and samples heated and cooled again before being filtered and bulked to volume for analysis. Digest is appropriate for determination of selected metals in sludge, sediments, and soils. This method is compliant with NEPM Schedule B(3).
Methanolic Extraction of Soils - Ultra-trace.	ORG16-UT	SOIL	In house: Referenced to USEPA SW 846 - 5030A. 5g of solid is shaken with surrogate and 10mL methanol prior to analysis by Purge and Trap - GC/MS.
Tumbler Extraction of Solids - VIC EPA Screen	ORG17-EM	SOIL	In house: Mechanical agitation (tumbler). 10g of sample, Na ₂ SO ₄ and surrogate are extracted with 30mL 1:1 DCM/Acetone by end over end tumble. The solvent is decanted, dehydrated and concentrated (by KD) to the desired volume for analysis.



<i>Preparation Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
QuEChERS Extraction of Solids	ORG71	SOIL	In house: Sequential extractions with Acetonitrile/Methanol by shaking. Extraction efficiency aided by the addition of salts under acidic conditions. Where relevant, interferences from co-extracted organics are removed with dispersive clean-up media (dSPE). The extract is either diluted or concentrated and exchanged into the analytical solvent.
Solid Phase Extraction (SPE) for PFAS in water	ORG72	SOIL	In-house: Isotopically labelled analogues of target analytes used as internal standards and surrogates are added to the sample container. The entire contents are transferred to a solid phase extraction (SPE) cartridge. The sample container is successively rinsed with aliquots of the elution solvent. The eluted extract is combined with an equal volume of reagent water and a portion is filtered for analysis. Method procedures conform to US DoD QSM 5.3, table B-15 requirements.
Preparation for PFAS in water.	EP231-PR	WATER	Method presumes direct injection without workup. Preparation includes addition of internal standard and surrogate, and filtration prior to analysis.

CHAIN OF CUSTODY DOCUMENTATION										 Australian Laboratory Services Pty Ltd										
CLIENT: Agon Environmental					SAMPLER: DB EP RISK DL TG AGON															
ADDRESS / OFFICE: Melbourne					MOBILE 1: +61 400 826 907 (Craig Trimbur)															
PROJECT MANAGER (PM): Craig Trimbur					MOBILE 2: +61 490 411 004 (David Lawson)															
PROJECT ID: JC0927					EMAIL REPORT TO: Labreports.TST@agcnenviro.com.au agonenvironmental@esdat.com.au motherhublabresults1@wqtp.com.au															
SITE: 20220504051412-ALS-12 P.O. NO.:					EMAIL INVOICE TO: (if different to report) Labreports.TST@agcnenviro.com.au agonenvironmental@esdat.com.au															
RESULTS REQUIRED (Date): 5 days QUOTE NO.: ME-150-19 WGTP					ANALYSIS REQUIRED including SUITES (note - suite codes must be listed to attract suite prices)															
COMMENTS / SPECIAL HANDLING / STORAGE OR DISPOSAL:										Notes:										
SAMPLE INFORMATION (note: S = Soil, W = Water)							CONTAINER INFORMATION													
ALS ID	SAMPLE ID	MATRIX	DATE	Time	Type / Code	Total bottles	Spill Sample Prep	P16 plus Cr	PFAS 28 Extended suite	ASIP PFAS - Extended Suite (Lab to determine pH)	DI Leachate PFAS - Extended Suite									
1	SX_IB_20220503_07_56_SS_Primary_ALS ✓	S	3/05/2022	07:58	BUCKET	1	X	X	X	X	X									
2	SX_IB_20220503_07_58_SS_Duplicate_ALS ✓	S	3/05/2022	07:58	BUCKET	1	X	X	X	X	X									
3	SX_OB_20220503_08_09_SS_Primary_ALS ✓	S	3/05/2022	08:09	BUCKET	1	X	X	X	X	X									
4	SX_IB_20220503_12_06_SS_Primary_ALS ✓	S	3/05/2022	12:06	BUCKET	1	X	X	X	X	X									
5	SX_IB_20220503_08_26_SR_Rinse_ALS	W	3/05/2022	08:26	BOTTLE	1			X											
6	SX_IB_20220503_08_28_SB_Blank_ALS	W	3/05/2022	08:28	BOTTLE	1			X											
7	SX_IB_20220503_15_52_SS_Primary_ALS ✓	S	3/05/2022	15:52	BUCKET	1	X	X	X	X	X									
8	SX_IB_20220503_16_01_SS_Triplicate_ALS ✓	S	3/05/2022	16:01	BUCKET	1	X	X	X	X	X									
9	SX_OB_20220503_16_05_SS_Primary_ALS ✓	S	3/05/2022	16:05	BOTTLE	1	X	X	X	X	X									
10	SX_IB_20220503_20_00_SS_Primary_ALS ✓	S	3/05/2022	20:00	BUCKET	1	X	X	X	X	X									
11	SX_IB_20220503_20_07_SS_Triplicate_ALS ✓	S	3/05/2022	20:07	BUCKET	1	X	X	X	X	X									
12	SX_IB_20220503_20_00_SS_Primary_ALS *	S	3/05/2022	20:00	BUCKET	1	X	X	X	X	X									
13	SX_OB_20220504_00_02_SS_Primary_ALS ✓	S	4/05/2022	0:02	BUCKET	1	X	X	X	X	X									
14	SX_IB_20220504_00_11_SS_Primary_ALS ✓	S	4/05/2022	0:11	BUCKET	1	X	X	X	X	X									
15	SX_OB_20220504_03_58_SS_Primary_ALS ✓	S	4/05/2022	3:58	BUCKET	1	X	X	X	X	X									
* Repeat of #10/23																				
							SH	4/5												
RELINQUISHED BY:					RECEIVED BY:					METHOD OF SHIPMENT:										
Name: D. B. TRIMBUR EP RISK			Date: 04/05/22		Name: [Signature]			Date: 4/5		Con' Note No:										
Of:			Time: AM		Of: [Signature]			Time: 11:30		Transport Co:										
Name:			Date:		Name:			Date:												
Of:			Time:		Of:			Time:												

Environmental Division
Melbourne
Work Order Reference
EM2207989



Telephone: + 61-3-8549 9600

SH 4/5

CERTIFICATE OF ANALYSIS

Work Order : **EM2207989**
Client : **AGON ENVIRONMENTAL PTY LTD**
Contact : DAVID LAWSON
Address : D1.1 63-85 TURNER STREET
 PORT MELBOURNE 3207

Telephone : ----
Project : JC0927
Order number : ----
C-O-C number : 20220504051412-ALS-12
Sampler : DB EP RISK, DL TG AGON
Site : 20220504051412-ALS-12
Quote number : EN/150/19 -WGTP -Bulk Sample Quote
No. of samples received : 26
No. of samples analysed : 26

Page : 1 of 40
Laboratory : Environmental Division Melbourne
Contact : Josh Alexander
Address : 4 Westall Rd Springvale VIC Australia 3171

Telephone : +61-3-8549 9600
Date Samples Received : 04-May-2022 11:20
Date Analysis Commenced : 04-May-2022
Issue Date : 11-May-2022 17:03



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Dilani Fernando	Laboratory Coordinator	Melbourne Inorganics, Springvale, VIC
Jarwis Nheu	Senior Inorganic Chemist	Melbourne Inorganics, Springvale, VIC
Nikki Stepniewski	Senior Inorganic Instrument Chemist	Melbourne Inorganics, Springvale, VIC
Xing Lin	Senior Organic Chemist	Melbourne Inorganics, Springvale, VIC
Xing Lin	Senior Organic Chemist	Melbourne Organics, Springvale, VIC



General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.
LOR = Limit of reporting
^ = This result is computed from individual analyte detections at or above the level of reporting
ø = ALS is not NATA accredited for these tests.
~ = Indicates an estimated value.

- EG048G: EM2207989 #3 result for hexavalent chromium has been confirmed by re-preparation and re-analysis.
- Benzo(a)pyrene Toxicity Equivalent Quotient (TEQ) per the NEPM (2013) is the sum total of the concentration of the eight carcinogenic PAHs multiplied by their Toxicity Equivalence Factor (TEF) relative to Benzo(a)pyrene. TEF values are provided in brackets as follows: Benz(a)anthracene (0.1), Chrysene (0.01), Benzo(b+j) & Benzo(k)fluoranthene (0.1), Benzo(a)pyrene (1.0), Indeno(1.2.3.cd)pyrene (0.1), Dibenz(a,h)anthracene (1.0), Benzo(g,h,i)perylene (0.01). Less than LOR results for 'TEQ Zero' are treated as zero, for 'TEQ 1/2LOR' are treated as half the reported LOR, and for 'TEQ LOR' are treated as being equal to the reported LOR. Note: TEQ 1/2LOR and TEQ LOR will calculate as 0.6mg/Kg and 1.2mg/Kg respectively for samples with non-detects for all of the eight TEQ PAHs.
- EP231X - Per- and Polyfluoroalkyl Substances (PFAS): Samples received in 20ml or 125ml bottles have been tested in accordance with the QSM5.3 compliant, NATA accredited method. 60mL or 250mL bottles have been tested to the legacy QSM 5.1 aligned, NATA accredited method.
- EP074-UT: Where reported, Total Xylenes is the sum of the reported concentrations of m&p-Xylene and o-Xylene at or above the LOR.
- EP074-WF: Where reported, Sum of trichlorobenzenes is the sum of the reported concentrations of 1,2,3-Trichlorobenzene and 1,2,4-Trichlorobenzene, and 1,3,5-Trichlorobenzene at or above the LOR.
- EP231: Stable isotope enriched internal standards are added to samples prior to extraction. Target compounds have a direct analogous internal standard with the exception of PFPeS, PFHpA, PFDS, PFTrDA and 10:2 FTS. These compounds use an internal standard that is chemically related and has a retention time close to that of the target compound. The DQO for internal standard response is 50-150% of that established at initial calibration. PFOS is quantified using a certified, traceable standard consisting of linear and branched PFOS isomers. These practices are in line with recommendations in the National Environmental Management Plan for PFAS (Australian HEPA) and also conform to QSM 5.3 (US DoD) requirements.
- EN60: Where leachable PFAS analysis is requested, centrifugation rather than pressure filtration is used as the default approach for removal of particulates, in line with AS 4439.3.
- EN60-DI: Where leachable PFAS analysis is requested, centrifugation rather than pressure filtration is used as the default approach for removal of particulates, in line with AS 4439.3.
- EP231X-INJ: The direct injection LCMSMS method may be used where the sample matrix is not suitable for Solid Phase Extraction (e.g. significant particulate load) or where only a single sample container is received.



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220503_07_56_SS_Primary_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS	SX_OB_20220503_08_09_SS_Primary_ALS	SX_IB_20220503_12_06_SS_Primary_ALS	SX_IB_20220503_15_52_SS_Primary_ALS
Sampling date / time				03-May-2022 07:56	03-May-2022 07:58	03-May-2022 08:09	03-May-2022 12:06	03-May-2022 15:52
Compound	CAS Number	LOR	Unit	EM2207989-001	EM2207989-002	EM2207989-003	EM2207989-004	EM2207989-007
				Result	Result	Result	Result	Result
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220503_07_56_SS_Primary_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS	SX_OB_20220503_08_09_SS_Primary_ALS	SX_IB_20220503_12_06_SS_Primary_ALS	SX_IB_20220503_15_52_SS_Primary_ALS
Sampling date / time				03-May-2022 07:56	03-May-2022 07:58	03-May-2022 08:09	03-May-2022 12:06	03-May-2022 15:52
Compound	CAS Number	LOR	Unit	EM2207989-001	EM2207989-002	EM2207989-003	EM2207989-004	EM2207989-007
				Result	Result	Result	Result	Result
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	85.2	88.0	89.9	89.3	94.8
13C8-PFOA	----	0.02	%	87.7	94.2	101	89.9	94.4



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220503_16_01_SS_Triplicate_ALS	SX_OB_20220503_16_05_SS_Primary_ALS	SX_IB_20220503_20_00_SS_Primary_ALS	SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_OB_20220504_00_02_SS_Primary_ALS
Sampling date / time				03-May-2022 16:01	03-May-2022 16:05	03-May-2022 20:00	03-May-2022 20:07	04-May-2022 00:02
Compound	CAS Number	LOR	Unit	EM2207989-008	EM2207989-009	EM2207989-010	EM2207989-011	EM2207989-013
				Result	Result	Result	Result	Result
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220503_16_01_SS_Triplicate_ALS	SX_OB_20220503_16_05_SS_Primary_ALS	SX_IB_20220503_20_00_SS_Primary_ALS	SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_OB_20220504_00_02_SS_Primary_ALS
Sampling date / time				03-May-2022 16:01	03-May-2022 16:05	03-May-2022 20:00	03-May-2022 20:07	04-May-2022 00:02
Compound	CAS Number	LOR	Unit	EM2207989-008	EM2207989-009	EM2207989-010	EM2207989-011	EM2207989-013
				Result	Result	Result	Result	Result
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	87.0	83.0	86.7	86.5	101
13C8-PFOA	----	0.02	%	87.2	94.4	91.1	87.4	92.6



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

			SX_IB_20220504_00_11_SS_Primary_ALS	SX_OB_20220504_03_58_SS_Primary_ALS	----	----	----	
Sampling date / time			04-May-2022 00:11	04-May-2022 03:58	----	----	----	
Compound	CAS Number	LOR	Unit	EM2207989-014	EM2207989-015	-----	-----	-----
				Result	Result	---	---	---
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	----	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	----	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	----	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	----	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	----	----	----
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	----	----	----
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	----	----	----
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	----	----	----
Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	----	----	----
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	----	----	----



Analytical Results

Sub-Matrix: ASLP LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220504_00_11_SS_Primary_ALS	SX_OB_20220504_03_58_SS_Primary_ALS	----	----	----
				04-May-2022 00:11	04-May-2022 03:58	----	----	----
Compound	CAS Number	LOR	Unit	EM2207989-014	EM2207989-015	-----	-----	-----
				Result	Result	---	---	---
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	----	----	----
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	----	----	----
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	----	----	----
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	----	----	----
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	----	----	----
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	----	----	----
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	85.7	89.9	----	----	----
13C8-PFOA	----	0.02	%	95.3	93.9	----	----	----



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220503_07_56_SS_Primary_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS	SX_OB_20220503_08_09_SS_Primary_ALS	SX_IB_20220503_12_06_SS_Primary_ALS	SX_IB_20220503_15_52_SS_Primary_ALS
Sampling date / time				03-May-2022 07:56	03-May-2022 07:58	03-May-2022 08:09	03-May-2022 12:06	03-May-2022 15:52
Compound	CAS Number	LOR	Unit	EM2207989-016	EM2207989-017	EM2207989-018	EM2207989-019	EM2207989-020
				Result	Result	Result	Result	Result
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220503_07_56_SS_Primary_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS	SX_OB_20220503_08_09_SS_Primary_ALS	SX_IB_20220503_12_06_SS_Primary_ALS	SX_IB_20220503_15_52_SS_Primary_ALS
Sampling date / time				03-May-2022 07:56	03-May-2022 07:58	03-May-2022 08:09	03-May-2022 12:06	03-May-2022 15:52
Compound	CAS Number	LOR	Unit	EM2207989-016	EM2207989-017	EM2207989-018	EM2207989-019	EM2207989-020
				Result	Result	Result	Result	Result
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	88.3	115	94.2	87.1	118
13C8-PFOA	----	0.02	%	96.4	89.7	106	107	95.5



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

		Sampling date / time			SX_IB_20220503_16_01_SS_Triplicate_ALS	SX_OB_20220503_16_05_SS_Primary_ALS	SX_IB_20220503_20_00_SS_Primary_ALS	SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_OB_20220504_00_02_SS_Primary_ALS
Compound	CAS Number	LOR	Unit	EM2207989-021	EM2207989-022	EM2207989-023	EM2207989-024	EM2207989-026	
				Result	Result	Result	Result	Result	
EP231A: Perfluoroalkyl Sulfonic Acids									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02	
EP231B: Perfluoroalkyl Carboxylic Acids									
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02	
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02	
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05	
EP231C: Perfluoroalkyl Sulfonamides									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05	



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220503_16_01_SS_Triplicate_ALS	SX_OB_20220503_16_05_SS_Primary_ALS	SX_IB_20220503_20_00_SS_Primary_ALS	SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_OB_20220504_00_02_SS_Primary_ALS
Sampling date / time				03-May-2022 16:01	03-May-2022 16:05	03-May-2022 20:00	03-May-2022 20:07	04-May-2022 00:02
Compound	CAS Number	LOR	Unit	EM2207989-021	EM2207989-022	EM2207989-023	EM2207989-024	EM2207989-026
				Result	Result	Result	Result	Result
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	<0.10	<0.10	<0.10
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	87.7	95.6	107	88.7	86.7
13C8-PFOA	----	0.02	%	106	106	97.8	106	96.9



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

			SX_IB_20220504_00_11_SS_Primary_ALS	SX_OB_20220504_03_58_SS_Primary_ALS	----	----	----	
Sampling date / time			04-May-2022 00:11	04-May-2022 03:58	----	----	----	
Compound	CAS Number	LOR	Unit	EM2207989-027	EM2207989-028	-----	-----	-----
				Result	Result	---	---	---
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	----	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	----	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	----	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	----	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	----	----	----
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	----	----	----
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	----	----	----
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	----	----	----
EP231C: Perfluoroalkyl Sulfonamides								
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	----	----	----



Analytical Results

Sub-Matrix: DI WATER LEACHATE
 (Matrix: WATER)

Sample ID

				SX_IB_20220504_00_11_SS_Primary_ALS	SX_OB_20220504_03_58_SS_Primary_ALS	----	----	----
				04-May-2022 00:11	04-May-2022 03:58	----	----	----
Compound	CAS Number	LOR	Unit	EM2207989-027	EM2207989-028	-----	-----	-----
				Result	Result	---	---	---
EP231C: Perfluoroalkyl Sulfonamides - Continued								
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	----	----	----
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	----	----	----
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	----	----	----
EP231P: PFAS Sums								
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	----	----	----
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	----	----	----
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	----	----	----
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	86.3	88.6	----	----	----
13C8-PFOA	----	0.02	%	106	94.3	----	----	----



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220503_07_56_SS_Primary_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS	SX_OB_20220503_08_09_SS_Primary_ALS	SX_IB_20220503_12_06_SS_Primary_ALS	SX_IB_20220503_15_52_SS_Primary_ALS
Sampling date / time				03-May-2022 07:56	03-May-2022 07:58	03-May-2022 08:09	03-May-2022 12:06	03-May-2022 15:52	
Compound	CAS Number	LOR	Unit	EM2207989-001	EM2207989-002	EM2207989-003	EM2207989-004	EM2207989-007	
				Result	Result	Result	Result	Result	
EA001: pH in soil using 0.01M CaCl extract									
pH (CaCl ₂)	----	0.1	pH Unit	8.7	8.8	7.5	7.8	7.8	
EA055: Moisture Content (Dried @ 105-110°C)									
Moisture Content	----	1.0	%	30.3	30.6	29.4	29.7	31.2	
EG005(ED093)T: Total Metals by ICP-AES									
Arsenic	7440-38-2	5	mg/kg	20	27	14	34	33	
Cadmium	7440-43-9	1	mg/kg	<1	<1	<1	<1	<1	
Chromium	7440-47-3	5	mg/kg	70	81	120	94	90	
Copper	7440-50-8	5	mg/kg	50	54	58	53	50	
Lead	7439-92-1	5	mg/kg	<5	<5	<5	<5	<5	
Molybdenum	7439-98-7	5	mg/kg	<5	<5	<5	<5	<5	
Nickel	7440-02-0	5	mg/kg	132	142	178	152	138	
Selenium	7782-49-2	5	mg/kg	<5	<5	<5	<5	<5	
Silver	7440-22-4	2	mg/kg	<2	<2	<2	<2	<2	
Tin	7440-31-5	10	mg/kg	<10	<10	<10	<10	<10	
Zinc	7440-66-6	5	mg/kg	97	105	98	102	93	
EG035T: Total Recoverable Mercury by FIMS									
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	
EG048: Hexavalent Chromium (Alkaline Digest)									
Hexavalent Chromium	18540-29-9	1.0	mg/kg	<1.0	<1.0	1.2	<1.0	<1.0	
EK026SF: Total CN by Segmented Flow Analyser									
Total Cyanide	57-12-5	5	mg/kg	<5	<5	<5	<5	<5	
EK040T: Fluoride Total									
Fluoride	16984-48-8	100	mg/kg	150	180	160	140	140	
EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)									
Initial pH	----	0.1	pH Unit	9.5	9.6	9.0	9.2	9.2	
After HCl pH	----	0.1	pH Unit	1.4	1.4	1.4	1.4	1.4	
Extraction Fluid pH	----	0.1	pH Unit	5.0	5.0	5.0	5.0	5.0	
Final pH	----	0.1	pH Unit	5.2	5.2	5.1	5.1	5.1	
EP066: Polychlorinated Biphenyls (PCB)									
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	
EP074A: Monocyclic Aromatic Hydrocarbons									
Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	<0.2	<0.2	<0.2	
Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5	



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220503_07_56_SS_Primary_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS	SX_OB_20220503_08_09_SS_Primary_ALS	SX_IB_20220503_12_06_SS_Primary_ALS	SX_IB_20220503_15_52_SS_Primary_ALS
Sampling date / time				03-May-2022 07:56	03-May-2022 07:58	03-May-2022 08:09	03-May-2022 12:06	03-May-2022 15:52
Compound	CAS Number	LOR	Unit	EM2207989-001	EM2207989-002	EM2207989-003	EM2207989-004	EM2207989-007
				Result	Result	Result	Result	Result
EP074A: Monocyclic Aromatic Hydrocarbons - Continued								
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
meta- & para-Xylene	108-38-3	106-42-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5
Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
[^] Sum of monocyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
[^] Total Xylenes	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
EP074H: Naphthalene								
Naphthalene	91-20-3	1	mg/kg	<1	<1	<1	<1	<1
EP074I: Volatile Halogenated Compounds								
Vinyl chloride	75-01-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethene	75-35-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Methylene chloride	75-09-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
trans-1,2-Dichloroethene	156-60-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	156-59-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroform	67-66-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1-Trichloroethane	71-55-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Carbon Tetrachloride	56-23-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloroethane	107-06-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Trichloroethene	79-01-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2-Trichloroethane	79-00-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene	127-18-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1,2-Tetrachloroethane	630-20-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2,2-Tetrachloroethane	79-34-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Hexachlorobutadiene	87-68-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chlorobenzene	108-90-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dichlorobenzene	106-46-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichlorobenzene	95-50-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2,4-Trichlorobenzene	120-82-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
[^] Sum of volatile chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
[^] Sum of other chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
EP075A: Phenolic Compounds (Halogenated)								
2-Chlorophenol	95-57-8	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,4-Dichlorophenol	120-83-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220503_07_56_SS_Primary_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS	SX_OB_20220503_08_09_SS_Primary_ALS	SX_IB_20220503_12_06_SS_Primary_ALS	SX_IB_20220503_15_52_SS_Primary_ALS
Sampling date / time				03-May-2022 07:56	03-May-2022 07:58	03-May-2022 08:09	03-May-2022 12:06	03-May-2022 15:52
Compound	CAS Number	LOR	Unit	EM2207989-001	EM2207989-002	EM2207989-003	EM2207989-004	EM2207989-007
				Result	Result	Result	Result	Result
EP075A: Phenolic Compounds (Halogenated) - Continued								
2,6-Dichlorophenol	87-65-0	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
4-Chloro-3-methylphenol	59-50-7	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,5-Trichlorophenol	95-95-4	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,6-Trichlorophenol	88-06-2	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-90-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Pentachlorophenol	87-86-5	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
^ Sum of Phenols (halogenated)	----	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
EP075A: Phenolic Compounds (Non-halogenated)								
Phenol	108-95-2	1	mg/kg	<1	<1	<1	<1	<1
2-Methylphenol	95-48-7	1	mg/kg	<1	<1	<1	<1	<1
3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	<1	<1	<1
2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	<5	<5	<5
4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	<5	<5	<5
2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	<5	<5	<5
Dinoseb	88-85-7	20	mg/kg	<20	<20	<20	<20	<20
2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	20	mg/kg	<20	<20	<20	<20	<20
^ Sum of Phenols (non-halogenated)	----	20	mg/kg	<20	<20	<20	<20	<20
EP075B: Polynuclear Aromatic Hydrocarbons								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220503_07_56_SS_Primary_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS	SX_OB_20220503_08_09_SS_Primary_ALS	SX_IB_20220503_12_06_SS_Primary_ALS	SX_IB_20220503_15_52_SS_Primary_ALS
Sampling date / time				03-May-2022 07:56	03-May-2022 07:58	03-May-2022 08:09	03-May-2022 12:06	03-May-2022 15:52
Compound	CAS Number	LOR	Unit	EM2207989-001	EM2207989-002	EM2207989-003	EM2207989-004	EM2207989-007
				Result	Result	Result	Result	Result
EP075B: Polynuclear Aromatic Hydrocarbons - Continued								
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	0.6	0.6	0.6	0.6	0.6
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	1.2	1.2	1.2	1.2	1.2
EP075I: Organochlorine Pesticides								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
Endosulfan 1	959-98-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan 2	33213-65-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4,4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Methoxychlor	72-43-5	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Sum of organochlorine pesticides	----	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.30	mg/kg	<0.30	<0.30	<0.30	<0.30	<0.30
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Chlordane	57-74-9	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220503_07_56_SS_Primary_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS	SX_OB_20220503_08_09_SS_Primary_ALS	SX_IB_20220503_12_06_SS_Primary_ALS	SX_IB_20220503_15_52_SS_Primary_ALS	
Sampling date / time				03-May-2022 07:56	03-May-2022 07:58	03-May-2022 08:09	03-May-2022 12:06	03-May-2022 15:52		
Compound	CAS Number	LOR	Unit	EM2207989-001	EM2207989-002	EM2207989-003	EM2207989-004	EM2207989-007		
				Result	Result	Result	Result	Result		
EP075I: Organochlorine Pesticides - Continued										
^ Sum of other organochlorine pesticides				----	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03
EP080/071: Total Petroleum Hydrocarbons										
C6 - C9 Fraction				----	20	mg/kg	<20	<20	<20	<20
C10 - C14 Fraction				----	50	mg/kg	<50	<50	<50	<50
C6 - C10 Fraction				C6_C10	20	mg/kg	<20	<20	<20	<20
C15 - C28 Fraction				----	100	mg/kg	<100	<100	<100	<100
C29 - C36 Fraction				----	100	mg/kg	<100	<100	<100	<100
^ C10 - C36 Fraction (sum)				----	50	mg/kg	<50	<50	<50	<50
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions										
>C10 - C16 Fraction				----	50	mg/kg	<50	<50	<50	<50
>C16 - C34 Fraction				----	100	mg/kg	<100	<100	<100	<100
>C34 - C40 Fraction				----	100	mg/kg	<100	<100	<100	<100
^ >C10 - C40 Fraction (sum)				----	50	mg/kg	<50	<50	<50	<50
>C10 - C16 Fraction minus Naphthalene (F2)				----	50	mg/kg	<50	<50	<50	<50
C6 - C10 Fraction minus BTEX (F1)				C6_C10-BTEX	20	mg/kg	<20	<20	<20	<20
EP231A: Perfluoroalkyl Sulfonic Acids										
Perfluorobutane sulfonic acid (PFBS)				375-73-5	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0
Perfluoropentane sulfonic acid (PFPeS)				2706-91-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0
Perfluorohexane sulfonic acid (PFHxS)				355-46-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0
Perfluoroheptane sulfonic acid (PFHpS)				375-92-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0
Perfluorooctane sulfonic acid (PFOS)				1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0
Perfluorodecane sulfonic acid (PFDS)				335-77-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0
EP231B: Perfluoroalkyl Carboxylic Acids										
Perfluorobutanoic acid (PFBA)				375-22-4	5	µg/kg	<5	<5	<5	<5
Perfluoropentanoic acid (PFPeA)				2706-90-3	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0
Perfluorohexanoic acid (PFHxA)				307-24-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0
Perfluoroheptanoic acid (PFHpA)				375-85-9	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220503_07_56_SS_Primary_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS	SX_OB_20220503_08_09_SS_Primary_ALS	SX_IB_20220503_12_06_SS_Primary_ALS	SX_IB_20220503_15_52_SS_Primary_ALS
Sampling date / time				03-May-2022 07:56	03-May-2022 07:58	03-May-2022 08:09	03-May-2022 12:06	03-May-2022 15:52	
Compound	CAS Number	LOR	Unit	EM2207989-001	EM2207989-002	EM2207989-003	EM2207989-004	EM2207989-007	
				Result	Result	Result	Result	Result	
EP231B: Perfluoroalkyl Carboxylic Acids - Continued									
Perfluorooctanoic acid (PFOA)	335-67-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorononanoic acid (PFNA)	375-95-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorodecanoic acid (PFDA)	335-76-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorododecanoic acid (PFDoDA)	307-55-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
EP231C: Perfluoroalkyl Sulfonamides									
Perfluorooctane sulfonamide (FOSA)	754-91-6	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
EP231D: (n:2) Fluorotelomer Sulfonic Acids									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220503_07_56_SS_Primary_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS	SX_OB_20220503_08_09_SS_Primary_ALS	SX_IB_20220503_12_06_SS_Primary_ALS	SX_IB_20220503_15_52_SS_Primary_ALS
Sampling date / time				03-May-2022 07:56	03-May-2022 07:58	03-May-2022 08:09	03-May-2022 12:06	03-May-2022 15:52	
Compound	CAS Number	LOR	Unit	EM2207989-001	EM2207989-002	EM2207989-003	EM2207989-004	EM2207989-007	
				Result	Result	Result	Result	Result	
EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued									
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
EP231P: PFAS Sums									
Sum of PFAS	----	50.0	µg/kg	<50.0	<50.0	<50.0	<50.0	<50.0	
Sum of PFHxS and PFOS	355-46-4/1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Sum of PFAS (WA DER List)	----	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
EP066S: PCB Surrogate									
Decachlorobiphenyl	2051-24-3	0.1	%	93.8	105	91.0	90.3	94.3	
EP074S: VOC Surrogates (Ultra-Trace)									
1,2-Dichloroethane-D4	17060-07-0	0.1	%	108	94.1	116	101	83.2	
Toluene-D8	2037-26-5	0.1	%	97.5	85.4	105	90.2	74.0	
4-Bromofluorobenzene	460-00-4	0.1	%	104	89.8	110	94.0	81.8	
EP075S: Acid Extractable Surrogates (Waste Classification)									
Phenol-d6	13127-88-3	0.025	%	87.5	98.3	85.6	85.8	89.6	
2-Chlorophenol-D4	93951-73-6	0.025	%	83.2	94.1	82.1	82.2	86.1	
2,4,6-Tribromophenol	118-79-6	0.025	%	85.2	97.1	84.0	84.7	88.0	
EP075T: Base/Neutral Extractable Surrogates (Waste Classification)									
Nitrobenzene-D5	4165-60-0	0.025	%	89.1	100	87.1	86.7	90.8	
1,2-Dichlorobenzene-D4	2199-69-1	0.025	%	82.7	93.4	81.3	81.4	85.4	
2-Fluorobiphenyl	321-60-8	0.025	%	82.0	92.3	80.5	79.8	84.6	
Anthracene-d10	1719-06-8	0.025	%	89.8	102	88.4	88.0	92.1	
4-Terphenyl-d14	1718-51-0	0.025	%	93.8	105	92.6	91.4	95.8	
EP231S: PFAS Surrogate									
13C4-PFOS	----	0.0002	%	85.6	90.9	84.2	109	86.2	
13C8-PFOA	----	0.0002	%	91.4	85.6	90.4	95.1	86.0	



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID				
				SX_IB_20220503_16_01_SS_Triplicate_ALS	SX_OB_20220503_16_05_SS_Primary_ALS	SX_IB_20220503_20_00_SS_Primary_ALS	SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_OB_20220504_00_02_SS_Primary_ALS
Sampling date / time				03-May-2022 16:01	03-May-2022 16:05	03-May-2022 20:00	03-May-2022 20:07	04-May-2022 00:02
Compound	CAS Number	LOR	Unit	EM2207989-008	EM2207989-009	EM2207989-010	EM2207989-011	EM2207989-013
				Result	Result	Result	Result	Result
EA001: pH in soil using 0.01M CaCl extract								
pH (CaCl ₂)	----	0.1	pH Unit	7.9	7.4	8.7	8.8	7.6
EA055: Moisture Content (Dried @ 105-110°C)								
Moisture Content	----	1.0	%	32.7	33.3	34.1	34.5	26.6
EG005(ED093)T: Total Metals by ICP-AES								
Arsenic	7440-38-2	5	mg/kg	32	16	23	23	17
Cadmium	7440-43-9	1	mg/kg	<1	<1	<1	<1	<1
Chromium	7440-47-3	5	mg/kg	87	123	80	74	107
Copper	7440-50-8	5	mg/kg	46	61	57	52	65
Lead	7439-92-1	5	mg/kg	<5	<5	<5	<5	<5
Molybdenum	7439-98-7	5	mg/kg	<5	<5	<5	<5	<5
Nickel	7440-02-0	5	mg/kg	132	181	138	134	211
Selenium	7782-49-2	5	mg/kg	<5	<5	<5	<5	<5
Silver	7440-22-4	2	mg/kg	<2	<2	<2	<2	<2
Tin	7440-31-5	10	mg/kg	<10	<10	<10	<10	<10
Zinc	7440-66-6	5	mg/kg	94	106	109	102	121
EG035T: Total Recoverable Mercury by FIMS								
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
EG048: Hexavalent Chromium (Alkaline Digest)								
Hexavalent Chromium	18540-29-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
EK026SF: Total CN by Segmented Flow Analyser								
Total Cyanide	57-12-5	5	mg/kg	<5	<5	<5	<5	<5
EK040T: Fluoride Total								
Fluoride	16984-48-8	100	mg/kg	130	120	120	140	120
EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Initial pH	----	0.1	pH Unit	9.2	9.1	9.7	9.6	9.0
After HCl pH	----	0.1	pH Unit	1.4	1.4	1.4	1.4	1.4
Extraction Fluid pH	----	0.1	pH Unit	5.0	5.0	5.0	5.0	5.0
Final pH	----	0.1	pH Unit	5.1	5.1	5.2	5.2	5.1
EP066: Polychlorinated Biphenyls (PCB)								
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
EP074A: Monocyclic Aromatic Hydrocarbons								
Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	<0.2	<0.2	<0.2
Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220503_16_01_SS_Triplicate_ALS	SX_OB_20220503_16_05_SS_Primary_ALS	SX_IB_20220503_20_00_SS_Primary_ALS	SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_OB_20220504_00_02_SS_Primary_ALS
Sampling date / time				03-May-2022 16:01	03-May-2022 16:05	03-May-2022 20:00	03-May-2022 20:07	04-May-2022 00:02
Compound	CAS Number	LOR	Unit	EM2207989-008	EM2207989-009	EM2207989-010	EM2207989-011	EM2207989-013
				Result	Result	Result	Result	Result
EP074A: Monocyclic Aromatic Hydrocarbons - Continued								
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
meta- & para-Xylene	108-38-3	106-42-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5
Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
[^] Sum of monocyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
[^] Total Xylenes	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
EP074H: Naphthalene								
Naphthalene	91-20-3	1	mg/kg	<1	<1	<1	<1	<1
EP074I: Volatile Halogenated Compounds								
Vinyl chloride	75-01-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethene	75-35-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Methylene chloride	75-09-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
trans-1,2-Dichloroethene	156-60-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene	156-59-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroform	67-66-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1-Trichloroethane	71-55-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Carbon Tetrachloride	56-23-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloroethane	107-06-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Trichloroethene	79-01-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2-Trichloroethane	79-00-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene	127-18-4	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1,2-Tetrachloroethane	630-20-6	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1,2,2-Tetrachloroethane	79-34-5	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Hexachlorobutadiene	87-68-3	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
Chlorobenzene	108-90-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,4-Dichlorobenzene	106-46-7	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichlorobenzene	95-50-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
1,2,4-Trichlorobenzene	120-82-1	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
[^] Sum of volatile chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
[^] Sum of other chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
EP075A: Phenolic Compounds (Halogenated)								
2-Chlorophenol	95-57-8	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
2,4-Dichlorophenol	120-83-2	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220503_16_01_SS_Triplicate_ALS	SX_OB_20220503_16_05_SS_Primary_ALS	SX_IB_20220503_20_00_SS_Primary_ALS	SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_OB_20220504_00_02_SS_Primary_ALS
Sampling date / time				03-May-2022 16:01	03-May-2022 16:05	03-May-2022 20:00	03-May-2022 20:07	04-May-2022 00:02
Compound	CAS Number	LOR	Unit	EM2207989-008	EM2207989-009	EM2207989-010	EM2207989-011	EM2207989-013
				Result	Result	Result	Result	Result
EP075A: Phenolic Compounds (Halogenated) - Continued								
2,6-Dichlorophenol	87-65-0	0.50	mg/kg	<0.50	<0.50	<0.50	<0.50	<0.50
4-Chloro-3-methylphenol	59-50-7	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,5-Trichlorophenol	95-95-4	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,4,6-Trichlorophenol	88-06-2	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-90-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Pentachlorophenol	87-86-5	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0
^ Sum of Phenols (halogenated)	----	1.00	mg/kg	<1.00	<1.00	<1.00	<1.00	<1.00
EP075A: Phenolic Compounds (Non-halogenated)								
Phenol	108-95-2	1	mg/kg	<1	<1	<1	<1	<1
2-Methylphenol	95-48-7	1	mg/kg	<1	<1	<1	<1	<1
3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	<1	<1	<1
2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	<1	<1	<1
2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	<5	<5	<5
4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	<5	<5	<5
2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	<5	<5	<5
Dinoseb	88-85-7	20	mg/kg	<20	<20	<20	<20	<20
2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	20	mg/kg	<20	<20	<20	<20	<20
^ Sum of Phenols (non-halogenated)	----	20	mg/kg	<20	<20	<20	<20	<20
EP075B: Polynuclear Aromatic Hydrocarbons								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1.0	mg/kg	<1.0	<1.0	<1.0	<1.0	<1.0



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220503_16_01_SS_Triplicate_ALS	SX_OB_20220503_16_05_SS_Primary_ALS	SX_IB_20220503_20_00_SS_Primary_ALS	SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_OB_20220504_00_02_SS_Primary_ALS
Sampling date / time				03-May-2022 16:01	03-May-2022 16:05	03-May-2022 20:00	03-May-2022 20:07	04-May-2022 00:02
Compound	CAS Number	LOR	Unit	EM2207989-008	EM2207989-009	EM2207989-010	EM2207989-011	EM2207989-013
				Result	Result	Result	Result	Result
EP075B: Polynuclear Aromatic Hydrocarbons - Continued								
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	0.6	0.6	0.6	0.6	0.6
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	1.2	1.2	1.2	1.2	1.2
EP075I: Organochlorine Pesticides								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	<0.03	<0.03	<0.03
Endosulfan 1	959-98-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan 2	33213-65-9	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
4.4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
Methoxychlor	72-43-5	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Sum of organochlorine pesticides	----	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.30	mg/kg	<0.30	<0.30	<0.30	<0.30	<0.30
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-29-3	0.05	mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05
^ Chlordane	57-74-9	0.10	mg/kg	<0.10	<0.10	<0.10	<0.10	<0.10



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220503_16_01_SS_Triplicate_ALS	SX_OB_20220503_16_05_SS_Primary_ALS	SX_IB_20220503_20_00_SS_Primary_ALS	SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_OB_20220504_00_02_SS_Primary_ALS
Sampling date / time				03-May-2022 16:01	03-May-2022 16:05	03-May-2022 20:00	03-May-2022 20:07	04-May-2022 00:02	
Compound	CAS Number	LOR	Unit	EM2207989-008	EM2207989-009	EM2207989-010	EM2207989-011	EM2207989-013	
				Result	Result	Result	Result	Result	
EP075I: Organochlorine Pesticides - Continued									
^ Sum of other organochlorine pesticides				----	0.03	mg/kg	<0.03	<0.03	<0.03
EP080/071: Total Petroleum Hydrocarbons									
C6 - C9 Fraction				----	20	mg/kg	<20	<20	<20
C10 - C14 Fraction				----	50	mg/kg	<50	<50	<50
C6 - C10 Fraction				C6_C10	20	mg/kg	<20	<20	<20
C15 - C28 Fraction				----	100	mg/kg	<100	<100	<100
C29 - C36 Fraction				----	100	mg/kg	<100	<100	<100
^ C10 - C36 Fraction (sum)				----	50	mg/kg	<50	<50	<50
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions									
>C10 - C16 Fraction				----	50	mg/kg	<50	<50	<50
>C16 - C34 Fraction				----	100	mg/kg	<100	<100	<100
>C34 - C40 Fraction				----	100	mg/kg	<100	<100	<100
^ >C10 - C40 Fraction (sum)				----	50	mg/kg	<50	<50	<50
>C10 - C16 Fraction minus Naphthalene (F2)				----	50	mg/kg	<50	<50	<50
C6 - C10 Fraction minus BTEX (F1)				C6_C10-BTEX	20	mg/kg	<20	<20	<20
EP231A: Perfluoroalkyl Sulfonic Acids									
Perfluorobutane sulfonic acid (PFBS)				375-73-5	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluoropentane sulfonic acid (PFPeS)				2706-91-4	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorohexane sulfonic acid (PFHxS)				355-46-4	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluoroheptane sulfonic acid (PFHpS)				375-92-8	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorooctane sulfonic acid (PFOS)				1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorodecane sulfonic acid (PFDS)				335-77-3	5.0	µg/kg	<5.0	<5.0	<5.0
EP231B: Perfluoroalkyl Carboxylic Acids									
Perfluorobutanoic acid (PFBA)				375-22-4	5	µg/kg	<5	<5	<5
Perfluoropentanoic acid (PFPeA)				2706-90-3	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluorohexanoic acid (PFHxA)				307-24-4	5.0	µg/kg	<5.0	<5.0	<5.0
Perfluoroheptanoic acid (PFHpA)				375-85-9	5.0	µg/kg	<5.0	<5.0	<5.0



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220503_16_01_SS_Triplicate_ALS	SX_OB_20220503_16_05_SS_Primary_ALS	SX_IB_20220503_20_00_SS_Primary_ALS	SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_OB_20220504_00_02_SS_Primary_ALS
Sampling date / time				03-May-2022 16:01	03-May-2022 16:05	03-May-2022 20:00	03-May-2022 20:07	04-May-2022 00:02	
Compound	CAS Number	LOR	Unit	EM2207989-008	EM2207989-009	EM2207989-010	EM2207989-011	EM2207989-013	
				Result	Result	Result	Result	Result	
EP231B: Perfluoroalkyl Carboxylic Acids - Continued									
Perfluorooctanoic acid (PFOA)	335-67-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorononanoic acid (PFNA)	375-95-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorodecanoic acid (PFDA)	335-76-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorododecanoic acid (PFDoDA)	307-55-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
EP231C: Perfluoroalkyl Sulfonamides									
Perfluorooctane sulfonamide (FOSA)	754-91-6	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
EP231D: (n:2) Fluorotelomer Sulfonic Acids									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220503_16_01_SS_Triplicate_ALS	SX_OB_20220503_16_05_SS_Primary_ALS	SX_IB_20220503_20_00_SS_Primary_ALS	SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_OB_20220504_00_02_SS_Primary_ALS
Sampling date / time				03-May-2022 16:01	03-May-2022 16:05	03-May-2022 20:00	03-May-2022 20:07	04-May-2022 00:02	
Compound	CAS Number	LOR	Unit	EM2207989-008	EM2207989-009	EM2207989-010	EM2207989-011	EM2207989-013	
				Result	Result	Result	Result	Result	
EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued									
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
EP231P: PFAS Sums									
Sum of PFAS	----	50.0	µg/kg	<50.0	<50.0	<50.0	<50.0	<50.0	
Sum of PFHxS and PFOS	355-46-4/1763-23-1	5.0	µg/kg	<5.0	<5.0	<5.0	<5.0	<5.0	
Sum of PFAS (WA DER List)	----	10.0	µg/kg	<10.0	<10.0	<10.0	<10.0	<10.0	
EP066S: PCB Surrogate									
Decachlorobiphenyl	2051-24-3	0.1	%	96.7	99.6	92.3	102	97.8	
EP074S: VOC Surrogates (Ultra-Trace)									
1,2-Dichloroethane-D4	17060-07-0	0.1	%	101	91.9	97.5	104	99.3	
Toluene-D8	2037-26-5	0.1	%	92.5	82.1	87.4	95.6	91.1	
4-Bromofluorobenzene	460-00-4	0.1	%	97.9	89.7	93.2	99.1	94.3	
EP075S: Acid Extractable Surrogates (Waste Classification)									
Phenol-d6	13127-88-3	0.025	%	90.1	90.8	85.3	91.2	91.6	
2-Chlorophenol-D4	93951-73-6	0.025	%	86.4	85.7	81.6	83.6	87.7	
2,4,6-Tribromophenol	118-79-6	0.025	%	90.0	91.0	85.2	94.0	88.7	
EP075T: Base/Neutral Extractable Surrogates (Waste Classification)									
Nitrobenzene-D5	4165-60-0	0.025	%	91.4	89.8	85.9	89.2	93.0	
1,2-Dichlorobenzene-D4	2199-69-1	0.025	%	85.5	81.3	76.6	75.7	87.5	
2-Fluorobiphenyl	321-60-8	0.025	%	84.9	82.7	80.1	86.8	86.2	
Anthracene-d10	1719-06-8	0.025	%	93.0	94.9	89.1	97.7	94.6	
4-Terphenyl-d14	1718-51-0	0.025	%	96.7	98.4	92.8	102	99.0	
EP231S: PFAS Surrogate									
13C4-PFOS	----	0.0002	%	92.0	85.9	81.7	92.1	87.9	
13C8-PFOA	----	0.0002	%	91.0	92.2	89.6	90.1	89.6	



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)		Sample ID		SX_IB_20220504_00_11_SS_Primary_ALS	SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220503_07_56_SS_Primary_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS	SX_OB_20220503_08_09_SS_Primary_ALS			
Sampling date / time		04-May-2022 00:11		04-May-2022 03:58		03-May-2022 07:56		03-May-2022 07:58		03-May-2022 08:09	
Compound	CAS Number	LOR	Unit	EM2207989-014	EM2207989-015	EM2207989-016	EM2207989-017	EM2207989-018			
				Result	Result	Result	Result	Result			
EA001: pH in soil using 0.01M CaCl extract											
pH (CaCl ₂)	----	0.1	pH Unit	7.8	7.7	----	----	----			
EA055: Moisture Content (Dried @ 105-110°C)											
Moisture Content	----	1.0	%	32.2	31.6	----	----	----			
EG005(ED093)T: Total Metals by ICP-AES											
Arsenic	7440-38-2	5	mg/kg	31	21	----	----	----			
Cadmium	7440-43-9	1	mg/kg	<1	<1	----	----	----			
Chromium	7440-47-3	5	mg/kg	88	125	----	----	----			
Copper	7440-50-8	5	mg/kg	54	69	----	----	----			
Lead	7439-92-1	5	mg/kg	<5	<5	----	----	----			
Molybdenum	7439-98-7	5	mg/kg	<5	<5	----	----	----			
Nickel	7440-02-0	5	mg/kg	137	206	----	----	----			
Selenium	7782-49-2	5	mg/kg	<5	<5	----	----	----			
Silver	7440-22-4	2	mg/kg	<2	<2	----	----	----			
Tin	7440-31-5	10	mg/kg	<10	<10	----	----	----			
Zinc	7440-66-6	5	mg/kg	91	124	----	----	----			
EG035T: Total Recoverable Mercury by FIMS											
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	----	----	----			
EG048: Hexavalent Chromium (Alkaline Digest)											
Hexavalent Chromium	18540-29-9	1.0	mg/kg	<1.0	<1.0	----	----	----			
EK026SF: Total CN by Segmented Flow Analyser											
Total Cyanide	57-12-5	5	mg/kg	<5	<5	----	----	----			
EK040T: Fluoride Total											
Fluoride	16984-48-8	100	mg/kg	<100	130	----	----	----			
EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)											
Initial pH	----	0.1	pH Unit	9.2	9.3	----	----	----			
After HCl pH	----	0.1	pH Unit	1.4	1.4	----	----	----			
Extraction Fluid pH	----	0.1	pH Unit	5.0	5.0	----	----	----			
Final pH	----	0.1	pH Unit	5.1	5.1	----	----	----			
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)											
Final pH	----	0.1	pH Unit	----	----	9.9	10.1	9.0			
EP066: Polychlorinated Biphenyls (PCB)											
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	----	----	----			
EP074A: Monocyclic Aromatic Hydrocarbons											



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220504_00_11_SS_Primary_ALS	SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220503_07_56_SS_Primary_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS	SX_OB_20220503_08_09_SS_Primary_ALS
Sampling date / time				04-May-2022 00:11	04-May-2022 03:58	03-May-2022 07:56	03-May-2022 07:58	03-May-2022 08:09
Compound	CAS Number	LOR	Unit	EM2207989-014	EM2207989-015	EM2207989-016	EM2207989-017	EM2207989-018
				Result	Result	Result	Result	Result
EP074A: Monocyclic Aromatic Hydrocarbons - Continued								
Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	----	----	----
Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	----	----	----
Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	----	----	----
^ Sum of monocyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	----	----	----
^ Total Xylenes	----	0.5	mg/kg	<0.5	<0.5	----	----	----
EP074H: Naphthalene								
Naphthalene	91-20-3	1	mg/kg	<1	<1	----	----	----
EP074I: Volatile Halogenated Compounds								
Vinyl chloride	75-01-4	0.50	mg/kg	<0.50	<0.50	----	----	----
1,1-Dichloroethene	75-35-4	0.50	mg/kg	<0.50	<0.50	----	----	----
Methylene chloride	75-09-2	0.5	mg/kg	<0.5	<0.5	----	----	----
trans-1,2-Dichloroethene	156-60-5	0.50	mg/kg	<0.50	<0.50	----	----	----
cis-1,2-Dichloroethene	156-59-2	0.50	mg/kg	<0.50	<0.50	----	----	----
Chloroform	67-66-3	0.50	mg/kg	<0.50	<0.50	----	----	----
1,1,1-Trichloroethane	71-55-6	0.50	mg/kg	<0.50	<0.50	----	----	----
Carbon Tetrachloride	56-23-5	0.50	mg/kg	<0.50	<0.50	----	----	----
1,2-Dichloroethane	107-06-2	0.50	mg/kg	<0.50	<0.50	----	----	----
Trichloroethene	79-01-6	0.50	mg/kg	<0.50	<0.50	----	----	----
1,1,2-Trichloroethane	79-00-5	0.50	mg/kg	<0.50	<0.50	----	----	----
Tetrachloroethene	127-18-4	0.50	mg/kg	<0.50	<0.50	----	----	----
1,1,1,2-Tetrachloroethane	630-20-6	0.50	mg/kg	<0.50	<0.50	----	----	----
1,1,2,2-Tetrachloroethane	79-34-5	0.50	mg/kg	<0.50	<0.50	----	----	----
Hexachlorobutadiene	87-68-3	0.50	mg/kg	<0.50	<0.50	----	----	----
Chlorobenzene	108-90-7	0.50	mg/kg	<0.50	<0.50	----	----	----
1,4-Dichlorobenzene	106-46-7	0.50	mg/kg	<0.50	<0.50	----	----	----
1,2-Dichlorobenzene	95-50-1	0.50	mg/kg	<0.50	<0.50	----	----	----
1,2,4-Trichlorobenzene	120-82-1	0.50	mg/kg	<0.50	<0.50	----	----	----
^ Sum of volatile chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	----	----	----
^ Sum of other chlorinated hydrocarbons	----	0.50	mg/kg	<0.50	<0.50	----	----	----
EP075A: Phenolic Compounds (Halogenated)								



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220504_00_11_SS_Primary_ALS	SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220503_07_56_SS_Primary_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS	SX_OB_20220503_08_09_SS_Primary_ALS
Sampling date / time				04-May-2022 00:11	04-May-2022 03:58	03-May-2022 07:56	03-May-2022 07:58	03-May-2022 08:09
Compound	CAS Number	LOR	Unit	EM2207989-014	EM2207989-015	EM2207989-016	EM2207989-017	EM2207989-018
				Result	Result	Result	Result	Result
EP075A: Phenolic Compounds (Halogenated) - Continued								
2-Chlorophenol	95-57-8	0.50	mg/kg	<0.50	<0.50	----	----	----
2,4-Dichlorophenol	120-83-2	0.50	mg/kg	<0.50	<0.50	----	----	----
2,6-Dichlorophenol	87-65-0	0.50	mg/kg	<0.50	<0.50	----	----	----
4-Chloro-3-methylphenol	59-50-7	1.00	mg/kg	<1.00	<1.00	----	----	----
2,4,5-Trichlorophenol	95-95-4	1.00	mg/kg	<1.00	<1.00	----	----	----
2,4,6-Trichlorophenol	88-06-2	1.00	mg/kg	<1.00	<1.00	----	----	----
2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	----	----	----
2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/58-90-2	0.05	mg/kg	<0.05	<0.05	----	----	----
Pentachlorophenol	87-86-5	1.0	mg/kg	<1.0	<1.0	----	----	----
^ Sum of Phenols (halogenated)	----	1.00	mg/kg	<1.00	<1.00	----	----	----
EP075A: Phenolic Compounds (Non-halogenated)								
Phenol	108-95-2	1	mg/kg	<1	<1	----	----	----
2-Methylphenol	95-48-7	1	mg/kg	<1	<1	----	----	----
3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	----	----	----
2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	----	----	----
2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	----	----	----
2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	----	----	----
4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	----	----	----
2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	----	----	----
Dinoseb	88-85-7	20	mg/kg	<20	<20	----	----	----
2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	20	mg/kg	<20	<20	----	----	----
^ Sum of Phenols (non-halogenated)	----	20	mg/kg	<20	<20	----	----	----
EP075B: Polynuclear Aromatic Hydrocarbons								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	----	----	----
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	----	----	----
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	----	----	----
Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	----	----	----
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	----	----	----
Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	----	----	----
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	----	----	----
Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	----	----	----
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	----	----	----
Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	----	----	----



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220504_00_11_SS_Primary_ALS	SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220503_07_56_SS_Primary_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS	SX_OB_20220503_08_09_SS_Primary_ALS
Sampling date / time				04-May-2022 00:11	04-May-2022 03:58	03-May-2022 07:56	03-May-2022 07:58	03-May-2022 08:09
Compound	CAS Number	LOR	Unit	EM2207989-014	EM2207989-015	EM2207989-016	EM2207989-017	EM2207989-018
				Result	Result	Result	Result	Result
EP075B: Polynuclear Aromatic Hydrocarbons - Continued								
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1.0	mg/kg	<1.0	<1.0	----	----	----
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	----	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	----	----	----
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	----	----	----
Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	----	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	----	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	----	----	----
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	0.6	0.6	----	----	----
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	1.2	1.2	----	----	----
EP075I: Organochlorine Pesticides								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	----	----	----
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	----	----	----
beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	----	----	----
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	----	----	----
delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	----	----	----
Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	----	----	----
Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	----	----	----
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	----	----	----
cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	----	----	----
trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	----	----	----
Endosulfan 1	959-98-8	0.05	mg/kg	<0.05	<0.05	----	----	----
4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	----	----	----
Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	----	----	----
Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	----	----	----
Endosulfan 2	33213-65-9	0.05	mg/kg	<0.05	<0.05	----	----	----
4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	----	----	----
4,4'-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	----	----	----
Methoxychlor	72-43-5	0.05	mg/kg	<0.05	<0.05	----	----	----
^ Sum of organochlorine pesticides	----	0.10	mg/kg	<0.10	<0.10	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.30	mg/kg	<0.30	<0.30	----	----	----



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220504_00_11_SS_Primary_ALS	SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220503_07_56_SS_Primary_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS	SX_OB_20220503_08_09_SS_Primary_ALS
Sampling date / time				04-May-2022 00:11	04-May-2022 03:58	03-May-2022 07:56	03-May-2022 07:58	03-May-2022 08:09	
Compound	CAS Number	LOR	Unit	EM2207989-014	EM2207989-015	EM2207989-016	EM2207989-017	EM2207989-018	
				Result	Result	Result	Result	Result	
EP075I: Organochlorine Pesticides - Continued									
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg	<0.05	<0.05	----	----	----	
^ Chlordane	57-74-9	0.10	mg/kg	<0.10	<0.10	----	----	----	
^ Sum of other organochlorine pesticides	----	0.03	mg/kg	<0.03	<0.03	----	----	----	
EP080/071: Total Petroleum Hydrocarbons									
C6 - C9 Fraction	----	20	mg/kg	<20	<20	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	<50	<50	----	----	----	
C6 - C10 Fraction	C6_C10	20	mg/kg	<20	<20	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	<100	<100	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	<100	<100	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	----	----	----	
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions									
>C10 - C16 Fraction	----	50	mg/kg	<50	<50	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	<100	<100	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	<100	<100	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	----	----	----	
>C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	<50	<50	----	----	----	
C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	20	mg/kg	<20	<20	----	----	----	
EP231A: Perfluoroalkyl Sulfonic Acids									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	5.0	µg/kg	<5.0	<5.0	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	5.0	µg/kg	<5.0	<5.0	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	5.0	µg/kg	<5.0	<5.0	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	5.0	µg/kg	<5.0	<5.0	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	5.0	µg/kg	<5.0	<5.0	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	335-77-3	5.0	µg/kg	<5.0	<5.0	----	----	----	
EP231B: Perfluoroalkyl Carboxylic Acids									
Perfluorobutanoic acid (PFBA)	375-22-4	5	µg/kg	<5	<5	----	----	----	



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220504_00_11_SS_Primary_ALS	SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220503_07_56_SS_Primary_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS	SX_OB_20220503_08_09_SS_Primary_ALS
Sampling date / time				04-May-2022 00:11	04-May-2022 03:58	03-May-2022 07:56	03-May-2022 07:58	03-May-2022 08:09	
Compound	CAS Number	LOR	Unit	EM2207989-014	EM2207989-015	EM2207989-016	EM2207989-017	EM2207989-018	
				Result	Result	Result	Result	Result	
EP231B: Perfluoroalkyl Carboxylic Acids - Continued									
Perfluoropentanoic acid (PFPeA)	2706-90-3	5.0	µg/kg	<5.0	<5.0	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	5.0	µg/kg	<5.0	<5.0	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	5.0	µg/kg	<5.0	<5.0	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	5.0	µg/kg	<5.0	<5.0	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	5.0	µg/kg	<5.0	<5.0	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	5.0	µg/kg	<5.0	<5.0	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	5.0	µg/kg	<5.0	<5.0	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	5.0	µg/kg	<5.0	<5.0	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	5.0	µg/kg	<5.0	<5.0	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	5.0	µg/kg	<5.0	<5.0	----	----	----	
EP231C: Perfluoroalkyl Sulfonamides									
Perfluorooctane sulfonamide (FOSA)	754-91-6	5.0	µg/kg	<5.0	<5.0	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	5.0	µg/kg	<5.0	<5.0	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	5.0	µg/kg	<5.0	<5.0	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	5.0	µg/kg	<5.0	<5.0	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	5.0	µg/kg	<5.0	<5.0	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	10.0	µg/kg	<10.0	<10.0	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	10.0	µg/kg	<10.0	<10.0	----	----	----	
EP231D: (n:2) Fluorotelomer Sulfonic Acids									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	5.0	µg/kg	<5.0	<5.0	----	----	----	



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Sample ID	SX_IB_20220504_00_11_SS_Primary_ALS	SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220503_07_56_SS_Primary_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS	SX_OB_20220503_08_09_SS_Primary_ALS
Sampling date / time				04-May-2022 00:11	04-May-2022 03:58	03-May-2022 07:56	03-May-2022 07:58	03-May-2022 08:09	
Compound	CAS Number	LOR	Unit	EM2207989-014	EM2207989-015	EM2207989-016	EM2207989-017	EM2207989-018	
				Result	Result	Result	Result	Result	
EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued									
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	10.0	µg/kg	<10.0	<10.0	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	5.0	µg/kg	<5.0	<5.0	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	5.0	µg/kg	<5.0	<5.0	----	----	----	
EP231P: PFAS Sums									
Sum of PFAS	----	50.0	µg/kg	<50.0	<50.0	----	----	----	
Sum of PFHxS and PFOS	355-46-4/1763-23-1	5.0	µg/kg	<5.0	<5.0	----	----	----	
Sum of PFAS (WA DER List)	----	10.0	µg/kg	<10.0	<10.0	----	----	----	
EP066S: PCB Surrogate									
Decachlorobiphenyl	2051-24-3	0.1	%	97.6	93.2	----	----	----	
EP074S: VOC Surrogates (Ultra-Trace)									
1,2-Dichloroethane-D4	17060-07-0	0.1	%	94.8	95.6	----	----	----	
Toluene-D8	2037-26-5	0.1	%	81.1	85.1	----	----	----	
4-Bromofluorobenzene	460-00-4	0.1	%	91.2	91.3	----	----	----	
EP075S: Acid Extractable Surrogates (Waste Classification)									
Phenol-d6	13127-88-3	0.025	%	90.9	85.9	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.025	%	87.2	82.5	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.025	%	90.0	83.0	----	----	----	
EP075T: Base/Neutral Extractable Surrogates (Waste Classification)									
Nitrobenzene-D5	4165-60-0	0.025	%	91.6	86.9	----	----	----	
1,2-Dichlorobenzene-D4	2199-69-1	0.025	%	86.1	81.5	----	----	----	
2-Fluorobiphenyl	321-60-8	0.025	%	85.4	81.2	----	----	----	
Anthracene-d10	1719-06-8	0.025	%	93.2	88.5	----	----	----	
4-Terphenyl-d14	1718-51-0	0.025	%	98.2	91.9	----	----	----	
EP231S: PFAS Surrogate									
13C4-PFOS	----	0.0002	%	92.6	93.0	----	----	----	
13C8-PFOA	----	0.0002	%	94.0	100	----	----	----	



Analytical Results

Sub-Matrix: SOIL
 (Matrix: SOIL)

Sample ID

				SX_IB_20220503_12_06_SS_Primary_ALS	SX_IB_20220503_15_52_SS_Primary_ALS	SX_IB_20220503_16_01_SS_Triplicate_ALS	SX_OB_20220503_16_05_SS_Primary_ALS	SX_IB_20220503_20_00_SS_Primary_ALS
Sampling date / time				03-May-2022 12:06	03-May-2022 15:52	03-May-2022 16:01	03-May-2022 16:05	03-May-2022 20:00
Compound	CAS Number	LOR	Unit	EM2207989-019	EM2207989-020	EM2207989-021	EM2207989-022	EM2207989-023
				Result	Result	Result	Result	Result
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Final pH	----	0.1	pH Unit	9.5	9.2	9.3	8.8	10.1



Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)			Sample ID	SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_OB_20220504_00_02_SS_Primary_ALS	SX_IB_20220504_00_11_SS_Primary_ALS	SX_OB_20220504_03_58_SS_Primary_ALS	----
Sampling date / time			03-May-2022 20:07	04-May-2022 00:02	04-May-2022 00:11	04-May-2022 03:58	----	----
Compound	CAS Number	LOR	Unit	EM2207989-024	EM2207989-026	EM2207989-027	EM2207989-028	-----
				Result	Result	Result	Result	----
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Final pH	----	0.1	pH Unit	10.0	9.1	9.4	9.2	----



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)			Sample ID		SX_IB_20220503_08_26_SR_Rinsate_ALS	SX_IB_20220503_08_28_SB_Blank_ALS	----	----	----
Sampling date / time			03-May-2022 08:26		03-May-2022 08:28		----	----	----
Compound	CAS Number	LOR	Unit	EM2207989-005	EM2207989-006	-----	-----	-----	
				Result	Result	---	---	---	
EP231A: Perfluoroalkyl Sulfonic Acids									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	----	----	----	
EP231B: Perfluoroalkyl Carboxylic Acids									
Perfluorobutanoic acid (PFBA)	375-22-4	0.10	µg/L	<0.10	<0.10	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	----	----	----	
EP231C: Perfluoroalkyl Sulfonamides									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05	µg/L	<0.05	<0.05	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	----	----	----	



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	SX_IB_20220503_08_26_SR_Rinsate_ALS	SX_IB_20220503_08_28_SB_Blank_ALS	----	----	----
Sampling date / time				03-May-2022 08:26	03-May-2022 08:28	----	----	----	
Compound	CAS Number	LOR	Unit	EM2207989-005	EM2207989-006	-----	-----	-----	
				Result	Result	---	---	---	
EP231C: Perfluoroalkyl Sulfonamides - Continued									
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05	µg/L	<0.05	<0.05	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05	µg/L	<0.05	<0.05	----	----	----	
EP231D: (n:2) Fluorotelomer Sulfonic Acids									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	----	----	----	
EP231P: PFAS Sums									
Sum of PFAS	----	0.10	µg/L	<0.10	<0.10	----	----	----	
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	----	----	----	
Sum of PFAS (WA DER List)	----	0.05	µg/L	<0.05	<0.05	----	----	----	
EP231S: PFAS Surrogate									
13C4-PFOS	----	0.02	%	90.7	93.2	----	----	----	
13C8-PFOA	----	0.02	%	96.8	95.0	----	----	----	



Surrogate Control Limits

Sub-Matrix: ASLP LEACHATE		Recovery Limits (%)	
Compound	CAS Number	Low	High
EP231S: PFAS Surrogate			
13C4-PFOS	----	65	140
13C8-PFOA	----	71	133

Sub-Matrix: DI WATER LEACHATE		Recovery Limits (%)	
Compound	CAS Number	Low	High
EP231S: PFAS Surrogate			
13C4-PFOS	----	65	140
13C8-PFOA	----	71	133

Sub-Matrix: SOIL		Recovery Limits (%)	
Compound	CAS Number	Low	High
EP066S: PCB Surrogate			
Decachlorobiphenyl	2051-24-3	41	122
EP074S: VOC Surrogates (Ultra-Trace)			
1,2-Dichloroethane-D4	17060-07-0	59	119
Toluene-D8	2037-26-5	55	117
4-Bromofluorobenzene	460-00-4	59	123
EP075S: Acid Extractable Surrogates (Waste Classification)			
Phenol-d6	13127-88-3	63	134
2-Chlorophenol-D4	93951-73-6	60	125
2,4,6-Tribromophenol	118-79-6	54	129
EP075T: Base/Neutral Extractable Surrogates (Waste Classification)			
Nitrobenzene-D5	4165-60-0	63	131
1,2-Dichlorobenzene-D4	2199-69-1	61	124
2-Fluorobiphenyl	321-60-8	69	131
Anthracene-d10	1719-06-8	70	133
4-Terphenyl-d14	1718-51-0	59	141
EP231S: PFAS Surrogate			
13C4-PFOS	----	68	136
13C8-PFOA	----	69	133

Sub-Matrix: WATER		Recovery Limits (%)	
Compound	CAS Number	Low	High
EP231S: PFAS Surrogate			
13C4-PFOS	----	65	140
13C8-PFOA	----	71	133

QUALITY CONTROL REPORT

Work Order	: EM2207989	Page	: 1 of 34
Client	: AGON ENVIRONMENTAL PTY LTD	Laboratory	: Environmental Division Melbourne
Contact	: DAVID LAWSON	Contact	: Josh Alexander
Address	: D1.1 63-85 TURNER STREET PORT MELBOURNE 3207	Address	: 4 Westall Rd Springvale VIC Australia 3171
Telephone	: ----	Telephone	: +61-3-8549 9600
Project	: JC0927	Date Samples Received	: 04-May-2022
Order number	: ----	Date Analysis Commenced	: 04-May-2022
C-O-C number	: 20220504051412-ALS-12	Issue Date	: 11-May-2022
Sampler	: DB EP RISK, DL TG AGON		
Site	: 20220504051412-ALS-12		
Quote number	: EN/150/19 -WGTP -Bulk Sample Quote		
No. of samples received	: 26		
No. of samples analysed	: 26		



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Dilani Fernando	Laboratory Coordinator	Melbourne Inorganics, Springvale, VIC
Jarwis Nheu	Senior Inorganic Chemist	Melbourne Inorganics, Springvale, VIC
Nikki Stepniewski	Senior Inorganic Instrument Chemist	Melbourne Inorganics, Springvale, VIC
Xing Lin	Senior Organic Chemist	Melbourne Inorganics, Springvale, VIC
Xing Lin	Senior Organic Chemist	Melbourne Organics, Springvale, VIC



General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Key :
 Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot
 CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.
 LOR = Limit of reporting
 RPD = Relative Percentage Difference
 # = Indicates failed QC

Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: **SOIL**

Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Laboratory Duplicate (DUP) Report					
				LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EG005(ED093)T: Total Metals by ICP-AES (QC Lot: 4323203)									
EM2207989-001	SX_IB_20220503_07_56_S S_Primary_ALS	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.0	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	70	72	2.8	0% - 50%
		EG005T: Molybdenum	7439-98-7	2	mg/kg	<5	<5	0.0	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	132	142	6.9	0% - 20%
		EG005T: Silver	7440-22-4	2	mg/kg	<2	<2	0.0	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	20	20	0.0	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	50	51	0.0	0% - 50%
		EG005T: Lead	7439-92-1	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Selenium	7782-49-2	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Tin	7440-31-5	5	mg/kg	<10	<10	0.0	No Limit
EG005T: Zinc	7440-66-6	5	mg/kg	97	100	2.8	0% - 20%		
EM2207989-013	SX_OB_20220504_00_02_ SS_Primary_ALS	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.0	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	107	121	12.3	0% - 20%
		EG005T: Molybdenum	7439-98-7	2	mg/kg	<5	<5	0.0	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	211	192	9.3	0% - 20%
		EG005T: Silver	7440-22-4	2	mg/kg	<2	<2	0.0	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	17	18	0.0	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	65	67	2.1	0% - 50%
		EG005T: Lead	7439-92-1	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Selenium	7782-49-2	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Tin	7440-31-5	5	mg/kg	<10	<10	0.0	No Limit
EG005T: Zinc	7440-66-6	5	mg/kg	121	114	6.3	0% - 20%		



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EA001: pH in soil using 0.01M CaCl extract (QC Lot: 4326517)									
EM2207989-001	SX_IB_20220503_07_56_S S_Primary_ALS	EA001: pH (CaCl2)	----	0.1	pH Unit	8.7	8.7	0.0	0% - 20%
EM2207989-010	SX_IB_20220503_20_00_S S_Primary_ALS	EA001: pH (CaCl2)	----	0.1	pH Unit	8.7	8.8	0.0	0% - 20%
EA055: Moisture Content (Dried @ 105-110°C) (QC Lot: 4326282)									
EM2207989-001	SX_IB_20220503_07_56_S S_Primary_ALS	EA055: Moisture Content	----	0.1	%	30.3	33.0	8.4	0% - 20%
EM2207989-014	SX_IB_20220504_00_11_S S_Primary_ALS	EA055: Moisture Content	----	0.1	%	32.2	33.1	3.0	0% - 20%
EG035T: Total Recoverable Mercury by FIMS (QC Lot: 4323204)									
EM2207989-001	SX_IB_20220503_07_56_S S_Primary_ALS	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EM2207989-013	SX_OB_20220504_00_02_ SS_Primary_ALS	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EG048: Hexavalent Chromium (Alkaline Digest) (QC Lot: 4323187)									
EM2207989-001	SX_IB_20220503_07_56_S S_Primary_ALS	EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<1.0	<1.0	0.0	No Limit
EM2207989-013	SX_OB_20220504_00_02_ SS_Primary_ALS	EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<1.0	<1.0	0.0	No Limit
EK026SF: Total CN by Segmented Flow Analyser (QC Lot: 4326329)									
EM2207989-003	SX_OB_20220503_08_09_ SS_Primary_ALS	EK026SF: Total Cyanide	57-12-5	1	mg/kg	<5	<5	0.0	No Limit
EM2207948-001	Anonymous	EK026SF: Total Cyanide	57-12-5	1	mg/kg	<4	<4	0.0	No Limit
EK040T: Fluoride Total (QC Lot: 4323185)									
EM2207989-001	SX_IB_20220503_07_56_S S_Primary_ALS	EK040T: Fluoride	16984-48-8	40	mg/kg	150	160	0.0	No Limit
EM2207989-013	SX_OB_20220504_00_02_ SS_Primary_ALS	EK040T: Fluoride	16984-48-8	40	mg/kg	120	140	12.0	No Limit
EP066: Polychlorinated Biphenyls (PCB) (QC Lot: 4323168)									
EM2207989-001	SX_IB_20220503_07_56_S S_Primary_ALS	EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EM2207989-014	SX_IB_20220504_00_11_S S_Primary_ALS	EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EP074A: Monocyclic Aromatic Hydrocarbons (QC Lot: 4318984)									
EM2207989-001	SX_IB_20220503_07_56_S S_Primary_ALS	EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.0	No Limit
		EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP074-UT: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit



Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)	
EP074A: Monocyclic Aromatic Hydrocarbons (QC Lot: 4318984) - continued										
EM2207989-001	SX_IB_20220503_07_56_S S_Primary_ALS	EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit	
		EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.0	No Limit	
EM2207989-014	SX_IB_20220504_00_11_S S_Primary_ALS	EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.0	No Limit	
		EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit	
		EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.0	No Limit	
		EP074-UT: meta- & para-Xylene	108-38-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit	
			106-42-3							
		EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit	
	EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.0	No Limit		
EP074H: Naphthalene (QC Lot: 4318984)										
EM2207989-001	SX_IB_20220503_07_56_S S_Primary_ALS	EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.0	No Limit	
EM2207989-014	SX_IB_20220504_00_11_S S_Primary_ALS	EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.0	No Limit	
EP074I: Volatile Halogenated Compounds (QC Lot: 4318984)										
EM2207989-001	SX_IB_20220503_07_56_S S_Primary_ALS	EP074-UT: 1,1-Dichloroethene	75-35-4	0.01	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: cis-1,2-Dichloroethene	156-59-2	0.01	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: 1,1,1-Trichloroethane	71-55-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: Carbon Tetrachloride	56-23-5	0.01	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: 1,1,1,2-Tetrachloroethane	630-20-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: 1,2,4-Trichlorobenzene	120-82-1	0.01	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: Vinyl chloride	75-01-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: trans-1,2-Dichloroethene	156-60-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: Chloroform	67-66-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: 1,2-Dichloroethane	107-06-2	0.02	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: Trichloroethene	79-01-6	0.02	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: Tetrachloroethene	127-18-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: 1,1,2,2-Tetrachloroethane	79-34-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: Hexachlorobutadiene	87-68-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: Chlorobenzene	108-90-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: 1,4-Dichlorobenzene	106-46-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: 1,2-Dichlorobenzene	95-50-1	0.02	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: 1,1,2-Trichloroethane	79-00-5	0.04	mg/kg	<0.50	<0.50	0.0	No Limit	
		EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.5	<0.5	0.0	No Limit	
		EM2207989-014	SX_IB_20220504_00_11_S S_Primary_ALS	EP074-UT: 1,1-Dichloroethene	75-35-4	0.01	mg/kg	<0.50	<0.50	0.0
EP074-UT: cis-1,2-Dichloroethene	156-59-2			0.01	mg/kg	<0.50	<0.50	0.0	No Limit	



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP074I: Volatile Halogenated Compounds (QC Lot: 4318984) - continued									
EM2207989-014	SX_IB_20220504_00_11_S S_Primary_ALS	EP074-UT: 1.1.1-Trichloroethane	71-55-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Carbon Tetrachloride	56-23-5	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.1.2-Tetrachloroethane	630-20-6	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.2.4-Trichlorobenzene	120-82-1	0.01	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Vinyl chloride	75-01-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: trans-1.2-Dichloroethene	156-60-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chloroform	67-66-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.2-Dichloroethane	107-06-2	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Trichloroethene	79-01-6	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Tetrachloroethene	127-18-4	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.1.2.2-Tetrachloroethane	79-34-5	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Hexachlorobutadiene	87-68-3	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: Chlorobenzene	108-90-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.4-Dichlorobenzene	106-46-7	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
		EP074-UT: 1.2-Dichlorobenzene	95-50-1	0.02	mg/kg	<0.50	<0.50	0.0	No Limit
EP074-UT: 1.1.2-Trichloroethane	79-00-5	0.04	mg/kg	<0.50	<0.50	0.0	No Limit		
EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.5	<0.5	0.0	No Limit		
EP075A: Phenolic Compounds (Halogenated) (QC Lot: 4323170)									
EM2207989-001	SX_IB_20220503_07_56_S S_Primary_ALS	EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.5.6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: 2.4.5-Trichlorophenol	95-95-4	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.4.6-Trichlorophenol	88-06-2	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.4.5 & 2.3.4.6-Tetrachlorophenol	4901-51-3/58-9 0-2	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<1.0	<1.0	0.0	No Limit		
EM2207989-014	SX_IB_20220504_00_11_S S_Primary_ALS	EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 2.6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.50	<0.50	0.0	No Limit
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.5.6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: 2.4.5-Trichlorophenol	95-95-4	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.4.6-Trichlorophenol	88-06-2	0.05	mg/kg	<1.00	<1.00	0.0	No Limit
		EP075-EM: 2.3.4.5 & 2.3.4.6-Tetrachlorophenol	4901-51-3/58-9 0-2	0.05	mg/kg	<0.05	<0.05	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP075A: Phenolic Compounds (Halogenated) (QC Lot: 4323170) - continued									
EM2207989-014	SX_IB_20220504_00_11_S S_Primary_ALS	EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<1.0	<1.0	0.0	No Limit
EP075A: Phenolic Compounds (Non-halogenated) (QC Lot: 4323170)									
EM2207989-001	SX_IB_20220503_07_56_S S_Primary_ALS	EP075-EM: Phenol	108-95-2	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: Dinoseb	88-85-7	5	mg/kg	<20	<20	0.0	No Limit
EM2207989-014	SX_IB_20220504_00_11_S S_Primary_ALS	EP075-EM: Phenol	108-95-2	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	<1	0.0	No Limit
		EP075-EM: 2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: 2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	<5	0.0	No Limit
		EP075-EM: Dinoseb	88-85-7	5	mg/kg	<20	<20	0.0	No Limit
EP075B: Polynuclear Aromatic Hydrocarbons (QC Lot: 4323170)	SX_IB_20220503_07_56_S S_Primary_ALS	EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Indeno(1,2,3-cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP075B: Polynuclear Aromatic Hydrocarbons (QC Lot: 4323170) - continued									
EM2207989-001	SX_IB_20220503_07_56_S S_Primary_ALS	EP075-EM: Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	<1.0	0.0	No Limit
EM2207989-014	SX_IB_20220504_00_11_S S_Primary_ALS	EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Indeno(1,2,3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
		EP075-EM: Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.0	No Limit
EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	<1.0	0.0	No Limit		
EP075I: Organochlorine Pesticides (QC Lot: 4323170)									
EM2207989-001	SX_IB_20220503_07_56_S S_Primary_ALS	EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.05	<0.05	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP075I: Organochlorine Pesticides (QC Lot: 4323170) - continued									
EM2207989-001	SX_IB_20220503_07_56_S S_Primary_ALS	EP075-EM: 4.4`-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4.4`-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: 4.4`-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
EM2207989-014	SX_IB_20220504_00_11_S S_Primary_ALS	EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	<0.03	0.0	No Limit
		EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
		EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.05	<0.05	0.0	No Limit
EP075-EM: 4.4`-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit		
EP075-EM: 4.4`-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit		
EP075-EM: 4.4`-DDT	50-29-3	0.05	mg/kg	<0.05	<0.05	0.0	No Limit		
EP080/071: Total Petroleum Hydrocarbons (QC Lot: 4318984)									
EM2207989-001	SX_IB_20220503_07_56_S S_Primary_ALS	EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<20	<20	0.0	No Limit
EM2207989-014	SX_IB_20220504_00_11_S S_Primary_ALS	EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<20	<20	0.0	No Limit
EP080/071: Total Petroleum Hydrocarbons (QC Lot: 4323169)									
EM2207989-001	SX_IB_20220503_07_56_S S_Primary_ALS	EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EM2207989-014	SX_IB_20220504_00_11_S S_Primary_ALS	EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP080/071: Total Petroleum Hydrocarbons (QC Lot: 4323169) - continued									
EM2207989-014	SX_IB_20220504_00_11_S S_Primary_ALS	EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 4318984)									
EM2207989-001	SX_IB_20220503_07_56_S S_Primary_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<20	<20	0.0	No Limit
		EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<20	<20	0.0	No Limit
EM2207989-014	SX_IB_20220504_00_11_S S_Primary_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<20	<20	0.0	No Limit
		EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<20	<20	0.0	No Limit
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 4323169)									
EM2207989-001	SX_IB_20220503_07_56_S S_Primary_ALS	EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EM2207989-014	SX_IB_20220504_00_11_S S_Primary_ALS	EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.0	No Limit
		EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.0	No Limit
		EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	<50	0.0	No Limit
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4322082)									
EM2207874-001	Anonymous	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
EM2207989-004	SX_IB_20220503_12_06_S S_Primary_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4322082)									
EM2207874-001	Anonymous	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4322082) - continued									
EM2207874-001	Anonymous	EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	<0.001	0.0	No Limit
EM2207989-004	SX_IB_20220503_12_06_S S_Primary_ALS	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<5 µg/kg	<0.005	0.0	No Limit		
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4322082)									
EM2207874-001	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
EM2207989-004	SX_IB_20220503_12_06_S S_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4322082) - continued									
EM2207989-004	SX_IB_20220503_12_06_S S_Primary_ALS	EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4322082)									
EM2207874-001	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	<0.0005	0.0	No Limit
EM2207989-004	SX_IB_20220503_12_06_S S_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
EP231P: PFAS Sums (QC Lot: 4322082)									
EM2207874-001	Anonymous	EP231X: Sum of PFAS	----	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	<0.0002	0.0	No Limit
EM2207989-004	SX_IB_20220503_12_06_S S_Primary_ALS	EP231X: Sum of PFAS	----	0.0002	mg/kg	<50.0 µg/kg	<0.0500	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.0002	mg/kg	<5.0 µg/kg	<0.0050	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<10.0 µg/kg	<0.0100	0.0	No Limit
Sub-Matrix: WATER									
Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4320960)									
EM2207664-005	Anonymous	EP231X-INJ: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X-INJ: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4320960) - continued									
EM2207664-005	Anonymous	EP231X-INJ: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4324020)									
EM2207989-001	SX_IB_20220503_07_56_S S_Primary_ALS	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EM2207989-013	SX_OB_20220504_00_02_ SS_Primary_ALS	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4324937)									
EM2207989-016	SX_IB_20220503_07_56_S S_Primary_ALS	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit		
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 4326830)									
EM2207989-017	SX_IB_20220503_07_58_S S_Duplicate_ALS	EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4320960)									



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4320960) - continued									
EM2207664-005	Anonymous	EP231X-INJ: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X-INJ: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X-INJ: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231X-INJ: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.10	<0.10	0.0	No Limit		
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4324020)									
EM2207989-001	SX_IB_20220503_07_56_S S_Primary_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit		
EM2207989-013	SX_OB_20220504_00_02_ SS_Primary_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit		
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4324937)									
EM2207989-016	SX_IB_20220503_07_56_S S_Primary_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4324937) - continued									
EM2207989-016	SX_IB_20220503_07_56_S S_Primary_ALS	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit		
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 4326830)									
EM2207989-017	SX_IB_20220503_07_58_S S_Duplicate_ALS	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.0	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.0	No Limit		
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4320960)									
EM2207664-005	Anonymous	EP231X-INJ: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4324020)									



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4324020) - continued									
EM2207989-001	SX_IB_20220503_07_56_S S_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2207989-013	SX_OB_20220504_00_02_02 SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4324937)									
EM2207989-016	SX_IB_20220503_07_56_S S_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4324937) - continued									
EM2207989-016	SX_IB_20220503_07_56_S S_Primary_ALS	EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 4326830)									
EM2207989-017	SX_IB_20220503_07_58_S S_Duplicate_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4320960)									
EM2207664-005	Anonymous	EP231X-INJ: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X-INJ: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4324020)									
EM2207989-001	SX_IB_20220503_07_56_S S_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EM2207989-013	SX_OB_20220504_00_02_ SS_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4324020) - continued									
EM2207989-013	SX_OB_20220504_00_02_SS_Primary_ALS	EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4324937)									
EM2207989-016	SX_IB_20220503_07_56_S_S_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 4326830)									
EM2207989-017	SX_IB_20220503_07_58_S_S_Duplicate_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.0	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.0	No Limit
EP231P: PFAS Sums (QC Lot: 4320960)									
EM2207664-005	Anonymous	EP231X-INJ: Sum of PFAS	----	0.01	µg/L	<0.10	<0.10	0.0	No Limit
		EP231X-INJ: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X-INJ: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.05	<0.05	0.0	No Limit
EP231P: PFAS Sums (QC Lot: 4324020)									
EM2207989-001	SX_IB_20220503_07_56_S_S_Primary_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.10	<0.10	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.05	<0.05	0.0	No Limit
EM2207989-013	SX_OB_20220504_00_02_SS_Primary_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.10	<0.10	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.05	<0.05	0.0	No Limit
EP231P: PFAS Sums (QC Lot: 4324937)									
EM2207989-016	SX_IB_20220503_07_56_S_S_Primary_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.10	<0.10	0.0	No Limit

Page : 18 of 34
 Work Order : EM2207989
 Client : AGON ENVIRONMENTAL PTY LTD
 Project : JC0927



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP231P: PFAS Sums (QC Lot: 4324937) - continued									
EM2207989-016	SX_IB_20220503_07_56_S S_Primary_ALS	EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.05	<0.05	0.0	No Limit
EP231P: PFAS Sums (QC Lot: 4326830)									
EM2207989-017	SX_IB_20220503_07_58_S S_Duplicate_ALS	EP231X: Sum of PFAS	----	0.01	µg/L	<0.10	<0.10	0.0	No Limit
		EP231X: Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	0.0	No Limit
		EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.05	<0.05	0.0	No Limit



Method Blank (MB) and Laboratory Control Sample (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Sample (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: **SOIL**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
EG005(ED093)T: Total Metals by ICP-AES (QCLot: 4323203)									
EG005T: Arsenic	7440-38-2	5	mg/kg	<5	123 mg/kg	88.2	70.0	130	
EG005T: Cadmium	7440-43-9	1	mg/kg	<1	1.23 mg/kg	59.4	50.0	130	
EG005T: Chromium	7440-47-3	2	mg/kg	<2	20.2 mg/kg	83.8	70.0	130	
EG005T: Copper	7440-50-8	5	mg/kg	<5	55.9 mg/kg	82.3	70.0	130	
EG005T: Lead	7439-92-1	5	mg/kg	<5	62.4 mg/kg	82.6	70.0	130	
EG005T: Molybdenum	7439-98-7	2	mg/kg	<2	2.19 mg/kg	70.4	70.0	130	
EG005T: Nickel	7440-02-0	2	mg/kg	<2	15.4 mg/kg	82.4	70.0	130	
EG005T: Selenium	7782-49-2	5	mg/kg	<5	----	----	----	----	
EG005T: Silver	7440-22-4	2	mg/kg	<2	2.9 mg/kg	77.2	70.0	130	
EG005T: Tin	7440-31-5	5	mg/kg	<5	5.33 mg/kg	73.7	70.0	130	
EG005T: Zinc	7440-66-6	5	mg/kg	<5	162 mg/kg	73.0	70.0	130	
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel) (QCLot: 4321458)									
EN60-DIa-P: Final pH	----	0.1	pH Unit	7.1	----	----	----	----	
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel) (QCLot: 4323558)									
EN60-DIa-P: Final pH	----	0.1	pH Unit	7.1	----	----	----	----	
EA001: pH in soil using 0.01M CaCl extract (QCLot: 4326517)									
EA001: pH (CaCl2)	----	----	pH Unit	----	4 pH Unit	100	98.8	101	
					7 pH Unit	99.3	99.3	101	
EG035T: Total Recoverable Mercury by FIMS (QCLot: 4323204)									
EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	0.64 mg/kg	94.5	70.0	130	
EG048: Hexavalent Chromium (Alkaline Digest) (QCLot: 4323187)									
EG048G: Hexavalent Chromium	18540-29-9	0.5	mg/kg	<0.5	20 mg/kg	83.9	70.0	130	
EK026SF: Total CN by Segmented Flow Analyser (QCLot: 4326329)									
EK026SF: Total Cyanide	57-12-5	1	mg/kg	<1	20 mg/kg	87.6	70.0	130	
EK040T: Fluoride Total (QCLot: 4323185)									
EK040T: Fluoride	16984-48-8	40	mg/kg	<40	400 mg/kg	97.6	75.2	110	
EP066: Polychlorinated Biphenyls (PCB) (QCLot: 4323168)									
EP066-EM: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	1 mg/kg	107	67.4	136	
EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 4318984)									
EP074-UT: Benzene	71-43-2	0.2	mg/kg	<0.2	2.1 mg/kg	98.5	69.2	116	
EP074-UT: Toluene	108-88-3	0.5	mg/kg	<0.5	2.1 mg/kg	99.6	67.7	116	
EP074-UT: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	2.1 mg/kg	98.7	66.6	115	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 4318984) - continued									
EP074-UT: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	4.2 mg/kg	97.9	65.2	112	
EP074-UT: Styrene	100-42-5	0.5	mg/kg	<0.5	2.1 mg/kg	97.1	69.4	111	
EP074-UT: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	2.1 mg/kg	93.3	68.4	110	
EP074H: Naphthalene (QCLot: 4318984)									
EP074-UT: Naphthalene	91-20-3	1	mg/kg	<1	0.6 mg/kg	95.3	72.3	114	
EP074I: Volatile Halogenated Compounds (QCLot: 4318984)									
EP074-UT: Vinyl chloride	75-01-4	0.02	mg/kg	<0.02	0.1 mg/kg	85.9	47.0	138	
EP074-UT: 1,1-Dichloroethene	75-35-4	0.01	mg/kg	<0.01	0.1 mg/kg	95.8	57.6	125	
EP074-UT: Methylene chloride	75-09-2	0.4	mg/kg	<0.4	2.1 mg/kg	95.2	72.3	115	
EP074-UT: trans-1,2-Dichloroethene	156-60-5	0.02	mg/kg	<0.02	0.1 mg/kg	100	60.5	122	
EP074-UT: cis-1,2-Dichloroethene	156-59-2	0.01	mg/kg	<0.01	0.1 mg/kg	94.6	70.3	112	
EP074-UT: Chloroform	67-66-3	0.02	mg/kg	<0.02	0.1 mg/kg	95.1	66.6	115	
EP074-UT: 1,1,1-Trichloroethane	71-55-6	0.01	mg/kg	<0.01	0.1 mg/kg	98.3	64.4	122	
EP074-UT: Carbon Tetrachloride	56-23-5	0.01	mg/kg	<0.01	0.1 mg/kg	94.4	58.4	127	
EP074-UT: 1,2-Dichloroethane	107-06-2	0.02	mg/kg	<0.02	0.1 mg/kg	98.4	72.9	114	
EP074-UT: Trichloroethene	79-01-6	0.02	mg/kg	<0.02	0.1 mg/kg	96.2	64.7	115	
EP074-UT: 1,1,2-Trichloroethane	79-00-5	0.04	mg/kg	<0.04	0.1 mg/kg	101	72.6	116	
EP074-UT: Tetrachloroethene	127-18-4	0.02	mg/kg	<0.02	0.1 mg/kg	93.0	60.0	119	
EP074-UT: 1,1,1,2-Tetrachloroethane	630-20-6	0.01	mg/kg	<0.01	0.1 mg/kg	97.2	71.8	116	
EP074-UT: 1,1,2,2-Tetrachloroethane	79-34-5	0.02	mg/kg	<0.02	0.1 mg/kg	98.6	66.1	116	
EP074-UT: Hexachlorobutadiene	87-68-3	0.02	mg/kg	<0.02	0.1 mg/kg	99.7	39.8	128	
EP074-UT: Chlorobenzene	108-90-7	0.02	mg/kg	<0.02	0.1 mg/kg	97.9	70.3	113	
EP074-UT: 1,4-Dichlorobenzene	106-46-7	0.02	mg/kg	<0.02	0.1 mg/kg	93.5	62.6	113	
EP074-UT: 1,2-Dichlorobenzene	95-50-1	0.02	mg/kg	<0.02	0.1 mg/kg	97.0	70.8	110	
EP074-UT: 1,2,4-Trichlorobenzene	120-82-1	0.01	mg/kg	<0.01	0.1 mg/kg	97.7	48.4	120	
EP075A: Phenolic Compounds (Halogenated) (QCLot: 4323170)									
EP075-EM: 2-Chlorophenol	95-57-8	0.03	mg/kg	<0.03	2 mg/kg	92.1	74.5	126	
EP075-EM: 2,4-Dichlorophenol	120-83-2	0.03	mg/kg	<0.03	2 mg/kg	95.3	72.7	126	
EP075-EM: 2,6-Dichlorophenol	87-65-0	0.03	mg/kg	<0.03	2 mg/kg	95.7	73.5	132	
EP075-EM: 4-Chloro-3-methylphenol	59-50-7	0.03	mg/kg	<0.03	2 mg/kg	98.3	72.8	128	
EP075-EM: 2,4,5-Trichlorophenol	95-95-4	0.05	mg/kg	<0.05	2 mg/kg	82.2	73.3	134	
EP075-EM: 2,4,6-Trichlorophenol	88-06-2	0.05	mg/kg	<0.05	2 mg/kg	82.9	72.4	128	
EP075-EM: 2,3,5,6-Tetrachlorophenol	935-95-5	0.03	mg/kg	<0.03	2 mg/kg	84.8	69.4	126	
EP075-EM: 2,3,4,5 & 2,3,4,6-Tetrachlorophenol	4901-51-3/5 8-90-2	0.05	mg/kg	<0.05	4 mg/kg	82.8	71.9	128	
EP075-EM: Pentachlorophenol	87-86-5	0.2	mg/kg	<0.2	4 mg/kg	89.4	54.4	135	
EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4323170)									



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4323170) - continued									
EP075-EM: Phenol	108-95-2	1	mg/kg	<1	2 mg/kg	91.7	71.5	130	
EP075-EM: 2-Methylphenol	95-48-7	1	mg/kg	<1	2 mg/kg	91.7	73.4	129	
EP075-EM: 3- & 4-Methylphenol	1319-77-3	1	mg/kg	<1	4 mg/kg	92.9	74.3	129	
EP075-EM: 2-Nitrophenol	88-75-5	1	mg/kg	<1	2 mg/kg	93.2	70.9	133	
EP075-EM: 2,4-Dimethylphenol	105-67-9	1	mg/kg	<1	2 mg/kg	94.6	71.8	132	
EP075-EM: 2,4-Dinitrophenol	51-28-5	5	mg/kg	<5	10 mg/kg	67.0	41.0	156	
EP075-EM: 4-Nitrophenol	100-02-7	5	mg/kg	<5	10 mg/kg	89.6	65.3	134	
EP075-EM: 2-Methyl-4,6-dinitrophenol	8071-51-0	5	mg/kg	<5	10 mg/kg	81.6	43.6	128	
EP075-EM: Dinoseb	88-85-7	5	mg/kg	<5	10 mg/kg	94.8	62.0	128	
EP075-EM: 2-Cyclohexyl-4,6-Dinitrophenol	131-89-5	5	mg/kg	<5	10 mg/kg	90.8	34.5	137	
EP075B: Polynuclear Aromatic Hydrocarbons (QCLot: 4323170)									
EP075-EM: Naphthalene	91-20-3	0.5	mg/kg	<0.5	2 mg/kg	94.8	73.0	131	
EP075-EM: Acenaphthene	83-32-9	0.5	mg/kg	<0.5	2 mg/kg	82.4	76.3	130	
EP075-EM: Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	2 mg/kg	81.8	72.0	135	
EP075-EM: Fluorene	86-73-7	0.5	mg/kg	<0.5	2 mg/kg	83.0	74.4	131	
EP075-EM: Phenanthrene	85-01-8	0.5	mg/kg	<0.5	2 mg/kg	91.6	73.3	130	
EP075-EM: Anthracene	120-12-7	0.5	mg/kg	<0.5	2 mg/kg	91.8	78.4	127	
EP075-EM: Fluoranthene	206-44-0	0.5	mg/kg	<0.5	2 mg/kg	92.8	75.3	132	
EP075-EM: Pyrene	129-00-0	0.5	mg/kg	<0.5	2 mg/kg	93.0	75.4	130	
EP075-EM: Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	2 mg/kg	93.6	69.6	133	
EP075-EM: Chrysene	218-01-9	0.5	mg/kg	<0.5	2 mg/kg	94.2	75.0	133	
EP075-EM: Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	1	mg/kg	<1.0	4 mg/kg	96.7	75.8	133	
EP075-EM: Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	2 mg/kg	96.3	65.1	130	
EP075-EM: Indeno(1,2,3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	2 mg/kg	98.3	72.1	134	
EP075-EM: Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	2 mg/kg	98.4	72.9	135	
EP075-EM: Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	2 mg/kg	98.1	71.3	134	
EP075I: Organochlorine Pesticides (QCLot: 4323170)									
EP075-EM: alpha-BHC	319-84-6	0.03	mg/kg	<0.03	2 mg/kg	93.8	71.0	129	
EP075-EM: Hexachlorobenzene (HCB)	118-74-1	0.03	mg/kg	<0.03	2 mg/kg	93.4	74.8	126	
EP075-EM: beta-BHC	319-85-7	0.03	mg/kg	<0.03	2 mg/kg	95.6	75.7	130	
EP075-EM: gamma-BHC	58-89-9	0.03	mg/kg	<0.03	2 mg/kg	95.2	70.8	130	
EP075-EM: delta-BHC	319-86-8	0.03	mg/kg	<0.03	2 mg/kg	95.0	76.5	134	
EP075-EM: Heptachlor	76-44-8	0.03	mg/kg	<0.03	2 mg/kg	94.0	75.5	131	
EP075-EM: Aldrin	309-00-2	0.03	mg/kg	<0.03	2 mg/kg	97.1	76.8	130	
EP075-EM: Heptachlor epoxide	1024-57-3	0.03	mg/kg	<0.03	2 mg/kg	93.8	73.6	130	
EP075-EM: cis-Chlordane	5103-71-9	0.03	mg/kg	<0.03	2 mg/kg	95.0	75.0	133	
EP075-EM: trans-Chlordane	5103-74-2	0.03	mg/kg	<0.03	2 mg/kg	94.2	75.3	131	
EP075-EM: Endosulfan 1	959-98-8	0.03	mg/kg	<0.03	2 mg/kg	95.2	69.4	134	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
EP075I: Organochlorine Pesticides (QCLot: 4323170) - continued									
EP075-EM: 4.4'-DDE	72-55-9	0.05	mg/kg	<0.05	2 mg/kg	95.6	71.0	132	
EP075-EM: Dieldrin	60-57-1	0.03	mg/kg	<0.03	2 mg/kg	95.2	78.0	133	
EP075-EM: Endrin aldehyde	7421-93-4	0.03	mg/kg	<0.03	2 mg/kg	84.8	69.0	143	
EP075-EM: Endrin	72-20-8	0.03	mg/kg	<0.03	2 mg/kg	92.9	55.7	145	
EP075-EM: Endosulfan 2	33213-65-9	0.03	mg/kg	<0.03	2 mg/kg	96.0	71.4	135	
EP075-EM: 4.4'-DDD	72-54-8	0.05	mg/kg	<0.05	2 mg/kg	94.7	74.8	134	
EP075-EM: Endosulfan sulfate	1031-07-8	0.03	mg/kg	<0.03	2 mg/kg	96.0	70.2	135	
EP075-EM: 4.4'-DDT	50-29-3	0.05	mg/kg	<0.05	2 mg/kg	94.6	77.7	133	
EP075-EM: Methoxychlor	72-43-5	0.03	mg/kg	<0.03	2 mg/kg	99.7	63.6	135	
EP080/071: Total Petroleum Hydrocarbons (QCLot: 4318984)									
EP074-UT: C6 - C9 Fraction	----	10	mg/kg	<10	39.6 mg/kg	95.4	61.1	119	
EP080/071: Total Petroleum Hydrocarbons (QCLot: 4323169)									
EP071-EM: C10 - C14 Fraction	----	50	mg/kg	<50	670 mg/kg	94.7	74.4	129	
EP071-EM: C15 - C28 Fraction	----	100	mg/kg	<100	2860 mg/kg	104	81.0	123	
EP071-EM: C29 - C36 Fraction	----	100	mg/kg	<100	1490 mg/kg	97.8	81.8	121	
EP071-EM: C10 - C36 Fraction (sum)	----	50	mg/kg	<50	5020 mg/kg	101	70.0	130	
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4318984)									
EP074-UT: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	48.9 mg/kg	101	59.9	119	
EP074-UT: C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<10	----	----	----	----	
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4323169)									
EP071-EM: >C10 - C16 Fraction	----	50	mg/kg	<50	1000 mg/kg	99.6	75.4	132	
EP071-EM: >C16 - C34 Fraction	----	100	mg/kg	<100	3770 mg/kg	108	80.8	120	
EP071-EM: >C34 - C40 Fraction	----	100	mg/kg	<100	250 mg/kg	91.3	73.3	136	
EP071-EM: >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	5020 mg/kg	105	70.0	130	
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4322082)									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	0.00111 mg/kg	86.2	72.0	128	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	0.00118 mg/kg	83.6	73.0	123	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	0.0014 mg/kg	74.4	67.0	130	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	0.00119 mg/kg	91.2	70.0	132	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	0.00116 mg/kg	85.6	68.0	136	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.0002	mg/kg	<0.0002	0.00121 mg/kg	82.1	59.0	134	
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4322082)									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	0.00625 mg/kg	77.9	71.0	135	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	0.00125 mg/kg	88.2	69.0	132	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	85.4	70.0	132	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	85.1	71.0	131	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	84.0	69.0	133	



Sub-Matrix: **SOIL**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report				
					Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4322082) - continued									
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	94.6	72.0	129	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	0.00125 mg/kg	80.2	69.0	133	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	89.6	64.0	136	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	85.8	69.0	135	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	80.2	66.0	139	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	94.3	69.0	133	
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4322082)									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	91.2	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	0.00312 mg/kg	88.8	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	83.4	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	79.8	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	80.0	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	93.4	63.0	144	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	85.4	61.0	139	
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4322082)									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	0.00117 mg/kg	92.8	62.0	145	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	0.00119 mg/kg	119	64.0	140	
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	0.0012 mg/kg	96.9	65.0	137	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	0.00121 mg/kg	98.5	70.0	130	
EP231P: PFAS Sums (QCLot: 4322082)									
EP231X: Sum of PFAS	----	0.0002	mg/kg	<0.0002	----	----	----	----	
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	
EP231X: Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	----	----	----	----	

Sub-Matrix: **WATER**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report				
					Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4320960)									
EP231X-INJ: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.444 µg/L	84.8	72.0	130	
EP231X-INJ: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.47 µg/L	90.3	71.0	127	
EP231X-INJ: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.457 µg/L	79.7	68.0	131	
EP231X-INJ: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.477 µg/L	92.5	69.0	134	
EP231X-INJ: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.465 µg/L	84.5	65.0	140	
EP231X-INJ: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.482 µg/L	86.1	53.0	142	



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Acceptable Limits (%)	
					Concentration	LCS	Low	High	
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4324020)									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.222 µg/L	110	72.0	130	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.235 µg/L	118	71.0	127	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.228 µg/L	110	68.0	131	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.25 µg/L	110	69.0	134	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.232 µg/L	84.9	65.0	140	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.241 µg/L	91.0	53.0	142	
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4324937)									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.222 µg/L	96.4	72.0	130	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.235 µg/L	106	71.0	127	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.228 µg/L	114	68.0	131	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.25 µg/L	92.2	69.0	134	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.232 µg/L	91.6	65.0	140	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.241 µg/L	85.7	53.0	142	
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4326830)									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.222 µg/L	103	72.0	130	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.235 µg/L	112	71.0	127	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.01	µg/L	<0.01	0.228 µg/L	104	68.0	131	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.25 µg/L	90.8	69.0	134	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.232 µg/L	85.6	65.0	140	
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.241 µg/L	90.4	53.0	142	
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4320960)									
EP231X-INJ: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.10	2.5 µg/L	78.8	73.0	129	
EP231X-INJ: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.5 µg/L	90.4	72.0	129	
EP231X-INJ: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.5 µg/L	89.8	72.0	129	
EP231X-INJ: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.5 µg/L	92.0	72.0	130	
EP231X-INJ: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.5 µg/L	86.5	71.0	133	
EP231X-INJ: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.5 µg/L	99.2	69.0	130	
EP231X-INJ: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.5 µg/L	81.4	71.0	129	
EP231X-INJ: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.5 µg/L	93.5	69.0	133	
EP231X-INJ: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.5 µg/L	89.3	72.0	134	
EP231X-INJ: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.5 µg/L	82.3	65.0	144	
EP231X-INJ: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	1.25 µg/L	92.4	71.0	132	
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4324020)									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	1.25 µg/L	90.6	73.0	129	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.25 µg/L	95.8	72.0	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.25 µg/L	92.3	72.0	129	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.25 µg/L	106	72.0	130	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.25 µg/L	95.9	71.0	133	



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4324020) - continued									
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.25 µg/L	97.3	69.0	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.25 µg/L	95.6	71.0	129	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.25 µg/L	103	69.0	133	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.25 µg/L	103	72.0	134	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.25 µg/L	93.5	65.0	144	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	0.625 µg/L	93.4	71.0	132	
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4324937)									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	1.25 µg/L	89.5	73.0	129	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.25 µg/L	90.9	72.0	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.25 µg/L	83.3	72.0	129	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.25 µg/L	99.2	72.0	130	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.25 µg/L	89.6	71.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.25 µg/L	90.1	69.0	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.25 µg/L	97.5	71.0	129	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.25 µg/L	114	69.0	133	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.25 µg/L	98.3	72.0	134	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.25 µg/L	103	65.0	144	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	0.625 µg/L	72.0	71.0	132	
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4326830)									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	1.25 µg/L	74.7	73.0	129	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.25 µg/L	116	72.0	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.25 µg/L	78.4	72.0	129	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.25 µg/L	104	72.0	130	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.25 µg/L	97.6	71.0	133	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.25 µg/L	100	69.0	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.25 µg/L	81.3	71.0	129	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.25 µg/L	96.1	69.0	133	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.25 µg/L	93.1	72.0	134	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	0.25 µg/L	81.6	65.0	144	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	0.625 µg/L	93.6	71.0	132	
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4320960)									
EP231X-INJ: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.5 µg/L	87.6	67.0	137	
EP231X-INJ: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	1.25 µg/L	88.3	68.0	141	
EP231X-INJ: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	1.25 µg/L	83.8	70.0	130	
EP231X-INJ: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	1.25 µg/L	74.3	70.0	130	
EP231X-INJ: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	1.25 µg/L	85.3	70.0	130	



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Acceptable Limits (%)	
						LCS	Low	High	
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4320960) - continued									
EP231X-INJ: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.5 µg/L	99.3	65.0	136	
EP231X-INJ: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.5 µg/L	93.5	61.0	135	
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4324020)									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.25 µg/L	98.4	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	0.625 µg/L	108	68.0	141	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	0.625 µg/L	111	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	0.625 µg/L	102	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	0.625 µg/L	105	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.25 µg/L	110	65.0	136	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.25 µg/L	95.3	61.0	135	
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4324937)									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.25 µg/L	99.4	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	0.625 µg/L	115	68.0	141	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	0.625 µg/L	111	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	0.625 µg/L	104	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	0.625 µg/L	95.0	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.25 µg/L	107	65.0	136	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.25 µg/L	91.8	61.0	135	
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4326830)									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.25 µg/L	97.8	67.0	137	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	0.625 µg/L	76.4	68.0	141	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	0.625 µg/L	99.1	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	0.625 µg/L	107	70.0	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	0.625 µg/L	93.9	70.0	130	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.25 µg/L	113	65.0	136	



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
				Result	Spike	Spike Recovery (%)	Acceptable Limits (%)	
					Concentration	LCS	Low	High
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4326830) - continued								
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.25 µg/L	92.8	61.0	135
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4320960)								
EP231X-INJ: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.469 µg/L	92.7	63.0	143
EP231X-INJ: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.476 µg/L	90.3	64.0	140
EP231X-INJ: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.48 µg/L	98.9	67.0	138
EP231X-INJ: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.483 µg/L	89.9	70.0	130
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4324020)								
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.234 µg/L	105	63.0	143
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.238 µg/L	109	64.0	140
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.24 µg/L	106	67.0	138
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.242 µg/L	79.4	70.0	130
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4324937)								
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.234 µg/L	97.2	63.0	143
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.238 µg/L	106	64.0	140
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.24 µg/L	103	67.0	138
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.242 µg/L	84.8	70.0	130
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4326830)								
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.234 µg/L	98.2	63.0	143
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.238 µg/L	106	64.0	140
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.24 µg/L	107	67.0	138
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.242 µg/L	70.4	70.0	130
EP231P: PFAS Sums (QCLot: 4320960)								
EP231X-INJ: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----
EP231X-INJ: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----
EP231X-INJ: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----
EP231P: PFAS Sums (QCLot: 4324020)								
EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----
EP231P: PFAS Sums (QCLot: 4324937)								
EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----
EP231P: PFAS Sums (QCLot: 4326830)								



Sub-Matrix: **WATER**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report			
					Spike Concentration	Spike Recovery (%)	Acceptable Limits (%)	
						LCS	Low	High
EP231P: PFAS Sums (QCLot: 4326830) - continued								
EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFHxS and PFOS	355-46-4/17 63-23-1	0.01	µg/L	<0.01	----	----	----	----
EP231X: Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	----	----	----	----

Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: **SOIL**

Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Matrix Spike (MS) Report			
				Spike Concentration	Spike Recovery(%) MS	Acceptable Limits (%)	
EG005(ED093)T: Total Metals by ICP-AES (QCLot: 4323203)							
EM2207989-002	SX_IB_20220503_07_58_SS_Duplicate_ALS	EG005T: Arsenic	7440-38-2	50 mg/kg	99.0	78.0	124
		EG005T: Cadmium	7440-43-9	50 mg/kg	88.6	79.7	116
		EG005T: Chromium	7440-47-3	50 mg/kg	88.7	79.0	121
		EG005T: Copper	7440-50-8	250 mg/kg	91.7	80.0	120
		EG005T: Lead	7439-92-1	250 mg/kg	88.6	80.0	120
		EG005T: Nickel	7440-02-0	50 mg/kg	79.4	78.0	120
		EG005T: Zinc	7440-66-6	250 mg/kg	86.2	80.0	120
EG035T: Total Recoverable Mercury by FIMS (QCLot: 4323204)							
EM2207989-002	SX_IB_20220503_07_58_SS_Duplicate_ALS	EG035T: Mercury	7439-97-6	0.5 mg/kg	107	76.0	116
EG048: Hexavalent Chromium (Alkaline Digest) (QCLot: 4323187)							
EM2207989-002	SX_IB_20220503_07_58_SS_Duplicate_ALS	EG048G: Hexavalent Chromium	18540-29-9	20 mg/kg	58.1	58.0	114
EM2207989-002	SX_IB_20220503_07_58_SS_Duplicate_ALS	EG048G: Hexavalent Chromium	18540-29-9	20 mg/kg	62.2	58.0	114
EK026SF: Total CN by Segmented Flow Analyser (QCLot: 4326329)							
EM2207868-028	Anonymous	EK026SF: Total Cyanide	57-12-5	20 mg/kg	86.5	70.0	130
EK040T: Fluoride Total (QCLot: 4323185)							
EM2207989-002	SX_IB_20220503_07_58_SS_Duplicate_ALS	EK040T: Fluoride	16984-48-8	400 mg/kg	70.6	70.0	130
EP066: Polychlorinated Biphenyls (PCB) (QCLot: 4323168)							
EM2207989-003	SX_OB_20220503_08_09_SS_Primary_ALS	EP066-EM: Total Polychlorinated biphenyls	----	1 mg/kg	108	59.6	152
EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 4318984)							
EM2207989-002	SX_IB_20220503_07_58_SS_Duplicate_ALS	EP074-UT: Benzene	71-43-2	2 mg/kg	76.0	53.7	130
		EP074-UT: Toluene	108-88-3	2 mg/kg	74.5	55.1	124
EP074I: Volatile Halogenated Compounds (QCLot: 4318984)							
EM2207989-002	SX_IB_20220503_07_58_SS_Duplicate_ALS	EP074-UT: 1,1-Dichloroethene	75-35-4	2 mg/kg	61.7	38.4	145



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike Concentration	SpikeRecovery(%) MS	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP074I: Volatile Halogenated Compounds (QCLot: 4318984) - continued							
EM2207989-002	SX_IB_20220503_07_58_SS_Duplicate_ALS	EP074-UT: Trichloroethene	79-01-6	2 mg/kg	70.7	48.1	128
		EP074-UT: Chlorobenzene	108-90-7	2 mg/kg	70.8	55.5	122
EP075A: Phenolic Compounds (Halogenated) (QCLot: 4323170)							
EM2207989-002	SX_IB_20220503_07_58_SS_Duplicate_ALS	EP075-EM: 2-Chlorophenol	95-57-8	3 mg/kg	93.1	44.0	143
		EP075-EM: 4-Chloro-3-methylphenol	59-50-7	3 mg/kg	99.6	41.5	139
		EP075-EM: Pentachlorophenol	87-86-5	3 mg/kg	84.1	10.0	144
EP075A: Phenolic Compounds (Non-halogenated) (QCLot: 4323170)							
EM2207989-002	SX_IB_20220503_07_58_SS_Duplicate_ALS	EP075-EM: Phenol	108-95-2	3 mg/kg	92.2	44.2	134
		EP075-EM: 2-Nitrophenol	88-75-5	3 mg/kg	93.2	34.2	129
EP075B: Polynuclear Aromatic Hydrocarbons (QCLot: 4323170)							
EM2207989-002	SX_IB_20220503_07_58_SS_Duplicate_ALS	EP075-EM: Acenaphthene	83-32-9	3 mg/kg	73.3	42.6	138
		EP075-EM: Pyrene	129-00-0	3 mg/kg	92.5	37.8	152
EP080/071: Total Petroleum Hydrocarbons (QCLot: 4318984)							
EM2207989-002	SX_IB_20220503_07_58_SS_Duplicate_ALS	EP074-UT: C6 - C9 Fraction	----	28 mg/kg	66.2	42.3	111
EP080/071: Total Petroleum Hydrocarbons (QCLot: 4323169)							
EM2207989-004	SX_IB_20220503_12_06_SS_Primary_ALS	EP071-EM: C10 - C14 Fraction	----	670 mg/kg	94.6	71.3	126
		EP071-EM: C15 - C28 Fraction	----	2860 mg/kg	104	75.1	123
		EP071-EM: C29 - C36 Fraction	----	1490 mg/kg	97.2	78.1	120
		EP071-EM: C10 - C36 Fraction (sum)	----	5020 mg/kg	100	70.0	130
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4318984)							
EM2207989-002	SX_IB_20220503_07_58_SS_Duplicate_ALS	EP074-UT: C6 - C10 Fraction	C6_C10	33 mg/kg	62.6	39.9	109
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 4323169)							
EM2207989-004	SX_IB_20220503_12_06_SS_Primary_ALS	EP071-EM: >C10 - C16 Fraction	----	1000 mg/kg	99.1	71.5	130
		EP071-EM: >C16 - C34 Fraction	----	3770 mg/kg	107	76.9	119
		EP071-EM: >C34 - C40 Fraction	----	250 mg/kg	92.0	65.3	139
		EP071-EM: >C10 - C40 Fraction (sum)	----	5020 mg/kg	105	70.0	130
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4322082)							
EM2207874-019	Anonymous	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.00111 mg/kg	95.4	72.0	128
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.00118 mg/kg	78.2	73.0	123
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.00114 mg/kg	72.8	67.0	130
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.00119 mg/kg	97.6	70.0	132
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.00116 mg/kg	# Not Determined	68.0	136
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.00121 mg/kg	79.7	59.0	134
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4322082)							
EM2207874-019	Anonymous	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.00625 mg/kg	84.6	71.0	135



Sub-Matrix: **SOIL**

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4322082) - continued							
EM2207874-019	Anonymous	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.00125 mg/kg	123	69.0	132
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.00125 mg/kg	81.5	70.0	132
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.00125 mg/kg	86.2	71.0	131
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.00125 mg/kg	89.6	69.0	133
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.00125 mg/kg	113	72.0	129
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.00125 mg/kg	75.2	69.0	133
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.00125 mg/kg	86.2	64.0	136
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.00125 mg/kg	84.4	69.0	135
		EP231X: Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.00125 mg/kg	75.2	66.0	139
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.00312 mg/kg	96.6	69.0	133
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4322082)							
EM2207874-019	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.00125 mg/kg	101	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.00312 mg/kg	116	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.00312 mg/kg	75.2	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.00312 mg/kg	80.3	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.00312 mg/kg	91.1	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.00125 mg/kg	102	63.0	144
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.00125 mg/kg	84.9	61.0	139
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4322082)							
EM2207874-019	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.00117 mg/kg	84.5	62.0	145
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.00119 mg/kg	140	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0012 mg/kg	115	65.0	137
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.00121 mg/kg	82.6	70.0	130

Sub-Matrix: **WATER**

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4320960)							
EM2207664-006	Anonymous	EP231X-INJ: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.444 µg/L	91.3	72.0	130
		EP231X-INJ: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.47 µg/L	87.6	71.0	127
		EP231X-INJ: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.457 µg/L	78.5	68.0	131
		EP231X-INJ: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.477 µg/L	94.0	69.0	134
		EP231X-INJ: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.465 µg/L	89.6	65.0	140
		EP231X-INJ: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.482 µg/L	86.4	53.0	142



Sub-Matrix: WATER

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4324020)							
EM2207989-002	SX_IB_20220503_07_58_SS_Duplicate_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.222 µg/L	116	72.0	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.235 µg/L	110	71.0	127
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.228 µg/L	109	68.0	131
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.238 µg/L	106	69.0	134
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.232 µg/L	81.1	65.0	140
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.241 µg/L	88.3	53.0	142
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4324937)							
EM2207989-018	SX_OB_20220503_08_09_SS_Primary_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.222 µg/L	96.0	72.0	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.235 µg/L	97.8	71.0	127
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.228 µg/L	107	68.0	131
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.238 µg/L	98.8	69.0	134
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.232 µg/L	82.5	65.0	140
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.241 µg/L	77.3	53.0	142
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 4326830)							
EM2207989-020	SX_IB_20220503_15_52_SS_Primary_ALS	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.222 µg/L	111	72.0	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.235 µg/L	104	71.0	127
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.228 µg/L	106	68.0	131
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.238 µg/L	107	69.0	134
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.232 µg/L	101	65.0	140
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.241 µg/L	94.5	53.0	142
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4320960)							
EM2207664-006	Anonymous	EP231X-INJ: Perfluorobutanoic acid (PFBA)	375-22-4	2.5 µg/L	81.7	73.0	129
		EP231X-INJ: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.5 µg/L	91.9	72.0	129
		EP231X-INJ: Perfluorohexanoic acid (PFHxA)	307-24-4	0.5 µg/L	92.0	72.0	129
		EP231X-INJ: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.5 µg/L	94.7	72.0	130
		EP231X-INJ: Perfluorooctanoic acid (PFOA)	335-67-1	0.5 µg/L	90.7	71.0	133
		EP231X-INJ: Perfluorononanoic acid (PFNA)	375-95-1	0.5 µg/L	105	69.0	130
		EP231X-INJ: Perfluorodecanoic acid (PFDA)	335-76-2	0.5 µg/L	85.0	71.0	129
		EP231X-INJ: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.5 µg/L	93.1	69.0	133
		EP231X-INJ: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.5 µg/L	95.7	72.0	134
		EP231X-INJ: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.5 µg/L	86.6	65.0	144
		EP231X-INJ: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	1.25 µg/L	94.1	71.0	132
		EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4324020)					
EM2207989-002	SX_IB_20220503_07_58_SS_Duplicate_ALS	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	1.25 µg/L	94.2	73.0	129
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.25 µg/L	91.7	72.0	129
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.25 µg/L	86.5	72.0	129
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.25 µg/L	90.0	72.0	130
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.25 µg/L	95.1	71.0	133



Sub-Matrix: WATER

				Matrix Spike (MS) Report					
				Spike	SpikeRecovery(%)	Acceptable Limits (%)			
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High		
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4324020) - continued									
EM2207989-002	SX_IB_20220503_07_58_SS_Duplicate_ALS	EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.25 µg/L	93.0	69.0	130		
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.25 µg/L	97.1	71.0	129		
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.25 µg/L	110	69.0	133		
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.25 µg/L	101	72.0	134		
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.25 µg/L	96.0	65.0	144		
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.625 µg/L	85.2	71.0	132		
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4324937)									
EM2207989-018	SX_OB_20220503_08_09_SS_Primary_ALS	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	1.25 µg/L	87.4	73.0	129		
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.25 µg/L	96.6	72.0	129		
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.25 µg/L	92.2	72.0	129		
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.25 µg/L	92.8	72.0	130		
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.25 µg/L	77.9	71.0	133		
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.25 µg/L	88.3	69.0	130		
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.25 µg/L	97.8	71.0	129		
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.25 µg/L	120	69.0	133		
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.25 µg/L	95.8	72.0	134		
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.25 µg/L	101	65.0	144		
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.625 µg/L	79.6	71.0	132		
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 4326830)									
EM2207989-020	SX_IB_20220503_15_52_SS_Primary_ALS	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	1.25 µg/L	74.6	73.0	129		
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.25 µg/L	126	72.0	129		
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.25 µg/L	80.6	72.0	129		
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.25 µg/L	114	72.0	130		
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.25 µg/L	105	71.0	133		
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.25 µg/L	109	69.0	130		
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.25 µg/L	81.0	71.0	129		
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.25 µg/L	94.6	69.0	133		
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.25 µg/L	85.6	72.0	134		
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.25 µg/L	69.0	65.0	144		
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.625 µg/L	84.3	71.0	132		
		EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4320960)							
		EM2207664-006	Anonymous	EP231X-INJ: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.5 µg/L	92.1	67.0	137
EP231X-INJ: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8			1.25 µg/L	93.0	68.0	141		
EP231X-INJ: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2			1.25 µg/L	82.5	70.0	130		
EP231X-INJ: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7			1.25 µg/L	76.9	70.0	130		



Sub-Matrix: WATER

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4320960) - continued							
EM2207664-006	Anonymous	EP231X-INJ: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	1.25 µg/L	85.5	70.0	130
		EP231X-INJ: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.5 µg/L	100	65.0	136
		EP231X-INJ: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.5 µg/L	94.8	61.0	135
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4324020)							
EM2207989-002	SX_IB_20220503_07_58_SS_Duplicate_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.25 µg/L	101	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.625 µg/L	102	68.0	141
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.625 µg/L	129	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.625 µg/L	111	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.625 µg/L	110	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.25 µg/L	114	65.0	136
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.25 µg/L	116	61.0	135
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4324937)							
EM2207989-018	SX_OB_20220503_08_09_SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.25 µg/L	98.1	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.625 µg/L	106	68.0	141
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.625 µg/L	98.1	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.625 µg/L	99.5	70.0	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.625 µg/L	95.6	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.25 µg/L	99.5	65.0	136
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.25 µg/L	91.5	61.0	135
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4326830)							
EM2207989-020	SX_IB_20220503_15_52_SS_Primary_ALS	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.25 µg/L	105	67.0	137
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.625 µg/L	74.0	68.0	141
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.625 µg/L	77.0	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.625 µg/L	93.0	70.0	130



Sub-Matrix: WATER

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 4326830) - continued							
EM2207989-020	SX_IB_20220503_15_52_SS_Primary_ALS	EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.625 µg/L	93.2	70.0	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.25 µg/L	110	65.0	136
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.25 µg/L	90.0	61.0	135
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4320960)							
EM2207664-006	Anonymous	EP231X-INJ: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.469 µg/L	101	63.0	143
		EP231X-INJ: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.476 µg/L	103	64.0	140
		EP231X-INJ: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.48 µg/L	101	67.0	138
		EP231X-INJ: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.483 µg/L	87.1	70.0	130
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4324020)							
EM2207989-002	SX_IB_20220503_07_58_SS_Duplicate_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.234 µg/L	96.0	63.0	143
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.238 µg/L	111	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.24 µg/L	106	67.0	138
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.242 µg/L	79.5	70.0	130
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4324937)							
EM2207989-018	SX_OB_20220503_08_09_SS_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.234 µg/L	98.7	63.0	143
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.238 µg/L	104	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.24 µg/L	99.9	67.0	138
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.242 µg/L	92.7	70.0	130
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 4326830)							
EM2207989-020	SX_IB_20220503_15_52_SS_Primary_ALS	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.234 µg/L	98.9	63.0	143
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.238 µg/L	114	64.0	140
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.24 µg/L	121	67.0	138
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.242 µg/L	# 68.1	70.0	130

QA/QC Compliance Assessment to assist with Quality Review

Work Order	: EM2207989	Page	: 1 of 16
Client	: AGON ENVIRONMENTAL PTY LTD	Laboratory	: Environmental Division Melbourne
Contact	: DAVID LAWSON	Telephone	: +61-3-8549 9600
Project	: JC0927	Date Samples Received	: 04-May-2022
Site	: 20220504051412-ALS-12	Issue Date	: 11-May-2022
Sampler	: DB EP RISK, DL TG AGON	No. of samples received	: 26
Order number	: ----	No. of samples analysed	: 26

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

Summary of Outliers

Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO** Method Blank value outliers occur.
- **NO** Duplicate outliers occur.
- **NO** Laboratory Control outliers occur.
- Matrix Spike outliers exist - please see following pages for full details.
- For all regular sample matrices, **NO** surrogate recovery outliers occur.

Outliers : Analysis Holding Time Compliance

- **NO** Analysis Holding Time Outliers exist.

Outliers : Frequency of Quality Control Samples

- **NO** Quality Control Sample Frequency Outliers exist.



Outliers : Quality Control Samples

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: **SOIL**

Compound Group Name	Laboratory Sample ID	Client Sample ID	Analyte	CAS Number	Data	Limits	Comment
Matrix Spike (MS) Recoveries							
EP231A: Perfluoroalkyl Sulfonic Acids	EM2207874--019	Anonymous	Perfluorooctane sulfonic acid (PFOS)	1763-23-1	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.

Matrix: **WATER**

Compound Group Name	Laboratory Sample ID	Client Sample ID	Analyte	CAS Number	Data	Limits	Comment
Matrix Spike (MS) Recoveries							
EP231D: (n:2) Fluorotelomer Sulfonic Acids	EM2207989--020	SX_IB_20220503_15_52_SS_	10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	68.1 %	70.0-130%	Recovery less than lower data quality objective

Analysis Holding Time Compliance

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results.

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **SOIL**

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EA001: pH in soil using 0.01M CaCl extract								
Soil Glass Jar - Unpreserved (EA001) SX_IB_20220503_07_56_SS_Primary_ALS, SX_IB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_15_52_SS_Primary_ALS, SX_IB_20220503_16_05_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS,	03-May-2022	10-May-2022	10-May-2022	✓	10-May-2022	10-May-2022	✓
Soil Glass Jar - Unpreserved (EA001) SX_IB_20220504_00_02_SS_Primary_ALS, SX_IB_20220504_03_58_SS_Primary_ALS	SX_IB_20220504_00_11_SS_Primary_ALS,	04-May-2022	10-May-2022	11-May-2022	✓	10-May-2022	10-May-2022	✓



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EA055: Moisture Content (Dried @ 105-110°C)								
Soil Glass Jar - Unpreserved (EA055) SX_IB_20220503_07_56_SS_Primary_ALS, SX_IB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_15_52_SS_Primary_ALS, SX_OB_20220503_16_05_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS,	03-May-2022	----	----	----	09-May-2022	17-May-2022	✓
Soil Glass Jar - Unpreserved (EA055) SX_OB_20220504_00_02_SS_Primary_ALS, SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220504_00_11_SS_Primary_ALS,	04-May-2022	----	----	----	09-May-2022	18-May-2022	✓
EG005(ED093)T: Total Metals by ICP-AES								
Soil Glass Jar - Unpreserved (EG005T) SX_IB_20220503_07_56_SS_Primary_ALS, SX_OB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_15_52_SS_Primary_ALS, SX_OB_20220503_16_05_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS,	03-May-2022	07-May-2022	30-Oct-2022	✓	07-May-2022	30-Oct-2022	✓
Soil Glass Jar - Unpreserved (EG005T) SX_OB_20220504_00_02_SS_Primary_ALS, SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220504_00_11_SS_Primary_ALS,	04-May-2022	07-May-2022	31-Oct-2022	✓	07-May-2022	31-Oct-2022	✓
EG035T: Total Recoverable Mercury by FIMS								
Soil Glass Jar - Unpreserved (EG035T) SX_IB_20220503_07_56_SS_Primary_ALS, SX_OB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_15_52_SS_Primary_ALS, SX_OB_20220503_16_05_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS,	03-May-2022	07-May-2022	31-May-2022	✓	09-May-2022	31-May-2022	✓
Soil Glass Jar - Unpreserved (EG035T) SX_OB_20220504_00_02_SS_Primary_ALS, SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220504_00_11_SS_Primary_ALS,	04-May-2022	07-May-2022	01-Jun-2022	✓	09-May-2022	01-Jun-2022	✓
EG048: Hexavalent Chromium (Alkaline Digest)								
Soil Glass Jar - Unpreserved (EG048G) SX_IB_20220503_07_56_SS_Primary_ALS, SX_OB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_15_52_SS_Primary_ALS, SX_OB_20220503_16_05_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS,	03-May-2022	06-May-2022	31-May-2022	✓	07-May-2022	13-May-2022	✓
Soil Glass Jar - Unpreserved (EG048G) SX_OB_20220504_00_02_SS_Primary_ALS, SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220504_00_11_SS_Primary_ALS,	04-May-2022	06-May-2022	01-Jun-2022	✓	07-May-2022	13-May-2022	✓



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EK026SF: Total CN by Segmented Flow Analyser								
Soil Glass Jar - Unpreserved (EK026SF)								
SX_IB_20220503_07_56_SS_Primary_ALS, SX_OB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_15_52_SS_Primary_ALS, SX_OB_20220503_16_05_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS,	03-May-2022	09-May-2022	17-May-2022	✓	10-May-2022	23-May-2022	✓
Soil Glass Jar - Unpreserved (EK026SF)								
SX_OB_20220504_00_02_SS_Primary_ALS, SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220504_00_11_SS_Primary_ALS,	04-May-2022	09-May-2022	18-May-2022	✓	10-May-2022	23-May-2022	✓
EK040T: Fluoride Total								
Soil Glass Jar - Unpreserved (EK040T)								
SX_IB_20220503_07_56_SS_Primary_ALS, SX_OB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_15_52_SS_Primary_ALS, SX_OB_20220503_16_05_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS,	03-May-2022	06-May-2022	31-May-2022	✓	11-May-2022	31-May-2022	✓
Soil Glass Jar - Unpreserved (EK040T)								
SX_OB_20220504_00_02_SS_Primary_ALS, SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220504_00_11_SS_Primary_ALS,	04-May-2022	06-May-2022	01-Jun-2022	✓	11-May-2022	01-Jun-2022	✓
EN60: ASLP Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60a-P)								
SX_IB_20220503_07_56_SS_Primary_ALS, SX_OB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_15_52_SS_Primary_ALS, SX_OB_20220503_16_05_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS,	03-May-2022	05-May-2022	30-Oct-2022	✓	----	----	----
Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60a-P)								
SX_OB_20220504_00_02_SS_Primary_ALS, SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220504_00_11_SS_Primary_ALS,	04-May-2022	05-May-2022	31-Oct-2022	✓	----	----	----
EN60-DI: Bottle Leaching Procedure - Inorganics/PFAS (Plastic Vessel)								
Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60-DIa-P)								
SX_IB_20220503_07_56_SS_Primary_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_OB_20220503_16_05_SS_Primary_ALS,	SX_OB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS	03-May-2022	05-May-2022	30-Oct-2022	✓	----	----	----
Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60-DIa-P)								
SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS	SX_IB_20220503_15_52_SS_Primary_ALS,	03-May-2022	06-May-2022	30-Oct-2022	✓	----	----	----
Non-Volatile Leach: 180 day HT (e.g. PFAS, metals ex.Hg) (EN60-DIa-P)								
SX_OB_20220504_00_02_SS_Primary_ALS, SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220504_00_11_SS_Primary_ALS,	04-May-2022	05-May-2022	31-Oct-2022	✓	----	----	----



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP066: Polychlorinated Biphenyls (PCB)								
Soil Glass Jar - Unpreserved (EP066-EM) SX_IB_20220503_07_56_SS_Primary_ALS, SX_IB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_15_52_SS_Primary_ALS, SX_OB_20220503_16_05_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS,	03-May-2022	07-May-2022	17-May-2022	✓	09-May-2022	16-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP066-EM) SX_OB_20220504_00_02_SS_Primary_ALS, SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220504_00_11_SS_Primary_ALS,	04-May-2022	07-May-2022	18-May-2022	✓	09-May-2022	16-Jun-2022	✓
EP074A: Monocyclic Aromatic Hydrocarbons								
Soil Glass Jar - Unpreserved (EP074-UT) SX_IB_20220503_07_56_SS_Primary_ALS, SX_OB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_15_52_SS_Primary_ALS, SX_OB_20220503_16_05_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS,	03-May-2022	04-May-2022	10-May-2022	✓	05-May-2022	10-May-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_OB_20220504_00_02_SS_Primary_ALS, SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220504_00_11_SS_Primary_ALS,	04-May-2022	04-May-2022	11-May-2022	✓	05-May-2022	11-May-2022	✓
EP074H: Naphthalene								
Soil Glass Jar - Unpreserved (EP074-UT) SX_IB_20220503_07_56_SS_Primary_ALS, SX_OB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_15_52_SS_Primary_ALS, SX_OB_20220503_16_05_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS,	03-May-2022	04-May-2022	10-May-2022	✓	05-May-2022	10-May-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_OB_20220504_00_02_SS_Primary_ALS, SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220504_00_11_SS_Primary_ALS,	04-May-2022	04-May-2022	11-May-2022	✓	05-May-2022	11-May-2022	✓
EP074I: Volatile Halogenated Compounds								
Soil Glass Jar - Unpreserved (EP074-UT) SX_IB_20220503_07_56_SS_Primary_ALS, SX_OB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_15_52_SS_Primary_ALS, SX_OB_20220503_16_05_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS,	03-May-2022	04-May-2022	10-May-2022	✓	05-May-2022	10-May-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_OB_20220504_00_02_SS_Primary_ALS, SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220504_00_11_SS_Primary_ALS,	04-May-2022	04-May-2022	11-May-2022	✓	05-May-2022	11-May-2022	✓



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP075A: Phenolic Compounds (Halogenated)								
Soil Glass Jar - Unpreserved (EP075-EM) SX_IB_20220503_07_56_SS_Primary_ALS, SX_OB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_15_52_SS_Primary_ALS, SX_OB_20220503_16_05_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS,	03-May-2022	07-May-2022	17-May-2022	✓	09-May-2022	16-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP075-EM) SX_OB_20220504_00_02_SS_Primary_ALS, SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220504_00_11_SS_Primary_ALS,	04-May-2022	07-May-2022	18-May-2022	✓	09-May-2022	16-Jun-2022	✓
EP075A: Phenolic Compounds (Non-halogenated)								
Soil Glass Jar - Unpreserved (EP075-EM) SX_IB_20220503_07_56_SS_Primary_ALS, SX_OB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_15_52_SS_Primary_ALS, SX_OB_20220503_16_05_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS,	03-May-2022	07-May-2022	17-May-2022	✓	09-May-2022	16-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP075-EM) SX_OB_20220504_00_02_SS_Primary_ALS, SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220504_00_11_SS_Primary_ALS,	04-May-2022	07-May-2022	18-May-2022	✓	09-May-2022	16-Jun-2022	✓
EP075B: Polynuclear Aromatic Hydrocarbons								
Soil Glass Jar - Unpreserved (EP075-EM) SX_IB_20220503_07_56_SS_Primary_ALS, SX_OB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_15_52_SS_Primary_ALS, SX_OB_20220503_16_05_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS,	03-May-2022	07-May-2022	17-May-2022	✓	09-May-2022	16-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP075-EM) SX_OB_20220504_00_02_SS_Primary_ALS, SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220504_00_11_SS_Primary_ALS,	04-May-2022	07-May-2022	18-May-2022	✓	09-May-2022	16-Jun-2022	✓
EP075I: Organochlorine Pesticides								
Soil Glass Jar - Unpreserved (EP075-EM) SX_IB_20220503_07_56_SS_Primary_ALS, SX_OB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_15_52_SS_Primary_ALS, SX_OB_20220503_16_05_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS,	03-May-2022	07-May-2022	17-May-2022	✓	09-May-2022	16-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP075-EM) SX_OB_20220504_00_02_SS_Primary_ALS, SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220504_00_11_SS_Primary_ALS,	04-May-2022	07-May-2022	18-May-2022	✓	09-May-2022	16-Jun-2022	✓



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP080/071: Total Petroleum Hydrocarbons								
Soil Glass Jar - Unpreserved (EP074-UT) SX_IB_20220503_07_56_SS_Primary_ALS, SX_OB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_15_52_SS_Primary_ALS, SX_OB_20220503_16_05_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS,	03-May-2022	04-May-2022	10-May-2022	✓	05-May-2022	10-May-2022	✓
Soil Glass Jar - Unpreserved (EP071-EM) SX_IB_20220503_07_56_SS_Primary_ALS, SX_OB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_15_52_SS_Primary_ALS, SX_OB_20220503_16_05_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS,	03-May-2022	07-May-2022	17-May-2022	✓	09-May-2022	16-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_OB_20220504_00_02_SS_Primary_ALS, SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220504_00_11_SS_Primary_ALS,	04-May-2022	04-May-2022	11-May-2022	✓	05-May-2022	11-May-2022	✓
Soil Glass Jar - Unpreserved (EP071-EM) SX_OB_20220504_00_02_SS_Primary_ALS, SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220504_00_11_SS_Primary_ALS,	04-May-2022	07-May-2022	18-May-2022	✓	09-May-2022	16-Jun-2022	✓
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions								
Soil Glass Jar - Unpreserved (EP074-UT) SX_IB_20220503_07_56_SS_Primary_ALS, SX_OB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_15_52_SS_Primary_ALS, SX_OB_20220503_16_05_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS,	03-May-2022	04-May-2022	10-May-2022	✓	05-May-2022	10-May-2022	✓
Soil Glass Jar - Unpreserved (EP071-EM) SX_IB_20220503_07_56_SS_Primary_ALS, SX_OB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_15_52_SS_Primary_ALS, SX_OB_20220503_16_05_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS,	03-May-2022	07-May-2022	17-May-2022	✓	09-May-2022	16-Jun-2022	✓
Soil Glass Jar - Unpreserved (EP074-UT) SX_OB_20220504_00_02_SS_Primary_ALS, SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220504_00_11_SS_Primary_ALS,	04-May-2022	04-May-2022	11-May-2022	✓	05-May-2022	11-May-2022	✓
Soil Glass Jar - Unpreserved (EP071-EM) SX_OB_20220504_00_02_SS_Primary_ALS, SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220504_00_11_SS_Primary_ALS,	04-May-2022	07-May-2022	18-May-2022	✓	09-May-2022	16-Jun-2022	✓



Matrix: SOIL

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
EP231A: Perfluoroalkyl Sulfonic Acids								
HDPE Soil Jar (EP231X) SX_IB_20220503_07_56_SS_Primary_ALS, SX_IB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_15_52_SS_Primary_ALS, SX_OB_20220503_16_05_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS,	03-May-2022	05-May-2022	30-Oct-2022	✓	06-May-2022	14-Jun-2022	✓
HDPE Soil Jar (EP231X) SX_OB_20220504_00_02_SS_Primary_ALS, SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220504_00_11_SS_Primary_ALS,	04-May-2022	05-May-2022	31-Oct-2022	✓	06-May-2022	14-Jun-2022	✓
EP231B: Perfluoroalkyl Carboxylic Acids								
HDPE Soil Jar (EP231X) SX_IB_20220503_07_56_SS_Primary_ALS, SX_OB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_15_52_SS_Primary_ALS, SX_OB_20220503_16_05_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS,	03-May-2022	05-May-2022	30-Oct-2022	✓	06-May-2022	14-Jun-2022	✓
HDPE Soil Jar (EP231X) SX_OB_20220504_00_02_SS_Primary_ALS, SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220504_00_11_SS_Primary_ALS,	04-May-2022	05-May-2022	31-Oct-2022	✓	06-May-2022	14-Jun-2022	✓
EP231C: Perfluoroalkyl Sulfonamides								
HDPE Soil Jar (EP231X) SX_IB_20220503_07_56_SS_Primary_ALS, SX_OB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_15_52_SS_Primary_ALS, SX_OB_20220503_16_05_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS,	03-May-2022	05-May-2022	30-Oct-2022	✓	06-May-2022	14-Jun-2022	✓
HDPE Soil Jar (EP231X) SX_OB_20220504_00_02_SS_Primary_ALS, SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220504_00_11_SS_Primary_ALS,	04-May-2022	05-May-2022	31-Oct-2022	✓	06-May-2022	14-Jun-2022	✓
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
HDPE Soil Jar (EP231X) SX_IB_20220503_07_56_SS_Primary_ALS, SX_OB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_15_52_SS_Primary_ALS, SX_OB_20220503_16_05_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS,	03-May-2022	05-May-2022	30-Oct-2022	✓	06-May-2022	14-Jun-2022	✓
HDPE Soil Jar (EP231X) SX_OB_20220504_00_02_SS_Primary_ALS, SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220504_00_11_SS_Primary_ALS,	04-May-2022	05-May-2022	31-Oct-2022	✓	06-May-2022	14-Jun-2022	✓



Matrix: **SOIL**

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis				
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation		
EP231P: PFAS Sums									
HDPE Soil Jar (EP231X) SX_IB_20220503_07_56_SS_Primary_ALS, SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_OB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_15_52_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_OB_20220503_16_05_SS_Primary_ALS, SX_IB_20220503_20_00_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS	SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_OB_20220503_16_05_SS_Primary_ALS, SX_IB_20220503_20_00_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS	03-May-2022	05-May-2022	30-Oct-2022	✓	06-May-2022	14-Jun-2022	✓	
HDPE Soil Jar (EP231X) SX_OB_20220504_00_02_SS_Primary_ALS, SX_OB_20220504_03_58_SS_Primary_ALS	SX_IB_20220504_00_11_SS_Primary_ALS,	04-May-2022	05-May-2022	31-Oct-2022	✓	06-May-2022	14-Jun-2022	✓	

Matrix: **WATER**

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis				
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation		
EP231A: Perfluoroalkyl Sulfonic Acids									
HDPE (no PTFE) (EP231X-INJ) SX_IB_20220503_08_26_SR_Rinsate_ALS,	SX_IB_20220503_08_28_SB_Blank_ALS	03-May-2022	05-May-2022	30-Oct-2022	✓	05-May-2022	30-Oct-2022	✓	
HDPE (no PTFE) (EP231X) SX_IB_20220503_07_56_SS_Primary_ALS, SX_OB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_15_52_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_OB_20220503_16_05_SS_Primary_ALS, SX_IB_20220503_20_00_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS, SX_OB_20220504_00_02_SS_Primary_ALS, SX_IB_20220504_00_11_SS_Primary_ALS,	SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_OB_20220503_16_05_SS_Primary_ALS, SX_IB_20220503_20_00_SS_Primary_ALS, SX_OB_20220504_00_02_SS_Primary_ALS, SX_IB_20220504_03_58_SS_Primary_ALS	05-May-2022	06-May-2022	01-Nov-2022	✓	06-May-2022	01-Nov-2022	✓	
HDPE (no PTFE) (EP231X) SX_IB_20220503_07_56_SS_Primary_ALS, SX_OB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_OB_20220503_16_05_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS, SX_OB_20220504_00_02_SS_Primary_ALS, SX_OB_20220504_03_58_SS_Primary_ALS	SX_OB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS, SX_OB_20220504_00_11_SS_Primary_ALS,	05-May-2022	07-May-2022	01-Nov-2022	✓	07-May-2022	01-Nov-2022	✓	
HDPE (no PTFE) (EP231X) SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS	SX_IB_20220503_15_52_SS_Primary_ALS,	06-May-2022	09-May-2022	02-Nov-2022	✓	09-May-2022	02-Nov-2022	✓	



Matrix: WATER

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis				
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation		
EP231B: Perfluoroalkyl Carboxylic Acids									
HDPE (no PTFE) (EP231X-INJ)									
SX_IB_20220503_08_26_SR_Rinsate_ALS,	SX_IB_20220503_08_28_SB_Blank_ALS	03-May-2022	05-May-2022	30-Oct-2022	✓	05-May-2022	30-Oct-2022	✓	
HDPE (no PTFE) (EP231X)									
SX_IB_20220503_07_56_SS_Primary_ALS, SX_IB_20220503_15_52_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS, SX_IB_20220504_00_11_SS_Primary_ALS,	SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS, SX_IB_20220504_00_02_SS_Primary_ALS, SX_IB_20220504_03_58_SS_Primary_ALS	05-May-2022	06-May-2022	01-Nov-2022	✓	06-May-2022	01-Nov-2022	✓	
HDPE (no PTFE) (EP231X)									
SX_IB_20220503_07_56_SS_Primary_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_05_SS_Primary_ALS, SX_IB_20220504_00_02_SS_Primary_ALS, SX_IB_20220504_03_58_SS_Primary_ALS	SX_IB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS, SX_IB_20220504_00_11_SS_Primary_ALS,	05-May-2022	07-May-2022	01-Nov-2022	✓	07-May-2022	01-Nov-2022	✓	
HDPE (no PTFE) (EP231X)									
SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS	SX_IB_20220503_15_52_SS_Primary_ALS,	06-May-2022	09-May-2022	02-Nov-2022	✓	09-May-2022	02-Nov-2022	✓	
EP231C: Perfluoroalkyl Sulfonamides									
HDPE (no PTFE) (EP231X-INJ)									
SX_IB_20220503_08_26_SR_Rinsate_ALS,	SX_IB_20220503_08_28_SB_Blank_ALS	03-May-2022	05-May-2022	30-Oct-2022	✓	05-May-2022	30-Oct-2022	✓	
HDPE (no PTFE) (EP231X)									
SX_IB_20220503_07_56_SS_Primary_ALS, SX_IB_20220503_15_52_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS, SX_IB_20220504_00_11_SS_Primary_ALS,	SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS, SX_IB_20220504_00_02_SS_Primary_ALS, SX_IB_20220504_03_58_SS_Primary_ALS	05-May-2022	06-May-2022	01-Nov-2022	✓	06-May-2022	01-Nov-2022	✓	
HDPE (no PTFE) (EP231X)									
SX_IB_20220503_07_56_SS_Primary_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_05_SS_Primary_ALS, SX_IB_20220504_00_02_SS_Primary_ALS, SX_IB_20220504_03_58_SS_Primary_ALS	SX_IB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS, SX_IB_20220504_00_11_SS_Primary_ALS,	05-May-2022	07-May-2022	01-Nov-2022	✓	07-May-2022	01-Nov-2022	✓	
HDPE (no PTFE) (EP231X)									
SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS	SX_IB_20220503_15_52_SS_Primary_ALS,	06-May-2022	09-May-2022	02-Nov-2022	✓	09-May-2022	02-Nov-2022	✓	



Matrix: WATER

Evaluation: * = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis				
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation		
EP231D: (n:2) Fluorotelomer Sulfonic Acids									
HDPE (no PTFE) (EP231X-INJ)									
SX_IB_20220503_08_26_SR_Rinsate_ALS,	SX_IB_20220503_08_28_SB_Blank_ALS	03-May-2022	05-May-2022	30-Oct-2022	✓	05-May-2022	30-Oct-2022	✓	
HDPE (no PTFE) (EP231X)									
SX_IB_20220503_07_56_SS_Primary_ALS, SX_IB_20220503_15_52_SS_Primary_ALS, SX_IB_20220503_16_05_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS, SX_IB_20220504_00_11_SS_Primary_ALS,	SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS, SX_IB_20220504_00_02_SS_Primary_ALS, SX_IB_20220504_03_58_SS_Primary_ALS	05-May-2022	06-May-2022	01-Nov-2022	✓	06-May-2022	01-Nov-2022	✓	
HDPE (no PTFE) (EP231X)									
SX_IB_20220503_07_56_SS_Primary_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_05_SS_Primary_ALS, SX_IB_20220504_00_02_SS_Primary_ALS, SX_IB_20220504_03_58_SS_Primary_ALS	SX_IB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS, SX_IB_20220504_00_11_SS_Primary_ALS,	05-May-2022	07-May-2022	01-Nov-2022	✓	07-May-2022	01-Nov-2022	✓	
HDPE (no PTFE) (EP231X)									
SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS	SX_IB_20220503_15_52_SS_Primary_ALS,	06-May-2022	09-May-2022	02-Nov-2022	✓	09-May-2022	02-Nov-2022	✓	
EP231P: PFAS Sums									
HDPE (no PTFE) (EP231X-INJ)									
SX_IB_20220503_08_26_SR_Rinsate_ALS,	SX_IB_20220503_08_28_SB_Blank_ALS	03-May-2022	05-May-2022	30-Oct-2022	✓	05-May-2022	30-Oct-2022	✓	
HDPE (no PTFE) (EP231X)									
SX_IB_20220503_07_56_SS_Primary_ALS, SX_IB_20220503_15_52_SS_Primary_ALS, SX_IB_20220503_16_05_SS_Primary_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS, SX_IB_20220504_00_11_SS_Primary_ALS,	SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS, SX_IB_20220504_00_02_SS_Primary_ALS, SX_IB_20220504_03_58_SS_Primary_ALS	05-May-2022	06-May-2022	01-Nov-2022	✓	06-May-2022	01-Nov-2022	✓	
HDPE (no PTFE) (EP231X)									
SX_IB_20220503_07_56_SS_Primary_ALS, SX_IB_20220503_12_06_SS_Primary_ALS, SX_IB_20220503_16_05_SS_Primary_ALS, SX_IB_20220504_00_02_SS_Primary_ALS, SX_IB_20220504_03_58_SS_Primary_ALS	SX_IB_20220503_08_09_SS_Primary_ALS, SX_IB_20220503_16_01_SS_Triplicate_ALS, SX_IB_20220503_20_07_SS_Triplicate_ALS, SX_IB_20220504_00_11_SS_Primary_ALS,	05-May-2022	07-May-2022	01-Nov-2022	✓	07-May-2022	01-Nov-2022	✓	
HDPE (no PTFE) (EP231X)									
SX_IB_20220503_07_58_SS_Duplicate_ALS, SX_IB_20220503_20_00_SS_Primary_ALS	SX_IB_20220503_15_52_SS_Primary_ALS,	06-May-2022	09-May-2022	02-Nov-2022	✓	09-May-2022	02-Nov-2022	✓	



Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **SOIL**

Evaluation: * = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
Laboratory Duplicates (DUP)							
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Moisture Content	EA055	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	2	19	10.53	10.00	✓	NEPM 2013 B3 & ALS QC Standard
pH in soil using a 0.01M CaCl2 extract	EA001	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	2	19	10.53	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	2	12	16.67	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Laboratory Control Samples (LCS)							
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
pH in soil using a 0.01M CaCl2 extract	EA001	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	1	12	8.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Method Blanks (MB)							
Deionised Water Leach - Plastic Leaching Vessel	EN60-DIa-P	2	15	13.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	1	12	8.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard



Matrix: **SOIL** Evaluation: * = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Regular	Actual	Expected	Evaluation	
Analytical Methods							
Matrix Spikes (MS)							
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PCB - VIC EPA 448.3 Screen	EP066-EM	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Semivolatile Organic Compounds - Waste Classification	EP075-EM	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Cyanide by Segmented Flow Analyser	EK026SF	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Fluoride	EK040T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071-EM	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds - Ultra-trace	EP074-UT	1	12	8.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard

Matrix: **WATER** Evaluation: * = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Regular	Actual	Expected	Evaluation	
Analytical Methods							
Laboratory Duplicates (DUP)							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	4	24	16.67	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X-INJ	1	9	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Laboratory Control Samples (LCS)							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	3	24	12.50	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X-INJ	1	9	11.11	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Method Blanks (MB)							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	3	24	12.50	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X-INJ	1	9	11.11	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Matrix Spikes (MS)							
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	3	24	12.50	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X-INJ	1	9	11.11	5.00	✓	NEPM 2013 B3 & ALS QC Standard



Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

Analytical Methods	Method	Matrix	Method Descriptions
pH in soil using a 0.01M CaCl ₂ extract	EA001	SOIL	In house: Referenced to Rayment and Lyons 4B3 (mod.) or 4B4 (mod.) 10 g of soil is mixed with 50 mL of 0.01M CaCl ₂ and tumbled end over end for 1 hour. pH is measured from the continuous suspension. This method is compliant with NEPM Schedule B(3).
Moisture Content	EA055	SOIL	In house: A gravimetric procedure based on weight loss over a 12 hour drying period at 105-110 degrees C. This method is compliant with NEPM Schedule B(3).
Total Metals by ICP-AES	EG005T	SOIL	In house: Referenced to APHA 3120; USEPA SW 846 - 6010. Metals are determined following an appropriate acid digestion of the soil. The ICPAES technique ionises samples in a plasma, emitting a characteristic spectrum based on metals present. Intensities at selected wavelengths are compared against those of matrix matched standards. This method is compliant with NEPM Schedule B(3)
Total Mercury by FIMS	EG035T	SOIL	In house: Referenced to APHA 3112 Hg - B (Flow-injection (SnCl ₂) (Cold Vapour generation) AAS) FIM-AAS is an automated flameless atomic absorption technique. Mercury in solids are determined following an appropriate acid digestion. Ionic mercury is reduced online to atomic mercury vapour by SnCl ₂ which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM Schedule B(3)
Hexavalent Chromium by Alkaline Digestion and DA Finish	EG048G	SOIL	In house: Referenced to USEPA SW846, Method 3060. Hexavalent chromium is extracted by alkaline digestion. The digest is determined by photometrically by automatic discrete analyser, following pH adjustment. The instrument uses colour development using dephenylcarbazide. Each run of samples is measured against a five-point calibration curve. This method is compliant with NEPM Schedule B(3)
Total Cyanide by Segmented Flow Analyser	EK026SF	SOIL	In house: Referenced to APHA 4500-CN C / ASTM D7511 / ISO 14403. Caustic leachates of soil samples are introduced into an automated segmented flow analyser. Complex bound cyanide is decomposed in a continuously flowing stream, at a pH of 3.8, by the effect of UV light. A UV-B lamp (312 nm) and a decomposition spiral of borosilicate glass are used to filter out UV light with a wavelength of less than 290 nm thus preventing the conversion of thiocyanate into cyanide. The hydrogen cyanide present at a pH of 3.8 is separated by gas dialysis. The hydrogen cyanide is then determined photometrically, based on the reaction of cyanide with chloramine-T to form cyanogen chloride. This then reacts with 4-pyridine carboxylic acid and 1,3-dimethylbarbituric acid to give a red colour which is measured at 600 nm. This method is compliant with NEPM Schedule B(3).
Total Fluoride	EK040T	SOIL	(In-house) Total fluoride is determined by ion specific electrode (ISE) in a solution obtained after a Sodium Carbonate / Potassium Carbonate fusion dissolution.
PCB - VIC EPA 448.3 Screen	EP066-EM	SOIL	In house: Referenced to USEPA SW 846 - 8270 Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This method is compliant with NEPM Schedule B(3).
TRH - Semivolatile Fraction	EP071-EM	SOIL	In house: Referenced to USEPA SW 846 - 8015A Sample extracts are analysed by Capillary GC/FID and quantified against alkane standards over the range C10 - C40.
Volatile Organic Compounds - Ultra-trace	EP074-UT	SOIL	In house: Referenced to USEPA SW 846 - 8260 Extracts are analysed by Purge and Trap, Capillary GC/MS in partial SIM/Scan mode. Quantification is by comparison against an established multi-point calibration curves. This method is compliant with NEPM Schedule B(3).



Analytical Methods	Method	Matrix	Method Descriptions
Volatile Organic Compounds - Ultra-trace - Summations	EP074-UT-SUM	SOIL	Summation of MAHs and VHCs
Semivolatile Organic Compounds - Waste Classification	EP075-EM	SOIL	In house: Referenced to USEPA SW 846 - 8270 Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This technique is compliant with NEPM Schedule B(3).
SVOC - Waste Classification (Sums)	EP075-EM-SUM	SOIL	Summations for EP075 (EM variation)
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	SOIL	In-house: Analysis of fresh and saline waters by Solid Phase Extraction (SPE) followed by LC-Electrospray-MS-MS, Negative Mode using MRM and internal standard quantitation. Isotopically labelled analogues of target analytes used as internal standards and surrogates are added to the sample container. The entire contents are transferred to a solid phase extraction (SPE) cartridge. The sample container is successively rinsed with aliquots of the elution solvent. The eluted extract is combined with an equal volume of reagent water and a portion is filtered for analysis. Method procedures and data quality objectives conform to US DoD QSM 5.3, table B-15 requirements.
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X-INJ	WATER	In house: Direct injection analysis of fresh waters after dilution (1:1) with mobile phase solvent. Analysis by LC-Electrospray-MS-MS, Negative Mode using MRM. Where commercially available, isotopically labelled analogues of the target analytes are used as internal standards for quantification. Where a labelled analogue is not commercially available, the internal standard with similar chemistry and the closest retention time to the target is used for quantification. The DQO for internal standard response is 50-150% of that established at initial calibration. PFOS is quantified using a certified, traceable standard consisting of linear and branched PFOS isomers.

Preparation Methods	Method	Matrix	Method Descriptions
NaOH leach for CN in Soils	CN-PR	SOIL	In house: APHA 4500 CN. Samples are extracted by end-over-end tumbling with NaOH.
pH in soil using a 0.01M CaCl ₂ extract	EA001-PR	SOIL	In house: Referenced to Rayment and Lyons 4B1, 10 g of soil is mixed with 50 mL of 0.01M CaCl ₂ and tumbled end over end for 1 hour. pH is measured from the continuous suspension. This method is compliant with NEPM Schedule B(3).
Alkaline digestion for Hexavalent Chromium	EG048PR	SOIL	In house: Referenced to USEPA SW846, Method 3060A.
Total Fluoride	EK040T-PR	SOIL	In house: Samples are fused with Sodium Carbonate / Potassium Carbonate flux.
ASLP for Non & Semivolatile Analytes - Plastic Leaching Vessel	EN60a-P	SOIL	In house QWI-EN/60 referenced to AS4439.3 Preparation of Leachates.
Deionised Water Leach - Plastic Leaching Vessel	EN60-DIa-P	SOIL	In house QWI-EN/60 referenced to AS4439.3 Preparation of Leachates
Hot Block Digest for metals in soils sediments and sludges	EN69	SOIL	In house: Referenced to USEPA 200.2. Hot Block Acid Digestion 1.0g of sample is heated with Nitric and Hydrochloric acids, then cooled. Peroxide is added and samples heated and cooled again before being filtered and bulked to volume for analysis. Digest is appropriate for determination of selected metals in sludge, sediments, and soils. This method is compliant with NEPM Schedule B(3).
Methanolic Extraction of Soils - Ultra-trace.	ORG16-UT	SOIL	In house: Referenced to USEPA SW 846 - 5030A. 5g of solid is shaken with surrogate and 10mL methanol prior to analysis by Purge and Trap - GC/MS.
Tumbler Extraction of Solids - VIC EPA Screen	ORG17-EM	SOIL	In house: Mechanical agitation (tumbler). 10g of sample, Na ₂ SO ₄ and surrogate are extracted with 30mL 1:1 DCM/Acetone by end over end tumble. The solvent is decanted, dehydrated and concentrated (by KD) to the desired volume for analysis.



<i>Preparation Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
QuEChERS Extraction of Solids	ORG71	SOIL	In house: Sequential extractions with Acetonitrile/Methanol by shaking. Extraction efficiency aided by the addition of salts under acidic conditions. Where relevant, interferences from co-extracted organics are removed with dispersive clean-up media (dSPE). The extract is either diluted or concentrated and exchanged into the analytical solvent.
Solid Phase Extraction (SPE) for PFAS in water	ORG72	SOIL	In-house: Isotopically labelled analogues of target analytes used as internal standards and surrogates are added to the sample container. The entire contents are transferred to a solid phase extraction (SPE) cartridge. The sample container is successively rinsed with aliquots of the elution solvent. The eluted extract is combined with an equal volume of reagent water and a portion is filtered for analysis. Method procedures conform to US DoD QSM 5.3, table B-15 requirements.
Preparation for PFAS in water.	EP231-PR	WATER	Method presumes direct injection without workup. Preparation includes addition of internal standard and surrogate, and filtration prior to analysis.